# INNOVATIONS **CATALOGUE**
# 2014

www.kennametal.com

KENNAMETAL®

Since its inception in 1938, Kennametal has understood precisely how to improve manufacturing performance and profitability — by introducing unparalleled products and services to reduce operating costs and lead times.

These 600+ pages bring you the latest in milling, holemaking, turning, and tooling systems products and superior services — all specifically engineered to enhance overall productivity, even in the most challenging metalworking applications. Rely on Kennametal to significantly boost manufacturing competitiveness. To learn more, contact your Kennametal Representative or Authorised Kennametal Distributor.

Visit us at www.kennametal.com.

# Table of Contents


Introduction . . . . . i–xi

Service and Support . . . . . xii–xxxi

Turning . . . . . A1–A259

Holemaking . . . . . B1–B72

Solid End Milling . . . . . C1–C69

Indexable Milling . . . . . D1–D72

Tooling Systems . . . . . E1–E44

Index by Order Number . . . . . F2–F33

Index by Catalogue Number . . . . . F34–F65

Global Contacts . . . . . G2–G3

Icon Legend . . . . . G4–G5


KENNAMETAL 75 YEARS OF ADVANCING INNOVATION 1938–2013

KENNAMETAL
Less
Environmental
Impact
To learn more about our sustainable solutions for your industry,
please contact your Kennametal Representative or
Authorised Kennametal Distributor, or visit www.kennametal.com.

# Environment

Kennametal's intimate understanding of the energy marketplace — including customer processes and applications — allows us to proactively address production and sustainability concerns with solutions tailored to your needs. We deliver superior value because we listen closely to you, our customer, and innovate based on your feedback. Our goal is to help you be more competitive — both at home and on a global scale.

## Best Practices in Productivity

As your trusted partner for optimised production, Kennametal offers customers a unique commitment to research and development excellence, continually delivering highly innovative ways to enhance productivity. Certification to ISO 9001, QS 9000 TES, and VDA 6.4 provides the highest possible quality standards.

## Best Performance, Less Environmental Impact

With technology, we can do both. Kennametal helps customers focus on the root causes of unsustainable behaviour in highly complex manufacturing systems, while at the same time improving cost structure, quality, and performance. In addition to offering the latest in metalcutting tools and technology, our Advanced Engineering team will analyse your existing production processes and help identify new methods to improve your overall performance.

# New Products

*Our latest Metalcutting Innovations are designed to deliver higher productivity, longer tool life, and increased application versatility.*

## TURNING

**See Section A for more details.**

- ISO Carbide Inserts
- Superhard Materials • PCBN/PCD Inserts
- A4™ Grooving and Turning Inserts
- Top Notch™ Profiling
- Fix-Perfect™ Inserts
- Fix-Perfect Toolholders

## HOLEMAKING

**See Section B for more details.**

- KSEM PLUS™ Modular Drill System
- Expandable Reamers
- Tube Sheet Groover
- Romicron™ AVS
- Setting Fixtures
- Beyond™ HSS-E-PM Taps

*For more information about the latest products and services from Kennametal, please contact your Kennametal Representative or Authorised Kennametal Distributor, or visit www.kennametal.com.*

## SOLID END MILLING

**See Section C for more details.**

- Beyond™ Ceramic EADE Solid End Mills
- High-Performance Solid Carbide End Mills
  - HARVI I™
  - HARVI II™
  - HARVI II Long
  - HARVI III™
  - KC643M™ Key Way Cutter
  - Roughing

## INDEXABLE MILLING

**See Section D for more details.**

- KSOM™ Mini Turbine Blades
- Mill 1–7™ High-Performance Shoulder Mill
- KenFeed™ 2X Platform
- KSSM™ High-Feed Beyond Blast
- Rodeka™ Series
- KSRM™ Line Expansion

## TOOLING SYSTEMS

**See Section E for more details.**

- KM™ Quick Change
- KM4X™
- HSK63A Shank Tools

# Master Catalogues

## Cutting Tools 2013

Kennametal is proud to present the Kennametal Innovations Master Cutting Tools 2013 Catalogue, featuring all of our standard milling, holemaking, and turning products. By compiling our full metalworking portfolio together, and including new application guidelines, tool selectors, and technical information, Kennametal addresses key industry segments and the services that support that vision.

2,000+ pages of Kennametal's best tooling — all in one book! See complete Rotating and Stationary tooling in our new Master 2013 catalogue! Download the INCH or METRIC version from www.kennametal.com, or request a printed copy!

# Tooling Systems 2013

Kennametal is proud to present the latest Kennametal Tooling Systems catalogue, featuring the new KM4X™, proven to offer the best performance from the machine tool and handle the toughest materials. Other products range from ISO standard KM™ Quick Change tooling to ERICKSON™ toolholder systems: HSK, DV, BT, CAT, Shrink Fit, hydraulic chucks, collet systems as well as commodity-type holders to fully support your individual application needs.

*Look for the catalogue on our website www.kennametal.com.*

# Engineered Solutions

## Coordinated global resources with world-class manufacturing process development and implementation capabilities.

Whether it's a single tailored tool required to address a specific part feature or the development of a comprehensive manufacturing process for use on existing or newly acquired production equipment, Kennametal's team can manage the development, personnel training, and successful implementation of the complete solution.

Global implies just that. Globally coordinated manufacturing process development, implementation, and optimisation support at machine tool builders, end user engineering or corporate offices, and end user production facilities, regardless of their respective geographies. Well-organised, highly linked staff reside in the Americas, Europe, and Asia/Pacific regions. Globally standardised design and manufacturing systems enable highly coordinated project management and implementation results.

Key alliances with machine tool builders and other leading manufacturing technology enablers ensure a complete solution, optimising the entire process — not just portions of it. This results in the most effective and efficient manufacturing process possible, leading to low implementation time and cost and rapid return on investment.

For more information, please contact us at 1.866.646.7113.

# Energy

## Energy Engineered Solutions

Kennametal is more than a supplier of tooling solutions. With a thorough understanding of the energy segment's process and application challenges, we proactively address production concerns to deliver productivity to customers seeking peak performance in demanding environments. Kennametal's success is based on our capabilities — our ability to work with you on customised solutions to optimise your results and our willingness to engage with a broad spectrum of materials, metalworking solutions, application and custom component manufacturing, and supply expertise. Our drive for success, enabled through our advanced materials sciences, application knowledge, and commitment to a sustainable environment, results in a broad portfolio of innovative, custom, wear-resistant solutions.




Please also see the new Kennametal Energy catalogue (B-11-02786).

# Engineered Solutions

## Automotive

### Automotive Engineered Solutions

Traditionally, Kennametal has been a strong player in the transportation field, pioneering innovative solutions with automotive, shipbuilding, and railroad customers. We deliver global services and products that exceed our customers' expectations and continually push the boundaries of science. In today's competitive world, no one can support our customers better, and in turn, deliver the continued service and quality that has become Kennametal's trademark.

Kennametal's global reach has helped our customers standardise processes and products to improve both cost and quality. We offer an intimate understanding of the economics of the automotive value chain and unparalleled customised solutions tailored to your needs. We can deliver superior value by listening closely and innovating based on what our customers say. Our goal is to help you be more competitive, at home and on a global scale.

*If it rolls, floats, or flies,*

# Aerospace

## Aerospace Engineered Solutions

From lightweight composite materials to exotic alloys, Kennametal is committed to reducing risks and costs in the manufacture of aerospace and defense programs. We partner with customers to implement standard and customised solutions with minimum cost per part and high repeatability in mind. Kennametal has unique capabilities and resources to cover the total manufacturing equation from roughing to automated deburring and finishing. Kennametal's best-in-class technologies and services deliver up to 30% cost reduction and 60% cycle time reduction.

Aerospace component surfaces are one of the key battlegrounds in environmentally friendly manufacturing. Surface treatments not only improve appearance of the part but also enhance wear resistance, provide corrosion protection, and improve friction control. These subtle manufacturing enhancements provide big dividends in the form of fuel efficiency, reliability, performance, and longer part life.

*Kennametal has a solution that delivers innovation and productivity.*

# Service and Support

## Kennametal Extrude Hone™

### Precision Surface Management

- Fuel efficiency through fine flow tuning — Diesel Fuel System (DFS) and Gasoline Direct Injection (GDI).
- Emission reduction due to better spray shaping.
- Noise, friction, and wear reduction for automatic gearbox components.
- Air flow path enhancement to improve jet or helicopter turbine performance.
- Energy savings with centrifugal impeller pump increased efficiency.
- Surface stress relief on high-pressured thin wall component for extreme safety.

### Core Technologies Offer

- **Electrochemical Machining (ECM): Generator, fixture, and cathodes**
  Radiusing, shaping, polishing, surface stress relief.
- **Abrasive Flow Machining (AFM): Media and fixture design**
  Radiusing, polishing, surface stress relief.
- **Thermal Energy Method (TEM): Controlled combustion**
  Minimising risk of hidden burrs and contamination.

# Proven Solutions

## Easy Access to Service and Support

- Engineering and Feasibility departments.
- Capital equipment solutions.
- Contract Shop activities (ramp up and production).
- Spare parts availability program.
- Metalcutting tooling combined with Precision Surface Management.
- Benefits of worldwide Kennametal logistics.
- Lean expertise to conduct global projects with customers.
- Cost per part solutions/Clic model for equipment.
- Parameters, cathodes, fixture designs.
- Media design to part.
- Global Full Circle Program increases productivity resulting in less downtime of your equipment.



# Service and Support

## Kennametal Extrude Hone™

### Proven Solution: Save Energy, Save Money

- Improving closed pump impellers inner flow passage roughness to increase up to 11% peak efficiency and lower energy consumption.
- A coal-powered plant equipped with six boiler feed pumps can reduce parasitic loss, representing at least $500,000 annual savings (driving the pumps) by 1% of the power generated.
- This process and savings can also be applied to natural gas centrifugal closed pump impellers.

### Precision Surface Management Matters

Kennametal Extrude Hone Abrasive Flow Machining (AFM) surface and flow enhancement solutions provide the energy segment with significant savings in pump efficiency improvements.

- The AFM process is the method of choice for material removal at the area of greatest restriction and surface improvement of passages not accessible by other methods.
- AFM has documented efficiency proven solutions in the automotive and aerospace industries.
- Two-way flow AFM process is a natural fit for closed impellers and diffusers.
- Inner flow passages of the impellers and diffusers benefit from AFM's selective material removal as well as surface finish improvement — both contributing to improved pump efficiency.



Before

After

# Proven Solutions • Delivering Results throughout the Value Chain

## Working with You

We have a strong focus on customer solutions, which helps develop an accurate understanding of industry needs. This is achieved through collaborative work with key players throughout the value chain:

### Original Equipment Manufacturer (OEM)
Our business expertise is providing OEMs with key components, such as pumps, that deliver greater efficiency.

### Foundry
Kennametal Extrude Hone™ specialists can bring added value early in the manufacturing chain, so you can deliver more than just a key component and exceed expectations every time.

### End User
Currently in the best position to measure efficiency improvements, end users understand the direct impact of savings — anywhere along the value chain. They help us measure performance of the processed component against non-processed, providing a better understanding of efficiency improvement related to the Kennametal Extrude Hone AFM operation. The AFM Center of Excellence, in Irwin, PA, can perform feasibility testing with customer-specific parts to provide the optimal media needed for each process.

## Media Is the Edge

The Kennametal Extrude Hone lab provides the energy industry with specific, engineered medias that deliver the highest performance for closed impeller polishing. We also have specific media with dedicated characteristics to enhance productivity and quality when polishing a closed impeller.

# Service and Support

## Kennametal Extrude Hone™

### Abrasive Flow Machining for Pump Market Validation Testing

Formed in 1969 by a small group of pump engineers in Chicago, Hydro Aire is now the largest independent pump rebuilder with service centres throughout the world. A complete 5000 hp, 42,000 GPM pump test stand, designed in compliance with Hydraulic Institute standard and API 610, is located in Chicago. This is the ONLY independent non-OEM facility with this capability able to generate pump efficiency curves using LabView software.




* *Testing by Hydro Aire in Chicago*

# Proven Solutions • The Energy Story

## Proving the Pump Efficiency Improvement from the AFM Process

We have selected a 100 hp 1,200 GPM, single impeller overhung process pump as an example to validate the potential efficiency improvement able to be achieved with the AFM process.

1) New PACO™ pump purchased, which is about 79% efficient according to the manufacturer's data.
2) Pump tested and performance curve generated to confirm initial efficiency pre-AFM. Manufacturer data confirmed by our "before AFM" testing.
3) Pump was disassembled and impeller removed to AFM process. Pump was then reassembled.
4) Re-tested pump and generated performance curve.

Results: **Peak efficiency gain of +11%,** bringing the pump to 90% total efficiency! Gains were realised over the full usable range of the pump with **significant power savings** at given pressure and flow rate.

### Test Component

| | |
|---|---|
| **Pump Type:** | ITT Goulds 12BF |
| **Pump Size:** | 3 x 4–10 |
| **Serial No.:** | G1162372 |
| **Stages:** | 1 |
| **SG:** | 1.00 |
| **NPSHr:** | n/a |
| **Speed:** | 3600 RPM |



# Repair Services

Milling cutters

Boring bars — standard, tunable, and de-vibe

Indexable drills

Line boring bars

Feed-out heads

Motion tools

Standard indexable tooling

ModBORE™ boring heads

Romicron™ boring heads

Eccentric toolholders

Electronic tightening fixtures

Floating toolholders

Hydraulic chucks

KM™ clamping units (manual and spring packs)

## Kennametal Repair Services

**Tools are valuable. Protect them and get the most from your investment.**

You can be assured that when your advanced tooling products need to be serviced, the Kennametal Service and Repair Department has the highly trained, experienced staff to provide expert assistance. For about half the cost of a new tool purchase, you can have your existing, damaged tools serviced and repaired to like-new condition.

# Getting Started, and Getting Finished, Is Easy.

**Follow these 4 simple steps and be on your way to restored tools and great savings.**

1. Visit www.kennametal.com to find the tool you're looking to have repaired.
2. Download and complete the form. Mail the completed form and the tooling to the Kennametal Service and Repair Department.
3. Kennametal will quickly respond to your request with a cost estimate and timetable for the completion of the repair.
4. Within 60 days of receiving the estimate, notify Kennametal whether you'd like the tooling repaired, returned, or scrapped.

**Please note that the tap adaptors are not cost effective to repair.*

KM-LOC™ and KM-LOC II™ clamping units

KSEM™ bodies

Live/driven tooling

Bearing milling chucks

Right-angle heads

SEFAS™ combination tools

Tapping holders (excluding tap adaptors*)

Integral tapping tools (excluding tap adaptors*)

Presetters

Tuned tooling units

ToolBOSS™ — Tool Management System

# Service and Support

## Kennametal ToolBOSS™

### Secure, High-Capacity Solutions

ToolBOSS™ quickly and consistently delivers quantifiable savings in hundreds of metalworking companies worldwide. Much more than a vending unit, the Kennametal ToolBOSS system is a secure, electronically locked tool storage cabinet that can establish 24-hour tool control for high-value items. It issues tools, returns tools, sends to re-work, supports EDI ordering, and provides for multi-vendor security.

**Efficiency**
Multiple drawers can be selected in one transaction, minimising the time required to manage large stock volumes.

**Future-Port**
USB interface, as well as a DCS expansion port, for use with RFID and other ancillary equipment.

**High-Speed Access**
Rapid search and selection of an item is enhanced with LED identification system, guiding users to the correct drawer.

**Traceability**
Software provides a complete audit trail, tracking component usage details.

**Expandability**
Expandable up to 10 units per system, providing up to 1.121 secure locations.

To learn more about ToolBOSS, contact your local Authorised Distributor or visit **www.kennametal.com**

# Reconditioning Services

Our Reconditioning Services help optimise the total value of your metalcutting tools throughout their entire life cycle by giving the “like-new” performance characteristics — with rapid turnaround time — so the tools you need are always on-hand and perform just like new.

## Reduce Tooling Cost by More than 50%

Example: 4" (10,5mm) HP-Drill B225A10500 KC7315  Material: Alloy steel 30 RC




Using Kennametal’s Reconditioning Services provides considerable savings throughout the life of your cutting tools and can reduce your overall tooling costs more than 50%.

**For more information or to find the nearest reconditioning location, contact your local Authorised Distributor or visit www.kennametal.com**

# Service and Support

## Carbide Recycling

### Help Preserve and Protect Our Planet!

It's easy for your company to be environmentally conscious with the Kennametal Carbide Recycling Program.

By sending us your used carbide tools, you help preserve and protect the environment and ensure that these products are recycled responsibly. Kennametal accepts any coated or non-coated carbide items, including inserts, drills, reamers, and taps.

By using the Kennametal Carbide Recycling Program, you will receive:

- A partner who cares about a sustainable environment.
- Easy-to-use web portal to value your used carbide.
- Access to our popular Green Box™ options for carbide collection.
- Systematic and efficient disposal of carbide materials.
- Improved profitability.

*Program is not currently available in all geographical areas. For more information, please visit* ***www.kennametal.com/carbiderecycling***

# Cost per Part Services Program (CPP)

## Build a Long-Term Relationship with the Leader in Metalworking Solutions that Provides:

- Monthly cost savings documented and captured in standardised KPI reports.
- Availability of Kennametal's latest technology to increase productivity and lower cost of operations.
- Onsite technical support available on a constant basis.
- Billing based on the output of your plant that eliminates inventory risk.




## Cost per Part Services Programs Are Designed to Take Advantage of Our Wear Solutions Expertise by Outsourcing Your Metalworking Requirements that:

- Improve productivity.
- Reduce risk.
- Manage inventory.
- Lower operational costs.

For more information, contact your local Authorised Distributor or visit **www.kennametal.com**

# Service and Support

## Customer Application Support (CAS)

### Get Fast and Reliable Answers to Your Toughest Metalcutting Problems

Our Customer Application Support (CAS) Team is the metalworking industry's leading help desk resource for tooling application solutions and problem resolution.

### Easy Access to Proven Metalworking Expertise!

Kennametal Customer Application Engineers assist customers and engineering groups throughout the world with expert tool selection and application recommendations for the entire range of Kennametal tooling.

#### Service Level Excellence

- Fast telephone response.
- Quick technical solutions.
- Efficient case management.

#### Services

- Operating parameters.
- Process optimisation.
- Hardware support.
- Tooling selection.
- Troubleshooting.

#### Best-in-Class Support Tools and Technology

- Materials database.
- Application calculators.
- Tooling performance experts.

**Convenient Access Options:**

| Originating Country | Language | Phone | Fax | E-mail |
|---|---|---|---|---|
| Australia | English | 1800 674037 | +1-724-539-6830 | ap-kmt.techsupport@kennametal.com |
| Austria | German | 0800 202873 * | 0800 202874 | eu-kmt.techsupport@kennametal.com |
| Belgium | English/French | 0800 80850 * | 0800 80868 | eu-kmt.techsupport@kennametal.com |
| China | Chinese | 440-889-2238 | 21-5834-2200 | k-cn.techsupport@kennametal.com |
| Denmark | English | 80889298 * | 80889296 | na-kmt.techsupport@kennametal.com |
| Finland | English | 0800919412 * | 0800919414 | na-kmt.techsupport@kennametal.com |
| France | French | 0805540367 * | 0805540028 * | eu-kmt.techsupport@kennametal.com |
| Germany | German | 0800 0006651 * | 0800 0006649 | eu-kmt.techsupport@kennametal.com |
| India | English | +1-724-539-6830 | +1-724-539-6830 | ap-kmt.techsupport@kennametal.com |
| Israel | English | 1809 449889 | 1809 449918 | na-kmt.techsupport@kennametal.com |
| Italy | Italian | 800 916561 * | 800 917505 | eu-kmt.techsupport@kennametal.com |
| Japan | English | 0120 225429 | +1-724-539-6830 | ap-kmt.techsupport@kennametal.com |
| Korea (South) | English | 080 728 0880 | +1-724-539-6830 | ap-kmt.techsupport@kennametal.com |
| Malaysia | English | 1800 812 990 * | +1-724-539-6830 | ap-kmt.techsupport@kennametal.com |
| Netherlands | English | 0800 0201130 * | 0800 0201132 | eu-kmt.techsupport@kennametal.com |
| New Zealand | English | 0800 450941 * | 0800 450921 | ap-kmt.techsupport@kennametal.com |
| Norway | English | 80010080 * | 80010082 | na-kmt.techsupport@kennametal.com |
| Poland | Polish | 00800 4411887 * | 00800 4411888 | eu-kmt.techsupport@kennametal.com |
| Singapore | English | 1800 6221031 | +1-724-539-6830 | ap-kmt.techsupport@kennametal.com |
| South Africa | English | 0800 981643 * | +1-724-539-6830 | na-kmt.techsupport@kennametal.com |
| Sweden | English | 020799246 | 020795474 | na-kmt.techsupport@kennametal.com |
| Taiwan | English | 0800 666 197 * | +1-724-539-6830 | ap-kmt.techsupport@kennametal.com |
| Thailand | English | 1800 4417820 * | +1-724-539-6830 | ap-kmt.techsupport@kennametal.com |
| United Kingdom | English | 0800 032 8339 * | 0800 028 5803 * | na-kmt.techsupport@kennametal.com |
| USA | English | 800-835-3668 * | 724-539-6830 | na-kmt.techsupport@kennametal.com |

* *Toll-free number.*

# Kennametal QR Codes

## Looking for More Products or Product Information?

Use your smartphone or tablet to scan the QR codes throughout this catalogue.

Throughout the Kennametal Innovations Catalogue 2014, you will find codes like the one shown here that will activate links containing more information about various products and services offered.

The QR codes that you will find within this catalogue are designed to relate to the products or product families on the page where they are found. These codes will link you to expanded product information, such as application videos, informative drawings and animations, extra product charts and graphs, or simply to an expanded online catalogue of products offered by Kennametal for all your drilling, turning, and milling needs.

## Helpful Information to Get You Scanning

QR codes are activated when scanned with a dedicated QR scanning application using the onboard camera of your smartphone or tablet.

If you currently have a QR scanner on your smartphone or tablet, look for codes to learn more information about our products. Don't have a QR scanner on your device? It's simple to get one. Just go to your device's application store, and search for a "QR code scanner". Follow your application store's directions on downloading an application, and then launch your QR scanner.

- With your scanner, centre the QR code in the camera window of your application.
- When the scanner locks onto the image, you will be on your way to the embedded information in the QR code.
- Once the webpage, video, or other information linked to the QR code opens or loads, you can freely interact.

*When you need information quickly on a product or an extended product catalogue, skip the web search and long website URLs and scan the provided QR codes in this catalogue.*

*Scan the code at the top of the page to visit our website and online product catalogue.*

*QR Code is a registered trademark of Denso Wave Incorporated.*

# Service and Support

Shop. Buy. Promote.

## Branded Merchandise

### New Kennametal Branded Merchandise Available! Place Your Order Today!

Introducing a new line of Kennametal merchandise. Place an order for any of the following quality products with your Authorised Kennametal Distributor or visit www.kennametal.corpmerchandise.com.

# Global Online Ordering Made Simple.

## Place Your Online Orders in 3 Easy Steps!

1. Visit **www.kennametal.corpmerchandise.com**.
2. Click on the region to where your merchandise will be delivered.
3. Follow the region-specific instructions for ordering.

*Please note that the prices are adjusted by the region of delivery.*

Visit **www.kennametal.corpmerchandise.com** to see all available merchandise and for ordering details.

# Social Media

## Join Our Conversation

http://www.facebook.com/KennametalInc

http://twitter.com/Kennametal

http://www.linkedin.com/company/kennametal

https://plus.google.com/+kennametal/posts

**Connect with us to get the latest information on our new products and promotions, read success stories, and view product videos.**

http://www.instagram.com/kennametal

http://youtube.com/KennametalSolutions

http://chronicle.kennametal.com

Kennametal blogs can be read at http://chronicle.kennametal.com.

# Kennametal Apps

## The New Kennametal Innovations iPad® Application

Available as a **Free Download** from the iTunes® App Store℠.

### Now Available

The Kennametal Innovations iPad® app features interactive, cutting-edge animations, and real-world demonstrations of Kennametal's productivity-enhancing technologies for machining and industrial processes. With selectable data, it is quick and convenient to compare complimenting and competitive products.

### Easy to Download

Go to the iTunes® App Store, and search for "Kennametal". Then, follow the directions on downloading. It's simple, fast, and free.

### Easy to Use

The simple navigation makes it easy to search via keywords to find specific tooling solutions and product groups. The user-driven navigation map offers drop-down menus with supplemental information, including expandable, and customisable, charts and graphs.

# Grade and Geometry Converter Mobile Application

## Available as a **Free Download** from the iTunes® App Store℠.

### Now Available

Our app is an excellent tool that enables you to input competitor grade and geometry information to find the equivalent Kennametal grades and geometries for a wide range of competitive grades and geometries in your application.

### Easy to Download

Go to your device's application store and search for "Kennametal", and then follow your application store's directions on downloading. It's simple, fast, and free.

### Easy to Use

Once the application is downloaded on your mobile device, launch the application, and select the "convert" tab at the bottom of the screen. Next, choose if you want to convert by competitor grade or geometry.

Once you decide, select a manufacturer from the list, and select the grade or geometry. The application will then display all of Kennametal's comparable grades or geometries in different material types.

If you already know your grade or geometry, you can use the search tab at the bottom of the screen to search by competitor grade or geometry and display the Kennametal equivalent.

# Kennametal Interactive Catalogue iPad® Application

## Available as a **Free Download** from the iTunes® App Store℠.

Download and browse all of Kennametal's product catalogues. Search for the products you need, view high-resolution product images, and chat with technical support. Kennametal's Catalogue app allows you to request quotes on any product in our catalogues.



# Turning

ISO Carbide Inserts . . . . . A2–A115
Superhard Materials • PCBN/PCD Inserts . . . . . A116–A182
A4 Grooving and Turning Inserts . . . . . A184–A205
Top Notch Profiling . . . . . A206–A232
Fix-Perfect Inserts . . . . . A234–A251
Fix-Perfect Toolholders . . . . . A252–A259

# Carbide Inserts

## Primary Application

Kennametal offers a complete portfolio of ISO-/ANSI-style inserts. Positive, negative, CVD, PVD, or uncoated, we have the insert to help increase productivity and achieve greater savings.

Plus, our carbide insert line contains Beyond™ technology. Beyond inserts offer you greater versatility, reliability, and up to 30% higher productivity.

## Beyond™ Drive™ Inserts

Beyond™ Drive™ offers the same benefits of Kennametal's current market-leading Beyond™ products, but in a bronze color to increase wear identification.

- Increase productivity and process safety with Beyond grade technology.
- Post-coat treatment reduces stress and improves coating adhesion.
- Better toughness and wear resistance.
- Better wear detection.

For use by transportation and general engineering segment customers that are looking for better wear identification.

- Steel materials: Axles, bearings, camshafts, crankshafts, CV joints, and wheels.
- Cast iron materials: Brake drums and rotors, camshafts, crankshafts, motor components, powertrain components, valve bodies, and wheels.





## Beyond™ CVD Grades

- Higher productivity and profitability — up to 300% higher.
- Lower cutting forces — increase speeds and reduce cycle time.
- Extended tool life.
- Predictable tool life/uniform wear.
- Resists chip flow damage.
- Consistent surface finish.
- Products can be applied across a wide range of applications.
- Use it in low speed to high speed applications.
- For finish to rough turning of steel, cast iron, stainless steel, and high-temp alloy turning.

## Beyond PVD Grades

### KCU10™

- PVD-coated grade with superior wear resistance at elevated temperatures, allowing higher metal cutting speeds.
- For use in all materials, especially stainless steels and high-temp alloys.
- Improved depth-of-cut notch resistance.
- Increase speed by 20–30% or feed by 10–15%.
- Use in finishing to medium applications.

### KCU25™

- PVD-coated grade with superior edge toughness and excellent wear resistance. Medium to roughing applications.
- Use in all materials.
- Increase speed, feed, and depth of cut by 10–20%.

Turning

# How Do Catalogue Numbers Work?

Each character in our catalogue number signifies a specific trait of that product. Use the following key columns and corresponding images to easily identify which attributes apply.




## C — Insert Shape

| | | |
|---|---|---|
| H | Hexagon 120° | |
| O | Octagon 135° | |
| P | Pentagon 108° | |
| R | Round — | |
| S | Square 90° | |
| T | Triangular 60° | |
| C<br>D<br>E<br>M<br>V | Rhomboid<br>80°<br>55°<br>75°<br>86°<br>35° | |
| W | Trigon 80° with enlarged corner angles | |
| L | Rectangular 90° | |
| A<br>B<br>N/K | Parallelogram<br>85°<br>82°<br>55° | |

## N — Insert Clearance Angle

| | | |
|---|---|---|
| A | 3° |  |
| B | 5° |  |
| C | 7° |  |
| D | 15° |  |
| E | 20° |  |
| F | 25° |  |
| G | 30° |  |
| N | 0° |  |
| P | 11° |  |
| O | Indicated for other clearance angles requiring descriptions. | |

## M — Tolerance Class

Tolerances apply prior to edge prep and coating







**D** = Theoretical diameter of the insert inscribed circle
**S** = Thickness
**B** = See figures below

## G — Insert Features

| | |
|---|---|
| N |  |
| R | |
| F |  |
| A | |
| M | |
| G |  |
| W |  |
| T | |
| Q |  |
| U |  |
| B |  |
| H | |
| C | |
| J |  |
| X | Special Design |

## 12 — Size

| | "D" | Code for inch cutting edge length "L10" | | | | | | |
|---|---|---|---|---|---|---|---|---|
| inch | mm | C | D | R | S | T | V | W |
| 1.2 (5) | 3,97 | S4 | 04 | 03 | 03 | 06 | – | – |
| 1.5 (6) | 4,76 | 04 | 05 | 04 | 04 | 08 | 08 | S3 |
| 1.8 (7) | 5,56 | 05 | 06 | 05 | 05 | 09 | 09 | 03 |
| – | 6,00 | – | – | 06 | – | – | – | – |
| 2 | 6,35 | 06 | 07 | 06 | 06 | 11 | 11 | 04 |
| 2.5 | 7,94 | 08 | 09 | 07 | 07 | 13 | 13 | 05 |
| – | 8,00 | – | – | 08 | – | – | – | – |
| 3 | 9,52 | 09 | 11 | 09 | 09 | 16 | 16 | 06 |
| – | 10,00 | – | – | 10 | – | – | – | – |
| 3.5 | 11,11 | 11 | 13 | 11 | 11 | 19 | 19 | 07 |
| – | 12,00 | – | – | 12 | – | – | – | – |
| 4 | 12,70 | 12 | 15 | 12 | 12 | 22 | 22 | 08 |
| 4.5 | 14,29 | 14 | 17 | 14 | 14 | 24 | 24 | 09 |
| 5 | 15,88 | 16 | 19 | 15 | 15 | 27 | 27 | 10 |
| – | 16,00 | – | – | 16 | – | – | – | – |
| 5.5 | 17,46 | 17 | 21 | 17 | 17 | 30 | 30 | 11 |
| 6 | 19,05 | 19 | 23 | 19 | 19 | 33 | 33 | 13 |
| – | 20,00 | – | – | 20 | – | – | – | – |
| 7 | 22,22 | 22 | 27 | 22 | 22 | 38 | 38 | 15 |
| – | 25,00 | – | – | 25 | – | – | – | – |
| 8 | 25,40 | 25 | 31 | 25 | 25 | 44 | 44 | 17 |
| 10 | 31,75 | 32 | 38 | 31 | 31 | 54 | 54 | 21 |
| – | 32,00 | – | – | 32 | – | – | – | – |

| tolerance class | tolerance on "D" | tolerance on "B" | tolerance on "S" |
|---|---|---|---|
| C | ±0,025 | ±0,013 | ±0,025 |
| H | ±0,013 | ±0,013 | ±0,025 |
| E | ±0,025 | ±0,025 | ±0,025 |
| G | ±0,025 | ±0,025 | ±0,013 |
| M | See tables on the next page | | ±0,013 |
| U | See tables on the next page | | ±0,013 |

*By referencing this easy-to-use guide, you can identify the correct product to meet your needs.*




## 04
### Thickness S

| symbol mm | thickness mm |
|---|---|
| – | 0,79 |
| T0 | 1,00 |
| 01 | 1,59 |
| T1 | 1,98 |
| 02 | 2,38 |
| 03 | 3,18 |
| T3 | 3,97 |
| 04 | 4,76 |
| 05 | 5,56 |
| 06 | 6,35 |
| 07 | 7,94 |
| 9 | 9,52 |
| 11 | 11,11 |
| 12 | 12,70 |

## 08
### Corner Radius "Rε"

| symbol mm | corner radius mm |
|---|---|
| X0 | 0,04 |
| 01 | 0,1 |
| 02 | 0,2 |
| 04 | 0,4 |
| 08 | 0,8 |
| 12 | 1,2 |
| 16 | 1,6 |
| 20 | 2,0 |
| 24 | 2,4 |
| 28 | 2,8 |
| 32 | 3,2 |
| 00 | round insert |
| M0 | |

### Hand of Insert *(optional)*

**R** = Right hand
**L** = Left hand
**N** = Neutral




### Cutting Edge *(optional)*

**F** Sharp
**E** Rounded
**T** Chamfered
**S** Chamfered and Rounded
**K** Double-Chamfered
**P** Double-Chamfered and Rounded

## FP
### Chipbreaker *(optional)*

**F** = Sharp
**FF** = Fine Finishing
**FN** = Finishing Negative
**MN** = Medium Negative
**RN** = Roughing Negative
**UN** = Universal Medium
**FP** = Finishing Positive
**MP** = Medium Positive
**RP** = Roughing Positive
**RM** = Roughing Medium
**RH** = Roughing Heavy
**FW** = Finishing Wiper
**MW** = Medium Wiper
**FS** = Finishing Sharp
**MS** = Medium Sharp
**RW** = Roughing Wiper
**HP** = High Positive
**UP** = Universal Positive
**K** = Light-Feed Chip Control
**UF** = Ultra-Fine Finishing
**LF** = Light Finishing
**MF** = Medium Finishing
**E** = Hone Only
**T** = Negative Land
**S** = Negative Land Plus Hone
**MP-K** = Medium Positive
**MG-P** = Medium Positive

| "D" mm | ± Tolerance on "D" | | | |
|---|---|---|---|---|
| | Class M Tolerance | | Class U Tolerance | |
| | Shapes S, T, C, R, & W mm | Shape D mm | Shape V mm | Shapes S, T, & C mm |
| 3,97 | 0,05 | – | – | – |
| 4,76 | 0,05 | – | – | 0,06 |
| 5,56 | 0,05 | 0,05 | 0,05 | 0,06 |
| 6,35 | 0,05 | 0,05 | 0,05 | 0,06 |
| 7,94 | 0,05 | 0,05 | 0,05 | 0,06 |
| 9,52 | 0,05 | 0,05 | 0,05 | 0,06 |
| 11,11 | 0,06 | 0,06 | 0,06 | 0,13 |
| 12,70 | 0,06 | 0,06 | 0,06 | 0,13 |
| 14,29 | 0,06 | 0,06 | 0,06 | 0,13 |
| 15,88 | 0,10 | 0,10 | 0,10 | 0,18 |
| 17,46 | 0,10 | 0,10 | 0,10 | 0,18 |
| 19,05 | 0,10 | 0,10 | 0,10 | 0,18 |
| 22,22 | 0,13 | – | – | 0,25 |
| 25,40 | 0,13 | – | – | 0,25 |
| 31,75 | 0,15 | – | – | 0,25 |

| "D" mm | ± Tolerance on "B" | | | |
|---|---|---|---|---|
| | Class M Tolerance | | Class U Tolerance | |
| | Shapes S, T, C, R, & W mm | Shape D mm | Shape V mm | Shapes S, T, & C mm |
| 3,97 | 0,06 | – | – | – |
| 4,76 | 0,06 | – | – | 0,13 |
| 5,56 | 0,06 | 0,11 | – | 0,13 |
| 6,35 | 0,06 | 0,11 | – | 0,13 |
| 7,94 | 0,06 | 0,11 | – | 0,13 |
| 9,52 | 0,06 | 0,11 | 0,18 | 0,13 |
| 11,11 | 0,13 | 0,15 | – | – |
| 12,70 | 0,13 | 0,15 | 0,25 | 0,20 |
| 14,29 | 0,13 | 0,15 | – | – |
| 15,88 | 0,15 | 0,18 | – | 0,27 |
| 17,46 | 0,15 | 0,18 | – | 0,27 |
| 19,05 | 0,15 | 0,18 | – | 0,27 |
| 22,22 | 0,15 | – | – | 0,38 |
| 25,40 | 0,18 | – | – | 0,38 |
| 31,75 | 0,20 | – | – | 0,38 |

A system of grades, geometries, and application guidelines to provide optimal solutions for your metalcutting needs. It's easy to determine which Kennametal chip-control cutting tool will work best in your specific workpiece materials and applications!

## Grade • Beyond™

| K | C | P | M | 25 | A |
|---|---|---|---|---|---|
| Brand | Insert Material | Primary Workpiece Material (ISO 513) | Secondary Workpiece Material *(optional)* | Application Range | Future Upgrades *(optional)* |

**K** = Kennametal

**Blank** = Carbide, uncoated
**C** = Carbide, coated
**T** = Cermet
**Y** = Ceramic
**D** = PCD
**B** = PCBN
**S** = Steel

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

**U** = Universal Machining

**Hardest**

| | |
|---|---|
| 5 | fine finishing |
| 10 | finishing |
| 15<br>20 | medium to roughing |
| 25<br>30<br>35 | roughing |
| 40<br>45<br>50 | heaviest roughing |

**Toughest**

**A** = Generation 1
**B** = Generation 2
**C** = Generation 3
etc.

NOTE: Application range does not apply to PCBN grades.

## Grade • Kenna Perfect™

| K | C | 9 | 2 | 25 |
|---|---|---|---|---|
| | | Coating Type | Material Group | Wear Application Range/Toughness Range |

**9** = CVD (Chemical Vapor Deposition)
**5** = PVD (Physical Vapor Deposition)

| | | |
|---|---|---|
| 1 = | P | Steel |
| 2 = | M | Stainless Steel |
| 3 = | K | Cast Iron |
| 4 = | N | Non-Ferrous Materials |
| 5 = | S | High-Temp Alloys |
| 6 = | H | Hardened Materials |

**0** = Universal Machining

**Hardest**

| | |
|---|---|
| 10 | highly wear resistant |
| to | |
| 50 | extremely tough |

**Toughest**

NOTE: Application range does not apply to PCBN grades.

# Beyond™ ISO Ceramic Inserts

## KYK10™, KYK25™, KYS25™, and KYS30™

The new Beyond ISO KYK Ceramic Inserts are the first choice for high-speed, continuous, and lightly interrupted turning applications in grey cast iron. These premium ceramic solutions for continuous cast iron turning applications offer improved fracture toughness, better wear resistance, and extended application range. By combining KYK10 and CVD-coated KYK25 with Kennametal's other ceramic grades for cast iron materials, Kennametal provides a complete, high-performance ceramic portfolio that can be optimised to reduce machining cycle times and lower overall manufacturing costs.

**KYK10:**
- Best suited for continuous turning of cast iron materials and in lightly interrupted cuts.

**KYK25:**
- Excellent wear resistance and pre-coat treatment allows for very consistent tool life and performance in a multitude of cast iron applications.

**KYS25:**
- Excellent surface finish, lower cutting forces, higher speeds.

**KYS30:**
- Excellent toughness and depth-of-cut notch resistance.

Experience the advantages at your Authorised Kennametal Distributor or at **www.kennametal.com**.

**www.kennametal.com**

KENNAMETAL®

## Insert Selection System

**How to Use**

Kennametal's three-step insert selection system makes choosing and applying the most productive tool as easy as 1, 2, 3. Tool recommendations are based on six workpiece material groups, optimising selection accuracy.

### Example:
### Six workpiece material groups

#### Step 1 • Select the insert geometry

Given: depths of cut = 1mm
feed = 0,4mm
**Unknown: insert geometry**
Solution: -MN

#### Step 2 • Select the grade

Given: cutting conditions:
lightly interrupted cut
Geometry: -MN
**Unknown: grade**
Solution: KCP25

#### Step 3 • Select the cutting speed

Given: grade KCP25
cutting conditions
material CK15
**Unknown: cutting speed**
Solution: 280 m/min

**Need help in selecting a product?**
**Additional information can be obtained by contacting**
**Kennametal's Customer Application Support Team.**
**Go to www.kennametal.com for your country's phone number.**

## Step 1 • Select the insert geometry

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

beyond™

### Negative Inserts

-RN



-RP* (positive)

Roughing

-FN Finishing

-MN Medium Machining

-FF Fine Finishing




*-RP – Supplemental geometry for high-strength materials

## Step 2 • Select the grade

| cutting condition | -FF | -FN | -MN | -RN | -RP | -11 | -UF | -LF | -FP | -MF | -MP |
|---|---|---|---|---|---|---|---|---|---|---|---|
| heavily interrupted cut | KCP10 | KCP25 | KCP30 | KCP30/KCP40 | KCP30/KCP40 | — | KC5010/KCP25 | KCP25 | KCU25/KCP25 | KCP40 | KCM25 |
| lightly interrupted cut | KCP10 | KCP25 | KCP25 | KCP30/KCP40 | KCP30/KCP40 | — | KC5010/KCP25 | KCP25 | KCP25 | KCP25 | KCP25 |
| varying depth of cut, casting, or forging skin | KCP05/KT315 | KCP10 | KCP10 | KCP30/KCP40 | KCP30/KCP40 | KT315 | KCP10 | KCP10 | KCP10 | KCP10 | KCP10 |

## Step 3 • Selecting the cutting speed

**Low-Carbon (<0,3% C) and Free-Machining Steel** — speed — m/min (SFM) — starting conditions

| material group | grade | 135 (450) | 180 (600) | 225 (800) | 275 (900) | 320 (1050) | 360 (1200) | 410 (1350) | 455 (1500) | 495 (1650) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P1 | KCP05/KTP10 | | | | | | | | | | 435 | 1450 |
| | KCP10 | | | | | | | | | | 395 | 1320 |
| | KCP25 | | | | | | | | | | 275 | 925 |
| | KCP30/KCP40 | | | | | | | | | | 210 | 700 |

**New Beyond™ Material Group Selection Guide:**
To optimise speed recommendations, Beyond material subgroups have been added to each of the six workpiece material groups.

| material | material group ISO code | number of material subgroups |
|---|---|---|
| steel | P | 1–6 |
| stainless steel | M | 1–3 |
| cast iron | K | 1–3 |
| non-ferrous materials | N | 1–8 |
| high-temp alloys | S | 1–4 |
| hardened materials | H | 1 |

## Step 1 • Select the insert geometry

### Negative Wiper Inserts

-RW
Rough Wiper

-MW
Medium Wiper

-FW
Finishing Wiper




### Positive Wiper Inserts

-MW
Medium Wiper

-FW
Finishing Wiper




## Step 2 • Select the grade

| cutting condition | | Negative Insert Geometry -FW | -MW | -RW | Positive Insert Geometry -FW | -MW |
|---|---|---|---|---|---|---|
| heavily interrupted cut | | – | – | KCP25 | – | KCP25B/KCP25 |
| lightly interrupted cut | | KCP10 | KCP25B/KCP25 | KCP25 | KCP25 | KCP25B/KCP25 |
| varying depth of cut, casting, or forging skin | | KCP05/KT315 | KCP10B/KCP10 | KCP10 | KCP10/KCK20 | KCP10B/KCP10 |
| smooth cut, pre-turned surface | | KCP05/KT315 | KCP05 | KCP10 | KCP10/KT315 | KT315/KT315 |

## Step 1 • Select the insert geometry

### Negative Inserts

-RN
-RP* (positive)
Roughing



-MR Medium Roughing
-MN Medium Machining

-FN Finishing
-FF Fine Finishing




*-RP – Supplemental geometry for high-strength materials

### Positive Inserts

-MF -MP
Positive Medium Machining

-LF -FP
Positive Finishing

-11 Fine Finishing
-UF




## Step 2 • Select the grade

| cutting condition | | -FF | -FN | -MN | -MR | -RN | -RP | -11 | -UF | -LF | -FP | -MF | -MP |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| heavily interrupted cut | | KCP10 | KCP25 | KCP30 | — | KCP30/ KCP40 | KCP30/ KCP40 | — | KC5010/ KCP25 | KCP25B/ KCP25 | KCP25B/ KCP25 | KCP40 | KCM25 |
| lightly interrupted cut | | KCP10 | KCP25 | KCP25B/ KCP25 | KCP25B | KCP25B/ KCP25 | KCP25B/ KCP25 | — | KC5010/ KCP25 | KCP25B/ KCP25 | KCP25B/ KCP25 | KCP25B/ KCP25 | KCP25B/ KCP25 |
| varying depth of cut, casting, or forging skin | | KCP05/ KT315 | KCP10B/ KCP10 | KCP10B/ KCP10 | KCP10B | KCP10B/ KCP10 | KCP10B/ KCP10 | KT315 | KCP10 | KCP10B/ KCP10 | KCP10B/ KCP10 | KCP10B/ KCP10 | KCP10B/ KCP10 |
| smooth cut, pre-turned surface | | KCP05/ KT315 | KCP05 | KCP05 | KCP10B/ KCK15B | KCP05 | KCP05 | KT315 | KCP05 | KCP05/ KT315 | KCP05/ KTP10 | KCP05 | KCP05 |

## Step 3 • Select the cutting speed

**Low-Carbon (<0.3% C) and Free-Machining Steel** — speed — m/min (SFM) — starting conditions

| material group | grade | 135 (450) | 180 (600) | 225 (800) | 275 (900) | 320 (1050) | 360 (1200) | 410 (1350) | 455 (1500) | 495 (1650) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P0/P1 | KCP05/KTP10 | | | | | | | ◁▷ | | | 435 | 1450 |
| | KCP10B/KCP10 | | | | | | | ◁▷ | | | 395 | 1320 |
| | KCP25B/KCP25 | | | | ◁▷ | | | | | | 275 | 925 |
| | KCP30/KCP40 | | | ◁▷ | | | | | | | 210 | 700 |
| | KT315 | | | | | | | | ◁▷ | | 440 | 1450 |
| | KCU10/KC5010 | | | | ◁▷ | | | | | | 280 | 925 |

**Medium- and High-Carbon Steels (>0.3% C)** — speed — m/min (SFM) — starting conditions

| material group | grade | 135 (450) | 180 (600) | 225 (800) | 275 (900) | 320 (1050) | 360 (1200) | 410 (1350) | 455 (1500) | 495 (1650) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P2 | KCP05/KTP10 | | | | ◁▷ | | | | | | 240 | 800 |
| | KCP10B/KCP10 | | | | ◁▷ | | | | | | 265 | 880 |
| | KCP25B/KCP25 | | | ◁▷ | | | | | | | 195 | 650 |
| | KCP30/KCP40 | | ◁▷ | | | | | | | | 150 | 500 |
| | KT315 | | | | ◁▷ | | | | | | 270 | 880 |
| | KCU10/KC5010 | | ◁▷ | | | | | | | | 200 | 650 |

**Alloy Steels and Tool Steels (≤330 HB) (≤35 HRC)** — speed — m/min (SFM) — starting conditions

| material group | grade | 135 (450) | 180 (600) | 225 (800) | 275 (900) | 320 (1050) | 360 (1200) | 410 (1350) | 455 (1500) | 495 (1650) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P3 | KCP05/KTP10 | | | ◁▷ | | | | | | | 205 | 680 |
| | KCP10B/KCP10 | | | ◁▷ | | | | | | | 190 | 630 |
| | KCP25B/KCP25 | | ◁▷ | | | | | | | | 155 | 510 |
| | KCP30/KCP40 | ◁▷ | | | | | | | | | 120 | 400 |
| | KT315 | | | ◁▷ | | | | | | | 210 | 680 |
| | KCU10/KC5010 | | ◁▷ | | | | | | | | 155 | 510 |

**Alloy Steels and Tool Steels (340–450 HB) (36–48 HRC)** — speed — m/min (SFM) — starting conditions

| material group | grade | 60 (200) | 90 (300) | 120 (400) | 150 (500) | 180 (600) | 210 (700) | 240 (800) | 270 (900) | 300 (1000) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P4 | KCP05/KTP10 | | | | ◁▷ | | | | | | 160 | 530 |
| | KCP10B/KCP10 | | | | ◁▷ | | | | | | 145 | 480 |
| | KCP25B/KCP25 | | | ◁▷ | | | | | | | 105 | 360 |
| | KCP30/KCP40 | | ◁▷ | | | | | | | | 95 | 325 |
| | KT315 | | | | ◁▷ | | | | | | 210 | 530 |
| | KCU10/KC5010 | | | ◁▷ | | | | | | | 110 | 360 |

**Ferritic, Martensitic, and PH Stainless Steels (≤330 HB) (≤35 HRC)** — speed — m/min (SFM) — starting conditions

| material group | grade | 120 (400) | 150 (500) | 180 (600) | 210 (700) | 240 (800) | 270 (900) | 300 (1000) | 330 (1100) | 360 (1200) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P5 | KCP05/KTP10 | | | | | ◁▷ | | | | | 240 | 800 |
| | KCP10B/KCP10 | | | | ◁▷ | | | | | | 215 | 720 |
| | KCP25B/KCP25 | | | | ◁▷ | | | | | | 195 | 650 |
| | KCP30/KCP40 | | ◁▷ | | | | | | | | 135 | 450 |
| | KT315 | | | | | ◁▷ | | | | | 250 | 800 |
| | KCU10/KC5010 | | | | ◁▷ | | | | | | 200 | 660 |

**Ferritic, Martensitic, and PH Stainless Steels (340–450 HB) (36–48 HRC)** — speed — m/min (SFM) — starting conditions

| material group | grade | 105 (350) | 135 (450) | 165 (550) | 195 (650) | 225 (750) | 255 (850) | 285 (950) | 315 (1050) | 345 (1150) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P6 | KCP05/KTP10 | | | | ◁▷ | | | | | | 200 | 660 |
| | KCP10B/KCP10 | | | | ◁▷ | | | | | | 180 | 600 |
| | KCP25B/KCP25 | | | | | ◁▷ | | | | | 150 | 500 |
| | KCP30/KCP40 | ◁▷ | | | | | | | | | 105 | 350 |
| | KT315 | | | | ◁▷ | | | | | | 200 | 660 |
| | KCU10/KC5010 | | | | | ◁▷ | | | | | 150 | 500 |

## Step 1 • Select the insert geometry

### Negative Wiper Inserts

-MW
Medium Wiper

-FW
Finishing Wiper




### Positive Wiper Inserts

-MW
Medium Wiper

-FW
Finishing Wiper




## Step 2 • Select the grade

| cutting condition | | Negative Insert Geometry -FW | Negative Insert Geometry -MW | Positive Insert Geometry -FW | Positive Insert Geometry -MW |
|---|---|---|---|---|---|
| heavily interrupted cut | | — | — | — | — |
| lightly interrupted cut | | KCM15 | KCM25 | KCM15 | KCM15 |
| varying depth of cut, casting, or forging skin | | KCM15/KCU10/KC5010 | KCM15 | KCU10/KC5010 | KCU10/KC5010 |
| smooth cut, pre-turned surface | | KCM15/KT315 | KCM15 | KT315 | KT315 |

## Step 1 • Select the insert geometry

### Negative Inserts

-RP -P
Roughing

-MR
Medium Roughing

-MP -UP
Medium Machining

-FP -FF
Finishing




### Positive Inserts

-MP
Medium Machining

-LF ..GT-LF
Finishing

-11 -UF
Fine Finishing




## Step 2 • Select the grade

| cutting condition | | Negative Insert Geometry -FF | -FP | -MP/-UP | -P/-RP | -MR |
|---|---|---|---|---|---|---|
| heavily interrupted cut | | KCU10/KC5010 | KCM15 | KCM35 | KCM35 | KCM35 |
| lightly interrupted cut | | KCU10/KC5010 | KCM15 | KCM25 | KCM25 | KCM25 |
| varying depth of cut, casting, or forging skin | | KT315 | KCM15/KC5010 | KCM15 | KCM15/KCM25 | KCM15 |
| smooth cut, pre-turned surface | | KT315 | KCM15/KT315 | KCM15/KU10 | KCU10 | KCM15 |

*(continued)*

## Step 2 • Select the grade *(continued)*

| | Positive Insert Geometry | | | | | |
|---|---|---|---|---|---|---|
| **cutting condition** | **-11** | **-UF** | **-LF** | **-MP/-MF** | **-FP** | **..GT-LF** |
| heavily interrupted cut | — | KCU25/KC5025 | KCM35 | KCM25 | KCU25/KCM25 | KCU25/KC5025 |
| lightly interrupted cut | — | KCU10/KC5010 | KCM25 | KCM25 | KCM15 | KCU25/KC5025 |
| varying depth of cut, casting, or forging skin | KT315 | — | KCM15/KCU10 | KCM15 | KCU10 | KCU10/KC5010 |
| smooth cut, pre-turned surface | KT315 | — | KCM15/KT315 | KCM15 | KTP10 | KCU10/KC5010 |

## Step 3 • Select the cutting speed

**Austenitic Stainless Steel** — **speed — m/min (SFM)** — **starting conditions** ◁▷

| material group | grade | 90 (300) | 135 (450) | 180 (600) | 225 (800) | 270 (900) | 315 (1050) | 360 (1200) | 405 (1350) | 450 (1500) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| M1 | KCM15 | | | ◁▷ | | | | | | | 180 | 600 |
| | KCM25 | | | ◁▷ | | | | | | | 150 | 500 |
| | KCM35 | | ◁▷ | | | | | | | | 120 | 400 |
| | KT315 | | | | ◁▷ | | | | | | 230 | 750 |
| | KCU10/KC5010 | | | | ◁▷ | | | | | | 215 | 700 |
| | KCU25/KC5025 | | | ◁▷ | | | | | | | 180 | 550 |

**Austenitic Stainless Steel** — **speed — m/min (SFM)** — **starting conditions** ◁▷

| material group | grade | 90 (300) | 135 (450) | 180 (600) | 225 (800) | 270 (900) | 315 (1050) | 360 (1200) | 405 (1350) | 450 (1500) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| M2 | KCM15 | | | ◁▷ | | | | | | | 165 | 550 |
| | KCM25 | | | ◁▷ | | | | | | | 140 | 450 |
| | KCM35 | | ◁▷ | | | | | | | | 105 | 350 |
| | KT315 | | | | ◁▷ | | | | | | 215 | 700 |
| | KCU10/KC5010 | | | ◁▷ | | | | | | | 200 | 650 |
| | KCU25/KC5025 | | | ◁▷ | | | | | | | 165 | 500 |

**Austenitic Stainless Steel: Duplex (Ferritic and Austenitic Mixture)** — **speed — m/min (SFM)** — **starting conditions** ◁▷

| material group | grade | 90 (300) | 135 (450) | 180 (600) | 225 (800) | 270 (900) | 315 (1050) | 360 (1200) | 405 (1350) | 450 (1500) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| M3 | KCM15 | | | ◁▷ | | | | | | | 150 | 500 |
| | KCM25 | | | ◁▷ | | | | | | | 120 | 400 |
| | KCM35 | | ◁▷ | | | | | | | | 90 | 300 |
| | KT315 | | | | ◁▷ | | | | | | 200 | 650 |
| | KCU10/KC5010 | | | ◁▷ | | | | | | | 185 | 600 |
| | KCU25/KC5025 | | | ◁▷ | | | | | | | 150 | 450 |

## Step 1 • Select the insert geometry

### Negative Wiper Inserts

-MW -S...MW

Medium Wiper

-FW -FW -T-20FW

-FW -T-20FW Finishing Wiper




### Positive Wiper Inserts

..MW Medium Wiper

-FW Finishing Wiper




## Step 2 • Select the grade

### Grey Iron

| | | Negative Insert Geometry | | | Positive Insert Geometry | |
|---|---|---|---|---|---|---|
| **cutting condition** | | **-FW** | **-T-20FW** | **-S...MW...** | **-FW** | **-MW** |
| heavily interrupted cut | | — | KY3500 | KB1345 | — | KCK15B/KCK20 |
| lightly interrupted cut | | KCK15 | KY3500 | KB1345 | KCK20 | KCK15B/KCK20 |
| varying depth of cut, casting, or forging skin | | KCK05/KT315 | KYK10 | KB1345 | KCK20 | KCK15B/KCK20 |
| smooth cut, pre-turned surface | | KCK05/KT315 | KYK25 | KB1345 | KCK20/KT315 | KCK15B/KCK20/KT315 |

### Ductile Iron

| | Negative Insert Geometry | | Positive Insert Geometry | |
|---|---|---|---|---|
| **cutting condition** | **-FW** | **-T-20FW** | **-FW** | **-MW** |
| heavily interrupted cut | — | — | — | — |
| lightly interrupted cut | KCK15 | KY3500 | KCK20 | KCK20 |
| varying depth of cut casting, or forging skin | KCK05/KT315 | KYK10 | KCK20 | KCK20 |
| smooth cut, pre-turned surface | KCK05/KT315 | KYK25 | KCK20/KT315 | KCK20/KT315 |

## Step 3 • Select the cutting speed

**Grey Cast Iron** — speed — m/min (SFM) — starting conditions

| material group | grade | 60 (200) | 150 (500) | 240 (800) | 330 (1100) | 420 (1400) | 510 (1700) | 600 (2000) | 690 (2300) | 780 (2600) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| K1 | KCK05 | | | | ◁▷ | | | | | | 450 | 1500 |
| | KCK15B/KCK15 | | | | ◁▷ | | | | | | 360 | 1200 |
| | KCK20 | | | | ◁▷ | | | | | | 300 | 1000 |
| | KT315 | | | | ◁▷ | | | | | | 275 | 900 |

**Ductile, Compacted Graphite, and Malleable Cast Irons (<80 KSI tensile strength)** — speed — m/min (SFM) — starting conditions

| material group | grade | 60 (200) | 150 (500) | 240 (800) | 330 (1100) | 420 (1400) | 510 (1700) | 600 (2000) | 690 (2300) | 780 (2600) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| K2 | KCK05 | | | | ◁▷ | | | | | | 360 | 1200 |
| | KCK15B/KCK15 | | | | ◁▷ | | | | | | 270 | 900 |
| | KCK20 | | | | ◁▷ | | | | | | 240 | 800 |
| | KT315 | | | | ◁▷ | | | | | | 275 | 900 |

**Ductile, Compacted Graphite, and Malleable Cast Irons (>80 KSI tensile strength)** — speed — m/min (SFM) — starting conditions

| material group | grade | 60 (200) | 150 (500) | 240 (800) | 330 (1100) | 420 (1400) | 510 (1700) | 600 (2000) | 690 (2300) | 780 (2600) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| K3 | KCK05 | | | ◁▷ | | | | | | | 240 | 800 |
| | KCK15B/KCK15 | | | ◁▷ | | | | | | | 215 | 725 |
| | KCK20 | | | ◁▷ | | | | | | | 210 | 700 |
| | KT315 | | | ◁▷ | | | | | | | 230 | 750 |

## Step 1 • Select the insert geometry

beyond

### Negative Inserts

..MA -S-20 | -T-20

-MR Medium Roughing | -S-20 Roughing

-UN | -RP

-T-20 Medium Machining




-FN | -T-20 | -MT

Finishing

### Positive Inserts

-MF | -T-20

-MP | -C

Medium Machining

-LF | -T-20

..MT-FP | -MT

Finishing




-11 | -UF

Fine Finishing

* Geometry can be used in medium machining operations to reduce tool pressure in high-strength metals.

## Step 2 • Select the grade

### Carbide Grades

#### Grey Iron

| | | Negative Insert Geometry | | | Positive Insert Geometry | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **cutting condition** | | **-FN** | **-MR** | **-UN(-RP)** | **-MA** | **-LF** | **-FP** | **-MF** | **-MP** |
| heavily interrupted cut | | KCK15 | KCP25B/KCP10B | KCK20 | KCK20 | KCK20 | KCK20 | KCK20 | KCK20 |
| lightly interrupted cut | | KCK15 | KCP10B/KCP25B | KCK20 | KCK20 | KCK20 | KCK20 | KCK20 | KCK20 |
| varying depth of cut, casting, or forging skin | | KCK05/KT315 | KCK15B | KCK15 | KCK15 | KCK15 | KCK20 | KCK15 | KCK20 |
| smooth cut, pre-turned surface | | KCK05/KT315 | KCK15B | KCK05 | KCK05 | KCK05 | KCK20 | KCK15 | KCK20 |

#### Ductile Iron

| | Negative Insert Geometry | | |
|---|---|---|---|
| **cutting condition** | **-FN** | **-UN(-RP)** | **-MA** |
| heavily interrupted cut | KCK15 | KCK20 | KCK20 |
| lightly interrupted cut | KCK15 | KCK20 | KCK20 |
| varying depth of cut, casting, or forging skin | KCK05/KT315 | KCK15 | KCK15 |
| smooth cut, pre-turned surface | KCK05/KT315 | KCK05 | KCK05 |

| | Positive Insert Geometry | | | | |
|---|---|---|---|---|---|
| **cutting condition** | **-11/-UF** | **-LF** | **-MF** | **-FP** | **-MP** |
| heavily interrupted cut | — | KCK20 | KCK20 | KCK20 | KCK20 |
| lightly interrupted cut | KCU10/KC5010 | KCK20 | KCK20 | KCK20 | KCK20 |
| varying depth of cut, casting, or forging skin | KCU10/KC5010 | KCK15 | KCK15 | KCK20 | KCK20 |
| smooth cut, pre-turned surface | KT315 | KCU10/KC5010 | KCK15 | KCK20 | KCK20 |

*(continued)*

## Step 2 • Select the grade *(continued)*

### Ceramic and PCBN Grades

#### Grey Iron

| | Negative Insert Geometry | | | | |
|---|---|---|---|---|---|
| cutting condition | -T-20 Finishing | MT | -T-20 Medium | -T-20 Roughing | -S20 |
| heavily interrupted cut | KY3500 | KCK20 | KY3500 | KY3500 | KB1340 |
| lightly interrupted cut | KY3500 | KB1345 | KYK10 | KY3500 | KB1340 |
| varying depth of cut, casting, or forging skin | KYK10 | KB1345 | KYK10 | KYK10 | KB1340 |
| smooth cut, pre-turned surface | KYK25 | KB1345 | KYK25 | KYK25 | KB1340 |

| | Positive Insert Geometry | | | |
|---|---|---|---|---|
| cutting condition | -T-20 Fine Finishing | -T-20 Medium | MT | C |
| heavily interrupted cut | — | KY3500 | KB1630/KB1345 | KB1630/KB1345 |
| lightly interrupted cut | — | KY3500 | KB1630/KB1345 | KB1630/KB1345 |
| varying depth of cut, casting, or forging skin | KY3500 | KY3500 | KB1630/KB1345 | KB1630/KB1345 |
| smooth cut, pre-turned surface | KY3500 | KY3500 | KB1630/KB1345 | KB1630/KB1345 |

#### Ductile Iron

| | Negative Insert Geometry | | | Positive Insert Geometry | | |
|---|---|---|---|---|---|---|
| cutting condition | -T-20 Finishing | -T-20 Medium | -T-20 Roughing | -T-20 Fine Finishing | -T-20 Finishing | -T-20 Medium |
| heavily interrupted cut | — | KY3500 | KY3500 | — | KY3500 | KY3500 |
| lightly interrupted cut | — | KYK25 | KYK25 | — | KYK25 | KYK25 |
| varying depth of cut, casting, or forging skin | KYK25 | KYK25 | KYK25 | KYK25 | KYK25 | KYK25 |
| smooth cut, pre-turned surface | KYK25 | KYK25 | KYK25 | KYK25 | KYK25 | KYK25 |

## Step 3 • Select the cutting speed (Optimal speed depends on casting quality and disposition.)

**Grey Cast Iron** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 60 (200) | 180 (600) | 305 (1000) | 430 (1400) | 550 (1800) | 675 (2200) | 800 (2600) | 920 (3000) | 1040 (3400) | 1160 (3800) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| K1 | KT315 | | ◁▷ | | | | | | | | | 275 | 900 |
| | KB1340/KB1345 | | | | | | | ◁▷ | | | | 760 | 2500 |
| | KYK25 | | | | | | | ◁▷ | | | | 760 | 2500 |
| | KY3500 | | | | | | | ◁▷ | | | | 760 | 2500 |
| | KYK10 | | | | | | | ◁▷ | | | | 760 | 2500 |
| | KCK05 | | | | ◁▷ | | | | | | | 450 | 1500 |
| | KCK15B/KCK15 | | | | ◁▷ | | | | | | | 360 | 1200 |
| | KCK20 | | | | ◁▷ | | | | | | | 300 | 1000 |

**Ductile, Compacted Graphite, and Malleable Cast Irons (<600 MPa tensile strength)** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 90 (300) | 135 (450) | 180 (600) | 225 (750) | 275 (900) | 320 (1050) | 360 (1200) | 410 (1350) | 460 (1500) | 500 (1650) | 550 (1800) | 600 (1950) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| K2 | KT315 | | | | | ◁▷ | | | | | | | | 275 | 900 |
| | KCU10/KC5010 | | | | ◁▷ | | | | | | | | | 200 | 650 |
| | KYK25 | | | | | | | | ◁▷ | | | | | 430 | 1400 |
| | KY3500 | | | | | | | ◁▷ | | | | | | 365 | 1200 |
| | KYK10 | | | | | | | ◁▷ | | | | | | 365 | 1200 |
| | KCK05 | | | | | | ◁▷ | | | | | | | 360 | 1200 |
| | KCK15B/KCK15 | | | | | ◁▷ | | | | | | | | 270 | 900 |
| | KCK20 | | | | ◁▷ | | | | | | | | | 240 | 800 |

**Ductile, Malleable, and Austempered Cast Irons (>600 MPa tensile strength)** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 90 (300) | 135 (450) | 180 (600) | 225 (750) | 275 (900) | 320 (1050) | 360 (1200) | 410 (1350) | 460 (1500) | 500 (1650) | 550 (1800) | 600 (1950) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| K3 | KT315 | | | | ◁▷ | | | | | | | | | 230 | 750 |
| | KCU10/KC5010 | | | ◁▷ | | | | | | | | | | 150 | 500 |
| | KYK25 | | | | | | ◁▷ | | | | | | | 365 | 1200 |
| | KCK05 | | | | ◁▷ | | | | | | | | | 240 | 800 |
| | KCK15B/KCK15 | | | ◁▷ | | | | | | | | | | 215 | 725 |
| | KCK20 | | ◁▷ | | | | | | | | | | | 210 | 700 |

## Step 1 • Select the insert geometry

beyond

### Negative Wiper Inserts



..GP ..MS
Medium Finishing

..MS-E (PCD) ..GA-F (PCD)
Finishing

..GA-E (PCD)
Fine Finishing




### Positive Wiper Inserts

..GT-HP
Medium Finishing

..GT-LF
Finishing

..GW-F (PCD) ..GW-E (PCD)




## Step 2 • Select the grade

| cutting condition | | Negative Insert Geometry ..GA-E (PCD) | ..MS-E (PCD) | ..GA-F (PCD) | ..GP | ..MS | Positive Insert Geometry ..GW-E (PCD) | ..GW-F (PCD) | ..GT-LF | ..GT-HP |
|---|---|---|---|---|---|---|---|---|---|---|
| heavily interrupted cut | | — | — | KD1400 | KC5410/K313 | KC5410 | — | KD1400 | — | KC5410 |
| lightly interrupted cut | | KD1405 | KD1405 | KD1400 | KC5410/K313 | KC5410 | KD1405 | KD1400 | KC5410 | KC5410 |
| varying depth of cut, casting, or forging skin | | KD1405 | KD1405 | KD1425 | KC5410/K313 | KC5410 | KD1405 | KD1425 | KC5410 | KC5410 |
| smooth cut, pre-turned surface | | KD1405 | KD1405 | KD1425 | KC5410/K313 | KC5410 | KD1405 | KD1425 | KC5410 | KC5410 |

## Step 3 • Select the cutting speed

**Low-Silicon Aluminium Alloys**
**(hypoeutectic <12,2% Si) and Magnesium Alloys**

speed — m/min (SFM)

starting conditions ◁▷

| material group | grade | 250 (800) | 500 (1600) | 750 (2400) | 1000 (3200) | 1250 (4000) | 1500 (4800) | 1750 (5600) | 2000 (6400) | 2250 (7200) | 2500 (8000) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| N2 | KC5410 | | ◁▷ | | | | | | | | | 550 | 1800 |
| | KD1400 | | | ◁▷ | | | | | | | | 765 | 2500 |

**High-Silicon Aluminium Alloys**
**(hypereutectic >12,2% Si) and Magnesium Alloys**

speed — m/min (SFM)

starting conditions ◁▷

| material group | grade | 250 (800) | 500 (1600) | 750 (2400) | 1000 (3200) | m/min | SFM |
|---|---|---|---|---|---|---|---|
| N3 | KD1405 | | ◁▷ | | | 580 | 2000 |
| | KD1425 | | ◁▷ | | | 520 | 1700 |

## Additional cutting speed recommendations for miscellaneous workpiece materials

**Copper-, Brass-, Zinc-Based on a Machinability Index Range of 70–100** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 250 (800) | 500 (1600) | 750 (2400) | 1000 (3200) | m/min | SFM |
|---|---|---|---|---|---|---|---|
| N4 | KD1400/ KD1405 | | ◁▷ | | | 520 | 1700 |
| | KD1425 | ◁▷ | | | | 500 | 1600 |
| | KC5410 | ◁▷ | | | | 275 | 900 |
| | K313 | ◁▷ | | | | 260 | 850 |

**Nylon, Plastics, Rubbers, Phenolics, Resins, Fibreglass, and Glass** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 250 (800) | 500 (1600) | 750 (2400) | 1000 (3200) | m/min | SFM |
|---|---|---|---|---|---|---|---|
| N5 | KD1400/ KD1405 | ◁▷ | | | | 400 | 1300 |
| | KD1425 | ◁▷ | | | | 365 | 1200 |
| | KC5410 | ◁▷ | | | | 170 | 550 |

**Carbon and Graphite Composites: Brush Alloys, Kevlar, and Graphite (280–400 HB) (30–43 HRC)** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 250 (800) | 500 (1600) | 750 (2400) | 1000 (3200) | m/min | SFM |
|---|---|---|---|---|---|---|---|
| N6 | KD1400/ KD1405 | | | ◁▷ | | 760 | 2500 |
| | KC5410 | ◁▷ | | | | 200 | 650 |

**MMCs (Aluminium-Based Metal Matrix Composites)** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 250 (800) | 500 (1600) | 750 (2400) | 1000 (3200) | m/min | SFM |
|---|---|---|---|---|---|---|---|
| N7 | KD1405 | | ◁▷ | | | 460 | 1500 |
| | KD1400 | | ◁▷ | | | 365 | 1200 |

**Tin Alloys, Cast: ASTM 823, Alloys 1, 2, 3, 11** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 250 (800) | 500 (1600) | 750 (2400) | 1000 (3200) | m/min | SFM |
|---|---|---|---|---|---|---|---|
| N | KC5410 | ◁▷ | | | | 215 | 700 |
| | K313 | ◁▷ | | | | 180 | 600 |

## Step 1 • Select the insert geometry

### Negative Inserts

-RP
Roughing

-MS .NG

-UP
Medium Machining

-FS
Finishing




### Positive Inserts

MT-LF R.GV-T MT-FP
Medium Machining

..GT-LF R.GV

..GT-HP
Fine Finishing




## Step 2 • Select the grade

**Negative Insert Geometry**

| cutting condition | | -FS | .NG | -MS | -UP | -RP |
|---|---|---|---|---|---|---|
| heavily interrupted cut | | KCU25/KC5525 | — | KCU25/KC5525 | KCM35 | KCM25/KCM35 |
| lightly interrupted cut | | KCU10/KC5510 | KYS30/KY1540 | KCU25/KC5525 | KCM25 | KCM15KC5525 |
| varying depth of cut, casting, or forging skin | | KCU10/KC5510 | KYS30/KY1540/ KYS25/KY4300 | KCU10/KC5510 | KCM15 | KCU25/KC5525 |
| smooth cut, pre-turned surface | | KCU10/KC5510/ K313 | KYS25/KY4300 | KCU10/KC5510 K313 | KCU10/KC5510 | KCU10/KC5510 |

**Positive Insert Geometry**

| cutting condition | | -FP | ..GT-HP | MT-LF | R.GV-T | ..GT-LF | R.GV |
|---|---|---|---|---|---|---|---|
| heavily interrupted cut | | KCU25 | — | KCU25/KC5025 | — | KCU25/KC5025 | — |
| lightly interrupted cut | | KCU25 | KCU25/KC5025 | KCU25/KC5025 | KYS30/KY1540 | KCU25/KC5025 | KYS30/KY1540 |
| varying depth of cut, casting, or forging skin | | KCU10/KU10 | KCU10/KC5510 | KCU10/KC5510 | KYS30/KY1540/ KYS25/KY4300 | KCU10/KC5510 | KYS30/KY1540/ KYS25/KY4300 |
| smooth cut, pre-turned surface | | KCU10/KU10 | KCU10/KC5510 K313 | KCU10/KC5510 K313 | KYS25/KY4300 | KCU10/KC5510 K313 | KYS25/KY4300 |

## Step 3 • Select the cutting speed

**Iron-Based, Heat-Resistant Alloys (135–320 HB) (≤34 HRC)** — speed — m/min (SFM) — starting conditions

| material group | grade | 15 (50) | 45 (150) | 75 (250) | 105 (350) | 140 (450) | 170 (550) | 200 (650) | 230 (750) | 260 (850) | 290 (950) | 310 (1050) | 350 (1150) | 380 (1250) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| S1 | K313/KU10 | | ◁▷ | | | | | | | | | | | | 30 | 100 |
| | KCU10/KC5510/KC5010 | | | ◁▷ | | | | | | | | | | | 55 | 180 |
| | KCU25/KC5525/KC5025 | | ◁▷ | | | | | | | | | | | | 40 | 125 |
| | KYS25/KY4300 | | | | | | | ◁▷ | | | | | | | 200 | 650 |
| | KYS30/KY1540 | | | | | | ◁▷ | | | | | | | | 170 | 550 |
| | KCM15 | | | ◁▷ | | | | | | | | | | | 55 | 180 |
| | KCM25/KCM35 | | ◁▷ | | | | | | | | | | | | 40 | 125 |

**Cobalt-Based, Heat-Resistant Alloys (150–425 HB) (≤45 HRC)** — speed — m/min (SFM) — starting conditions

| material group | grade | 15 (50) | 45 (150) | 75 (250) | 105 (350) | 140 (450) | 170 (550) | 200 (650) | 230 (750) | 260 (850) | 290 (950) | 310 (1050) | 350 (1150) | 380 (1250) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| S2 | K313/KU10 | | ◁▷ | | | | | | | | | | | | 35 | 110 |
| | KC5510/KC5010 | | | ◁▷ | | | | | | | | | | | 60 | 195 |
| | KC5525/KC5025 | | ◁▷ | | | | | | | | | | | | 30 | 100 |
| | KYS25/KY4300 | | | | | | | ◁▷ | | | | | | | 220 | 720 |
| | KYS30/KY1540 | | | | | | ◁▷ | | | | | | | | 185 | 600 |
| | KCM15 | | | ◁▷ | | | | | | | | | | | 60 | 195 |
| | KCM25/KCM35 | | ◁▷ | | | | | | | | | | | | 30 | 100 |

**Nickel-Based, Heat-Resistant Alloys (140–475 HB) (≤48 HRC)** — speed — m/min (SFM) — starting conditions

| material group | grade | 15 (50) | 45 (150) | 75 (250) | 105 (350) | 140 (450) | 170 (550) | 200 (650) | 230 (750) | 260 (850) | 290 (950) | 310 (1050) | 350 (1150) | 380 (1250) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| S3 | K313/KU10 | | ◁▷ | | | | | | | | | | | | 40 | 125 |
| | KCU10/KC5510/KC5010 | | | ◁▷ | | | | | | | | | | | 70 | 225 |
| | KCU25/KC5525/KC5025 | | ◁▷ | | | | | | | | | | | | 40 | 125 |
| | KYS25/KY4300 | | | | | | | ◁▷ | | | | | | | 250 | 820 |
| | KYS30/KY1540 | | | | | | | ◁▷ | | | | | | | 215 | 700 |
| | KCM15 | | | ◁▷ | | | | | | | | | | | 70 | 225 |
| | KCM25/KCM35 | | ◁▷ | | | | | | | | | | | | 40 | 125 |

**Titanium and Titanium Alloys (110–450 HB) (≤48 HRC)** — speed — m/min (SFM) — starting conditions

| material group | grade | 15 (50) | 45 (150) | 75 (250) | 105 (350) | 140 (450) | 170 (550) | 200 (650) | 230 (750) | 260 (850) | 290 (950) | 310 (1050) | 350 (1150) | 380 (1250) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| S4 | K313/KU10 | | | ◁▷ | | | | | | | | | | | 45 | 150 |
| | KC5510/KC5010/KC9225 | | | | ◁▷ | | | | | | | | | | 70 | 225 |
| | KC5525/KC50225/KC9240 | | | ◁▷ | | | | | | | | | | | 55 | 175 |
| | KCM15 | | | | ◁▷ | | | | | | | | | | 70 | 225 |
| | KCM25/KCM35 | | ◁▷ | | | | | | | | | | | | 55 | 175 |

## Step 1 • Select the insert geometry

### Negative Wiper Inserts

-S..MWMT
(multitipped)
Medium Wiper

-EFWMT
(multitipped)

-S..FWMT (multitipped) GA-FW
Finishing Wiper




### Positive Wiper Inserts

-EFWC (full face)
-EFWM (single tipped)
Finishing Wiper

-S..FWM
(single tipped)
-S..FWMT
(multitipped)
Fine Finishing Wiper




## Step 2 • Select the grade

| cutting condition | | Negative Insert Geometry GA-FW | -S..FWMT | -EFWMT | Positive Insert Geometry -S..FWMT | -S..FWM -S..FWMT | -EFWC -EFWM |
|---|---|---|---|---|---|---|---|
| heavily interrupted cut | | — | KB5630 | KB1625 | — | — | — |
| lightly interrupted cut | | — | KB1610/KB5610 | KB5625 | KB9610 | KB1610 | KB5610 |
| varying depth of cut, casting, or forging skin | | KY4400 | KB1610/KB5610 | KB1610/KB5610 | KB9610 | KB1610 | KB5610 |
| smooth cut, pre-turned surface | | KY4400 | KB9610 | KB9610 | KB9610 | KB9610 | KB9610 |

## Step 1 • Select the insert geometry

### Negative Inserts

-S-20
Medium Machining

-S..ST (single tipped)
-S..MT (multitipped)
Finishing

-T..10 -T.10
-T.20 -T.20
Fine Finishing




### Positive Inserts

-T-15
Medium Machining

-EC (full face)
-EM (single tipped)
-EMT (multitipped)
Finishing

-T-20 -S....C (full face)
-S....M (single tipped)
-S....MT (multitipped)
Fine Finishing




## Step 2 • Select the grade

| cutting condition | | Negative Insert Geometry -T.10 -T.20 | -S..ST -S..MT | -S-20 | Positive Insert Geometry -S..C/-S..M -S..MT | -T-20 | -EC/-EM -EMT | -T-15 |
|---|---|---|---|---|---|---|---|---|
| heavily interrupted cut | | — | KB1630/KB5630 | KB1340 | KB1630/KB5630 | — | KB1630/KB5630 | — |
| lightly interrupted cut | | — | KB1625/KB5625 | KB1340 | KB1625/KB5625 | KY4400 | KB1625/KB5625 | KY1615 |
| varying depth of cut, casting, or forging skin | | KY1615/KY4400 | KB1625/KB5625 | — | KB1625/KB5625 | KY4400 | KB1625/KB5625 | KY1615 |
| smooth cut, pre-turned surface | | KY1615/KY4400 | KB1610/KB5610 | — | KB1610/KB5610 | KY4400 | KB1610/KB5610 | KY1615 |

## Step 3 • Select the cutting speed

speed — m/min (SFM) | starting conditions ◁▷

| material group | grade | 15 (50) | 45 (150) | 75 (250) | 110 (350) | 140 (450) | 170 (550) | 200 (650) | 230 (750) | 260 (850) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H1 | KY4400 | | | | | ◁▷ | | | | | 135 | 450 |
| | KY1615 | | | | ◁▷ | | | | | | 100 | 325 |
| | KB1610 | | | | | ◁▷ | | | | | 140 | 460 |
| | KB1625 | | | | ◁▷ | | | | | | 110 | 360 |
| | KB1630 | | | ◁▷ | | | | | | | 90 | 295 |
| | KB5610 | | | | | ◁▷ | | | | | 150 | 490 |
| | KB5625 | | | | ◁▷ | | | | | | 120 | 400 |
| | KB5630 | | | ◁▷ | | | | | | | 105 | 345 |



Coatings provide high-speed capability and are engineered for finishing to heavy roughing.

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

wear resistance ⟷ toughness

| | Coating | Grade Description | 05 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Uncoated Carbide Grades | KU10 C3 | **Composition:** A hard, low binder content, WC/Co fine-grain grade. **Application:** The KU10 grade has excellent abrasion resistance for machining cast irons, austenitic stainless steels, non-ferrous metals, non-metals, and most high-temperature alloys. Use as a general-purpose grade for non-ferrous materials. beyond | | M | M | M | | | | | |
| | | | | K | K | K | | | | | |
| | | | | N | N | N | | | | | |
| | | | | S | S | S | | | | | |
| | K313 C3–C4 | **Composition:** A hard, low binder content, unalloyed WC/Co fine-grain grade. **Application:** Exceptional edge wear resistance combined with very high strength for machining titanium, cast irons, austenitic stainless steels, non-ferrous metals, non-metals, and most high-temperature alloys. Superior thermal deformation and depth-of-cut notch resistance. The grain structure is well controlled for minimal pits and flaws, which contributes to long, reliable service. | | M | M | M | | | | | |
| | | | | K | K | K | | | | | |
| | | | | N | N | N | | | | | |
| | | | | S | S | S | | | | | |
| | K68 C3 | **Composition:** A hard, low binder content, alloyed grade WC/Co fine-grain grade. **Application:** The K68 grade has excellent abrasion resistance for machining cast irons, austenitic stainless steels, non-ferrous metals, non-metals, and as an alternative to the K313 grade on most high-temperature alloys. Use as a general-purpose grade for non-ferrous materials. | | M | M | M | | | | | |
| | | | | K | K | K | | | | | |
| | | | | N | N | N | | | | | |
| | | | | S | S | S | | | | | |
| PVD-Coated Carbide Grades | KCU10 C3–C4 | **Composition:** An advanced multilayer PVD coating over a very deformation-resistant unalloyed carbide substrate. The new and improved coating improves edge stability with wide range speed and feed capabilities. **Application:** The KCU10 grade is ideal for finishing to general machining of most workpiece materials at a wide range of speed and feed capabilities. Excellent for machining most steels, stainless steels, cast irons, non-ferrous materials, and super alloys with improved edge toughness and higher cutting speed/feed capability. beyond | | P | P | P | | | | | |
| | | | | M | M | M | | | | | |
| | | | | K | K | K | | | | | |
| | | | | N | N | N | | | | | |
| | | | | S | S | S | | | | | |
| | | | | H | H | | | | | | |
| | KCU25 C2, C6 | **Composition:** An advanced PVD grade with hard AlTiN coating and fine-grain unalloyed substrate. The new and improved coating improves edge stability with wide range speed and feed capabilities. **Application:** The KCU25 grade is ideal for general machining of most steels, stainless steels, high-temp alloys, titanium, irons, and non-ferrous materials in a wide range of speeds and feeds with improved edge toughness for interrupted cut and high feed rates. beyond | | P | P | P | P | P | P | | |
| | | | | M | M | M | M | M | M | | |
| | | | | K | K | K | K | K | K | | |
| | | | | N | N | N | N | N | N | | |
| | | | | S | S | S | S | S | S | | |
| | KC5010 C3–C4 | **Composition:** An advanced PVD AlTiN coating over a very deformation-resistant unalloyed carbide substrate. The new and improved coating enables speeds to be increased by 50–100%. **Application:** The KC5010 grade is ideal for finishing to general machining of most workpiece materials at higher speeds. Excellent for machining most steels, stainless steels, cast irons, non-ferrous materials, and super alloys under stable conditions. It also performs well machining hardened and short chipping materials. | | P | P | P | | | | | |
| | | | | M | M | M | | | | | |
| | | | | K | K | K | | | | | |
| | | | | N | N | N | | | | | |
| | | | | S | S | S | | | | | |
| | | | | H | H | | | | | | |



Coatings provide high-speed capability and are engineered for finishing to heavy roughing.

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

wear resistance ⟷ toughness

## PVD-Coated Carbide Grades

### KC5025



C2, C6

**Composition:** An advanced PVD-AlTiN-coated grade with a tough, ultra-fine-grain unalloyed substrate.
**Application:** For general-purpose machining of most steels, stainless steels, high-temp alloys, titanium, irons, and non-ferrous materials. Speeds may vary from low to medium and will handle interruptions and high feed rates.

### KC5410



C3–C4

**Composition:** A PVD $TiB_2$ coating over a very deformation-resistant unalloyed substrate.
**Application:** Designed for roughing, semi-finishing, and finishing of free machining (hypoeutectic <12,2% Si) aluminium, aluminium alloys, and magnesium alloys. The $TiB_2$ coating is harder than TiN and TiAlN coatings and has an extremely smooth surface, resulting in reduced surface friction, speedy chip flow, and outstanding wear resistance. Built-up edge is prevented because this coating has a very low affinity for aluminium. The substrate is unalloyed and fine grained and offers sharp edges, smooth surfaces, and excellent thermal deformation resistance and edge integrity. Inserts with a ground periphery are polished before coating and have a sharp edge. Moulded inserts have a light hone.

### KC5510



C3–C4

**Composition:** An advanced PVD AlTiN-coated fine-grain tungsten carbide grade.
**Application:** The KC5510 grade is specifically engineered for the productive machining of high-temp alloys. The fine-grain tungsten carbide 6% cobalt substrate has excellent toughness and deformation resistance while the advanced PVD coating enables metalcutting speeds double those of conventional PVD-coated cutting tools.

### KC5525



C2–C6

**Composition:** Advanced PVD AlTiN-coated fine-grain high-cobalt carbide grade.
**Application:** The KC5525 grade utilises the same advanced PVD coating as the KC5510 grade in conjunction with a fine-grained tungsten carbide 10% cobalt substrate. The higher cobalt enables added security in interrupted cuts while the fine-grained WC maintains hardness-resisting deformation at higher speeds. Designed for medium to heavy interruptions in high-temp alloys.

## CVD-Coated Carbide Grades

### KCP05



C3–C4

**Composition:** An innovative, highly deformation-resistant, cobalt-enriched substrate with a specially designed, adherent MTCVD-TiCN-$Al_2O_3$ coating.
**Application:** For finishing to semi-finishing of most steels, ferritic, martensitic, and PH stainless steels and cast irons. Provides excellent combination of deformation resistance and insert edge strength. The new coating combined with a state-of-the-art post-coat treatment provides high-productivity with long predictable tool life and superior workpiece surface finish.

beyond

### KCP10



C3, C7

**Composition:** A specially engineered cobalt-enriched carbide grade with thick MTCVD-TiCN-$Al_2O_3$ coating for maximum wear resistance.
**Application:** An excellent finishing to medium machining grade for a variety of workpiece materials, including most steels, ferritic, martensitic, and PH stainless steels, and cast irons. The cobalt-enriched substrate offers a balanced combination of deformation resistance and edge toughness, while the thick coating layers offer outstanding abrasion resistance and crater wear resistance for high-speed machining. Smooth coating provides resistance to edge build-up and microchipping and produces excellent surface finishes.

beyond



**Coatings provide high-speed capability and are engineered for finishing to heavy roughing.**

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

wear resistance ⟷ toughness

## CVD-Coated Carbide Grades

| Coating | Grade Description | 05 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 |
|---|---|---|---|---|---|---|---|---|---|---|
| **KCP10B**  | **Composition:** A specially engineered cobalt-enriched carbide grade with thick MTCVD-TiCN-$Al_2O_3$-TiOCN coating for maximum wear resistance.<br>**Application:** An excellent finishing to medium machining grade for a variety of workpiece materials, including most steels, ferritic, martensitic, and PH stainless steels, and cast irons. The cobalt enriched substrate offers a balanced combination of deformation resistance and edge toughness, while the thick coating layers offer outstanding abrasion resistance and crater wear resistance for high-speed machining. Smooth coating provides resistance to edge build-up and microchipping and produces excellent surface finishes.<br>beyond DRIVE™ | P | | ■ | ■ | ■ | | | | | |
| | | | | | | | | | | |
| | | K | | ■ | ■ | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| **KCP25**  **C2–C3, C6–C7** | **Composition:** A tough cobalt-enriched carbide grade with a newly designed multilayer MTCVD-TiCN-$Al_2O_3$ coating with superior interlayer adhesion.<br>**Application:** Best general-purpose turning grade for most steels and ferritic and martensitic stainless steels. The substrate design ensures adequate deformation resistance with excellent insert edge strength. Coating layers offer good wear resistance over a wide range of machining conditions and the post-coat treatment minimises microchipping and improves coating adhesion to substrate leading to long tool life and improved workpiece finishes.<br>beyond | P | | | | ■ | ■ | ■ | | | |
| | | | | | | | | | | |
| | | K | | | | ■ | ■ | ■ | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| **KCP25B**  | **Composition:** A tough cobalt-enriched carbide grade with a newly designed multilayer MTCVD-TiCN-$Al_2O_3$-TiOCN coating with superior interlayer adhesion.<br>**Application:** Best general-purpose turning grade for most steels and ferritic and martensitic stainless steels. The substrate design ensures adequate deformation resistance with excellent insert edge strength. Coating layers offer good wear resistance over a wide range of machining conditions and the post-coat treatment minimises microchipping and improves coating adhesion to substrate leading to long tool life and improved workpiece finishes.<br>beyond DRIVE™ | P | | | | ■ | ■ | ■ | | | |
| | | | | | | | | | | |
| | | K | | | | ■ | ■ | ■ | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| **KCP30**  **C5–C6** | **Composition:** A newly engineered, tough cobalt-enriched carbide grade with an advanced multilayer TiN-MT-TiCN-$Al_2O_3$ coating.<br>**Application:** For medium to rough machining of all carbon, alloy, and stainless steels. The substrate design provides superior insert strength that is required for this application, and the multilayer coating adds wear resistance to the insert resulting in long tool life.<br>beyond | P | | | | | ■ | ■ | ■ | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| **KCP40**  **C5–C6** | **Composition:** A tough carbide grade with a moderately thick TiN-MT-TiCN-$Al_2O_3$ coating.<br>**Application:** For heavy roughing of carbon, alloy, and stainless steels. The substrate-coating combination provides unbelievable toughness and operational security allowing high metal removal rates even in most demanding interrupted cuts.<br>beyond | P | | | | | | ■ | ■ | ■ |
| | | M | | | | | ■ | ■ | ■ | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| **KCK05**  **C3–C4** | **Composition:** A multilayered coating with moderately thick MTCVD TiCN-$Al_2O_3$ layers over a highly deformation-resistant carbide substrate.<br>**Application:** Designed for high-speed machining of grey and ductile irons. The substrate and coating architecture together with CW5 post-coat treatment ensure a tremendous tool life advantage, especially when cutting higher tensile strength ductile and grey irons where workpiece size consistency and reliability of tool life are critical. Excellent both in straight and varied depths of cut.<br>beyond | P | ■ | | | | | | | |
| | | | | | | | | | | |
| | | K | ■ | ■ | ■ | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |



Coatings provide high-speed capability and are engineered for finishing to heavy roughing.

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

wear resistance ⟷ toughness

## CVD-Coated Carbide Grades

| Coating | Grade Description | 05 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 |
|---|---|---|---|---|---|---|---|---|---|---|
| **KCK15**  C3–C4 | **Composition:** A multilayered coating with thick MTCVD TiCN-$Al_2O_3$ layers applied over a carbide substrate specifically engineered for cast irons. **Application:** Delivers consistent performance in high-speed machining of grey and ductile irons. The substrate design permits the insert to stay in the cut for a long time at high speeds with minimum deformation. The thick CVD coating and post-coat treatment provide superior wear resistance ensuring long and consistent tool life. Can be applied both in straight and lightly interrupted cuts. beyond | P | P | | | | | | | |
| **KCK15B**  | **Composition:** A multilayered coating with thick MTCVD TiCN-$Al_2O_3$-TiOCN layers applied over a carbide substrate specifically engineered for cast irons. **Application:** Delivers consistent performance in high-speed machining of grey and ductile irons. The substrate design permits the insert to stay in the cut for a long time at high speeds with minimum deformation. The thick CVD coating and post-coat treatment provide superior wear resistance ensuring long and consistent tool life. Can be applied both in straight and lightly interrupted cuts. beyond DRIVE | P | P | | | | | | | |
| **KCK20**  C2–C3 | **Composition:** A specially toughened MTCVD-TiCN-$Al_2O_3$ coating over a wear-resistant substrate. **Application:** The KCK20 grade is specifically engineered to maximise coating adhesion and edge strength making this grade ideal in wet interrupted cutting of grey and ductile irons. It can be used in a wide range of applications from finishing to roughing to maximise productivity wherever strength and reliability are needed. beyond | P | K | P | K | | | | | |
| **KCM15**  C2–C3 | **Composition:** A multilayer MTCVD-TiCN-$Al_2O_3$ coated carbide grade. **Application:** An excellent finishing to medium machining grade for austenitic stainless steels at higher speeds and covers a broad range of steel applications in the P20–25 range. KCM15 grade in combination with unique geometries have been designed to resist depth-of-cut notching and minimise burr formation. The post-coat treatment reduces coating stresses, improves coating adhesion, minimises microchipping and edge build-up, and improves workpiece finish. beyond | P | M | P | M | | | | | |
| **KCM25**  C1–C2 | **Composition:** A multilayer CVD coating comprised of TiN-MT-TiCN-$Al_2O_3$ layers over a tough, cobalt-enriched carbide substrate. **Application:** This CVD-coated grade is designed for general-purpose machining of austenitic stainless steels at moderate speeds and feeds. KCM25 inserts offer an extraordinary combination of toughness, built-up edge resistance, and wear resistance in stainless steel applications. beyond | P | M | P | M | | | | | |
| **KCM35**  C1–C2 | **Composition:** A multilayer TiN-MT-TiCN-$Al_2O_3$ CVD coating over a super-tough substrate. **Application:** The KCM35 grade is engineered to take on the most brutal cast stainless steel machining applications. The substrate withstands heavy interruptions, while the coating provides the wear resistance needed for long tool life. The polished surface resists edge build-up, even at slow cutting speeds. KCM35 grade is available in insert sizes and geometries appropriate for heavy feeds and large depths of cut. beyond | P | M | P | M | | | | | |



Coatings provide high-speed capability and are engineered for finishing to heavy roughing.

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

wear resistance ⟷ toughness

| | Coating | | Grade Description | 05 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| PVD-Coated Cermet Grades | KT315 | C3, C7 | **Composition:** A multilayer PVD-TiN/TiCN/TiN-coated cermet turning grade. **Application:** Ideal for high-speed finishing to medium machining of most carbon and alloy steels and stainless steels. Performs very well in cast and ductile iron applications, too. Provides long and consistent tool life and will produce excellent workpiece finishes. | P, M, K | | | | | | | | |
| | KTP10 | C3, C7 | **Composition:** A multilayer, PVD-TiN/TiCN/TiN-coated cermet turning grade. **Application:** Ideal for high-speed finishing to medium machining of most carbon and alloy steels and stainless steels. Performs very well in cast and ductile iron applications, too. Provides long and consistent tool life and will produce excellent workpiece finishes. | P, M, K | | | | | | | | |
| Ceramic Grades | KYS25 | C4 | **Composition:** SiAlON ceramic with a multilayered alumina-TiCN CVD coating. **Application:** Compliments the KYS30 grade when machining high-temp and nickel-based alloys and cast materials with high Brinell hardness. This advanced CVD coating provides excellent chemical and depth-of-cut notch resistance compared to whisker ceramics. beyond | S | | S | S | S | | | | |
| | KYS30 | C4 | **Composition:** Latest and most advanced SiAlON material developed. **Application:** Combines excellent wear properties, fracture toughness, and thermal shock resistance for general-purpose to finish machining of high-temp alloys. Provides superior depth-of-cut notch resistance compared to whisker ceramics. beyond | S | | | S | S | S | | | |
| | KYK10 | — | **Composition:** An advanced SiAlON ceramic grade. **Application:** Provides maximum wear resistance. Use for high-speed continuous turning of grey cast iron, including through scale. beyond | K | | K | K | | | | | |
| | KYK25 | C3 | **Composition:** Pure silicon nitride ceramic with an alumina CVD coating. **Application:** Excellent combination of toughness and edge wear resistance. Used for general-purpose machining of grey, ductile, or nodular cast irons. beyond | K | | K | K | K | | | | |



Coatings provide high-speed capability and are engineered for finishing to heavy roughing.

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

wear resistance ⟷ toughness

| | Coating | Grade Description | 05 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Ceramic Grades | KY4300 C4 | **Composition:** Whisker ceramic with a matrix of $Al_2O_3$ + SiCW. **Application:** The SiC whiskers embedded in the micro structure give this ceramic excellent toughness for cutting high-temp alloys and cast materials with high Brinell hardness. | M | | | | | | | | |
| | | | S | | | | | | | | |
| | | | H | | | | | | | | |
| | KY3500 C2 | **Composition:** Pure silicon nitride grade. **Application:** Maximum toughness. Used at high-feed rates for rough machining of grey cast iron, including machining through interruptions. | K | | | | | | | | |
| | KY4400 C4, C8 | **Composition:** A PVD TiN coating over an aluminium oxide and titanium carbonitride composite ceramic ($Al_2O_3$/TiCN). **Application:** Used for finish turning of hardened steels and irons (greater than 45 HRC). Where possible, use under dry conditions in smooth or varied depths of cut. Can also be applied in finish turning of nickel alloys, cobalt alloys, and powder metals. | H | | | | | | | | |
| PCBN – Polycrystalline Cubic Born Nitride Grades | KB1340 — | **Composition:** A high CBN content, solid PCBN insert having multiple cutting edges. **Application:** Applied in roughing to finishing of fully pearlitic grey cast iron, chilled irons, high-chrome alloyed steels, sintered powdered metals, and heavy cuts in hardened steels (>45 HRC). Also use for finishing chilled cast iron and fully pearlitic cast iron. The solid PCBN insert offers better security and shock resistance compared to tipped PCBN inserts, while also enabling deeper depth-of-cut capabilities. | K | | | | | | | | |
| | KBK35 — | **Composition:** A high CBN content, solid PCBN insert having multiple cutting edges with a CVD coating for increased tool life and speed capability. **Application:** Applied in roughing to finishing of unaged and aged cast iron, chilled irons, high-chrome alloyed steels, sintered powdered metals, and heavy cuts in hardened steels (>45 HRC). Also use for finishing chilled cast iron and fully pearlitic cast iron. The solid PCBN insert offers better security and shock resistance compared to tipped PCBN inserts, while also enabling deeper depth-of-cut capabilities. | K | | | | | | | | |



**Coatings provide high-speed capability and are engineered for finishing to heavy roughing.**

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

wear resistance ⟷ toughness

## PCBN – Polycrystalline Cubic Born Nitride Grades

| Coating | Grade Description | 05 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 |
|---|---|---|---|---|---|---|---|---|---|---|
| **KB5610**  C4, C8 | **Composition:** A low content PCBN grade with a PVD TiAlN coating for added wear resistance. **Application:** Designed for the precision machining of hardened steels (>45 HRC). The PVD coating offers improved wear resistance and excellent surface finish capabilities. It can be very effectively applied on bearing steels, hot and cold work tool steels, high-speed steels, die steels, case-hardened steels, carburised and nitrided irons, and some hard coatings. Available in a multitip format with a tremendous breadth of edge preps, insert styles, and wiper geometries. | H | H | H | | | | | | |
| **KBH20**  — | **Composition:** A low-content PCBN grade with nano-composite coating for added wear resistance. **Application:** KBH20 is the ideal PCBN hard turning grade in continuous to lightly interrupted applications. The structure, as well as the different edge preparations, enable tight and repeatable workpiece tolerances, excellent surface finishes, and surface integrity — even at elevated speeds. Typical applications are case-hardened components, such as gears, shafts, and other drive train components. | P | P | P | P | | | | | |
| | | H | | H | H | H | | | | |
| **KB5625**  C4, C8 | **Composition:** A PVD TiAlN coating over a medium content, PCBN tip brazed onto a carbide insert. **Application:** Designed for roughing to finishing of hardened steels (>45 HRC). Use on bearing steel, hot and cold work tool steels, high-speed steels, die steels, case-hardened steels, carburised and nitrided irons, and some hard coatings. | H | | | H | H | H | | | |
| **KB5630**  C4, C8 | **Composition:** A high content PCBN grade with a PVD AlTiN coating for added wear resistance. **Application:** Designed for roughing to finishing in hardened steels (>45 HRC), abrasive workpiece materials such as sintered valve seat materials, powder metallurgy tool steels, and hard high-alloy cast irons. The PVD coating provides resistance to crater wear and increased resistance to chipping. The tipped PCBN insert is available in a wide range of insert styles, including positive rake geometries, that are ideally suited for boring applications. | K | K | K | | | | | | |
| | | S | S | S | | | | | | |
| | | H | | | | H | H | H | | |



Coatings provide high-speed capability and are engineered for finishing to heavy roughing.

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

wear resistance ⟷ toughness

## PCD – Polycrystalline Diamond Grades

| Coating | Grade Description | 05 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 |
|---|---|---|---|---|---|---|---|---|---|---|
| KD1400  | **Composition:** An ultra-fine-grain, polycrystalline diamond (PCD) tip brazed onto a carbide substrate. **Application:** Designed for general-purpose turning of primarily non-ferrous materials. It can be applied over a wide range of continuous to interrupted cuts where superior surface finish is needed. Use on low to medium silicon-content aluminium alloys, non-metallics, copper, and brass- and zinc-based alloys. The ultra-fine-grain diamond particle size enables superior surface finishes while ensuring the best mechanical shock resistance of any PCD cutting tool. | | | | | | | | | |
| KD1425  | **Composition:** A multimodal PCD grade with a range of grain sizes brazed onto a carbide substrate. **Application:** Engineered for extreme abrasion resistance, combined with good edge strength for demanding applications. An ideal choice for high-silicon aluminium alloys, bi-metallic (AL/GCI) materials, MMC, carbon-fibre reinforced plastics, and other abrasive non-metallic materials. | | | | | | | | | |

## Select the geometry — based on feed rate and depth of cut

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |




**Feed Rate Range —**
for best results, use the centre 60% of the range

**Depth-of-Cut Range —**
for all inserts in the program, select smaller inserts for lighter cuts and larger inserts for heavy cuts

**Pictorial View of Insert**

**Chipbreaker Geometry —**
section is through nose radius of insert

**Primary Workpiece Material Group**

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

**Chip Control Geometry Designation —**
example: MG-MP = CNMG-432MP

**Machining Operation —**
for what the insert geometry is designed

NOTE: For detailed grade and geometry recommendations, reference the Kennametal Beyond™ Selection System in the Innovations Master Catalogue Cutting Tools 2013, pages B8–B23.

## Select the geometry — based on feed rate and depth of cut

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

| operation | insert style application | insert geometry | profile | feed rate — mm: 0,04 / 0,063 / 0,01 / 0,16 / 0,25 / 0,4 / 0,63 / 1,0 / 1,6 / 2,5 / 5,0<br>depth of cut — mm: 0,1 / 0,16 / 0,25 / 0,4 / 0,63 / 1,0 / 1,6 / 2,5 / 4,0 / 6,3 / 10,0 |
|---|---|---|---|---|
| wiper finishing | **MG-FW** |  |   | 0,2–2,0<br>0,3–2,0 |
| | **MG-FW1** |  | | 0,1–1,5<br>0,1–1,5 |
| wiper medium machining | **MG-MW** |  | | 0,3–0,6<br>0,8–5,1 |
| | **MG-MW1** |  | | 0,15–0,5<br>0,5–3 |
| wiper roughing | **MM-RW** |  | | 0,3–1,3<br>1,3–12,7 |
| fine finishing | **MG-FF** |  |   | 0,1–0,3<br>0,1–2,0 |
| finishing sharp | **GG-FS** precision ground |  |   | 0,07–0,25<br>0,20 - 2,0 |
| finishing | **GG-LF** precision ground |  | | 0,1 - 0,5<br>0,5–3,0 |

## Select the geometry — based on feed rate and depth of cut

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

| operation | insert style application | insert geometry | profile | feed rate — mm: 0,04 / 0,063 / 0,01 / 0,16 / 0,25 / 0,4 / 0,63 / 1,0 / 1,6 / 2,5 / 5,0<br>depth of cut — mm: 0,1 / 0,16 / 0,25 / 0,4 / 0,63 / 1,0 / 1,6 / 2,5 / 4,0 / 6,3 / 10,0 |
|---|---|---|---|---|
| finishing | MG-FP |  | | 0,1–0,3<br>0,3–2,5 |
| | MG-FH |  |  | 0,05–0,25<br>0,25–1 |
| | MG-FN |  |  | 0,1–0,3<br>0,3–2,5 |
| | MG-FX |  |  | 0,07–0,22<br>0,2–1 |
| | MP-K |  |  | 0,1–0,3<br>0,2–2,5 |
| medium machining | MG-MH |  |  | 0,15–0,5<br>0,3–2 |
| | MG-MX |  |  | 0,15–0,35<br>0,5–1,5 |
| medium sharp | MG-MS |  |  | 0,12–0,35<br>0,76–5,0 |
| medium machining | MG-UP |  |  | 0,2–0,6<br>1–6,4 |

## Select the geometry — based on feed rate and depth of cut

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

| operation | insert style application | insert geometry | profile | feed rate — mm: 0,04 / 0,063 / 0,01 / 0,16 / 0,25 / 0,4 / 0,63 / 1,0 / 1,6 / 2,5 / 5,0<br>depth of cut — mm: 0,1 / 0,16 / 0,25 / 0,4 / 0,63 / 1,0 / 1,6 / 2,5 / 4,0 / 6,3 / 10,0 |
|---|---|---|---|---|
| medium machining | __GP* |  |   | 0,1–0,35<br>0,5–3,2 |
| | MG-MP |  |   | 0,2–0,5<br>0,8–5,1 |
| | MG-P | |   | 0,15–0,5<br>0,75–5,0 |
| | MG-MN |  | | 0,2–0,5<br>0,5–5,1 |
| | MG-MR |  |   | 0,15–0,55<br>1.5–6.3 |
| | MG-CT<br>O.D. turning |  |   | 0,13–0,5<br>1,0–3,0 |
| | MG-CT<br>outward facing |  |   | 0,25–0,5<br>0,25–1,0 |
| | -MS<br>single sided |  |   | 0,2–0,4<br>0,6–2,3 |
| | MG-UN |  |   | 0,2–0,5<br>0,8–3,8 |

*35° and 55° geometries are single sided.

## Select the geometry — based on feed rate and depth of cut

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

| operation | insert style application | insert geometry | profile | feed rate — mm: 0,04 / 0,063 / 0,01 / 0,16 / 0,25 / 0,4 / 0,63 / 1,0 / 1,6 / 2,5 / 5,0<br>depth of cut — mm: 0,1 / 0,16 / 0,25 / 0,4 / 0,63 / 1,0 / 1,6 / 2,5 / 4,0 / 6,3 / 10,0 |
|---|---|---|---|---|
| roughing | **MG-RP** |  |   | 0,2–0,6<br>1,1–6,4 |
| | **MG-RN** |  | | 0,3–0,63<br>1,1–5,7 |
| heavy roughing | **MG** |  | | 0,3–0,8<br>1,1–5,7 |
| | **MM-RM** single sided |  | | 0,3–1,0<br>1,3–12,7 |
| | **MM-RP** |  | | 0,2–1,0<br>1,3–10,0 |
| | **MM-RH** single sided |  |   | 0,4–1,3<br>1,3–12,7 |
| wiper finishing | **MT-FW** |  |   | 0,1–0,3<br>0,2–1,5 |
| wiper, medium finishing | **MT-MW** |  |   | 0,1–0,5<br>0,4–3,3 |

## Select the geometry — based on feed rate and depth of cut

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

| operation | insert style application | insert geometry | profile | feed rate — mm: 0,04 / 0,063 / 0,01 / 0,16 / 0,25 / 0,4 / 0,63 / 1,0 / 1,6 / 2,5 / 5,0<br>depth of cut — mm: 0,1 / 0,16 / 0,25 / 0,4 / 0,63 / 1,0 / 1,6 / 2,5 / 4,0 / 6,3 / 10,0 |
|---|---|---|---|---|
| fine finishing | **__GM** precision ground |  | | 0,1–0,2<br>0,2–1,0 |
| | **MT-11** |  | | 0,1–0,3<br>0,2–1,3 |
| | **.MT-UF** |  | | 0,1–0,3<br>0,1–1,3 |
| finishing | **GT-HP** precision ground |  |  | 0,2–0,4<br>0,6–2,3 |
| | **GT-LF** precision ground |  | | 0,2–0,4<br>0,8–2,3 |
| | **MT-FP** |  |  | 0,063–0,25<br>0,16–1,6 |
| | **MT-LF** |  |  | 0,2–0,4<br>0,8–2,3 |
| medium machining | **MT-MP** |  |  | 0,01–0,4<br>0,4–2,3 |
| | **MT-MF** |  |  | 0,2–0,4<br>1,1–2,3 |

● first choice
○ alternate choice

| | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | ● | ● | ● | | | | | | ● | ● | | ● | ● | | | | | | |
| K | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## CNGG-FBB






beyond BLAST™

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| CNGG120404FBB | 12,70 | 12,90 | 0,4 |
| CNGG120408FBB | 12,70 | 12,90 | 0,8 |

## CNGG-FS




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| CNGG120401FS | 12,70 | 12,90 | 0,1 |
| CNGG120402FS | 12,70 | 12,90 | 0,2 |
| CNGG120404FS | 12,70 | 12,90 | 0,4 |
| CNGG120408FS | 12,70 | 12,90 | 0,8 |
| CNGG120412FS | 12,70 | 12,90 | 1,2 |

## CNGG-LF






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| CNGG120401LF | 12,70 | 12,90 | 0,1 |
| CNGG120402LF | 12,70 | 12,90 | 0,2 |
| CNGG120404LF | 12,70 | 12,90 | 0,4 |
| CNGG120408LF | 12,70 | 12,90 | 0,8 |
| CNGG120412LF | 12,70 | 12,90 | 1,2 |
| CNGG160608LF | 15,88 | 16,12 | 0,8 |
| CNGG160612LF | 15,88 | 16,12 | 1,2 |

## CNGP




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| CNGP120401 | 12,70 | 12,90 | 0,1 |
| CNGP120402 | 12,70 | 12,90 | 0,2 |
| CNGP120404 | 12,70 | 12,90 | 0,4 |
| CNGP120408 | 12,70 | 12,90 | 0,8 |
| CNGP120412 | 12,70 | 12,90 | 1,2 |
| CNGP120416 | 12,70 | 12,90 | 1,6 |

● first choice
○ alternate choice

## CNMA






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | ● | | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **CNMA120404** | 12,70 | 12,90 | 0,4 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| **CNMA120408** | 12,70 | 12,90 | 0,8 | | | | | | ● | ● | ● | | | | | | ● | | | | | | | | | | | | | |
| **CNMA120412** | 12,70 | 12,90 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| **CNMA120416** | 12,70 | 12,90 | 1,6 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| **CNMA160608** | 15,88 | 16,12 | 0,8 | | | | | | | ● | ● | | | | | | | | | | | | | | | | | | | |
| **CNMA160612** | 15,88 | 16,12 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| **CNMA160616** | 15,88 | 16,12 | 1,6 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| **CNMA190608** | 19,05 | 19,34 | 0,8 | | | | | | ● | | ● | | | | | | | | | | | | | | | | | | | |
| **CNMA190612** | 19,05 | 19,34 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| **CNMA190616** | 19,05 | 19,34 | 1,6 | | | | | | ● | | ● | | | | | | | | | | | | | | | | | | | |

## CNMG






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **CNMG120404B** | 12,70 | 12,90 | 0,4 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |
| **CNMG120408** | 12,70 | 12,90 | 0,8 | | | | | | | | | | | | | ● | ● | | | | | | | | | | | | | |
| **CNMG120412** | 12,70 | 12,90 | 1,2 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |
| **CNMG190608** | 19,05 | 19,34 | 0,8 | | | ● | | ● | | | | | | | | | | | | | | | | | | | | | | |
| **CNMG190612** | 19,05 | 19,34 | 1,2 | | | ● | | ● | | | | | | | | | ● | | ● | ● | | | | | | | | | | |
| **CNMG190616** | 19,05 | 19,34 | 1,6 | | | ● | | ● | | | | | | | | | | | | | | | | | | | | | | |
| **CNMG250924** | 25,40 | 25,79 | 2,4 | | | ● | | ● | | | | | | | | | | | | | | | | | | | | | | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

Turning

● first choice
○ alternate choice

## CNMG-CT






beyond DRIVE

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CNMG120408CT | 12,70 | 12,90 | 0,8 | ● | ● | ● | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| CNMG120412CT | 12,70 | 12,90 | 1,2 | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | ● | ● | |
| CNMG120416CT | 12,70 | 12,90 | 1,6 | | ● | | | | | | | | | | | | | | | | | | | | | | | | | |

## CNMG-FF






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CNMG090304FF | 9,53 | 9,67 | 0,4 | | ● | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| CNMG090308FF | 9,53 | 9,67 | 0,8 | | ● | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| CNMG120404FF | 12,70 | 12,90 | 0,4 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| CNMG120408FF | 12,70 | 12,90 | 0,8 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |

## CNMG-FN






beyond DRIVE

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CNMG090304FN | 9,53 | 9,67 | 0,4 | | ● | | | | ● | | | | | | | | | | | | | | | | | ● | | | | |
| CNMG090308FN | 9,53 | 9,67 | 0,8 | | ● | | | | ● | | | | | | | | | | | | | | | | | | | | | |
| CNMG120402FN | 12,70 | 12,90 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| CNMG120404FN | 12,70 | 12,90 | 0,4 | ● | ● | ● | | | ● | | | | | | | | | | | | | | | | | ● | | | | |
| CNMG120408FN | 12,70 | 12,90 | 0,8 | ● | ● | ● | | | ● | | | | | | | | | | | | | | | | | ● | | | | ● |
| CNMG120412FN | 12,70 | 12,90 | 1,2 | ● | ● | ● | | | ● | | | | | | | | | | | | | | | | | ● | | | | |
| CNMG120416FN | 12,70 | 12,90 | 1,6 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |

● first choice
○ alternate choice

## CNMG-FP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CNMG120404FP | 12,70 | 12,90 | 0,4 | | ● | | | | | | | ● | | | | | | | ● | ● | | | | | | ● | | | | |
| CNMG120408FP | 12,70 | 12,90 | 0,8 | | ● | ● | | | | | | ● | | | | | | | ● | ● | | | | | | ● | | | | |
| CNMG120412FP | 12,70 | 12,90 | 1,2 | | | | | | | | | ● | | | | | | | ● | | | | | | | | | | | |

## CNMG-FW






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CNMG120404FW | 12,70 | 12,90 | 0,4 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| CNMG120408FW | 12,70 | 12,90 | 0,8 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| CNMG120412FW | 12,70 | 12,90 | 1,2 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |

## CNMG-MBB






beyond BLAST™

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CNMG120404MBB | 12,70 | 12,90 | 0,4 | | | | | | | | | | | | ● | | | | ● | | | | | | | | | | | |
| CNMG120408MBB | 12,70 | 12,90 | 0,8 | | | | | | | | | | | | ● | | | | ● | | | | | | | | | | | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

Turning

● first choice
○ alternate choice

## CNMG-MN






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CNMG090304MN | 9,53 | 9,67 | 0,4 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| CNMG090308MN | 9,53 | 9,67 | 0,8 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| CNMG090312MN | 9,53 | 9,67 | 1,2 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| CNMG120404MN | 12,70 | 12,90 | 0,4 | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| CNMG120408MN | 12,70 | 12,90 | 0,8 | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | ● | ● | |
| CNMG120412MN | 12,70 | 12,90 | 1,2 | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | ● | ● | |
| CNMG120416MN | 12,70 | 12,90 | 1,6 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| CNMG160608MN | 15,88 | 16,12 | 0,8 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| CNMG160612MN | 15,88 | 16,12 | 1,2 | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | ● | ● | |
| CNMG160616MN | 15,88 | 16,12 | 1,6 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| CNMG190608MN | 19,05 | 19,34 | 0,8 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| CNMG190612MN | 19,05 | 19,34 | 1,2 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | ● | ● | |
| CNMG190616MN | 19,05 | 19,34 | 1,6 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | ● | ● | |

## CNMG-MP




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CNMG090308MP | 9,53 | 9,67 | 0,8 | | | | | | | | | ● | ● | | | | | | ● | ● | | | | | | | | | | |
| CNMG120404MP | 12,70 | 12,90 | 0,4 | | | | | | | | | ● | ● | ● | | | | | ● | ● | | | | | | | | | | |
| CNMG120408MP | 12,70 | 12,90 | 0,8 | | ● | ● | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| CNMG120412MP | 12,70 | 12,90 | 1,2 | | ● | ● | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| CNMG120416MP | 12,70 | 12,90 | 1,6 | | | | | | | | | ● | ● | | | | | | ● | ● | | | | | | | | | | |
| CNMG160608MP | 15,88 | 16,12 | 0,8 | | | | | | | | | ● | ● | ● | | | | | ● | ● | | | | | | | | | | |
| CNMG160612MP | 15,88 | 16,12 | 1,2 | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| CNMG160616MP | 15,88 | 16,12 | 1,6 | | | | | | | | | | | ● | | | | | ● | ● | | | | | | | | | | |
| CNMG190608MP | 19,05 | 19,34 | 0,8 | | | | | | | | | ● | ● | | | | | | ● | ● | | | | | | | | | | |
| CNMG190612MP | 19,05 | 19,34 | 1,2 | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| CNMG190616MP | 19,05 | 19,34 | 1,6 | | | | | | | | | ● | ● | | | | | | ● | ● | | | | | | | | | | |

## CNMG-MR






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CNMG120408MR | 12,70 | 12,90 | 0,8 | | | | | ● | | | | ● | ● | ● | | | | | | | | | | | | | | ● | ● | ● |
| CNMG120412MR | 12,70 | 12,90 | 1,2 | | | | | ● | | | | ● | ● | ● | | | | | | | | | | | | | | ● | ● | ● |
| CNMG120416MR | 12,70 | 12,90 | 1,6 | | | | | | | | | | ● | | | | | | | | | | | | | | | ● | ● | ● |
| CNMG160612MR | 15,88 | 16,12 | 1,2 | | | | | ● | | | | ● | ● | ● | | | | | | | | | | | | | | ● | ● | ● |
| CNMG160616MR | 15,88 | 16,12 | 1,6 | | | | | | | | | | ● | | | | | | | | | | | | | | | ● | ● | ● |
| CNMG190612MR | 19,05 | 19,34 | 1,2 | | | | | ● | | | | ● | ● | ● | | | | | | | | | | | | | | ● | ● | ● |

● first choice
○ alternate choice

## CNMG-MS






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **CNMG120401MS** | 12,70 | 12,90 | 0,1 | | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | | | | | |
| **CNMG120402MS** | 12,70 | 12,90 | 0,2 | | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | | | | | |
| **CNMG120404MS** | 12,70 | 12,90 | 0,4 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| **CNMG120408MS** | 12,70 | 12,90 | 0,8 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| **CNMG120412MS** | 12,70 | 12,90 | 1,2 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| **CNMG120416MS** | 12,70 | 12,90 | 1,6 | | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | | | | | |
| **CNMG160608MS** | 15,88 | 16,12 | 0,8 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| **CNMG160612MS** | 15,88 | 16,12 | 1,2 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| **CNMG190612MS** | 19,05 | 19,34 | 1,2 | | | | | | | | | | | | | | | | | | ● | ● | | ● | | | | | | |
| **CNMG190608MS** | 19,05 | 19,34 | 0,8 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| **CNMG190616MS** | 19,05 | 19,34 | 1,6 | | | | | | | | | | | | | ● | | | ● | | | ● | | ● | | | | | | |

## CNMG-MW






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **CNMG120408MW** | 12,70 | 12,90 | 0,8 | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | ● | ● | ● |
| **CNMG120412MW** | 12,70 | 12,90 | 1,2 | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | ● |

## CNMG-P




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **CNMG120404P** | 12,70 | 12,90 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| **CNMG120408P** | 12,70 | 12,90 | 0,8 | | | | | | | | | | | | | ● | | | ● | ● | | | | | | | | | | |
| **CNMG120412P** | 12,70 | 12,90 | 1,2 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| **CNMG120416P** | 12,70 | 12,90 | 1,6 | | | | | | | | | | | | | | | | ● | | | | | | | | | | | |
| **CNMG190612P** | 19,05 | 19,34 | 1,2 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

● first choice
○ alternate choice

| | | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | |
| M | | | | | | | | | | ● | ● | ● | | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## CNMG-RBB






beyond BLAST™

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| CNMG120408RBB | 12,70 | 12,90 | 0,8 |

## CNMG-RM






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| CNMG190612RM | 19,05 | 19,34 | 1,2 |
| CNMG190616RM | 19,05 | 19,34 | 1,6 |
| CNMG250924RM | 25,40 | 25,79 | 2,4 |

## CNMG-RN






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| CNMG120408RN | 12,70 | 12,90 | 0,8 |
| CNMG120412RN | 12,70 | 12,90 | 1,2 |
| CNMG120416RN | 12,70 | 12,90 | 1,6 |
| CNMG160608RN | 15,88 | 16,12 | 0,8 |
| CNMG160612RN | 15,88 | 16,12 | 1,2 |
| CNMG160616RN | 15,88 | 16,12 | 1,6 |
| CNMG190608RN | 19,05 | 19,34 | 0,8 |
| CNMG190612RN | 19,05 | 19,34 | 1,2 |
| CNMG190616RN | 19,05 | 19,34 | 1,6 |
| CNMG190624RN | 19,05 | 19,34 | 2,4 |

## CNMG-RP






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| CNMG120404RP | 12,70 | 12,90 | 0,4 |
| CNMG120408RP | 12,70 | 12,90 | 0,8 |
| CNMG120412RP | 12,70 | 12,90 | 1,2 |
| CNMG120416RP | 12,70 | 12,90 | 1,6 |
| CNMG160608RP | 15,88 | 16,12 | 0,8 |
| CNMG160612RP | 15,88 | 16,12 | 1,2 |
| CNMG160616RP | 15,88 | 16,12 | 1,6 |
| CNMG190612RP | 19,05 | 19,34 | 1,2 |
| CNMG190616RP | 19,05 | 19,34 | 1,6 |

● first choice
○ alternate choice

## CNMG-UN






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | | | | ● | ● | ● | | | | | | ● | ● | | ● | ● | | | | | | |
| K | | | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CNMG120404UN | 12,70 | 12,90 | 0,4 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| CNMG120408UN | 12,70 | 12,90 | 0,8 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | ● |
| CNMG120412UN | 12,70 | 12,90 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | ● |
| CNMG120416UN | 12,70 | 12,90 | 1,6 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | ● |
| CNMG160608UN | 15,88 | 16,12 | 0,8 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| CNMG160612UN | 15,88 | 16,12 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| CNMG160616UN | 15,88 | 16,12 | 1,6 | | | | | | | ● | ● | | | | | | | | | | | | | | | | | | | ● |
| CNMG190608UN | 19,05 | 19,34 | 0,8 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| CNMG190612UN | 19,05 | 19,34 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| CNMG190616UN | 19,05 | 19,34 | 1,6 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |

## CNMG-UP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CNMG120404UP | 12,70 | 12,90 | 0,4 | | | | | | | | | ● | ● | | | | | | | ● | | | | | | | | | | |
| CNMG120408UP | 12,70 | 12,90 | 0,8 | | | | | | | | | ● | ● | ● | | | | | ● | ● | | | | | | | | | | |
| CNMG120412UP | 12,70 | 12,90 | 1,2 | | | | | | | | | ● | ● | ● | | | | | ● | ● | | | | | | | | | | |
| CNMG160608UP | 15,88 | 16,12 | 0,8 | | | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | |
| CNMG160612UP | 15,88 | 16,12 | 1,2 | | | | | | | | | ● | ● | ● | | | | | ● | | | | | | | | | | | |
| CNMG190608UP | 19,05 | 19,34 | 0,8 | | | | | | | | | ● | ● | | | | | | | | | | | | | | | | | |
| CNMG190612UP | 19,05 | 19,34 | 1,2 | | | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | |
| CNMG190616UP | 19,05 | 19,34 | 1,6 | | | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | |

## CNMM-RH




beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CNMM190612RH | 19,05 | 19,34 | 1,2 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | |
| CNMM190616RH | 19,05 | 19,34 | 1,6 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | |
| CNMM190624RH | 19,05 | 19,34 | 2,4 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | ● | |
| CNMM250924RH | 25,40 | 25,79 | 2,4 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | ● | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

● first choice
○ alternate choice

## CNMM-RM






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CNMM120408RM | 12,70 | 12,90 | 0,8 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| CNMM120412RM | 12,70 | 12,90 | 1,2 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | ● | ● | |
| CNMM120416RM | 12,70 | 12,90 | 1,6 | | | ● | | ● | | | | | | | | | | | | | | | | | | | | | | |
| CNMM160612RM | 15,88 | 16,12 | 1,2 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | ● | ● | |
| CNMM160616RM | 15,88 | 16,12 | 1,6 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| CNMM160624RM | 15,88 | 16,12 | 2,4 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| CNMM190612RM | 19,05 | 19,34 | 1,2 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | |
| CNMM190616RM | 19,05 | 19,34 | 1,6 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | ● | ● | |
| CNMM190624RM | 19,05 | 19,34 | 2,4 | | | ● | ● | | | | | | | | | | | | | | | | | | | | | ● | ● | |
| CNMM250924RM | 25,40 | 25,79 | 2,4 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | ● | |

## CNMM-RP






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CNMM120408RP | 12,70 | 12,90 | 0,8 | ● | ● | ● | | ● | | | | ● | ● | | | | | | | | | | | | | | | | | |
| CNMM120412RP | 12,70 | 12,90 | 1,2 | ● | ● | ● | ● | | | | | ● | ● | ● | | | | | | | | | | | | | | | ● | ● |
| CNMM120416RP | 12,70 | 12,90 | 1,6 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | ● | ● | |
| CNMM160608RP | 15,88 | 16,12 | 0,8 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| CNMM160612RP | 15,88 | 16,12 | 1,2 | ● | ● | ● | ● | ● | | | | | ● | ● | | | | | | | | | | | | | | | | |
| CNMM160616RP | 15,88 | 16,12 | 1,6 | | ● | ● | ● | | | | | | ● | | | | | | | | | | | | | | | ● | ● | |
| CNMM190612RP | 19,05 | 19,34 | 1,2 | | ● | ● | ● | ● | | | | | ● | | | | | | | | | | | | | | | | | |
| CNMM190616RP | 19,05 | 19,34 | 1,6 | | ● | ● | | ● | | | | ● | ● | ● | | | | | | | | | | | | | | | | |
| CNMM190624RP | 19,05 | 19,34 | 2,4 | | ● | ● | | | | | | ● | | | | | | | | | | | | | | | | | | |
| CNMM250924RP | 25,40 | 25,79 | 2,4 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |

## CNMP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CNMP120404 | 12,70 | 12,90 | 0,4 | | | | | | | | | | | | | ● | ● | | | | | | | | ● | | | | | |
| CNMP120408 | 12,70 | 12,90 | 0,8 | | | | | | | | | | | | | ● | ● | | | | | | | | ● | | | | | |
| CNMP120412 | 12,70 | 12,90 | 1,2 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |
| CNMP190612 | 19,05 | 19,34 | 1,2 | | | | | | | | | | | | | ● | | | | | | | | | | | | | | |

● first choice
○ alternate choice

## CNMP-K




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **CNMP120404K** | 12,70 | 12,90 | 0,4 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| **CNMP120408K** | 12,70 | 12,90 | 0,8 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| **CNMP120412K** | 12,70 | 12,90 | 1,2 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |

## CNMS






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **CNMS120408** | 12,70 | 12,90 | 0,8 | | | | | | | | | | | | | | ● | | | | | | | | ● | | | | | |
| **CNMS160608** | 15,88 | 16,12 | 0,8 | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| **CNMS190608** | 19,05 | 19,34 | 0,8 | | | | | | | | | | | | | | ● | | | | | | | | ● | | | | | |
| **CNMS190612** | 19,05 | 19,34 | 1,2 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

● first choice
○ alternate choice

## DNGG-FS






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DNGG110401FS | 9,52 | 11,63 | 0,1 | | | | | | | | | | | | | | | | | | ● | | | ● | | | | | | |
| DNGG110402FS | 9,52 | 11,63 | 0,2 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | | | | | | | |
| DNGG110404FS | 9,52 | 11,63 | 0,4 | | | | | | | | | | | | | ● | | | ● | | | | | ● | | | | | | |
| DNGG110408FS | 9,52 | 11,63 | 0,8 | | | | | | | | | | | | | | | | ● | | ● | | | ● | | | | | | |
| DNGG150401FS | 12,70 | 15,50 | 0,1 | | | | | | | | | | | | | | | | ● | | | | | ● | | | | | | |
| DNGG150402FS | 12,70 | 15,50 | 0,2 | | | | | | | | | | | | | | | | ● | | ● | ● | | | | | | | | |
| DNGG150404FS | 12,70 | 15,50 | 0,4 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| DNGG150604FS | 12,70 | 15,50 | 0,4 | | | | | | | | | | | | | | | | ● | | | ● | | | | | | | | |
| DNGG150408FS | 12,70 | 15,50 | 0,8 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| DNGG150608FS | 12,70 | 15,50 | 0,8 | | | | | | | | | | | | | ● | | | ● | | | | | | | | | | | |
| DNGG150412FS | 12,70 | 15,50 | 1,2 | | | | | | | | | | | | | | | | ● | | ● | | | | | | | | | |
| DNGG150416FS | 12,70 | 15,50 | 1,6 | | | | | | | | | | | | | ● | | | ● | | | | | ● | | | | | | |

## DNGG-LF




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DNGG150402LF | 12,70 | 15,50 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| DNGG150404LF | 12,70 | 15,50 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| DNGG150408LF | 12,70 | 15,50 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |

## DNGP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DNGP150401 | 12,70 | 15,50 | 0,1 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| DNGP150402 | 12,70 | 15,50 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | | | | ● | | | | | |
| DNGP150404 | 12,70 | 15,50 | 0,4 | | | | | | | | | | | | | ● | | | ● | ● | | | | | ● | | | | | |
| DNGP150408 | 12,70 | 15,50 | 0,8 | | | | | | | | | | | | | ● | | | ● | ● | | | | | ● | | | | | |
| DNGP150604 | 12,70 | 15,50 | 0,4 | | | | | | | | | | | | | ● | | | ● | | | | | | ● | | | | | |
| DNGP150608 | 12,70 | 15,50 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | | | | ● | | | | | |

● first choice
○ alternate choice

## DNMA






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | ● | ● | ● | ● | | |
| M | | | | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | ● | | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **DNMA110408** | 9,53 | 11,63 | 0,8 | | | | | | ● | | ● | | | | | | | | | | | | | | | | | | | |
| **DNMA110412** | 9,53 | 11,63 | 1,2 | | | | | | | | ● | | | | | | | | | | | | | | | | | | | |
| **DNMA150408** | 12,70 | 15,50 | 0,8 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| **DNMA150412** | 12,70 | 15,50 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| **DNMA150416** | 12,70 | 15,50 | 1,6 | | | | | | | | ● | | | | | | | | | | | | | | | | | | | |
| **DNMA150608** | 12,70 | 15,50 | 0,8 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| **DNMA150612** | 12,70 | 15,50 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| **DNMA150616** | 12,70 | 15,50 | 1,6 | | | | | | | | ● | | | | | | | | | | | | | | | | | | | |

## DNMG






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **DNMG150408B** | 12,70 | 15,50 | 0,8 |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71* | C72–C109* | C110–C115* | C116–C147* | A8–A23 | A24–A31 | A32–A37

● first choice
○ alternate choice

## DNMG-CT






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DNMG110408CT | 9,53 | 11,63 | 0,8 | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | | |
| DNMG150404CT | 12,70 | 15,50 | 0,4 | | ● | ● | | | | | | | | | | | | | ● | ● | | | | | | | | | ● | |
| DNMG150408CT | 12,70 | 15,50 | 0,8 | ● | ● | ● | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| DNMG150412CT | 12,70 | 15,50 | 1,2 | | ● | | | | | | | | | | | | | | ● | | | | | | | | | | | |
| DNMG150604CT | 12,70 | 15,50 | 0,3 | | ● | | | | | | | | | | | | | | | | | | | | | | | | | |
| DNMG150608CT | 12,70 | 15,50 | 0,7 | ● | ● | ● | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| DNMG150612CT | 12,70 | 15,50 | 1,1 | ● | ● | ● | | | | | | | | | | | | | ● | ● | | | | | | | | ● | ● | |

## DNMG-FF




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DNMG110404FF | 9,53 | 11,63 | 0,4 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| DNMG110408FF | 9,53 | 11,63 | 0,8 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| DNMG150404FF | 12,70 | 15,50 | 0,4 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| DNMG150408FF | 12,70 | 15,50 | 0,8 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| DNMG150604FF | 12,70 | 15,50 | 0,4 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| DNMG150608FF | 12,70 | 15,50 | 0,8 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |

## DNMG-FN




beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DNMG110404FN | 9,53 | 11,63 | 0,4 | ● | ● | ● | | | ● | | | | | | | | | | | | | | | | | ● | | | | |
| DNMG110408FN | 9,53 | 11,63 | 0,8 | ● | ● | ● | | | ● | | | | | | | | | | | | | | | | | ● | | | | |
| DNMG110412FN | 9,53 | 11,63 | 1,2 | ● | ● | | | | | | | | | | | | | | | | | | | | | ● | | | | |
| DNMG150404FN | 12,70 | 15,50 | 0,4 | ● | ● | ● | | | ● | | | | | | | | | | | | | | | | | ● | | | | |
| DNMG150408FN | 12,70 | 15,50 | 0,8 | ● | ● | ● | | | ● | | | | | | | | | | | | | | | | | ● | | | | ● |
| DNMG150412FN | 12,70 | 15,50 | 1,2 | ● | ● | | | | ● | | | | | | | | | | | | | | | | | ● | | | | |
| DNMG150604FN | 12,70 | 15,50 | 0,4 | ● | ● | ● | | | ● | | | | | | | | | | | | | | | | | ● | | | | |
| DNMG150608FN | 12,70 | 15,50 | 0,8 | ● | ● | ● | | | ● | | | | | | | | | | | | | | | | | ● | | ● | | |
| DNMG150612FN | 12,70 | 15,50 | 1,2 | ● | ● | ● | | | ● | | | | | | | | | | | | | | | | | ● | | | | |

● first choice
○ alternate choice

## DNMG-FP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DNMG110404FP | 9,53 | 11,63 | 0,4 | | | | | | | | | ● | | | | | | | ● | ● | | | | | | | | | | |
| DNMG110408FP | 9,53 | 11,63 | 0,8 | | ● | | | | | | | ● | | | | | | | ● | ● | | | | | | ● | | | | |
| DNMG150404FP | 12,70 | 15,50 | 0,4 | | | | | | | | | ● | | | | | | | ● | ● | | | | | | ● | | | | |
| DNMG150408FP | 12,70 | 15,50 | 0,8 | | ● | ● | | | | | | ● | | | | | | | ● | ● | | | | | | ● | | | | |
| DNMG150412FP | 12,70 | 15,50 | 1,2 | | | | | | | | | ● | | | | | | | ● | | | | | | | | ● | | | |
| DNMG150604FP | 12,70 | 15,50 | 0,4 | | | | | | | | | ● | | | | | | | ● | ● | | | | | | | | | | |
| DNMG150608FP | 12,70 | 15,50 | 0,8 | | ● | ● | | | | | | ● | | | | | | | ● | ● | | | | | | | | | | |
| DNMG150612FP | 12,70 | 15,50 | 1,2 | | | | | | | | | ● | | | | | | | ● | | | | | | | ● | | | | |

## DNMG-FW




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DNMG110404FW | 9,53 | 11,63 | 0,4 | ● | ● | | | | | | | | | | | | | | ● | | | | | | | ● | | | | |
| DNMG110408FW | 9,53 | 11,63 | 0,8 | ● | ● | | | | | | | | | | | | | | | | | | | | | ● | | | | |
| DNMG150404FW | 12,70 | 15,50 | 0,4 | | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| DNMG150408FW | 12,70 | 15,50 | 0,4 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| DNMG150604FW | 12,70 | 15,50 | 0,4 | ● | ● | | | | | | | | | | | | | | ● | | | | | | | | | | | |
| DNMG150608FW | 12,70 | 15,50 | 0,4 | ● | ● | | | | | | | | | | | | | | ● | | | | | | | | | | | |

## DNMG-MN




beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DNMG110404MN | 9,53 | 11,63 | 0,4 | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| DNMG110408MN | 9,53 | 11,63 | 0,8 | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| DNMG110412MN | 9,53 | 11,63 | 1,2 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | ● | ● | |
| DNMG150404MN | 12,70 | 15,50 | 0,4 | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | ● | | |
| DNMG150408MN | 12,70 | 15,50 | 0,8 | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | ● | ● | |
| DNMG150412MN | 12,70 | 15,50 | 1,2 | ● | ● | ● | | ● | | | | | | | | | | | | | | | | | | | | ● | ● | |
| DNMG150416MN | 12,70 | 15,50 | 1,6 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| DNMG150604MN | 12,70 | 15,50 | 0,4 | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| DNMG150608MN | 12,70 | 15,50 | 0,8 | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | ● | ● | |
| DNMG150612MN | 12,70 | 15,50 | 1,2 | ● | ● | ● | | ● | | | | | | | | | | | | | | | | | | | | ● | ● | |
| DNMG150616MN | 12,70 | 15,50 | 1,6 | | ● | | | | | | | | | | | | | | | | | | | | | | | | | |
| DNMG190612MN | 15,88 | 19,38 | 1,2 | | ● | | ● | | | | | | | | | | | | | | | | | | | | | | | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

Turning

● first choice
○ alternate choice

## DNMG-MP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DNMG110408MP | 9,53 | 11,63 | 0,8 | | | | | | | | | ● | ● | | | | | | ● | ● | | | | | | | | | | |
| DNMG110412MP | 9,53 | 11,63 | 1,2 | | | | | | | | | ● | ● | | | | | | | | | | | | | | | | | |
| DNMG150404MP | 12,70 | 15,50 | 0,4 | | | | | | | | | ● | ● | ● | | | | | ● | ● | | | | | | | | | | |
| DNMG150408MP | 12,70 | 15,50 | 0,8 | | ● | ● | | | | | | ● | ● | ● | | | | | ● | ● | | | | | | | | | | |
| DNMG150412MP | 12,70 | 15,50 | 1,2 | | | | | | | | | ● | ● | | | | | | ● | ● | | | | | | | | | | |
| DNMG150604MP | 12,70 | 15,50 | 0,4 | | | | | | | | | ● | ● | ● | | | | | ● | ● | | | | | | | | | | |
| DNMG150608MP | 12,70 | 15,50 | 0,8 | | ● | ● | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| DNMG150612MP | 12,70 | 15,50 | 1,2 | | ● | | | | | | | ● | ● | | | | | | ● | ● | | ● | ● | | | | | | | |

## DNMG-MR






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DNMG150408MR | 12,70 | 15,50 | 0,8 | | | | | ● | | | | ● | ● | ● | | | | | | | | | | | | | | ● | ● | |
| DNMG150412MR | 12,70 | 15,50 | 1,2 | | | | | ● | | | | ● | ● | | | | | | | | | | | | | | | ● | ● | ● |
| DNMG150608MR | 12,70 | 15,50 | 0,8 | | | | | | | | | ● | ● | ● | | | | | | | | | | | | | | ● | ● | ● |
| DNMG150616MR | 12,70 | 15,50 | 1,6 | | | | | | | | | | | | | | | | | | | | | | | | | ● | ● | |

## DNMG-MS




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DNMG110408MS | 9,53 | 11,63 | 0,8 | | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | | | | | |
| DNMG110412MS | 9,53 | 11,63 | 1,2 | | | | | | | | | | | | | | | | | | ● | | | | | | | | | |
| DNMG150401MS | 12,70 | 15,50 | 0,1 | | | | | | | | | | | | | ● | | | ● | | ● | | | ● | | | | | | |
| DNMG150402MS | 12,70 | 15,50 | 0,2 | | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | | | | | |
| DNMG150404MS | 12,70 | 15,50 | 0,4 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| DNMG150604MS | 12,70 | 15,50 | 0,4 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| DNMG150608MS | 12,70 | 15,50 | 0,8 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| DNMG150408MS | 12,70 | 15,50 | 0,8 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| DNMG150412MS | 12,70 | 15,50 | 1,2 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| DNMG150612MS | 12,70 | 15,50 | 1,2 | | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | | | | | |

## DNMG-MW






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DNMG150408MW | 12,70 | 15,50 | 0,4 | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| DNMG150412MW | 12,70 | 15,50 | 1,2 | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| DNMG150608MW | 12,70 | 15,50 | 0,4 | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| DNMG150612MW | 12,70 | 15,50 | 1,2 | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |

● first choice
○ alternate choice

| | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | | |
| K | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## DNMG-P






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| DNMG150404P | 12,70 | 15,50 | 0,4 |
| DNMG150408P | 12,70 | 15,50 | 0,8 |
| DNMG150608P | 12,70 | 15,50 | 0,8 |

## DNMG-RM






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| DNMG190608RM | 15,88 | 19,38 | 0,8 |
| DNMG190612RM | 15,88 | 19,38 | 1,2 |

## DNMG-RN




beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| DNMG150408RN | 12,70 | 15,50 | 0,8 |
| DNMG150412RN | 12,70 | 15,50 | 1,2 |
| DNMG150416RN | 12,70 | 15,50 | 1,6 |
| DNMG150608RN | 12,70 | 15,50 | 0,8 |
| DNMG150612RN | 12,70 | 15,50 | 1,2 |
| DNMG150616RN | 12,70 | 15,50 | 1,6 |
| DNMG190608RN | 15,88 | 19,38 | 0,8 |
| DNMG190612RN | 15,88 | 19,38 | 1,2 |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71* | C72–C109* | C110–C115* | C116–C147* | A8–A23 | A24–A31 | A32–A37

Turning

● first choice
○ alternate choice

## DNMG-RP




beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DNMG110408RP | 9,53 | 11,63 | 0,8 | | ● | ● | | | | | ● | ● | | | | | | | ● | | ● | ● | | | | | | | | |
| DNMG110412RP | 9,53 | 11,63 | 1,2 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| DNMG150408RP | 12,70 | 15,50 | 0,8 | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | ● | ● | ● | ● | | ● | | | | | | |
| DNMG150412RP | 12,70 | 15,50 | 1,2 | | ● | ● | ● | ● | | ● | ● | | ● | ● | | | | | ● | ● | | ● | | ● | | | | ● | ● | |
| DNMG150416RP | 12,70 | 15,50 | 1,6 | | | | | | | | | | | | | | | | ● | ● | ● | | | | | | | | | |
| DNMG150608RP | 12,70 | 15,50 | 0,8 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | ● | ● | ● | ● | | ● | | | | ● | ● | |
| DNMG150612RP | 12,70 | 15,50 | 1,2 | ● | ● | ● | | | ● | ● | ● | | ● | ● | | | | | ● | | | ● | | | | | | ● | ● | |
| DNMG150616RP | 12,70 | 15,50 | 1,6 | | ● | ● | | | | | ● | | | | | | | | | | | ● | | | | | | ● | ● | |

## DNMG-UN




beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DNMG110408UN | 9,53 | 11,63 | 0,8 | | | | | | | ● | ● | | | | | | | | | | | | | | | | | | | ● |
| DNMG110412UN | 9,53 | 11,63 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| DNMG150408UN | 12,70 | 15,50 | 0,8 | | | | | | | ● | ● | | | | | | | | | | | | | | | | | | | |
| DNMG150412UN | 12,70 | 15,50 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| DNMG150416UN | 12,70 | 15,50 | 1,6 | | | | | | | ● | ● | | | | | | | | | | | | | | | | | | | |
| DNMG150608UN | 12,70 | 15,50 | 0,8 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| DNMG150612UN | 12,70 | 15,50 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| DNMG150616UN | 12,70 | 15,50 | 1,6 | | | | | | | ● | ● | | | | | | | | | | | | | | | | | | | ● |

## DNMG-UP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DNMG110408UP | 9,53 | 11,63 | 0,8 | | | | | | | | | ● | ● | | | | | | ● | | | | | | | | | | | |
| DNMG110412UP | 9,53 | 11,63 | 1,2 | | | | | | | | | ● | ● | | | | | | | | | | | | | | | | | |
| DNMG150404UP | 12,70 | 15,50 | 0,4 | | | | | | | | | ● | ● | | | | | | ● | | | | | | | | | | | |
| DNMG150408UP | 12,70 | 15,50 | 0,8 | | | | | | | | | ● | ● | ● | | | | | ● | ● | | | | | | | | | | |
| DNMG150412UP | 12,70 | 15,50 | 1,2 | | | | | | | | | ● | ● | ● | | | | | ● | | | | | | | | | | | |
| DNMG150604UP | 12,70 | 15,50 | 0,4 | | | | | | | | | ● | ● | | | | | | | ● | | | | | | | | | | |
| DNMG150608UP | 12,70 | 15,50 | 0,8 | | | | | | | | | ● | ● | ● | | | | | ● | ● | | | | | | | | | | |
| DNMG150612UP | 12,70 | 15,50 | 1,2 | | | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | |

● first choice
○ alternate choice

| | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## DNMM-RM






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| DNMM150408RM | 12,70 | 15,50 | 0,8 |
| DNMM150412RM | 12,70 | 15,50 | 1,2 |
| DNMM150608RM | 12,70 | 15,50 | 0,8 |
| DNMM150612RM | 12,70 | 15,50 | 1,2 |
| DNMM150616RM | 12,70 | 15,50 | 1,6 |

## DNMM-RP






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| DNMM150608RP | 12,70 | 15,50 | 0,8 |
| DNMM150612RP | 12,70 | 15,50 | 1,2 |
| DNMM150616RP | 12,70 | 15,50 | 1,6 |

## DNMP




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| DNMP150404 | 12,70 | 15,50 | 0,4 |
| DNMP150408 | 12,70 | 15,50 | 0,8 |
| DNMP150412 | 12,70 | 15,50 | 1,2 |

## DNMP-K






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| DNMP110408K | 9,53 | 11,63 | 0,8 |
| DNMP150404K | 12,70 | 15,50 | 0,4 |
| DNMP150408K | 12,70 | 15,50 | 0,8 |
| DNMP150412K | 12,70 | 15,50 | 1,2 |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

● first choice
○ alternate choice

## DNMS






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DNMS150408 | 12,70 | 15,50 | 0,8 | | | | | | | | | | | | | | ● | | | | | | | | ● | | | | | |

## RCGX-LF




beyond BLAST™

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RCGX190600ELF | 19,05 | – | – | | | | | | | | | | | | ● | | | | ● | | | | | | | | | | | |

## RNMA




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RNMA120400 | 12,70 | – | – | | | | | | ● | ● | ● | | | | | | ● | | | | | | | | | | | | | |
| RNMA150600 | 15,88 | – | – | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |

## RNMG




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RNMG190600 | 19,05 | – | – | | | ● | | ● | | | | | | | | ● | | | | | | | | | | | | | | |
| RNMG250900 | 25,40 | – | – | | | | | ● | | | | | | | | | | | | | | | | | | | | | | |

## RNMG-RN




beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RNMG090300RN | 9,53 | – | – | | ● | ● | | | | | | | | | | | | | | | | | | | | | | ● | ● | |
| RNMG120400RN | 12,70 | – | – | | ● | ● | ● | | | | | | | | | | | | ● | ● | ● | | | | | | | ● | ● | |
| RNMG150600RN | 15,88 | – | – | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| RNMG190600RN | 19,05 | – | – | | ● | ● | ● | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| RNMG250900RN | 25,40 | – | – | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |

● first choice
○ alternate choice

| | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | | |
| K | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | ● | | | | | | |
| S | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## RNMG-UN




beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| RNMG120400UN | 12,70 | – | – |

## SNGG-FS




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| SNGG090308FS | 9,53 | 9,53 | 0,8 |
| SNGG120408FS | 12,70 | 12,70 | 0,8 |

## SNGG-LF




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| SNGG090308LF | 9,53 | 9,53 | 0,8 |
| SNGG120408LF | 12,70 | 12,70 | 0,8 |
| SNGG150612LF | 15,88 | 15,88 | 1,2 |

## SNGP






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| SNGP120404 | 12,70 | 12,70 | 0,4 |
| SNGP120408 | 12,70 | 12,70 | 0,8 |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

● first choice
○ alternate choice

## SNMA






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMA120408 | 12,70 | 12,70 | 0,8 | | | | | | ● | ● | ● | | | | | | ● | | | | | | | | | | | | | |
| SNMA120412 | 12,70 | 12,70 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| SNMA120416 | 12,70 | 12,70 | 1,6 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| SNMA150612 | 15,88 | 15,88 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| SNMA150616 | 15,88 | 15,88 | 1,6 | | | | | | ● | | ● | | | | | | | | | | | | | | | | | | | |
| SNMA190612 | 19,05 | 19,05 | 1,2 | | | | | | ● | ● | ● | | | | | | ● | | | | | | | | | | | | | |
| SNMA190616 | 19,05 | 19,05 | 1,6 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |

## SNMG




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMG120408 | 12,70 | 12,70 | 0,8 | | | | | | | | | | | | | ● | | | | | | | | | | | | | | |
| SNMG120412 | 12,70 | 12,70 | 1,2 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |
| SNMG120416B | 12,70 | 12,70 | 1,6 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |
| SNMG190612 | 19,05 | 19,05 | 1,2 | | | ● | | ● | | | | | | | | | ● | | ● | | | | | | | | | | | |
| SNMG190616 | 19,05 | 19,05 | 1,6 | | | ● | | ● | | | | | | | | | | | ● | | | | | | | | | | | |
| SNMG250924 | 25,40 | 25,40 | 2,4 | | | ● | | ● | | | | | | | | | | | ● | | | | | | | | | | | |

## SNMG-FF




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMG090304FF | 9,53 | 9,53 | 0,4 | | ● | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| SNMG090308FF | 9,53 | 9,53 | 0,8 | | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| SNMG120404FF | 12,70 | 12,70 | 0,4 | | ● | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| SNMG120408FF | 12,70 | 12,70 | 0,8 | | ● | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |

## SNMG-FN




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMG090304FN | 9,53 | 9,53 | 0,4 | | ● | ● | | | ● | | | | | | | | | | | | | | | | | | | | | |
| SNMG090308FN | 9,53 | 9,53 | 0,8 | | ● | ● | | | ● | | | | | | | | | | | | | | | | | | | | | |
| SNMG120404FN | 12,70 | 12,70 | 0,4 | ● | ● | | | | ● | | | | | | | | | | | | | | | | | | | | | |
| SNMG120408FN | 12,70 | 12,70 | 0,8 | ● | ● | ● | | | ● | | | | | | | | | | | | | | | | | ● | | | | |
| SNMG120412FN | 12,70 | 12,70 | 1,2 | | ● | ● | | | ● | | | | | | | | | | | | | | | | | | | | | |
| SNMG120416FN | 12,70 | 12,70 | 1,6 | | ● | | | | ● | | | | | | | | | | | | | | | | | | | | | |

● first choice
○ alternate choice

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | | | |
| M | | | | | | | | | | ● | ● | ● | | | | | | ● | ● | | ● | ● | | | | | | | | | |
| K | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● | | | |
| N | | | | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | | |
| S | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## SNMG-FP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMG120404FP | 12,70 | 12,70 | 0,4 | | | | | | | | | ● | | | | | | | ● | ● | | | | | | | | | | | |
| SNMG120408FP | 12,70 | 12,70 | 0,8 | | | | | | | | | ● | | | | | | | ● | ● | | | | | | | | | | | |
| SNMG120412FP | 12,70 | 12,70 | 1,2 | | | | | | | | | ● | | | | | | | ● | | | | | | | | | | | | |

## SNMG-FW




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMG120408FW | 12,70 | 12,70 | 0,8 | ● | ● | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| SNMG120412FW | 12,70 | 12,70 | 1,2 | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | | | |

## SNMG-MN






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMG090304MN | 9,53 | 9,53 | 0,4 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| SNMG090308MN | 9,53 | 9,53 | 0,8 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | ● | ● | |
| SNMG090312MN | 9,53 | 9,53 | 1,2 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| SNMG120404MN | 12,70 | 12,70 | 0,4 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| SNMG120408MN | 12,70 | 12,70 | 0,8 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | |
| SNMG120412MN | 12,70 | 12,70 | 1,2 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | ● | ● | |
| SNMG120416MN | 12,70 | 12,70 | 1,6 | | ● | ● | | ● | | | | | | | | | | | | | | | | | | | | | | |
| SNMG150612MN | 15,88 | 15,88 | 1,2 | | ● | ● | | ● | | | | | | | | | | | | | | | | | | | | ● | ● | |
| SNMG150616MN | 15,88 | 15,88 | 1,6 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| SNMG190612MN | 19,05 | 19,05 | 1,2 | | ● | ● | | ● | | | | | | | | | | | | | | | | | | | | | | |
| SNMG190616MN | 19,05 | 19,05 | 1,6 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

Turning

● first choice
○ alternate choice

## SNMG-MP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMG120408MP | 12,70 | 12,70 | 0,8 | | | | | | | | | ● | ● | ● | | | | | ● | ● | | | | | | | | | | |
| SNMG120412MP | 12,70 | 12,70 | 1,2 | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| SNMG120416MP | 12,70 | 12,70 | 1,6 | | | | | | | | | | ● | ● | | | | | | | | | | | | | | | | |
| SNMG150608MP | 15,88 | 15,88 | 0,8 | | | | | | | | | ● | ● | | | | | | | | | | | | | | | | | |
| SNMG150612MP | 15,88 | 15,88 | 1,2 | | | | | | | | | ● | ● | | | | | | ● | ● | | | | | | | | | | |
| SNMG150616MP | 15,88 | 15,88 | 1,6 | | | | | | | | | | ● | | | | | | | | | | | | | | | | | |
| SNMG190612MP | 19,05 | 19,05 | 1,2 | | | | | | | | | ● | ● | ● | | | | | ● | ● | | | | | | | | | | |
| SNMG190616MP | 19,05 | 19,05 | 1,6 | | | | | | | | | | ● | ● | | | | | ● | ● | | | | | | | | | | |

## SNMG-MR




beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMG120412MR | 12,70 | 12,70 | 1,2 | | | | | ● | | | | | ● | ● | | | | | | | | | | | | | | ● | ● | ● |

## SNMG-MS




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMG120408MS | 12,70 | 12,70 | 0,8 | | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | | | | | |
| SNMG120412MS | 12,70 | 12,70 | 1,2 | | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | | | | | |
| SNMG150608MS | 15,88 | 15,88 | 0,8 | | | | | | | | | | | | | | | | | | | ● | | | | | | | | |
| SNMG150612MS | 15,88 | 15,88 | 1,2 | | | | | | | | | | | | | | | | | | | ● | | | | | | | | |
| SNMG190612MS | 19,05 | 19,05 | 1,2 | | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | | | | | |

## SNMG-MW






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMG120408MW | 12,70 | 12,70 | 0,8 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| SNMG120412MW | 12,70 | 12,70 | 1,2 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |

● first choice
○ alternate choice

| | | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## SNMG-P




| ISO catalogue number | D mm | L10 mm | Rε mm | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMG120408P | 12,70 | 12,70 | 0,8 | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | | |
| SNMG120412P | 12,70 | 12,70 | 1,2 | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | | |

## SNMG-RM






| ISO catalogue number | D mm | L10 mm | Rε mm | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMG190612RM | 19,05 | 19,05 | 1,2 | | | ● | | ● | | | | | | | | | | ● | | | | | | | | | | | | |
| SNMG190616RM | 19,05 | 19,05 | 1,6 | | | ● | ● | ● | | | | | | | | | | ● | | | | | | | | | | | | |
| SNMG250924RM | 25,40 | 25,40 | 2,4 | | | ● | | ● | | | | | | | | | | ● | ● | | | | | | | | | | | |

## SNMG-RN






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMG090412RN | 9,53 | 9,53 | 1,2 | | ● | | | | | | | | | | | | | | | | | | | | | | | | | |
| SNMG120408RN | 12,70 | 12,70 | 0,8 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | |
| SNMG120412RN | 12,70 | 12,70 | 1,2 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | ● | ● | | |
| SNMG120416RN | 12,70 | 12,70 | 1,6 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | ● | ● | | |
| SNMG150608RN | 15,88 | 15,88 | 0,8 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| SNMG150612RN | 15,88 | 15,88 | 1,2 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | ● | ● | | |
| SNMG150616RN | 15,88 | 15,88 | 1,6 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | |
| SNMG190608RN | 19,05 | 19,05 | 0,8 | | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| SNMG190612RN | 19,05 | 19,05 | 1,2 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | |
| SNMG190616RN | 19,05 | 19,05 | 1,6 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | |
| SNMG190624RN | 19,05 | 19,05 | 2,4 | | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| SNMG250924RN | 25,40 | 25,40 | 2,4 | | | | ● | | | | | | | | | | | | | | | | | | | | | | | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

A8–A23

A24–A31

A32–A37

Turning

● first choice
○ alternate choice

## SNMG-RP




beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMG120408RP | 12,70 | 12,70 | 0,8 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | ● | ● | ● | ● | | ● | | | | | | |
| SNMG120412RP | 12,70 | 12,70 | 1,2 | ● | ● | ● | ● | ● | ● | ● | ● | | ● | ● | | | | | ● | ● | ● | ● | | ● | | | | ● | ● | ● |
| SNMG120416RP | 12,70 | 12,70 | 1,6 | | ● | | | | | | ● | | | | | | | | ● | | | | | ● | | | | | | |
| SNMG150612RP | 15,88 | 15,88 | 1,2 | | ● | ● | ● | ● | | ● | | ● | ● | ● | | | | | ● | ● | | ● | | ● | | | | ● | ● | |
| SNMG150616RP | 15,88 | 15,88 | 1,6 | | ● | ● | ● | | | | | ● | ● | | | | | | | | | ● | | ● | | | | | | |
| SNMG190612RP | 19,05 | 19,05 | 1,2 | | ● | ● | ● | ● | | | ● | ● | ● | ● | | | | | ● | ● | ● | ● | | ● | | | | | | |
| SNMG190616RP | 19,05 | 19,05 | 1,6 | | ● | ● | | ● | | | ● | | ● | ● | | | | | ● | | | ● | | ● | | | | | | |

## SNMG-UN






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMG120408UN | 12,70 | 12,70 | 0,8 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| SNMG120412UN | 12,70 | 12,70 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | ● |
| SNMG120416UN | 12,70 | 12,70 | 1,6 | | | | | | | ● | ● | | | | | | | | | | | | | | | | | | | |
| SNMG150612UN | 15,88 | 15,88 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| SNMG150616UN | 15,88 | 15,88 | 1,6 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| SNMG190612UN | 19,05 | 19,05 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| SNMG190616UN | 19,05 | 19,05 | 1,6 | | | | | | | ● | ● | | | | | | | | | | | | | | | | | | | |

## SNMG-UP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMG120408UP | 12,70 | 12,70 | 0,8 | | | | | | | | | ● | ● | ● | | | | | | ● | | | | | | | | | | |
| SNMG120412UP | 12,70 | 12,70 | 1,2 | | | | | | | | | ● | ● | ● | | | | | | ● | | | | | | | | | | |
| SNMG120416UP | 12,70 | 12,70 | 1,6 | | | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | |
| SNMG150612UP | 15,88 | 15,88 | 1,2 | | | | | | | | | ● | ● | ● | | | | | ● | | | | | | | | | | | |
| SNMG190612UP | 19,05 | 19,05 | 1,2 | | | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | |

● first choice
○ alternate choice

| | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## SNMM-RH






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| SNMM190612RH | 19,05 | 19,05 | 1,2 |
| SNMM190616RH | 19,05 | 19,05 | 1,6 |
| SNMM190624RH | 19,05 | 19,05 | 2,4 |
| SNMM250724RH | 25,40 | 25,40 | 2,4 |
| SNMM250732RH | 25,40 | 25,40 | 3,2 |
| SNMM250924RH | 25,40 | 25,40 | 2,4 |

## SNMM-RM






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| SNMM120408RM | 12,70 | 12,70 | 0,8 |
| SNMM120412RM | 12,70 | 12,70 | 1,2 |
| SNMM120416RM | 12,70 | 12,70 | 1,6 |
| SNMM150612RM | 15,88 | 15,88 | 1,2 |
| SNMM150616RM | 15,88 | 15,88 | 1,6 |
| SNMM190612RM | 19,05 | 19,05 | 1,2 |
| SNMM190616RM | 19,05 | 19,05 | 1,6 |
| SNMM190624RM | 19,05 | 19,05 | 2,4 |
| SNMM250724RM | 25,40 | 25,40 | 2,4 |
| SNMM250924RM | 25,40 | 25,40 | 2,4 |

## SNMM-RP






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| SNMM120408RP | 12,70 | 12,70 | 0,8 |
| SNMM120412RP | 12,70 | 12,70 | 1,2 |
| SNMM150612RP | 15,88 | 15,88 | 1,2 |
| SNMM150616RP | 15,88 | 15,88 | 1,6 |
| SNMM190612RP | 19,05 | 19,05 | 1,2 |
| SNMM190616RP | 19,05 | 19,05 | 1,6 |
| SNMM190624RP | 19,05 | 19,05 | 2,4 |
| SNMM250724RP | 25,40 | 25,40 | 2,4 |
| SNMM250924RP | 25,40 | 25,40 | 2,4 |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

● first choice
○ alternate choice

## SNMP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMP120408 | 12,70 | 12,70 | 0,8 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |
| SNMP190612 | 19,05 | 19,05 | 1,2 | | | | | | | | | | | | | ● | ● | | | | | | | | | | | | | |

## SNMP-K






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMP120408K | 12,70 | 12,70 | 0,8 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |

## SNMS






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMS120408 | 12,70 | 12,70 | 0,8 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |
| SNMS190612 | 19,05 | 19,05 | 1,2 | | | | | | | | | | | | | | ● | | | | | | | | ● | | | | | |

## TNGG-FS




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNGG160402FS | 9,53 | 16,50 | 0,2 | | | | | | | | | | | | | | | | | | | ● | | ● | | | | | | |
| TNGG160404FS | 9,53 | 16,50 | 0,4 | | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | | | | | |
| TNGG160408FS | 9,53 | 16,50 | 0,8 | | | | | | | | | | | | | | | | | | | ● | | ● | | | | | | |
| TNGG220408FS | 12,70 | 22,00 | 0,8 | | | | | | | | | | | | | | | | ● | | | ● | | | | | | | | |

● first choice
○ alternate choice

## TNGG-LF



| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **TNGG160402LF** | 9,53 | 16,50 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| **TNGG160404LF** | 9,53 | 16,50 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| **TNGG160408LF** | 9,53 | 16,50 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |

## TNGP



| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **TNGP160402** | 9,53 | 16,50 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| **TNGP160404** | 9,53 | 16,50 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | | | ● | | | | | |
| **TNGP160408** | 9,53 | 16,50 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | | | | ● | | | | | |

## TNMA




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **TNMA160408** | 9,53 | 16,50 | 0,8 | | | | | | ● | ● | ● | | | | | | ● | | | | | | | | | | | | | |
| **TNMA160412** | 9,53 | 16,50 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| **TNMA160416** | 9,53 | 16,50 | 1,6 | | | | | | | ● | ● | | | | | | | | | | | | | | | | | | | |
| **TNMA220408** | 12,70 | 22,00 | 0,8 | | | | | | ● | ● | ● | | | | | | ● | | | | | | | | | | | | | |
| **TNMA220412** | 12,70 | 22,00 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| **TNMA220416** | 12,70 | 22,00 | 1,6 | | | | | | | ● | ● | | | | | | | | | | | | | | | | | | | |
| **TNMA270616** | 15,88 | 27,50 | 1,6 | | | | | | | ● | ● | | | | | | | | | | | | | | | | | | | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*
beyond
A8–A23

A24–A31

A32–A37

Turning

● first choice
○ alternate choice

## TNMG



| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNMG220412 | 12,70 | 22,00 | 1,2 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |
| TNMG220416 | 12,70 | 22,00 | 1,6 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |
| TNMG330924 | 19,05 | 33,00 | 2,4 | | | ● | | ● | | | | | | | | | | | | | | | | | | | | | | |

## TNMG-CT



| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNMG220408CT | 12,70 | 22,00 | 0,8 | | ● | | | | | | | | | | | | | | | | | | | | | | | | | |
| TNMG220412CT | 12,70 | 22,00 | 1,2 | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | | |

## TNMG-FF





| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNMG110304FF | 6,35 | 11,00 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| TNMG110308FF | 6,35 | 11,00 | 0,8 | | | | | | | | | | | | | | | | | ● | | | | | | | | | | |
| TNMG160404FF | 9,53 | 16,50 | 0,4 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| TNMG160408FF | 9,53 | 16,50 | 0,8 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |

## TNMG-FN



beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNMG110304FN | 6,35 | 11,00 | 0,4 | | ● | ● | | | ● | | | | | | | | | | | | | | | | | | | | | |
| TNMG110308FN | 6,35 | 11,00 | 0,8 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| TNMG160404FN | 9,53 | 16,50 | 0,4 | ● | ● | ● | | | ● | | | | | | | | | | | | | | | | | ● | | | | |
| TNMG160408FN | 9,53 | 16,50 | 0,8 | ● | ● | ● | | | ● | | | | | | | | | | | | | | | | | ● | | ● | | |
| TNMG160412FN | 9,53 | 16,50 | 1,2 | ● | ● | ● | | | ● | | | | | | | | | | | | | | | | | ● | | ● | | |
| TNMG220404FN | 12,70 | 22,00 | 0,4 | | ● | ● | | | ● | | | | | | | | | | | | | | | | | ● | | | | |
| TNMG220408FN | 12,70 | 22,00 | 0,8 | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| TNMG220412FN | 12,70 | 22,00 | 1,2 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |

● first choice
○ alternate choice

## TNMG-FP



| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNMG160404FP | 9,53 | 16,50 | 0,4 | | ● | | | | | | | ● | | | | | | | ● | ● | | | | | | ● | | | | |
| TNMG160408FP | 9,53 | 16,50 | 0,8 | | ● | | | | | | | ● | | | | | | | ● | ● | | | | | | ● | | | | |
| TNMG160412FP | 9,53 | 16,50 | 1,2 | | | | | | | | | ● | | | | | | | ● | ● | | | | | | | | | | |
| TNMG220404FP | 12,70 | 22,00 | 0,4 | | | | | | | | | ● | | | | | | | ● | ● | | | | | | | | | | |
| TNMG220408FP | 12,70 | 22,00 | 0,8 | | | | | | | | | ● | | | | | | | ● | ● | | | | | | | | | | |

## TNMG-FW



| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNMG160404FW | 9,53 | 16,50 | 0,2 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| TNMG160408FW | 9,53 | 16,50 | 0,4 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| TNMG160412FW | 9,53 | 16,50 | 1,2 | ● | ● | | | | | | | | | | | | | | ● | | | | | | | ● | | | | |

## TNMG-MN




beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNMG160404MN | 9,53 | 16,50 | 0,4 | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| TNMG160408MN | 9,53 | 16,50 | 0,8 | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | ● | ● | |
| TNMG160412MN | 9,53 | 16,50 | 1,2 | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | ● | ● | |
| TNMG220404MN | 12,70 | 22,00 | 0,4 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| TNMG220408MN | 12,70 | 22,00 | 0,8 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | |
| TNMG220412MN | 12,70 | 22,00 | 1,2 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | |
| TNMG220416MN | 12,70 | 22,00 | 1,6 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*
beyond
A8–A23

A24–A31

A32–A37

Turning

● first choice
○ alternate choice



## TNMG-MP

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNMG160404MP | 9,53 | 16,50 | 0,4 | | | | | | | | | ● | ● | ● | | | | | ● | ● | | | | | | | | | | |
| TNMG160408MP | 9,53 | 16,50 | 0,8 | | ● | ● | | | | | | ● | ● | ● | | | | | ● | ● | | | | | | | | | | |
| TNMG160412MP | 9,53 | 16,50 | 1,2 | | | | | | | | | ● | ● | | | | | | ● | ● | | | | | | | | | | |
| TNMG220408MP | 12,70 | 22,00 | 0,8 | | | | | | | | | ● | ● | | | | | | ● | ● | | | | | | | | | | |
| TNMG220412MP | 12,70 | 22,00 | 1,2 | | | | | | | | | ● | ● | | | | | | ● | ● | | | | | | | | | | |
| TNMG220416MP | 12,70 | 22,00 | 1,6 | | | | | | | | | | ● | | | | | | ● | ● | | | | | | | | | | |




beyond DRIVE™

NEW!

## TNMG-MR

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNMG160408MR | 9,53 | 16,50 | 0,8 | | | | | | | | | ● | ● | ● | | | | | | | | | | | | | | ● | ● | ● |
| TNMG160412MR | 9,53 | 16,50 | 1,2 | | | | | | | | | | ● | | | | | | | | | | | | | | | ● | ● | ● |



## TNMG-MS

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNMG160402MS | 9,53 | 16,50 | 0,2 | | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | | | | | |
| TNMG160404MS | 9,53 | 16,50 | 0,4 | | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | | | | | |
| TNMG160408MS | 9,53 | 16,50 | 0,8 | | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | | | | | |
| TNMG220404MS | 12,70 | 22,00 | 0,4 | | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | | | | | |
| TNMG220408MS | 12,70 | 22,00 | 0,8 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| TNMG220412MS | 12,70 | 22,00 | 1,2 | | | | | | | | | | | | | | | | ● | | ● | ● | | | | | | | | |
| TNMG270608MS | 15,88 | 27,50 | 0,8 | | | | | | | | | | | | | | | | | | | ● | | ● | | | | | | |
| TNMG270616MS | 15,88 | 27,50 | 1,6 | | | | | | | | | | | | | ● | | | | | | | | | | | | | | |

● first choice
○ alternate choice




## TNMG-MW

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNMG160408MW | 9,53 | 16,50 | 0,8 | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| TNMG160412MW | 9,53 | 16,50 | 1,2 | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |



## TNMG-P

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNMG160404P | 9,53 | 16,50 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| TNMG160408P | 9,53 | 16,50 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| TNMG220404P | 12,70 | 22,00 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| TNMG220408P | 12,70 | 22,00 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| TNMG220412P | 12,70 | 22,00 | 1,2 | | | | | | | | | | | | | | | | ● | | | | | | | | | | | |




## TNMG-RM

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNMG330924RM | 19,05 | 32,99 | 2,4 | | | ● | ● | | | | | | | | | | | | ● | | | | | | | | | | | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*
beyond
A8–A23

A24–A31

A32–A37

Turning

● first choice
○ alternate choice

## TNMG-RN



beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNMG160408RN | 9,53 | 16,50 | 0,8 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| TNMG160412RN | 9,53 | 16,50 | 1,2 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | ● | ● | |
| TNMG220408RN | 12,70 | 22,00 | 0,8 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | |
| TNMG220412RN | 12,70 | 22,00 | 1,2 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | |
| TNMG220416RN | 12,70 | 22,00 | 1,6 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | ● | ● | |
| TNMG270608RN | 15,88 | 27,50 | 0,8 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| TNMG270612RN | 15,88 | 27,50 | 1,2 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | |
| TNMG270616RN | 15,88 | 27,50 | 1,6 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| TNMG330924RN | 19,05 | 33,00 | 2,4 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |

## TNMG-RP



beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNMG160408RP | 9,53 | 16,50 | 0,8 | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | | | | | ● | ● | ● | ● | | ● | | | | | | ● |
| TNMG160412RP | 9,53 | 16,50 | 1,2 | ● | ● | ● | | | | | ● | | ● | ● | | | | | | | | ● | | ● | | | | ● | ● | |
| TNMG160416RP | 9,53 | 16,50 | 1,6 | | ● | | | | | | | | | | | | | | | | | | | | | | | | | |
| TNMG220408RP | 12,70 | 22,00 | 0,8 | | ● | ● | ● | ● | | ● | ● | ● | ● | | | | | | ● | ● | ● | ● | | ● | | | | | | |
| TNMG220412RP | 12,70 | 22,00 | 1,2 | | ● | ● | ● | ● | | ● | ● | ● | ● | | | | | | ● | | ● | ● | | ● | | | | | | |
| TNMG220416RP | 12,70 | 22,00 | 1,6 | | ● | ● | | | | ● | | | ● | | | | | | ● | | | ● | | | | | | ● | ● | |
| TNMG220432RP | 12,70 | 22,00 | 3,2 | | | ● | ● | | | | ● | | | | | | | | ● | | ● | | | | | | | ● | | |
| TNMG270612RP | 15,88 | 27,50 | 1,2 | | ● | ● | | | | | ● | ● | ● | ● | | | | | ● | | ● | ● | | ● | | | | | | |
| TNMG270616RP | 15,88 | 27,50 | 1,6 | | | ● | | | | | ● | ● | ● | ● | | | | | | | | | | | | | | | | |
| TNMG330924RP | 19,05 | 33,00 | 2,4 | | | ● | | ● | | | | | ● | | | | | | ● | ● | | | | | | | | | | |

## TNMG-UN



beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNMG160408UN | 9,53 | 16,50 | 0,8 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | ● |
| TNMG160412UN | 9,53 | 16,50 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | ● |
| TNMG160416UN | 9,53 | 16,50 | 1,6 | | | | | | | ● | ● | | | | | | | | | | | | | | | | | | | |
| TNMG220408UN | 12,70 | 22,00 | 0,8 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| TNMG220412UN | 12,70 | 22,00 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| TNMG220416UN | 12,70 | 22,00 | 1,6 | | | | | | | ● | ● | | | | | | | | | | | | | | | | | | | |

● first choice
○ alternate choice

| | | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | | | | | ● | ● | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## TNMG-UP



| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| TNMG160404UP | 9,53 | 16,50 | 0,4 |
| TNMG160408UP | 9,53 | 16,50 | 0,8 |
| TNMG160412UP | 9,53 | 16,50 | 1,2 |
| TNMG220408UP | 12,70 | 22,00 | 0,8 |
| TNMG220412UP | 12,70 | 22,00 | 1,2 |

| ISO catalogue number | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNMG160404UP | | | | | | | | | ● | ● | | | | | | | | | | | | | | | | | |
| TNMG160408UP | | | | | | | | | | ● | | | | | | | ● | | | | | | | | | | |
| TNMG160412UP | | | | | | | | | | ● | | | | | | | | | | | | | | | | | |
| TNMG220408UP | | | | | | | | | | ● | ● | | | | | | | | | | | | | | | | |
| TNMG220412UP | | | | | | | | | | ● | ● | | | | | | | | | | | | | | | | |

## TNMM-RM




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| TNMM160408RM | 9,53 | 16,50 | 0,8 |
| TNMM160412RM | 9,53 | 16,50 | 1,2 |
| TNMM220408RM | 12,70 | 22,00 | 0,8 |
| TNMM220412RM | 12,70 | 22,00 | 1,2 |
| TNMM220416RM | 12,70 | 22,00 | 1,6 |
| TNMM270612RM | 15,88 | 27,50 | 1,2 |
| TNMM270616RM | 15,88 | 27,50 | 1,6 |

| ISO catalogue number | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNMM160408RM | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| TNMM160412RM | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| TNMM220408RM | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| TNMM220412RM | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| TNMM220416RM | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| TNMM270612RM | | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| TNMM270616RM | | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |

## TNMM-RP




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| TNMM160408RP | 9,53 | 16,50 | 0,8 |
| TNMM160412RP | 9,53 | 16,50 | 1,2 |
| TNMM220408RP | 12,70 | 22,00 | 0,8 |
| TNMM220412RP | 12,70 | 22,00 | 1,2 |
| TNMM220416RP | 12,70 | 22,00 | 1,6 |
| TNMM270616RP | 15,88 | 27,50 | 1,6 |

| ISO catalogue number | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TNMM160408RP | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| TNMM160412RP | | ● | | | | | | | | | | | | | | | | | | | | | | | | | |
| TNMM220408RP | | ● | | | | | | | ● | | | | | | | | | | | | | | | | | | |
| TNMM220412RP | | ● | ● | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | |
| TNMM220416RP | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| TNMM270616RP | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71* | C72–C109* | C110–C115* | C116–C147* | A8–A23 | A24–A31 | A32–A37

● first choice
○ alternate choice

## TNMP



| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **TNMP160404** | 9,53 | 16,50 | 0,4 | | | | | | | | | | | | | ● | | | | | | | | | | | | | | |
| **TNMP160408** | 9,53 | 16,50 | 0,8 | | | | | | | | | | | | | ● | | | | | | | | | | | | | | |
| **TNMP220416** | 12,70 | 22,00 | 1,6 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |

## TNMP-K





| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **TNMP160404K** | 9,53 | 16,50 | 0,4 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| **TNMP160408K** | 9,53 | 16,50 | 0,8 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| **TNMP220408K** | 12,70 | 22,00 | 0,8 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |

## TNMS



| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **TNMS160404** | 9,53 | 16,50 | 0,4 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |
| **TNMS160408** | 9,53 | 16,50 | 0,8 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |
| **TNMS220408** | 12,70 | 22,00 | 0,8 | | | | | | | | | | | | | | ● | | | | | | | | ● | | | | | |

● first choice
○ alternate choice

## VNGG-FS






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | | | ● | ● | ● | ● | ● | | | | ● | ● | ● | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | | | | | | | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **VNGG160401FS** | 9,53 | 16,61 | 0,1 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | | ● | | | | | |
| **VNGG160402FS** | 9,53 | 16,61 | 0,2 | | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | | | | | |
| **VNGG160404FS** | 9,53 | 16,61 | 0,4 | | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | | | | | |
| **VNGG160408FS** | 9,53 | 16,61 | 0,8 | | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | | | | | |
| **VNGG160412FS** | 9,53 | 16,61 | 1,2 | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | | |

## VNGG-LF






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VNGG160402LF** | 9,53 | 16,61 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| **VNGG160404LF** | 9,53 | 16,61 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| **VNGG160408LF** | 9,53 | 16,61 | 0,8 | | | | | | | | | | | | | ● | | | ● | ● | | | | | | | | | | |
| **VNGG220408LF** | 12,70 | 22,14 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |

## VNGP




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VNGP160401** | 9,53 | 16,61 | 0,1 | | | | | | | | | | | | | | | | ● | ● | | | | | ● | | | | | |
| **VNGP160402** | 9,53 | 16,61 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | | | | ● | | | | | |
| **VNGP220404** | 12,70 | 22,14 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| **VNGP220408** | 12,70 | 22,14 | 0,8 | | | | | | | | | | | | | ● | | | ● | ● | | | | | | | | | | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

● first choice
○ alternate choice

## VNGP-K




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| VNGP160404K | 9,53 | 16,61 | 0,4 | | | | | | | | | | | | | ● | | | | | | | | | | | | | | |
| VNGP160408K | 9,53 | 16,61 | 0,8 | | | | | | | | | | | | | ● | | | | | | | | | | | | | | |

## VNMA






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| VNMA160408 | 9,53 | 16,61 | 0,8 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |

## VNMG




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| VNMG160408 | 9,53 | 16,61 | 0,8 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |
| VNMG160412 | 9,53 | 16,61 | 1,2 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |
| VNMG220408 | 12,70 | 22,14 | 0,8 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |
| VNMG220412 | 12,70 | 22,14 | 1,2 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |

## VNMG-FF




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| VNMG160404FF | 9,53 | 16,61 | 0,4 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| VNMG160408FF | 9,53 | 16,61 | 0,8 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |

● first choice
○ alternate choice

| | | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | | | | ● | ● | ● | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | | | | | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## VNMG-FN




beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| VNMG160404FN | 9,53 | 16,61 | 0,4 |
| VNMG160408FN | 9,53 | 16,61 | 0,8 |

## VNMG-FP




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| VNMG160404FP | 9,53 | 16,61 | 0,4 |
| VNMG160408FP | 9,53 | 16,61 | 0,8 |

## VNMG-MN






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| VNMG160404MN | 9,53 | 16,61 | 0,4 |
| VNMG160408MN | 9,53 | 16,61 | 0,8 |
| VNMG160412MN | 9,53 | 16,61 | 1,2 |

## VNMG-MP






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| VNMG160404MP | 9,53 | 16,61 | 0,4 |
| VNMG160408MP | 9,53 | 16,61 | 0,8 |
| VNMG160412MP | 9,53 | 16,61 | 1,2 |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

● first choice
○ alternate choice

## VNMG-MS




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| VNMG160401MS | 9,53 | 16,61 | 0,1 | | | | | | | | | | | | | | | | ● | | ● | ● | | ● | | | | | | |
| VNMG160402MS | 9,53 | 16,61 | 0,2 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| VNMG160404MS | 9,53 | 16,61 | 0,4 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| VNMG160408MS | 9,53 | 16,61 | 0,8 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| VNMG220404MS | 12,70 | 22,14 | 0,4 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | | | | | | | |
| VNMG220408MS | 12,70 | 22,14 | 0,8 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |



## VNMG-P




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| VNMG160404P | 9,53 | 16,61 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| VNMG160408P | 9,53 | 16,61 | 0,8 | | | | | | | | | | | | | ● | | | ● | ● | | | | | | | | | | |



## VNMG-RN




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| VNMG160408RN | 9,53 | 16,61 | 0,8 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| VNMG160412RN | 9,53 | 16,61 | 1,2 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| VNMG220408RN | 12,70 | 22,14 | 0,8 | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | |
| VNMG220412RN | 12,70 | 22,14 | 1,2 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |

## VNMG-RP




beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| VNMG160408RP | 9,53 | 16,61 | 0,8 | | ● | ● | | | | ● | ● | ● | | | | | | | ● | ● | ● | ● | | ● | | | | | | |
| VNMG160412RP | 9,53 | 16,61 | 1,2 | | ● | ● | | | | ● | ● | ● | ● | | | | | | ● | | ● | ● | | | | | | | | ● |
| WNMG080412RP | 12,70 | 8,69 | 1,2 | | | | | | | | | | | | | | | | | | | | | | | | | | | ● |

● first choice
○ alternate choice

| | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | | |
| M | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | | |
| K | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | ● | | | | | | |
| S | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## VNMG-UN




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| VNMG160404UN | 9,53 | 16,61 | 0,4 |
| VNMG160408UN | 9,53 | 16,61 | 0,8 |

## VNMG-UP




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| VNMG160404UP | 9,53 | 16,61 | 0,4 |
| VNMG160408UP | 9,53 | 16,61 | 0,8 |
| VNMG160412UP | 9,53 | 16,61 | 1,2 |

## VNMP




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| VNMP160404 | 9,53 | 16,61 | 0,4 |
| VNMP160408 | 9,53 | 16,61 | 0,8 |

## VNMP-K




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| VNMP160404K | 9,53 | 16,61 | 0,4 |
| VNMP160408K | 9,53 | 16,61 | 0,8 |

## VNMS




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| VNMS160404 | 9,53 | 16,61 | 0,4 |
| VNMS160408 | 9,53 | 16,61 | 0,8 |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71* | C72–C109* | C110–C115* | C116–C147* | A8–A23 | A24–A31 | A32–A37

Turning

● first choice
○ alternate choice

## WNGG-FS






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WNGG080404FS | 12,70 | 8,69 | 0,4 | | | | | | | | | | | | | | | | ● | | | | | | | | | | | |
| WNGG080408FS | 12,70 | 8,69 | 0,8 | | | | | | | | | | | | | | | | ● | | ● | | | | | | | | | |

## WNGG-LF




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WNGG080401LF | 12,70 | 8,69 | 0,1 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| WNGG080402LF | 12,70 | 8,69 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| WNGG080404LF | 12,70 | 8,69 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| WNGG080408LF | 12,70 | 8,69 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |

## WNGP-K




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WNGP080408K | 12,70 | 8,69 | 0,8 | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |

## WNMA






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WNMA060408 | 9,53 | 6,52 | 0,8 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| WNMA060412 | 9,53 | 6,52 | 1,2 | | | | | | | ● | ● | | | | | | | | | | | | | | | | | | | |
| WNMA080408 | 12,70 | 8,69 | 0,8 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| WNMA080412 | 12,70 | 8,69 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| WNMA080416 | 12,70 | 8,69 | 1,6 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |

● first choice
○ alternate choice

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | | | | |
| M | | | | | | | | | ● | ● | ● | | | | | | ● | ● | | ● | ● | | | | | | | | | | | | |
| K | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | ● | | | ● | | | | |
| N | | | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | | | | | |
| S | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## WNMG-FF




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WNMG060404FF | 9,53 | 6,52 | 0,4 | | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| WNMG060408FF | 9,53 | 6,52 | 0,8 | | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| WNMG080404FF | 12,70 | 8,69 | 0,4 | | ● | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| WNMG080408FF | 12,70 | 8,69 | 0,8 | | ● | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |

## WNMG-FN



| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WNMG060404FN | 9,53 | 6,52 | 0,4 | | ● | | | | ● | | | | | | | | | | | | | | | | | ● | | | | |
| WNMG060408FN | 9,53 | 6,52 | 0,8 | | ● | ● | | | ● | | | | | | | | | | | | | | | | | ● | | | | |
| WNMG080404FN | 12,70 | 8,69 | 0,4 | ● | ● | ● | | | ● | | | | | | | | | | | | | | | | | ● | | | | |
| WNMG080408FN | 12,70 | 8,69 | 0,8 | ● | ● | ● | | | ● | | | | | | | | | | | | | | | | | ● | | | | |

## WNMG-FP



| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WNMG060404FP | 9,53 | 6,52 | 0,4 | | | | | | | | | ● | | | | | | | ● | ● | | | | | | | | | | |
| WNMG060408FP | 9,53 | 6,52 | 0,8 | | ● | | | | | | | ● | | | | | | | ● | ● | | | | | | | | | | |
| WNMG080404FP | 12,70 | 8,69 | 0,4 | | ● | ● | | | | | | ● | | | | | | | ● | ● | | | | | | | | | | |
| WNMG080408FP | 12,70 | 8,69 | 0,8 | | ● | ● | | | | | | ● | | | | | | | ● | ● | | | | | | | | | | |
| WNMG080412FP | 12,70 | 8,69 | 1,2 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |

## WNMG-FW




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WNMG060404FW | 9,53 | 6,52 | 0,4 | ● | ● | | | | | | | | | | | | | | ● | | | | | | | ● | | | | |
| WNMG060408FW | 9,53 | 6,52 | 0,8 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| WNMG060412FW | 9,53 | 6,52 | 1,2 | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | | |
| WNMG080404FW | 12,70 | 8,69 | 0,4 | ● | ● | | | | | | | | | | | | | | ● | | | | | | | ● | | | | |
| WNMG080408FW | 12,70 | 8,69 | 0,8 | ● | ● | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| WNMG080412FW | 12,70 | 8,69 | 1,2 | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*
beyond
A8–A23

A24–A31

A32–A37

Turning

● first choice
○ alternate choice

## WNMG-MN




beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WNMG060404MN | 9,53 | 6,52 | 0,4 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| WNMG060408MN | 9,53 | 6,52 | 0,8 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| WNMG060412MN | 9,53 | 6,52 | 1,2 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| WNMG080408MN | 12,70 | 8,69 | 0,8 | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | ● | ● | |
| WNMG080412MN | 12,70 | 8,69 | 1,2 | ● | ● | ● | | ● | | | | | | | | | | | | | | | | | | | | ● | ● | |
| WNMG080416MN | 12,70 | 8,69 | 1,6 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |

## WNMG-MP




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WNMG060404MP | 9,53 | 6,52 | 0,4 | | | | | | | | | ● | ● | | | | | | ● | ● | | | | | | | | | | |
| WNMG060408MP | 9,53 | 6,52 | 0,8 | | ● | ● | | | | | | ● | ● | ● | | | | | ● | ● | | | | | | | | | | |
| WNMG060412MP | 9,53 | 6,52 | 1,2 | | | | | | | | | | ● | | | | | | | | | | | | | | | | | |
| WNMG080408MP | 12,70 | 8,69 | 0,8 | | ● | ● | | | | | | ● | ● | ● | | | | | ● | ● | | | | | | | | | | |
| WNMG080412MP | 12,70 | 8,69 | 1,2 | | ● | | | | | | | ● | ● | ● | | | | | ● | ● | | | | | | | | | | |

## WNMG-MR





beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WNMG080408MR | 12,70 | 8,69 | 0,8 | | | | | ● | | | | ● | ● | ● | | | | | | | | | | | | | | ● | ● | ● |
| WNMG080412MR | 12,70 | 8,69 | 1,2 | | | | | | | | | ● | ● | ● | | | | | | | | | | | | | | ● | ● | |

## WNMG-MS





| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WNMG060408MS | 9,53 | 6,52 | 0,8 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| WNMG060412MS | 9,53 | 6,52 | 1,2 | | | | | | | | | | | | | ● | | | | | | | | ● | | | | | | |
| WNMG080401MS | 12,70 | 8,69 | 0,1 | | | | | | | | | | | | | ● | | | ● | | ● | | | | | | | | | |
| WNMG080402MS | 12,70 | 8,69 | 0,2 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| WNMG080404MS | 12,70 | 8,69 | 0,4 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |
| WNMG080408MS | 12,70 | 8,69 | 0,8 | | | | | | | | | | | | | ● | | | ● | | ● | ● | | ● | | | | | | |

● first choice
○ alternate choice

## WNMG-MW





beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WNMG060408MW | 9,53 | 6,52 | 0,8 | ● | ● | ● | | | | | | | | | | | | | ● | ● | | | | | | | | ● | ● | |
| WNMG060412MW | 9,53 | 6,52 | 1,2 | | ● | ● | | | | | | | | | | | | | ● | ● | | | | | | | | ● | ● | |
| WNMG080408MW | 12,70 | 8,69 | 0,8 | ● | ● | ● | | | | | | | | | | | | | ● | ● | | | | | | | | ● | ● | |
| WNMG080412MW | 12,70 | 8,69 | 1,2 | ● | ● | ● | | | | | | | | | | | | | ● | ● | | | | | | | | ● | ● | |

## WNMG-P





| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WNMG080404P | 12,70 | 8,69 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| WNMG080408P | 12,70 | 8,69 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |

## WNMG-RN



beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WNMG060408RN | 9,53 | 6,52 | 0,8 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | ● | ● | |
| WNMG060412RN | 9,53 | 6,52 | 1,2 | | ● | ● | | | | | | | | | | | | | | | | | | | | | | ● | ● | |
| WNMG080408RN | 12,70 | 8,69 | 0,8 | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | |
| WNMG080412RN | 12,70 | 8,69 | 1,2 | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | ● | ● | |
| WNMG080416RN | 12,70 | 8,69 | 1,6 | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | ● | ● | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

Turning

● first choice
○ alternate choice

## WNMG-RP





beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WNMG060408RP | 9,53 | 6,52 | 0,8 | | ● | ● | | | | | ● | | ● | | | | | | ● | ● | ● | ● | | ● | | | | | | |
| WNMG060412RP | 9,53 | 6,52 | 1,2 | | ● | ● | | | | | ● | | ● | | | | | | ● | ● | ● | ● | | ● | | | | | | |
| WNMG080408RP | 12,70 | 8,69 | 0,8 | ● | ● | ● | ● | ● | ● | ● | ● | | ● | ● | | | | | ● | ● | ● | ● | | ● | | | | ● | ● | |
| WNMG080412RP | 12,70 | 8,69 | 1,2 | ● | ● | ● | ● | ● | ● | ● | ● | | ● | ● | | | | | ● | ● | ● | ● | | ● | | | | ● | ● | |
| WNMG080416RP | 12,70 | 8,69 | 1,6 | ● | ● | ● | | | | | ● | | | | | | | | ● | | | ● | | | | | | ● | ● | |

## WNMG-UN





beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WNMG060404UN | 9,53 | 6,52 | 0,4 | | | | | | ● | ● | | | | | | | | | | | | | | | | | | | | |
| WNMG060408UN | 9,53 | 6,52 | 0,8 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| WNMG060412UN | 9,53 | 6,52 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| WNMG080404UN | 12,70 | 8,69 | 0,4 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| WNMG080408UN | 12,70 | 8,69 | 0,8 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | ● |
| WNMG080412UN | 12,70 | 8,69 | 1,2 | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | | |
| WNMG080416UN | 12,70 | 8,69 | 1,6 | | | | | | | ● | ● | | | | | | | | | | | | | | | | | | | ● |

## WNMG-UP





| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| WNMG060408UP | 9,53 | 6,52 | 0,8 | | | | | | | | | | ● | | | | | | | | | | | | | | | | | |
| WNMG080408UP | 12,70 | 8,69 | 0,8 | | | | | | | | | ● | ● | ● | | | | | ● | ● | | | | | | | | | | |
| WNMG080412UP | 12,70 | 8,69 | 1,2 | | | | | | | | | ● | ● | ● | | | | | ● | ● | | | | | | | | | | |

● first choice
○ alternate choice

## CPGN






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CPGN120304 | 12,70 | 12,90 | 0,4 | | | | | | | | | | | | | ● | ● | | | | | | | | | | | | | |
| CPGN120308 | 12,70 | 12,90 | 0,8 | | | | | | | | | | | | | ● | ● | | | | | | | | | | | | | |

## RCGV




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RCGV060400 | 6,35 | – | – | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| RCGV090700 | 9,53 | – | – | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| RCGV120700 | 12,70 | – | – | | | | | | | | | | | | | ● | | | ● | ● | | | | | | | | | | |

## RCGV-MP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RCGX060400MP | 6,35 | – | – | | | | | | | | | | | | | | | ● | | | | | | | | | | | | |
| RCGX090700MP | 9,53 | – | – | | | | | | | | | | | | | | | ● | | | | | | | | | | | | |
| RCGX120700MP | 12,70 | – | – | | | | | | | | | | | | | | | ● | | | | | | | | | | | | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

● first choice
○ alternate choice

| | | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | ● | | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## RPGN




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| RPGN120300 | 12,70 | – | – |

## RPGV




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| RPGV060400 | 6,35 | – | – |
| RPGV090700 | 9,53 | – | – |
| RPGV120700 | 12,70 | – | – |

## RPGV-MP




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| RPGX090700MP | 9,53 | – | – |
| RPGX120700MP | 12,70 | – | – |

## SPGN




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| SPGN090304 | 9,53 | 9,53 | 0,4 |
| SPGN090308 | 9,53 | 9,53 | 0,8 |
| SPGN090312 | 9,53 | 9,53 | 1,2 |
| SPGN120304 | 12,70 | 12,70 | 0,4 |
| SPGN120308 | 12,70 | 12,70 | 0,8 |
| SPGN120312 | 12,70 | 12,70 | 1,2 |
| SPGN120316 | 12,70 | 12,70 | 1,6 |
| SPGN120412 | 12,70 | 12,70 | 1,2 |
| SPGN190408 | 19,05 | 19,05 | 0,8 |
| SPGN190412 | 19,05 | 19,05 | 1,2 |

● first choice
○ alternate choice

## SPGR–K




## SPUN




## TPGN




| | | | | P | M | K | N | S | H |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | |
| | | | | ● | | | | | |
| | | | | ● | | | | | |
| | | | | ● | | | | | |
| | | | | ● | | | | | |
| | | | | ● | | | | | |
| | | | | | | ● | | | |
| | | | | | | ● | | | |
| | | | | | | ● | | | |
| | | | | | ● | | | | |
| | | | | | ● | | | | |
| | | | | | ● | | | | |
| | | | | | | | | ● | |
| | | | | | | | | ● | |
| | | | | | | | | ● | |
| | | | | | | | | ● | |
| | | | | | | | | ● | |
| | | | | | | | | ● | |
| | | | | | | | | ● | |
| | | | | | | | | ● | |
| | | | | | | | | ● | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | ● | | | | | |
| | | | | ● | | ● | | | |
| | | | | ● | | | | | |
| | | | | ● | | | | | ● |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | |

● first choice
○ alternate choice

## TPGR–K




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TPGR110304K | 6,35 | 11,00 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| TPGR110308K | 6,35 | 11,00 | 0,8 | | | | | | | | | | | | | | | | ● | | | | | | | | | | | |
| TPGR160304K | 9,53 | 16,50 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| TPGR160308K | 9,53 | 16,50 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| TPGR220404K | 12,70 | 22,00 | 0,4 | | | | | | | | | | | | | | | | ● | | | | | | | | | | | |
| TPGR220408K | 12,70 | 22,00 | 0,8 | | | | | | | | | | | | | | | | ● | | | | | | | | | | | |

## TPUN




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TPUN110304 | 6,35 | 11,00 | 0,4 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |
| TPUN110308 | 6,35 | 11,00 | 0,8 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |
| TPUN160304 | 9,53 | 16,50 | 0,4 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |
| TPUN160308 | 9,53 | 16,50 | 0,8 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |
| TPUN220408 | 12,70 | 22,00 | 0,8 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |
| TPUN220412 | 12,70 | 22,00 | 1,2 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |

● first choice
○ alternate choice

## CCGT-HP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CCGT060202HP | 6,35 | 6,45 | 0,2 | | | | | | | | | | | | | ● | | | ● | | | ● | ● | | ● | | | | | |
| CCGT060204HP | 6,35 | 6,45 | 0,4 | | | | | | | | | | | | | ● | | | ● | ● | | ● | ● | | ● | | | | | |
| CCGT060208HP | 6,35 | 6,45 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | ● | | | ● | | | | | |
| CCGT09T302HP | 9,53 | 9,67 | 0,2 | | | | | | | | | | | | | ● | | | ● | ● | | ● | ● | | ● | | | | | |
| CCGT09T304HP | 9,53 | 9,67 | 0,4 | | | | | | | | | | | | | ● | | | ● | ● | | ● | ● | | ● | | | | | |
| CCGT09T308HP | 9,53 | 9,67 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | ● | ● | | ● | | | | | |
| CCGT09T316HP | 9,53 | 9,67 | 1,6 | | | | | | | | | | | | | | | | | | | | ● | | | | | | | |
| CCGT120401HP | 12,70 | 12,90 | 0,1 | | | | | | | | | | | | | | | | | | | | ● | | | | | | | |
| CCGT120402HP | 12,70 | 12,90 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | ● | | | | | | | | |
| CCGT120404HP | 12,70 | 12,90 | 0,4 | | | | | | | | | | | | | ● | ● | | ● | ● | | ● | ● | | ● | | | | | |
| CCGT120408HP | 12,70 | 12,90 | 0,8 | | | | | | | | | | | | | ● | | | ● | ● | | ● | ● | | ● | | | | | |

## CCGT-LF






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CCGT0602X0LF | 6,35 | 6,45 | 0,0 | | | | | | | | | | | | | | | | | | | | ● | | | | | | | |
| CCGT060201LF | 6,35 | 6,45 | 0,1 | | | | | | | | | | | | | | | | ● | ● | | | ● | | ● | | | | | |
| CCGT060202LF | 6,35 | 6,45 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | | ● | | | | | | | |
| CCGT060204LF | 6,35 | 6,45 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | ● | | ● | | | | | |
| CCGT060208LF | 6,35 | 6,45 | 0,8 | | | | | | | | | | | | | ● | | | ● | ● | | | ● | | | | | | | |
| CCGT09T3X0LF | 9,53 | 9,67 | 0,0 | | | | | | | | | | | | | | | | | | | | ● | | | | | | | |
| CCGT09T301LF | 9,53 | 9,67 | 0,1 | | | | | | | | | | | | | | | | ● | ● | | | ● | | ● | | | | | |
| CCGT09T302LF | 9,53 | 9,67 | 0,2 | | | | | | | | | | | | | ● | | | ● | ● | | | ● | | | | | | | |
| CCGT09T304LF | 9,53 | 9,67 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | ● | | ● | | | | | |
| CCGT09T308LF | 9,53 | 9,67 | 0,8 | | | | | | | | | | | | | ● | | | ● | ● | | | ● | | | | | | | |

## CCMT-11






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CCMT06020411 | 6,35 | 6,45 | 0,4 | | | | | | | | | | | | | | | | | | | | | | | ● | | | | |
| CCMT09T30411 | 9,53 | 9,67 | 0,4 | | | | | | | | | | | | | | | | | | | | | | | ● | | | | |
| CCMT09T30811 | 9,53 | 9,67 | 0,8 | | | | | | | | | | | | | | | | | | | | | | | ● | | | | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

● first choice
○ alternate choice

## CCMT-FP




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | | | | ● | ● | ● | | | | | | ● | | ● | ● | | | | | | |
| K | | | | | | | | | ● | ● | ● | | | | | | | | | ● | | ● | ● | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CCMT060202FP | 6,35 | 6,45 | 0,2 | | ● | ● | | | | | | | ● | | ● | | | | ● | | | ● | | | | | ● | | | |
| CCMT060204FP | 6,35 | 6,45 | 0,4 | ● | ● | ● | | | | | ● | ● | ● | | ● | | | | ● | | | ● | | | | | ● | | | |
| CCMT060208FP | 6,35 | 6,45 | 0,8 | ● | ● | ● | | | | | ● | ● | ● | | | | | | ● | | | ● | | | | | ● | | | |
| CCMT09T302FP | 9,53 | 9,67 | 0,2 | | | ● | | | | | | | ● | | ● | | | | ● | | | ● | | | | | ● | | | |
| CCMT09T304FP | 9,53 | 9,67 | 0,4 | ● | ● | ● | | | | | ● | ● | ● | | ● | | | | ● | | | ● | | | | | ● | | | |
| CCMT09T308FP | 9,53 | 9,67 | 0,8 | ● | ● | ● | | | | | ● | ● | ● | | ● | | | | ● | | | ● | | | | | ● | | | |
| CCMT120404FP | 12,70 | 12,90 | 0,4 | ● | ● | ● | | | | | ● | ● | ● | | | | | | ● | | | ● | | | | | | | | |
| CCMT120408FP | 12,70 | 12,90 | 0,8 | ● | ● | ● | | | | | ● | ● | ● | | | | | | ● | | | ● | | | | | | | | |
| CCMT120412FP | 12,70 | 12,90 | 1,2 | ● | ● | ● | | | | | ● | | ● | | | | | | | | | | | | | | | | | |

## CCMT-FW






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CCMT060202FW | 6,35 | 6,45 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | |
| CCMT060204FW | 6,35 | 6,45 | 0,4 | | | ● | | | | | ● | | | | | | | | ● | ● | | | | | | ● | | | | |
| CCMT060208FW | 6,35 | 6,45 | 0,8 | | | ● | | | | | ● | | | | | | | | ● | ● | | | | | | ● | | | | |
| CCMT09T304FW | 9,53 | 9,67 | 0,4 | | | ● | | | | | ● | | | | | | | | ● | ● | | | | | | ● | | | | |
| CCMT09T308FW | 9,53 | 9,67 | 0,8 | | | ● | | | | | ● | | | | | | | | ● | ● | | | | | | ● | | | | |

## CCMT-LF






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CCMT060202LF | 6,35 | 6,45 | 0,2 | | | | | | | | | | | | | | | | | ● | | | ● | | | ● | | | | |
| CCMT060204LF | 6,35 | 6,45 | 0,4 | ● | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | | | | ● | | | ● | | | ● | | | | |
| CCMT060208LF | 6,35 | 6,45 | 0,8 | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | | | | | | ● | | | ● | | | ● | | | | |
| CCMT09T302LF | 9,53 | 9,67 | 0,2 | | | | | | | | | | | | | ● | | | | ● | | | ● | | | ● | | | | |
| CCMT09T304LF | 9,53 | 9,67 | 0,4 | ● | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | | | ● | | | ● | | | ● | | ● | ● | |
| CCMT09T308LF | 9,53 | 9,67 | 0,8 | ● | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | | | | ● | | | | | | ● | | ● | ● | |
| CCMT120404LF | 12,70 | 12,90 | 0,4 | | ● | ● | ● | | ● | | ● | ● | ● | | | | | | | ● | | | ● | | | | | | | |
| CCMT120408LF | 12,70 | 12,90 | 0,8 | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | | | | | ● | | | ● | | | | | | | |
| CCMT120412LF | 12,70 | 12,90 | 1,2 | | ● | ● | | | ● | | ● | | ● | | | | | | | | | | | | | | | | | |

● first choice
○ alternate choice

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | | |
| M | | | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | | | |
| K | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | | ● | | | ● | |
| N | | | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | | |
| S | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## CCMT-MF




beyond DRIVE

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CCMT060204MF | 6,35 | 6,45 | 0,4 | | ● | ● | ● | | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | |
| CCMT09T304MF | 9,53 | 9,67 | 0,4 | | ● | ● | ● | | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | |
| CCMT09T308MF | 9,53 | 9,67 | 0,8 | | ● | ● | ● | | | ● | ● | ● | ● | ● | | | | | | | | | ● | | | | | ● | ● | |
| CCMT09T312MF | 9,53 | 9,67 | 1,2 | | ● | ● | | | | ● | ● | | ● | | | | | | | | | | | | | | | ● | ● | |
| CCMT120408MF | 12,70 | 12,90 | 0,8 | | ● | ● | ● | | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | ● | ● | |
| CCMT120412MF | 12,70 | 12,90 | 1,2 | | ● | ● | | | | ● | ● | ● | | | | | | | | | | | ● | | | | | | | |

## CCMT-MP




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CCMT060204MP | 6,35 | 6,45 | 0,4 | | ● | ● | | | | | ● | ● | ● | | | | | | ● | | | | | | | | | | | |
| CCMT09T304MP | 9,53 | 9,67 | 0,4 | | ● | ● | | | | | ● | ● | ● | | | | | | ● | | | | | | | | | | | |
| CCMT09T308MP | 9,53 | 9,67 | 0,8 | | ● | ● | | | | | ● | ● | ● | | | | | | ● | | | | | | | | | | | |
| CCMT09T312MP | 9,53 | 9,67 | 1,2 | | | ● | | | | | | | ● | | | | | | | | | | | | | | | | | |
| CCMT120408MP | 12,70 | 12,90 | 0,8 | | ● | ● | | | | | ● | ● | ● | | | | | | ● | | | | | | | | | | | |
| CCMT120412MP | 12,70 | 12,90 | 1,2 | | | ● | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | |



## CCMT-MW




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CCMT09T304MW | 9,53 | 9,67 | 0,40 | | | ● | | | | | ● | | | | | | | | ● | ● | | | | | | ● | | | | |
| CCMT09T308MW | 9,53 | 9,67 | 0,80 | | | ● | | | | | ● | | | | | | | | ● | ● | | | | | | ● | | | | |
| CCMT120404MW | 12,70 | 12,90 | 0,40 | | | ● | | | | | ● | | | | | | | | ● | ● | | | | | | | | | | |
| CCMT120408MW | 12,70 | 12,90 | 0,80 | | | ● | | | | | ● | | | | | | | | ● | ● | | | | | | ● | | | | |



## CCMT-UF




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CCMT060204UF | 6,35 | 6,45 | 0,4 | ● | ● | ● | | | | | | | | | | | | | | ● | | | | | | | | | | |
| CCMT09T302UF | 9,53 | 9,67 | 0,2 | ● | ● | | | | | | | | | | | | | | | ● | | | | | | | | | | |
| CCMT09T304UF | 9,53 | 9,67 | 0,4 | ● | ● | ● | | | | | | | | | | | | | | ● | | | | | | | | | | |
| CCMT09T308UF | 9,53 | 9,67 | 0,8 | ● | ● | ● | | | | | | | | | | | | | | ● | | | | | | | | | | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

● first choice
○ alternate choice

## CCMW






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CCMW060204 | 6,35 | 6,45 | 0,4 | | | | | | | | ● | | | | | | | | | | | | | | | | | | | |
| CCMW09T304 | 9,53 | 9,67 | 0,4 | | | | | | | | ● | | | | | | | | | | | | | | | | | | | |
| CCMW09T308 | 9,53 | 9,67 | 0,8 | | | | | | | | ● | | | | | | | | | | | | | | | | | | | |
| CCMW120408 | 12,70 | 12,90 | 0,8 | | | | | | | | ● | | | | | | | | | | | | | | | | | | | |
| CCMW120412 | 12,70 | 12,90 | 1,2 | | | | | | | | ● | | | | | | | | | | | | | | | | | | | |

## CDG






Detail of 0,38mm (0.015") insert.

| ISO catalogue number | D mm | T mm | W mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| right hand | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CDG127038R | 3,96 | 0,51 | 0,38 | | | | | | | | | | | | | | | | | ● | | | | | | | | | | |
| CDG127050R | 3,96 | 0,64 | 0,51 | | | | | | | | | | | | | | | | | ● | | | | | | | | | | |
| CDG127064R | 3,96 | 1,02 | 0,64 | | | | | | | | | | | | | | | | | ● | | | | | | | | | | |
| CDG127076R | 3,96 | 1,02 | 0,76 | | | | | | | | | | | | | | | | ● | | | | | | | | | | | |
| CDG127102R | 3,96 | 1,02 | 1,02 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |

## CDHB




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CDHBS4T0S0 | 3,97 | 4,03 | 0,1 | | | | | | | | | | | | | | | | | ● | | ● | ● | | | | | | | |
| CDHBS4T0X0 | 3,97 | 4,03 | 0,1 | | | | | | | | | | | | | | | | ● | | | | | | | | | | | |
| CDHBS4T002 | 3,97 | 4,03 | 0,2 | | | | | | | | | | | | | ● | | | ● | ● | | ● | ● | | | ● | | | | |
| CDHBS4T004 | 3,97 | 4,03 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | ● | ● | | | ● | | | | |

## CDHH




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| right hand | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CDHHS4T002R | 3,97 | 4,03 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | ● | ● | | | ● | | | | |
| CDHHS4T004R | 3,97 | 4,03 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | ● | ● | | | | | | | |
| left hand | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CDHHS4T002L | 3,97 | 4,03 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | ● | ● | | | ● | | | | |
| CDHHS4T004L | 3,97 | 4,03 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | ● | ● | | | | | | | |

NOTE: Right-hand insert uses left-hand bars. Left-hand insert uses right-hand bars.

● first choice
○ alternate choice

| | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## CDT




| ISO catalogue number | D mm | T mm | RC mm |
|---|---|---|---|
| right hand | | | |
| CDT127005R | 3,96 | 0,64 | 0,05 |

## CPG






| ISO catalogue number | D mm | T mm | W mm |
|---|---|---|---|
| right hand | | | |
| CPG190150R | 6,35 | 1,65 | 1,52 |
| left hand | | | |
| CPG190150L | 6,35 | 1,65 | 1,52 |

## CPGH (T)






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| CPGT060202K | 6,35 | 6,45 | 0,2 |
| CPGT060204K | 6,35 | 6,45 | 0,4 |
| CPGT060208K | 6,35 | 6,45 | 0,8 |
| CPGH09T301 | 9,53 | 9,67 | 0,1 |
| CPGH09T302 | 9,53 | 9,67 | 0,2 |
| CPGH09T304 | 9,53 | 9,67 | 0,4 |
| CPGH09T308 | 9,53 | 9,67 | 0,8 |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71* | C72–C109* | C110–C115* | C116–C147* | A8–A23 | A24–A31 | A32–A37

● first choice
○ alternate choice

## CPGT-HP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CPGT060202HP | 6,35 | 6,45 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | ● | ● | | ● | | | | | |
| CPGT060204HP | 6,35 | 6,45 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | ● | ● | | ● | | | | | |
| CPGT060208HP | 6,35 | 6,45 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | ● | ● | | ● | | | | | |
| CPGT09T302HP | 9,53 | 9,67 | 0,2 | | | | | | | | | | | | | ● | | | ● | ● | | ● | ● | | ● | | | | | |
| CPGT09T304HP | 9,53 | 9,67 | 0,4 | | | | | | | | | | | | | ● | | | ● | ● | | ● | ● | | ● | | | | | |
| CPGT09T308HP | 9,53 | 9,67 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | ● | ● | | ● | | | | | |

## CPGT-LF






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CPGT060201LF | 6,35 | 6,45 | 0,1 | | | | | | | | | | | | | | | | ● | ● | | | ● | | ● | | | | | |
| CPGT060202LF | 6,35 | 6,45 | 0,2 | | | | | | | | | | | | | ● | | | ● | ● | | | ● | | | | | | | |
| CPGT060204LF | 6,35 | 6,45 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | ● | | ● | | | | | |
| CPGT060208LF | 6,35 | 6,45 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | | ● | | ● | | | | | |
| CPGT09T302LF | 9,53 | 9,67 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | | ● | | | | | | | |
| CPGT09T304LF | 9,53 | 9,67 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | ● | | ● | | | | | |
| CPGT09T308LF | 9,53 | 9,67 | 0,8 | | | | | | | | | | | | | ● | | | ● | ● | | | ● | | | | | | | |

## CPMT-FP




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CPMT050202FP | 5,56 | 5,65 | 0,2 | | | | | | | | | | | | | | | | ● | | | ● | | | | | | | | |
| CPMT050204FP | 5,56 | 5,65 | 0,4 | | ● | ● | | | | | | | | | | | | | ● | | | ● | | | | | | | | |
| CPMT060202FP | 6,35 | 6,45 | 0,2 | | ● | ● | | | | | | | ● | | | | | | ● | | | ● | | | | | ● | | | |
| CPMT060204FP | 6,35 | 6,45 | 0,4 | ● | ● | ● | | | | | ● | ● | ● | | ● | | | | ● | | | ● | | | | | ● | | | |
| CPMT060208FP | 6,35 | 6,45 | 0,8 | ● | ● | ● | | | | | ● | ● | ● | | | | | | ● | | | ● | | | | | ● | | | |
| CPMT09T302FP | 9,53 | 9,67 | 0,2 | | | | | | | | | | ● | | | | | | ● | | | ● | | | | | ● | | | |
| CPMT09T304FP | 9,53 | 9,67 | 0,4 | | ● | ● | | | | | ● | ● | ● | | ● | | | | ● | | | ● | | | | | ● | | | |
| CPMT09T308FP | 9,53 | 9,67 | 0,8 | | ● | ● | | | | | ● | ● | ● | | ● | | | | ● | | | ● | | | | | ● | | | |

● first choice
○ alternate choice

## CPMT-FW




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CPMT060202FW | 6,35 | 6,45 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | | | | | ● | | | | | |
| CPMT060204FW | 6,35 | 6,45 | 0,4 | | | ● | | | | | ● | | | | | | | | ● | ● | | | | | | ● | | | | | |
| CPMT060208FW | 6,35 | 6,45 | 0,8 | | | ● | | | | | ● | | | | | | | | ● | ● | | | | | | ● | | | | | |
| CPMT09T304FW | 9,53 | 9,67 | 0,4 | | | ● | | | | | ● | | | | | | | | ● | ● | | | | | | ● | | | | | |
| CPMT09T308FW | 9,53 | 9,67 | 0,8 | | | ● | | | | | ● | | | | | | | | ● | ● | | | | | | ● | | | | | |

## CPMT-LF






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CPMT050202LF | 5,56 | 5,65 | 0,2 | | | | | | | | | | | | | | | | | ● | | | | | | | | | | |
| CPMT050204LF | 5,56 | 5,65 | 0,4 | | | | | | | | | | | | | | | | | ● | | | ● | | | ● | | | | |
| CPMT060202LF | 6,35 | 6,45 | 0,2 | | | | | | | | | | | | | | | | | ● | | | ● | | | | | | | |
| CPMT060204LF | 6,35 | 6,45 | 0,4 | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | | ● | ● | | | ● | | | ● | | | ● | | | | |
| CPMT060208LF | 6,35 | 6,45 | 0,8 | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | | ● | | | | ● | | | ● | | | ● | | | | |
| CPMT09T302LF | 9,53 | 9,67 | 0,2 | | | | | | | | | | | | | | | | | ● | | | | | | ● | | | | |
| CPMT09T304LF | 9,53 | 9,67 | 0,4 | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | | | | | | ● | | | ● | | | ● | | | | |
| CPMT09T308LF | 9,53 | 9,67 | 0,8 | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | | | ● | | | ● | | | ● | | | ● | | ● | ● | |

## CPMT-MF




beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CPMT060208MF | 6,35 | 6,45 | 0,8 | | ● | ● | | | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | |
| CPMT09T308MF | 9,53 | 9,67 | 0,8 | | ● | ● | ● | | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | ● | ● | |
| CPMT09T312MF | 9,53 | 9,67 | 1,2 | | ● | ● | | | | | ● | ● | ● | | | | | | | | | | | | | | | | | |

## CPMT-MP




beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CPMT060208MP | 6,35 | 6,45 | 0,8 | | ● | ● | | | | | | ● | ● | | | | | | ● | | | | | | | | | | ● | |
| CPMT09T308MP | 9,53 | 9,67 | 0,8 | | ● | ● | | | | | ● | ● | ● | | | | | | ● | | | | | | | | | | | |
| CPMT09T312MP | 9,53 | 9,67 | 1,2 | | | | | | | | ● | ● | | | | | | | | | | | | | | | | | ● | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31


A32–A37

Turning

● first choice
○ alternate choice

| | | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | | | | | | | | ● | ● | ● | ● | ● | | ● | ● | | | ● | ● | ● | ● | |
| M | | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## CPMT-MW






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| CPMT09T304MW | 9,53 | 9,67 | 0,4 | | | ● | | | | ● | | | | | | | ● | ● | | | | | | | | | | |
| CPMT09T308MW | 9,53 | 9,67 | 0,8 | | | ● | | | | ● | | | | | | | ● | ● | | | | | | ● | | | | |

## CPT




| ISO catalogue number | D mm | T mm | RC mm |
|---|---|---|---|
| right hand | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CPT190013R | 6,35 | 1,65 | 0,13 | | | | | | | | | | | | | | ● | | | | | | | | | | | |
| left hand | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CPT190013L | 6,35 | 1,65 | 0,13 | | | | | | | | | | | | | | ● | | | | | | | | | | | |

## CPMT-UF






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| CPMT060204UF | 6,35 | 6,45 | 0,4 | ● | ● | ● | | | | | | | | | | | | ● | | | | | | | | | | |
| CPMT09T304UF | 9,53 | 9,67 | 0,4 | ● | ● | ● | | | | | | | | | | | | ● | | | | | | | | | | |

## DCGT-HP






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| DCGT070202HP | 6,35 | 7,75 | 0,2 | | | | | | | | | | | | ● | | | ● | ● | | ● | ● | | ● | | | | |
| DCGT070204HP | 6,35 | 7,75 | 0,4 | | | | | | | | | | | | ● | | | ● | ● | | ● | ● | | ● | | | | |
| DCGT070208HP | 6,35 | 7,75 | 0,8 | | | | | | | | | | | | | | | ● | ● | | ● | ● | | ● | | | | |
| DCGT11T302HP | 9,53 | 11,63 | 0,2 | | | | | | | | | | | | ● | | | ● | ● | | ● | ● | | ● | | | | |
| DCGT11T304HP | 9,53 | 11,63 | 0,4 | | | | | | | | | | | | ● | | | ● | ● | | ● | ● | | ● | | | | |
| DCGT11T308HP | 9,53 | 11,63 | 0,8 | | | | | | | | | | | | ● | | | ● | ● | | ● | ● | | ● | | | | |

● first choice
○ alternate choice

| | | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## DCGT-LF






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| DCGT0702X0LF | 6,35 | 7,75 | 0,0 |
| DCGT070201LF | 6,35 | 7,75 | 0,1 |
| DCGT11T3X0LF | 9,53 | 11,63 | 0,0 |
| DCGT11T301LF | 9,53 | 11,63 | 0,1 |
| DCGT150408LF | 12,70 | 15,50 | 0,8 |

## DCMT-11






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| DCMT07020211 | 6,35 | 7,75 | 0,2 |
| DCMT07020411 | 6,35 | 7,75 | 0,4 |
| DCMT11T30411 | 9,53 | 11,63 | 0,4 |
| DCMT11T30811 | 9,53 | 11,63 | 0,8 |

## DCMT-FP






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| DCMT070202FP | 6,35 | 7,75 | 0,2 |
| DCMT070204FP | 6,35 | 7,75 | 0,4 |
| DCMT070208FP | 6,35 | 7,75 | 0,8 |
| DCMT11T302FP | 9,53 | 11,63 | 0,2 |
| DCMT11T304FP | 9,53 | 11,63 | 0,4 |
| DCMT11T308FP | 9,53 | 11,63 | 0,8 |
| DCMT11T312FP | 9,53 | 11,63 | 1,2 |
| DCMT150404FP | 12,70 | 15,50 | 0,4 |
| DCMT150408FP | 12,70 | 15,50 | 0,8 |

## DCMT-FW




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| DCMT11T304FW | 9,53 | 11,63 | 0,2 |
| DCMT11T308FW | 9,53 | 11,63 | 0,8 |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71* | C72–C109* | C110–C115* | C116–C147* | A8–A23 | A24–A31 | A32–A37

Turning

● first choice
○ alternate choice

## DCMT-LF






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DCMT070202LF | 6,35 | 7,75 | 0,2 | | | | | | | | | | | | | ● | | | | ● | | | ● | | | | | | | |
| DCMT070204LF | 6,35 | 7,75 | 0,4 | ● | ● | ● | ● | | ● | | ● | ● | ● | ● | | ● | | | | ● | | | ● | | | ● | | | | |
| DCMT11T302LF | 9,53 | 11,63 | 0,2 | | | | | | | | | | | | | | | | | ● | | | ● | | | ● | | | | |
| DCMT11T304LF | 9,53 | 11,63 | 0,4 | ● | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | | | | ● | | | ● | | | ● | | | | |
| DCMT11T308LF | 9,53 | 11,63 | 0,8 | ● | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | | | ● | ● | | | ● | | | ● | | ● | ● | |
| DCMT11T312LF | 9,53 | 11,63 | 1,2 | | ● | ● | | | ● | | ● | | | | | | | | | ● | | | | | | | | | | |
| DCMT150404LF | 12,70 | 15,50 | 0,4 | | ● | ● | | | | | ● | | | | | | | | | ● | | | ● | | | | | | | |
| DCMT150408LF | 12,70 | 15,50 | 0,8 | | ● | ● | | | ● | | ● | | | | | | | | | ● | | | ● | | | | | | | |

## DCMT-MF






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DCMT11T304MF | 9,53 | 11,63 | 0,4 | | ● | ● | ● | | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | |
| DCMT11T308MF | 9,53 | 11,63 | 0,8 | | ● | ● | ● | | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | ● | ● |
| DCMT11T312MF | 9,53 | 11,63 | 1,2 | | ● | ● | | | | ● | ● | | | | | | | | | | | | | | | | | | ● | ● |

## DCMT-MP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DCMT11T304MP | 9,53 | 11,63 | 0,4 | | ● | ● | | | | | ● | | | | | | | | ● | | | | | | | | | | | |
| DCMT11T308MP | 9,53 | 11,63 | 0,8 | | ● | ● | | | | | ● | ● | ● | | | | | | ● | | | | | | | | | | | |
| DCMT11T312MP | 9,53 | 11,63 | 1,2 | | ● | ● | | | | | | | | | | | | | ● | | | | | | | | | | | |

## DCMT-MW




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DCMT11T304MW | 9,53 | 11,63 | 0,4 | | | ● | | | | | ● | | | | | | | | ● | | | | | | | | | | | |
| DCMT11T308MW | 9,53 | 11,63 | 0,8 | | | ● | | | | | ● | | | | | | | | ● | | | | | | | | | | | |

● first choice
○ alternate choice

## DCMT-UF






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DCMT070204UF | 6,35 | 7,75 | 0,4 | ● | ● | ● | | | | | | | | | | | | | | ● | | | | | | | | | | |
| DCMT11T302UF | 9,53 | 11,63 | 0,2 | ● | ● | ● | | | | | | | | | | | | | | ● | | | | | | | | | | |
| DCMT11T304UF | 9,53 | 11,63 | 0,4 | ● | ● | ● | | | | | | | | | | | | | | ● | | | | | | | | | | |
| DCMT11T308UF | 9,53 | 11,63 | 0,8 | ● | ● | ● | | | | | | | | | | | | | | ● | | | | | | | | | | |

## DPGT-HP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DPGT070202HP | 6,35 | 7,75 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | ● | | | | | | | | |
| DPGT070204HP | 6,35 | 7,75 | 0,4 | | | | | | | | | | | | | ● | | | ● | ● | | ● | ● | | ● | | | | | |
| DPGT070208HP | 6,35 | 7,75 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | ● | | | | | | | | |
| DPGT11T304HP | 9,53 | 11,63 | 0,4 | | | | | | | | | | | | | ● | | | ● | ● | | ● | | | ● | | | | | |
| DPGT11T308HP | 9,53 | 11,63 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | ● | | | | | | | | |

## DPGT-LF






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DPGT070201LF | 6,35 | 7,75 | 0,1 | | | | | | | | | | | | | | | | ● | ● | | | | | ● | ● | | | | |
| DPGT070202LF | 6,35 | 7,75 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | | | | ● | | | | | |
| DPGT070204LF | 6,35 | 7,75 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | ● | | ● | ● | | | | |
| DPGT11T301LF | 9,53 | 11,63 | 0,1 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| DPGT11T302LF | 9,53 | 11,63 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | | ● | | | | | | | |
| DPGT11T304LF | 9,53 | 11,63 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | ● | | ● | ● | | | | |
| DPGT11T308LF | 9,53 | 11,63 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | | ● | | | | | | | |

## DPMT-FP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DPMT070202FP | 6,35 | 7,75 | 0,2 | | | | | | | | | | | | | | | | ● | | | ● | | | | | | | | |
| DPMT070204FP | 6,35 | 7,75 | 0,4 | | ● | ● | | | | | | ● | ● | | | | | | ● | | | ● | | | | | ● | | | |
| DPMT070208FP | 6,35 | 7,75 | 0,8 | | | | | | | | | | | | | | | | ● | | | ● | | | | | | | | |
| DPMT11T302FP | 9,53 | 11,63 | 0,2 | | | | | | | | | | | | | | | | ● | | | ● | | | | | | | | |
| DPMT11T304FP | 9,53 | 11,63 | 0,4 | | ● | ● | | | | | | ● | ● | | | | | | ● | | | ● | | | | | ● | | | |
| DPMT11T308FP | 9,53 | 11,63 | 0,8 | ● | ● | ● | | | | | ● | | ● | | | | | | ● | | | ● | | | | | ● | | | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

Turning

● first choice
○ alternate choice

## DPMT-FW




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DPMT070204FW | 6,35 | 7,75 | 0,4 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| DPMT070208FW | 6,35 | 7,75 | 0,8 | | | ● | | | | | ● | | | | | | | | ● | ● | | | | | | | | | | |
| DPMT11T304FW | 9,53 | 11,63 | 0,2 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| DPMT11T308FW | 9,53 | 11,63 | 0,8 | | | | | | | | ● | | | | | | | | | | | | | | | | | | | |

## DPMT-LF

beyond DRIVE™

NEW!






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DPMT070202LF | 6,35 | 7,75 | 0,2 | | | | | | | | | | | | | | | | | ● | | | ● | | | | | | | |
| DPMT070204LF | 6,35 | 7,75 | 0,4 | | ● | ● | | | ● | | ● | ● | ● | | | | | | | ● | | | ● | | | ● | | | | |
| DPMT11T302LF | 9,53 | 11,63 | 0,2 | | | | | | | | | | | | | | | | | ● | | | | | | | | | | |
| DPMT11T304LF | 9,53 | 11,63 | 0,4 | | ● | ● | ● | | ● | | ● | ● | ● | | | | | | | ● | | | ● | | | ● | | | | |
| DPMT11T308LF | 9,53 | 11,63 | 0,8 | ● | ● | ● | ● | | ● | | ● | | ● | | | | | | | ● | | | ● | | | | | ● | ● | |

## DPMT-MF






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DPMT11T308MF | 9,53 | 11,63 | 0,8 | | ● | ● | | | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | |

## DPMT-MP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DPMT11T308MP | 9,53 | 11,63 | 0,8 | | | ● | | | | | ● | | | | | | | | ● | | | | | | | | | | | |

## DPMT-UF




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DPMT070204UF | 6,35 | 7,75 | 0,4 | | ● | ● | | | | | | | | | | | | | | ● | | | | | | | | | | |
| DPMT11T304UF | 9,53 | 11,63 | 0,4 | | ● | | | | | | | | | | | | | | | | | | | | | | | | | |
| DPMT11T308UF | 9,53 | 11,63 | 0,8 | | ● | | | | | | | | | | | | | | | | | | | | | | | | | |

● first choice
○ alternate choice

## GPCD






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| GPCD050102 | 3,97 | 5,61 | 0,2 | | | | | | | | | | | | | | | | | | | ● | ● | | | | | | | |
| GPCD050104 | 3,97 | 5,61 | 0,4 | | | | | | | | | | | | | | | | | | | ● | ● | | | | | | | |

## RCGH




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RCGH120400 | 12,70 | – | – | | | | | | | | | | | | | | | | ● | | ● | | | | | | | | | |

## RCGH-MP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RCGH120400MP | 12,70 | – | – | | | | | | | | | | | | | | | ● | | | | | | | | | | | | |

## RCGT-HP




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RCGT0803M0HP | 8,00 | – | – | | | | | | | | | | | | | ● | ● | | ● | ● | | ● | ● | | ● | | | | | |
| RCGT10T3M0HP | 10,00 | – | – | | | | | | | | | | | | | ● | | | | ● | | ● | ● | | ● | | | | | |
| RCGT1204M0HP | 12,00 | – | – | | | | | | | | | | | | | ● | | | | ● | | ● | ● | | | | | | | |

## RCGT-MS




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RCGT0803M0MS | 8,00 | – | – | | | | | | | | | | | | | | | | ● | ● | | ● | | | | | | | | |
| RCGT1204M0MS | 12,00 | – | – | | | | | | | | | | | | | | | | ● | ● | | ● | | | | | | | | |
| RCGT1606M0MS | 16,00 | – | – | | | | | | | | | | | | | | | | ● | | | ● | ● | | | | | | | |
| RCGX1003M0MS | 10,00 | – | – | | | | | | | | | | | | | | | | | | | ● | | | | | | | | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

● first choice
○ alternate choice




## RCGT-RP

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RCGT0803M0RP | 8,00 | – | – | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| RCGT1204M0RP | 12,00 | – | – | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| RCGX1003M0RP | 10,00 | – | – | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| RCMT1204M0RP | 12,00 | – | – | | ● | ● | | | | ● | ● | | | | | | | | | | | | | | | | | | | |
| RCMT1606M0RP | 16,00 | – | – | | ● | ● | | | | ● | | | | | | | | | | | | | | | | | | | | |
| RCMT2006M0RP | 20,00 | – | – | | | ● | | | | | ● | | ● | | | | | | | | | | | | | | | | | |
| RCMX1003M0RP | 10,00 | – | – | | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| RCMX2507M0RP | 25,00 | – | – | | | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| RCMX3209M0RP | 32,00 | – | – | | | ● | | | | | | | | | | | | | | | | | | | | | | | | |




## RCMT

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RCMT0602M0 | 6,00 | – | – | | | ● | ● | | | | ● | | ● | | | ● | ● | | | ● | | | | | | | | | | |
| RCMT0803M0 | 8,00 | – | – | | | ● | ● | | | | ● | | ● | | | ● | | | | ● | | | | | | | | | | |
| RCMT10T3M0 | 10,00 | – | – | | | ● | ● | | | | ● | | ● | | | | | | | ● | | | | | | | | | | |
| RCMT1204M0 | 12,00 | – | – | | | | ● | | | | ● | | ● | | | ● | | | | ● | | | | | | | | | | |
| RCMT1605M0 | 16,00 | – | – | | | ● | | | | | ● | | ● | | | ● | | | | ● | | | | | | | | | | |
| RCMT2006M0 | 20,00 | – | – | | | ● | ● | | | | ● | | ● | | | ● | | | | ● | | | | | | | | | | |
| RCMT060200 | 6,35 | – | – | | | ● | | | | | | | ● | | | | | | | ● | | | | | | | | | | |
| RCMT09T300 | 9,53 | – | – | | | ● | | | | | ● | | ● | | | ● | | | | ● | | | | | ● | | | | | |
| RCMT120400 | 12,70 | – | – | | | | | | | | ● | | ● | | | | | | | | | | | | | | | | | |






## RCMT-MP

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RCMT0803M0MP | 8,00 | – | – | | | | | | | | | | | | | | | ● | | | | | | | | | | | | |
| RCMT10T3M0MP | 10,00 | – | – | | | | | | | | | | | | | | | ● | | | | | | | | | | | | |
| RCMT1606M0MP | 16,00 | – | – | | | | | | | | | | | | | | | ● | | | | | | | | | | | | |

● first choice
○ alternate choice

| | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## RCMT-RH




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| RCMT2006M0RH | 20,00 | – | – |
| RCMX2507M0RH | 25,00 | – | – |
| RCMX3209M0RH | 32,00 | – | – |

## RCMT-RM




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| RCMT2006M0RM | 20,00 | – | – |

## RCMT-RP




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| RCGT0803M0RP | 8,00 | – | – |
| RCMT1204M0RP | 12,00 | – | – |
| RCMT1606M0RP | 16,00 | – | – |
| RCMT2006M0RP | 20,00 | – | – |
| RCMX1003M0RP | 10,00 | – | – |
| RCMX2507M0RP | 25,00 | – | – |
| RCMX3209M0RP | 32,00 | – | – |

## RPGT-MP





| ISO catalogue number | D mm | D1 mm | S mm |
|---|---|---|---|
| RPGT060400MP | 6,35 | 2,80 | 4,76 |
| RPGT090700MP | 9,53 | 4,40 | 7,94 |
| RPGT120700MP | 12,70 | 5,50 | 7,94 |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71* | C72–C109* | C110–C115* | C116–C147* | A8–A23 | A24–A31 | A32–A37

● first choice
○ alternate choice






## SCMT-11

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SCMT09T30411 | 9,53 | 9,53 | 0,4 | | | | | | | | | | | | | | | | | | | | | | | ● | | | | |
| SCMT09T30811 | 9,53 | 9,53 | 0,8 | | | | | | | | | | | | | | | | | | | | | | | ● | | | | |
| SCMT12040411 | 12,70 | 12,70 | 0,4 | | | | | | | | | | | | | | | | | | | | | | | ● | | | | |
| SCMT12040811 | 12,70 | 12,70 | 0,8 | | | | | | | | | | | | | | | | | | | | | | | ● | | | | |






## SCMT-FP

beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SCMT09T304FP | 9,53 | 9,53 | 0,4 | | ● | ● | | | | | ● | ● | ● | | | | | | ● | | | ● | | | | | | | | |
| SCMT09T308FP | 9,53 | 9,53 | 0,8 | | ● | ● | | | | | ● | ● | ● | | | | | | ● | | | ● | | | | | ● | | ● | |
| SCMT120404FP | 12,70 | 12,70 | 0,4 | | | ● | | | | | | | ● | | | | | | ● | | | ● | | | | | | | | |
| SCMT120408FP | 12,70 | 12,70 | 0,8 | | ● | ● | | | | | ● | ● | ● | | | | | | ● | | | ● | | | | | | | ● | |
| SCMT120412FP | 12,70 | 12,70 | 1,2 | | ● | ● | | | | | ● | | ● | | | | | | ● | | | | | | | | | | | |






## SCMT-LF

beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SCMT09T304LF | 9,53 | 9,53 | 0,4 | | ● | ● | ● | | ● | | ● | ● | ● | | | | | | | ● | | | ● | | | ● | | | ● | ● |
| SCMT09T308LF | 9,53 | 9,53 | 0,8 | | ● | ● | ● | | ● | ● | ● | ● | ● | | | | | | | ● | | | ● | | | | | | ● | ● |
| SCMT120404LF | 12,70 | 12,70 | 0,4 | | ● | ● | ● | | ● | | ● | | ● | | | | | | | ● | | | | | | | | | | |
| SCMT120408LF | 12,70 | 12,70 | 0,8 | | ● | ● | ● | | ● | ● | ● | ● | ● | | | | | | | ● | | | ● | | | | | | | |
| SCMT120412LF | 12,70 | 12,70 | 1,2 | | ● | ● | | | ● | | ● | | | | | | | | | ● | | | ● | | | | | | ● | ● |




## SCMT-MF

beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SCMT09T308MF | 9,53 | 9,53 | 0,8 | | ● | ● | | | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | ● | ● |
| SCMT09T312MF | 9,52 | 9,52 | 1,2 | | | | | | | | | | | | | | | | | | | | | | | | | ● | ● |
| SCMT120408MF | 12,70 | 12,70 | 0,8 | | ● | ● | ● | | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | ● | ● |
| SCMT120412MF | 12,70 | 12,70 | 1,2 | | ● | ● | | | | ● | ● | | ● | | | | | | | | | | | | | | | ● | ● |

● first choice
○ alternate choice

| | | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | | | | ● | ● | ● | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | | | | | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## SCMT-MP




beyond DRIVE

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| SCMT09T304MP | 9,53 | 9,53 | 0,4 |
| SCMT09T308MP | 9,53 | 9,53 | 0,8 |
| SCMT120404MP | 12,70 | 12,70 | 0,4 |
| SCMT120408MP | 12,70 | 12,70 | 0,8 |
| SCMT120412MP | 12,70 | 12,70 | 1,2 |

## SCMT-UF




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| SCMT09T308UF | 9,53 | 9,53 | 0,8 |

## SCMW






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| SCMW09T304 | 9,53 | 9,53 | 0,4 |
| SCMW09T308 | 9,53 | 9,53 | 0,8 |
| SCMW120408 | 12,70 | 12,70 | 0,8 |
| SCMW120412 | 12,70 | 12,70 | 1,2 |

## SPGH






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| SPGH070208 | 7,94 | 7,00 | 0,8 |
| SPGH090308 | 9,53 | 9,53 | 0,8 |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

● first choice
○ alternate choice

## SPGT-LF






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SPGT09T304LF | 9,53 | 9,53 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | ● | | | | | | | |
| SPGT09T308LF | 9,53 | 9,53 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | | ● | | ● | | | | | |

## SPMT-FP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SPMT09T304FP | 9,53 | 9,53 | 0,4 | ● | ● | ● | | | | | ● | | ● | | | | | | ● | | | ● | | | | | | | | |
| SPMT09T308FP | 9,53 | 9,53 | 0,8 | ● | ● | ● | | | | | ● | | | | ● | | | | ● | | | ● | | | | | ● | | | |

## SPMT-LF






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SPMT09T304LF | 9,53 | 9,53 | 0,4 | | ● | ● | | | ● | ● | ● | | | | | | ● | | | ● | | | ● | | | ● | | | | |
| SPMT09T308LF | 9,53 | 9,53 | 0,8 | | ● | ● | | | ● | ● | ● | | | | | | ● | | | ● | | | ● | | | | | ● | ● | |

## SPMT-MF




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SPMT09T308MF | 9,53 | 9,53 | 0,8 | | ● | ● | | | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | |
| SPMT120408MF | 12,70 | 12,70 | 0,8 | | ● | ● | ● | | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | |

● first choice
○ alternate choice



## SPMT-MP




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SPMT09T308MP | 9,53 | 9,53 | 0,8 | | | ● | | | | | ● | ● | | | | | | | ● | | | | | | | | | | | |
| SPMT120408MP | 12,70 | 12,70 | 0,8 | | | ● | | | | | ● | | | | | | | | ● | | | | | | | | | | | |

## SPMT-UF




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SPMT09T304UF | 9,53 | 9,53 | 0,4 | | ● | | | | | | | | | | | | | | | ● | | | | | | | | | | |



## TCGT-HP




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TCGT16T304HP | 9,53 | 16,50 | 0,4 | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| TCGT110202HP | 6,35 | 11,00 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | ● | | | ● | | | | | |
| TCGT110204HP | 6,35 | 11,00 | 0,4 | | | | | | | | | | | | | ● | | | ● | ● | | ● | ● | | ● | | | | | |
| TCGT110208HP | 6,35 | 11,00 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | ● | ● | | ● | | | | | |
| TCGT16T302HP | 9,53 | 16,50 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | ● | | | | | | | | |
| TCGT16T304HP | 9,53 | 16,50 | 0,4 | | | | | | | | | | | | | ● | | | ● | ● | | ● | ● | | | | | | | |
| TCGT16T308HP | 9,53 | 16,50 | 0,8 | | | | | | | | | | | | | ● | | | ● | ● | | ● | ● | | ● | | | | | |

## TCGT-LF




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TCGT110201LF | 6,35 | 11,00 | 0,1 | | | | | | | | | | | | | | | | ● | | | | ● | | | | | | | |
| TCGT110204LF | 6,35 | 11,00 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | ● | | | | | | | |
| TCGT16T302LF | 9,53 | 16,50 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| TCGT16T304LF | 9,53 | 16,50 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |
| TCGT16T308LF | 9,53 | 16,50 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

Turning

● first choice
○ alternate choice

## TCMT-11






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TCMT11020411 | 6,35 | 11,00 | 0,4 | | | | | | | | | | | | | | | | | | | | | | | ● | | | | |
| TCMT16T30411 | 9,53 | 16,50 | 0,4 | | | | | | | | | | | | | | | | | | | | | | | ● | | | | |
| TCMT16T30811 | 9,53 | 16,50 | 0,8 | | | | | | | | | | | | | | | | | | | | | | | ● | | | | |

## TCMT-FP






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TCMT090204FP | 5,56 | 9,63 | 0,4 | | | | | | | | | | | | | | | | ● | | | ● | | | | | | | | |
| TCMT090208FP | 5,56 | 9,63 | 0,8 | | | | | | | | | | | | | | | | ● | | | ● | | | | | | | | |
| TCMT110202FP | 6,35 | 11,00 | 0,2 | | | | | | | | | | ● | | | | | | ● | | | ● | | | | | ● | | | |
| TCMT110204FP | 6,35 | 11,00 | 0,4 | ● | ● | ● | | | | | ● | ● | ● | | ● | | | | ● | | | ● | | | | | ● | | | |
| TCMT110208FP | 6,35 | 11,00 | 0,8 | | ● | ● | | | | | ● | ● | ● | | | | | | ● | | | ● | | | | | ● | | | |
| TCMT110304FP | 6,35 | 11,00 | 0,4 | ● | | | | | | | | | | | | | | | ● | | | ● | | | | | | | | |
| TCMT110308FP | 6,35 | 11,00 | 0,8 | ● | | | | | | | | | | | | | | | ● | | | ● | | | | | | | | |
| TCMT110312FP | 6,35 | 11,00 | 1,2 | ● | | | | | | | | | | | | | | | ● | | | | | | | | | | | |
| TCMT16T302FP | 9,53 | 16,50 | 0,2 | | | | | | | | | | | | | | | | ● | | | ● | | | | | ● | | | |
| TCMT16T304FP | 9,53 | 16,50 | 0,4 | ● | ● | ● | | | | | ● | ● | ● | | | | | | ● | | | ● | | | | | ● | | | |
| TCMT16T308FP | 9,53 | 16,50 | 0,8 | | ● | ● | | | | | ● | ● | ● | | | | | | ● | | | ● | | | | | ● | | | |
| TCMT16T312FP | 9,53 | 16,50 | 1,2 | | ● | | | | | | | | ● | | | | | | ● | | | ● | | | | | | | | |
| TCMT220408FP | 12,70 | 22,00 | 0,8 | ● | ● | ● | | | | | ● | | ● | | | | | | ● | | | ● | | | | | | | | |

## TCMT-LF






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TCMT110202LF | 6,35 | 11,00 | 0,2 | | | | | | | | | | | | | | | | | ● | | | ● | | | | | | | |
| TCMT110204LF | 6,35 | 11,00 | 0,4 | ● | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | | ● | | | ● | | | ● | | | ● | | | | |
| TCMT110208LF | 6,35 | 11,00 | 0,8 | ● | ● | ● | ● | | ● | ● | ● | ● | ● | | | | | | | ● | | | ● | | | ● | | | | |
| TCMT16T302LF | 9,53 | 16,50 | 0,2 | | | | | | | | | | | | | | | | | ● | | | ● | | | | | | | |
| TCMT16T304LF | 9,53 | 16,50 | 0,4 | ● | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | | | | | ● | | | ● | | | ● | | | | |
| TCMT16T308LF | 9,53 | 16,50 | 0,8 | ● | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | | | | | ● | | | ● | | | ● | | | | |
| TCMT16T312LF | 9,53 | 16,50 | 1,2 | | | ● | | | ● | ● | ● | | ● | | | | | | | ● | | | | | | | | | | |
| TCMT220408LF | 12,70 | 22,00 | 0,8 | | ● | ● | | | ● | | ● | | | | | | | | | ● | | | ● | | | | | | | |

● first choice
○ alternate choice

| | | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## TCMT-MF






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **TCMT110208MF** | 6,35 | 11,00 | 0,8 |
| **TCMT16T308MF** | 9,53 | 16,50 | 0,8 |
| **TCMT16T312MF** | 9,53 | 16,50 | 1,2 |

## TCMT-MP




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **TCMT110208MP** | 6,35 | 11,00 | 0,8 |
| **TCMT16T304MP** | 9,53 | 16,50 | 0,4 |
| **TCMT16T308MP** | 9,53 | 16,50 | 0,8 |
| **TCMT16T312MP** | 9,53 | 16,50 | 1,2 |

## TCMT-UF




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **TCMT110204UF** | 6,35 | 11,00 | 0,4 |
| **TCMT110208UF** | 6,35 | 11,00 | 0,8 |
| **TCMT16T308UF** | 9,53 | 16,50 | 0,8 |

## TCMW






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **TCMW16T304** | 9,53 | 16,50 | 0,4 |
| **TCMW16T308** | 9,53 | 16,50 | 0,8 |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71* | C72–C109* | C110–C115* | C116–C147* | A8–A23 | A24–A31 | A32–A37

● first choice
○ alternate choice

## TDHB






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **TDHB07T12S0** | 4,06 | 7,04 | 0,1 | | | | | | | | | | | | | | | | ● | ● | | ● | | | | ● | | | | |
| **TDHB07T1202** | 4,06 | 7,04 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | ● | ● | | | | | | | |
| **TDHB07T1204** | 4,06 | 7,04 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | ● | ● | | | ● | | | | |
| **TDHB07T1208** | 4,06 | 7,04 | 0,8 | | | | | | | | | | | | | | | | ● | | | ● | ● | | | | | | | |

## TDHH




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| right hand | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **TDHH07T1202R** | 4,06 | 7,04 | 0,2 | | | | | | | | | | | | | | | | ● | | | | | | | | | | | |
| **TDHH07T1204R** | 4,06 | 7,04 | 0,4 | | | | | | | | | | | | | | | | ● | | | ● | | | | | | | | |
| left hand | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **TDHH07T1202L** | 4,06 | 7,04 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | ● | ● | | | | | | | |
| **TDHH07T1204L** | 4,06 | 7,04 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | ● | ● | | | | | | | |

NOTE: Right-hand insert uses left-hand bars.
Left-hand insert uses right-hand bars.

## TPCB






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **TPCB160302** | 9,53 | 16,50 | 0,2 | | | | | | | | | | | | | | | | | ● | | | | | | | | | | |
| **TPCB160304** | 9,53 | 16,50 | 0,4 | | | | | | | | | | | | | | | | | ● | | ● | | | | | | | | |
| **TPCB160308** | 9,53 | 16,50 | 0,8 | | | | | | | | | | | | | | | | | ● | | ● | | | | | | | | |
| **TD6P** | 9,53 | 16,50 | 0,8 | | | | | | | | | | | | | | ● | | | | | | | | | | | | | |

## TPCG






| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **TPCG110202L** | 6,35 | 11,00 | 0,2 | | | | | | | | | | | | | | | | | ● | | | | | | | | | | |
| **TPCG110204L** | 6,35 | 11,00 | 0,4 | | | | | | | | | | | | | | | | | ● | | ● | ● | | | | | | | |
| **TPCG110208L** | 6,35 | 11,00 | 0,8 | | | | | | | | | | | | | | | | | ● | | | | | | | | | | |

● first choice
○ alternate choice

| | | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## TPCH






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| TPCH110202 | 6,50 | 11,26 | 0,2 |
| TPCH110204 | 6,50 | 11,26 | 0,4 |

## TPGM




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| TPGT110204K | 6,35 | 11,00 | 0,4 |
| TPGT110208K | 6,35 | 11,00 | 0,8 |
| TPGH16T304 | 9,53 | 16,50 | 0,4 |

## TPGH




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| TPGH160304 | 9,53 | 16,50 | 0,4 |
| TPGH160308 | 9,53 | 16,50 | 0,8 |

## TPGT-HP






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| TPGT110202HP | 6,35 | 11,00 | 0,2 |
| TPGT110204HP | 6,35 | 11,00 | 0,4 |
| TPGT110208HP | 6,35 | 11,00 | 0,8 |
| TPGT16T302HP | 9,53 | 16,50 | 0,2 |
| TPGT16T304HP | 9,53 | 16,50 | 0,4 |
| TPGT16T308HP | 9,53 | 16,50 | 0,8 |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

● first choice
○ alternate choice

## TPGT-LF




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TPGT090202LF | 5,56 | 9,63 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | | | | ● | | | | | | |
| TPGT090204LF | 5,56 | 9,63 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | ● | | ● | | | | | | |
| TPGT110201LF | 6,35 | 11,00 | 0,1 | | | | | | | | | | | | | | | | ● | | | | | | | | | | | | |
| TPGT110202LF | 6,35 | 11,00 | 0,2 | | | | | | | | | | | | | | | | ● | ● | | | ● | | | | | | | | |
| TPGT110204LF | 6,35 | 11,00 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | ● | | ● | | | | | | |
| TPGT110208LF | 6,35 | 11,00 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | | | | | | | | | | |
| TPGT16T304LF | 9,53 | 16,50 | 0,4 | | | | | | | | | | | | | | | | ● | ● | | | ● | | ● | | | | | | |
| TPGT16T304LF | 9,53 | 16,50 | 0,8 | | | | | | | | | | | | | | | | ● | ● | | | | | ● | | | | | | |

## TPHB




| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TPHB110202 | 6,35 | 11,00 | 0,2 | | | | | | | | | | | | | | | | ● | | | | | | | | | | | | |
| TPHB160304 | 9,53 | 16,50 | 0,4 | | | | | | | | | | | | | | | | ● | | | | | | | | | | | | |

## TPMT-FP






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TPMT090204FP | 5,56 | 9,63 | 0,4 | | | | | | | | | | | | | | | | ● | | | | | | | | | | | | |
| TPMT090208FP | 5,56 | 9,63 | 0,8 | | ● | ● | | | | | | ● | ● | | | | | | ● | | | ● | | | | | ● | ● | ● | |
| TPMT110202FP | 6,35 | 11,00 | 0,2 | | | | | | | | | | | | | | | | ● | | | ● | | | | | | | | |
| TPMT110204FP | 6,35 | 11,00 | 0,4 | | ● | ● | | | | | ● | ● | ● | | | | | | ● | | | ● | | | | | | | | |
| TPMT110208FP | 6,35 | 11,00 | 0,8 | | ● | ● | | | | | ● | ● | ● | | | | | | ● | | | | | | | | ● | | | |
| TPMT110304FP | 6,35 | 11,00 | 0,4 | | | | | | | | | | | | | | | | ● | | | ● | | | | | | | | |
| TPMT110308FP | 6,35 | 11,00 | 0,8 | | | | | | | | | | | | | | | | ● | | | | | | | | | | | | |
| TPMT16T304FP | 9,53 | 16,50 | 0,4 | | ● | ● | | | | | ● | | ● | | | | | | ● | | | ● | | | | | | | | |
| TPMT16T308FP | 9,53 | 16,50 | 0,8 | ● | ● | ● | | | | | ● | | ● | | | | | | ● | | | ● | | | | | ● | | | |
| TPMT16T312FP | 9,53 | 16,50 | 1,2 | | | | | | | | | | | | | | | | ● | | | | | | | | | | | | |
| TPMT220408FP | 12,70 | 22,00 | 0,8 | | | ● | | | | | | | | | | | | | ● | | | | | | | | | | | | |

● first choice
○ alternate choice

| | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## TPMT-LF






beyond DRIVE

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| TPMT090202LF | 5,56 | 9,63 | 0,2 |
| TPMT090204LF | 5,56 | 9,63 | 0,4 |
| TPMT110202LF | 6,35 | 11,00 | 0,2 |
| TPMT110204LF | 6,35 | 11,00 | 0,4 |
| TPMT110208LF | 6,35 | 11,00 | 0,8 |
| TPMT16T304LF | 9,53 | 16,50 | 0,4 |
| TPMT16T308LF | 9,53 | 16,50 | 0,8 |
| TPMT16T312LF | 9,53 | 16,50 | 1,2 |
| TPMT220408LF | 12,70 | 22,00 | 0,8 |

## TPMT-MF






beyond DRIVE

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| TPMT110208MF | 6,35 | 11,00 | 0,8 |
| TPMT16T308MF | 9,53 | 16,50 | 0,8 |
| TPMT16T312MF | 9,53 | 16,50 | 1,2 |

## TPMT-MP




beyond DRIVE

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| TPMT110208MP | 6,35 | 11,00 | 0,8 |
| TPMT16T308MP | 9,53 | 16,50 | 0,8 |
| TPMT16T312MP | 9,53 | 16,50 | 1,2 |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71*

C72–C109*

C110–C115*

C116–C147*

beyond
A8–A23

A24–A31

A32–A37

● first choice
○ alternate choice

| | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | ● | ● | ● | ● | ● | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | |
| M | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | ● | | | | | |
| K | | | | | | ● | ● | ● | | | | | | | | | | | | | | | ● | | | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | ● | | | | | | |
| S | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## TPMT-UF






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **TPMT110202UF** | 6,35 | 11,00 | 0,2 |
| **TPMT110204UF** | 6,35 | 11,00 | 0,4 |
| **TPMT16T304UF** | 9,53 | 16,50 | 0,4 |
| **TPMT16T308UF** | 9,53 | 16,50 | 0,8 |

## VBGT-HP






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **VBGT110302HP** | 6,35 | 11,07 | 0,2 |
| **VBGT110304HP** | 6,35 | 11,07 | 0,4 |
| **VBGT160404HP** | 9,53 | 16,61 | 0,4 |
| **VBGT160408HP** | 9,53 | 16,61 | 0,8 |

## VBGT-LF






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **VBGT1103X0LF** | 6,35 | 11,07 | 0,0 |
| **VBGT110301LF** | 6,35 | 11,07 | 0,1 |
| **VBGT110302LF** | 6,35 | 11,07 | 0,2 |
| **VBGT110304LF** | 6,35 | 11,07 | 0,4 |
| **VBGT1604X0LF** | 9,53 | 16,61 | 0,0 |
| **VBGT160401LF** | 9,53 | 16,61 | 0,1 |
| **VBGT160402LF** | 9,53 | 16,61 | 0,2 |
| **VBGT160404LF** | 9,53 | 16,61 | 0,4 |

## VBMT-11






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **VBMT11030211** | 6,35 | 11,07 | 0,2 |
| **VBMT11030411** | 6,35 | 11,07 | 0,4 |
| **VBMT16040411** | 9,53 | 16,61 | 0,4 |
| **VBMT16040811** | 9,53 | 16,61 | 0,8 |

● first choice
○ alternate choice

| | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | ● | ● | ● | ● | ● | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | ● | ● | ● | ● | |
| M | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## VBMT-FP






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| VBMT110302FP | 6,35 | 11,07 | 0,2 |
| VBMT110304FP | 6,35 | 11,07 | 0,4 |
| VBMT110308FP | 6,35 | 11,07 | 0,8 |
| VBMT160402FP | 9,53 | 16,61 | 0,2 |
| VBMT160404FP | 9,53 | 16,61 | 0,4 |
| VBMT160408FP | 9,53 | 16,61 | 0,8 |
| VBMT160412FP | 9,53 | 16,61 | 1,2 |
| VBMT160402FP | – | – | – |

## VBMT-LF






beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| VBMT110302LF | 6,35 | 11,07 | 0,2 |
| VBMT110304LF | 6,35 | 11,07 | 0,4 |
| VBMT110308LF | 6,35 | 11,07 | 0,8 |
| VBMT160402LF | 9,53 | 16,61 | 0,2 |
| VBMT160404LF | 9,53 | 16,61 | 0,4 |
| VBMT160408LF | 9,53 | 16,61 | 0,8 |
| VBMT160412LF | 9,53 | 16,61 | 1,2 |

## VBMT-MP




beyond DRIVE™

NEW!

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| VBMT160404MP | 9,53 | 16,61 | 0,4 |
| VBMT160408MP | 9,53 | 16,61 | 0,8 |

## WCMT-FP






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| WCMT040204FP | 6,35 | 4,34 | 0,4 |
| WCMT06T308FP | 9,53 | 6,52 | 0,8 |

*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.

C2–C71* | C72–C109* | C110–C115* | C116–C147* | A8–A23 | A24–A31 | A32–A37

Turning

● first choice
○ alternate choice

| | | KCP05 | KCP10 | KCP25 | KCP30 | KCP40 | KCK05 | KCK15 | KCK20 | KCM15 | KCM25 | KCM35 | KU10 | K313 | K68 | KCS10 | KCU10 | KC5010 | KC5510 | KCU25 | KC5025 | KC5525 | KC5410 | KT315 | KTP10 | KCP10B | KCP25B | KCK15B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | |
| M | | | | | | | | | | ● | ● | ● | | | | | ● | ● | | ● | ● | | | | | | | |
| K | | | | | | | ● | ● | ● | | | | | | | | | | | | | | | | ● | | | ● |
| N | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | |
| S | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## WCMT-LF






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| WCMT040204LF | 6,35 | 4,34 | 0,4 | ● |
| WCMT06T308LF | 9,53 | 6,52 | 0,8 | ● ● |

## WPGT-UF




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| WPGTS30101UF | 4,76 | 3,26 | 0,1 | ● ● |
| WPGTS30102UF | 4,76 | 3,26 | 0,2 | ● ● |
| WPGT040202UF | 6,35 | 4,34 | 0,2 | ● |

## WPMT-FP






| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| WPMTS3T104FP | 4,76 | 3,25 | 0,4 | ● | ● |
| WPMT040204FP | 6,35 | 4,34 | 0,4 | ● | ● |
| WPMT06T304FP | 9,53 | 6,52 | 0,4 | ● | ● | ● |
| WPMT06T308FP | 9,53 | 6,52 | 0,8 | ● | ● | ● |

## WPMT-LF




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| WPMTS3T104LF | 4,76 | 3,25 | 0,4 | ● | ● |
| WPMT040204LF | 6,35 | 4,34 | 0,4 | ● | ● | ● | ● |
| WPMT06T304LF | 9,53 | 6,52 | 0,4 | ● | ● | ● | ● | ● | ● |
| WPMT06T308LF | 9,53 | 6,52 | 0,8 | ● | ● | ● | ● | ● | ● |

## -MR Geometry

NEW!

Geometry for medium to rough cutting with smooth chip forming and improved coolant flow for increased tool life. Positive geometry reduces cutting forces and improves depth-of-cut notching resistance.

MR (11° land) is more positive than the -RP (5° land) and -MN (0° land), providing a freer cutting action (lower cutting forces) and potentially improved tool life in some applications. It is less positive than the -UP (15° land), so the -MR bridges the gap between the -RP and -UP.

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

### CNMG-MR










**Feed 0,15–0,50mm**
**DOC 1,50–6,35mm**

**MR** : **M**edium **R**oughing
**08** : Corner radius (ISO) 0,8mm
▼ : Application Symbol – Rough machining
**2** : Corner radius (ANSI) 2/64 (0.03125")


## Looking for a product that's not shown in this catalogue?
## Check the Kennametal website!

### Online product catalogue available 24/7

Visit **http://www.kennametal.com/turning/** to browse our electronic catalogue any time you're looking for Kennametal's best tooling solutions. It's fast, free, and always available. The online e-catalogue is updated weekly with products and solutions for milling, turning, holemaking, and tooling systems applications.

## PCBN

**Increased productivity can be achieved with PCBN tools through:**

- Higher cutting speeds.
- Higher feed rates.
- Longer tool life.
- Less machine downtime.

- More parts per machine means direct tool costs can be reduced.

- Very tight workpiece surface finish tolerances can be achieved on difficult-to-machine materials.

- PCBN can be used to machine ferrous materials in the hardened condition as an alternative to grinding, making it possible to substantially reduce component machining times.

- PCBN offers environmental benefits — the generation of grinding sludge is eliminated and the chips can be recycled.

- Improved surface integrity of critical components.



## Grinding vs. hard turning



### Grinding

- Size tolerance specifications beyond the capability of turning.
- Surface finish requirements too tight for hard turning.

vs.

### Hard Turning

- Size tolerance specifications beyond the capability of turning.
- Complex geometry that makes single-point turning more practical.
- Relatively high metal removal rates.
- Possible dry machining.
- Faster machine setup.
- Faster cycle times.
- I.D. and O.D. machining on one machine.

## Where does PCBN work?

PCBN is suitable for machining a wide variety of workpiece materials, mainly ferrous alloys.

The application areas may be broadly categorised as follows:

| Hardened Steels | Cast Irons | Superalloys | Powder Metallurgy Steels |
|---|---|---|---|

Certain classes of PCBN materials are associated with each particular application.

For best cost performance, proper selection of the following is essential:

- Format of the insert.
- Grade.
- Edge prep.
- Application data.

## PCBN is known as the second hardest material



## PCBN insert formats

### Solid Inserts

- Inserts are made only from PCBN.
- No material joint.
- Best heat absorption capacity.
- Can work at highest temperatures.



solid

### Full-Face Inserts

- Inserts are made from a presintered carbide/PCD or PCBN joint.
- Elimination of the brazing joint. Less delamination.
- Better heat absorption capacity.
- Can work at higher temperatures than tipped tools.
- Facilitate larger depth of cut compared to the same size tipped insert.
- The blanks are available with “A” and “W” ISO-style pin-lock holes.



full-face

### Tipped Inserts

- Require a carrier and substrate for the insert.
- The tips are brazed to the substrate. Various brazing methods are applied.
- The substrate has to have a pocket that will accommodate and support the tip.
- In these types of tools, the braze joint represents the weak link, so the brazing operation is very important and should be carefully controlled and executed.
- The main advantage of tipped tools over full-faced inserts is the lower cost.



tipped

## Kennametal inserts

This table shows approximate tip sizes of Kennametal CBN inserts depending on style and corner radius. Please note that the maximum cutting depth is not more than 80% of the tip length.

| radius | insert shape | | | | |
|---|---|---|---|---|---|
| | S | C, W | T | D, K | V |
| R 0,2mm | 3,1 | 3,0 | 3,3 | 3,3 | 4,9 |
| R 0,4mm | 3,1 | 3,0 | 3,2 | 3,1 | 4,4 |
| R 0,8mm | 3,1 | 2,9 | 2,9 | 2,7 | 3,6 |
| R 1,2mm | 3,1 | 2,8 | 2,6 | 2,4 | 2,7 |
| R 1,6mm | 3,1 | 2,3 | 2,3 | 2,0 | 1,8 |

## PCBN portfolio

| Grade | KB5610 | KBH20 | KB5625 | KB5630 | KBK35 | KB1340 | Grade |
|---|---|---|---|---|---|---|---|
| CBN% | 50 | 60 | 65 | 90 | 90 | 90 | CBN% |



# PCBN Hard Turning Selection System

## Introduction

This guide will help you choose the PCBN grade, edge preparations, nose radius, feed, and recommended speed range for your hard turning applications. These recommendations will establish a starting point for optimisation of the application. Where possible, this guide will lead you to standard line items. If this is not the case, the items can still be obtained through the QTSP (Quick-Turn Solutions Program) or ordered as specials.

We will classify hard turning operations as any turning or boring of ferrous-based workpiece materials with a hardness (HRC) higher than 45. For workpieces with lower hardness values, PCBN is not recommended.

## To use the guide, you will need this application information:

- Workpiece design: interruptions, shape, and frequency.
- Workpiece material specifications: hardness, superficial or through treatment, and carbide forming alloying elements (that increase the abrasivity of the material).
- Depth of cut.
- Surface finish requirements.
- Preset conditions, such as specific nose radius, limited feed, etc.
- Setup limitations related to machine tool, fixturing, etc.
- Tool life criteria, e.g., surface finish, dimensional tolerance, cutting force, etc.

# PCBN Hard Turning • Selection System Overview

## Step 1 • Choosing the PCBN grade



Step 1, reference pages A124–A125.

## Step 2 • PCBN edge preparation features

| Edge Preparation Specifications | | |
|---|---|---|
| E | Hone Only | 0,020mm |
| S01015 | W x β = 0,1mm x 15° | |
| S01025 | W x β = 0,1mm x 25° | |




Step 2, reference page A125.

## Step 3 • Selection of T-land angle



Selection of Preparation Angle

| Input from Step 1 | | | |
|---|---|---|---|
| KB5610 | E (15°/25°) | 20°/25° | NA |
| KBH20 | E (15°/25°) | 25° | 35° |
| KB5625 | 15°/25° | 15°/25° | 20°/25° |
| KB5630 | 15°/25° | 15°/25° | 20°/25° |

Step 3, reference page A125.

## Step 4 • Selection of T-land width







Step 4, reference page A126.

## Step 5 • Choosing the speed range






Step 5, reference page A127.

## Grade Selection for Hard Turning

### How to Use

Identify your application conditions. The most far right parameter will then determine the recommended grade(s). If more than one grade is intersected, it is recommended to first select the grade with the highest toughness before optimising using the Troubleshooting Guide (pages A134–A135).

### Step 1 • Choosing the PCBN grade

**Depth of Cut (mm)**
Larger depths of cut need stronger grades.

0.10 0.20 0.30 0.40 0.50 0.60 0.70

**Continuous/Interrupted**
More continuous cutting needs, more crater wear resistance; more interrupts need more toughness.



**Interruption Severity**
The angle between the cutting direction and the edge of the interruption has a big influence on the severity of an interrupt impact.

**Interruption Frequency**
A wide spacing between interrupts emphasises crater wear resistance, whereas closer-located interrupts emphasise impact resistance.






**ISO Class Hard Turning**
H10 H15 H20 H25 H30

**Tool Wear Type**




*(continued)*

## Step 1 • Choosing the PCBN grade *(continued)*

| | cratering resistance | abrasive resistance | impact resistance | surface finish |
|---|---|---|---|---|
| KB5610™ | **** | * | * | **** |
| KBH20™ | *** | ** | ** | *** |
| KB5625™ | ** | *** | *** | ** |
| KB5630™ | * | **** | **** | ** |

**** = Best

## Step 2 • PCBN edge preparation features

| Edge Preparation Specifications | | |
|---|---|---|
| E | hone only | 0,020mm |
| S01015 | W x β = 0,1mm x 15° | |
| S01025 | W x β = 0,1mm x 25° | |




**W** – Edge Prep Width
α – Clearance Angle

β – T-Land Angle




## Step 3 • Selection of T-land angle

**How to Use**

Using the grade selection and the Interruption Severity from **Step 1**, select edge preparation angle or hone only, E, from the table **below**. Solutions in parenthesis are second options.

| Selection of Preparation Angle | | | | | |
|---|---|---|---|---|---|
| input from Step 1 ↓ | | | | | |
| KB5610 | E (15°/25°) | 20°/25° | NA | NA | NA |
| KBH20 | E (15°/25°) | 25° | 35° | 35° | NA |
| KB5625 | 15°/25° | 15°/25° | 20°/25° | 25° | NA |
| KB5630 | 15°/25° | 15°/25° | 20°/25° | 25° | 25°/35° |

## Step 4 • Selection of T-land width

**How to Use**

**Example 1:** If the feed, depth of cut, and the tool nose radius are fixed, use these values to see what T-land width should be used.

**Example 2:** If you want to use a specific T-land width or hone only edge, use the chart below to see what maximum feeds and depths of cut are recommended for different nose radii.




### T-Land Width (W): E

Number in circle is NOSE RADIUS*




### T-Land Width (W): 0,1mm

Number in circle is NOSE RADIUS*




### T-Land Width (W): 0,2mm

Number in circle is NOSE RADIUS*




*NOTE: Coloured lines represent proven solutions; grey lines represent theoretically possible solutions.

## Step 5 • Choosing the speed range

### How to Use

Using the application information, determine your position in the INPUT DATA table below and select the speed range area with which it intersects for each input parameter. If different speed ranges result, choose the lowest speed range.

The shaded area extends to the minimum and maximum speeds for the application. The suggested starting speeds can be taken as the minimum line of this range.




## Speed Range Selection for Hard Turning

INPUT DATA

**Depth of Cut (mm)**
Larger depths of cut need stronger grades.

0,10 | 0,20 | 0,30 | 0,40 | 0,50 | 0,60 | 0,70

**Interruption Severity**
The angle between the cutting direction and the edge of the interruption has a big influence on the severity of an interrupt impact.




**Workpiece Hardness (HRC)**

45 | 50 | 55 | 60 | 65

OUTPUT DATA

**Speed Range (m/min)**



## PCBN portfolio

| Grade | KB5630 | KB1340 | KBK35 | Grade |
|---|---|---|---|---|
| CBN% | 90 | 90 | 90 | CBN% |




## High content PCBN grades: KBK35™, KB1340™, and KB5630™

### General Application Area

Continuous and interrupted machining of ferrous alloys where the main wear mode is abrasive and a strong edge is required.

### Primary Target Workpiece Materials

- Grey cast irons.
- High Cr content irons.
- Chilled and hardened irons.
- Co-, Ni-, and Fe-based hard facing alloys.
- Other alloys in which there is a high concentration of carbide forming elements, and the primary wear is abrasive.

## PCBN portfolio




## PM machining • Inlet/outlet valve



50 µm



50 µm

**Exhaust**

- Abrasive with hard particle content:
  Martensite — 800 HK
  WMoC — 1600 HK
  VC — 2800 HK
- High porosity/Cu infiltrated.
- Co increases hot hardness.
- Macro-hardness <400 HV (<41 HRC).
- Derives wear resistance from hard particles.

**Intake**

- Principally, structure is hard steel.
- Minimal porosity on well sintered.
- Low/medium alloy content.
- Macro-hardness >400 HV (>41 HRC).
- Derives wear resistance from hardened matrix structure.

## PCBN grade selection for valve seat machining



## PCBN grade selection for valve seat machining

| | material to be machined | short engagement (e.g., plunging) | long engagement (e.g., generating) |
|---|---|---|---|
|  | Soft matrix (≤300 HV), hard carbides, high porosity | 1. Abrasion resistance<br>2. Strength<br>**#1 Choice: KB5630™** | 1. Abrasion resistance<br>2. Strength<br>3. Chemical wear resistance<br>**#1 Choice: KB5630** |
| Highly Abrasive<br>High Hardness | Both material types with single insert | 1. Abrasion resistance<br>2. Chemical wear resistance<br>3. Strength<br>**#1 Choice: KB5630**<br>#2 Choice: KB5625™ | 1. Abrasion and chemical wear resistance<br>2. Strength<br>**#1 Choice: KB5625**<br>#2 Choice: KB5630 |
|  | Hard matrix (≥400 HV), few carbides, low porosity | 1. Chemical wear resistance<br>2. Strength<br>3. Abrasion resistance<br>**#1 Choice: KB5625**<br>#2 Choice: KB5610™ | 1. Chemical wear resistance<br>2. Abrasion resistance<br>3. Strength<br>**#1 Choice: KB5625**<br>#2 Choice: KB5610 |

# A4™ Grooving and Turning System

- One tool for turning, facing, grooving, and face grooving in O.D. and I.D. applications — that means exceptionally fast cycle times and no turret indexes.
- Extra-long clamping area, ground 120° bottom prism seating surface, and an exclusive top guide rail combine to deliver unsurpassed grooving and side-turning stability!
- Precise insert positioning is ensured for accurate cuts!

**Clamping Design**

## Applications

### Test result • A4

**Tool:** A4R0400M04800E KB1630™
**Material:** INCONEL® 718
**Diameter:** 983mm



| Cutting Data | Competitor | Kennametal |
|---|---|---|
| **Speed:** | 180 m/min | 180 m/min |
| **Feed:** | 0,3 mm/rev | 0,3 mm/rev |
| **DOC:** | 8mm | 8mm |
| **Diameter:** | 30mm | 30mm |
| **Performance:** | 70–140 pieces | 160–200 pieces |

# Top Notch™ Grooving System

Our rigid clamping design prevents insert movement. This benefit ensures excellent surface finish, improved productivity, and superior tool life and promotes perfect concentricity. The rugged bridge clamp generates locking forces in three directions to provide superior resistance to side thrust and tangential forces.

**Clamping Design**

## Applications

### Test result • Top Notch

**Tool:** WSP 4121129 Top Notch KB5625™
**Material:** DIN 16MnCr5/AISI 5115, 59–63 HRC
**Machine:** Hard/soft machining



| Cutting Data | Competitor | Kennametal |
|---|---|---|
| Speed: | 160 m/min | 160 m/min |
| Feed: | 0,06 mm/rev | 0,06 mm/rev |
| DOC: | 2mm | 2mm |
| Diameter: | 39,5mm | 39,5mm |
| Performance: | 70 pieces | 90 pieces |

# Quick Optimisation Guide: Troubleshooting for Catastrophic Failure

Tool Failure Criteria

Example of catastrophic failure

Catastrophic Failure (loss of cutting edge)

Spalling on Rake Face

Chipping on Flank Face

Preceded by Extensive Crater Wear

Example of crater wear

Yes

No

1, 4, 12, 3

3, 8, 7, 12, 11, 14, 5

## Remedial Action

**1.** Select more inert PCBN grade.
**2.** Select more abrasion-resistant PCBN grade.
**3.** Select stronger PCBN grade.
**4.** Reduce cutting speed.
**5.** Increase cutting speed.
**6.** Reduce nose radius.
**7.** Increase nose radius.
**8.** Increase chamfer angle.
**9.** Decrease chamfer angle.
**10.** Increase clearance angle.
**11.** Reduce clearance angle.
**12.** Increase edge hone dimension.
**13.** Reduce edge hone dimension.
**14.** Reduce feed and/or depth of cut.
**15.** Increase feed and/or depth of cut.

# Quick Optimisation Guide: Troubleshooting for Non-Catastrophic Failure




## Remedial Action

**1.** Select more inert PCBN grade.
**2.** Select more abrasion-resistant PCBN grade.
**3.** Select stronger PCBN grade.
**4.** Reduce cutting speed.
**5.** Increase cutting speed.
**6.** Reduce nose radius.
**7.** Increase nose radius.
**8.** Increase chamfer angle.
**9.** Decrease chamfer angle.
**10.** Increase clearance angle.
**11.** Reduce clearance angle.
**12.** Increase edge hone dimension.
**13.** Reduce edge hone dimension.
**14.** Reduce feed and/or depth of cut.
**15.** Increase feed and/or depth of cut.

## PCD

The current global metalcutting climate has put increased focus on high productivity and cost reductions coming from cutting tools. These requirements lead to the rapid growth and implementation of cutting tools using superhard materials. As the name implies, these materials have a significant advantage in hardness over conventional tool materials, which from the end user point of view, translates into increased productivity (higher cutting speeds, longer tool life, etc.), lower tooling cost per part, and also, the ability to process materials previously un-machinable with conventional tooling.

The most widely known superhard materials are diamond and cubic boron nitride. Our industry uses the polycrystalline forms of these materials, i.e., polycrystalline diamond (PCD) and polycrystalline boron nitride (PCBN). PCD tooling is mainly targeted at the machining of non-ferrous materials (e.g., aluminium alloys, plastics, CFRPs, composites, titanium alloys, ceramics, carbides, etc.) whereas PCBN targets iron-based alloys (e.g., cast irons, hard steels, iron-based composites, etc.).

Kennametal is at the forefront of developing and implementing superhard materials in our standard and special tooling solutions across all our product lines. Kennametal's approach to superhard tooling starts with customer needs and constraints. We then use fundamental research to develop the best superhard solutions that would make available the best value for the customer and respond to their specific demands.



## Different kinds of PCD grades




## Comparison of different PCD grades

**Behaviour in Applications**

| | | | |
|---|---|---|---|
| grade characteristics: | KD1400™ | fine grain | medium grain |
| grain size: | 0,5–1 µm | 2 µm | 10 µm |
| chip resistance: | ●●●●●●●●●●○ | ●●●●●●●●●○ | ●●●●●●●●○○ |
| abrasion resistance: | ●●●●●○○○○○ | ●●●○○○○○○○ | ●●●●●○○○○○ |

**Behaviour in Applications**

| | | | |
|---|---|---|---|
| grade characteristics: | coarse grain | KD1425™ | KD1405™ |
| grain size: | 25 µm | 2–30 µm | 0 µm |
| chip resistance: | ●●●●●●●○○○ | ●●●●●●○○○○ | ●●●●●●●○○○ |
| abrasion resistance: | ●●●●●●●○○○ | ●●●●●●●●○○ | ●●●●●●●●●○ |

Chipping can be defined as the formation of small notches on the cutting edge and generally occurs when the load at the cutting edge exceeds the strength of the material. An A390 alloy was used in edge milling tests to assess the chip resistance of the different PCD grades.

Abrasion is characterised by the development of grooves and ridges on the flank of the tool in the direction of sliding. The abrasion resistance of PCD was evaluated on a high silicon aluminium alloy, A390, in a continuous cutting operation.

## PCD grain size • Workpiece surface finish




This chart illustrates the influence of the PCD grain size on surface finish in turning 18% silicon aluminium alloys. The best finish is obtained with the submicron grade KD1400. While the grade KD1425 contains grains as large as 30 microns, this material's unique multimodal grain size distribution results in a microstructure of closely packed diamond grains resulting in a smoother ground edge.

## KD1400 advantages at a glance • Summary

| | |
|---|---|
| **A sharper cutting edge** | • Clean cuts on carbon fibres.<br>• Permits larger nose radii for increased feed and productivity without loss in finish. |
| **A less serrated (smoother) cutting edge** | • Improved surface finish — potentially reducing rough and intermediate honing. |
| **Permits a more positive rake** | • Reduced cutting forces, delamination, and burr formation. |
| **Permits increased clearance** | • Providing for lower tool wear rates and lower push-off forces — thereby improving process capability. |
| **Provides unparalleled chip resistance** | • Suitable for heavy milling and interrupted turning with positive edge geometries and longest tool life. |
| **Comparable abrasion resistance to a coarse grade PCD** | • Covers the widest range of applications with a single grade — reduce inventory and complexity. |

## PCD grades application/workpiece material




## PCD application areas and parameter range

| material machined | operation | PCD grade | speed | | | | feed rate | | | | DOC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | m/min | | SFM | | mm/rev | | in/rev | | mm | | in | |
| | | | min | max | min | max | min | max | min | max | min | max | min | max |
| aluminium alloy | turning | KD1400 | 1000 | 4000 | 3300 | 13200 | 0,1 | 0,4 | 0,004 | 0,016 | 0,1 | 4,0 | 0,004 | 0,157 |
| 4–8% Si | milling | | 2000 | 5000 | 6600 | 16500 | 0,1 | 0,3 | 0,004 | 0,012 | 0,1 | 0,3 | 0,004 | 0,012 |
| 9–12% Si | turning | | 700 | 3000 | 2310 | 9900 | 0,1 | 0,4 | 0,004 | 0,016 | 0,1 | 4,0 | 0,004 | 0,157 |
| >13 Si | milling | KD1400/KD1425 | 1000 | 3000 | 3300 | 9900 | 0,1 | 0,3 | 0,004 | 0,012 | 0,1 | 0,3 | 0,004 | 0,012 |
| | turning | KD1425 | 300 | 1000 | 990 | 3300 | 0,1 | 0,4 | 0,004 | 0,016 | 0,1 | 4,0 | 0,004 | 0,157 |
| | milling | KD1400 | 500 | 1500 | 1650 | 4950 | 0,1 | 0,3 | 0,004 | 0,012 | 0,1 | 0,3 | 0,004 | 0,012 |
| cast iron | roughing | KD1425 | 50 | 300 | 165 | 990 | 0,2 | 0,5 | 0,008 | 0,020 | 0,5 | 3,0 | 0,020 | 0,118 |
| CGI/NCI | finishing | | 50 | 400 | 165 | 1320 | 0,1 | 0,3 | 0,004 | 0,012 | – | 0,5 | – | 0,020 |
| MMC | turning/milling | | 300 | 700 | 990 | 2310 | 0,1 | 0,4 | 0,004 | 0,016 | 0,2 | 1,5 | 0,008 | 0,059 |
| 20% Sic/Al | | | | | | | | | | | | | | |
| copper alloys | turning/milling | KD1400 | 400 | 1300 | 1320 | 4290 | 0,03 | 0,3 | 0,001 | 0,012 | 0,05 | 2,0 | 0,002 | 0,079 |
| copper, zinc, brass | | | | | | | | | | | | | | |
| tungsten carbide <16% Co | turning | KD1425 | 30 | 120 | 99 | 396 | 0,1 | 0,4 | 0,004 | 0,016 | 0,2 | 1,0 | 0,008 | 0,039 |
| unsintered (green) | | | 20 | 60 | 66 | 198 | 0,1 | 0,25 | 0,004 | 0,010 | 0,1 | 0,5 | 0,004 | 0,020 |
| sintered | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ceramics | turning | KD1425 | 70 | 120 | 231 | 396 | 0,1 | 0,4 | 0,004 | 0,016 | 0,2 | 1,0 | 0,008 | 0,039 |
| unsintered | | | 50 | 100 | 165 | 330 | 0,1 | 0,25 | 0,004 | 0,010 | 0,1 | 0,5 | 0,004 | 0,020 |
| sintered | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| plastics/composites | turning/milling | KD1400/KD1425 | 300 | 990 | 990 | 8250 | 0,05 | 0,3 | 0,002 | 0,012 | 0,2 | 3,0 | 0,004 | 0,118 |
| carbon/graphite | | | 200 | 660 | 660 | 3300 | 0,05 | 0,5 | 0,002 | 0,020 | 0,1 | 3,0 | 0,004 | 0,118 |

## PCD tool failure modes

The gradual wear observed on diamond cutting tools can be divided into:

- Mechanically activated wear (abrasion, adhesion, and wear by microfracture).
- Tribochemical wear (dissolution/diffusion wear and formation of new chemical compounds).

### Abrasion

The primary mode of mechanically activated wear for diamond cutting tools is abrasion, which is the removal of tool material by a scoring action of protruding asperities and hard phase inclusions in the workpiece and chip (e.g., silicon grains in aluminium-silicon alloys).

Abrasion is characterised by the development of grooves and ridges in the direction of the tool sliding against a newly machined surface of the workpiece or chip sliding against the rake face.

The severity of abrasion can be increased in cases where the workpiece material contains hard inclusions or when there is hard wear debris from the workpiece or the tool at the interface.

### Tribochemical

Tribochemical wear is particularly relevant in the machining of titanium alloys when the carbon in the tool material diffuses into the adhered titanium layer to form a TiC boundary layer on the rake face of the tool.

This boundary quickly becomes saturated with tool constituents and can then act as a protective barrier against any further diffusion.

### Attrition

When two surfaces slide over each other, particularly in the absence of a lubricant, some adhesion can occur at the points of contact. Adhesive wear (often called attrition) in cutting tools involves the mechanism in which individual grains or small grain aggregates are pulled out of the tool surfaces and are carried away at the underside of the chip or are torn away by the adherent workpiece. The term “plucking” is also used to describe the loss of tool particles from the edge or faces. For example, when the forces are high enough, the TiC boundary layer that forms in titanium machining can be removed from the rake face of the tool transporting with it a pulled-out diamond grain, to form a crater. Once this crater becomes excessive, fracture of the tool could occur due to the geometrical weakening of the edge. Negative geometries tend to enhance the possibility of adhesive wear and built-up edge formation. Subsequent break-up (fracture) of the adhesive tool/workpiece joints results in attrition wear. The wear scars produced by attrition are rough, as opposed to the usually smooth wear surfaces generated by tribochemical wear.

### Microfracture

When cutting tools are employed for continuous machining of high hardness materials or interrupted machining, small fractures can appear on the cutting edge. If fracturing is small, the cutting tool can usually still be used. Wear by microfracture involves a less severe form of fracture and includes chipping, spalling, and cracking whereby the cutting tool can be reused.

## Tool Failure and Wear:




## Remedial Action

**1.** Increase nose radius.
**2.** Reduced clearance angle.
**3.** Reduce feed.
**4.** Reduce cutting speed.
**5.** Reduce DOC.
**6.** Increase clearance angle.
**7.** Use a positive rake angle.
**8.** Add a small edge hone.
**9.** Use neutral rake angle.
**10.** Increase lead angle.
**11.** Select a tougher grade.
**12.** Select more abrasion-resistant grade.
**13.** Select a higher TRS grade.
**14.** Choose a more chemically inert grade.
**15.** Increase thickness.
**16.** Select a more thermally stable grade.
**17.** Use coolant.

# Tool Failure and Wear:




## Remedial Action

**1.** Increase nose radius.
**2.** Reduced clearance angle.
**3.** Reduce feed.
**4.** Reduce cutting speed.
**5.** Reduce DOC.
**6.** Increase clearance angle.
**7.** Use a positive rake angle.
**8.** Add a small edge hone.
**9.** Use neutral rake angle.
**10.** Increase lead angle.
**11.** Select a tougher grade.
**12.** Select more abrasion-resistant grade.
**13.** Select a higher TRS grade.
**14.** Choose a more chemically inert grade.
**15.** Increase thickness.
**16.** Select a more thermally stable grade.
**17.** Use coolant.

# KBH20™ • Developed for Your Hard Turning Application Requirements

## Primary Application

KBH20 is the ideal PCBN hard turning grade in continuous to lightly interrupted applications with up to medium severity interruption. The structure, as well as the different edge preparations, enable tight and repeatable workpiece tolerances, excellent surface finishes, and surface integrity — even at elevated speeds. Typical applications are case-hardened components, such as gears, shafts, and other drive train components.

# Features and Benefits

## Higher Productivity and Profitability

- Newly developed substrate that allows application in a wide variety of demanding applications.
- Nano-composite coating that enhances speed capabilities and tool life.
- Improved edge preparation technology for longer tool life, reliable performance, better surface finish, and tighter workpiece tolerances.
- Large standard portfolio.
- CB1 chipbreaker in positive and negative geometry, solving chip breaking and chip control issues.



# KBH20 for Enhanced Performance — 5 Unique Features

## 1

### Newly developed substrate enables application in a wide variety of demanding situations.

The substrate contains superhard grains with a uniquely formulated size distribution and nano-structured binder phase. This unique combination provides an unparalleled balance of wear resistance and toughness. The net result is a robust hard turning tooling solution for a wide range of applications, including continuous to interrupted cutting.

## 2

### Nano-composite coating that enhances speed capabilities and tool life.

- Specially developed, advanced PVD coating with nano-composite architecture for improved performance.
- Improved wear resistance by PVD coating chemistry technology for machining hardened steels.
- Enhanced PVD coating adhesion on PCBN substrates.




## 3

### Improved edge preparation technology for longer tool life, reliable performance, better surface finish, and tighter workpiece tolerances.

A critical performance factor is the edge preparation itself. The grind direction, surface roughness, hone sizes, and tolerances have great impact on performance and process reliability. Kennametal has performed significant research work and optimised edge preparation to improve your overall machining effectiveness.

## Large standard portfolio.

Standard edge preparation — the optimum combination of T-land angle, T-land width, and hone size — is paramount in achieving maximum performance.

Kennametal has developed 3 standard edge configurations, including wiper inserts.



β – T-Land Angle

- Light machining edge prep S01015 — **S01015:** W x ß = 0,10mm x 15°
- Medium machining edge prep S01225 — **S01225:** W x ß = 0,12mm x 25°
- Heavy machining edge prep S01735 — **S01735:** W x ß = 0,17mm x 35°

4

These edge preps are available in common styles, sizes, and nose radii in both positive and negative geometries.

## CB1 chipbreaker in positive and negative geometries, solving chip breaking and chip control issues.

Chipbreaker – when machining case-hardened steel with a hard outer skin and a tough and softer core, a chipbreaker provides a great advantage. The CB1 chipbreaker is a proven solution to effectively breaking chips. Long chips can form bird nests, causing machine malfunctions, increasing scrap-rates, and reducing the overall equipment effectiveness

Available in Kenloc™ (negative) and Screw-On (positive) insert styles.

5

**Insert without Chipbreaker**

- Long chips.
- Bird-nest formation.

**Insert with Chipbreaker**

- Chips are broken.

## Case study: Gear machining

**Component:** Gear
**Application:** I.D. turning
**Material:** Case-hardened steel, pre-machined
**Results:** 15% more parts machined

| | COMPETITOR | KBH20 |
|---|---|---|
| **insert:** | CNGA120408 | CNGA120408S0132504MT |
| **material:** | Case-hardened steel, pre-machined | Case-hardened steel, pre-machined |
| **depth of cut:** | 0,2mm | 0,2mm |
| **cutting speed:** | 160 m/min | 160 m/min |
| **feed rate:** | 0,10mm | 0,10mm |
| **coolant:** | Dry | Dry |
| **parts machined:** | 521 | 600 |

**15% Longer Life over Competition!**




## Case study: Drive train component machining

**Component:** Drive train component
**Application:** O.D. turning
**Material:** Case-hardened steel — forged skin
**Results:** 18% more parts machined

| | COMPETITOR | KBH20 |
|---|---|---|
| **insert:** | DCMW11T308S-01035-LO | DCGW11T308S01215MT |
| **material:** | Case-hardened steel — forged skin | Case-hardened steel — forged skin |
| **depth of cut:** | 0,2mm | 0,2mm |
| **cutting speed:** | 140 m/min | 140 m/min |
| **feed rate:** | 0,11mm | 0,11mm |
| **coolant:** | Dry | Dry |
| **parts machined:** | 400 | 473 |

**18% Longer Life over Competition!**



## Case study: Differential shaft machining

**Component:** Differential shaft
**Application:** O.D. turning
**Material:** Case-hardened steel, pre-machined
**Results:** 95% more parts machined

| | COMPETITOR | KBH20 |
|---|---|---|
| **insert:** | CNGA120408 | CNGA120408S01225MT |
| **material:** | Case-hardened steel, pre-machined | Case-hardened steel, pre-machined |
| **depth of cut:** | 0,15mm | 0,15mm |
| **cutting speed:** | 180 m/min | 180 m/min |
| **feed rate:** | 0,12mm | 0,12mm |
| **coolant:** | External emulsion | External emulsion |
| **parts machined:** | 110 | 215 |

**95% Longer Life over Competition!**




## Case study: Drive train component

**Component:** Drive Train Component
**Application:** I.D. turning and facing
**Material:** Hardened steel — light interruptions
**Results:** 33% more parts machined

| | COMPETITOR | KBH20 |
|---|---|---|
| **insert:** | CNGA120408 | CNGA120408S01735MT |
| **material:** | Hardened steel — light interruptions | Hardened steel — light interruptions |
| **depth of cut:** | 0,2mm | 0,2mm |
| **cutting speed:** | 140 m/min | 140 m/min |
| **feed rate:** | 0,15mm | 0,15mm |
| **coolant:** | Dry | Dry |
| **parts machined:** | 300 | 400 |

**33% Longer Life over Competition!**




## Case study: Gear machining

**Component:** Gear
**Application:** O.D. turning
**Material:** Case-hardened steel, pre-machined 58–62 HRC
**Results:** 38% more parts machined

| | COMPETITOR | KBH20 |
|---|---|---|
| **insert:** | DNGA431GAWS2JL | DNGA431EFWMT |
| **material:** | Case-hardened steel, pre-machined 58–62 HRC | Case-hardened steel, pre-machined 58–62 HRC |
| **depth of cut:** | 0,18mm | 0,18mm |
| **cutting speed:** | 128 m/min | 128 m/min |
| **feed rate:** | 0,076mm | 0,076mm |
| **coolant:** | External emulsion | External emulsion |
| **parts machined:** | 800 | 1104 |

**38% Longer Life over Competition!**



## How Do Catalogue Numbers Work?

Each character in our catalogue number signifies a specific trait of that product. Use the following key columns and corresponding images to easily identify which attributes apply.






# INTRODUCING

## The New Kennametal Innovations iPad® Application

Available as a **Free Download** from the iTunes® App Store℠.

### Now Available

The Kennametal Innovations iPad® app features interactive, cutting-edge animations and real-world demonstrations of Kennametal's productivity-enhancing technologies for machining and industrial processes. With selectable data, it is quick and convenient to compare complimenting and competitive products.

### Easy to Download

Go to the iTunes® App Store℠, and search for "Kennametal". Then follow the directions on downloading. It's simple, fast, and free.

### Easy to Use

The simple navigation makes it easy to search via keywords to find specific tooling solutions and product groups. The user-driven navigation map offers drop-down menus with supplemental information, including expandable, and customisable, charts and graphs.

# Beyond Shield™ and KBK35™ • A New, Innovative PCBN Tooling System and Grade

## Primary Application

Beyond Shield is the combination of a new clamping mechanism and grades KBK35™ and KB1340™ that enables efficient machining of grey cast iron parts such as brake disks, flywheels, and belt pulleys.

## Features and Benefits

- New clamping mechanism that holds the insert tight and secure in the pocket.
- Kennametal Conforma Clad™ armoured clamp to extend clamp life up to 15x.
- Grade KB1340 — industry benchmark for years.
- New grade KBK35 — solid PCBN insert with CVD coating and post-coat treatment for excellent performance especially in unaged cast iron.
- Large standard portfolio.

KENNAMETAL
KENNAMETAL
5186606 NC2

# Beyond Shield — 5 Unique Features

## Beyond Shield Clamping Mechanism for Better Insert Seating in the Steel Pocket

**The Challenge:**

To ensure tight and secure clamping of the insert in grey cast iron machining, the inserts are often provided with a dimple.

**However,** dimpled inserts are weak in the middle. They easily break — especially when tightening up the clamp.





**The Solution:**

1

Specially shaped inserts in grades KB1340™ or KBK35™ have a push-back pocket for the clamp.

+

Armoured or steel clamps with 2 anchors that push back and hold down the insert in the holder.

=



Very rigid tooling system specially designed for the needs of PCBN inserts in demanding applications.

### Tool Life Comparison — KB1340 Solid PCBN Grade

GCI 30 – 1060 m/min, 0.4 mm/rev, and 2mm DOC
GCI 30 – 3500 SFM, .016" IPR, and .080" DOC

| | standard 12,7mm or 1/2" dimple insert | 12,7mm or 1/2" Beyond Shield | 9,5mm or 3/8" Beyond Shield | 6,35mm or 1/4" Beyond Shield |
|---|---|---|---|---|
| Tool Life (min) | 9 | 11 | 10 | 9 |

## Kennametal Conforma Clad™ Armoured Clamp to Extend Clamp Life up to 15x

2

- Tough steel base with Kennametal Conforma Clad on top ensures highest wear resistance against chip flow.
- Steel base ensures toughness to secure the inserts in demanding environment.

Kennametal Conforma Clad Clamp

Standard Steel Clamp

## Industry Benchmark Grade KB1340™

- Over 93% PCBN content with a multi-module structure ensures best performance in demanding environments.
- Can be applied in light (finishing) and medium (roughing) machining.
- Preferably used in aged cast iron.

## 3 Proven Solutions

**Workpiece:** Brake disk
**Material:** GG 25

| | Competitor CBN | Kennametal KB1340 |
|---|---|---|
| **insert:** | N/A | SNMN120416502020 |
| **vc:** | 1100 m/min | 1100 m/min |
| **f:** | 0,4 mm/rev | 0,4 mm/rev |
| **ap:** | 2mm | 2mm |
| **performance:** | 1500 pieces | 1700 pieces |

| | Competitor Ceramic | Kennametal CBN KB1340 |
|---|---|---|
| **insert:** | N/A | CNGX433S0415FW |
| **vc:** | 800 m/min | 1500 m/min |
| **f:** | 0,5 mm/rev | 0,5 mm/rev |
| **ap:** | 1,5mm | 1,5mm |
| **performance:** | 120 pieces | 4200 pieces |

## NEW Grade KBK35™ — Solid PCBN Insert

**Post-Coat Treatment**
- Improves edge toughness.
- Longer predictable tool life.

**CVD Coating**
- Increases tool life in tough applications.
- Improves speed capabilities.

**High Content PCBN Substrate**
- Tough and wear resistant in demanding applications, such as unaged cast iron. Ideal for medium (roughing) machining.

## 4 KBK35 Exhibits Excellent Performance in Aged and in Unaged Cast Iron!




*(continued)*

# Beyond Shield — 5 Unique Features *(continued)*

## Standard Portfolio

### C-Style
4 Edges



### S-Style
8 Edges



4 Edges



5

## Most Types Are Available in 3 Sizes and 2 Grades:

## Depth of cut capability

| | standard 12,7mm dimple insert | 12,7mm Beyond Shield | 9,5mm Beyond Shield | 6,35mm Beyond Shield |
|---|---|---|---|---|
| DOC Capability mm | 4 | 4 | 3 | 2 |

## Application recommendations

| workpiece material | speed | | | | feed | | | | depth of cut | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | m/min | | SFM | | mm | | in | | mm | | in | |
| | min | max | min | max | min | max | min | max | min | max | min | max |
| hot-work tool steels — roughing | 50 | 150 | 165 | 495 | 0,2 | 0,5 | 0,008 | 0,020 | 0,8 | 3,0 | 0,031 | 0,118 |
| cold-work tool steels — roughing | 50 | 150 | 165 | 495 | 0,2 | 0,5 | 0,008 | 0,020 | 0,8 | 3,0 | 0,031 | 0,118 |
| grey cast iron — roughing | 700 | 1200 | 2310 | 3960 | 0,2 | 0,6 | 0,008 | 0,024 | 0,5 | 3,0 | 0,020 | 0,118 |
| grey cast iron — finishing | 750 | 1500 | 2475 | 4950 | 0,1 | 0,3 | 0,004 | 0,012 | 0,5 | 0,5 | 0,020 | 0,020 |
| CGI and NCI — roughing | 50 | 300 | 165 | 990 | 0,2 | 0,5 | 0,008 | 0,020 | 0,5 | 2,0 | 0,020 | 0,079 |
| chilled cast iron — roughing | 30 | 150 | 99 | 495 | 0,2 | 0,6 | 0,008 | 0,024 | 0,5 | 3,0 | 0,020 | 0,118 |
| chilled cast iron — finishing | 30 | 150 | 99 | 495 | 0,1 | 0,3 | 0,004 | 0,012 | 0,5 | 0,5 | 0,020 | 0,020 |
| hard facings — as per bearing steel | 60 | 200 | 198 | 660 | 0,1 | 0,5 | 0,004 | 0,020 | 0,2 | 3,0 | 0,008 | 0,118 |
| high Cr irons | 80 | 250 | 264 | 825 | 0,1 | 0,6 | 0,004 | 0,024 | 0,2 | 3,0 | 0,008 | 0,118 |

High-content PCBN grades are intended for use in negative rake clamp-type toolholders, boring, recessing tools, and milling heads. Due to the dynamic loads that occur in the machining of hard ferrous materials and the conditions under which these grades operate, frequently involving shocks from interrupted cutting, it is advisable to strengthen the tool system as much as possible.

## Machining grey cast iron

The largest application area for KB1340™ is the machining of grey cast irons. The following are suggested guidelines for machining grey cast iron:

- GCI have to be machined dry. The application needs to generate high levels of heat in order to create a protective oxide layer on the tool.
- It is important to confirm that the GCI has been properly aged, and it has a sulphur content greater than 0,05%.
- The recommended starting point for edge preparation should be 0,10mm x 20° for finishing (DOC <0,5mm) and 0,20mm x 20° for roughing.
- Lack of aging and/or low sulphur content can lead to a decrease in tool life of up to 10 times!
- A slow feed approach/engagement of the tool is recommended to minimise chipping and notching.

Proper application of KB1340 — formation of protective layer, tool life should exceed 70 km sliding distance.






Comparison of the life of PCBN cutting tools in machining two different grey cast irons, primarily differing in sulphur content.

# Insert Selection System

## Step 1 • Select insert




| ISO catalog number | ANSI catalog number | D mm | D in | L10 mm | L10 in | $R_\varepsilon$ mm | $R_\varepsilon$ in | S mm | S in | KB1340 | KBK35 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| CNGX090412S01015SB4 | CNGX333S0415SB4 | 9,52 | 3/8 | 0,58 | .259 | 1,2 | 3/64 | 4,76 | .188 | | • |
| CNGX090416S02020SB4 | CNGX334S0820SB4 | 9,52 | 3/8 | 0,58 | .259 | 1,6 | 1/16 | 4,76 | .188 | • | • |
| CNGX120412S01015SB4 | CNGX433S0415SB4 | 12,70 | 1/2 | 0,78 | .346 | 1,2 | 3/64 | 4,76 | .188 | | • |
| CNGX120416S02020SB4 | CNGX434S0820SB4 | 12,70 | 1/2 | 0,78 | .346 | 1,6 | 1/16 | 4,76 | .188 | • | • |

1

NOTE: For example, see page A160 CNGX12416…SB4.

## Step 2 • Select holder based on insert size




| ISO catalog number right hand | H | B | F | L1 | L2 | gage insert | shim | shim screw | Torx plus | clamp assembly | Torx plus |
|---|---|---|---|---|---|---|---|---|---|---|---|
| DCLNR2525M12KC04 | 25 | 25 | 32,0 | 150 | 32,0 | CN..120408 | ICSN443 | KMSP415IP | 15 IP | CM-234R ASSY | 15 IP |

2

NOTE: For example, C6 in the Kennametal Innovations Master Catalogue Cutting Tools 2013.
Holders for 1/4" CNGX inserts and 1/4" and 3/8" SNGX inserts are available as customised solutions.

## Step 3 • Select clamp

- Choose the Beyond Shield clamp as detailed in this chart, rather than the Kenclamp™ shown in the product table.

| insert | | steel clamp | | Kennametal Conforma Clad™ clamp | |
|---|---|---|---|---|---|
| ISO catalog number | ANSI catalog number | catalog number | order number | catalog number | order number |
| CNGX120416S02020SB4 | CNGX43S0820SB4 | CM-224 ASSY | 5379145 | CM224WC210 ASSY | 5358455 |
| CNGX120416S01015FWSB4 | CNGX434S0415FWSB4 | CM-224 ASSY | 5379145 | CM224WC210 ASSY | 5358455 |
| CNGX120412S01015SB4 | CNGX433S0415SB4 | CM-224 ASSY | 5379145 | CM224WC210 ASSY | 5358455 |
| CNGX120412S01015FWSB4 | CNGX433S0415FWSB4 | CM-224 ASSY | 5379145 | CM224WC210 ASSY | 5358455 |
| CNGF120408SB4 | CNGF432SB4 | CM-224 ASSY | 5379145 | CM224WC210 ASSY | 5358455 |
| CNGX090416S02020SB4 | CNGX334S0820SB4 | CM-225 ASSY | 5379146 | CM225WC210 ASSY | 5358456 |
| CNGX090412S01015SB4 | CNGX333S0415SB4 | CM-225 ASSY | 5379146 | CM225WC210 ASSY | 5358456 |
| CNGX090412S1015FWSB4 | CNGX333S0415FWSB4 | CM-225 ASSY | 5379146 | CM225WC210 ASSY | 5358456 |

3

## How Do Catalogue Numbers Work?

Each character in our catalogue number signifies a specific trait of that product. Use the following key columns and corresponding images to easily identify which attributes apply.











● first choice
○ alternate choice

| | |
|---|---|
| P | |
| M | |
| K | ● ● |
| N | |
| S | |
| H | ○ |

## CNGF-SB Light Machining

| ISO catalogue number | D mm | L10 mm | Rε mm | S mm | KB1340 | KBK35 |
|---|---|---|---|---|---|---|
| CNGF060408SB4 | 6,35 | 4,39 | 0,8 | 4,8 | ● | |
| CNGF090408SB4 | 9,52 | 6,58 | 0,8 | 4,8 | ● | |
| CNGF120408SB4 | 12,70 | 8,78 | 0,8 | 4,8 | ● | |






## CNGX-SB Light Machining

| ISO catalogue number | D mm | L10 mm | Rε mm | S mm | | |
|---|---|---|---|---|---|---|
| CNGX060412S01015FWSB4 | 6,35 | 4,39 | 1,2 | 4,76 | ● | |
| CNGX060412S01015SB4 | 6,35 | 4,39 | 1,2 | 4,76 | ● | |
| CNGX060416S01015FWSB4 | 6,35 | 4,39 | 1,6 | 4,76 | ● | |
| CNGX060416S02020SB4 | 6,35 | 4,39 | 1,6 | 4,76 | ● | |
| CNGX090412S01015FWSB4 | 9,52 | 6,58 | 1,2 | 4,76 | ● | |
| CNGX090412S01015SB4 | 9,52 | 6,58 | 1,2 | 4,76 | ● | |
| CNGX090416S01015FWSB4 | 9,52 | 6,58 | 1,6 | 4,76 | ● | |
| CNGX120412S01015SB4 | 12,70 | 8,78 | 1,2 | 4,76 | ● | |
| CNGX120412S01015FWSB4 | 12,70 | 8,78 | 1,2 | 4,76 | ● | |
| CNGX120416S01015FWSB4 | 12,70 | 8,78 | 1,6 | 4,76 | ● | |

## CNGX-FWSB Light Machining

| ISO catalogue number | D mm | L10 mm | Rε mm | S mm | | |
|---|---|---|---|---|---|---|
| CNGX060412S01015FWSB4 | 6,35 | 4,39 | 1,2 | 4,76 | ● | |
| CNGX060416S01015FWSB4 | 6,35 | 4,39 | 1,6 | 4,76 | ● | |
| CNGX090412S01015FWSB4 | 9,52 | 6,58 | 1,2 | 4,76 | ● | |
| CNGX090416S01015FWSB4 | 9,52 | 6,58 | 1,6 | 4,76 | ● | |
| CNGX120412S01015FWSB4 | 12,70 | 8,78 | 1,2 | 4,76 | ● | |
| CNGX120416S01015FWSB4 | 12,70 | 8,78 | 1,6 | 4,76 | ● | |






● first choice
○ alternate choice

| | |
|---|---|
| P | |
| M | |
| K | ● ● |
| N | |
| S | |
| H | ○ |

## CNGX-SB Medium Machining

| ISO catalogue number | D mm | L10 mm | Rε mm | S mm | KB1340 | KBK35 |
|---|---|---|---|---|---|---|
| CNGX090412S01015SB4 | 9,52 | 6,58 | 1,2 | 4,76 | | ● |
| CNGX090416S02020SB4 | 9,52 | 6,58 | 1,6 | 4,76 | ● | ● |
| CNGX120412S01015SB4 | 12,70 | 8,78 | 1,2 | 4,76 | | ● |
| CNGX120416S02020SB4 | 12,70 | 8,78 | 1,6 | 4,76 | ● | ● |









## SNGX-SB Medium Machining

| ISO catalogue number | D mm | L10 mm | Rε mm | S mm | | |
|---|---|---|---|---|---|---|
| SNGX060416S02020SB4 | 6,35 | 4,17 | 1,6 | 4,76 | ● | |
| SNGX090416S02020SB8 | 9,52 | 2,56 | 1,6 | 4,76 | ● | ● |
| SNGX090416S02020SB4 | 9,52 | 6,27 | 1,6 | 4,76 | ● | ● |
| SNGX120416S02020SB8 | 12,70 | 4,15 | 1,6 | 4,76 | ● | ● |

- Beyond Shield clamp assembly is substituted in place of the CM-234R ASSY.
- The Beyond Shield clamps fit into the Kenclamp™ holder.

| insert | | steel clamp | | Kennametal Conforma Clad™ clamp | |
|---|---|---|---|---|---|
| ISO catalogue number | ANSI catalogue number | catalogue number | order number | catalogue number | order number |
| CNGX120416S02020SB4 | CNGX43S0820SB4 | CM-224 ASSY | 5379145 | CM224WC210 ASSY | 5358455 |
| CNGX120416S01015FWSB4 | CNGX434S0415FWSB4 | CM-224 ASSY | 5379145 | CM224WC210 ASSY | 5358455 |
| CNGX120412S01015SB4 | CNGX433S0415SB4 | CM-224 ASSY | 5379145 | CM224WC210 ASSY | 5358455 |
| CNGX120412S01015FWSB4 | CNGX433S0415FWSB4 | CM-224 ASSY | 5379145 | CM224WC210 ASSY | 5358455 |
| CNGF120408SB4 | CNGF432SB4 | CM-224 ASSY | 5379145 | CM224WC210 ASSY | 5358455 |
| CNGX090416S02020SB4 | CNGX334S0820SB4 | CM-225 ASSY | 5379146 | CM225WC210 ASSY | 5358456 |
| CNGX090412S01015SB4 | CNGX333S0415SB4 | CM-225 ASSY | 5379146 | CM225WC210 ASSY | 5358456 |
| CNGX090412S1015FWSB4 | CNGX333S0415FWSB4 | CM-225 ASSY | 5379146 | CM225WC210 ASSY | 5358456 |
| CNGX090416S01015FWSB4 | CNGX334S0415FWSB4 | CM-225 ASSY | 5379146 | CM225WC210 ASSY | 5358456 |
| CNGF090408SB4 | CNGF332SB4 | CM-225 ASSY | 5379146 | CM225WC210 ASSY | 5358456 |
| CNGX060416S01015FWSB4 | CNGX234S0415FWSB4 | CM-226 ASSY | 5379147 | CM226WC210 ASSY | 5358457 |
| CNGX060412S01015SB4 | CNGX233S0415SB4 | CM-226 ASSY | 5379147 | CM226WC210 ASSY | 5358457 |
| CNGX060412S01015FWSB4 | CNGX233S0415FWSB4 | CM-226 ASSY | 5379147 | CM226WC210 ASSY | 5358457 |
| CNGF060408SB4 | CNGF232SB4 | CM-226 ASSY | 5379147 | CM226WC210 ASSY | 5358457 |
| CNGX060416S02020SB4 | CNGX234S0820SB4 | CM-226 ASSY | 5379147 | CM226WC210 ASSY | 5358457 |
| SNGX090416S020202SB4 | SNGX334S0820SB4 | CM-227 ASSY | 5379148 | CM227WC210 ASSY | 5358458 |
| SNGX090416S020202SB8 | SNGX334S0820SB8 | CM-229 ASSY | 5379320 | CM229WC210 ASSY | 5358570 |
| SNGX060416S02020SB4 | SNGX234S0820SB4 | CM-228 ASSY | 5379149 | CM228WC210 ASSY | 5358459 |
| SNGX120416S02020SB8 | SNGX434S0820SB8 | CM-230 ASSY | 5379321 | CM230WC210 ASSY | 5358571 |

NOTE: Clamps work on standard toolholders.

## Looking for a product that's not shown in this catalogue?

# Check the Kennametal website!

Turning

### Online product catalogue available 24/7

Visit **http://www.kennametal.com/turning/** to browse our electronic catalogue any time you're looking for Kennametal's best tooling solutions. It's fast, free, and always available. The online e-catalogue is updated weekly with products and solutions for milling, turning, holemaking, and tooling systems applications.

KENNAMETAL

● first choice
○ alternate choice

| | | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|
| P | | | | | | | | ● | ● |
| M | | | | | | | | | |
| K | | ● | ● | | | | | | ● |
| N | | | | ● | ● | | | | |
| S | | | | | | | | ○ | ● |
| H | | ○ | | | | ● | ● | ● | ● |

(ST)




## ■ CNGA-FST

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **CNGA120404FST** | 12,70 | 12,90 | 0,4 |
| **CNGA120408FST** | 12,70 | 12,90 | 0,8 |

(MT)




## ■ CNGA-FW/MW MT

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **CNGA120404S01025FWMT** | 12,70 | 12,90 | 0,4 |
| **CNGA120408S01025FWMT** | 12,70 | 12,90 | 0,8 |
| **CNGA120408EFWMT** | 12,70 | 12,90 | 0,8 |
| **CNGA120412EFWMT** | 12,70 | 12,90 | 1,2 |
| **CNGA120404S01015FWMT** | 12,70 | 12,90 | 0,4 |
| **CNGA120408S01015FWMT** | 12,70 | 12,90 | 0,8 |
| **CNGA120412S01015FWMT** | 12,70 | 12,90 | 1,2 |






## ■ CNGM-CB1

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **CNGM120404S01325MTCB1** | 12,70 | 12,90 | 0,4 |
| **CNGM120408S01325MTCB1** | 12,70 | 12,90 | 0,8 |
| **CNGM120412S01325MTCB1** | 12,70 | 12,90 | 1,2 |

● first choice
○ alternate choice

| | | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|
| P | | | | | | | ● | ● | |
| M | | | | | | | | | |
| K | | ● | ● | | | | | | ● |
| N | | | | ● | ● | | | | |
| S | | | | | | | | ○ | ● |
| H | | ○ | | | | ● | ● | ● | ● |



## CNGM-CB2




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| CNGM120404S01325MTCB2 | 12,70 | 12,90 | 0,4 |
| CNGM120408S01325MTCB2 | 12,70 | 12,90 | 0,8 |
| CNGM120412S01325MTCB2 | 12,70 | 12,90 | 1,2 |

(MT)

## CNGA-MT




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| CNGA120404S01025MT | 12,70 | 12,90 | 0,4 |
| CNGA120408S01025MT | 12,70 | 12,90 | 0,8 |
| CNGA432EMT | 12,70 | 12,90 | 0,8 |
| CNGA120412S01020MT | 12,70 | 12,90 | 1,2 |
| CNGA120412S01025MT | 12,70 | 12,90 | 1,2 |
| CNGA120404S01225MT | 12,70 | 12,90 | 0,4 |
| CNGA120404S01015MT | 12,70 | 12,90 | 0,4 |
| CNGA120404S01735MT | 12,70 | 12,90 | 0,4 |
| CNGA120408S01735MT | 12,70 | 12,90 | 0,8 |
| CNGA120408S01225MT | 12,70 | 12,90 | 0,8 |
| CNGA120408S01015MT | 12,70 | 12,90 | 0,8 |
| CNGA120412S01735MT | 12,70 | 12,90 | 1,2 |
| CNGA120412S01225MT | 12,70 | 12,90 | 1,2 |
| CNGA120412S01015MT | 12,70 | 12,90 | 1,2 |

(ST)

## CNMS-FST




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| CNMS120404FST | 12,70 | 12,90 | 0,4 |
| CNMS120408FST | 12,70 | 12,90 | 0,8 |



(MT)

## DNGA-EMT




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| DNGA150408EMT | 12,70 | 15,50 | 0,8 |
| DNGA150412EMT | 12,70 | 15,50 | 1,2 |

Turning

● first choice
○ alternate choice

| | | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|
| P | | | | | | | | ● | ● |
| M | | | | | | | | | |
| K | | ● | ● | | | | | | ● |
| N | | | | ● | ● | | | | |
| S | | | | | | | | ○ | ● |
| H | | ○ | | | | ● | ● | ● | ● |



(ST)

## ■ DNGA-FST




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| DNGA150404FST | 12,70 | 15,50 | 0,4 | | | ● | ● | | | | |
| DNGA150408FST | 12,70 | 15,50 | 0,8 | | | ● | ● | | | | |



(MT)

## ■ DNGA-FW/MW MT




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| DNGA150404EFWMT | 12,70 | 15,50 | 0,4 | | | | | | | ● | |
| DNGA150408EFWMT | 12,70 | 15,50 | 0,8 | | | | | | | ● | |
| DNGA150408S01015FWMT | 12,70 | 15,50 | 0,4 | | | | | ● | | | |
| DNGA150412EFWMT | 12,70 | 15,50 | 1,2 | | | | | | | ● | |
| DNGA150412S01015FWMT | 12,70 | 15,50 | 0,8 | | | | | ● | | | |



(MT)

## ■ DNGA-MT




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| DNGA150404S01015MT | 12,70 | 15,50 | 0,4 | | | | | ● | | | |
| DNGA150404S01025MT | 12,70 | 15,50 | 0,4 | | | | | | ● | ● | ● |
| DNGA150404S01225MT | 12,70 | 15,50 | 0,4 | | | | | ● | | | |
| DNGA150404S01735MT | 12,70 | 15,50 | 0,4 | | | | | ● | | | |
| DNGA150408S01015MT | 12,70 | 15,50 | 0,8 | | | | | ● | | | |
| DNGA150408S01025MT | 12,70 | 15,50 | 0,8 | | | | | | ● | ● | ● |
| DNGA150408S01735MT | 12,70 | 15,50 | 0,8 | | | | | ● | | | |
| DNGA150412S01015MT | 12,70 | 15,50 | 1,2 | | | | | ● | | | |
| DNGA150412S01025MT | 12,70 | 15,50 | 1,2 | | | | | | | ● | |
| DNGA150412S01225MT | 12,70 | 15,50 | 1,2 | | | | | ● | | | |
| DNGA150412S01735MT | 12,70 | 15,50 | 1,2 | | | | | ● | | | |
| DNGA150604S01015MT | 12,70 | 15,50 | 0,4 | | | | | ● | | | |
| DNGA150604S01225MT | 12,70 | 15,50 | 0,4 | | | | | ● | | | |
| DNGA150604S01735MT | 12,70 | 15,50 | 0,4 | | | | | ● | | | |
| DNGA150608S01015MT | 12,70 | 15,50 | 0,8 | | | | | ● | | | |
| DNGA150608S01225MT | 12,70 | 15,50 | 0,8 | | | | | ● | | | |
| DNGA150608S01735MT | 12,70 | 15,50 | 0,8 | | | | | ● | | | |
| DNGA150612S01015MT | 12,70 | 15,50 | 1,2 | | | | | ● | | | |
| DNGA150612S01225MT | 12,70 | 15,50 | 1,2 | | | | | ● | | | |
| DNGA150612S01735MT | 12,70 | 15,50 | 1,2 | | | | | ● | | | |

● first choice
○ alternate choice

| | | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|
| P | | | | | | | | ● | ● |
| M | | | | | | | | | |
| K | | ● | ● | | | | | | ● |
| N | | | | ● | ● | | | | |
| S | | | | | | | | ○ | ● |
| H | | ○ | | | | ● | ● | ● | ● |






## DNGM-CB1

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **DNGM150408S01325MTCB1** | 12,70 | 15,50 | 0,8 |
| **DNGM150412S01325MTCB1** | 12,70 | 15,50 | 1,2 |
| **DNGM150608S01325MTCB1** | 12,70 | 15,50 | 0,8 |
| **DNGM150612S01325MTCB1** | 12,70 | 15,50 | 1,2 |






## DNGM-CB2

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **DNGM150408S01325MTCB2** | 12,70 | 15,50 | 0,8 |
| **DNGM150412S01325MTCB2** | 12,70 | 15,50 | 1,2 |

NOTE: Other insert geometries available upon request.



(ST)




## DNMS-FST

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **DNMS150404FST** | 12,70 | 15,50 | 0,4 |
| **DNMS150408FST** | 12,70 | 15,50 | 0,8 |

● first choice
○ alternate choice

| | | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|
| P | | | | | | | | ● | ● |
| M | | | | | | | | | |
| K | | ● | ● | | | | | | ● |
| N | | | | ● | ● | | | | |
| S | | | | | | | | ○ | ● |
| H | | ○ | | | | ● | ● | ● | ● |

(MT)

## SNGA-MT




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **SNGA120404S01025MT** | 12,70 | 12,70 | 0,4 |
| **SNGA120408S01025MT** | 12,70 | 12,70 | 0,8 |
| **SNGA120408S01225MT** | 12,70 | 12,70 | 0,8 |
| **SNGA120412S01025MT** | 12,70 | 12,70 | 1,2 |
| **SNGA120412S01225MT** | 12,70 | 12,70 | 1,2 |

(ST)

## SNMS-FST




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **SNMS120408FST** | 12,70 | 12,70 | 0,8 |
| **SNMS120412FST** | 12,70 | 12,70 | 1,2 |

(MT)

## TNGA-FW MT




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **TNGA160408EFWMT** | 9,53 | 16,50 | 0,8 |

● first choice
○ alternate choice

| | | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|
| P | | | | | | | | ● | ● |
| M | | | | | | | | | |
| K | | ● | ● | | | | | | ● |
| N | | | | ● | ● | | | | |
| S | | | | | | | | ○ | ● |
| H | | ○ | | | | ● | ● | ● | ● |

(MT)

## TNGA-MT




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| TNGA160404S01015MT | 9,52 | 16,50 | 0,4 |
| TNGA160404S01025MT | 9,53 | 16,50 | 0,4 |
| TNGA160404S01225MT | 9,52 | 16,50 | 0,4 |
| TNGA160404S01735MT | 9,52 | 16,50 | 0,4 |
| TNGA160408S01015MT | 9,52 | 16,50 | 0,8 |
| TNGA160408S01025MT | 9,53 | 16,50 | 0,8 |
| TNGA160408S01225MT | 9,52 | 16,50 | 0,8 |
| TNGA160408S01735MT | 9,52 | 16,50 | 0,8 |
| TNGA160412S01015MT | 9,52 | 16,50 | 1,2 |
| TNGA160412S01025MT | 9,53 | 16,50 | 1,2 |
| TNGA160412S01225MT | 9,52 | 16,50 | 1,2 |
| TNGA160412S01735MT | 9,52 | 16,50 | 1,2 |

(ST)

## TNMS-FST




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| TNMS160404FST | 9,53 | 16,50 | 0,4 |
| TNMS160408FST | 9,53 | 16,50 | 0,8 |



(ST)

## VNGA-FST




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| VNGA160404FST | 9,53 | 16,61 | 0,40 |
| VNGA160408FST | 9,53 | 16,61 | 0,80 |



(MT)

## VNGA-MT




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| VNGA160404S01015MT | 9,52 | 16,61 | 0,4 |
| VNGA160404S01025MT | 9,53 | 16,61 | 0,4 |
| VNGA160404S01225MT | 9,52 | 16,61 | 0,4 |
| VNGA160404S01735MT | 9,52 | 16,61 | 0,4 |
| VNGA160408S01015MT | 9,52 | 16,61 | 0,8 |
| VNGA160408S01025MT | 9,53 | 16,61 | 0,8 |
| VNGA160408S01225MT | 9,52 | 16,61 | 0,8 |
| VNGA160408S01735MT | 9,52 | 16,61 | 0,8 |
| VNGA160412S01225MT | 9,52 | 16,61 | 1,2 |

● first choice
○ alternate choice

| | | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|
| P | | | | | | | | ● | ● |
| M | | | | | | | | | |
| K | | ● | ● | | | | | | ● |
| N | | | | ● | ● | | | | |
| S | | | | | | | | ○ | ● |
| H | | ○ | | | | ● | ● | ● | ● |

(ST)

## ■ VNMS-FST




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **VNMS160404FST** | 9,53 | 16,61 | 0,4 |
| **VNMS160408FST** | 9,53 | 16,61 | 0,8 |

(ST)

## ■ WNGA-FST




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **WNGA080404FST** | 12,70 | 8,69 | 0,4 |
| **WNGA080408FST** | 12,70 | 8,69 | 0,8 |

(MT)

## ■ WNGA-MT




| ISO catalogue number | D mm | L10 mm | Rε mm | max mm |
|---|---|---|---|---|
| **WNGA080404S01015MT** | 12,70 | 8,69 | 0,4 | 3,16 |
| **WNGA080408S01015MT** | 12,70 | 8,69 | 0,8 | 3,16 |
| **WNGA080408S01225MT** | 12,70 | 8,69 | 0,8 | 3,16 |
| **WNGA080408S01735MT** | 12,70 | 8,69 | 0,8 | 3,16 |

● first choice
○ alternate choice

| | | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|
| P | | | | | | | | ● | ● |
| M | | | | | | | | | |
| K | | ● | ● | | | | | | ● |
| N | | | | ● | ● | | | | |
| S | | | | | | | | ○ | ● |
| H | | ○ | | | | ● | ● | ● | ● |

(C)

## CCGW-C




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| CCGW060202EC | 6,35 | 6,45 | 0,2 | | | | | | | ● | |
| CCGW060202S01015C | 6,35 | 6,45 | 0,2 | | | | | | ● | | ● |
| CCGW060204S01015C | 6,35 | 6,45 | 0,4 | | | | | | ● | ● | ● |
| CCGW09T304S01015C | 9,53 | 9,67 | 0,4 | | | | | | | ● | |
| CCGW09T308S01015C | 9,53 | 9,67 | 0,8 | | | | | | | ● | |

(ST)

## CCGW-FST




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| CCGW060204FST | 6,35 | 6,45 | 0,4 | | | ● | ● | | | | |
| CCGW09T304FST | 9,53 | 9,67 | 0,4 | | | ● | ● | | | | |
| CCGW09T308FST | 9,53 | 9,67 | 0,8 | | | ● | ● | | | | |

(C)

## CCGW-FWC




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| CCGW060202EFWC | 6,35 | 6,45 | 0,2 | | | | | | | ● | |
| CCGW060204EFWC | 6,35 | 6,45 | 0,4 | | | | | | | ● | |
| CCGW09T304EFWC | 9,53 | 9,67 | 0,4 | | | | | | | ● | |
| CCGW09T308EFWC | 9,53 | 9,67 | 0,8 | | | | | | | ● | |

● first choice
○ alternate choice

| | | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|
| P | | | | | | | | ● | ● |
| M | | | | | | | | | |
| K | | ● | ● | | | | | | ● |
| N | | | | ● | ● | | | | |
| S | | | | | | | | ○ | ● |
| H | | ○ | | | | ● | ● | ● | ● |

(MT)

## CCGW-MT




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **CCGW060202S01225MT** | 6,35 | 6,45 | 0,2 | | | | | ● | | | |
| **CCGW060204S01225MT** | 6,35 | 6,45 | 0,4 | | | | | ● | | | |
| **CCGW09T302S01225MT** | 9,52 | 9,67 | 0,2 | | | | | ● | | | |
| **CCGW09T304S01015MT** | 9,52 | 9,67 | 0,4 | | | | | ● | ● | | ● |
| **CCGW09T304S01225MT** | 9,52 | 9,67 | 0,4 | | | | | ● | | | |
| **CCGW09T308S01015MT** | 9,52 | 9,67 | 0,8 | | | | | ● | ● | | ● |
| **CCGW09T308S01225MT** | 9,52 | 9,67 | 0,8 | | | | | ● | | | |
| **CCGW120408S01015MT** | 12,70 | 12,90 | 0,8 | | | | | ● | | | |

(M)

## CCGW-M




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **CCGW060202EM** | 6,35 | 6,45 | 0,2 | | | | | | | ● | |
| **CCGW060204S01015M** | 6,35 | 6,45 | 0,4 | | | | | | | ● | |
| **CCGW09T304S01015M** | 9,53 | 9,67 | 0,4 | | | | | | | ● | |
| **CCGW09T308S01015M** | 9,53 | 9,67 | 0,8 | | | | | | | ● | |

(M)

## CCGW-FWM




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **CCGW060204EFWM** | 6,35 | 6,45 | 0,4 | | | | | | | ● | |
| **CCGW09T304EFWM** | 9,53 | 9,67 | 0,4 | | | | | | | ● | |
| **CCGW09T308EFWM** | 9,53 | 9,67 | 0,8 | | | | | | | ● | |

(MT)

## CCGW-FWMT




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **CCGW09T304S01015FWMT** | 9,52 | 9,67 | 0,4 | | | | | ● | | | |
| **CCGW09T308S01015FWMT** | 9,52 | 9,67 | 0,8 | | | | | ● | | | |

● first choice
○ alternate choice

| | | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|
| P | | | | | | | | ● | ● |
| M | | | | | | | | | |
| K | | ● | ● | | | | | | ● |
| N | | | | ● | ● | | | | |
| S | | | | | | | | ○ | ● |
| H | | ○ | | | | ● | ● | ● | ● |

(ST)

## CDHB-FST




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| CDHBS4T002FST | 3,97 | 4,03 | 0,1 | | | ● | ● | | | | |
| CDHBS4T004FST | 3,97 | 4,03 | 0,2 | | | ● | ● | | | | |

(ST)

## CPGW-FWST




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| CPGW060204FWST | 6,35 | 6,45 | 0,4 | | | ● | ● | | | | |
| CPGW09T308FWST | 9,53 | 9,67 | 0,8 | | | ● | ● | | | | |
| CPGW120408FWST | 12,70 | 12,90 | 0,8 | | | ● | ● | | | | |



(ST)

## CPGW-ST




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| CPGW060202FST | 6,35 | 6,45 | 0,2 | | | ● | ● | | | | |
| CPGW060204FST | 6,35 | 6,45 | 0,4 | | | ● | ● | | | | |
| CPGW060208FST | 6,35 | 6,45 | 0,8 | | | ● | ● | | | | |
| CPGW09T304FST | 9,53 | 9,67 | 0,4 | | | ● | ● | | | | |
| CPGW09T308FST | 9,53 | 9,67 | 0,8 | | | ● | ● | | | | |
| CPGW120408FST | 12,70 | 12,90 | 0,8 | | | ● | ● | | | | |

● first choice
○ alternate choice

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| P | | | | | | | ● | ● |
| M | | | | | | | | |
| K | ● | ● | | | | | | ● |
| N | | | ● | ● | | | | |
| S | | | | | | | ○ | ● |
| H | ○ | | | | ● | ● | ● | ● |



(C)

## ■ DCGW-C




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| DCGW070202EC | 6,35 | 7,75 | 0,2 | | | | | | | ● | |
| DCGW070202S01015C | 6,35 | 7,75 | 0,2 | | | | | | ● | | ● |
| DCGW070204S01015C | 6,35 | 7,75 | 0,4 | | | | | | ● | ● | ● |



(M)

## ■ DCGW-M




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| DCGW070202EM | 6,35 | 7,75 | 0,2 | | | | | | | ● | |
| DCGW070204S01015M | 6,35 | 7,75 | 0,4 | | | | | | | ● | |
| DCGW11T304S01015M | 9,53 | 11,63 | 0,4 | | | | | | | ● | |
| DCGW11T308S01015M | 9,53 | 11,63 | 0,8 | | | | | | | ● | |

● first choice
○ alternate choice

| | | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|
| P | | | | | | | | ● | ● |
| M | | | | | | | | | |
| K | | ● | ● | | | | | | ● |
| N | | | | ● | ● | | | | |
| S | | | | | | | | ○ | ● |
| H | | ○ | | | | ● | ● | ● | ● |

(C)

## DPGW-C




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| DPGW070202EC | 6,35 | 7,75 | 0,2 |
| DPGW070204S01015C | 6,35 | 7,75 | 0,4 |
| DPGW070208S01015C | 6,35 | 7,75 | 0,8 |



(MT)

## DCGW-MT




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| DCGW070202S01225MT | 6,35 | 7,75 | 0,2 |
| DCGW070204S01015MT | 6,35 | 7,75 | 0,4 |
| DCGW070204S01225MT | 6,35 | 7,75 | 0,4 |
| DCGW11T302S01225MT | 9,52 | 11,63 | 0,2 |
| DCGW11T304S01015MT | 9,52 | 11,63 | 0,4 |
| DCGW11T304S01225MT | 9,52 | 11,63 | 0,4 |
| DCGW11T308S01015MT | 9,52 | 11,63 | 0,8 |
| DCGW11T308S01225MT | 9,52 | 11,63 | 0,8 |



(ST)

## DCGW-ST




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| DCGW070204FST | 6,35 | 7,75 | 0,4 |
| DCGW11T304FST | 9,53 | 11,63 | 0,4 |

● first choice
○ alternate choice

| | | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|
| P | | | | | | | | ● | ● |
| M | | | | | | | | | |
| K | | ● | ● | | | | | | ● |
| N | | | | ● | ● | | | | |
| S | | | | | | | | ○ | ● |
| H | | ○ | | | | ● | ● | ● | ● |



(ST)

## ■ DPGW-FST




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| DPGW070202FST | 6,35 | 7,75 | 0,2 | | | ● | ● | | | | |
| DPGW070204FST | 6,35 | 7,75 | 0,4 | | | ● | ● | | | | |
| DPGW11T304FST | 9,53 | 11,63 | 0,4 | | | ● | ● | | | | |



(ST)

## ■ DPGW-FWST




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| DPGW070204FWST | 6,35 | 7,75 | 0,2 | | | ● | ● | | | | |
| DPGW11T304FWST | 9,53 | 11,63 | 0,2 | | | ● | ● | | | | |



(M)

## ■ DPGW-M




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| DPGW070202EM | 6,35 | 7,75 | 0,2 | | | | | | | ● | |
| DPGW070204S01015M | 6,35 | 7,75 | 0,4 | | | | | | | ● | |
| DPGW11T304S01015M | 9,53 | 11,63 | 0,4 | | | | | | | ● | |
| DPGW11T308S01015M | 9,53 | 11,63 | 0,8 | | | | | | | ● | |

● first choice
○ alternate choice

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| P | | | | | | | ● | ● |
| M | | | | | | | | |
| K | ● | ● | | | | | | ● |
| N | | | ● | ● | | | | |
| S | | | | | | | ○ | ● |
| H | ○ | | | | ● | ● | ● | ● |

(C)

## TCGW-C




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| TCGW110202EC | 6,35 | 11,00 | 0,20 | | | | | | | ● | |
| TCGW110204S01015C | 6,35 | 11,00 | 0,40 | | | | | | | ● | |

(ST)

## TCGW-FST




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| TCGW110204FST | 6,35 | 11,00 | 0,40 | | | ● | ● | | | | |
| TCGW16T304FST | 9,53 | 16,50 | 0,40 | | | ● | ● | | | | |

(M)

## TCGW-M




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| TCGW110202EM | 6,35 | 11,00 | 0,2 | | | | | | | ● | |
| TCGW110204S01015M | 6,35 | 11,00 | 0,4 | | | | | | | ● | |
| TCGW16T304S01015M | 9,53 | 16,50 | 0,4 | | | | | | | ● | |
| TCGW16T308S01015M | 9,53 | 16,50 | 0,8 | | | | | | | ● | |

(MT)

## TCGW-MT




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| TCGW090202S01015MT | 5,56 | 9,62 | 0,2 | | | | | ● | | | |
| TCGW090204S01015 MT | 5,56 | 9,62 | 0,4 | | | | | ● | | | |
| TCGW110202S01015MT | 6,35 | 11,00 | 0,2 | | | | | ● | | | |
| TCGW110204S01015MT | 6,35 | 11,00 | 0,4 | | | | | ● | | | |
| TCGW110208S01015MT | 6,35 | 11,00 | 0,8 | | | | | ● | | | |

● first choice
○ alternate choice

| | | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|
| P | | | | | | | | ● | ● |
| M | | | | | | | | | |
| K | | ● | ● | | | | | | ● |
| N | | | | ● | ● | | | | |
| S | | | | | | | | ○ | ● |
| H | | ○ | | | | ● | ● | ● | ● |

(C)

## TPGW-C




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **TPGW110202EC** | 6,35 | 11,00 | 0,20 |
| **TPGW110204S01015C** | 6,35 | 11,00 | 0,40 |
| **TPGW110208S01015C** | 6,35 | 11,00 | 0,80 |

(ST)

## TPGW-FST




| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| **TPGW110204FST** | 6,35 | 11,00 | 0,4 |
| **TPGW110208FST** | 6,35 | 11,00 | 0,8 |
| **TPGW16T304FST** | 9,53 | 16,50 | 0,4 |
| **TPGW16T308FST** | 9,53 | 16,50 | 0,8 |

● first choice
○ alternate choice

| | | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|
| P | | | | | | | | ● | ● |
| M | | | | | | | | | |
| K | | ● | ● | | | | | | ● |
| N | | | | ● | ● | | | | |
| S | | | | | | | | ○ | ● |
| H | | ○ | | | | ● | ● | ● | ● |

(M)




## TPGW-M

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| TPGW110202EM | 6,35 | 11,00 | 0,2 |
| TPGW110204S01015M | 6,35 | 11,00 | 0,4 |
| TPGW110208S01015M | 6,35 | 11,00 | 0,8 |
| TPGW16T304S01015M | 9,53 | 16,50 | 0,4 |

(MT)




## TPGW-MT

| ISO catalogue number | D mm | L10 mm | Rε mm |
|---|---|---|---|
| TPGW110202S01015MT | 6,35 | 11,00 | 0,2 |
| TPGW110204S01015MT | 6,35 | 11,00 | 0,4 |
| TPGW110208S01015MT | 6,35 | 11,00 | 0,8 |
| TPGW16T304S01015MT | 9,52 | 16,50 | 0,4 |
| TPGW16T304S01225MT | 9,52 | 16,50 | 0,4 |
| TPGW16T308S01015MT | 9,52 | 16,50 | 0,8 |
| TPGW16T308S01225MT | 9,52 | 16,50 | 0,8 |

● first choice
○ alternate choice

| | | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|
| P | | | | | | | | ● | ● |
| M | | | | | | | | | |
| K | | ● | ● | | | | | | ● |
| N | | | | ● | ● | | | | |
| S | | | | | | | | ○ | ● |
| H | | ○ | | | | ● | ● | ● | ● |



(ST)

## VBGW-FST




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| VBGW110304FST | 6,35 | 11,07 | 0,4 | | | ● | ● | | | | |
| VBGW160404FST | 9,53 | 16,61 | 0,4 | | | ● | ● | | | | |



(M)

## VBGW-M




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| VBGW160404S01015M | 9,53 | 16,61 | 0,4 | | | | | | | ● | |
| VBGW160408S01015M | 9,53 | 16,61 | 0,8 | | | | | | | ● | |



(MT)

## VBGW-MT




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| VBGW110304S01015MT | 6,35 | 11,07 | 0,4 | | | | | ● | | | |
| VBGW110304S01225MT | 6,35 | 11,07 | 0,4 | | | | | ● | | | |
| VBGW110308S01225MT | 6,35 | 11,07 | 0,8 | | | | | ● | | | |
| VBGW160404S01015MT | 9,53 | 16,61 | 0,4 | | | | | | ● | | ● |
| VBGW160408S01015MT | 9,52 | 16,61 | 0,8 | | | | | ● | ● | | ● |
| VBGW160412S01015MT | 9,52 | 16,61 | 1,2 | | | | | ● | | | |

● first choice
○ alternate choice

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| P | | | | | | | | ● | ● |
| M | | | | | | | | | |
| K | ● | ● | | | | | | | ● |
| N | | | | ● | ● | | | | |
| S | | | | | | | | ○ | ● |
| H | ○ | | | | | ● | ● | ● | ● |

## CNMA






| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| CNMA120408S02020 | 12,70 | 12,90 | 0,8 | ● | ● | | | | | | |
| CNMA120408S02020MW | 12,70 | 12,90 | 0,8 | | ● | | | | | | |
| CNMA120412S02020 | 12,70 | 12,90 | 1,2 | ● | | | | | | | |

## CNMA-MW






| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| CNMA120408S02020MW | 12,70 | 12,90 | 0,8 | | ● | | | | | | |

## CNMN






| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| CNMN090308S02020 | 9,53 | 9,67 | 0,8 | ● | | | | | | | |
| CNMN120408S02020 | 12,70 | 12,90 | 0,8 | ● | | | | | | | |
| CNMN120412S02020 | 12,70 | 12,90 | 1,2 | ● | ● | | | | | | |

## DNMA






| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| DNMA110408S02020 | 9,53 | 11,63 | 0,8 | ● | | | | | | | |
| DNMA110412S02020 | 9,53 | 11,63 | 1,2 | ● | | | | | | | |

## RNMN






| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| RNMN090300E | 9,53 | – | – | | ● | | | | | | |
| RNMN090300S02020 | 9,53 | – | – | ● | ● | | | | | | |
| RNMN120300S02020 | 12,70 | – | – | ● | | | | | | | |
| RNMN120400S02020 | 12,70 | – | – | ● | ● | | | | | | |

● first choice
○ alternate choice

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| P | | | | | | | ● | ● |
| M | | | | | | | | |
| K | ● | ● | | | | | | ● |
| N | | | ● | ● | | | | |
| S | | | | | | | ○ | ● |
| H | ○ | | | | ● | ● | ● | ● |

## SNMA




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMA120412S02020 | 12,70 | 12,70 | 1,2 | ● | | | | | | | |

## SNMN






| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| SNMN120308S02020 | 12,70 | 12,70 | 0,8 | ● | | | | | | | |
| SNMN120312S02020 | 12,70 | 12,70 | 1,2 | ● | | | | | | | |

## CPGN

(ST)




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| CPGN120304F | 12,70 | 12,90 | 0,4 | | | | ● | | | | |
| CPGN120308F | 12,70 | 12,90 | 0,8 | | | | ● | | | | |

## TPGN

(ST)




| ISO catalogue number | D mm | L10 mm | Rε mm | KB1340 | KBK35 | KD1400 | KD1425 | KBH20 | KB5610 | KB5625 | KB5630 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| TPGN110304F | 6,35 | 11,00 | 0,4 | | | | ● | | | | |
| TPGN110308F | 6,35 | 11,00 | 0,8 | | | | ● | | | | |
| TPGN160304F | 9,53 | 16,50 | 0,4 | | | | ● | | | | |
| TPGN160308F | 9,53 | 16,50 | 0,8 | | | | ● | | | | |
| TPGN160312F | 9,53 | 16,50 | 1,2 | | | | ● | | | | |
| TPGN220404F | 12,70 | 22,00 | 0,4 | | | | ● | | | | |
| TPGN220408F | 12,70 | 22,00 | 0,8 | | | | ● | | | | |

# A3™ Deep Grooving...

## ... The best choice for high productivity — with outstanding application flexibility.

- A3 deep grooving tooling is compatible with square shank, KM™, and PSC (ISO 26623) platforms.
- One insert performs:
  - — O.D. operations.
  - — I.D. operations.
  - — Face grooving operations.
- In addition, the A3 system's performance is enhanced by:
  - — TiAlN grades.
  - — The Kenna Perfect™ Tooling Selection System.

Visit **www.kennametal.com** or contact your local Authorised Kennametal Distributor.

**www.kennametal.com**

KENNAMETAL®

# A4™ Tooling and Beyond™ Inserts for All Your O.D. and I.D. Applications

## Primary Application

Choose A4 tooling for turning, facing, grooving, face grooving, and cut-off applications across a broad range of workpiece materials. The unique clamping system and versatile insert geometry deliver the highest metal removal rates in the industry.

## Features and Benefits

### A4 Grooving and Turning System

- One tool for turning, facing, grooving, face-grooving, and cut-off in O.D. and I.D. applications means exceptionally fast cycle times, no turret indexes!
- Extra-long clamping area, ground 120° bottom prism seating surface, and an exclusive top guide rail combine to deliver unsurpassed grooving and side-turning stability!
- Precise insert positioning is ensured for accurate cuts!
- Rigid clamping securely locks insert in place through the toughest cuts.
- Versatile design enables one system to handle O.D. and I.D. grooving, face grooving, back turning, undercutting, and even threading operations.
- Chip control inserts provide excellent chip evacuation in grooving, and offer better chip control in multidirectional turning.




### A4 Chipbreakers

GUP Chipbreaker

GMN Chipbreaker

GMP Chipbreaker

GUP Chipbreaker

GMN Chipbreaker

GMP Chipbreaker

Flat Top


PCD Tipped

PCBD


CF Chipbreaker

## The A4™ System Increases Productivity

- Covers multiple applications.
- Reduces tool cost.
- Minimises machining time.

*To learn more,* ***scan here****.*
*For instructions on how to scan, please see page xxv.*

## Step 1 • Select A4 size for grooving and turning application

**What you need to know:**

- Groove depth, width, and profile.
- Material being machined.
- Application to be performed (O.D. and I.D. grooving, turning, face grooving, and cut-off).



## Step 2 • Select toolholder based on the application

| | conventional toolholders | modular blades |
|---|---|---|
| O.D. grooving, cut-off, and turning | page D82* | page D94* |
| face grooving | page D85* | page D95* |
| I.D. grooving, cut-off, and turning | page D87* | — |

NOTE: Insert seat size must match the seat size of the toolholder.
*For more information, please see the Innovations Master Catalogue Cutting Tools 2013.



## Step 3 • Select chipbreaker style and feed rate

**Choose Chipbreaker Based on Material Type**

| P | M | K | N | S | H |
|---|---|---|---|---|---|
| GMN | GUP/GMP | GMN/B | GUP/GMP precision ground (-E for KD 1405) | GUP/GMP precision ground | GMN |

NOTE: Precision ground A4-P-GMN inserts can be applied on all material groups for inch-width grooving.

## Depth of Cut and Feed Guidelines

| square inserts (A4G...) | | | full radius inserts (A4R...) | | |
|---|---|---|---|---|---|
| **GUP chipbreaker** | **GMN chipbreaker** | **GMP chipbreaker** | **GUP chipbreaker** | **GMP chipbreaker** | **GMN chipbreaker** |
| | | | | | |
| • Groove and turn inserts in new Beyond™ grades.<br>• Available in moulded and precision-ground styles.<br>• Positive rake angle with enhanced chip control.<br>• Available in metric and inch widths. | • Groove and turn moulded and precision ground inserts.<br>• Stable cutting edge.<br>• Available in metric and inch widths. | • Groove and turn inserts.<br>• Available in moulded and precision-ground styles.<br>• Positive rake angle.<br>• Available in metric widths only. | • Groove and turn inserts in new Beyond™ grades.<br>• Available in moulded and precision-ground styles.<br>• Positive rake angle with enhanced chip control.<br>• Available in metric and inch widths. | • Groove and turn inserts.<br>• Available in moulded and precision-ground styles.<br>• Positive rake angle.<br>• Available in metric widths only. | • Maximum turning and profiling depth of cut equals half the insert width.<br>• The maximum turn and profile feed rate depends on the material to be machined and the depth of cut. For easy-to-machine materials, feed can be increased up to 1,5 times. |

| **Flat Top** | **PCD Tipped** | **PCBN Tipped** | **CF Chipbreaker** |
|---|---|---|---|
| |  | | |
| Groove and Turn<br>• Precision moulded<br>• Special profiles<br>• Cast iron | Groove and Turn<br>• Precision ground<br>• High performance<br>• Non-ferrous and titanium | Groove and Turn<br>• Precision ground<br>• High performance<br>• Irons, hardened steels, and nickel based alloys | Cut-off<br>• Precision moulded<br>• High positive rake<br>• Sharp cutting edge |

### GMN




### GMP/GUP




NOTE: Select feed based on nose radius.
Diagram explanation: R0,2 - R = corner radius; 0,2 = 0,2mm radius.

## Step 4 • Select grade and speed

### Recommended Beyond™ Grades

| cutting condition | P | M | K | N | S | H |
|---|---|---|---|---|---|---|
| heavily interrupted cut | KCU25/KC5025 | KCU25/KC5025 | KC9125/KCP25 KC5025 | KCU25/KC5025 | KCU25/KC5025 | — |
| lightly interrupted cut | KCP25/KC9125/ KC9125/KCU25/ KC5025 | KCU25/KC5025 | KC9320/KY3500 KC9125/KCP25 KC5025 | KCU25/KC5025 | KCU25/KC5025 | — |
| varying depth of cut, casting, or forging skin | KCU10/KC5010 | KCU10/KC5010 | KC9320/KY3500 KC9110/KCP10 KC5010 | KCU10/KC5010/ KD1405 | K313/KU10/ KCU10/KC5010 | KCU10/KC5010 |
| smooth cut, pre-turned surface | KT315/KCP10/ KC9110 | KT315 | KC9320/KY3500 KC9110/KCP10 KC5010 | KCU10/KC5010/ KD1405 | K313/KU10/ KCU10/KC5010 | KCU10/KC5010 |

### Recommended Beyond Cutting Speeds

**Steel** — speed — m/min (SFM) — starting conditions

| material group | grade | 60 (200) | 120 (400) | 185 (600) | 245 (800) | 300 (1000) | 360 (1200) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|
| P | KCU10/KC5010 | | ◁▷ | | | | | 120 | 400 |
| | KCP10 | | | | ◁▷ | | | 275 | 900 |
| | KCP25 | | | ◁▷ | | | | 220 | 725 |
| | KCU25/KC5025 | | ◁▷ | | | | | 120 | 400 |
| | KC9110 | | | | ◁▷ | | | 250 | 800 |
| | KC9125 | | | ◁▷ | | | | 200 | 650 |
| | KT315** | | | | | ◁▷ | | 260 | 850 |

**KT315 is an alternative choice for steel; primarily available in the GMP chipbreaker.

**Stainless Steel** — speed — m/min (SFM) — starting conditions

| material group | grade | 45 (150) | 90 (300) | 140 (450) | 185 (600) | 230 (750) | 275 (900) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|
| M | KU10/K313 | ◁▷ | | | | | | 55 | 185 |
| | KCU10/KC5010 | | | ◁▷ | | | | 140 | 465 |
| | KCU25/KC5025 | | ◁▷ | | | | | 110 | 365 |
| | KT315 | | | | ◁▷ | | | 170 | 400 |

**Cast Iron Materials** — speed — m/min (SFM) — starting conditions

| material group | grade | 90 (300) | 135 (450) | 180 (600) | 225 (750) | 275 (900) | 320 (1050) | 360 (1200) | 410 (1350) | 760 (2500) | 1050 (3500) | m/min | m/min |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| K | KC9320 | | | | ◁▷ | | | | | | | 230 | 750 |
| | KCU25 / KC5025 | | | ◁▷ | | | | | | | | 165 | 500 |
| | KCU10 / KC5010 | | | ◁▷ | | | | | | | | 180 | 600 |
| | KCP25 / KC9125 | | | | ◁▷ | | | | | | | 230 | 750 |
| | KCP10 / KC9110 | | | | | ◁▷ | | | | | | 260 | 850 |
| | KY3500 | | | | | | | | ◁▷ | | | 760 | 2500 |

**Non-Ferrous Metals** — speed — m/min (SFM) — starting conditions

| material group | grade | 150 (500) | 300 (1000) | 460 (1500) | 610 (2000) | 760 (2500) | 900 (3000) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|
| N | KCU25/KC5025 | | | ◁▷ | | | | 365 | 1200 |
| | KCU10/KC5010 | | | ◁▷ | | | | 455 | 1500 |
| | KD1405*** | | | | ◁▷ | | | 610 | 2000 |

***Recommended for high-silicon aluminium alloys and abrasive non-metallics.

## Recommended Beyond Cutting Speeds

**High-Temperature Alloys** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 15 (60) | 35 (120) | 55 (180) | 75 (240) | 90 (300) | 140 (450) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|
| S | KU10 | ◁▷ | | | | | | 22 | 75 |
| | KCU10/KC5010 | | | ◁▷ | | | | 65 | 220 |
| | KCU25/KC5025 | | | ◁▷ | | | | 50 | 160 |
| | KT315 | | ◁▷ | | | | | 30 | 100 |

**Hardened Materials** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 15 (60) | 35 (120) | 55 (180) | 75 (240) | 95 (300) | 115 (360) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|
| H | KC5010 | | ◁▷ | | | | | 30 | 100 |

## Step 5 • Select insert and holder from catalogue page

NOTE: The insert seat size must match the seat size of your toolholder selection.

**Example for A4 — Groove and Turn**
Material.....low-alloyed steel
Workpiece O.D. .....38mm
Groove depth .....12mm
Groove width ..... 22mm
Lightly interrupted cut

**Recommendation**
Insert .....A4G0405M04U08GMN
Grade .....KC9125
Insert width .....4,05mm
Insert seat size .....4

Toolholder .....A4SMR160417
Grooving depth..... 17mm
Seat size .....4



Speed: 200 m/min
Feed: 0,25 mm/rev
Plunge feed: 0,14 mm/rev

Congratulations!

You have successfully maximised your productivity by selecting the best A4 insert geometry, grade, and cutting specifications for your application!

## How Do Catalogue Numbers Work?

Each character in our catalogue number signifies a specific trait of that product. Use the following key columns and corresponding images to easily identify which attributes apply.



**A4G0405M04U04GMN**

### Grooving and Turning Inserts

| A4 | G | 0405 | M | 04 | U | 04 | GMN |
|---|---|---|---|---|---|---|---|
| Tooling System | Insert Type | Groove Width | Unit of Measurement for Grooving Width | Seat Size | Insert Tolerance | Corner Radii | Chipbreaker Type/Edge Prep |
| **A4** = Grooving and Turning | **G** = Square<br>**R** = Full radius<br>**C** = Cut-off | Expressed in 1/100mm | **M** = Metric | | | | |

| pocket seat size | cutting width (mm) |
|---|---|
| **02** | 2,00–2,62 |
| **2B** | 2,39–2,62 |
| **03** | 3,0–3,05 |
| **04** | 4,0–4,05 |
| **05** | 5,0–5,05 |
| **06** | 6,0–6,05 |
| **08** | 8,0–8,05 |
| **10** | 10,0–10,05 |
| **2S** | 2,00–2,62 |
| **3S** | 3,00–3,05 |
| **4S** | 4,00–4,05 |
| **5S** | 5,00–5,05 |

**P** = Precision ground grooving width tolerance: ± 0,025mm (.001")

**U** = Utility moulded grooving width tolerance:

3,05-4,05: $\frac{+0{,}15\text{mm}}{-0}$

5,05-10,05: $\frac{+0{,}25\text{mm}}{-0}$

| metric |
|---|
| **01** = 0,1 |
| **02** = 0,2 |
| **04** = 0,4 |
| **08** = 0,8 |
| **12** = 1,2 |
| **full radius = 00** |

**GMN** = Grooving and turning medium machining stable cutting edge

**GMP** = Grooving and turning medium machining positive rake angle

**GUP** = Grooving and turning high positive geometry. Especially in stainless steels and high-temp alloys

**B** = Flat top for special forms and applications

**E** = Flat top, slight honed edge

**S** = Negative land plus hone

**ST** = Single tip



**A4C0305N00CF02**

### Cut-Off Inserts

| A4 | C | 0305 | N | 00 | CF | 02 |
|---|---|---|---|---|---|---|
| Tooling System | Insert Type | Cutting Width | Hand of Insert | Main Cutting Edge Lead Angle | Chipbreaker Type | Corner Radius |
| **A4** = Grooving and Turning | **C** = Cut-off | Expressed in 1/100mm | **R** = Right hand<br>**L** = Left hand<br>**N** = Neutral | **00** = Neutral<br>**06** = 6°<br>**10** = 10° | **CF** = Cut-off fine positive rake | **metric**<br>02 = 0,2 |

| insert type and chipbreaker designation | | application range | metric widths (mm) | P | M | K | N | S | H |
|---|---|---|---|---|---|---|---|---|---|
| **Moulded: A4G-U-GUP** | | Groove and Turn:<br>• Stable cutting edge for higher feed rates.<br>• Utility moulded. | 2–10 | ● | ● | ○ | ● | ● | ○ |
| **Precision Ground: A4G-P-GUP** | | • Stable, precision ground cutting edge.<br>• General grooving for specific inch widths.<br>• 0,025mm width tolerance. | 2–10 | ○ | ● | | ● | ● | ○ |
| **Moulded: A4G-U-GMN** | | Groove and Turn:<br>• Stable cutting edge for higher feed rates.<br>• Utility moulded. | 3,05–10,05 | ● | ○ | ● | | | ● |
| **Precision Ground: A4G-P-GMN** | | • Stable, precision ground cutting edge.<br>• General grooving for specific inch widths.<br>• 0,025mm width tolerance. | — | ● | ○ | ● | ○ | ○ | ● |
| **Moulded: A4G-U-GMP** | | Groove and Turn:<br>• Positive rake angle.<br>• Reduced cutting force.<br>• Small to medium feed rates.<br>• Utility moulded. | 3,05–10,05 | ● | ● | ○ | ○ | ● | ○ |
| **Precision Ground: A4G-P-GMP** | | • Positive rake angle.<br>• Precision ground cutting edge.<br>• 0,025mm width tolerance. | 3–10 | ○ | ○ | | ● | ● | |
| **Moulded: A4R-U-GUP** | | Groove and Turn:<br>• Stable cutting edge for higher feed rates.<br>• Utility moulded. | 3,05–10,05 | ● | ● | ○ | ● | ● | ○ |
| **Precision Ground: A4R-P-GUP** | | • Precision ground cutting edge.<br>• General grooving for specific inch widths.<br>• 0,025mm width tolerance. | 3–10 | ○ | ● | | ● | ● | ○ |
| **Moulded: A4R-U-GMN** | | Groove and Turn:<br>• Stable cutting edge for higher feed rates.<br>• Utility moulded. | 3,05–10,05 | ● | ○ | ● | | | ● |
| **Precision Ground: A4R-P-GMN** | | • Stable, precision ground cutting edge.<br>• General grooving for specific inch widths.<br>• 0,025mm width tolerance. | — | ● | ○ | ● | ○ | ○ | ● |
| **Precision Ground: A4R-P-GMP** | | Groove and Turn:<br>• Positive rake angle.<br>• Precision ground cutting edge.<br>• 0,025mm width tolerance. | 3–10 | ○ | ○ | | ● | ● | |
| **Moulded: A4G-U-B** | | Groove and Turn:<br>• For special profiles and for PCBN-tipped inserts (by request only).<br>• Secondary choice for cast iron and high-temp alloys. | 3,05–10,05 | | | ● | | ○ | |
| **Precision Ground: A4G-P-E-PCD** | | • Diamond sheet-tipped tool for high-performance non-ferrous machining. | 3–5 | | | | ● | ○ | |
| **Moulded: A4C-CF** | | Cut-Off:<br>• High positive rake angle.<br>• Sharp cutting edge.<br>• Available in neutral lead angle in 6° and 10° right- and left-hand styles. | 3,05–4,05 | ● | ● | | ● | ● | |
| **Precision Ground: A4G-P-SST A4G-P-EST** | | High performance machining.<br>• Cast and chilled irons.<br>• Hardened steels.<br>• Nickel based alloys. | 3–6 | | | ● | | ○ | ● |




A4G-U-GUP/A4G-P-GUP

● first choice
○ alternate choice

| | | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ○ | ○ | ○ | | | | | | | | ● | | | |
| M | | | | | | | | | | ● | ● | ● | ○ | | | | |
| K | | ● | ● | ● | ● | ● | ● | | ○ | | | | | | | ● | ● |
| N | | | | | | | | ● | ● | ● | ● | | | | ● | | |
| S | | | | | | | | ● | ○ | ● | ○ | ● | ○ | | | | |
| H | | | | | | | | | | ○ | | ○ | | | | ● | ● |

## A4G-U-GUP

| catalogue number | seat size | W mm | RR mm | LI mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A4G0205M02U02GUP | 2 | 2,05 | 0,2 | 20 | 2,0 | ● | ● | | | | | | | ● | | ● | | | | | |
| A4G0305M03U02GUP | 3 | 3,05 | 0,2 | 20 | 3,0 | ● | ● | | | | | | | ● | | ● | | | | | |
| A4G0305M03U04GUP | 3 | 3,05 | 0,4 | 20 | 3,0 | ● | ● | | | | | | | ● | | ● | | | | | |
| A4G0405M04U04GUP | 4 | 4,05 | 0,4 | 20 | 3,4 | ● | ● | | | | | | | ● | | ● | | | | | |
| A4G0405M04U08GUP | 4 | 4,05 | 0,8 | 20 | 3,4 | ● | ● | | | | | | | ● | | ● | | | | | |
| A4G0505M05U04GUP | 5 | 5,05 | 0,4 | 25 | 4,2 | ● | ● | | | | | | | ● | | ● | | | | | |
| A4G0505M05U08GUP | 5 | 5,05 | 0,8 | 25 | 4,2 | ● | ● | | | | | | | ● | | ● | | | | | |
| A4G0605M06U04GUP | 6 | 6,05 | 0,4 | 30 | 4,5 | ● | ● | | | | | | | ● | | ● | | | | | |
| A4G0605M06U08GUP | 6 | 6,05 | 0,8 | 30 | 4,5 | ● | ● | | | | | | | ● | | ● | | | | | |
| A4G0605M06U12GUP | 6 | 6,05 | 1,2 | 30 | 4,5 | ● | ● | | | | | | | ● | | ● | | | | | |
| A4G0805M08U08GUP | 8 | 8,05 | 0,8 | 30 | 6,0 | ● | ● | | | | | | | ● | | ● | | | | | |
| A4G0805M08U12GUP | 8 | 8,05 | 1,2 | 30 | 6,0 | ● | ● | | | | | | | ● | | ● | | | | | |
| A4G1005M10U08GUP | 10 | 10,05 | 0,8 | 30 | 6,0 | ● | ● | | | | | | | ● | | ● | | | | | |
| A4G1005M10U12GUP | 10 | 10,05 | 1,2 | 30 | 6,1 | ● | ● | | | | | | | ● | | ● | | | | | |

## A4G-P-GUP

| catalogue number | seat size | W mm | RR mm | LI mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A4G0200M02P02GUP | 2 | 2,00 | 0,2 | 20 | 1,9 | | | | | | | ● | | ● | | ● | | | | | |
| A4G0300M03P02GUP | 3 | 3,00 | 0,2 | 20 | 2,9 | | | | | | | ● | | ● | | ● | | | | | |
| A4G0300M03P04GUP | 3 | 3,00 | 0,4 | 20 | 2,9 | | | | | | | ● | | ● | | ● | | | | | |
| A4G0400M04P02GUP | 4 | 4,00 | 0,2 | 20 | 3,3 | | | | | | | ● | | ● | | ● | | | | | |
| A4G0400M04P04GUP | 4 | 4,00 | 0,4 | 20 | 3,3 | | | | | | | ● | | ● | | ● | | | | | |
| A4G0400M04P08GUP | 4 | 4,00 | 0,8 | 20 | 3,3 | | | | | | | ● | | ● | | ● | | | | | |
| A4G0500M05P04GUP | 5 | 5,00 | 0,4 | 25 | 4,1 | | | | | | | ● | | ● | | ● | | | | | |
| A4G0500M05P08GUP | 5 | 5,00 | 0,8 | 25 | 4,1 | | | | | | | ● | | ● | | ● | | | | | |
| A4G0600M06P04GUP | 6 | 6,00 | 0,4 | 30 | 4,5 | | | | | | | ● | | ● | | ● | | | | | |
| A4G0600M06P08GUP | 6 | 6,00 | 0,8 | 30 | 4,5 | | | | | | | ● | | ● | | ● | | | | | |
| A4G0800M08P08GUP | 8 | 8,00 | 0,8 | 30 | 6,0 | | | | | | | ● | | ● | | ● | | | | | |
| A4G0800M08P12GUP | 8 | 8,00 | 1,2 | 30 | 6,0 | | | | | | | ● | | ● | | ● | | | | | |
| A4G1000M10P08GUP | 10 | 10,00 | 0,8 | 30 | 6,0 | | | | | | | ● | | ● | | ● | | | | | |
| A4G1000M10P12GUP | 10 | 10,00 | 1,2 | 30 | 6,0 | | | | | | | ● | | ● | | ● | | | | | |



A4G-U-GMP/A4G-P-GMP

● first choice
○ alternate choice

| | | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ○ | ○ | ○ | | | | | | | | ● | | | |
| M | | | | | | | | | | ● | ● | ● | ○ | | | | |
| K | | ● | ● | ● | ● | ● | ● | | ○ | | | | | | | ● | ● |
| N | | | | | | | | ● | ● | ● | ● | | | | ● | | |
| S | | | | | | | | ● | ○ | ● | ○ | ● | ○ | | | | |
| H | | | | | | | | | | ○ | | ○ | | | | ● | ● |

## A4G-U-GMP

| catalogue number | seat size | W mm | RR mm | LI mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4G0205M02U02GMP** | 2 | 2,05 | 0,2 | 20 | 2,0 | | | ● | | | | | | ● | ● | ● | ● | | | | |
| **A4G0255M2BU02GMP** | 2B | 2,62 | 0,2 | 20 | 2,0 | | | | | | | | | | | ● | ● | | | | |
| **A4G0305M03U02GMP** | 3 | 3,05 | 0,2 | 20 | 3,5 | | | ● | ● | | | | | ● | ● | ● | ● | ● | | | |
| **A4G0305M03U04GMP** | 3 | 3,05 | 0,4 | 20 | 3,5 | | | ● | ● | | | | | ● | ● | ● | ● | ● | | | |
| **A4G0405M04U04GMP** | 4 | 4,05 | 0,4 | 20 | 3,5 | | | ● | ● | | | | | ● | ● | ● | ● | ● | | | |
| **A4G0405M04U08GMP** | 4 | 4,05 | 0,8 | 20 | 3,5 | | | ● | ● | | | | | ● | ● | ● | ● | ● | | | |
| **A4G0505M05U04GMP** | 5 | 5,05 | 0,4 | 25 | 4,2 | | | ● | ● | | | | | ● | ● | ● | ● | | | | |
| **A4G0505M05U08GMP** | 5 | 5,05 | 0,8 | 25 | 4,2 | | | ● | ● | | | | | ● | ● | ● | ● | ● | | | |
| **A4G0605M06U04GMP** | 6 | 6,05 | 0,4 | 30 | 4,9 | | | ● | ● | | | | | ● | ● | ● | ● | | | | |
| **A4G0605M06U08GMP** | 6 | 6,05 | 0,8 | 30 | 4,9 | | | ● | ● | | | | | ● | ● | ● | ● | ● | | | |
| **A4G0605M06U12GMP** | 6 | 6,05 | 1,2 | 30 | 4,9 | | | | | | | | | ● | ● | | ● | | | | |
| **A4G0805M08U08GMP** | 8 | 8,05 | 0,8 | 30 | 6,4 | | | ● | ● | | | | | | | ● | ● | | | | |
| **A4G0805M08U12GMP** | 8 | 8,05 | 1,2 | 30 | 6,4 | | | | | | | | | | | | ● | | | | |
| **A4G1005M10U08GMP** | 10 | 10,05 | 0,8 | 30 | 8,1 | | | | | | | | | ● | ● | ● | ● | | | | |
| **A4G1005M10U12GMP** | 10 | 10,05 | 1,2 | 30 | 8,1 | | | | ● | | | | | | | | ● | | | | |

## A4G-P-GMP

| catalogue number | seat size | W mm | RR mm | LI mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4G0200M02P02GMP** | 2 | 2,00 | 0,2 | 20 | 2,0 | | | | | | | | | ● | ● | ● | ● | | | | |
| **A4G0250M2BP02GMP** | 2B | 2,50 | 0,2 | 20 | 2,0 | | | | | | | | | ● | ● | | | | | | |
| **A4G0300M03P02GMP** | 3 | 3,00 | 0,2 | 20 | 3,5 | | | | | | | | ● | ● | ● | ● | ● | | | | |
| **A4G0300M03P04GMP** | 3 | 3,00 | 0,4 | 20 | 3,5 | | | | | | | | ● | ● | ● | ● | ● | | | | |
| **A4G0400M04P02GMP** | 4 | 4,00 | 0,2 | 20 | 3,5 | | | | | | | | ● | ● | ● | ● | ● | | | | |
| **A4G0400M04P04GMP** | 4 | 4,00 | 0,4 | 20 | 3,5 | | | | | | | | ● | ● | ● | ● | ● | | | | |
| **A4G0400M04P08GMP** | 4 | 4,00 | 0,8 | 20 | 3,5 | | | | | | | | | ● | ● | ● | ● | | | | |
| **A4G0500M05P04GMP** | 5 | 5,00 | 0,4 | 25 | 4,2 | | | | | | | | ● | ● | ● | ● | ● | | | | |
| **A4G0500M05P08GMP** | 5 | 5,00 | 0,8 | 25 | 4,2 | | | | | | | | ● | ● | ● | ● | ● | | | | |
| **A4G0600M06P04GMP** | 6 | 6,00 | 0,4 | 30 | 4,8 | | | | | | | | | ● | ● | ● | ● | | | | |
| **A4G0600M06P08GMP** | 6 | 6,00 | 0,8 | 30 | 4,8 | | | | | | | | | ● | ● | ● | ● | | | | |
| **A4G0800M08P08GMP** | 8 | 8,00 | 0,8 | 30 | 6,3 | | | | | | | | ● | ● | ● | ● | ● | | | | |
| **A4G0800M08P12GMP** | 8 | 8,00 | 1,2 | 30 | 6,3 | | | | | | | | | ● | ● | | | | | | |
| **A4G1000M10P08GMP** | 10 | 10,00 | 0,8 | 30 | 8,0 | | | | | | | | ● | ● | ● | ● | ● | | | | |
| **A4G1000M10P12GMP** | 10 | 10,00 | 1,2 | 30 | 8,0 | | | | | | | | | ● | ● | | | | | | |






A4G-U-GMN/A4G-P-GMN

● first choice
○ alternate choice

| | | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ○ | ○ | ○ | | | | | | | | ● | | | |
| M | | | | | | | | | | ● | ● | ● | ○ | | | | |
| K | | ● | ● | ● | ● | ● | ● | | ○ | | | | | | | ● | ● |
| N | | | | | | | | ● | ● | ● | ● | | | | ● | | |
| S | | | | | | | | ● | ○ | ● | ○ | ● | ○ | | | | |
| H | | | | | | | | | | ○ | | ○ | | | | ● | ● |

## A4G-U-GMN

| catalogue number | seat size | W mm | RR mm | LI mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4G0205M02U02GMN** | 2 | 2,05 | 0,2 | 20 | 2,0 | | | ● | | | | | | ● | ● | ● | ● | | | | |
| **A4G0255M2BU02GMN** | 2B | 2,62 | 0,2 | 20 | 2,0 | | | | | | | | | | ● | | ● | | | | |
| **A4G0305M03U02GMN** | 3 | 3,05 | 0,2 | 20 | 3,5 | | | ● | ● | | | | | ● | ● | ● | ● | | | | |
| **A4G0305M03U04GMN** | 3 | 3,05 | 0,4 | 20 | 3,5 | | | ● | ● | | | | | ● | ● | ● | ● | | | | |
| **A4G0405M04U04GMN** | 4 | 4,05 | 0,4 | 20 | 3,5 | | | ● | ● | | | | | ● | ● | ● | ● | | | | |
| **A4G0405M04U08GMN** | 4 | 4,05 | 0,8 | 20 | 3,5 | | | ● | ● | | | | | ● | ● | ● | ● | | | | |
| **A4G0505M05U04GMN** | 5 | 5,05 | 0,4 | 25 | 4,2 | | | ● | ● | | | | | ● | ● | ● | ● | | | | |
| **A4G0505M05U08GMN** | 5 | 5,05 | 0,8 | 25 | 4,2 | | | ● | ● | | | | | ● | ● | ● | ● | | | | |
| **A4G0605M06U04GMN** | 6 | 6,05 | 0,4 | 30 | 4,9 | | | ● | ● | | | | | ● | ● | ● | ● | | | | |
| **A4G0605M06U08GMN** | 6 | 6,05 | 0,8 | 30 | 4,9 | | | ● | ● | | | | | ● | ● | ● | ● | | | | |
| **A4G0605M06U12GMN** | 6 | 6,05 | 1,2 | 30 | 4,9 | | | | ● | | | | | ● | ● | ● | ● | | | | |
| **A4G0805M08U08GMN** | 8 | 8,05 | 0,8 | 30 | 6,4 | | | ● | ● | | | | | ● | ● | ● | ● | | | | |
| **A4G0805M08U12GMN** | 8 | 8,05 | 1,2 | 30 | 6,4 | | | ● | ● | | | | | ● | ● | ● | ● | | | | |
| **A4G1005M10U08GMN** | 10 | 10,05 | 0,8 | 30 | 8,1 | | | ● | ● | | | | | | | ● | ● | | | | |
| **A4G1005M10U12GMN** | 10 | 10,05 | 1,2 | 30 | 8,1 | | | ● | ● | | | | | | | | ● | | | | |

## A4G-P-GMN

| catalogue number | seat size | W mm | RR mm | LI mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4G094I2BP05GMN** | 2B | 2,39 | 0,2 | 20 | 1,9 | | | | | | | | | ● | ● | | | | | | |
| **A4G125I03P05GMN** | 3 | 3,18 | 0,2 | 20 | 3,4 | | | | | | | | | ● | ● | ● | ● | | | | |
| **A4G125I03P1GMN** | 3 | 3,18 | 0,4 | 20 | 3,4 | | | | | | | | | ● | ● | ● | ● | | | | |
| **A4G187I04P1GMN** | 4 | 4,76 | 0,4 | 20 | 3,5 | | | | | | | | | ● | ● | ● | ● | | | | |
| **A4G187I04P2GMN** | 4 | 4,76 | 0,8 | 20 | 3,5 | | | | | | | | | ● | ● | ● | ● | | | | |
| **A4G250I06P1GMN** | 6 | 6,35 | 0,4 | 30 | 4,7 | | | | | | | | | ● | ● | ● | ● | | | | |
| **A4G250I06P2GMN** | 6 | 6,35 | 0,8 | 30 | 4,7 | | | | | | | | | ● | ● | ● | ● | | | | |
| **A4G312I08P1GMN** | 8 | 7,94 | 0,4 | 30 | 6,2 | | | | | | | | | | ● | ● | ● | | | | |
| **A4G312I08P2GMN** | 8 | 7,94 | 0,8 | 30 | 6,2 | | | | | | | | | | | | ● | | | | |
| **A4G375I10P1GMN** | 10 | 9,53 | 0,4 | 30 | 7,9 | | | | | | | | | | ● | | | | | | |
| **A4G375I10P2GMN** | 10 | 9,53 | 0,8 | 30 | 7,9 | | | | | | | | | ● | ● | ● | ● | | | | |






A4R-P-GMP



A4R-U-GMN/A4R-P-GMN

● first choice
○ alternate choice

## A4R-P-GMP

| catalogue number | seat size | W mm | RC mm | L1 mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4R0200M02P00GMP** | 2 | 2,00 | 1,0 | 20 | 1,7 | | | | | | | | | ● | ● | ● | ● | | | | |
| **A4R0300M03P00GMP** | 3 | 3,00 | 1,5 | 20 | 2,5 | | | | | | | | ● | ● | ● | ● | ● | | | | |
| **A4R0400M04P00GMP** | 4 | 4,00 | 2,0 | 20 | – | | | | | | | | ● | ● | ● | ● | ● | | | | |
| **A4R0500M05P00GMP** | 5 | 5,00 | 2,5 | 25 | 4,1 | | | | | | | | ● | ● | ● | ● | ● | | | | |
| **A4R0600M06P00GMP** | 6 | 6,00 | 3,0 | 30 | 4,9 | | | | | | | | | ● | ● | ● | ● | | | | |
| **A4R0800M08P00GMP** | 8 | 8,00 | 4,0 | 30 | 6,5 | | | | | | | | ● | ● | ● | ● | ● | | | | |
| **A4R1000M10P00GMP** | 10 | 10,00 | 5,0 | 30 | 8,1 | | | | | | | | ● | | | | | | | | |

## A4R-U-GMN

| catalogue number | seat size | W mm | RC mm | L1 mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4R0205M02U00GMN** | 2 | 2,05 | 1,1 | 20 | 1,8 | | | ● | | | | | | ● | ● | ● | ● | | | | |
| **A4R0305M03U00GMN** | 3 | 3,05 | 1,5 | 20 | 2,6 | | | ● | ● | | | | | ● | ● | ● | ● | | | | |
| **A4R0405M04U00GMN** | 4 | 4,05 | 2,0 | 20 | 3,4 | | | ● | ● | | | | | ● | ● | ● | ● | | | | |
| **A4R0505M05U00GMN** | 5 | 5,05 | 2,5 | 25 | 4,1 | | | ● | ● | | | | | ● | ● | ● | ● | | | | |
| **A4R0605M06U00GMN** | 6 | 6,05 | 3,0 | 30 | 4,9 | | | ● | ● | | | | | ● | ● | ● | ● | | | | |
| **A4R0805M08U00GMN** | 8 | 8,05 | 4,0 | 30 | 6,5 | | | ● | ● | | | | | ● | ● | ● | ● | | | | |
| **A4R1005M10U00GMN** | 10 | 10,05 | 5,0 | 30 | 8,1 | | | | ● | | | | | ● | ● | ● | ● | | | | |

## A4R-P-GMN

| catalogue number | seat size | W mm | RC mm | L1 mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4R125I03P00GMN** | 3 | 3,18 | 1,6 | 20 | 2,7 | | | | | | | | | ● | ● | ● | ● | | | | |
| **A4R187I04P00GMN** | 4 | 4,76 | 2,4 | 20 | 3,8 | | | | | | | | | ● | ● | ● | ● | | | | |
| **A4R250I06P00GMN** | 6 | 6,35 | 3,2 | 30 | 5,2 | | | | | | | | | ● | ● | ● | ● | | | | |
| **A4R312I08P00GMN** | 8 | 7,94 | 4,0 | 30 | 6,4 | | | | | | | | | ● | ● | | | | | | |
| **A4R375I10P00GMN** | 10 | 9,53 | 4,8 | 30 | 7,3 | | | | | | | | | | | ● | ● | | | | |






A4R-P-GUP/A4R-U-GUP

● first choice
○ alternate choice

| | | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ○ | ○ | ○ | | | | | | | | ● | | | |
| M | | | | | | | | | | ● | ● | ● | ○ | | | | |
| K | | ● | ● | ● | ● | ● | ● | | ○ | | | | | | | ● | ● |
| N | | | | | | | | ● | ● | ● | ● | | | | ● | | |
| S | | | | | | | | ● | ○ | ● | ○ | ● | ○ | | | | |
| H | | | | | | | | | | ○ | | ○ | | | | ● | ● |

## A4R-P-GUP

| catalogue number | seat size | W mm | RC mm | L1 mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4R0300M03P00GUP** | 3 | 3,00 | 1,5 | 20 | | | | | | | | ● | ● | | ● | | | | | |
| **A4R0400M04P00GUP** | 4 | 4,00 | 2,0 | 20 | | | | | | | | | | | ● | | | | | |
| **A4R0500M05P00GUP** | 5 | 5,00 | 2,5 | 25 | | | | | | | | ● | | | ● | | | | | |
| **A4R0600M06P00GUP** | 6 | 6,00 | 3,0 | 30 | | | | | | | | | | | ● | | | | | |
| **A4R0800M08P00GUP** | 8 | 8,00 | 4,0 | 30 | | | | | | | | | | | ● | | | | | |
| **A4R1000M10P00GUP** | 10 | 10,00 | 5,0 | 30 | | | | | | | | ● | ● | | ● | | | | | |
| **A4R125I03P00GUP** | 3 | 3,18 | 1,6 | 20 | | | | | | | | ● | ● | | ● | | | | | |
| **A4R187I04P00GUP** | 4 | 4,76 | 2,4 | 20 | | | | | | | | ● | ● | | ● | | | | | |
| **A4R250I06P00GUP** | 6 | 6,35 | 3,2 | 30 | | | | | | | | ● | ● | | ● | | | | | |
| **A4R312I08P00GUP** | 8 | 7,94 | 4,0 | 30 | | | | | | | | ● | ● | | ● | | | | | |
| **A4R375I10P00GUP** | 10 | 9,52 | 4,8 | 30 | | | | | | | | ● | ● | | ● | | | | | |

## A4R-U-GUP

| catalogue number | seat size | W mm | RC mm | L1 mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4R0305M03U00GUP** | 3 | 3,05 | 1,5 | 20 | | | | | | | | ● | ● | | ● | | | | | |
| **A4R0505M05U00GUP** | 5 | 5,05 | 2,5 | 25 | | | | | | | | ● | ● | | ● | | | | | |
| **A4R1005M10U00GUP** | 10 | 10,05 | 5,0 | 30 | | | | | | | | ● | ● | | ● | | | | | |




A4G-SU-GUP/A4G-SP-GUP A4R-SP-GMP A4G-SU-GMN

● first choice
○ alternate choice

| | | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ○ | ○ | ○ | | | | | | | | ● | | | |
| M | | | | | | | | | | ● | ● | ● | ○ | | | | |
| K | | ● | ● | ● | ● | ● | ● | | ○ | | | | | | | ● | ● |
| N | | | | | | | | ● | ● | ● | ● | | | | ● | | |
| S | | | | | | | | ● | ○ | ● | ○ | ● | ○ | | | | |
| H | | | | | | | | | | ○ | | ○ | | | | ● | ● |

## A4G-SU-GUP • Small Diameter Face Grooving

| catalogue number | seat size | W mm | RR mm | LI mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4G0205M2SU02GUP** | 2S | 2,05 | 0,2 | 20 | 2,0 | | | | | | | | | ● | | ● | | | | | |
| **A4G0305M3SU02GUP** | 3S | 3,05 | 0,2 | 20 | 3,0 | | | | | | | | | ● | | ● | | | | | |
| **A4G0305M3SU04GUP** | 3S | 3,05 | 0,4 | 20 | 3,0 | | | | | | | | | ● | | ● | | | | | |
| **A4G0405M4SU04GUP** | 4S | 4,05 | 0,4 | 20 | 3,4 | | | | | | | | | ● | | ● | | | | | |
| **A4G0405M4SU08GUP** | 4S | 4,05 | 0,8 | 20 | 3,4 | | | | | | | | | ● | | ● | | | | | |
| **A4G0505M5SU04GUP** | 5S | 5,05 | 0,4 | 25 | 4,2 | | | | | | | | | ● | | ● | | | | | |
| **A4G0505M5SU08GUP** | 5S | 5,05 | 0,8 | 25 | 4,2 | | | | | | | | | ● | | ● | | | | | |

NOTE: A4-S inserts are reduced-height A4 inserts.
For example, a 2S seat size holder will not accept a seat size 2 insert.

## A4G-SP-GUP • Small Diameter Face Grooving

| catalogue number | seat size | W mm | RR mm | LI mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4G0200M2SP02GUP** | 2S | 2,00 | 0,2 | 20 | 1,9 | | | | | | | | | ● | | ● | | | | | |
| **A4G0300M3SP02GUP** | 3S | 3,00 | 0,2 | 20 | 2,9 | | | | | | | | | ● | | ● | | | | | |
| **A4G0300M3SP04GUP** | 3S | 3,00 | 0,4 | 20 | 2,9 | | | | | | | | | ● | | ● | | | | | |
| **A4G0400M4SP04GUP** | 4S | 4,00 | 0,4 | 20 | 3,4 | | | | | | | | | ● | | ● | | | | | |
| **A4G0400M4SP08GUP** | 4S | 4,00 | 0,8 | 20 | 3,4 | | | | | | | | | ● | | ● | | | | | |
| **A4G0500M5SP04GUP** | 5S | 5,00 | 0,4 | 25 | 4,1 | | | | | | | | | ● | | ● | | | | | |
| **A4G0500M5SP08GUP** | 5S | 5,00 | 0,8 | 25 | 4,1 | | | | | | | | | ● | | ● | | | | | |

NOTE: A4-S inserts are reduced-height A4 inserts.
For example, a 2S seat size holder will not accept a seat size 2 insert.

## A4R-SP-GMP • Small Diameter Face Grooving

| catalogue number | seat size | W mm | RC mm | LI mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4R0200M2SP00GMP** | 2S | 2,00 | 1,0 | 20 | 1,7 | | | | | | | | | | | ● | | | | | |
| **A4R0300M3SP00GMP** | 3S | 3,00 | 1,5 | 20 | 2,5 | | | | | | | | | | | ● | | | | | |
| **A4R0400M4SP00GMP** | 4S | 4,00 | 2,0 | 20 | 3,4 | | | | | | | | | | | ● | | | | | |
| **A4R0500M5SP00GMP** | 5S | 5,00 | 2,5 | 25 | 4,1 | | | | | | | | | | | ● | | | | | |

NOTE: A4-S inserts are reduced-height A4 inserts.
For example, a 2S seat size holder will not accept a seat size 2 insert.

## A4G-SU-GMN • Small Diameter Face Grooving

| catalogue number | seat size | W mm | RR mm | LI mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4G0205M2SU02GMN** | 2S | 2,05 | 0,2 | 20 | 2,0 | | | | | | | | | ● | | ● | | | | | |
| **A4G0305M3SU02GMN** | 3S | 3,05 | 0,2 | 20 | 3,5 | | | | | | | | | ● | | ● | | | | | |
| **A4G0305M3SU04GMN** | 3S | 3,05 | 0,4 | 20 | 3,5 | | | | | | | | | ● | | ● | | | | | |
| **A4G0405M4SU04GMN** | 4S | 4,05 | 0,4 | 20 | 3,6 | | | | | | | | | ● | | ● | | | | | |
| **A4G0405M4SU08GMN** | 4S | 4,05 | 0,8 | 20 | 3,6 | | | | | | | | | ● | | ● | | | | | |
| **A4G0505M5SU04GMN** | 5S | 5,05 | 0,4 | 25 | 4,2 | | | | | | | | | ● | | ● | | | | | |
| **A4G0505M5SU08GMN** | 5S | 5,05 | 0,8 | 25 | 4,2 | | | | | | | | | ● | | ● | | | | | |

NOTE: A4-S inserts are reduced-height A4 inserts.
For example, a 2S seat size holder will not accept a seat size 2 insert.







A4G-P-E



A4R-P-E

● first choice
○ alternate choice

| | | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ○ | ○ | ○ | | | | | | | | ● | | | |
| M | | | | | | | | | | ● | ● | ● | ○ | | | | |
| K | | ● | ● | ● | ● | ● | ● | | ○ | | | | | | | ● | ● |
| N | | | | | | | | ● | ● | ● | ● | | | | ● | | |
| S | | | | | | | | ● | ○ | ● | ○ | ● | ○ | | | | |
| H | | | | | | | | | | ○ | | ○ | | | | ● | ● |

## A4G-P-E • PCD Grooving

| catalogue number | seat size | W mm | RR mm | LI mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4G0300M03P04E** | 3 | 3,00 | 0,4 | 20 | 3,5 | | | | | | | | | | | | | | ● | | |
| **A4G0400M04P04E** | 4 | 4,00 | 0,4 | 20 | 3,5 | | | | | | | | | | | | | | ● | | |
| **A4G0500M05P08E** | 5 | 5,00 | 0,8 | 25 | 4,2 | | | | | | | | | | | | | | ● | | |

## A4R-P-E • PCD Grooving

| catalogue number | seat size | W mm | RC mm | LI mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4R0500M05P00E** | 5 | 5,00 | 2,5 | 25 | 4,1 | | | | | | | | | | | | | | ● | | |




A4G-U-B | A4G-P-T | A4R-P-T

● first choice
○ alternate choice

| | | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ○ | ○ | ○ | | | | | | | | ● | | | |
| M | | | | | | | | | | ● | ● | ● | ○ | | | | |
| K | | ● | ● | ● | ● | ● | ● | | ○ | | | | | | | ● | ● |
| N | | | | | | | | ● | ● | ● | ● | | | | ● | | |
| S | | | | | | | | ● | ○ | ● | ○ | ● | ○ | | | | |
| H | | | | | | | | | | ○ | | ○ | | | | ● | ● |

## A4G-U-B

| catalogue number | seat size | W mm | RR mm | L1 mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4G0305M03U02B** | 3 | 3,05 | 0,2 | 20 | 3,5 | | | | | ● | | | | | | ● | ● | | | | |
| **A4G0405M04U04B** | 4 | 4,05 | 0,4 | 20 | 3,4 | | | | | ● | | | | | | | ● | | | | |
| **A4G0505M05U04B** | 5 | 5,05 | 0,4 | 25 | 4,2 | | | | | ● | | | | | | ● | ● | | | | |
| **A4G0605M06U04B** | 6 | 6,05 | 0,4 | 30 | 4,9 | | | | | ● | | | | | | ● | ● | | | | |
| **A4G0805M08U08B** | 8 | 8,05 | 0,8 | 30 | 6,4 | | | | | ● | | | | | | | | | | | |
| **A4G1005M10U08B** | 10 | 10,05 | 0,8 | 30 | 8,1 | | | | | ● | | | | | | | | | | | |

## A4G-P-T

| catalogue number | seat size | W mm | RR mm | L1 mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4G0300M03P04T01025** | 3 | 3,00 | 0,4 | 20 | 3,4 | | | | | | ● | | | | | | | | | | |
| **A4G125I03P1T0425** | 3 | 3,18 | 0,4 | 20 | 3,4 | | | | | | ● | | | | | | | | | | |
| **A4G0400M04P04T01025** | 4 | 4,00 | 0,4 | 20 | 3,4 | | | | | | ● | | | | | | | | | | |
| **A4G187I04P2T0425** | 4 | 4,76 | 0,8 | 20 | 3,4 | | | | | | ● | | | | | | | | | | |
| **A4G0500M05P08T01025** | 5 | 5,00 | 0,8 | 25 | 4,2 | | | | | | ● | | | | | | | | | | |
| **A4G0600M06P08T01025** | 6 | 6,00 | 0,8 | 30 | 4,8 | | | | | | ● | | | | | | | | | | |
| **A4G250I06P2T0425** | 6 | 6,35 | 0,8 | 30 | 4,9 | | | | | | ● | | | | | | | | | | |
| **A4G0800M08P08T01025** | 8 | 8,00 | 0,8 | 30 | 6,4 | | | | | | ● | | | | | | | | | | |

## A4R-P-T

| catalogue number | seat size | W mm | RC mm | L1 mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4R0300M03P00T01025** | 3 | 3,00 | 1,5 | 20 | 2,4 | | | | | | ● | | | | | | | | | | |
| **A4R125I03P00T0425** | 3 | 3,18 | 1,6 | 20 | 2,6 | | | | | | ● | | | | | | | | | | |
| **A4R0400M04P00T01025** | 4 | 4,00 | 2,0 | 20 | 3,0 | | | | | | ● | | | | | | | | | | |
| **A4R187I04P00T0425** | 4 | 4,76 | 2,4 | 20 | 4,3 | | | | | | ● | | | | | | | | | | |
| **A4R0500M05P00T01025** | 5 | 5,00 | 2,5 | 25 | 4,1 | | | | | | ● | | | | | | | | | | |
| **A4R0600M06P00T01025** | 6 | 6,00 | 3,0 | 30 | 4,3 | | | | | | ● | | | | | | | | | | |
| **A4R250I06P00T0425** | 6 | 6,35 | 3,2 | 30 | 4,8 | | | | | | ● | | | | | | | | | | |
| **A4R0800M08P00T01025** | 8 | 8,00 | 4,0 | 30 | 6,4 | | | | | | ● | | | | | | | | | | |

Turning




A4C-N-CF A4C-R-CF A4C-L-CF

● first choice
○ alternate choice

| | | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | ● | ● | ○ | ○ | ○ | | | | | | | | ● | | | |
| M | | | | | | | | | | ● | ● | ● | ○ | | | | |
| K | | ● | ● | ● | ● | ● | ● | | ○ | | | | | | | ● | ● |
| N | | | | | | | | ● | ● | ● | ● | | | | ● | | |
| S | | | | | | | | ● | ○ | ● | ○ | ● | ○ | | | | |
| H | | | | | | | | | | ○ | | ○ | | | | ● | ● |

## A4C-N-CF

| catalogue number | seat size | W mm | RR mm | LI mm | α |
|---|---|---|---|---|---|
| A4C0155N00CF01 | 1 | 1,50 | 0,2 | 16 | – |
| A4C0205N00CF02 | 2 | 2,05 | 0,2 | 20 | – |
| A4C0255N00CF02 | 2B | 2,50 | 0,2 | 20 | – |
| A4C0305N00CF02 | 3 | 3,05 | 0,2 | 20 | – |
| A4C0405N00CF02 | 4 | 4,05 | 0,2 | 20 | – |

| catalogue number | KCU25 | KC5025 |
|---|---|---|
| A4C0155N00CF01 | ● | ● |
| A4C0205N00CF02 | ● | ● |
| A4C0255N00CF02 | ● | ● |
| A4C0305N00CF02 | ● | ● |
| A4C0405N00CF02 | ● | ● |

## A4C-R-CF

| catalogue number | seat size | W mm | RL mm | LI mm | αR |
|---|---|---|---|---|---|
| A4C0155R16CF01 | 1 | 1,50 | 0,2 | 16 | 16.0 |
| A4C0155R06CF01 | 1 | 1,50 | 0,2 | 16 | 6.0 |
| A4C0155R10CF01 | 1 | 1,50 | 0,2 | 16 | 10.0 |
| A4C0205R10CF02 | 2 | 1,99 | 0,2 | 20 | 10.0 |
| A4C0205R06CF02 | 2 | 1,99 | 0,2 | 20 | 6.0 |
| A4C0255R06CF02 | 2B | 2,49 | 0,2 | 20 | 6.0 |
| A4C0305R06CF02 | 3 | 3,05 | 0,2 | 20 | 6.0 |
| A4C0305R10CF02 | 3 | 3,05 | 0,2 | 20 | 10.0 |
| A4C0405R06CF02 | 4 | 4,05 | 0,2 | 20 | 6.0 |
| A4C0405R10CF02 | 4 | 4,05 | 0,2 | 20 | 10.0 |

| catalogue number | KCU25 | KC5025 |
|---|---|---|
| A4C0155R16CF01 | | ● |
| A4C0155R06CF01 | | ● |
| A4C0155R10CF01 | ● | ● |
| A4C0205R10CF02 | ● | ● |
| A4C0205R06CF02 | ● | ● |
| A4C0255R06CF02 | | ● |
| A4C0305R06CF02 | ● | ● |
| A4C0305R10CF02 | ● | ● |
| A4C0405R06CF02 | ● | ● |
| A4C0405R10CF02 | ● | ● |

## A4C-L-CF

| catalogue number | seat size | W mm | RR mm | LI mm | αL |
|---|---|---|---|---|---|
| A4C0155L06CF01 | 1 | 1,50 | 0,2 | 16 | 6.0 |
| A4C0205L06CF02 | 2 | 1,99 | 0,2 | 20 | 6.0 |
| A4C0205L10CF02 | 2 | 1,99 | 0,2 | 20 | 10.0 |
| A4C0305L06CF02 | 3 | 3,05 | 0,2 | 20 | 6.0 |
| A4C0305L10CF02 | 3 | 3,05 | 0,2 | 20 | 10.0 |
| A4C0405L06CF02 | 4 | 4,05 | 0,2 | 20 | 6.0 |
| A4C0405L10CF02 | 4 | 4,05 | 0,2 | 20 | 10.0 |

| catalogue number | KCU25 | KC5025 |
|---|---|---|
| A4C0155L06CF01 | | ● |
| A4C0205L06CF02 | ● | ● |
| A4C0205L10CF02 | | ● |
| A4C0305L06CF02 | ● | ● |
| A4C0305L10CF02 | ● | ● |
| A4C0405L06CF02 | ● | ● |
| A4C0405L10CF02 | ● | ● |



A4G-P-S-ST



A4R-P-E-ST



A4G-P-E-ST

● first choice
○ alternate choice

## A4G-P-S-ST

| catalogue number | seat size | W mm | RR mm | LI mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4G0300M03P04S02025ST** | 3 | 3,00 | 0,4 | 20 | 3,0 | | | | | | | | | | | | | | | ● | ● |
| **A4G0400M04P04S02025ST** | 4 | 4,00 | 0,4 | 20 | 3,3 | | | | | | | | | | | | | | | ● | ● |
| **A4G0500M05P08S02025ST** | 5 | 5,00 | 0,8 | 25 | 3,5 | | | | | | | | | | | | | | | ● | ● |
| **A4G0600M06P08S02025ST** | 6 | 6,00 | 0,8 | 30 | 4,0 | | | | | | | | | | | | | | | ● | ● |

## A4R-P-E-ST

| catalogue number | seat size | W mm | RR mm | LI mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4R0300M03P00EST** | 3 | 3,00 | – | 20 | 2,2 | | | | | | | | | | | | | | | ● | |
| **A4R0400M04P00EST** | 4 | 4,00 | – | 20 | 2,9 | | | | | | | | | | | | | | | ● | |
| **A4R0500M05P00EST** | 5 | 5,00 | – | 25 | 3,7 | | | | | | | | | | | | | | | ● | |
| **A4R0600M06P00EST** | 6 | 6,00 | – | 30 | 4,4 | | | | | | | | | | | | | | | ● | |

## A4G-P-E-ST

| catalogue number | seat size | W mm | RR mm | LI mm | T mm | KCP10 | KCP25 | KC9110 | KC9125 | KC9320 | KY3500 | KU10 | K313 | KCU10 | KC5010 | KCU25 | KC5025 | KT315 | KD1405 | KB1630 | KB5625 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A4G0300M03P04EST** | 3 | 3,00 | 0,4 | 20 | 3,0 | | | | | | | | | | | | | | | ● | |
| **A4G0400M04P04EST** | 4 | 4,00 | 0,4 | 20 | 3,3 | | | | | | | | | | | | | | | ● | |
| **A4G0500M05P08EST** | 5 | 5,00 | 0,8 | 25 | 3,5 | | | | | | | | | | | | | | | ● | |
| **A4G0600M06P08EST** | 6 | 6,00 | 0,8 | 30 | 4,0 | | | | | | | | | | | | | | | ● | |

# How Do Catalogue Numbers Work?

Each character in our catalogue number signifies a specific trait of that product. Use the following key columns and corresponding images to easily identify which attributes apply.




| A4 | S | M | R | 2525M | 02 | 14 |
|---|---|---|---|---|---|---|
| Tooling System | Tool Style | Support Type | Hand of Tool | Shank Size | Seat Size | Max Grooving Depth |
| **A4** = Grooving and Turning | **S** = Straight  **E** = End mounted 90° | |  **R** = Right hand **L** = Left hand **N** = Neutral | | 02 03 04 05 06 08 10 | in millimetres |

**M** =
Maximum support for specific groove widths and straight clearance for unlimited workpiece diameters

**E** =
No steel support for face grooving

**metric:**
Height x width in mm, letter indicates tool length according to ISO

**metric tool length (mm)**
K = 125
M = 150
P = 170

*By referencing this easy-to-use guide, you can identify the correct product to meet your needs.*



**A20RA4EMR0207M**

| A | 20 | R | A4 | E | M | R | 02 | 07 | M |
|---|---|---|---|---|---|---|---|---|---|
| Steel Bar with Coolant | Bar Diameter | Bar Length | A4 Groove & Turn System | Tool Style | Support Type | Hand of Tool | Insert Seat Size | Grooving Depth in mm | Tool Units |



**M** = Metric
**N** = Inch




**E** = End mounted (90°)




**conversions:**

| mm | | inch |
|---|---|---|
| 7mm | = | .28" |
| 10mm | = | .39" |
| 12mm | = | .47" |
| 16mm | = | .63" |




**metric bars:**
R = 200mm
S = 250mm
T = 300mm

**inch bars:**
R = 8"
S = 10"
T = 12"

| pocket seat size | cutting width (mm) |
|---|---|
| 02 | 2,00–2,62 |
| 2B | 2,39–2,62 |
| 03 | 3,0–3,05 |
| 04 | 4,0–4,05 |
| 05 | 5,0–5,05 |
| 06 | 6,0–6,05 |
| 08 | 8,0–8,05 |
| 10 | 10,0–10,05 |




**metric bars:**
Bar diameter in millimetres

**inch bars:**
A two-digit number which indicates the bar diameter in 1/16" increments.




**R** = Right hand




**L** = Left hand

**M** = Maximum support






## A4SM

| order number | catalogue number | seat size | CD | W min | H | B | H2 | L1 | FS | L2 | Torx clamp screw | Torx |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | right hand | | | | | | | | | | | |
| 3017340 | A4SMR2525M0214 | 2 | 14,000 | 2,00 | 25 | 25 | 30 | 150 | 24,20 | 30 | MS1160 | T20 |
| 3017342 | A4SMR1616K0214 | 2 | 14,000 | 2,00 | 16 | 16 | 25 | 125 | 15,20 | 30 | MS1160 | T20 |
| 2974425 | A4SMR2020K0217 | 2 | 17,000 | 2,00 | 20 | 20 | 31 | 125 | 19,20 | 34 | MS1944 | T25 |
| 3017339 | A4SMR2525M0217 | 2 | 17,000 | 2,00 | 25 | 25 | 31 | 150 | 24,20 | 34 | MS1944 | T25 |
| 1949635 | A4SMR2020K0314 | 3 | 14,000 | 3,00 | 20 | 20 | 27 | 125 | 18,72 | 35 | MS1595 | T30 |
| 1949633 | A4SMR1616K0314 | 3 | 14,000 | 3,00 | 16 | 16 | 27 | 125 | 14,72 | 35 | MS2091 | T25 |
| 1949637 | A4SMR2525M0317 | 3 | 17,000 | 3,00 | 25 | 25 | 32 | 150 | 23,72 | 37 | MS1970 | T30 |
| 2503551 | A4SMR2020K0317 | 3 | 17,000 | 3,00 | 20 | 20 | 32 | 125 | 18,70 | 37 | MS1970 | T30 |
| 2503557 | A4SMR2016K0317 | 3 | 17,000 | 3,00 | 20 | 16 | 32 | 125 | 14,70 | 37 | MS1970 | T30 |
| 1949639 | A4SMR2020K0414 | 4 | 14,000 | 4,00 | 20 | 20 | 27 | 125 | 18,22 | 35 | MS1595 | T30 |
| 1949643 | A4SMR3225P0417 | 4 | 17,000 | 4,00 | 32 | 25 | 40 | 170 | 23,22 | 37 | MS1970 | T30 |
| 2503553 | A4SMR2020K0417 | 4 | 17,000 | 4,00 | 20 | 20 | 32 | 125 | 18,20 | 37 | MS1970 | T30 |
| 1949641 | A4SMR2525M0417 | 4 | 17,000 | 4,00 | 25 | 25 | 32 | 150 | 23,22 | 37 | MS1970 | T30 |
| 2503559 | A4SMR2016K0417 | 4 | 17,000 | 4,00 | 20 | 16 | 32 | 125 | 14,20 | 37 | MS1970 | T30 |
| 1949645 | A4SMR2020K0519 | 5 | 19,000 | 5,00 | 20 | 20 | 28 | 125 | 17,72 | 40 | MS1595 | T30 |
| 1949647 | A4SMR2525M0520 | 5 | 20,000 | 5,00 | 25 | 25 | 33 | 150 | 22,72 | 40 | MS1970 | T30 |
| 1949649 | A4SMR3225P0522 | 5 | 22,000 | 5,00 | 32 | 25 | 40 | 170 | 22,72 | 42 | MS1970 | T30 |
| 2503555 | A4SMR2020K0620 | 6 | 20,000 | 6,00 | 20 | 20 | 33 | 125 | 17,30 | 40 | MS1970 | T30 |
| 2245484 | A4SMR2525M0620 | 6 | 20,000 | 6,00 | 25 | 25 | 33 | 150 | 22,30 | 40 | MS1970 | T30 |
| 2263089 | A4SMR3225P0626 | 6 | 26,000 | 6,00 | 32 | 25 | 40 | 170 | 22,30 | 45 | MS1970 | T30 |
| 2245485 | A4SMR2525M0820 | 8 | 20,000 | 8,00 | 25 | 25 | 34 | 150 | 21,40 | 43 | MS1490 | T45 |
| 2263091 | A4SMR3225P0826 | 8 | 26,000 | 8,00 | 32 | 25 | 41 | 170 | 21,40 | 47 | MS1490 | T45 |
| 2263173 | A4SMR3225P1026 | 10 | 26,000 | 10,00 | 32 | 25 | 41 | 170 | 20,80 | 47 | MS1490 | T45 |
| 3017341 | A4SMR2020K0214 | 2 | 14,000 | – | 20 | 20 | 25 | 125 | 19,20 | 30 | MS1160 | T20 |

*(continued)*

*(A4SM continued)*





| order number | catalogue number | seat size | CD | W min | H | B | H2 | L1 | FS | L2 | Torx clamp screw | Torx |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **left hand** | | | | | | | | | | | |
| **3017338** | **A4SML1616K0214** | 2 | 14,000 | 2,00 | 16 | 16 | 25 | 125 | 15,20 | 30 | **MS1160** | T20 |
| **3017335** | **A4SML2525M0214** | 2 | 14,000 | 2,00 | 25 | 25 | 30 | 150 | 24,20 | 30 | **MS1160** | T20 |
| **3017337** | **A4SML2020K0217** | 2 | 17,000 | 2,00 | 20 | 20 | 31 | 125 | 19,20 | 34 | **MS1944** | T25 |
| **3017334** | **A4SML2525M0217** | 2 | 17,000 | 2,00 | 25 | 25 | 31 | 150 | 24,20 | 34 | **MS1944** | T25 |
| **1949636** | **A4SML2020K0314** | 3 | 14,000 | 3,00 | 20 | 20 | 27 | 125 | 18,72 | 35 | **MS1595** | T30 |
| **1949634** | **A4SML1616K0314** | 3 | 14,000 | 3,00 | 16 | 16 | 27 | 125 | 14,72 | 35 | **MS2091** | T25 |
| **2503550** | **A4SML2020K0317** | 3 | 17,000 | 3,00 | 20 | 20 | 32 | 125 | 18,70 | 37 | **MS1970** | T30 |
| **1949638** | **A4SML2525M0317** | 3 | 17,000 | 3,00 | 25 | 25 | 32 | 150 | 23,72 | 37 | **MS1970** | T30 |
| **2503556** | **A4SML2016K0317** | 3 | 17,000 | 3,00 | 20 | 16 | 32 | 125 | 14,70 | 37 | **MS1970** | T30 |
| **1949640** | **A4SML2020K0414** | 4 | 14,000 | 4,00 | 20 | 20 | 27 | 125 | 18,22 | 35 | **MS1595** | T30 |
| **1949642** | **A4SML2525M0417** | 4 | 17,000 | 4,00 | 25 | 25 | 32 | 150 | 23,22 | 37 | **MS1970** | T30 |
| **2503552** | **A4SML2020K0417** | 4 | 17,000 | 4,00 | 20 | 20 | 32 | 125 | 18,20 | 37 | **MS1970** | T30 |
| **2503558** | **A4SML2016K0417** | 4 | 17,000 | 4,00 | 20 | 16 | 32 | 125 | 14,20 | 37 | **MS1970** | T30 |
| **1949644** | **A4SML3225P0417** | 4 | 17,000 | 4,00 | 32 | 25 | 40 | 170 | 23,22 | 37 | **MS1970** | T30 |
| **1949646** | **A4SML2020K0519** | 5 | 19,000 | 5,00 | 20 | 20 | 28 | 125 | 17,72 | 40 | **MS1595** | T30 |
| **1949648** | **A4SML2525M0520** | 5 | 20,000 | 5,00 | 25 | 25 | 33 | 150 | 22,72 | 40 | **MS1970** | T30 |
| **1949650** | **A4SML3225P0522** | 5 | 22,000 | 5,00 | 32 | 25 | 40 | 170 | 22,72 | 42 | **MS1970** | T30 |
| **2245486** | **A4SML2525M0620** | 6 | 20,000 | 6,00 | 25 | 25 | 33 | 150 | 22,30 | 40 | **MS1970** | T30 |
| **2503554** | **A4SML2020K0620** | 6 | 20,000 | 6,00 | 20 | 20 | 33 | 125 | 17,30 | 40 | **MS1970** | T30 |
| **2263090** | **A4SML3225P0626** | 6 | 26,000 | 6,00 | 32 | 25 | 40 | 170 | 22,30 | 45 | **MS1970** | T30 |
| **2245487** | **A4SML2525M0820** | 8 | 20,000 | 8,00 | 25 | 25 | 34 | 150 | 21,40 | 43 | **MS1490** | T45 |
| **2263092** | **A4SML3225P0826** | 8 | 26,000 | 8,00 | 32 | 25 | 41 | 170 | 21,40 | 47 | **MS1490** | T45 |
| **2263174** | **A4SML3225P1026** | 10 | 26,000 | 10,00 | 32 | 25 | 41 | 170 | 20,80 | 47 | **MS1490** | T45 |
| **3017336** | **A4SML2020K0214** | 2 | 14,000 | – | 20 | 20 | 25 | 125 | 19,20 | 30 | **MS1160** | T20 |

# Beyond™ Top Notch™ Profiling

## Primary Application

Top Notch is the proven solution for high productivity. The Top Notch system provides consistent tool performance, accurate indexing, and superior clamping to provide excellent surface finishing and superior tool life.

## Features and Benefits

### Beyond™ Grades

**Higher Productivity and Profitability**

- Lower cutting forces increase speeds and reduce cycle time.
- Extended tool life.

**Reliability**

- Predictable tool life/uniform wear.
- Resists chip flow damage.
- Consistent surface finish.

**Versatility**

- Products can be applied across a wide range of applications.
- Use in low- to high-speed applications.
- Complete portfolio of products.
- For finish to rough turning of steel, cast iron, stainless steel, and high-temp alloy.



## FP Geometry

- Higher metal removal rate.
- Versatility.
- Long tool life.
- Optimum chip control over wide range of cutting conditions and workpiece materials.
- Improved surface finish.
- Better indexability.
- Less adjustment during insert change.
- Excellent in spindle and other boring applications.

## UF Geometry

- Reduces cutting forces.
- Long tool life.
- Optimum chip control over wide range of cutting conditions.
- Chip control in finishing applications.

## HP Geometry

- Reduces cutting forces.
- Long tool life.
- Interference is avoided improving surface finish of the workpiece.
- Better indexability.
- Good control over job dimensions.
- Reduces workpiece material sticking.

## Select the geometry — based on feed rate and depth of cut

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

| operation | insert style application | insert geometry | profile | feed rate — mm: 0,04 · 0,063 · .0,01 · 0,16 · 0,25 · 0,4 · 0,63 · 1,0 · 1,6 · 2,5 · 5,0<br>depth of cut — mm: 0,1 · 0,16 · 0,25 · 0,4 · 0,63 · 1,0 · 1,6 · 2,5 · 4,0 · 6,3 · 10,0 |
|---|---|---|---|---|
| fine finishing | DCGR-UF |  | | 0,1–0,3<br>0,1–1,3 |
| | KCGR-UF |  |  | 0,1–0,3<br>0,1–1,3 |
| finishing | DCGR |  | | 0,1–0,3<br>0,3–1,8 |
| | KCGR |  | | 0,1–0,3<br>0,3–1,8 |
| | DCGR-FP |  |  | 0,063–0,25<br>0,16–1,6 |
| | DCGR-HP |  |  | 0,2–0,4<br>0,6–2,3 |
| | KCGR-FP |  |  | 0,063–0,25<br>0,16–1,6 |
| | KCGR-HP |  | | 0,2–0,4<br>0,6–2,3 |

## Select the geometry — based on feed rate and depth of cut

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

| operation | insert style application | insert geometry | profile | feed rate — mm: 0,04 / 0,063 / 0,01 / 0,16 / 0,25 / 0,4 / 0,63 / 1,0 / 1,6 / 2,5 / 5,0<br>depth of cut — mm: 0,1 / 0,16 / 0,25 / 0,4 / 0,63 / 1,0 / 1,6 / 2,5 / 4,0 / 6,3 / 10,0 |
|---|---|---|---|---|
| fine finishing | VBMR-UF |  | | 0,1–0,3<br>0,1–1,3 |
| | VCMR-UF |  |  | 0,1–0,3<br>0,1–1,3 |
| | VPGR-UF |  |  | 0,1–0,3<br>0,1–1,3 |
| finishing | VBMR |  | | 0,1–0,4<br>0,3–2,0 |
| | VBMR-FP |  |  | 0,063–0,25<br>0,16–1,6 |
| | VCGR |  | | 0,1–0,4<br>0,3–2,0 |
| | VCMR-FP |  |  | 0,063–0,25<br>016–1,6 |
| | VPGR-FP |  |  | 0,063–0,25<br>016–1,6 |

## Select the geometry — based on feed rate and depth of cut

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

| operation | insert style application | insert geometry | profile | feed rate — mm: 0,04 / 0,063 / 0,01 / 0,16 / 0,25 / 0,4 / 0,63 / 1,0 / 1,6 / 2,5 / 5,0<br>depth of cut — mm: 0,1 / 0,16 / 0,25 / 0,4 / 0,63 / 1,0 / 1,6 / 2,5 / 4,0 / 6,3 / 10,0 |
|---|---|---|---|---|
| finishing | **VPGR-HP** | | | 0,2–0,4<br>0,6–2,3 |
| finishing | **KNGX-15** |  | | 0,2–0,4<br>0,8–2,8 |
| finishing | **KNGX-20** |  |  | 0,2–0,5<br>1,0–3,0 |
| | **KNGX-25** |  |  | 0,3–0,6<br>1,1–3,6 |
| finishing | **KNGX-32** |  |  | 0,3–0,7<br>1,5–5,1 |



# Kennametal Tools for Railways and Wheel Machining

Kennametal offers a complete line of tooling for wheel and axle maintenance in railroad shops. All tools incorporate the latest in tooling technology for maximum metal removal and higher productivity. All tools are proven performers in actual use over extended periods of time, under a wide range of operating conditions. Standard off-the-shelf inserts and fewer pieces of hardware reduce inventory and operating costs. Included in this range are tools for reconditioning mounted wheel sets, wheel boring, wheel truing, axle turning, and journal burnishing.

Visit **www.kennametal.com** or contact your local Authorised Kennametal Distributor.

**www.kennametal.com**

KENNAMETAL®

## Step 1 • Select the insert geometry

beyond

### Negative Inserts

-K...X-32
Roughing

-K...X-25—K...X-15,
Medium Machining

-K. GR-08, K.G.-15,
K.G.-20
Finishing




### Positive Inserts

-VCMR
Medium Machining

-.CGR, VBMR
Finishing

-VCGN
Finishing

-KCGR
Finishing




**Chip Control Range**
-UF: feed 0,08–0,3 mm/rev; DOC 0,1–1,3mm
-FP: feed 0,1–0,3 mm/rev; DOC 0,1–1,3mm
-HP: feed 0,2–0,4 mm/rev; DOC 0,6–2,3mm

## Step 2 • Select the grade

| | | Steel | | | Stainless Steel | | |
|---|---|---|---|---|---|---|---|
| **cutting condition** | | **Finishing** | **Medium Machining** | **Roughing** | **Finishing** | **Medium Machining** | **Roughing** |
| heavily interrupted cut | | KCP25 | KCM25 | KCM25 | KCM25 | KCM25 | KCM25 |
| lightly interrupted cut | | KCP10 | KCP25 | KCP25 | KC5010/KCU10 | KC5025/KCU25 | KC5025/KCU25 |
| varying depth of cut, casting, or forging skin | | KT315 | KCP25 | KCP25 | KT315 | KCM25 | KCM25 |
| smooth cut, pre-turned surface | | KT315 | KCP05/KCP10 | KCP10 | KT315 | KC5010/KCU10 | KCM25 |

| | | Cast Iron | | | Non-Ferrous | | |
|---|---|---|---|---|---|---|---|
| **cutting condition** | | **Finishing** | **Medium Machining** | **Roughing** | **Finishing** | **Medium Machining** | **Roughing** |
| heavily interrupted cut | | KCP10 | KCP10 | KCP10 | KC5010/ KCU10 | KC5010/ KCU10 | KC5010/ K313/KCU10 |
| lightly interrupted cut | | KCP05 | KCP05 | KCP05 | KC5410/ KD1425 | KC5010/KCU10 | KC5010 |
| varying depth of cut, casting, or forging skin | | KCK05 | KCK05 | KCK05 | KD1425 | KC5410 | KC5410 |
| smooth cut, pre-turned surface | | KC5010/KCU10 | KC5010/KCU10 | KC5010/KCU10 | KD1425 | KC5410 | KC5410 |

| | High-Temperature Alloys | | |
|---|---|---|---|
| **cutting condition** | **Finishing** | **Medium Machining** | **Roughing** |
| heavily interrupted cut | KC5025/KUC25 | K68 | K68 |
| lightly interrupted cut | KC5010 | KC5010 | KCM25 |
| varying depth of cut, casting, or forging skin | KC5010 | KC5010 | KC5010 |
| smooth cut, pre-turned surface | KC5010/ KCU10/K313 | KC9110 | KC5010 |

## Step 3 • Select the cutting speed

**Steel** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 50 (170) | 100 (330) | 150 (490) | 200 (655) | 250 (820) | 300 (980) | 350 (1150) | 400 (1300) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|
| P | KT315 | | | | ◁▷ | | | | | 260 | 850 |
| | KCP05/KCP10 | | | | | ◁▷ | | | | 340 | 800 |
| | KCP25 | | | | ◁▷ | | | | | 180 | 600 |
| | KCM25 | | | | ◁▷ | | | | | 165 | 550 |

**Stainless Steel** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 50 (170) | 100 (330) | 150 (490) | 200 (655) | 250 (820) | 300 (980) | 350 (1150) | 400 (1300) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|
| M | KT315 | | | | ◁▷ | | | | | 230 | 750 |
| | KC5010/KCU10 | | | | ◁▷ | | | | | 180 | 600 |
| | KC5025/KCU25 | | | ◁▷ | | | | | | 120 | 400 |
| | KCM25 | | | | ◁▷ | | | | | 150 | 500 |

**Cast Iron** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 150 (490) | 200 (655) | 250 (820) | 300 (980) | 350 (1150) | 400 (1300) | 500 (1600) | 750 (2400) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|
| K | KB1345 | | | | | | | | ◁▷ | 760 | 2520 |
| | KT315 | | | | ◁▷ | | | | | 275 | 900 |
| | KC5010/KCU10 | | | ◁▷ | | | | | | 245 | 800 |
| | KCK20 | | | | ◁▷ | | | | | 245 | 800 |
| | KCP25 | | | ◁▷ | | | | | | 230 | 750 |

**Non-Ferrous** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 250 (800) | 500 (1600) | 750 (2400) | 1000 (3200) | 1250 (4000) | 1500 (4800) | 1750 (5600) | 2000 (6400) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|
| N | K01425 | | | ◁▷ | | | | | | 765 | 2500 |
| | KC5410 | | | ◁▷ | | | | | | 550 | 1800 |
| | KC5010/KCU10 | | ◁▷ | | | | | | | 460 | 1500 |
| | K68/K313 | ◁▷ | | | | | | | | 150 | 500 |

**High-Temperature Alloys** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 15 (50) | 40 (120) | 55 (180) | 80 (250) | 100 (330) | 170 (550) | 200 (655) | 230 (750) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|
| S | KC5010/KCU10 | | | | ◁▷ | | | | | 60 | 200 |
| | KC5025/KCU25 | | | ◁▷ | | | | | | 50 | 170 |
| | KCM25 | | | | ◁▷ | | | | | 70 | 230 |
| | K68/K313 | | ◁▷ | | | | | | | 30 | 100 |

◁▷ Represents the recommended starting conditions. Optimise for your specific application.






● first choice
○ alternate choice

| | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | | ● | ● | ● | | | ○ | ○ | ○ | ○ | | ● | | |
| M | | | | | | | ● | ● | ● | ● | ● | | ○ | | |
| K | | | ○ | ○ | ○ | ● | | | | | | | ○ | | |
| N | ○ | ○ | | | | | | | | | | ● | | ● | |
| S | ● | ● | | | | | ● | ● | ● | ● | ● | | | | ● |
| H | | | | | | | | | | | | | | | |

## DCGR • DPGR

| ISO catalogue number | D mm | L10 mm | S mm | M mm | Rε mm | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DCGR150404 | 12,70 | 15,50 | 4,76 | 6,94 | 0,4 | | | | | | | | ● | ● | ● | | | | | ● |
| DCGR150408 | 12,70 | 15,50 | 4,76 | 6,48 | 0,8 | ● | | | | | | | ● | ● | ● | ● | | | | ● |
| DCGR150412 | 12,70 | 15,50 | 4,76 | 6,01 | 1,2 | | | | | | | | ● | ● | ● | | | | | |




## DCGR-FP • DPGR-FP

| ISO catalogue number | D mm | L10 mm | S mm | M mm | Rε mm | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DCGR150404FP | 12,70 | 15,50 | 4,76 | 6,94 | 0,4 | | | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| DCGR150408FP | 12,70 | 15,50 | 4,76 | 6,48 | 0,8 | | | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| DCGR150412FP | 12,70 | 15,50 | 4,76 | 6,01 | 1,2 | | | | ● | ● | ● | | ● | ● | | | | | | |






## DCGR-HP • DPGR-HP

| ISO catalogue number | D mm | L10 mm | S mm | M mm | Rε mm | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DCGR150404HP | 12,55 | 15,50 | 4,76 | 7,02 | 0,4 | | ● | | | | | | | | | | | | | |
| DCGR150408HP | 12,70 | 15,50 | 4,76 | 6,48 | 0,8 | | ● | | | | | | | | | | | | | |
| DCGR150412HP | 12,70 | 15,50 | 4,76 | 6,01 | 1,2 | | ● | | | | | | | | | | | | | |






## DCGR-UF • DPGR-UF

| ISO catalogue number | D mm | L10 mm | S mm | M mm | Rε mm | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DCGR150404UF | 12,70 | 15,50 | 4,76 | 6,94 | 0,4 | | | ● | | | | | ● | | | | | | | |
| DCGR150408UF | 12,70 | 15,50 | 4,76 | 6,48 | 0,8 | | | ● | | | | | ● | | | | | | | |






● first choice
○ alternate choice

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | | | ● | ● | ● | | | ○ | ○ | ○ | ○ | | ● | | |
| M | | | | | | | | ● | ● | ● | ● | ● | | ○ | | |
| K | | | | ○ | ○ | ○ | ● | | | | | | | ○ | | |
| N | | ○ | ○ | | | | | | | | | | ● | | ● | |
| S | | ● | ● | | | | | ● | ● | ● | ● | ● | | | | ● |
| H | | | | | | | | | | | | | | | | |

## KCGR • NPGR

| ISO catalogue number | L1 mm | L10 mm | W mm | S mm | M mm | Rε mm | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| right hand | | | | | | | | | | | | | | | | | | | | | |
| KCGR110304R08 | 9,53 | 11,60 | 6,35 | 3,18 | 9,10 | 0,4 | ● | | | | | | | ● | ● | ● | ● | | ● | | ● |
| KCGR110308R08 | 9,53 | 11,60 | 6,35 | 3,18 | 8,66 | 0,8 | | | | | | | | ● | ● | ● | | | | | ● |
| left hand | | | | | | | | | | | | | | | | | | | | | |
| KCGR110304L08 | 9,53 | 11,60 | 6,35 | 3,18 | 9,10 | 0,4 | ● | | | | | | | ● | ● | ● | ● | | ● | | ● |
| KCGR110308L08 | 9,53 | 11,60 | 6,35 | 3,18 | 8,66 | 0,8 | | | | | | | | ● | ● | | ● | | | | ● |




## KCGR-FP • NPGR-FP

| ISO catalogue number | L1 mm | L10 mm | W mm | S mm | M mm | Rε mm | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| right hand | | | | | | | | | | | | | | | | | | | | | |
| KCGR110304R08FP | 9,52 | 11,60 | 6,35 | 3,18 | 9,13 | 0,4 | | | | ● | ● | | ● | ● | ● | | | | | | |
| KCGR110308R08FP | 9,52 | 11,63 | 6,35 | 3,18 | 8,73 | 0,8 | | | | ● | ● | | ● | ● | ● | | | | | | |
| left hand | | | | | | | | | | | | | | | | | | | | | |
| KCGR110304L08FP | 9,52 | 11,60 | 6,35 | 3,18 | 9,13 | 0,4 | | | | ● | ● | | ● | ● | ● | | | | | | |
| KCGR110308L08FP | 9,52 | 11,63 | 6,35 | 3,18 | 8,73 | 0,8 | | | | ● | ● | | ● | ● | ● | | | | | | |






## KCGR-HP • NPGR-HP

| ISO catalogue number | L1 mm | L10 mm | W mm | S mm | M mm | Rε mm | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| right hand | | | | | | | | | | | | | | | | | | | | | |
| KCGR110304R08HP | 9,50 | 11,60 | 6,35 | 3,18 | 9,13 | 0,4 | | ● | | | | | | | | | | | | | |
| left hand | | | | | | | | | | | | | | | | | | | | | |
| KCGR110304L08HP | 9,50 | 11,60 | 6,35 | 3,18 | 9,13 | 0,4 | | ● | | | | | | | | | | | | | |




● first choice
○ alternate choice



## KCGR-UF • NPGR-UF

| ISO catalogue number | L1 mm | L10 mm | W mm | S mm | M mm | Rε mm | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | | | | | | | | |
| **KCGR110304R08UF** | 9,50 | 11,60 | 6,35 | 3,18 | 9,13 | 0,4 | | | ● | | | | | ● | | | | | | | |
| **left hand** | | | | | | | | | | | | | | | | | | | | | |
| **KCGR110304L08UF** | 9,50 | 11,60 | 6,35 | 3,18 | 9,13 | 0,4 | | | ● | | | | | ● | | | | | | | |



## KNGX • NPR/L

| ISO catalogue number | L1 mm | L10 mm | W mm | S mm | M mm | Rε mm |
|---|---|---|---|---|---|---|
| **right hand** | | | | | | |
| **KNGX150401R15** | 12,70 | 15,44 | 9,53 | 4,76 | 13,76 | 0,1 |
| **KNGX150402R15** | 12,70 | 15,44 | 9,53 | 4,76 | 13,67 | 0,2 |
| **KNGX150404R20** | 12,70 | 15,44 | 9,53 | 4,76 | 13,44 | 0,4 |
| **KNGX150408R20** | 12,70 | 15,44 | 9,53 | 4,76 | 12,98 | 0,8 |
| **KNGX220404R25** | 18,62 | 22,73 | 9,53 | 4,76 | 19,91 | 0,4 |
| **KNGX220408R32** | 18,62 | 22,73 | 9,53 | 4,76 | 19,47 | 0,8 |
| **left hand** | | | | | | |
| **KNGX150401L15** | 12,70 | 15,44 | 9,53 | 4,76 | 13,76 | 0,1 |
| **KNGX150404L20** | 12,70 | 15,44 | 9,53 | 4,76 | 13,44 | 0,4 |
| **KNGX150408L20** | 12,70 | 15,44 | 9,53 | 4,76 | 12,98 | 0,8 |
| **KNGX220404L25** | 18,62 | 22,73 | 9,53 | 4,76 | 19,91 | 0,4 |
| **KNGX220408L20** | 18,62 | 22,73 | 9,53 | 4,76 | 19,47 | 0,8 |
| **KNGX220408L25** | 18,62 | 22,73 | 9,53 | 4,76 | 19,47 | 0,8 |

| ISO catalogue number | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **KNGX150401R15** | ● | | | | | | | ● | | | | | | | |
| **KNGX150402R15** | | | | | | | | ● | | | | | | | |
| **KNGX150404R20** | | | | | | | | ● | ● | ● | | | | | |
| **KNGX150408R20** | | | | | | | | ● | ● | ● | | | | | |
| **KNGX220404R25** | | | | | | | | | ● | | | | | | |
| **KNGX220408R32** | | | | | | | | ● | | | | | | | |
| **KNGX150401L15** | | | | | | | | ● | | | | | | | |
| **KNGX150404L20** | | | | | | | | ● | ● | ● | | | | | |
| **KNGX150408L20** | ● | | | | | | | ● | ● | ● | ● | | | | |
| **KNGX220404L25** | | | | | | | | ● | ● | | | | | | |
| **KNGX220408L20** | | | | | | | | ● | | | | | | | |
| **KNGX220408L25** | | | | | | | | ● | | | | | | | |






● first choice
○ alternate choice

## KNUX • NPR/L

| ISO catalogue number | L1 mm | L10 mm | W mm | S mm | M mm | Rε mm | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | | | | | | | | |
| **KNUX150405R20** | 12,70 | 15,44 | 9,53 | 4,76 | 13,32 | 0,5 | | | | | | | | ● | | ● | | | | | |
| **KNUX150405R25** | 12,70 | 15,44 | 9,53 | 4,76 | 13,32 | 0,5 | ● | | | | | | | | | | | | | | |
| **KNUX150410R20** | 12,70 | 15,44 | 9,53 | 4,76 | 12,74 | 1,0 | ● | | | | | | | | | ● | | | | | |
| **KNUX150410R25** | 12,70 | 15,44 | 9,53 | 4,76 | 12,74 | 1,0 | ● | | | | | | | ● | | | | | | | |
| **left hand** | | | | | | | | | | | | | | | | | | | | | |
| **KNUX150405L20** | 12,70 | 15,44 | 9,53 | 4,76 | 13,32 | 0,5 | | | | | | | | | | ● | | | | | |
| **KNUX150405L25** | 12,70 | 15,44 | 9,53 | 4,76 | 13,32 | 0,5 | ● | | | | | | | ● | | | | | | | |
| **KNUX150410L20** | 12,70 | 15,44 | 9,53 | 4,76 | 12,74 | 1,0 | ● | | | | | | | | | | | | | | |
| **KNUX150410L25** | 12,70 | 15,44 | 9,53 | 4,76 | 12,74 | 1,0 | ● | | | | | | | ● | | | | | | | |






## KCGX • NPR/L

| ISO catalogue number | L1 mm | L10 mm | W mm | S mm | M mm | Rε mm | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | | | | | | | | |
| **KCGX110301R15** | 9,53 | 11,60 | 6,35 | 3,18 | 9,43 | 0,1 | ● | ● | | | | | | ● | ● | ● | ● | | ● | | ● |
| **KCGX110302R15** | 9,53 | 11,60 | 6,35 | 3,18 | 9,34 | 0,2 | | ● | | | | | | ● | ● | ● | | | ● | | ● |
| **KCGX110304R15** | 9,53 | 11,60 | 6,35 | 3,18 | 9,11 | 0,4 | ● | ● | | | | | | ● | ● | ● | ● | | ● | | ● |
| **KCGX110308R15** | 9,53 | 11,60 | 6,35 | 3,18 | 8,65 | 0,8 | ● | | | | | | | ● | ● | ● | ● | | ● | | |
| **left hand** | | | | | | | | | | | | | | | | | | | | | |
| **KCGX110301L15** | 9,53 | 11,60 | 6,35 | 3,18 | 9,43 | 0,1 | ● | ● | | | | | | ● | ● | ● | | | | | ● |
| **KCGX110302L15** | 9,53 | 11,60 | 6,35 | 3,18 | 9,34 | 0,2 | | ● | | | | | | ● | ● | | | | | | ● |
| **KCGX110304L15** | 9,53 | 11,60 | 6,35 | 3,18 | 9,11 | 0,4 | ● | ● | | | | | | ● | ● | ● | ● | | | | ● |
| **KCGX110308L15** | 9,53 | 11,60 | 6,35 | 3,18 | 8,65 | 0,8 | ● | ● | | | | | | ● | ● | ● | ● | | | | |




● first choice
○ alternate choice

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | | ● | ● | ● | | | ○ | ○ | ○ | ○ | | ● | | |
| M | | | | | | | ● | ● | ● | ● | ● | | ○ | | |
| K | | | ○ | ○ | ○ | ● | | | | | | | ○ | | |
| N | ○ | ○ | | | | | | | | | | ● | | ● | |
| S | ● | ● | | | | | ● | ● | ● | ● | ● | | | | ● |
| H | | | | | | | | | | | | | | | |

## KCUX • NPR/L

| ISO catalogue number | L1 mm | L10 mm | W mm | S mm | M mm | Rε mm | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | | | | | | | | |
| **KCUX110302R15** | 9,53 | 11,60 | 6,35 | 3,18 | 9,32 | 0,2 | ● | | | | | | | ● | | ● | | | | | |
| **KCUX110305R15** | 9,53 | 11,60 | 6,35 | 3,18 | 8,97 | 0,5 | ● | | | | | | | ● | | ● | | | | | |
| **left hand** | | | | | | | | | | | | | | | | | | | | | |
| **KCUX110302L15** | 9,53 | 11,60 | 6,35 | 3,18 | 9,32 | 0,2 | ● | | | | | | | ● | | ● | | | | | |
| **KCUX110305L15** | 9,53 | 11,60 | 6,35 | 3,18 | 8,97 | 0,5 | ● | | | | | | | ● | | ● | | | | | |






## VBMR

| ISO catalogue number | D mm | L10 mm | S mm | M mm | Rε mm | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VBMR110302** | 6,35 | 11,07 | 3,18 | 6,91 | 0,2 | | | | | | | | ● | ● | | ● | | | | |
| **VBMR110304** | 6,35 | 11,07 | 3,18 | 6,46 | 0,4 | | | | | | | | ● | ● | ● | ● | | ● | | |
| **VBMR110308** | 6,35 | 11,07 | 3,18 | 5,54 | 0,8 | | | | | | | | ● | | | ● | | | | |




## VBMR - FP

| ISO catalogue number | D mm | L10 mm | S mm | M mm | Rε mm | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VBMR110302FP** | 6,35 | 11,04 | 3,18 | 6,91 | 0,2 | | | | ● | ● | | ● | ● | ● | | | | | | |
| **VBMR110304FP** | 6,35 | 11,07 | 3,18 | 6,46 | 0,4 | | | | ● | ● | | ● | ● | ● | | | | | | |
| **VBMR110308FP** | 6,35 | 11,07 | 3,18 | 5,54 | 0,8 | | | | ● | ● | | ● | ● | ● | | | | | | |




## VBMR - UF

| ISO catalogue number | D mm | L10 mm | S mm | M mm | Rε mm | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **VBMR110302UF** | 6,35 | 11,07 | 3,18 | 6,91 | 0,2 | | | ● | | | | | ● | | | | | | | |
| **VBMR110304UF** | 6,35 | 11,07 | 3,18 | 6,46 | 0,4 | | | ● | | | | | ● | | | | | | | |

● first choice
○ alternate choice

| | | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | | | ● | ● | ● | | | ○ | ○ | ○ | ○ | | ● | | |
| M | | | | | | | | ● | ● | ● | ● | ● | | ○ | | |
| K | | | | ○ | ○ | ○ | ● | | | | | | | ○ | | |
| N | | ○ | ○ | | | | | | | | | | ● | | ● | |
| S | | ● | ● | | | | | ● | ● | ● | ● | ● | | | | ● |
| H | | | | | | | | | | | | | | | | |

## VCMR






| ISO catalogue number | D mm | L10 mm | S mm | M mm | Rε mm |
|---|---|---|---|---|---|
| VCMR160404 | 9,53 | 16,61 | 4,76 | 10,15 | 0,4 |
| VCMR160408 | 9,53 | 16,61 | 4,76 | 9,23 | 0,8 |

## VCMR - FP




| ISO catalogue number | D mm | L10 mm | S mm | M mm | Rε mm |
|---|---|---|---|---|---|
| VCMR160404FP | 9,52 | 16,61 | 4,76 | 10,15 | 0,4 |
| VCMR160408FP | 9,52 | 16,61 | 4,76 | 9,23 | 0,8 |

## VCMR - UF




| ISO catalogue number | D mm | L10 mm | S mm | M mm | Rε mm |
|---|---|---|---|---|---|
| VCMR160404UF | 9,52 | 16,61 | 4,76 | 10,15 | 0,4 |

## VPGN






| ISO catalogue number | D mm | L10 mm | S mm | M mm | Rε mm |
|---|---|---|---|---|---|
| VCGN160404 | 9,53 | 16,61 | 4,76 | 10,15 | 0,4 |
| VCGN160408 | 9,53 | 16,61 | 4,76 | 9,23 | 0,8 |
| VCGN160412 | 9,53 | 16,61 | 4,76 | 8,31 | 1,2 |

● first choice
○ alternate choice

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | | | ● | ● | ● | | | ○ | ○ | ○ | ○ | | ● | | |
| M | | | | | | | ● | ● | ● | ● | ● | | ○ | | |
| K | | | ○ | ○ | ○ | ● | | | | | | | ○ | | |
| N | ○ | ○ | | | | | | | | | | ● | | ● | |
| S | ● | ● | | | | | ● | ● | ● | ● | ● | | | | ● |
| H | | | | | | | | | | | | | | | |






## VCGR • VPGR

| ISO catalogue number | D mm | L10 mm | S mm | M mm | Rε mm | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| VCGR160402 | 9,53 | 16,61 | 4,76 | 10,60 | 0,2 | ● | | | | | | | ● | ● | ● | ● | ● | | | |
| VCGR160404 | 9,53 | 16,61 | 4,76 | 10,15 | 0,4 | ● | ● | | | | | | ● | ● | ● | ● | ● | ● | | ● |
| VCGR160408 | 9,53 | 16,61 | 4,76 | 9,23 | 0,8 | ● | ● | | | | | | ● | ● | ● | ● | ● | ● | | ● |
| VCGR160412 | 9,53 | 16,61 | 4,76 | 8,31 | 1,2 | ● | | | | | | | ● | ● | ● | | | | | ● |
| VCGR160416 | 9,53 | 16,61 | 4,76 | 7,38 | 1,6 | | | | | | | | ● | | ● | | | | | |




## VCGR-FP • VPGR-FP

| ISO catalogue number | D mm | L10 mm | S mm | M mm | Rε mm | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| VCGR160402FP | 9,52 | 16,61 | 4,76 | 10,60 | 0,2 | | | | ● | ● | ● | ● | ● | ● | | | | | | |
| VCGR160404FP | 9,52 | 16,61 | 4,76 | 10,15 | 0,4 | | | ● | ● | ● | ● | ● | ● | | | | | | | |
| VCGR160408FP | 9,52 | 16,61 | 4,76 | 9,23 | 0,8 | | | ● | ● | ● | ● | ● | ● | ● | | | | | | |
| VCGR160412FP | 9,52 | 16,61 | 4,76 | 8,31 | 1,2 | | | | ● | ● | ● | ● | ● | ● | | | | | | |
| VCGR160416FP | 9,52 | 16,61 | 4,76 | 7,38 | 1,6 | | | | ● | ● | | ● | ● | ● | | | | | | |




## VCGR-HP • VPGR-HP

| ISO catalogue number | D mm | L10 mm | S mm | M mm | Rε mm | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| VCGR160402HP | 9,52 | 16,65 | 4,76 | 10,60 | 0,2 | | ● | | | | | | | | | | | | | |
| VCGR160404HP | 9,52 | 16,61 | 4,76 | 10,23 | 0,4 | | ● | | | | | | | | | | | | | |
| VCGR160408HP | 9,52 | 17,16 | 4,76 | 9,23 | 0,8 | | ● | | | | | | | | | | | | | |
| VCGR160412HP | 9,52 | 16,35 | 4,76 | 8,31 | 1,2 | | ● | | | | | | | | | | | | | |




## VCGR-UF • VPGR-UF

| ISO catalogue number | D mm | L10 mm | S mm | M mm | Rε mm | K68 | K313 | KCP05 | KCP10 | KCP25 | KCK05 | KCM25 | KCU10 | KCU25 | KC5010 | KC5025 | KC5410 | KT315 | KB1345 | KD1425 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| VCGR160402UF | 9,52 | 16,61 | 4,76 | 10,60 | 0,2 | | | ● | | | | | ● | | | | | | | |
| VCGR160404UF | 9,52 | 16,61 | 4,76 | 10,15 | 0,4 | | | ● | | | | | ● | | | | | | | |






## NKLC 95°

| catalogue number | H | B | F | L1 | L2 | λS° | γO° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | |
| **NKLCR1212F11** | 12 | 12 | 16,0 | 80 | 24,0 | 0.0 | 0.0 | KC..110305R | **SM885** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |
| **NKLCR1616H11** | 16 | 16 | 20,0 | 100 | 24,0 | 0.0 | 0.0 | KC..110305R | **SM885** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |
| **NKLCR2020K11** | 20 | 20 | 25,0 | 125 | 24,0 | 0.0 | 0.0 | KC..110305R | **SM885** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |
| **NKLCR2525M11** | 25 | 25 | 32,0 | 150 | 24,0 | 0.0 | 0.0 | KC..110305R | **SM885** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |
| **left hand** | | | | | | | | | | | | | | |
| **NKLCL1212F11** | 12 | 12 | 16,0 | 80 | 24,0 | 0.0 | 0.0 | KC..110305L | **SM886** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |
| **NKLCL1616H11** | 16 | 16 | 20,0 | 100 | 24,0 | 0.0 | 0.0 | KC..110305L | **SM886** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |
| **NKLCL2020K11** | 20 | 20 | 25,0 | 125 | 24,0 | 0.0 | 0.0 | KC..110305L | **SM886** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |
| **NKLCL2525M11** | 25 | 25 | 32,0 | 150 | 24,0 | 0.0 | 0.0 | KC..110305L | **SM886** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |






## NKLC-F 95°

| catalogue number | H | B | F | L1 | L2 | λS° | γO° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | |
| **NKLCRF1212M11Q** | 12 | 12 | 12,0 | 150 | 24,0 | 0.0 | 0.0 | KC..110305R | **SM885** | **MS959** | 3 mm | **CM180** | **MS524** | 3 mm |
| **NKLCRF1616K11Q** | 16 | 16 | 16,0 | 125 | 24,0 | 0.0 | 0.0 | KC..110305R | **SM885** | **MS959** | 3 mm | **CM180** | **MS524** | 3 mm |
| **left hand** | | | | | | | | | | | | | | |
| **NKLCLF1616K11Q** | 16 | 16 | 16,0 | 125 | 24,0 | 0.0 | 0.0 | KC..110305L | **SM886** | **MS959** | 3 mm | CM180 | **MS524** | 3 mm |






## NKLN 95°



| catalogue number | H | B | F | L1 | L2 | λS° | γO° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | |
| **NKLNR2020K15** | 20 | 20 | 25,0 | 125 | 32,0 | -2.0 | -5.0 | KN..150410R | **SM872** | **MS111** | 2 mm | **CM66** | **MS625** | 4 mm |
| **NKLNR2525M15** | 25 | 25 | 32,0 | 150 | 32,0 | -2.0 | -5.0 | KN..150410R | **SM872** | **MS111** | 2 mm | **CM66** | **MS625** | 4 mm |
| **NKLNR3225P15** | 32 | 25 | 32,0 | 170 | 32,0 | -2.0 | -5.0 | KN..150410R | **SM872** | **MS111** | 2 mm | **CM66** | **MS625** | 4 mm |
| **left hand** | | | | | | | | | | | | | | |
| **NKLNL2020K15** | 20 | 20 | 25,0 | 125 | 32,0 | -2.0 | -5.0 | KN..150410L | **SM871** | **MS111** | 2 mm | **CM66** | **MS625** | 4 mm |
| **NKLNL2525M15** | 25 | 25 | 32,0 | 150 | 32,0 | -2.0 | -5.0 | KN..150410L | **SM871** | **MS111** | 2 mm | **CM66** | **MS625** | 4 mm |






## NKNC 63°



| catalogue number | H | B | F | L1 | L2 | λS° | γO° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | |
| **NKNCR1616H11** | 16 | 16 | 9,0 | 100 | 27,0 | 0.0 | 0.0 | KC..110305R | **SM885** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |
| **left hand** | | | | | | | | | | | | | | |
| **NKNCL1616H11** | 16 | 16 | 9,0 | 100 | 27,0 | 0.0 | 0.0 | KC..110305L | **SM886** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |






H = H1

## NKNN 63°

| catalogue number | H | B | F | L1 | L2 | λS° | γO° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| right hand | | | | | | | | | | | | | | |
| **NKNNR2020K15** | 20 | 20 | 12,0 | 125 | 37,0 | -2.0 | -5.0 | KN..150410R | **SM872** | **MS111** | 2 mm | **CM66** | **MS625** | 4 mm |
| **NKNNR2525M15** | 25 | 25 | 12,0 | 150 | 37,0 | -2.0 | -5.0 | KN..150410R | **SM872** | **MS111** | 2 mm | **CM66** | **MS625** | 4 mm |
| left hand | | | | | | | | | | | | | | |
| **NKNNL2020K15** | 20 | 20 | 12,0 | 125 | 37,0 | -2.0 | -5.0 | KN..150410L | **SM871** | **MS111** | 2 mm | **CM66** | **MS625** | 4 mm |
| **NKNNL2525M15** | 25 | 25 | 12,0 | 150 | 37,0 | -2.0 | -5.0 | KN..150410L | **SM871** | **MS111** | 2 mm | **CM66** | **MS625** | 4 mm |






H = H1

## NKXC 120°

| catalogue number | H | B | F | L1 | L2 | λS° | γO° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| right hand | | | | | | | | | | | | | | |
| **NKXCR1212F11** | 12 | 12 | 16,0 | 80 | 27,0 | 0.0 | 0.0 | KC..110305L | **SM886** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |
| **NKXCR1616H11** | 16 | 16 | 20,0 | 100 | 27,0 | 0.0 | 0.0 | KC..110305L | **SM886** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |
| left hand | | | | | | | | | | | | | | |
| **NKXCL1616H11** | 16 | 16 | 20,0 | 100 | 27,0 | 0.0 | 0.0 | KC..110305R | **SM885** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |






H = H1

## NKXN 120°

| catalogue number | H | B | F | L1 | L2 | λS° | γO° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | |
| **NKXNR2525M15** | 25 | 25 | 32,0 | 150 | 35,0 | -2.0 | -5.0 | KN..150410L | **SM871** | **MS111** | 2 mm | **CM66** | **MS625** | 4 mm |
| **left hand** | | | | | | | | | | | | | | |
| **NKXNL2525M15** | 25 | 25 | 32,0 | 150 | 35,0 | -2.0 | -5.0 | KN..150410R | **SM872** | **MS111** | 2 mm | **CM66** | **MS625** | 4 mm |






H = H1

## NVHB 107,5°

| catalogue number | H | B | F | L1 | L2 | B3 | λS° | γO° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | | |
| **NVHBR1616H11** | 16 | 16 | 20,0 | 100 | 25,0 | 3,0 | 0.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM158** | **MS518** | 2.5 mm |
| **NVHBR2020K11** | 20 | 20 | 25,0 | 125 | 30,0 | – | 0.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM158** | **MS518** | 2.5 mm |
| **NVHBR2525M11** | 25 | 25 | 32,0 | 150 | 30,0 | – | 0.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM158** | **MS518** | 2.5 mm |
| **left hand** | | | | | | | | | | | | | | | |
| **NVHBL1616H11** | 16 | 16 | 20,0 | 100 | 25,0 | 3,0 | 0.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 4 mm | **CM159** | **MS518** | 4 mm |
| **NVHBL2020K11** | 20 | 20 | 25,0 | 125 | 30,0 | – | 0.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM159** | **MS518** | 2.5 mm |
| **NVHBL2525M11** | 25 | 25 | 32,0 | 150 | 30,0 | – | 0.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM159** | **MS518** | 2.5 mm |






H = H1

## NVLB 95°

| catalogue number | H | B | F | L1 | L2 | B3 | λS° | γO° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | | |
| **NVLBR1616H11** | 16 | 16 | 20,0 | 100 | 25,0 | – | 0.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM158** | **MS518** | 2.5 mm |
| **NVLBR2020K11** | 20 | 20 | 25,0 | 125 | 30,0 | – | 0.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM158** | **MS518** | 2.5 mm |
| **NVLBR2525M11** | 25 | 25 | 32,0 | 150 | 32,0 | – | 0.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM158** | **MS518** | 2.5 mm |
| **left hand** | | | | | | | | | | | | | | | |
| **NVLBL2020K11** | 20 | 20 | 25,0 | 125 | 30,0 | – | 0.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM159** | **MS518** | 2.5 mm |
| **NVLBL2525M11** | 25 | 25 | 32,0 | 150 | 32,0 | – | 0.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM159** | **MS518** | 2.5 mm |






H = H1

## NVLC 95°



| catalogue number | H | B | F | L1 | L2 | B3 | λS° | γO° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | | |
| **NVLCR1616H16** | 16 | 16 | 20,0 | 100 | 37,0 | 5,0 | 0.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM113** | **MS412** | 4 mm |
| **NVLCR2020K16** | 20 | 20 | 25,0 | 125 | 37,0 | – | 0.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM113** | **MS412** | 4 mm |
| **NVLCR2525M16** | 25 | 25 | 32,0 | 150 | 37,0 | – | 0.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM113** | **MS412** | 4 mm |
| **NVLCR3225P16** | 32 | 25 | 32,0 | 170 | 37,0 | – | 0.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM113** | **MS412** | 4 mm |
| **left hand** | | | | | | | | | | | | | | | |
| **NVLCL1616H16** | 16 | 16 | 20,0 | 100 | 37,0 | 5,0 | 0.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM114** | **MS412** | 4 mm |
| **NVLCL2020K16** | 20 | 20 | 25,0 | 125 | 37,0 | – | 0.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM114** | **MS412** | 4 mm |
| **NVLCL2525M16** | 25 | 25 | 32,0 | 150 | 37,0 | – | 0.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM114** | **MS412** | 4 mm |
| **NVLCL3225P16** | 32 | 25 | 32,0 | 170 | 37,0 | – | 0.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM114** | **MS412** | 4 mm |






## NVOC 117,5°

| catalogue number | H | B | F | L1 | L2 | B3 | λS° | γO° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| right hand | | | | | | | | | | | | | | | |
| **NVOCR2020K16** | 20 | 20 | 32,0 | 125 | 29,0 | 3,0 | 0.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM113** | **MS412** | 4 mm |
| **NVOCR2525M16** | 25 | 25 | 32,0 | 150 | 29,0 | 3,0 | 0.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM113** | **MS412** | 4 mm |
| left hand | | | | | | | | | | | | | | | |
| **NVOCL2020K16** | 20 | 20 | 32,0 | 125 | 29,0 | 3,0 | 0.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM114** | **MS412** | 4 mm |
| **NVOCL2525M16** | 25 | 25 | 32,0 | 150 | 29,0 | 3,0 | 0.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM114** | **MS412** | 4 mm |






## NVVB 72,5°

| catalogue number | H | B | F | L1 | L2 | B3 | γF° | γP° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **NVVBN2020K11** | 20 | 20 | 10,0 | 125 | 30,0 | – | 0.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM158** | **MS518** | 2.5 mm |
| **NVVBN2525M11** | 25 | 25 | 12,5 | 150 | 30,0 | – | 0.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM158** | **MS518** | 2.5 mm |






## NVVC 72,5°

| catalogue number | H | B | F | L1 | L2 | B3 | γF° | γP° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **NVVCN1616H16** | 16 | 16 | 8,0 | 100 | 42,0 | 4,0 | 0.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM113** | **MS412** | 4 mm |
| **NVVCN2020K16** | 20 | 20 | 10,0 | 125 | 42,0 | 2,0 | 0.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM113** | **MS412** | 4 mm |
| **NVVCN2525M16** | 25 | 25 | 12,5 | 150 | 42,0 | — | 0.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM113** | **MS412** | 4 mm |



Steel shank with through coolant.




## A-NKLC 95°

| catalogue number | D | D min | F | L1 | CS | γF° | γP° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | |
| **A12MNKLCR11** | 12 | 16,0 | 9,0 | 150 | 1/16-27 NPT | -5.0 | 0.0 | KC..110305L | — | — | 2.5 mm | **CM106** | **MS518** | 2.5 mm |
| **A16MNKLCR11** | 16 | 20,0 | 11,0 | 150 | 1/8-27 NPT | -7.0 | 0.0 | KC..110305L | **SM886** | **MS959** | 2.5 mm | **CM106** | **MS518** | 2.5 mm |
| **A20QNKLCR11** | 20 | 25,0 | 13,0 | 180 | 1/8-27 NPT | -5.0 | 0.0 | KC..110305L | **SM886** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |
| **A25RNKLCR11** | 25 | 32,0 | 16,0 | 200 | 1/4-18 NPT | -5.0 | 0.0 | KC..110305L | **SM886** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |
| **A32SNKLCR11** | 32 | 40,0 | 22,0 | 250 | 1/4-18 NPT | -5.0 | 0.0 | KC..110305L | **SM886** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |
| **left hand** | | | | | | | | | | | | | | |
| **A12MNKLCL11** | 12 | 16,0 | 9,0 | 150 | 1/16-27 NPT | -5.0 | 0.0 | KC..110305R | — | — | 2.5 mm | **CM106** | **MS518** | 2.5 mm |
| **A16MNKLCL11** | 16 | 20,0 | 11,0 | 150 | 1/8-27 NPT | -7.0 | 0.0 | KC..110305R | **SM885** | **MS959** | 2.5 mm | **CM105** | **MS518** | 2.5 mm |
| **A20QNKLCL11** | 20 | 25,0 | 13,0 | 180 | 1/8-27 NPT | -5.0 | 0.0 | KC..110305R | **SM885** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |
| **A25RNKLCL11** | 25 | 32,0 | 16,0 | 200 | 1/4-18 NPT | -5.0 | 0.0 | KC..110305R | **SM885** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |
| **A32SNKLCL11** | 32 | 40,0 | 22,0 | 250 | 1/4-18 NPT | -5.0 | 0.0 | KC..110305R | **SM885** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |



Carbide shank with through coolant.




## E-NKLC 95°

| catalogue number | D | D min | F | L1 | A | CS | γF° | γP° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | | |
| **E12QNKLCR11** | 12 | 16,0 | 9,0 | 180 | 4,8 | – | -5.0 | 0.0 | KC..110308L | – | – | 2.5 mm | **CM106** | **MS518** | 2.5 mm |
| **E16RNKLCR11** | 16 | 20,0 | 11,0 | 200 | 5,5 | – | -5.0 | 0.0 | KC..110308L | **SM886** | **MS959** | 2.5 mm | **CM106** | **MS518** | 2.5 mm |
| **E20SNKLCR11** | 20 | 25,0 | 13,0 | 250 | 7,1 | – | -5.0 | 0.0 | KC..110308L | **SM886** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |
| **left hand** | | | | | | | | | | | | | | | |
| **E12QNKLCL11** | 12 | 16,0 | 9,0 | 180 | 4,8 | – | -5.0 | 0.0 | KC..110308R | – | – | 2.5 mm | **CM105** | **MS518** | 2.5 mm |
| **E16RNKLCL11** | 16 | 20,0 | 11,0 | 200 | 5,5 | – | -5.0 | 0.0 | KC..110308R | **SM885** | **MS959** | 2.5 mm | **CM105** | **MS518** | 2.5 mm |
| **E20SNKLCL11** | 20 | 25,0 | 13,0 | 250 | 7,1 | – | -5.0 | 0.0 | KC..110308R | **SM885** | **MS959** | 3 mm | **CM68** | **MS524** | 3 mm |



Steel shank with through coolant.




## A-NKLN 95°

| catalogue number | D | D min | F | L1 | CS | γF° | γP° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | |
| **A25RNKLNR15** | 25 | 32,0 | 17,0 | 200 | 1/4-18 NPT | -9.0 | -5.0 | KN..150410L | **SM871** | **MS111** | 2 mm | **CM77** | **MS1221** | T25 |
| **A32SNKLNR15** | 32 | 40,0 | 22,0 | 250 | 1/4-18 NPT | -9.0 | -5.0 | KN..150410L | **SM871** | **MS111** | 2 mm | **CM66** | **MS624** | 4 mm |
| **A40TNKLNR15** | 40 | 50,0 | 27,0 | 300 | 1/4-18 NPT | -5.0 | -5.0 | KN..150410L | **SM871** | **MS111** | 2 mm | **CM66** | **MS624** | 4 mm |
| **left hand** | | | | | | | | | | | | | | |
| **A25RNKLNL15** | 25 | 32,0 | 17,0 | 200 | 1/4-18 NPT | -9.0 | -5.0 | KN..150410R | **SM872** | **MS111** | 2 mm | **CM69** | **MS1221** | T25 |
| **A32SNKLNL15** | 32 | 40,0 | 22,0 | 250 | 1/4-18 NPT | -9.0 | -5.0 | KN..150410R | **SM872** | **MS111** | 2 mm | **CM66** | **MS624** | 4 mm |
| **A40TNKLNL15** | 40 | 50,0 | 27,0 | 300 | 1/4-18 NPT | -5.0 | -5.0 | KN..150410R | **SM872** | **MS111** | 2 mm | **CM66** | **MS624** | 4 mm |



Steel shank with through coolant.




## A-NKXC 90°



| catalogue number | D | D min | F | L1 | L | CS | γF° | γP° | gage insert | shim | shim screw | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **left hand** | | | | | | | | | | | | | | |
| **A20QNKXCL11** | 20 | 25,0 | 13,0 | 180 | 199 | 1/8-27 NPT | -5.0 | -5.0 | KC..110305L | **SM886** | **MS959** | **CM79** | **MS1220** | T25 |



Steel shank with through coolant.




## A-NVLB 95°

| catalogue number | D | D min | F | L1 | CS | γF° | γP° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | |
| **A20SNVLBR11** | 20 | 26,0 | 13,0 | 250 | 1/8-27 NPT | -5.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM159** | **MS518** | 2.5 mm |
| **A25TNVLBR11** | 25 | 32,0 | 17,0 | 300 | 1/4-18 NPT | -5.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM159** | **MS518** | 2.5 mm |
| **left hand** | | | | | | | | | | | | | | |
| **A20SNVLBL11** | 20 | 26,0 | 13,0 | 250 | 1/8-27 NPT | -5.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM158** | **MS518** | 2.5 mm |
| **A25TNVLBL11** | 25 | 32,0 | 17,0 | 300 | 1/4-18 NPT | -5.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM158** | **MS518** | 2.5 mm |



Steel shank with through coolant.




## A-NVOC 117,5°

| catalogue number | D | D min | F | L1 | CS | γF° | γP° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | |
| **A32SNVOCR16** | 32 | 40,0 | 22,0 | 250 | 1/4-18 NPT | -2.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM113** | **MS412** | 4 mm |
| **A40TNVOCR16** | 40 | 50,0 | 27,0 | 300 | 1/4-18 NPT | -2.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM113** | **MS412** | 4 mm |
| **A50UNVOCR16** | 50 | 63,0 | 35,0 | 350 | 1/4-18 NPT | -2.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM113** | **MS412** | 4 mm |
| **left hand** | | | | | | | | | | | | | | |
| **A32SNVOCL16** | 32 | 40,0 | 22,0 | 250 | 1/4-18 NPT | -2.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM114** | **MS412** | 4 mm |
| **A40TNVOCL16** | 40 | 50,0 | 27,0 | 300 | 1/4-18 NPT | -2.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM114** | **MS412** | 4 mm |



Steel shank with through coolant.




## A-NVQB 107,5°

| catalogue number | D | D min | F | L1 | CS | γF° | γP° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | |
| **A16RNVQBR11** | 16 | 22,0 | 11,0 | 200 | 1/8-27 NPT | -5.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM159** | **MS518** | 2.5 mm |
| **A20SNVQBR11** | 20 | 25,0 | 13,0 | 250 | 1/8-27 NPT | -5.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM159** | **MS518** | 2.5 mm |
| **A25TNVQBR11** | 25 | 32,0 | 17,0 | 300 | 1/4-18 NPT | -5.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM159** | **MS518** | 2.5 mm |
| **left hand** | | | | | | | | | | | | | | |
| **A20SNVQBL11** | 20 | 25,0 | 13,0 | 250 | 1/8-27 NPT | -5.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM158** | **MS518** | 2.5 mm |
| **A25TNVQBL11** | 25 | 32,0 | 17,0 | 300 | 1/4-18 NPT | -5.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM158** | **MS518** | 2.5 mm |



Steel shank with through coolant.




## A-NVQC 107,5°

| catalogue number | D | D min | F | L1 | CS | γF° | γP° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | |
| **A32SNVQCR16** | 32 | 40,00 | 22,0 | 250 | 1/4-18 NPT | -2.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM113** | **MS412** | 4 mm |
| **A40TNVQCR16** | 40 | 50,00 | 27,0 | 300 | 1/4-18 NPT | -2.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM113** | **MS412** | 4 mm |
| **left hand** | | | | | | | | | | | | | | |
| **A32SNVQCL16** | 32 | 40,00 | 22,0 | 250 | 1/4-18 NPT | -2.0 | 0.0 | VC..160408 | **SM812** | **MS959** | 4 mm | **CM114** | **MS412** | 4 mm |



Steel shank with through coolant.




## A-NVVB 72,5°

| catalogue number | D | D min | F | L1 | L | L1A | CS | γF° | γP° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | | | |
| **A25TNVVBR11** | 25 | 32,0 | 17,0 | 300 | 306,6 | 6,6 | 1/4-18 NPT | -5.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM159** | **MS518** | 2.5 mm |
| **left hand** | | | | | | | | | | | | | | | | |
| **A25TNVVBL11** | 25 | 32,0 | 17,0 | 300 | 306,6 | 6,6 | 1/4-18 NPT | -5.0 | 0.0 | VB..110304 | **SM813** | **MS959** | 2.5 mm | **CM158** | **MS518** | 2.5 mm |



With through coolant.




## H-NKLC 95°

| catalogue number | D | D min | F | L1 | λS° | γO° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | |
| **H25NKLCR11** | 25 | 32 | 17 | 41 | -5.0 | 0.0 | KC..110305L | SM886 | MS959 | 3 mm | CM68 | MS524 | 3 mm |
| **left hand** | | | | | | | | | | | | | |
| **H25NKLCL11** | 25 | 32 | 17 | 41 | -5.0 | 0.0 | KC..110305R | SM885 | MS959 | 3 mm | CM68 | MS524 | 3 mm |



With through coolant.




## H-NKLN 95°

| catalogue number | D | D min | F | L1 | λS° | γF° | γP° | γO° | gage insert | shim | shim screw | hex (mm) | clamp | clamp screw | hex (mm) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | | | | | |
| **H32NKLNR15** | 32 | 40 | 22 | 41 | — | -6.0 | -5.0 | — | KN..150410L | **SM871** | **MS111** | 2 mm | **CM66** | **MS624** | 4 mm |
| **left hand** | | | | | | | | | | | | | | | |
| **H32NKLNL15** | 32 | 40 | 22 | 41 | — | -6.0 | -5.0 | — | KN..150410R | **SM872** | **MS111** | 2 mm | **CM66** | **MS624** | 4 mm |

# The LT — Laydown Threading System

**Triangle Threading inserts and tools that provide the highest accuracy and quality level for daily production needs!**

- LT is the system of choice for fine-pitch threads, high-helix/multi-start threads, and single-point threading in small-diameter bores.
- Variable shim angles enable proper cutting geometry for high-helix angle and reverse helix angle threading. This maximises tool life and improves thread quality.
- Increase productivity by outperforming conventional PVD grades with up to a 30% advantage in cutting speeds.

Visit **www.kennametal.com** or contact your local Authorised Kennametal Distributor.

**www.kennametal.com**

KENNAMETAL®

# The Fix-Perfect™ Precision Ground Insert Program Goes Above and Beyond™!

## Primary Application

The breakthrough performance characteristics of these precision ground inserts enable outstanding indexing accuracy and excellent chip flow when machining steel, cast iron, and stainless steel workpiece materials.

Fix-Perfect Beyond Inserts are the ideal solution to machining operations in a multitude of industries, including fluid power, energy, automotive, heavy equipment, and general engineering applications.

## Features and Benefits

| Features | Functions |
|---|---|
| Tangential design. | Stable system. |
| Rigid clamping system. | Very stable clamping system and quick and easy cutting edge switch. |
| Up to eight cutting edges (protected by pocket seat). | Use up to eight edges per insert. |
| Positive geometry. | Very low cutting forces and excellent chip control. |
| Precision ground insert. | Better indexing accuracy. |



## Benefits

- Process reliability and high productivity.
- Process reliability, high productivity, and reduced machine downtime.
- Higher productivity.
- Low vibrations, smooth cut, silent cut, no workpiece deformation, and high surface quality.
- Process reliability.

## Beyond™ Identification System



D2FIX110403LHP

| D | 2 | FIX | 11 | 04 | 03 | L | HP |
|---|---|---|---|---|---|---|---|
| Insert Shape (corner angle) | Number of Cutting Edges | Proprietary System | Cutting Edge Length | Thickness | Corner Radius | Hand of Insert | Chip Control |

## New Beyond Fix-Perfect Naming System

| old catalogue number | description | new catalogue number |
|---|---|---|
| 1.21101R151 | insert with 2 positive cutting edges, corner radius e = 56° | D2FIX110403RMS |






NOTE: Fix-Perfect achieves at least a 10% lower cutting force due to the positive rake and sloped minor edge.

## Finishing

### D2FIX-FN







| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

## Medium Machining

### C2FIX15-MN







### C2FIX18-MN







### D2FIX-MN







### K2FIX-MN







### D2FIX-MS







### D2FIX-HP







*(continued)*

*(continued)*



## Medium Machining

### E2FIX-HP







| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

### D4FIX-MN







### C8FIX-MP







## Roughing

### C8FIX-RP







### D2FIX-RN







### C8FIX15-RN







### C8FIX18-RN






# Select the Insert Geometry

## 8-Edged Inserts

**Roughing**
Interrupted cut and/or heavy scale
USE: -RP OR -RN

-RP

-RN

**Medium Turning**
Slightly interrupted cut and/or slight scale
USE: -MP

-MP




## 2- and 4-Edged Inserts

**Roughing**
Interrupted cut and/or heavy scale
USE: -RN



-RN

**Medium Turning**
Slightly interrupted cut and/or slight scale
USE: -MN

-MN

**Finishing**
Non-interrupted cut, no scale
USE: -FN



-FN




## 2-Edged Inserts, High Positive

**Medium Turning**
Slightly interrupted cut and/or slight scale
USE: -HP OR -MS



-HP



-MS



## Select the grade

| | P | M | K | N | S | H |
|---|---|---|---|---|---|---|
| heavily interrupted | KCP40/KCU25 | KCU25/KCP40 | KCP25/KCU25 | KCU25 | KCU25 | — |
| lightly interrupted | KCP25/KCU25 | KCU25/KCP40 | KCP25/KCU25 | KCU25 | KCU25 | — |
| varying depths of cut | KCP10/KCU10 | KCU10/KCM15 | KCP10/KCU10 | KCU10 | KCU10 | KCU10 |
| smooth | KCP10/KCU10 | KCU10/KCM15 | KCP10/KCU10 | KCU10 | KCU10 | KCU10 |

## Select the cutting speed

**Steel** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 60 (200) | 90 (300) | 120 (400) | 150 (500) | 185 (617) | 215 (717) | 245 (800) | 275 (900) | 300 (1000) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | KCP40 | | | | ◁▷ | | | | | | 150 | 500 |
| | KCU10 | | | | | | ◁▷ | | | | 200 | 650 |
| | KCP25 | | | | | | ◁▷ | | | | 200 | 650 |
| | KCP10 | | | | | | | ◁▷ | | | 250 | 800 |

**Stainless Steel** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 45 (150) | 70 (233) | 90 (300) | 115 (383) | 140 (467) | 165 (550) | 185 (617) | 210 (700) | 230 (767) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| M | KCP40 | | | | | ◁▷ | | | | | 140 | 450 |
| | KCM15 | | | | | | ◁▷ | | | | 165 | 550 |
| | KCU25 | | | | | | ◁▷ | | | | 165 | 550 |
| | KCU10 | | | | | | | ◁▷ | | | 185 | 600 |

**Cast Iron** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 90 (300) | 135 (450) | 180 (600) | 225 (750) | 275 (900) | 320 (1050) | 360 (1200) | 410 (1350) | 460 (1500) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| K | KCU25 | | | ◁▷ | | | | | | | 165 | 500 |
| | KCU10 | | | | ◁▷ | | | | | | 180 | 600 |
| | KCP25 | | | | | ◁▷ | | | | | 230 | 750 |
| | KCP10 | | | | | ◁▷ | | | | | 260 | 850 |

**Non-Ferrous** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 150 (500) | 225 (750) | 300 (1000) | 380 (1267) | 460 (1533) | 535 (1783) | 610 (2033) | 685 (2283) | 760 (2533) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| N | KCU10 | | | | | ◁▷ | | | | | 460 | 1500 |

**High-Temperature Alloys** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 35 (117) | 45 (150) | 55 (183) | 65 (217) | 75 (250) | 85 (283) | 95 (317) | 120 (400) | 140 (467) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| S | KCU25 | | ◁▷ | | | | | | | | 45 | 150 |
| | KCU10 | | | | ◁▷ | | | | | | 60 | 200 |

**Hardened Steel** — speed — m/min (SFM) — starting conditions ◁▷

| material group | grade | 5 (17) | 15 (50) | 25 (83) | 35 (117) | 45 (150) | 55 (183) | 65 (217) | 75 (250) | 85 (283) | m/min | SFM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H | KCU10 | | | | ◁▷ | | | | | | 30 | 100 |

## Fix-Perfect Tool System



With 2, 4, or 8 edges, this tool system is the ideal supplement to ISO tools.

The examples on the following page show the range of possible applications.

Use of the Fix-Perfect system results in:

- Lower cutting forces.
- Smooth, open chips.
- Larger feed rates and depths of cut.

*(continued)*



Turning slender shafts (clamping on one side also possible) with a workpiece length outside the chuck >8 x D with high geometric accuracy and surface finish.



Machining of unstably chucked workpieces (e.g., in a swivel chuck).



External machining of thin-walled workpieces.




Turning material combinations of varying machinability, for example, aluminium combined with stainless and acid-proof steels.



Smoothing of welding seams with interrupted cuts.







| old catalogue number | new catalogue number | b | | t | | | $b_f$ | | |
|---|---|---|---|---|---|---|---|---|---|
| | | mm | inch | mm | inch | γ° | mm | inch | $\gamma_f$° |
| NEW | **C2FIX110404LMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| NEW | **C2FIX110404RMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.21103L171 | **C2FIX110405LMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.21103R171 | **C2FIX110405RMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| NEW | **C2FIX110408LMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| NEW | **C2FIX110408RMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| NEW | **C2FIX150504LMN** | 2,6 | 0.102 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| NEW | **C2FIX150504RMN** | 2,6 | 0.102 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.21503L171 | **C2FIX150505LMN** | 2,6 | 0.102 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.21503R171 | **C2FIX150505RMN** | 2,6 | 0.102 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| NEW | **C2FIX150508LMN** | 2,6 | 0.102 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| NEW | **C2FIX150508RMN** | 2,6 | 0.102 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.21503L172 | **C2FIX150510LMN** | 3,2 | 0.126 | 0,5 | 0.020 | 10 | 0,2 | 0.008 | 10 |
| 1.21503R172 | **C2FIX150510RMN** | 3,2 | 0.126 | 0,5 | 0.020 | 10 | 0,2 | 0.008 | 10 |
| NEW | **C2FIX150512LMN** | 3,2 | 0.126 | 0,5 | 0.020 | 10 | 0,2 | 0.008 | 10 |
| NEW | **C2FIX150512RMN** | 3,2 | 0.126 | 0,5 | 0.020 | 10 | 0,2 | 0.008 | 10 |
| 1.21803L171 | **C2FIX180610LMN** | 3,2 | 0.126 | 0,5 | 0.020 | 10 | 0,2 | 0.008 | 10 |
| 1.21803R171 | **C2FIX180610RMN** | 3,2 | 0.126 | 0,5 | 0.020 | 10 | 0,2 | 0.008 | 10 |
| 1.21803L172 | **C2FIX180615LMN** | 4,0 | 0.157 | 0,6 | 0.024 | 10 | 0,3 | 0.012 | 10 |
| 1.21803R172 | **C2FIX180615RMN** | 4,0 | 0.157 | 0,6 | 0.024 | 10 | 0,3 | 0.012 | 10 |
| 1.21501L152 | **D2FIX150505LFN** | 3,2 | 0.126 | H | H | 20 | 0,1 | 0.004 | 10 |
| 1.21501R152 | **D2FIX150505RFN** | 3,2 | 0.126 | H | H | 20 | 0,1 | 0.004 | 10 |
| 1.21101L173 | **D2FIX110403LMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.21101R173 | **D2FIX110403RMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| NEW | **D2FIX110404LMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| NEW | **D2FIX110404RMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.21101L171 | **D2FIX110405LMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.21101R171 | **D2FIX110405RMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.21501R175 | **D2FIX150503RMN** | 2,2* | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| NEW | **D2FIX150504LMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| NEW | **D2FIX150504RMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.21501L171 | **D2FIX150505LMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.21501R171 | **D2FIX150505RMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| NEW | **D2FIX150508LMN** | 2,6 | 0.102 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| NEW | **D2FIX150508RMN** | 2,6 | 0.102 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.21501L173 | **D2FIX150510LMN** | 3,2 | 0.126 | 0,5 | 0.020 | 10 | 0,2 | 0.008 | 10 |
| 1.21501R173 | **D2FIX150510RMN** | 3,2 | 0.126 | 0,5 | 0.020 | 10 | 0,2 | 0.008 | 10 |
| 1.21801L171 | **D2FIX180610LMN** | 3,2 | 0.126 | 0,5 | 0.020 | 10 | 0,2 | 0.008 | 10 |
| 1.21801R171 | **D2FIX180610RMN** | 3,2 | 0.126 | 0,5 | 0.020 | 10 | 0,2 | 0.008 | 10 |
| 1.21501L172 | **D2FIX150505LRN** | 2,6 | 0.102 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.21501R172 | **D2FIX150505RRN** | 2,6 | 0.102 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.21501L154 | **D2FIX150503LMS** | 3,0 | 0.118 | H | H | 25** | Sharp | Sharp | Sharp |
| 1.21501R154 | **D2FIX150503RMS** | 3,0 | 0.118 | H | H | 25** | Sharp | Sharp | Sharp |
| 1.21501L155 | **D2FIX150505LMS** | 3,0* | 0.118 | H | H | 25** | Sharp | Sharp | Sharp |

H – Hollow-ground.

*(continued)*

* – Deviation from old catalogue number.

** – At mounting angle (clearance) 7°. Also 12° mounting angle possible (dependent on toolholder), then γ = 20°.

*(continued)*

| old catalogue number | new catalogue number | b | | t | | | $b_f$ | | |
|---|---|---|---|---|---|---|---|---|---|
| | | mm | inch | mm | inch | γ° | mm | inch | $\gamma_f$° |
| 1.21501R155 | **D2FIX150505RMS** | 3,0* | 0.118 | H | H | 25** | Sharp | Sharp | Sharp |
| 1.21101L151 | **D2FIX110403LHP** | 2,6 | 0.102 | H | H | 20 | Sharp | Sharp | Sharp |
| 1.21101R151 | **D2FIX110403RHP** | 2,6 | 0.102 | H | H | 20 | Sharp | Sharp | Sharp |
| NEW | **D2FIX110404LHP** | 2,6 | 0.102 | H | H | 20 | Sharp | Sharp | Sharp |
| NEW | **D2FIX110404RHP** | 2,6 | 0.102 | H | H | 20 | Sharp | Sharp | Sharp |
| 1.21501L151 | **D2FIX150503LHP** | 3,0 | 0.118 | H | H | 20 | Sharp | Sharp | Sharp |
| 1.21501R151 | **D2FIX150503RHP** | 3,0 | 0.118 | H | H | 20 | Sharp | Sharp | Sharp |
| NEW | **D2FIX150504LHP** | 3,0 | 0.118 | H | H | 20 | Sharp | Sharp | Sharp |
| NEW | **D2FIX150504RHP** | 3,0 | 0.118 | H | H | 20 | Sharp | Sharp | Sharp |
| NEW | **D2FIX150508LHP** | 3,0 | 0.118 | H | H | 20 | Sharp | Sharp | Sharp |
| NEW | **D2FIX150508RHP** | 3,0 | 0.118 | H | H | 20 | Sharp | Sharp | Sharp |
| 1.21500L145 | **E2FIX100505LHP** | — | — | — | — | 28 | Sharp | Sharp | Sharp |
| 1.21500R145 | **E2FIX100505RHP** | — | — | — | — | 28 | Sharp | Sharp | Sharp |
| 1.21500L171 | **K2FIX150505LMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.21500R171 | **K2FIX150505RMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.42002L173 | **D4FIX140603LMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.42002R173 | **D4FIX140603RMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| NEW | **D4FIX140604LMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| NEW | **D4FIX140604RMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.42002L171 | **D4FIX140605LMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.42002R171 | **D4FIX140605RMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| NEW | **D4FIX140608LMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| NEW | **D4FIX140608RMN** | 2,2 | 0.087 | 0,4 | 0.016 | 10 | 0,1 | 0.004 | 10 |
| 1.81202L171 | **C8FIX120503LMP** | 1,6 | 0.063 | 0,3 | 0.012 | 12 | — | — | — |
| 1.81202R171 | **C8FIX120503RMP** | 1,6 | 0.063 | 0,3 | 0.012 | 12 | — | — | — |
| 1.81502L171 | **C8FIX150603LMP** | 2,0 | 0.079 | 0,3 | 0.012 | 12 | — | — | — |
| 1.81502R171 | **C8FIX150603RMP** | 2,0 | 0.079 | 0,3 | 0.012 | 12 | — | — | — |
| 1.81802L171 | **C8FIX180805LMP** | 2,3 | 0.091 | 0,4 | 0.016 | 12 | — | — | — |
| 1.81802R171 | **C8FIX180805RMP** | 2,3 | 0.091 | 0,4 | 0.016 | 12 | — | — | — |
| 1.81201L121 | **C8FIX120503LRP** | — | — | — | — | 6 | — | — | — |
| 1.81201R121 | **C8FIX120503RRP** | — | — | — | — | 6 | — | — | — |
| NEW | **C8FIX120504LRP** | — | — | — | — | 6 | — | — | — |
| NEW | **C8FIX120504RRP** | — | — | — | — | 6 | — | — | — |
| 1.81201L122 | **C8FIX120505LRP** | — | — | — | — | 6 | — | — | — |
| 1.81201R122 | **C8FIX120505RRP** | — | — | — | — | 6 | — | — | — |
| NEW | **C8FIX120508LRP** | — | — | — | — | 6 | — | — | — |
| NEW | **C8FIX120508RRP** | — | — | — | — | 6 | — | — | — |
| NEW | **C8FIX120512LRP** | — | — | — | — | 6 | — | — | — |
| NEW | **C8FIX120512RRP** | — | — | — | — | 6 | — | — | — |
| 1.81501L121 | **C8FIX150605LRN** | — | — | — | — | 6 | 0,1 | 0.004 | 30 |
| 1.81501R121 | **C8FIX150605RRN** | — | — | — | — | 6 | 0,1 | 0.004 | 30 |
| 1.81501L122 | **C8FIX150608LRN** | — | — | — | — | 6 | 0,1 | 0.004 | 30 |
| 1.81501R122 | **C8FIX150608RRN** | — | — | — | — | 6 | 0,1 | 0.004 | 30 |
| NEW | **C8FIX150612LRN** | — | — | — | — | 6 | 0,1 | 0.004 | 30 |
| NEW | **C8FIX150612RRN** | — | — | — | — | 6 | 0,1 | 0.004 | 30 |
| 1.81801L121 | **C8FIX180808LRN** | — | — | — | — | 6 | 0,2 | 0.008 | 30 |
| 1.81801R121 | **C8FIX180808RRN** | — | — | — | — | 6 | 0,2 | 0.008 | 30 |
| 1.81801L122 | **C8FIX180812LRN** | — | — | — | — | 6 | 0,2 | 0.008 | 30 |
| 1.81801R122 | **C8FIX180812RRN** | — | — | — | — | 6 | 0,2 | 0.008 | 30 |

H – Hollow-ground.

* – Deviation from old catalogue number.

** – At mounting angle (clearance) 7°. Also 12° mounting angle possible (dependent on toolholder), then γ = 20°.

● first choice
○ alternate choice

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | ● |
| M | | ○ | ○ | ● | ● | ● | ● |
| K | | ● | ● | ● | ● | ● | ● |
| N | | | | | | ● | ● |
| S | | | | ○ | ○ | ● | ● |
| H | | | | | | | |






## C2FIX-MN

| catalogue number | L10 mm | S mm | Rε mm | KCP10 | KCP25 | KCP40 | KCM15 | KCU10 | KCU25 |
|---|---|---|---|---|---|---|---|---|---|
| C2FIX110404LMN | 10,70 | 4,00 | 0,40 | ● | ● | ● | | ● | ● |
| C2FIX110404RMN | 10,70 | 4,00 | 0,40 | ● | ● | ● | | ● | ● |
| C2FIX110405LMN | 10,70 | 4,00 | 0,50 | | ● | ● | | ● | |
| C2FIX110405RMN | 10,70 | 4,00 | 0,50 | | ● | ● | | | |
| C2FIX110408LMN | 10,70 | 4,00 | 0,80 | ● | ● | ● | | ● | ● |
| C2FIX110408RMN | 10,70 | 4,00 | 0,80 | ● | ● | ● | | ● | ● |
| C2FIX150504LMN | 14,70 | 5,00 | 0,40 | ● | ● | ● | | ● | ● |
| C2FIX150504RMN | 14,70 | 5,00 | 0,40 | ● | ● | ● | | ● | ● |
| C2FIX150505LMN | 14,70 | 5,00 | 0,50 | | ● | ● | | ● | |
| C2FIX150505RMN | 14,70 | 5,00 | 0,50 | | ● | ● | | | |
| C2FIX150508LMN | 14,60 | 5,00 | 0,80 | ● | ● | ● | | ● | ● |
| C2FIX150508RMN | 14,60 | 5,00 | 0,80 | ● | ● | ● | | ● | ● |
| C2FIX150510LMN | 14,50 | 5,00 | 1,00 | | ● | ● | | | |
| C2FIX150510RMN | 14,50 | 5,00 | 1,00 | | ● | ● | | | |
| C2FIX150512LMN | 14,50 | 5,00 | 1,20 | ● | ● | ● | | ● | ● |
| C2FIX150512RMN | 14,50 | 5,00 | 1,20 | ● | ● | ● | | ● | ● |
| C2FIX180610LMN | 17,50 | 6,00 | 1,00 | | ● | ● | | ● | |
| C2FIX180610RMN | 17,50 | 6,00 | 1,00 | | ● | ● | | ● | |
| C2FIX180615LMN | 17,50 | 6,00 | 1,50 | | ● | ● | | | |
| C2FIX180615RMN | 17,50 | 6,00 | 1,50 | | ● | ● | | | |

beyond

● first choice
○ alternate choice

| | | KCP10 | KCP25 | KCP40 | KCM15 | KCU10 | KCU25 |
|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | ● |
| M | | ○ | ○ | ● | ● | ● | ● |
| K | | ● | ● | ● | ● | ● | ● |
| N | | | | | | ● | ● |
| S | | | | ○ | ○ | ● | ● |
| H | | | | | | | |









## D2FIX-MN

| catalogue number | L10 mm | S mm | Rε mm | KCP10 | KCP25 | KCP40 | KCM15 | KCU10 | KCU25 |
|---|---|---|---|---|---|---|---|---|---|
| D2FIX110403LMN | 10,70 | 4,00 | 0,30 | ● | ● | | | | |
| D2FIX110403RMN | 10,70 | 4,00 | 0,30 | ● | ● | | | | |
| D2FIX110404LMN | 10,60 | 4,00 | 0,40 | ● | ● | ● | | ● | ● |
| D2FIX110404RMN | 10,60 | 4,00 | 0,40 | ● | ● | ● | | ● | ● |
| D2FIX110405LMN | 10,50 | 4,00 | 0,50 | ● | ● | ● | | | |
| D2FIX110405RMN | 10,50 | 4,00 | 0,50 | ● | ● | ● | | | |
| D2FIX150503RMN | 14,70 | 5,00 | 0,30 | ● | ● | | | | |
| D2FIX150504LMN | 14,60 | 5,00 | 0,40 | ● | ● | ● | | ● | ● |
| D2FIX150504RMN | 14,60 | 5,00 | 0,40 | ● | ● | ● | | ● | ● |
| D2FIX150505LMN | 14,50 | 5,00 | 0,50 | ● | ● | ● | | | |
| D2FIX150505RMN | 14,50 | 5,00 | 0,50 | ● | ● | ● | | | |
| D2FIX150508LMN | 14,20 | 5,00 | 0,80 | ● | ● | ● | | ● | ● |
| D2FIX150508RMN | 14,20 | 5,00 | 0,80 | ● | ● | ● | | ● | ● |
| D2FIX150510LMN | 14,00 | 5,00 | 1,00 | | ● | | | | |
| D2FIX150510RMN | 14,00 | 5,00 | 1,00 | ● | ● | ● | | | |
| D2FIX180610LMN | 17,00 | 6,00 | 1,00 | | ● | | | | |
| D2FIX180610RMN | 17,00 | 6,00 | 1,00 | | ● | | | | |

● first choice
○ alternate choice

| | | KCP10 | KCP25 | KCP40 | KCM15 | KCU10 | KCU25 |
|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | ● |
| M | | ○ | ○ | ● | ● | ● | ● |
| K | | ● | ● | ● | ● | ● | ● |
| N | | | | | | ● | ● |
| S | | | | ○ | ○ | ● | ● |
| H | | | | | | | |

## D2FIX-HP









| catalogue number | L10 mm | S mm | Rε mm |
|---|---|---|---|
| D2FIX110403LHP | 10,10 | 4,00 | 0,30 |
| D2FIX110403RHP | 10,10 | 4,00 | 0,30 |
| D2FIX110404LHP | 10,00 | 4,00 | 0,40 |
| D2FIX110404RHP | 10,00 | 4,00 | 0,40 |
| D2FIX150503LHP | 14,10 | 5,00 | 0,30 |
| D2FIX150503RHP | 14,10 | 5,00 | 0,30 |
| D2FIX150504LHP | 14,00 | 5,00 | 0,40 |
| D2FIX150504RHP | 14,00 | 5,00 | 0,40 |
| D2FIX150508LHP | 13,60 | 5,00 | 0,80 |
| D2FIX150508RHP | 13,60 | 5,00 | 0,80 |

## D2FIX-MS












| catalogue number | L10 mm | S mm | Rε mm |
|---|---|---|---|
| D2FIX150505LMS | 13,90 | 5,00 | 0,50 |
| D2FIX150505RMS | 13,90 | 5,00 | 0,50 |
| D2FIX150503RMS | 14,10 | 5,00 | 0,30 |
| D2FIX150503LMS | 14,10 | 5,00 | 0,30 |

## D2FIX-FN












| catalogue number | L10 mm | S mm | Rε mm |
|---|---|---|---|
| D2FIX150505RFN | 13,90 | 5,00 | 0,50 |
| D2FIX150505LFN | 13,90 | 5,00 | 0,50 |

beyond

● first choice
○ alternate choice

| | | KCP10 | KCP25 | KCP40 | KCM15 | KCU10 | KCU25 |
|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | ● |
| M | | ○ | ○ | ● | ● | ● | ● |
| K | | ● | ● | ● | ● | ● | ● |
| N | | | | | | ● | ● |
| S | | | | ○ | ○ | ● | ● |
| H | | | | | | | |

## D2FIX-RN






| catalogue number | L10 mm | S mm | Rε mm | KCP10 | KCP25 | KCP40 | KCM15 | KCU10 | KCU25 |
|---|---|---|---|---|---|---|---|---|---|
| D2FIX150505LRN | 14,50 | 5,00 | 0,50 | ● | ● | ● | | | |
| D2FIX150505RRN | 14,50 | 5,00 | 0,50 | ● | | ● | | | |

## E2FIX-HP






| catalogue number | L10 mm | S mm | Rε mm | KCP10 | KCP25 | KCP40 | KCM15 | KCU10 | KCU25 |
|---|---|---|---|---|---|---|---|---|---|
| E2FIX100505LHP | 10,50 | 5,00 | 0,50 | | | | | ● | |
| E2FIX100505RHP | 10,50 | 5,00 | 0,50 | | | | | ● | |

● first choice
○ alternate choice

| | | KCP10 | KCP25 | KCP40 | KCM15 | KCU10 | KCU25 |
|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | ● |
| M | | ○ | ○ | ● | ● | ● | ● |
| K | | ● | ● | ● | ● | ● | ● |
| N | | | | | | ● | ● |
| S | | | | ○ | ○ | ● | ● |
| H | | | | | | | |









## K2FIX-MN

| catalogue number | L10 mm | S mm | Rε mm | KCP10 | KCP25 | KCP40 | KCM15 | KCU10 | KCU25 |
|---|---|---|---|---|---|---|---|---|---|
| K2FIX150505LMN | 14,50 | 5,00 | 0,50 | | ● | | | | |
| K2FIX150505RMN | 14,50 | 5,00 | 0,50 | | ● | | | ● | |






## D4FIX-MN

| catalogue number | L10 mm | S mm | Rε mm | KCP10 | KCP25 | KCP40 | KCM15 | KCU10 | KCU25 |
|---|---|---|---|---|---|---|---|---|---|
| D4FIX140603LMN | 7,20 | 5,90 | 0,30 | | ● | | | | |
| D4FIX140603RMN | 7,20 | 5,90 | 0,30 | ● | ● | | | | |
| D4FIX140604LMN | 7,10 | 5,90 | 0,40 | ● | ● | ● | | ● | ● |
| D4FIX140604RMN | 7,10 | 5,90 | 0,40 | ● | ● | ● | | ● | ● |
| D4FIX140605LMN | 7,00 | 5,90 | 0,50 | | ● | | | | |
| D4FIX140605RMN | 7,00 | 5,90 | 0,50 | ● | ● | | | | |
| D4FIX140608LMN | 6,70 | 5,90 | 0,80 | ● | ● | ● | | ● | ● |
| D4FIX140608RMN | 6,70 | 5,90 | 0,80 | ● | ● | ● | | ● | ● |

beyond

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | ● |
| M | | ○ | ○ | ● | ● | ● | ● |
| K | | ● | ● | ● | ● | ● | ● |
| N | | | | | | ● | ● |
| S | | | | ○ | ○ | ● | ● |
| H | | | | | | | |

● first choice
○ alternate choice




## C8FIX-RN

| catalogue number | L10 mm | S mm | Rε mm | KCP10 | KCP25 | KCP40 | KCM15 | KCU10 | KCU25 |
|---|---|---|---|---|---|---|---|---|---|
| C8FIX150605LRN | 9,10 | 6,60 | 0,50 | ● | ● | ● | | ● | ● |
| C8FIX150605RRN | 9,10 | 6,60 | 0,50 | ● | ● | ● | | ● | ● |
| C8FIX150608LRN | 8,90 | 6,60 | 0,80 | ● | ● | ● | | ● | ● |
| C8FIX150608RRN | 8,90 | 6,60 | 0,80 | ● | ● | ● | | ● | ● |
| C8FIX150612LRN | 8,60 | 6,60 | 1,20 | ● | ● | ● | | ● | ● |
| C8FIX150612RRN | 8,60 | 6,60 | 1,20 | ● | ● | ● | | ● | ● |
| C8FIX180808LRN | 10,90 | 7,90 | 0,80 | ● | ● | ● | | ● | ● |
| C8FIX180808RRN | 10,90 | 7,90 | 0,80 | ● | ● | ● | | ● | ● |
| C8FIX180812LRN | 10,60 | 7,90 | 1,20 | ● | ● | ● | | ● | ● |
| C8FIX180812RRN | 10,60 | 7,90 | 1,20 | ● | ● | ● | | ● | ● |




## C8FIX-RP

| catalogue number | L10 mm | S mm | Rε mm | KCP10 | KCP25 | KCP40 | KCM15 | KCU10 | KCU25 |
|---|---|---|---|---|---|---|---|---|---|
| C8FIX120503LRP | 7,30 | 5,50 | 0,30 | | ● | ● | | ● | ● |
| C8FIX120503RRP | 7,30 | 5,50 | 0,30 | ● | ● | ● | | ● | ● |
| C8FIX120504LRP | 7,20 | 5,50 | 0,40 | ● | ● | ● | ● | ● | ● |
| C8FIX120504RRP | 7,20 | 5,50 | 0,40 | ● | ● | ● | ● | ● | ● |
| C8FIX120505LRP | 7,10 | 5,50 | 0,50 | ● | ● | ● | | ● | ● |
| C8FIX120505RRP | 7,10 | 5,50 | 0,50 | ● | ● | ● | | ● | ● |
| C8FIX120508LRP | 6,90 | 5,50 | 0,80 | ● | ● | ● | | ● | ● |
| C8FIX120508RRP | 6,90 | 5,50 | 0,80 | ● | ● | ● | ● | ● | ● |
| C8FIX150608LRP | 8,80 | 6,60 | 0,80 | | ● | ● | | ● | ● |
| C8FIX150608RRP | 8,80 | 6,60 | 0,80 | ● | ● | ● | ● | ● | ● |
| C8FIX150612LRP | 7,80 | 6,60 | 1,20 | | ● | ● | | ● | ● |
| C8FIX150612RRP | 7,80 | 6,60 | 1,20 | ● | ● | ● | ● | ● | ● |
| C8FIX180808LRP | 11,40 | 7,90 | 0,80 | ● | ● | ● | ● | ● | ● |
| C8FIX180808RRP | 11,40 | 7,90 | 0,80 | ● | ● | ● | ● | ● | ● |
| C8FIX180812LRP | 10,80 | 7,90 | 1,20 | ● | ● | ● | ● | ● | ● |
| C8FIX180812RRP | 10,80 | 7,90 | 1,20 | ● | ● | ● | ● | ● | ● |






● first choice
○ alternate choice

| | | KCP10 | KCP25 | KCP40 | KCM15 | KCU10 | KCU25 |
|---|---|---|---|---|---|---|---|
| P | | ● | ● | ● | ● | ● | ● |
| M | | ○ | ○ | ● | ● | ● | ● |
| K | | ● | ● | ● | ● | ● | ● |
| N | | | | | | ● | ● |
| S | | | | ○ | ○ | ● | ● |
| H | | | | | | | |

■ C8FIX-MP

| catalogue number | L10 mm | S mm | Rε mm | KCP10 | KCP25 | KCP40 | KCM15 | KCU10 | KCU25 |
|---|---|---|---|---|---|---|---|---|---|
| C8FIX120503LMP | 7,30 | 5,50 | 0,30 | ● | ● | ● | | ● | ● |
| C8FIX120503RMP | 7,30 | 5,50 | 0,30 | ● | ● | ● | | ● | ● |
| C8FIX120504LMP | 6,70 | 5,50 | 0,40 | | ● | | ● | ● | ● |
| C8FIX120504RMP | 6,70 | 5,50 | 0,40 | | ● | | ● | ● | ● |
| C8FIX120508LMP | 6,60 | 5,50 | 0,80 | | ● | | ● | ● | ● |
| C8FIX120508RMP | 6,60 | 5,50 | 0,80 | | ● | | ● | ● | ● |
| C8FIX150603LMP | 9,30 | 6,60 | 0,30 | ● | ● | ● | | ● | ● |
| C8FIX150603RMP | 9,30 | 6,60 | 0,30 | ● | ● | ● | | ● | ● |
| C8FIX150608LMP | 8,60 | 6,60 | 0,80 | | ● | | ● | ● | ● |
| C8FIX150608RMP | 8,60 | 6,60 | 0,80 | | ● | | ● | ● | ● |
| C8FIX150612LMP | 8,30 | 6,60 | 1,20 | | ● | | ● | ● | ● |
| C8FIX150612RMP | 8,30 | 6,60 | 1,20 | | ● | | ● | ● | ● |
| C8FIX180805LMP | 11,10 | 7,90 | 0,50 | ● | ● | ● | | ● | ● |
| C8FIX180805RMP | 11,10 | 7,90 | 0,80 | ● | ● | ● | | ● | ● |




## 1 — Turning Program

**1** = Fix-Perfect

## 1 — Number of Cutters

**1** = Inserts with 2 cutting edges

**3** = Inserts with 4 cutting edges

**7** = Inserts with 8 cutting edges

## 08 — Version

**08** = 90° or 93° setting, for machining aluminium
**16** = 92° setting angle
**20** = 92° setting angle
**22** = 92° setting angle
**30** = 75° setting angle
**71** = 75° setting angle
**72** = 45° setting angle
**77** = 90° setting angle
**80** = 90° or 93° setting angle

## 25 — Shaft Dimensions




Toolholder
**10** = 10 x 10mm
**11** = 40 x 40mm
**16** = 16 x 16mm
**20** = 20 x 20mm
**21** = 50 x 50mm
**35** = 25 x 25mm
**32** = 32 x 25mm
32 x 32mm
**40** = 40 x 32mm

## R — Direction of Working

**R** = Right
**L** = Left

## 7 — Insert Size and Type




| | L | cutting edges |
|---|---|---|
| **0** | 8mm<br>20mm<br>25mm | 4<br>4<br>4 |
| **1** | 10,5mm<br>12mm | 2<br>8 |
| **3** | 14,5mm<br>15mm | 2<br>8 |
| **4** | 17,5mm<br>18mm | 2<br>8 |
| **5** | 23,5mm<br>21mm | 2<br>8 |
| **7** | 10,5mm | 2 Alu |

## 0 — Insert Shape




## 0 — Clamping Screw Support

**0** = Activated from main cutting edge

**1** = Minor cutting edge

**2** = Above

**5** = Main cutting edge with sharp-edged full cartridge

**6** = Minor cutting edge with sharp-edged full cartridge

**Features of the Fix-Perfect lathe tool system:**

- Cost-effective use of inserts with up to eight positive cutting edges per insert.
- Indexable insert ground on all sides, thus requiring less cutting force.
- High stability due to upright insert for roughing and profiling tasks.
- Guaranteed rigid clamping of inserts.
- Optimum chip evacuation guaranteed.
- Cutting edges protected by insert seat.



Quick and easy cutting edge switch —
just loosen the pin, no need to remove it.














See page A246 for inserts.




## 1.108...90° • Metric

| catalogue number | H | B | L1 | L2 | F | gage insert | clamp stud | clamping screw | hex wrench |
|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | |
| **1.10825R700** | 25 | 25 | 150,0 | 36 | 32,0 | E2FIX10..R.. | **410.081** | **121.616** | **170.003** |
| **left hand** | | | | | | | | | |
| **1.10825L700** | 25 | 25 | 150,0 | 36 | 32,0 | E2FIX10..L.. | **410.081** | **121.616** | **170.003** |



See page A245 for inserts.




## 1.108...93° • Metric

| catalogue number | H | H3 | B | L1 | L2 | F | gage insert | clamp stud | clamping screw | hex wrench |
|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | |
| **1.10820R310** | 20 | 5 | 20 | 125,0 | 26 | 25,0 | D2FIX15..RHP/FN/MS | **112.403** | **121.612** | **170.003** |
| **1.10825R310** | 25 | — | 25 | 150,0 | 26 | 32,0 | D2FIX15..RHP/FN/MS | **112.404** | **121.616** | **170.003** |
| **left hand** | | | | | | | | | | |
| **1.10820L310** | 20 | 5 | 20 | 125,0 | 26 | 25,0 | D2FIX15..LHP/FN/MS | **112.403** | **121.612** | **170.003** |
| **1.10825L310** | 25 | — | 25 | 150,0 | 26 | 32,0 | D2FIX15..LHP/FN/MS | **112.404** | **121.616** | **170.003** |



See page A243 for inserts.




H = H1

## 1.171...75° • Metric

| catalogue number | H | B | L1 | F | gage insert | clamp stud | clamping screw | hex wrench |
|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | |
| **1.17120R130** | 20 | 20 | 125,0 | 15,0 | C2FIX11..R.. | **112.244** | **121.612** | **170.003** |
| **1.17125R330** | 25 | 25 | 150,0 | 17,0 | C2FIX15..R.. | **112.404** | **121.616** | **170.003** |
| **left hand** | | | | | | | | |
| **1.17120L130** | 20 | 20 | 125,0 | 15,0 | C2FIX11..L.. | **112.244** | **121.612** | **170.003** |
| **1.17125L330** | 25 | 25 | 150,0 | 17,0 | C2FIX15..L.. | **112.404** | **121.616** | **170.003** |



See page A247 for inserts.




H = H1

## 1.180...93° • Metric

| catalogue number | H | B | L1 | L2 | F | gage insert | clamp stud | clamping screw | hex wrench |
|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | |
| **1.18025R302** | 25 | 20 | 150,0 | 36 | 26,0 | K2FIX15..R.. | **112.423** | **121.612** | **170.003** |
| **left hand** | | | | | | | | | |
| **1.18025L302** | 25 | 20 | 150,0 | 36 | 26,0 | K2FIX15..L.. | **112.423** | **121.612** | **170.003** |



See pages A248–A249 for inserts.




## 1.18 • Metric

| catalogue number | H | H3 | B | L1 | L2 | F | gage insert | clamp stud | clamping screw | hex wrench | steel nest assembly |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | |
| **1.18016R110** | 16 | 4 | 16 | 100,0 | 28 | 24,0 | D2FIX11..R.. | **112.244** | **121.612** | **170.003** | – |
| **1.18020R110** | 20 | – | 20 | 125,0 | 26 | 25,0 | D2FIX11..R.. | **112.244** | **121.612** | **170.003** | – |
| **1.18020R310** | 20 | 5 | 20 | 125,0 | 26 | 26,0 | D2FIX15..R.. | **112.403** | **121.612** | **170.003** | – |
| **1.18025R110** | 25 | – | 25 | 150,0 | 26 | 32,0 | D2FIX11..R.. | **112.244** | **121.612** | **170.003** | – |
| **1.18025R310** | 25 | – | 25 | 150,0 | 26 | 32,0 | D2FIX15..R.. | **112.404** | **121.616** | **170.003** | – |
| **1.18025R315** | 25 | 7 | 25 | 150,0 | 36 | 32,0 | D2FIX15..R.. | **112.505** | **121.616** | **170.003** | **132.151** |
| **1.18032R315** | 32 | – | 25 | 170,0 | 36 | 32,0 | D2FIX15..R.. | **112.505** | **121.616** | **170.003** | **132.151** |
| **1.18032R410** | 32 | – | 25 | 170,0 | 36 | 32,0 | D2FIX18..R.. | **112.604** | **121.816** | **170.004** | – |
| **left hand** | | | | | | | | | | | |
| **1.18016L110** | 16 | 4 | 16 | 100,0 | 28 | 24,0 | D2FIX11..L.. | **112.244** | **121.612** | **170.003** | – |
| **1.18020L110** | 20 | – | 20 | 125,0 | 26 | 25,0 | D2FIX11..L.. | **112.244** | **121.612** | **170.003** | – |
| **1.18020L310** | 20 | 5 | 20 | 125,0 | 26 | 26,0 | D2FIX15..L.. | **112.403** | **121.612** | **170.003** | – |
| **1.18025L110** | 25 | – | 25 | 150,0 | 26 | 32,0 | D2FIX11..L.. | **112.244** | **121.612** | **170.003** | – |
| **1.18025L310** | 25 | – | 25 | 150,0 | 26 | 32,0 | D2FIX15..L.. | **112.404** | **121.616** | **170.003** | – |
| **1.18025L315** | 25 | 7 | 25 | 150,0 | 36 | 32,0 | D2FIX15..L.. | **112.505** | **121.616** | **170.003** | **132.156** |
| **1.18032L315** | 32 | – | 25 | 170,0 | 36 | 32,0 | D2FIX15..L.. | **112.505** | **121.616** | **170.003** | **132.156** |
| **1.18032L410** | 32 | – | 25 | 170,0 | 36 | 32,0 | D2FIX18..L.. | **112.604** | **121.816** | **170.004** | – |



See page A243 for inserts.




## 1.180...93° • Metric

| catalogue number | H | B | L1 | L2 | F | gage insert | clamp stud | clamping screw | hex wrench |
|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | |
| **1.18020R130** | 20 | 20 | 125,0 | 26 | 26,0 | C2FIX11..R.. | **112.244** | **121.612** | **170.003** |
| **1.18025R130** | 25 | 25 | 150,0 | 26 | 32,0 | C2FIX11..R.. | **112.244** | **121.612** | **170.003** |
| **1.18025R330** | 25 | 25 | 150,0 | 36 | 32,0 | C2FIX15..R.. | **112.404** | **121.616** | **170.003** |
| **1.18032R430** | 32 | 25 | 170,0 | 36 | 32,0 | C2FIX18..R.. | **112.604** | **121.816** | **170.004** |
| **left hand** | | | | | | | | | |
| **1.18020L130** | 20 | 20 | 125,0 | 26 | 26,0 | C2FIX11..L.. | **112.244** | **121.612** | **170.003** |
| **1.18025L130** | 25 | 25 | 150,0 | 26 | 32,0 | C2FIX11..L.. | **112.244** | **121.612** | **170.003** |
| **1.18025L330** | 25 | 25 | 150,0 | 36 | 32,0 | C2FIX15..L.. | **112.404** | **121.616** | **170.003** |
| **1.18032L430** | 32 | 25 | 170,0 | 36 | 32,0 | C2FIX18..L.. | **112.604** | **121.816** | **170.004** |



See page A247 for inserts.




H = H1

## 1.380...92° • Metric

| catalogue number | H | B | L1 | L2 | F | gage insert | clamp stud | clamping screw | hex wrench |
|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | |
| **1.38020R021** | 20 | 20 | 125,0 | 35 | 25,0 | D4FIX..R.. | **114.111** | **121.812** | **170.004** |
| **1.38025R021** | 25 | 25 | 150,0 | 36 | 32,0 | D4FIX..R.. | **114.111** | **121.816** | **170.004** |
| **left hand** | | | | | | | | | |
| **1.38020L021** | 20 | 20 | 125,0 | 35 | 25,0 | D4FIX..L.. | **114.111** | **121.812** | **170.004** |
| **1.38025L021** | 25 | 25 | 150,0 | 36 | 32,0 | D4FIX..L.. | **114.111** | **121.816** | **170.004** |



See pages A248–A249 for inserts.




H = H1

## 1.777...90° • Metric

| catalogue number | H | B | L1 | L2 | F | gage insert | clamp stud | clamping screw | hex wrench |
|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | |
| **1.77720R101** | 20 | 20 | 125,0 | 26 | 25,5 | 1.81201L9 | **118.214** | **121.612** | **170.003** |
| **1.77725R301** | 25 | 25 | 150,0 | 26 | 32,0 | C8FIX15..L.. | **118.314** | **121.816** | **170.004** |
| **left hand** | | | | | | | | | |
| **1.77720L101** | 20 | 20 | 125,0 | 26 | 25,5 | 1.81201R9 | **118.214** | **121.612** | **170.003** |
| **1.77725L301** | 25 | 25 | 150,0 | 26 | 32,0 | 1.8150_R9 | **118.314** | **121.812** | **170.004** |

NOTE: Right-hand tool requires left-hand insert.



See pages A248–A249
for inserts.




## 1.771...75° • Metric

| catalogue number | H | B | L1 | L2 | F | gage insert | clamp stud | clamping screw | clamping screw | hex wrench |
|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | |
| **1.77120R100** | 20 | 20 | 125,0 | 20 | 17,0 | C8FIX12..R.. | **118.204** | **121.612** | **–** | **170.003** |
| **1.77125R300** | 25 | 25 | 150,0 | 26 | 21,0 | C8FIX15..R.. | **410.084** | **121.816** | **–** | **170.004** |
| **1.77132R400** | 32 | 32 | 170,0 | 38 | 27,0 | C8FIX18..R.. | **118.404** | **–** | **121.820** | **–** |
| **left hand** | | | | | | | | | | |
| **1.77120L100** | 20 | 20 | 125,0 | 20 | 17,0 | C8FIX12..L.. | **118.204** | **121.612** | **–** | **170.003** |
| **1.77125L300** | 25 | 25 | 150,0 | 26 | 21,0 | 1.8150_R9 | **410.084** | **121.816** | **–** | **170.004** |
| **1.77132L400** | 32 | 32 | 170,0 | 38 | 27,5 | C8FIX18..L.. | **118.404** | **–** | **121.820** | **170.004** |



See pages A248–A249
for inserts.




## 1.772...45° • Metric

| catalogue number | H | B | L1 | L2 | F | gage insert | clamp stud | clamping screw | hex wrench |
|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | |
| **1.77225R301** | 25 | 25 | 150,0 | 26 | 32,0 | C8FIX15..L.. | **118.314** | **121.816** | **170.004** |
| **left hand** | | | | | | | | | |
| **1.77225L301** | 25 | 25 | 150,0 | 26 | 32,0 | 1.8150_R9 | **118.314** | **121.816** | **170.004** |

NOTE: C8FIX15..L.. is usable for plunging only.
For both plunging and turning, C4FIX15..L.. has to be used.



See pages A248–A249 for inserts.




H = H1

## 1.780...90° • Metric

| catalogue number | H | H3 | B | L1 | L2 | F | gage insert | clamp stud | clamping screw | screw | hex wrench |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **right hand** | | | | | | | | | | | |
| **1.78012R103** | 12 | – | 12 | 80,0 | 20 | 14,0 | C8FIX12..R.. | – | – | **122.511** | **170.003** |
| **1.78016R100** | 16 | 4 | 16 | 100,0 | 28 | 25,0 | C8FIX12..R.. | **118.204** | **121.616** | – | **170.003** |
| **1.78020R100** | 20 | – | 20 | 125,0 | 26 | 25,0 | C8FIX12..R.. | **118.204** | **121.616** | – | **170.003** |
| **1.78025R100** | 25 | – | 25 | 150,0 | 26 | 32,0 | 1.81201R... | **118.204** | **121.616** | – | **170.003** |
| **1.78025R300** | 25 | – | 25 | 150,0 | 36 | 32,0 | C8FIX15..R.. | **410.084** | **121.816** | – | **170.004** |
| **1.78032R300** | 32 | – | 32 | 170,0 | 36 | 40,0 | 1.8150_R9 | **410.084** | **121.816** | – | **170.004** |
| **1.78032R400** | 32 | – | 32 | 170,0 | 36 | 40,0 | C8FIX18..R.. | **118.404** | **121.825** | – | **170.004** |
| **left hand** | | | | | | | | | | | |
| **1.78016L100** | 16 | 4 | 16 | 100,0 | 27 | 25,0 | 1.8120_L9 | **118.204** | **121.616** | – | **170.003** |
| **1.78020L100** | 20 | – | 20 | 125,0 | 26 | 25,0 | 1.8120_L9 | **118.204** | **121.616** | – | **170.003** |
| **1.78025L100** | 25 | – | 25 | 150,0 | 26 | 32,0 | 1.81202L... | **118.204** | **121.616** | – | **170.003** |
| **1.78025L300** | 25 | – | 25 | 150,0 | 36 | 32,0 | C8FIX15..L.. | **410.084** | **121.816** | – | **170.004** |
| **1.78032L300** | 32 | – | 32 | 170,0 | 36 | 40,0 | 1.8150_L9 | **410.084** | **121.816** | – | **170.004** |
| **1.78032L400** | 32 | – | 32 | 170,0 | 36 | 40,0 | C8FIX18..L.. | **118.404** | **121.825** | – | **170.004** |

# Holemaking

**KSEM PLUS Modular Drill System . . . . . .B2–B23**
Product Overview . . . . . .B4–B7
Head Diameter Extension and New B1 Heads . . . . . .B8–B11
Toolholder Diameter Extension . . . . . .B12–B13
DFR, DFT, DFC Beyond Grades and DPA Guiding Pads . . . . . .B14–B16
Spare Parts . . . . . .B18–B21
Application Data . . . . . .B22
**Expandable Reamers . . . . . .B24–B39**
**Tube Sheet Groover . . . . . .B40–B43**
**Romicron AVS . . . . . .B44–B53**
**Setting Fixtures . . . . . .B54–B61**
**Beyond HSS-E-PM Taps . . . . . .B62–B72**

# KSEM PLUS™ Modular Drill System

Our KSEM PLUS drill concept is simple but effective. It combines the benefits of the KSEM™ modular drill (high feeds and length-to-diameter [L/D] ratios) with the benefits of an indexable drill (high speeds and low consumable costs). KSEM PLUS is a modular drilling platform, offering a pre-mountable HSS head with pocket seats for carbide inserts. KSEM PLUS features two head styles which are interchangeable on fitting tool bodies with our flexible FDS interface.

## Primary Application

KSEM PLUS performs in steel, cast iron, stainless steel, and advanced materials. It is perfectly suited to replace HSS or indexable drilling tools. The KSEM PLUS range comprises 28–101mm (1.102–4") from 3–10 x D. There is a wide range of applications in the energy market, and in general engineering (e.g., bearing rings for windmills, hydraulic manifolds, large engine parts, generator housings, etc.).
This tool will deliver vast improvements in productivity, and greatly attribute to increasing your machining capacity.

# Features and Benefits

## Replaceable Heads with FDS-Interface Coupling

- Quickly and easily replace inserts or drill heads without the need to remove complete tool bodies from machine.
- Save money and reduce tool stock by replacing just the worn drill head; keep the tool body for further usage.
- Use one tool body for different sizes and styles of drill heads (a head fits any drill body of the same FDS size).

## KSEM PLUS A1 Heads

- High metal removal rates.
- Very stable in normal cutting conditions.
- Cost-effective indexable Drill Fix™ DFT inserts.

## KSEM PLUS B1 Heads

- High-speed drilling in difficult conditions.
- Drills stacked plates and cored holes.
- Capable of machining through cross holes.
- Works with slanted exits up to 15°.

## Two Effective Cutting Edges

- Like any solid carbide or modular drill, KSEM PLUS has two full cutting edges in action when operating.
- Unmatched performance with up to 100% increased productivity vs. an indexable drill of the same diameter.
- High L/D ratios possible from 3 x D up to 10 x D as stocked standards, and up to 20 x D as custom solutions.

## KSEM PLUS Pilot Insert

- Very high feed rates, comparable to modular drills.
- Very long tool life of KSEM PLUS centre inserts and modular heads due to total prevention of chip flow obstruction.
- No precentring necessary for toolholders up to 5 x D.

## DFR™/DFT™/DFC™ Outboard Inserts

- Very high cutting speeds enable advanced metal removal rates.
- Improved stability in all cutting conditions.
- Indexable inserts provide good surface finish and hole diameter accuracy.

## Tailored Grades

### Centre Inserts

- KC7315™ grade is a TiAlN-based PVD grade, offering superior performance in all steel applications.
- KC7410™ grade contains multiple layers of PVD coating, offering outstanding wear-resistance when drilling cast irons.

### Drill Fix™ Lateral Inserts

NEW!
- KCU25™ grade enables high metal removal rates. With its advanced TiCN-Al-CVD coating, it excels with superior tool life in stable working conditions.

NEW!
- KCU40™ is your first choice for high reliability when machining most materials for applications with medium cutting speeds. It features a multilayered TiAlN-PVD coating, providing high wear resistance in challenging conditions.
- KC7140™ grade is a TiCN-based, PVD-coated alloyed carbide, ideal for machining alloyed steel and stainless steel on KSEM PLUS systems.
- KC7225™ offers the highest level of process safety for non-ferrous materials, super alloys, and titanium. It features a TiAlN-PVD-coated fine-grain carbide.

NEW!

## Customisation

- Heads are available in intermediate diameters, and up to Ø 127mm as semi-standards.
- Tool bodies are available with all popular shank styles and up to 20x drill Ø unless total shank length does not exceed a length of 1200mm.
- New custom body style with helical chip flutes for better chip evacuation.
- Heads for reground inserts are available as semi-standards.
- KSEM PLUS features a high level of available customisation. Please do not hesitate to approach us for your particular metalcutting applications.

*To learn more, **scan here**.*
*For instructions on how to scan, please see page xxv.*




NEW!

| available KSEM PLUS heads | | | | requested insert size reference per head | | | available tool bodies per CSWS connecting size 3 x D, 5 x D, 8 x D, 10 x D (metric and inch bodies) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| D1 mm | D1 in | KSEM PLUS head order number | KSEM PLUS head ANSI catalogue number | PDD (mm) centre insert size reference | outboard gage insert DFR/DFT | CSWS | KSEM PLUS body order number | KSEM PLUS body ANSI catalogue number | L/D ratio | L4 assembly (mm) | L1 assembly (mm) |
| 28,00 | 1.102 | 4000408 | KSEMP2800FDS28A1M | 14,00 | DFR040304D28 | 28 | 4000409 | WD32FDS28128M | 3 x D | 93 | 150 |
| 28,58 | 1.125 | 4047811 | KSEMP1125FDS28A1 | 15,00 | DFR040304D28 | | 4051136 | WD32FDS28190M | 5 x D | 155 | 212 |
| 29,00 | 1.142 | 4047812 | KSEMP2900FDS28A1M | 15,00 | DFR040304D28 | | 4051137 | WD32FDS28283M | 8 x D | 248 | 305 |
| 29,36 | 1.156 | 4047823 | KSEMP1156FDS28A1 | 16,00 | DFR040304D28 | | 4000411 | WD32FDS28345M | 10 x D | 310 | 367 |
| 30,00 | 1.181 | 4047824 | KSEMP3000FDS28A1M | 16,00 | DFR040304D28 | | 4051138 | SSF150FDS280502 | 3 x D | 93 | 150 |
| 30,18 | 1.188 | 4047825 | KSEMP1188FDS28A1 | 17,00 | DFR040304D28 | | 4051139 | SSF150FDS280746 | 5 x D | 155 | 212 |
| 30,96 | 1.219 | 4047826 | KSEMP1219FDS28A1 | 17,00 | DFR040304D28 | | 4051140 | SSF150FDS281112 | 8 x D | 248 | 305 |
| 31,00 | 1.221 | 4047827 | KSEMP3100FDS28A1M | 17,00 | DFR040304D28 | | 4051141 | SSF150FDS281356 | 10 x D | 310 | 367 |
| 31,75 | 1.250 | 3794916 | KSEMP1250FDS32A1 | 15,00 | DFT05T308D32 | 32 | 3950219 | WD32FDS32146M | 3 x D | 105 | 166 |
| 32,00 | 1.260 | 3794291 | KSEMP3200FDS32A1M | 15,00 | DFT05T308D32 | | 3794428 | WD32FDS32216M | 5 x D | 175 | 236 |
| 33,00 | 1.299 | 3742210 | KSEMP3300FDS32A1M | 16,00 | DFT05T308D33 | | 3742293 | WD32FDS32321M | 8 x D | 280 | 341 |
| 33,20 | 1.307 | 3793949 | KSEMP3320FDS32A1M | 16,00 | DFT05T308D33 | | 3794429 | WD32FDS32391M | 10 x D | 350 | 411 |
| 33,35 | 1.313 | 3794917 | KSEMP1313FDS32A1 | 17,00 | DFT05T308D33 | | 3952192 | SSF150FDS320573 | 3 x D | 105 | 166 |
| 34,00 | 1.339 | 3794292 | KSEMP3400FDS32A1M | 17,00 | DFT05T308D33 | | 3794835 | SSF150FDS320850 | 5 x D | 175 | 236 |
| 34,93 | 1.375 | 3794918 | KSEMP1375FDS32A1 | 18,00 | DFT05T308D33 | | 3794836 | SSF150FDS321263 | 8 x D | 280 | 341 |
| 35,00 | 1.378 | 3794393 | KSEMP3500FDS32A1M | 18,00 | DFT05T308D33 | | 3794837 | SSF150FDS321539 | 10 x D | 350 | 411 |
| 36,00 | 1.417 | 3794394 | KSEMP3600FDS36A1M | 13,00 | DFT06T308D36 | 36 | 3950220 | WD32FDS36166M | 3 x D | 117 | 186 |
| 36,53 | 1.438 | 3794919 | KSEMP1438FDS36A1 | 14,00 | DFT06T308D36 | | 3794430 | WD32FDS36244M | 5 x D | 195 | 264 |
| 37,00 | 1.457 | 3794395 | KSEMP3700FDS36A1M | 14,00 | DFT06T308D36 | | 3794431 | WD32FDS36361M | 8 x D | 312 | 381 |
| 37,50 | 1.476 | 3794427 | KSEMP3750FDS36A1M | 15,00 | DFT06T308D36 | | 3794432 | WD32FDS36439M | 10 x D | 390 | 459 |
| 38,00 | 1.496 | 3794396 | KSEMP3800FDS36A1M | 15,00 | DFT06T308D36 | | 3952343 | SSF150FDS360652 | 3 x D | 117 | 186 |
| 38,10 | 1.500 | 3794920 | KSEMP1500FDS36A1 | 15,00 | DFT06T308D36 | | 3794838 | SSF150FDS360960 | 5 x D | 195 | 264 |
| 39,00 | 1.535 | 3794397 | KSEMP3900FDS36A1M | 16,00 | DFT06T308D39 | | 3794839 | SSF150FDS361421 | 8 x D | 312 | 381 |
| 39,20 | 1.543 | 3793950 | KSEMP3920FDS36A1M | 16,00 | DFT06T308D39 | | 3794840 | SSF150FDS361728 | 10 x D | 390 | 459 |
| 39,70 | 1.563 | 3794921 | KSEMP1563FDS36A1 | 17,00 | DFT06T308D39 | | | | | | |
| 40,00 | 1.575 | 3794398 | KSEMP4000FDS40A1M | 17,00 | DFT06T308D39 | 40 | 3872075 | WD50FDS40183M | 3 x D | 132 | 208 |
| 41,00 | 1.614 | 3794399 | KSEMP4100FDS40A1M | 18,00 | DFT06T308D39 | | 3794443 | WD50FDS40271M | 5 x D | 220 | 296 |
| 41,28 | 1.625 | 3794922 | KSEMP1625FDS40A1 | 18,00 | DFT06T308D39 | | 3794444 | WD50FDS40403M | 8 x D | 352 | 428 |
| 42,00 | 1.654 | 3794400 | KSEMP4200FDS40A1M | 19,00 | DFT06T308D39 | | 3794445 | WD50FDS40491M | 10 x D | 440 | 516 |
| 43,00 | 1.693 | 3794401 | KSEMP4300FDS40A1M | 20,00 | DFT06T308D39 | | 3952344 | SSF200FDS400721 | 3 x D | 132 | 208 |
| 44,00 | 1.732 | 3794402 | KSEMP4400FDS40A1M | 21,00 | DFT06T308D44 | | 3794841 | SSF200FDS401066 | 5 x D | 220 | 296 |
| 44,45 | 1.750 | 3794933 | KSEMP1750FDS40A1 | 22,00 | DFT06T308D44 | | 3794842 | SSF200FDS401586 | 8 x D | 352 | 428 |
| | | | | | | | 3794903 | SSF200FDS401933 | 10 x D | 440 | 516 |
| | | | | | | 45 | 3872709 | WD50FDS45206M | 3 x D | 147 | 231 |
| 45,00 | 1.772 | 3794403 | KSEMP4500FDS45A1M | 18,00 | DFT070408D45 | | 3794446 | WD50FDS45304M | 5 x D | 245 | 329 |
| 46,00 | 1.811 | 3794404 | KSEMP4600FDS45A1M | 19,00 | DFT070408D45 | | 3794447 | WD50FDS45451M | 8 x D | 392 | 476 |
| 47,00 | 1.850 | 3794405 | KSEMP4700FDS45A1M | 20,00 | DFT070408D45 | | 3794448 | WD50FDS45549M | 10 x D | 490 | 574 |
| 47,63 | 1.875 | 3794934 | KSEMP1875FDS45A1 | 21,00 | DFT070408D45 | | 3952345 | SSF200FDS450809 | 3 x D | 147 | 231 |
| 48,00 | 1.890 | 3794406 | KSEMP4800FDS45A1M | 21,00 | DFT070408D45 | | 3794904 | SSF200FDS451196 | 5 x D | 245 | 329 |
| 49,00 | 1.929 | 3794407 | KSEMP4900FDS45A1M | 22,00 | DFT070408D45 | | 3794905 | SSF200FDS451775 | 8 x D | 392 | 476 |
| | | | | | | | 3794906 | SSF200FDS452161 | 10 x D | 490 | 574 |






| available KSEM PLUS heads | | | | requested insert size reference per head | | | available tool bodies per CSWS connecting size 3 x D, 5 x D, 8 x D, 10 x D (metric and inch bodies) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| D1 mm | D1 in | KSEM PLUS head order number | KSEM PLUS head ANSI catalogue number | PDD (mm) centre insert size reference | outboard gage insert DFR/DFT | CSWS | KSEM PLUS body order number | KSEM PLUS body ANSI catalogue number | L/D ratio | L4 assembly (mm) | L1 assembly (mm) |
| 50,00 | 1.969 | 3742211 | KSEMP5000FDS50A1M | 23,00 | DFT070408D50 | 50 | 3950221 | WD50FDS50228M | 3 x D | 165 | 258 |
| 50,80 | 2.000 | 3794935 | KSEMP2000FDS50A1 | 24,00 | DFT070408D50 | | 3794449 | WD50FDS50338M | 5 x D | 275 | 368 |
| 51,00 | 2.008 | 3794408 | KSEMP5100FDS50A1M | 24,00 | DFT070408D50 | | 3742294 | WD50FDS50503M | 8 x D | 440 | 533 |
| 52,00 | 2.047 | 3794409 | KSEMP5200FDS50A1M | 25,00 | DFT070408D50 | | 3794450 | WD50FDS50613M | 10 x D | 550 | 643 |
| 53,00 | 2.087 | 3794410 | KSEMP5300FDS50A1M | 26,00 | DFT070408D50 | | 3952346 | SSF200FDS500896 | 3 x D | 165 | 258 |
| 53,98 | 2.125 | 3794936 | KSEMP2125FDS50A1 | 27,00 | DFT070408D50 | | 3794907 | SSF200FDS501330 | 5 x D | 275 | 368 |
| 54,00 | 2.126 | 3794411 | KSEMP5400FDS50A1M | 27,00 | DFT070408D50 | | 3794908 | SSF200FDS501980 | 8 x D | 440 | 533 |
| 55,00 | 2.165 | 3794412 | KSEMP5500FDS50A1M | 28,00 | DFT070408D50 | | 3794909 | SSF200FDS502413 | 10 x D | 550 | 643 |
| 56,00 | 2.205 | 3794413 | KSEMP5600FDS56A1M | 20,00 | DFT090508D56 | 56 | 3950222 | WD50FDS56259M | 3 x D | 186 | 289 |
| 57,00 | 2.244 | 3794414 | KSEMP5700FDS56A1M | 21,00 | DFT090508D56 | | 3794451 | WD50FDS56383M | 5 x D | 310 | 413 |
| 57,15 | 2.250 | 3794937 | KSEMP2250FDS56A1 | 21,00 | DFT090508D56 | | 3794452 | WD50FDS56569M | 8 x D | 496 | 599 |
| 58,00 | 2.284 | 3794415 | KSEMP5800FDS56A1M | 22,00 | DFT090508D56 | | 3794453 | WD50FDS56693M | 10 x D | 620 | 723 |
| 59,00 | 2.323 | 3794416 | KSEMP5900FDS56A1M | 23,00 | DFT090508D56 | | 3952347 | SSF200FDS561020 | 3 x D | 186 | 289 |
| 60,00 | 2.362 | 3794417 | KSEMP6000FDS56A1M | 24,00 | DFT090508D56 | | 3794910 | SSF200FDS561507 | 5 x D | 310 | 413 |
| 60,33 | 2.375 | 3794938 | KSEMP2375FDS56A1 | 24,00 | DFT090508D56 | | 3794911 | SSF200FDS562240 | 8 x D | 496 | 599 |
| 61,00 | 2.402 | 3794418 | KSEMP6100FDS56A1M | 25,00 | DFT090508D56 | | 3794912 | SSF200FDS562783 | 10 x D | 620 | 723 |
| 62,00 | 2.441 | 3794419 | KSEMP6200FDS56A1M | 26,00 | DFT090508D56 | | | | | | |
| 63,00 | 2.480 | 3794420 | KSEMP6300FDS63A1M | 27,00 | DFT090508D63 | 63 | | | | | |
| 63,50 | 2.500 | 3794939 | KSEMP2500FDS63A1 | 28,00 | DFT090508D63 | | 3950333 | WD50FDS63289M | 3 x D | 210 | 325 |
| 64,00 | 2.520 | 3794421 | KSEMP6400FDS63A1M | 28,00 | DFT090508D63 | | 3794454 | WD50FDS63429M | 5 x D | 350 | 465 |
| 65,00 | 2.559 | 3794422 | KSEMP6500FDS63A1M | 29,00 | DFT090508D63 | | 3794455 | WD50FDS63639M | 8 x D | 560 | 675 |
| 66,00 | 2.598 | 3794423 | KSEMP6600FDS63A1M | 30,00 | DFT090508D63 | | 3742296 | WD50FDS63779M | 10 x D | 700 | 815 |
| 66,68 | 2.625 | 3794940 | KSEMP2625FDS63A1 | 31,00 | DFT090508D63 | | 3952348 | SSF200FDS631138 | 3 x D | 210 | 325 |
| 67,00 | 2.638 | 3794424 | KSEMP6700FDS63A1M | 31,00 | DFT090508D63 | | 3794913 | SSF200FDS631688 | 5 x D | 350 | 465 |
| 68,00 | 2.677 | 3794425 | KSEMP6800FDS63A1M | 32,00 | DFT090508D63 | | 3794914 | SSF200FDS632515 | 8 x D | 560 | 675 |
| 69,00 | 2.717 | 3794426 | KSEMP6900FDS63A1M | 33,00 | DFT090508D63 | | 3794915 | SSF200FDS633066 | 10 x D | 700 | 815 |
| 69,85 | 2.750 | 3794941 | KSEMP2750FDS63A1 | 34,00 | DFT090508D63 | | | | | | |
| 70,00 | 2.756 | 3742212 | KSEMP7000FDS63A1M | 34,00 | DFT090508D63 | | | | | | |
| NEW! 72,00 | 2.835 | 5397513 | KSEMP7200FDS71A1M | 27,00 | | 71 | | | | | |
| 74,00 | 2.913 | 5397514 | KSEMP7400FDS71A1M | 29,00 | | | 5397942 | WD50FDS71292M | 3 x D | 240 | 332 |
| 76,00 | 2.992 | 5397515 | KSEMP7600FDS71A1M | 31,00 | 4x DFT06T308D44 | | 5397943 | WD50FDS71452M | 5 x D | 400 | 492 |
| 76,20 | 3.000 | 5397516 | KSEMP3000FDS71A1 | 31,00 | | | 5397948 | SSF200FDS711150 | 3 x D | 240 | 332 |
| 78,00 | 3.071 | 5397517 | KSEMP7800FDS71A1M | 33,00 | | | 5397949 | SSF200FDS711780 | 5 x D | 400 | 492 |
| 80,00 | 3.150 | 5397518 | KSEMP8000FDS80A1M | 31,00 | | 80 | | | | | |
| 82,00 | 3.228 | 5397519 | KSEMP8200FDS80A1M | 33,00 | | | 5397944 | WD50FDS80327M | 3 x D | 270 | 372 |
| 82,55 | 3.250 | 5397550 | KSEMP3250FDS80A1 | 34,00 | 2x DFT06T308D44 | | 5397945 | WD50FDS80507M | 5 x D | 450 | 552 |
| 84,00 | 3.307 | 5397551 | KSEMP8400FDS80A1M | 35,00 | & | | 5398010 | SSF200FDS801287 | 3 x D | 270 | 372 |
| 86,00 | 3.386 | 5397552 | KSEMP8600FDS80A1M | 37,00 | 2x DFT070408D50 | | 5398011 | SSF200FDS801996 | 5 x D | 450 | 552 |
| 88,00 | 3.465 | 5397553 | KSEMP8800FDS80A1M | 39,00 | | | | | | | |
| 88,90 | 3.500 | 5397554 | KSEMP3500FDS80A1 | 40,00 | | | | | | | |
| 90,00 | 3.543 | 5397555 | KSEMP9000FDS90A1M | 37,00 | 4x DFT070408D50 | 90 | | | | | |
| 92,00 | 3.622 | 5397556 | KSEMP9200FDS90A1M | 39,00 | | | 5397946 | WD50FDS90362M | 3 x D | 300 | 412 |
| 94,00 | 3.701 | 5397557 | KSEMP9400FDS90A1M | 26,00 | | | 5397947 | WD50FDS90562M | 5 x D | 500 | 612 |
| 95,25 | 3.750 | 5397558 | KSEMP3750FDS90A1 | 27,00 | 6x DFT06T308D44 | | 5398012 | SSF200FDS901425 | 3 x D | 300 | 412 |
| 96,00 | 3.780 | 5397559 | KSEMP9600FDS90A1M | 28,00 | | | 5398013 | SSF200FDS902213 | 5 x D | 500 | 612 |
| 98,00 | 3.858 | 5397560 | KSEMP9800FDS90A1M | 30,00 | | | | | | | |
| 101,60 | 4.000 | 5397561 | KSEMP4000FDS90A1 | 34,00 | | | | | | | |




NEW!

| available KSEM PLUS heads | | | | requested insert size reference per head | | | available tool bodies per CSWS connecting size 3 x D, 5 x D, 8 x D, 10 x D (metric and inch bodies) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| D1 mm | D1 in | KSEM PLUS head order number | KSEM PLUS head ANSI catalogue number | PDD (mm) center insert size reference | Drill Fix™ DFC DPA guiding pads | CSWS | KSEM PLUS body order number | KSEM PLUS body ANSI catalogue number | L/D ratio | L4 assembly (mm) | L1 assembly (mm) |
| 28,00 | 1.102 | **5115736** | **KSEMP2800FDS28B1M** | 14,00 | **DFC inserts** DFC040310D28 **DPA guiding pads** DPA07T3D25 | 28 | **4000409 4051136 4051137 4000411** | **WD32FDS28128M WD32FDS28190M WD32FDS28283M WD32FDS28345M** | 3 x D 5 x D 8 x D 10 x D | 93 155 248 310 | 150 212 305 367 |
| 28,58 | 1.125 | **5115737** | **KSEMP1125FDS28B1** | 15,00 | | | | | | | |
| 29,00 | 1.142 | **5115738** | **KSEMP2900FDS28B1M** | 15,00 | | | | | | | |
| 29,36 | 1.156 | **5115739** | **KSEMP1156FDS28B1** | 16,00 | | | | | | | |
| 30,00 | 1.181 | **5116010** | **KSEMP3000FDS28B1M** | 16,00 | | | **4051138 4051139 4051140 4051141** | **SSF150FDS280502 SSF150FDS280746 SSF150FDS281112 SSF150FDS281356** | 3 x D 5 x D 8 x D 10 x D | 93 155 248 310 | 150 212 305 367 |
| 30,18 | 1.188 | **5116011** | **KSEMP1188FDS28B1** | 17,00 | | | | | | | |
| 30,96 | 1.219 | **5116012** | **KSEMP1219FDS28B1** | 17,00 | | | | | | | |
| 31,00 | 1.220 | **5116013** | **KSEMP3100FDS28B1M** | 17,00 | | | | | | | |
| 31,75 | 1.250 | **5116014** | **KSEMP1250FDS32B1** | 15,00 | **DFC inserts** DFC05T312D32 **DPA guiding pads** DPA09T4D32 | 32 | **3950219 3794428 3742293 3794429** | **WD32FDS32146M WD32FDS32216M WD32FDS32321M WD32FDS32391M** | 3 x D 5 x D 8 x D 10 x D | 105 175 280 350 | 166 236 341 411 |
| 32,00 | 1.260 | **5116015** | **KSEMP3200FDS32B1M** | 15,00 | | | | | | | |
| 33,00 | 1.299 | **5116016** | **KSEMP3300FDS32B1M** | 16,00 | | | | | | | |
| 33,20 | 1.307 | **5116017** | **KSEMP3320FDS32B1M** | 16,00 | | | | | | | |
| 33,35 | 1.313 | **5116018** | **KSEMP1313FDS32B1** | 17,00 | | | **3952192 3794835 3794836 3794837** | **SSF150FDS320573 SSF150FDS320850 SSF150FDS321263 SSF150FDS321539** | 3 x D 5 x D 8 x D 10 x D | 105 175 280 350 | 166 236 341 411 |
| 34,00 | 1.339 | **5116019** | **KSEMP3400FDS32B1M** | 17,00 | | | | | | | |
| 34,93 | 1.375 | **5116030** | **KSEMP1375FDS32B1** | 18,00 | | | | | | | |
| 35,00 | 1.378 | **5116031** | **KSEMP3500FDS32B1M** | 18,00 | | | | | | | |
| 36,00 | 1.417 | **5116032** | **KSEMP3600FDS36B1M** | 13,00 | **DFC inserts** DFC06T312D36 **DPA guiding pads** DPA09T4D32 | 36 | **3950220 3794430 3794431 3794432** | **WD32FDS36166M WD32FDS36244M WD32FDS36361M WD32FDS36439M** | 3 x D 5 x D 8 x D 10 x D | 117 195 312 390 | 186 264 381 459 |
| 36,53 | 1.438 | **5116033** | **KSEMP1438FDS36B1** | 14,00 | | | | | | | |
| 37,00 | 1.457 | **5116034** | **KSEMP3700FDS36B1M** | 14,00 | | | | | | | |
| 37,50 | 1.476 | **5116035** | **KSEMP3750FDS36B1M** | 15,00 | | | | | | | |
| 38,00 | 1.496 | **5116036** | **KSEMP3800FDS36B1M** | 15,00 | | | **3952343 3794838 3794839 3794840** | **SSF150FDS360652 SSF150FDS360960 SSF150FDS361421 SSF150FDS361728** | 3 x D 5 x D 8 x D 10 x D | 117 195 312 390 | 186 264 381 459 |
| 38,10 | 1.500 | **5116037** | **KSEMP1500FDS36B1** | 15,00 | | | | | | | |
| 39,00 | 1.535 | **5116038** | **KSEMP3900FDS36B1M** | 16,00 | | | | | | | |
| 39,20 | 1.543 | **5116039** | **KSEMP3920FDS36B1M** | 16,00 | | | | | | | |
| 39,70 | 1.563 | **5116040** | **KSEMP1563FDS36B1** | 17,00 | | | | | | | |
| 40,00 | 1.575 | **5116041** | **KSEMP4000FDS40B1M** | 17,00 | **DFC inserts** DFC06T312D36 **DPA guiding pads** DPA09T4D32 | 40 | **3872075 3794443 3794444 3794445** | **WD50FDS40183M WD50FDS40271M WD50FDS40403M WD50FDS40491M** | 3 x D 5 x D 8 x D 10 x D | 132 220 352 440 | 208 296 428 516 |
| 41,00 | 1.614 | **5116042** | **KSEMP4100FDS40B1M** | 18,00 | | | | | | | |
| 41,28 | 1.625 | **5116043** | **KSEMP1625FDS40B1** | 18,00 | | | | | | | |
| 42,00 | 1.654 | **5116044** | **KSEMP4200FDS40B1M** | 19,00 | | | | | | | |
| 43,00 | 1.693 | **5116045** | **KSEMP4300FDS40B1M** | 20,00 | | | **3952344 3794841 3794842 3794903** | **SSF200FDS400721 SSF200FDS401066 SSF200FDS401586 SSF200FDS401933** | 3 x D 5 x D 8 x D 10 x D | 132 220 352 440 | 208 296 428 516 |
| 44,00 | 1.732 | **5116046** | **KSEMP4400FDS40B1M** | 21,00 | | | | | | | |
| 44,45 | 1.750 | **5116047** | **KSEMP1750FDS40B1** | 22,00 | | | | | | | |
| 45,00 | 1.772 | **5116098** | **KSEMP4500FDS45B1M** | 18,00 | **DFC inserts** DFC070416D45 **DPA guiding pads** DPA09T4D32 | 45 | **3872709 3794446 3794447** | **WD50FDS45206M WD50FDS45304M WD50FDS45451M WD50FDS45549M** | 3 x D 5 x D 8 x D 10 x D | 147 245 392 490 | 231 329 476 |
| 46,00 | 1.811 | **5116099** | **KSEMP4600FDS45B1M** | 19,00 | | | | | | | |
| 47,00 | 1.850 | **5116110** | **KSEMP4700FDS45B1M** | 20,00 | | | **3794448 3952345 3794904 3794905** | **SSF200FDS450809 SSF200FDS451196 SSF200FDS451775 SSF200FDS452161** | 3 x D 5 x D 8 x D 10 x D | 147 245 392 490 | 574 231 329 476 |
| 47,63 | 1.875 | **5116111** | **KSEMP1875FDS45B1** | 21,00 | | | | | | | |
| 48,00 | 1.890 | **5116112** | **KSEMP4800FDS45B1M** | 21,00 | | | | | | | |
| 49,00 | 1.929 | **5116113** | **KSEMP4900FDS45B1M** | 22,00 | | | | | | | |






| available KSEM PLUS heads | | | requested insert size reference per head | | | available tool bodies per CSWS connecting size 3 x D, 5 x D, 8 x D, 10 x D (metric and inch bodies) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| D1 mm | D1 in | KSEM PLUS head order number | KSEM PLUS head ANSI catalogue number | PDD (mm) center insert size reference | Drill Fix™ DFC DPA guiding pads | CSWS | KSEM PLUS body order number | KSEM PLUS body ANSI catalogue number | L/D ratio | L4 assembly (mm) | L1 assembly (mm) |
| 50,00 | 1.969 | 5116114 | KSEMP5000FDS50B1M | 23,00 | DFC inserts DFC070416D45 | 50 | 3794906 | WD50FDS50228M | 3 x D | 165 | 574 |
| 50,80 | 2.000 | 5116115 | KSEMP2000FDS50B1 | 24,00 | | | 3950221 | WD50FDS50338M | 5 x D | 275 | 258 |
| 51,00 | 2.008 | 5116116 | KSEMP5100FDS50B1M | 24,00 | DPA guiding pads DPA13T5D50 | | 3794449 | WD50FDS50503M | 8 x D | 440 | 368 |
| 52,00 | 2.047 | 5116117 | KSEMP5200FDS50B1M | 25,00 | | | 3742294 | WD50FDS50613M | 10 x D | 550 | 533 |
| 53,00 | 2.087 | 5116118 | KSEMP5300FDS50B1M | 26,00 | | | 3742294 | SSF200FDS500896 | 3 x D | 165 | 643 |
| 53,98 | 2.125 | 5116119 | KSEMP2125FDS50B1 | 27,00 | | | 3794450 | SSF200FDS501330 | 5 x D | 275 | 258 |
| 54,00 | 2.126 | 5116120 | KSEMP5400FDS50B1M | 27,00 | | | 3952346 | SSF200FDS501980 | 8 x D | 440 | 368 |
| 55,00 | 2.165 | 5116121 | KSEMP5500FDS50B1M | 28,00 | | | 3794907 | SSF200FDS502413 | 10 x D | 550 | 533 |
| 56,00 | 2.205 | 5116122 | KSEMP5600FDS56B1M | 20,00 | DFC inserts DFC090520D56 | 56 | 3794908 | WD50FDS56259M | 3 x D | 186 | 643 |
| 57,00 | 2.244 | 5116123 | KSEMP5700FDS56B1M | 21,00 | | | 3794909 | WD50FDS56383M | 5 x D | 310 | 289 |
| 57,15 | 2.250 | 5116124 | KSEMP2250FDS56B1 | 21,00 | DPA guiding pads DPA13T5D50 | | 3950222 | WD50FDS56569M | 8 x D | 496 | 413 |
| 58,00 | 2.283 | 5116125 | KSEMP5800FDS56B1M | 22,00 | | | 3794451 | WD50FDS56693M | 10 x D | 620 | 599 |
| 59,00 | 2.323 | 5116126 | KSEMP5900FDS56B1M | 23,00 | | | 3794452 | SSF200FDS561020 | 3 x D | 186 | 723 |
| 60,00 | 2.362 | 5116127 | KSEMP6000FDS56B1M | 24,00 | | | 3794453 | SSF200FDS561507 | 5 x D | 310 | 289 |
| 60,33 | 2.375 | 5116128 | KSEMP2375FDS56B1 | 24,00 | | | 3952347 | SSF200FDS562240 | 8 x D | 496 | 413 |
| 61,00 | 2.402 | 5116129 | KSEMP6100FDS56B1M | 25,00 | | | 3794910 | SSF200FDS562783 | 10 x D | 620 | 599 |
| 62,00 | 2.441 | 5116130 | KSEMP6200FDS56B1M | 26,00 | | | | | | | |
| 63,00 | 2.480 | 5116131 | KSEMP6300FDS63B1M | 27,00 | DFC inserts DFC090520D56 | 63 | 3794911 | WD50FDS63289M | 3 x D | 210 | 325 |
| 63,50 | 2.500 | 5116132 | KSEMP2500FDS63B1 | 28,00 | | | 3794912 | WD50FDS63429M | 5 x D | 350 | 465 |
| 64,00 | 2.520 | 5116133 | KSEMP6400FDS63B1M | 28,00 | DPA guiding pads DPA13T5D50 | | 3950333 | WD50FDS63639M | 8 x D | 560 | 675 |
| 65,00 | 2.559 | 5116134 | KSEMP6500FDS63B1M | 29,00 | | | 3794454 | WD50FDS63779M | 10 x D | 700 | 815 |
| 66,00 | 2.598 | 5116135 | KSEMP6600FDS63B1M | 30,00 | | | 3794455 | SSF200FDS631138 | 3 x D | 210 | 325 |
| 66,68 | 2.625 | 5116136 | KSEMP2625FDS63B1 | 31,00 | | | 3742296 | SSF200FDS631688 | 5 x D | 350 | 465 |
| 67,00 | 2.638 | 5116137 | KSEMP6700FDS63B1M | 31,00 | | | 3952348 | SSF200FDS632515 | 8 x D | 560 | 675 |
| 68,00 | 2.677 | 5116138 | KSEMP6800FDS63B1M | 32,00 | | | 3794913 | SSF200FDS633066 | 10 x D | 700 | 815 |
| 69,00 | 2.717 | 5116139 | KSEMP6900FDS63B1M | 33,00 | | | | | | | |
| 69,85 | 2.750 | 5116140 | KSEMP2750FDS63B1 | 34,00 | | | | | | | |
| 70,00 | 2.756 | 5116141 | KSEMP7000FDS63B1M | 34,00 | | | | | | | |
| NEW! 76,20 | 3.000 | 5397562 | KSEMP3000FDS71B1 | 31,00 | DFC inserts 4x DFC06T312D36 DPA guiding pads DPA13T5D50 | 71 | 3794914 | WD50FDS71292M | 3 x D | 240 | 332 |
| | | | | | | | | WD50FDS71452M | 5 x D | 400 | 492 |
| | | | | | | | | SSF200FDS711150 | 3 x D | 240 | 332 |
| | | | | | | | | SSF200FDS711780 | 5 x D | 400 | 492 |
| 82,55 | 3.250 | 5397563 | KSEMP3250FDS80B1 | 34,00 | DFC inserts 2x DFC06T312D36 & 2x DFC070416D45 DPA guiding pads DPA13T5D50 | 80 | 3794915 | WD50FDS90362M | 3 x D | 300 | 412 |
| 88,90 | 3.500 | 5397564 | KSEMP3500FDS80B1 | 40,00 | | | | WD50FDS90562M | 5 x D | 500 | 612 |
| | | | | | | | | SSF200FDS901425 | 3 x D | 300 | 412 |
| | | | | | | | | SSF200FDS902213 | 5 x D | 500 | 612 |
| 95,25 | 3.750 | 5397565 | KSEMP3750FDS90B1 | 27,00 | DFC inserts 6x DFC06T312D36 DPA guiding pads DPA13T5D50 | 90 | 5397942 | WD50FDS90362M | 3 x D | 300 | 412 |
| 101,60 | 4.000 | 5397566 | KSEMP4000FDS90B1 | 34,00 | | | 5397943 | WD50FDS90562M | 5 x D | 500 | 612 |
| | | | | | | | | SSF200FDS901425 | 3 x D | 300 | 412 |
| | | | | | | | | SSF200FDS902213 | 5 x D | 500 | 612 |

- To ensure 100% system stability, KSEM™ inserts used for KSEM PLUS should not be reground.
- KSEM PLUS heads are shipped with all insert screws.
- KSEM PLUS heads are shipped with two wrenches: one for the KSEM insert and one to be used for the DFT™/DFR™ inserts as well as for the assembly of the body to the head.
- Order KSEM PLUS shanks using connection coupling size (CSMS) to determine which heads go with each shank.
- PDD in the callout drawing refers to the D1 of the KSEM HPG and HPCCL inserts for use with KSEM PLUS.
- Order inserts (KSEM, DFT, and DFR) for KSEM PLUS separately.





**2 x DFR**
diameter: 28–<31,75mm



**2 x DFT**
diameter: 31,75–70,34mm






**4 x DFT**
diameter: 70,35–93,34mm






**6 x DFT**
diameter: 93,35–127mm

NEW!

## KSEM PLUS A1 Heads 28–101,60mm (1.102–4")

| order number | ISO catalogue number | ANSI catalogue number | D1 mm | D1 in | PDD mm | PDD in | LPR mm | LPR in | L1 mm | L1 in | CSMS system size |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 4000408 | KSEMP2800FDS28A1M | KSEMP2800FDS28A1M | 28,00 | 1.102 | 14,00 | .5512 | 24,9 | .980 | 22,0 | .866 | FDS28 |
| 4047811 | KSEMP2858FDS28A1M | KSEMP1125FDS28A1 | 28,58 | 1.125 | 15,00 | .5906 | 25,0 | .984 | 22,0 | .866 | FDS28 |
| 4047812 | KSEMP2900FDS28A1M | KSEMP2900FDS28A1M | 29,00 | 1.142 | 15,00 | .5906 | 25,0 | .984 | 22,0 | .866 | FDS28 |
| 4047823 | KSEMP2937FDS28A1M | KSEMP1156FDS28A1 | 29,36 | 1.156 | 16,00 | .6299 | 25,2 | .992 | 22,0 | .866 | FDS28 |
| 4047824 | KSEMP3000FDS28A1M | KSEMP3000FDS28A1M | 30,00 | 1.181 | 16,00 | .6299 | 25,2 | .992 | 22,0 | .866 | FDS28 |
| 4047825 | KSEMP3017FDS28A1M | KSEMP1188FDS28A1 | 30,18 | 1.188 | 17,00 | .6693 | 25,4 | 1.000 | 22,0 | .866 | FDS28 |
| 4047826 | KSEMP3096FDS28A1M | KSEMP1219FDS28A1 | 30,96 | 1.219 | 17,00 | .6693 | 25,4 | 1.000 | 22,0 | .866 | FDS28 |
| 4047827 | KSEMP3100FDS28A1M | KSEMP3100FDS28A1M | 31,00 | 1.221 | 17,00 | .6693 | 25,4 | 1.000 | 22,0 | .866 | FDS28 |
| 3794916 | KSEMP3175FDS32A1M | KSEMP1250FDS32A1 | 31,75 | 1.250 | 15,00 | .5906 | 23,0 | .907 | 20,0 | .787 | FDS32 |
| 3794291 | KSEMP3200FDS32A1M | KSEMP3200FDS32A1M | 32,00 | 1.260 | 15,00 | .5906 | 23,0 | .907 | 20,0 | .787 | FDS32 |
| 3742210 | KSEMP3300FDS32A1M | KSEMP3300FDS32A1M | 33,00 | 1.299 | 16,00 | .6299 | 23,2 | .913 | 20,0 | .787 | FDS32 |
| 3793949 | KSEMP3320FDS32A1M | KSEMP3320FDS32A1M | 33,20 | 1.307 | 16,00 | .6299 | 23,2 | .913 | 20,0 | .787 | FDS32 |
| 3794917 | KSEMP3334FDS32A1M | KSEMP1313FDS32A1 | 33,35 | 1.313 | 17,00 | .6693 | 23,4 | .920 | 20,0 | .787 | FDS32 |
| 3794292 | KSEMP3400FDS32A1M | KSEMP3400FDS32A1M | 34,00 | 1.339 | 17,00 | .6693 | 23,4 | .920 | 20,0 | .787 | FDS32 |
| 3794918 | KSEMP3493FDS32A1M | KSEMP1375FDS32A1 | 34,93 | 1.375 | 18,00 | .7087 | 23,6 | .928 | 20,0 | .787 | FDS32 |
| 3794393 | KSEMP3500FDS32A1M | KSEMP3500FDS32A1M | 35,00 | 1.378 | 18,00 | .7087 | 23,6 | .928 | 20,0 | .787 | FDS32 |
| 3794394 | KSEMP3600FDS36A1M | KSEMP3600FDS36A1M | 36,00 | 1.417 | 13,00 | .5118 | 22,7 | .893 | 20,0 | .787 | FDS36 |
| 3794919 | KSEMP3651FDS36A1M | KSEMP1438FDS36A1 | 36,53 | 1.438 | 14,00 | .5512 | 22,9 | .900 | 20,0 | .787 | FDS36 |
| 3794395 | KSEMP3700FDS36A1M | KSEMP3700FDS36A1M | 37,00 | 1.457 | 14,00 | .5512 | 22,9 | .900 | 20,0 | .787 | FDS36 |
| 3794427 | KSEMP3750FDS36A1M | KSEMP3750FDS36A1M | 37,50 | 1.476 | 15,00 | .5906 | 23,0 | .907 | 20,0 | .787 | FDS36 |

*(continued)*

*(KSEM PLUS A1 Heads 28–101,60mm (1.102–4") continued)*

| order number | ISO catalogue number | ANSI catalogue number | D1 mm | D1 in | PDD mm | PDD in | LPR mm | LPR in | L1 mm | L1 in | CSMS system size |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 3794396 | KSEMP3800FDS36A1M | KSEMP3800FDS36A1M | 38,00 | 1.496 | 15,00 | .5906 | 23,0 | .907 | 20,0 | .787 | FDS36 |
| 3794920 | KSEMP3810FDS36A1M | KSEMP1500FDS36A1 | 38,10 | 1.500 | 15,00 | .5906 | 23,0 | .907 | 20,0 | .787 | FDS36 |
| 3794397 | KSEMP3900FDS36A1M | KSEMP3900FDS36A1M | 39,00 | 1.535 | 16,00 | .6299 | 23,2 | .913 | 20,0 | .787 | FDS36 |
| 3793950 | KSEMP3920FDS36A1M | KSEMP3920FDS36A1M | 39,20 | 1.543 | 16,00 | .6299 | 23,2 | .913 | 20,0 | .787 | FDS36 |
| 3794921 | KSEMP3970FDS36A1M | KSEMP1563FDS36A1 | 39,70 | 1.563 | 17,00 | .6693 | 23,4 | .920 | 20,0 | .787 | FDS36 |
| 3794398 | KSEMP4000FDS40A1M | KSEMP4000FDS40A1M | 40,00 | 1.575 | 17,00 | .6693 | 28,6 | 1.125 | 25,0 | .984 | FDS40 |
| 3794399 | KSEMP4100FDS40A1M | KSEMP4100FDS40A1M | 41,00 | 1.614 | 18,00 | .7087 | 28,8 | 1.132 | 25,0 | .984 | FDS40 |
| 3794922 | KSEMP4128FDS40A1M | KSEMP1625FDS40A1 | 41,28 | 1.625 | 18,00 | .7087 | 28,8 | 1.132 | 25,0 | .984 | FDS40 |
| 3794400 | KSEMP4200FDS40A1M | KSEMP4200FDS40A1M | 42,00 | 1.654 | 19,00 | .7480 | 28,9 | 1.139 | 25,0 | .984 | FDS40 |
| 3794401 | KSEMP4300FDS40A1M | KSEMP4300FDS40A1M | 43,00 | 1.693 | 20,00 | .7874 | 29,1 | 1.146 | 25,0 | .984 | FDS40 |
| 3794402 | KSEMP4400FDS40A1M | KSEMP4400FDS40A1M | 44,00 | 1.732 | 21,00 | .8268 | 29,3 | 1.153 | 25,0 | .984 | FDS40 |
| 3794933 | KSEMP4445FDS40A1M | KSEMP1750FDS40A1 | 44,45 | 1.750 | 22,00 | .8661 | 29,5 | 1.160 | 25,0 | .984 | FDS40 |
| 3794403 | KSEMP4500FDS45A1M | KSEMP4500FDS45A1M | 45,00 | 1.772 | 18,00 | .7087 | 28,8 | 1.132 | 25,0 | .984 | FDS45 |
| 3794404 | KSEMP4600FDS45A1M | KSEMP4600FDS45A1M | 46,00 | 1.811 | 19,00 | .7480 | 28,9 | 1.139 | 25,0 | .984 | FDS45 |
| 3794405 | KSEMP4700FDS45A1M | KSEMP4700FDS45A1M | 47,00 | 1.850 | 20,00 | .7874 | 29,1 | 1.146 | 25,0 | .984 | FDS45 |
| 3794934 | KSEMP4763FDS45A1M | KSEMP1875FDS45A1 | 47,63 | 1.875 | 21,00 | .8268 | 29,3 | 1.153 | 25,0 | .984 | FDS45 |
| 3794406 | KSEMP4800FDS45A1M | KSEMP4800FDS45A1M | 48,00 | 1.890 | 21,00 | .8268 | 29,3 | 1.153 | 25,0 | .984 | FDS45 |
| 3794407 | KSEMP4900FDS45A1M | KSEMP4900FDS45A1M | 49,00 | 1.929 | 22,00 | .8661 | 29,5 | 1.160 | 25,0 | .984 | FDS45 |
| 3742211 | KSEMP5000FDS50A1M | KSEMP5000FDS50A1M | 50,00 | 1.969 | 23,00 | .9055 | 34,8 | 1.372 | 30,0 | 1.181 | FDS50 |
| 3794935 | KSEMP5080FDS50A1M | KSEMP2000FDS50A1 | 50,80 | 2.000 | 24,00 | .9449 | 35,0 | 1.379 | 30,0 | 1.181 | FDS50 |
| 3794408 | KSEMP5100FDS50A1M | KSEMP5100FDS50A1M | 51,00 | 2.008 | 24,00 | .9449 | 35,0 | 1.379 | 30,0 | 1.181 | FDS50 |
| 3794409 | KSEMP5200FDS50A1M | KSEMP5200FDS50A1M | 52,00 | 2.047 | 25,00 | .9843 | 35,2 | 1.386 | 30,0 | 1.181 | FDS50 |
| 3794410 | KSEMP5300FDS50A1M | KSEMP5300FDS50A1M | 53,00 | 2.087 | 26,00 | 1.0236 | 35,4 | 1.392 | 30,0 | 1.181 | FDS50 |
| 3794936 | KSEMP5398FDS50A1M | KSEMP2125FDS50A1 | 53,98 | 2.125 | 27,00 | 1.0630 | 35,6 | 1.399 | 30,0 | 1.181 | FDS50 |
| 3794411 | KSEMP5400FDS50A1M | KSEMP5400FDS50A1M | 54,00 | 2.126 | 27,00 | 1.0630 | 35,6 | 1.399 | 30,0 | 1.181 | FDS50 |
| 3794412 | KSEMP5500FDS50A1M | KSEMP5500FDS50A1M | 55,00 | 2.165 | 28,00 | 1.1024 | 35,7 | 1.406 | 30,0 | 1.181 | FDS50 |
| 3794413 | KSEMP5600FDS56A1M | KSEMP5600FDS56A1M | 56,00 | 2.205 | 20,00 | .7874 | 34,3 | 1.351 | 30,0 | 1.181 | FDS56 |
| 3794414 | KSEMP5700FDS56A1M | KSEMP5700FDS56A1M | 57,00 | 2.244 | 21,00 | .8268 | 34,5 | 1.358 | 30,0 | 1.181 | FDS56 |
| 3794937 | KSEMP5715FDS56A1M | KSEMP2250FDS56A1 | 57,15 | 2.250 | 21,00 | .8268 | 34,5 | 1.358 | 30,0 | 1.181 | FDS56 |
| 3794415 | KSEMP5800FDS56A1M | KSEMP5800FDS56A1M | 58,00 | 2.284 | 22,00 | .8661 | 34,7 | 1.365 | 30,0 | 1.181 | FDS56 |
| 3794416 | KSEMP5900FDS56A1M | KSEMP5900FDS56A1M | 59,00 | 2.323 | 23,00 | .9055 | 34,8 | 1.372 | 30,0 | 1.181 | FDS56 |
| 3794417 | KSEMP6000FDS56A1M | KSEMP6000FDS56A1M | 60,00 | 2.362 | 24,00 | .9449 | 35,0 | 1.379 | 30,0 | 1.181 | FDS56 |
| 3794938 | KSEMP6033FDS56A1M | KSEMP2375FDS56A1 | 60,33 | 2.375 | 24,00 | .9449 | 35,0 | 1.379 | 30,0 | 1.181 | FDS56 |
| 3794418 | KSEMP6100FDS56A1M | KSEMP6100FDS56A1M | 61,00 | 2.402 | 25,00 | .9843 | 35,2 | 1.386 | 30,0 | 1.181 | FDS56 |
| 3794419 | KSEMP6200FDS56A1M | KSEMP6200FDS56A1M | 62,00 | 2.441 | 26,00 | 1.0236 | 35,4 | 1.392 | 30,0 | 1.181 | FDS56 |
| 3794420 | KSEMP6300FDS63A1M | KSEMP6300FDS63A1M | 63,00 | 2.480 | 27,00 | 1.0630 | 41,8 | 1.643 | 36,0 | 1.417 | FDS63 |
| 3794939 | KSEMP6350FDS63A1M | KSEMP2500FDS63A1 | 63,50 | 2.500 | 28,00 | 1.1024 | 41,9 | 1.650 | 36,0 | 1.417 | FDS63 |
| 3794421 | KSEMP6400FDS63A1M | KSEMP6400FDS63A1M | 64,00 | 2.520 | 28,00 | 1.1024 | 41,9 | 1.650 | 36,0 | 1.417 | FDS63 |
| 3794422 | KSEMP6500FDS63A1M | KSEMP6500FDS63A1M | 65,00 | 2.559 | 29,00 | 1.1417 | 42,1 | 1.657 | 36,0 | 1.417 | FDS63 |
| 3794423 | KSEMP6600FDS63A1M | KSEMP6600FDS63A1M | 66,00 | 2.598 | 30,00 | 1.1811 | 42,3 | 1.664 | 36,0 | 1.417 | FDS63 |
| 3794940 | KSEMP6668FDS63A1M | KSEMP2625FDS63A1 | 66,68 | 2.625 | 31,00 | 1.2205 | 42,5 | 1.671 | 36,0 | 1.417 | FDS63 |
| 3794424 | KSEMP6700FDS63A1M | KSEMP6700FDS63A1M | 67,00 | 2.638 | 31,00 | 1.2205 | 42,5 | 1.671 | 36,0 | 1.417 | FDS63 |
| 3794425 | KSEMP6800FDS63A1M | KSEMP6800FDS63A1M | 68,00 | 2.677 | 32,00 | 1.2598 | 42,6 | 1.678 | 36,0 | 1.417 | FDS63 |
| 3794426 | KSEMP6900FDS63A1M | KSEMP6900FDS63A1M | 69,00 | 2.717 | 33,00 | 1.2992 | 42,8 | 1.685 | 36,0 | 1.417 | FDS63 |
| 3794941 | KSEMP6985FDS63A1M | KSEMP2750FDS63A1 | 69,85 | 2.750 | 34,00 | 1.3386 | 43,0 | 1.692 | 36,0 | 1.417 | FDS63 |
| 3742212 | KSEMP7000FDS63A1M | KSEMP7000FDS63A1M | 70,00 | 2.756 | 34,00 | 1.3386 | 43,0 | 1.692 | 36,0 | 1.417 | FDS63 |
| 5397513 | KSEMP7200FDS71A1M | KSEMP7200FDS71A1M | 72,00 | 2.835 | 27,00 | 1.0630 | 47,0 | 1.849 | 47,0 | 1.849 | FDS71 |
| 5397514 | KSEMP7400FDS71A1M | KSEMP7400FDS71A1M | 74,00 | 2.913 | 29,00 | 1.1420 | 47,3 | 1.863 | 47,3 | 1.863 | FDS71 |
| 5397515 | KSEMP7600FDS71A1M | KSEMP7600FDS71A1M | 76,00 | 2.992 | 31,00 | 1.2200 | 47,7 | 1.876 | 47,7 | 1.876 | FDS71 |
| 5397516 | KSEMP7620FDS71A1M | KSEMP3000FDS71A1 | 76,20 | 3.000 | 31,00 | 1.2200 | 47,7 | 1.876 | 47,7 | 1.876 | FDS71 |
| 5397517 | KSEMP7800FDS71A1M | KSEMP7800FDS71A1M | 78,00 | 3.071 | 33,00 | 1.2990 | 48,0 | 1.890 | 48,0 | 1.890 | FDS71 |
| 5397518 | KSEMP8000FDS80A1M | KSEMP8000FDS80A1M | 80,00 | 3.150 | 31,00 | 1.2200 | 52,8 | 2.077 | 52,8 | 2.077 | FDS80 |
| 5397519 | KSEMP8200FDS80A1M | KSEMP8200FDS80A1M | 82,00 | 3.228 | 33,00 | 1.2992 | 53,1 | 2.091 | 53,1 | 2.091 | FDS80 |
| 5397550 | KSEMP8255FDS80A1M | KSEMP3250FDS80A1 | 82,55 | 3.250 | 34,00 | 1.3386 | 53,3 | 2.098 | 53,3 | 2.098 | FDS80 |
| 5397551 | KSEMP8400FDS80A1M | KSEMP8400FDS80A1M | 84,00 | 3.307 | 35,00 | 1.3780 | 53,5 | 2.105 | 53,5 | 2.105 | FDS80 |
| 5397552 | KSEMP8600FDS80A1M | KSEMP8600FDS80A1M | 86,00 | 3.386 | 37,00 | 1.4567 | 53,8 | 2.119 | 53,8 | 2.119 | FDS80 |
| 5397553 | KSEMP8800FDS80A1M | KSEMP8800FDS80A1M | 88,00 | 3.465 | 39,00 | 1.5354 | 54,2 | 2.133 | 54,2 | 2.133 | FDS80 |
| 5397554 | KSEMP8890FDS80A1M | KSEMP3500FDS80A1 | 88,90 | 3.500 | 40,00 | 1.5748 | 54,3 | 2.140 | 54,3 | 2.140 | FDS80 |
| 5397555 | KSEMP9000FDS90A1M | KSEMP9000FDS90A1M | 90,00 | 3.543 | 37,00 | 1.4567 | 59,2 | 2.332 | 59,2 | 2.332 | FDS90 |
| 5397556 | KSEMP9200FDS90A1M | KSEMP9200FDS90A1M | 92,00 | 3.622 | 39,00 | 1.5354 | 59,6 | 2.346 | 59,6 | 2.346 | FDS90 |
| 5397557 | KSEMP9400FDS90A1M | KSEMP9400FDS90A1M | 94,00 | 3.701 | 26,00 | 1.0236 | 58,0 | 2.283 | 58,0 | 2.283 | FDS90 |
| 5397558 | KSEMP9525FDS90A1M | KSEMP3750FDS90A1 | 95,25 | 3.750 | 27,00 | 1.0630 | 58,3 | 2.297 | 58,3 | 2.297 | FDS90 |
| 5397559 | KSEMP9600FDS90A1M | KSEMP9600FDS90A1M | 96,00 | 3.780 | 28,00 | 1.1024 | 58,3 | 2.297 | 58,3 | 2.297 | FDS90 |
| 5397560 | KSEMP9800FDS90A1M | KSEMP9800FDS90A1M | 98,00 | 3.858 | 30,00 | 1.1811 | 58,7 | 2.311 | 58,7 | 2.311 | FDS90 |
| 5397561 | KSEMP10160FDS90A1M | KSEMP4000FDS90A1 | 101,60 | 4.000 | 34,00 | 1.3390 | 59,4 | 2.338 | 59,4 | 2.338 | FDS90 |

- To ensure 100% system stability, KSEM™ inserts used for KSEM PLUS should not be reground.
- KSEM PLUS heads are shipped with all insert screws.
- KSEM PLUS B1 heads are shipped with two to three wrenches: one for the KSEM insert, one for DFC™ inserts and DPA guiding pads as well as for assembling the head onto the tool body. One additional wrench might be added depending on the size of the guiding pad.
- Order KSEM PLUS shanks using connection coupling size (CSMS) to determine which heads go with each shank.
- PDD in the callout drawing refers to the D1 of the KSEM HPGM and HPCM inserts for use with KSEM PLUS.
- Order inserts (KSEM, DFC) for KSEM PLUS separately.





**2 x DFC**
diameter: 28–70,34mm



**4 x DFC**
diameter: 70,35–93,34mm



**6 x DFC**
diameter: 93,35–127mm

NEW!

## KSEM PLUS B1 Heads 28–101,60mm (1.102–4")

| order number | ISO catalogue number | ANSI catalogue number | D1 mm | D1 in | PDD mm | PDD in | LPR mm | LPR in | L1 mm | L1 in | CSMS system size | Drill Fix DFC insert |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **5115736** | **KSEMP2800FDS28B1M** | **KSEMP2800FDS28B1M** | 28,00 | 1.102 | 14,00 | .5512 | 28,1 | 1.105 | 25,0 | .984 | FDS28 | DFC040310D28 |
| **5115737** | **KSEMP2858FDS28B1M** | **KSEMP1125FDS28B1** | 28,58 | 1.125 | 15,00 | .5906 | 28,2 | 1.110 | 25,0 | .984 | FDS28 | DFC040310D28 |
| **5115738** | **KSEMP2900FDS28B1M** | **KSEMP2900FDS28B1M** | 29,00 | 1.142 | 15,00 | .5906 | 28,2 | 1.111 | 25,0 | .984 | FDS28 | DFC040310D28 |
| **5115739** | **KSEMP2937FDS28B1M** | **KSEMP1156FDS28B1** | 29,36 | 1.156 | 16,00 | .6299 | 28,4 | 1.118 | 25,0 | .984 | FDS28 | DFC040310D28 |
| **5116010** | **KSEMP3000FDS28B1M** | **KSEMP3000FDS28B1M** | 30,00 | 1.181 | 16,00 | .6299 | 28,4 | 1.118 | 25,0 | .984 | FDS28 | DFC040310D28 |
| **5116011** | **KSEMP3017FDS28B1M** | **KSEMP1188FDS28B1** | 30,18 | 1.188 | 17,00 | .6693 | 28,6 | 1.125 | 25,0 | .984 | FDS28 | DFC040310D28 |
| **5116012** | **KSEMP3096FDS28B1M** | **KSEMP1219FDS28B1** | 30,96 | 1.219 | 17,00 | .6693 | 28,6 | 1.125 | 25,0 | .984 | FDS28 | DFC040310D28 |
| **5116013** | **KSEMP3100FDS28B1M** | **KSEMP3100FDS28B1M** | 31,00 | 1.220 | 17,00 | .6693 | 28,6 | 1.125 | 25,0 | .984 | FDS28 | DFC040310D28 |
| **5116014** | **KSEMP3175FDS32B1M** | **KSEMP1250FDS32B1** | 31,75 | 1.250 | 15,00 | .5906 | 28,2 | 1.111 | 25,0 | .984 | FDS32 | DFC05T312D32 |
| **5116015** | **KSEMP3200FDS32B1M** | **KSEMP3200FDS32B1M** | 32,00 | 1.260 | 15,00 | .5906 | 28,2 | 1.111 | 25,0 | .984 | FDS32 | DFC05T312D32 |
| **5116016** | **KSEMP3300FDS32B1M** | **KSEMP3300FDS32B1M** | 33,00 | 1.299 | 16,00 | .6299 | 28,4 | 1.118 | 25,0 | .984 | FDS32 | DFC05T312D32 |
| **5116017** | **KSEMP3320FDS32B1M** | **KSEMP3320FDS32B1M** | 33,20 | 1.307 | 16,00 | .6299 | 28,4 | 1.118 | 25,0 | .984 | FDS32 | DFC05T312D32 |
| **5116018** | **KSEMP3334FDS32B1M** | **KSEMP1313FDS32B1** | 33,35 | 1.313 | 17,00 | .6693 | 28,6 | 1.125 | 25,0 | .984 | FDS32 | DFC05T312D32 |
| **5116019** | **KSEMP3400FDS32B1M** | **KSEMP3400FDS32B1M** | 34,00 | 1.339 | 17,00 | .6693 | 28,6 | 1.125 | 25,0 | .984 | FDS32 | DFC05T312D32 |
| **5116030** | **KSEMP3493FDS32B1M** | **KSEMP1375FDS32B1** | 34,93 | 1.375 | 18,00 | .7087 | 28,8 | 1.132 | 25,0 | .984 | FDS32 | DFC05T312D32 |
| **5116031** | **KSEMP3500FDS32B1M** | **KSEMP3500FDS32B1M** | 35,00 | 1.378 | 18,00 | .7087 | 28,8 | 1.132 | 25,0 | .984 | FDS32 | DFC05T312D32 |
| **5116032** | **KSEMP3600FDS36B1M** | **KSEMP3600FDS36B1M** | 36,00 | 1.417 | 13,00 | .5118 | 27,9 | 1.098 | 25,0 | .984 | FDS36 | DFC06T312D36 |
| **5116033** | **KSEMP3651FDS36B1M** | **KSEMP1438FDS36B1** | 36,53 | 1.438 | 14,00 | .5512 | 28,1 | 1.105 | 25,0 | .984 | FDS36 | DFC06T312D36 |

*(continued)*

*(KSEM PLUS B1 Heads 28–101,60mm (1.102–4") continued)*



| order number | ISO catalogue number | ANSI catalogue number | D1 mm | D1 in | PDD mm | PDD in | LPR mm | LPR in | L1 mm | L1 in | CSMS system size | Drill Fix DFC insert |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5116034 | KSEMP3700FDS36B1M | KSEMP3700FDS36B1M | 37,00 | 1.457 | 14,00 | .5512 | 28,1 | 1.105 | 25,0 | .984 | FDS36 | DFC06T312D36 |
| 5116035 | KSEMP3750FDS36B1M | KSEMP3750FDS36B1M | 37,50 | 1.476 | 15,00 | .5906 | 28,2 | 1.111 | 25,0 | .984 | FDS36 | DFC06T312D36 |
| 5116036 | KSEMP3800FDS36B1M | KSEMP3800FDS36B1M | 38,00 | 1.496 | 15,00 | .5906 | 28,2 | 1.111 | 25,0 | .984 | FDS36 | DFC06T312D36 |
| 5116037 | KSEMP3810FDS36B1M | KSEMP1500FDS36B1 | 38,10 | 1.500 | 15,00 | .5906 | 28,2 | 1.111 | 25,0 | .984 | FDS36 | DFC06T312D36 |
| 5116038 | KSEMP3900FDS36B1M | KSEMP3900FDS36B1M | 39,00 | 1.535 | 16,00 | .6299 | 28,4 | 1.118 | 25,0 | .984 | FDS36 | DFC06T312D36 |
| 5116039 | KSEMP3920FDS36B1M | KSEMP3920FDS36B1M | 39,20 | 1.543 | 16,00 | .6299 | 28,4 | 1.118 | 25,0 | .984 | FDS36 | DFC06T312D36 |
| 5116040 | KSEMP3970FDS36B1M | KSEMP1563FDS36B1 | 39,70 | 1.563 | 17,00 | .6693 | 28,6 | 1.125 | 25,0 | .984 | FDS36 | DFC06T312D36 |
| 5116041 | KSEMP4000FDS40B1M | KSEMP4000FDS40B1M | 40,00 | 1.575 | 17,00 | .6693 | 33,8 | 1.330 | 30,0 | 1.181 | FDS40 | DFC06T312D36 |
| 5116042 | KSEMP4100FDS40B1M | KSEMP4100FDS40B1M | 41,00 | 1.614 | 18,00 | .7087 | 34,0 | 1.337 | 30,0 | 1.181 | FDS40 | DFC06T312D36 |
| 5116043 | KSEMP4128FDS40B1M | KSEMP1625FDS40B1 | 41,28 | 1.625 | 18,00 | .7087 | 34,0 | 1.337 | 30,0 | 1.181 | FDS40 | DFC06T312D36 |
| 5116044 | KSEMP4200FDS40B1M | KSEMP4200FDS40B1M | 42,00 | 1.654 | 19,00 | .7480 | 34,1 | 1.344 | 30,0 | 1.181 | FDS40 | DFC06T312D36 |
| 5116045 | KSEMP4300FDS40B1M | KSEMP4300FDS40B1M | 43,00 | 1.693 | 20,00 | .7874 | 34,3 | 1.351 | 30,0 | 1.181 | FDS40 | DFC06T312D36 |
| 5116046 | KSEMP4400FDS40B1M | KSEMP4400FDS40B1M | 44,00 | 1.732 | 21,00 | .8268 | 34,5 | 1.358 | 30,0 | 1.181 | FDS40 | DFC06T312D36 |
| 5116047 | KSEMP4445FDS40B1M | KSEMP1750FDS40B1 | 44,45 | 1.750 | 22,00 | .8661 | 34,7 | 1.365 | 30,0 | 1.181 | FDS40 | DFC06T312D36 |
| 5116098 | KSEMP4500FDS45B1M | KSEMP4500FDS45B1M | 45,00 | 1.772 | 18,00 | .7087 | 34,0 | 1.337 | 30,0 | 1.181 | FDS45 | DFC070416D45 |
| 5116099 | KSEMP4600FDS45B1M | KSEMP4600FDS45B1M | 46,00 | 1.811 | 19,00 | .7480 | 34,1 | 1.344 | 30,0 | 1.181 | FDS45 | DFC070416D45 |
| 5116110 | KSEMP4700FDS45B1M | KSEMP4700FDS45B1M | 47,00 | 1.850 | 20,00 | .7874 | 34,3 | 1.351 | 30,0 | 1.181 | FDS45 | DFC070416D45 |
| 5116111 | KSEMP4763FDS45B1M | KSEMP1875FDS45B1 | 47,63 | 1.875 | 21,00 | .8268 | 34,5 | 1.358 | 30,0 | 1.181 | FDS45 | DFC070416D45 |
| 5116112 | KSEMP4800FDS45B1M | KSEMP4800FDS45B1M | 48,00 | 1.890 | 21,00 | .8268 | 34,5 | 1.358 | 30,0 | 1.181 | FDS45 | DFC070416D45 |
| 5116113 | KSEMP4900FDS45B1M | KSEMP4900FDS45B1M | 49,00 | 1.929 | 22,00 | .8661 | 34,7 | 1.365 | 30,0 | 1.181 | FDS45 | DFC070416D45 |
| 5116114 | KSEMP5000FDS50B1M | KSEMP5000FDS50B1M | 50,00 | 1.969 | 23,00 | .9055 | 40,0 | 1.577 | 35,0 | 1.378 | FDS50 | DFC070416D45 |
| 5116115 | KSEMP5080FDS50B1M | KSEMP2000FDS50B1 | 50,80 | 2.000 | 24,00 | .9449 | 40,2 | 1.584 | 35,0 | 1.378 | FDS50 | DFC070416D45 |
| 5116116 | KSEMP5100FDS50B1M | KSEMP5100FDS50B1M | 51,00 | 2.008 | 24,00 | .9449 | 40,2 | 1.584 | 35,0 | 1.378 | FDS50 | DFC070416D45 |
| 5116117 | KSEMP5200FDS50B1M | KSEMP5200FDS50B1M | 52,00 | 2.047 | 25,00 | .9843 | 40,4 | 1.590 | 35,0 | 1.378 | FDS50 | DFC070416D45 |
| 5116118 | KSEMP5300FDS50B1M | KSEMP5300FDS50B1M | 53,00 | 2.087 | 26,00 | 1.0236 | 40,6 | 1.597 | 35,0 | 1.378 | FDS50 | DFC070416D45 |
| 5116119 | KSEMP5398FDS50B1M | KSEMP2125FDS50B1 | 53,98 | 2.125 | 27,00 | 1.0630 | 40,8 | 1.604 | 35,0 | 1.378 | FDS50 | DFC070416D45 |
| 5116120 | KSEMP5400FDS50B1M | KSEMP5400FDS50B1M | 54,00 | 2.126 | 27,00 | 1.0630 | 40,8 | 1.604 | 35,0 | 1.378 | FDS50 | DFC070416D45 |
| 5116121 | KSEMP5500FDS50B1M | KSEMP5500FDS50B1M | 55,00 | 2.165 | 28,00 | 1.1024 | 40,9 | 1.611 | 35,0 | 1.378 | FDS50 | DFC070416D45 |
| 5116122 | KSEMP5600FDS56B1M | KSEMP5600FDS56B1M | 56,00 | 2.205 | 20,00 | .7874 | 39,5 | 1.556 | 35,0 | 1.378 | FDS56 | DFC090520D56 |
| 5116123 | KSEMP5700FDS56B1M | KSEMP5700FDS56B1M | 57,00 | 2.244 | 21,00 | .8268 | 39,7 | 1.563 | 35,0 | 1.378 | FDS56 | DFC090520D56 |
| 5116124 | KSEMP5715FDS56B1M | KSEMP2250FDS56B1 | 57,15 | 2.250 | 21,00 | .8268 | 39,7 | 1.563 | 35,0 | 1.378 | FDS56 | DFC090520D56 |
| 5116125 | KSEMP5800FDS56B1M | KSEMP5800FDS56B1M | 58,00 | 2.283 | 22,00 | .8661 | 39,9 | 1.570 | 35,0 | 1.378 | FDS56 | DFC090520D56 |
| 5116126 | KSEMP5900FDS56B1M | KSEMP5900FDS56B1M | 59,00 | 2.323 | 23,00 | .9055 | 40,0 | 1.577 | 35,0 | 1.378 | FDS56 | DFC090520D56 |
| 5116127 | KSEMP6000FDS56B1M | KSEMP6000FDS56B1M | 60,00 | 2.362 | 24,00 | .9449 | 40,2 | 1.584 | 35,0 | 1.378 | FDS56 | DFC090520D56 |
| 5116128 | KSEMP6033FDS56B1M | KSEMP2375FDS56B1 | 60,33 | 2.375 | 24,00 | .9449 | 40,2 | 1.584 | 35,0 | 1.378 | FDS56 | DFC090520D56 |
| 5116129 | KSEMP6100FDS56B1M | KSEMP6100FDS56B1M | 61,00 | 2.402 | 25,00 | .9843 | 40,4 | 1.590 | 35,0 | 1.378 | FDS56 | DFC090520D56 |
| 5116130 | KSEMP6200FDS56B1M | KSEMP6200FDS56B1M | 62,00 | 2.441 | 26,00 | 1.0236 | 40,6 | 1.597 | 35,0 | 1.378 | FDS56 | DFC090520D56 |
| 5116131 | KSEMP6300FDS63B1M | KSEMP6300FDS63B1M | 63,00 | 2.480 | 27,00 | 1.0630 | 46,0 | 1.809 | 40,0 | 1.575 | FDS63 | DFC090520D56 |
| 5116132 | KSEMP6350FDS63B1M | KSEMP2500FDS63B1 | 63,50 | 2.500 | 28,00 | 1.1024 | 46,1 | 1.816 | 40,0 | 1.575 | FDS63 | DFC090520D56 |
| 5116133 | KSEMP6400FDS63B1M | KSEMP6400FDS63B1M | 64,00 | 2.520 | 28,00 | 1.1024 | 46,1 | 1.816 | 40,0 | 1.575 | FDS63 | DFC090520D56 |
| 5116134 | KSEMP6500FDS63B1M | KSEMP6500FDS63B1M | 65,00 | 2.559 | 29,00 | 1.1417 | 46,3 | 1.823 | 40,0 | 1.575 | FDS63 | DFC090520D56 |
| 5116135 | KSEMP6600FDS63B1M | KSEMP6600FDS63B1M | 66,00 | 2.598 | 30,00 | 1.1811 | 46,5 | 1.830 | 40,0 | 1.575 | FDS63 | DFC090520D56 |
| 5116136 | KSEMP6668FDS63B1M | KSEMP2625FDS63B1 | 66,68 | 2.625 | 31,00 | 1.2205 | 46,7 | 1.837 | 40,0 | 1.575 | FDS63 | DFC090520D56 |
| 5116137 | KSEMP6700FDS63B1M | KSEMP6700FDS63B1M | 67,00 | 2.638 | 31,00 | 1.2205 | 46,7 | 1.837 | 40,0 | 1.575 | FDS63 | DFC090520D56 |
| 5116138 | KSEMP6800FDS63B1M | KSEMP6800FDS63B1M | 68,00 | 2.677 | 32,00 | 1.2598 | 46,8 | 1.844 | 40,0 | 1.575 | FDS63 | DFC090520D56 |
| 5116139 | KSEMP6900FDS63B1M | KSEMP6900FDS63B1M | 69,00 | 2.717 | 33,00 | 1.2992 | 47,0 | 1.851 | 40,0 | 1.575 | FDS63 | DFC090520D56 |
| 5116140 | KSEMP6985FDS63B1M | KSEMP2750FDS63B1 | 69,85 | 2.750 | 34,00 | 1.3386 | 47,2 | 1.858 | 40,0 | 1.575 | FDS63 | DFC090520D56 |
| 5116141 | KSEMP7000FDS63B1M | KSEMP7000FDS63B1M | 70,00 | 2.756 | 34,00 | 1.3386 | 47,2 | 1.858 | 40,0 | 1.575 | FDS63 | DFC090520D56 |
| 5397562 | KSEMP7620FDS71B1M | KSEMP3000FDS71B1 | 76,20 | 3.000 | 31,00 | 1.2200 | 48,8 | 1.919 | 48,8 | 1.919 | FDS71 | DFC06T312D36 |
| 5397563 | KSEMP8255FDS80B1M | KSEMP3250FDS80B1 | 82,55 | 3.250 | 34,00 | 1.3386 | 54,6 | 2.149 | 54,6 | 2.149 | FDS80 | DFC070416D45 |
| 5397564 | KSEMP8890FDS80B1M | KSEMP3500FDS80B1 | 88,90 | 3.500 | 40,00 | 1.5748 | 55,6 | 2.190 | 55,6 | 2.190 | FDS80 | DFC070416D45 |
| 5397565 | KSEMP9525FDS90B1M | KSEMP3750FDS90B1 | 95,25 | 3.750 | 27,00 | 1.0630 | 60,6 | 2.383 | 60,6 | 2.383 | FDS90 | DFC06T312D36 |
| 5397566 | KSEMP10160FDS90B1M | KSEMP4000FDS90B1 | 101,60 | 4.000 | 34,00 | 1.3390 | 61,8 | 2.432 | 61,8 | 2.432 | FDS90 | DFC06T312D36 |

- Order KSEM PLUS heads according to the connection coupling size (CSWS).
- Order KSEM PLUS heads separately; see pages H50–H51.
- Wrench will be shipped with KSEM PLUS head.
- Custom solution for cast iron application with twisted flutes available.





## KSEM PLUS WD Shanks • 3 x D • Metric

| | catalogue number | CSWS system size | D | L1 | L2 | LS | clamp screw |
|---|---|---|---|---|---|---|---|
| | **WD32FDS28128M** | FDS28 | 32 | 128 | 71 | 58 | **193.537** |
| | **WD32FDS32146M** | FDS32 | 32 | 146 | 85 | 58 | **193.523** |
| | **WD32FDS36166M** | FDS36 | 32 | 166 | 97 | 58 | **193.524** |
| | **WD50FDS40183M** | FDS40 | 50 | 183 | 107 | 68 | **193.524** |
| | **WD50FDS45206M** | FDS45 | 50 | 206 | 122 | 68 | **193.525** |
| | **WD50FDS50228M** | FDS50 | 50 | 228 | 135 | 68 | **193.525** |
| | **WD50FDS56259M** | FDS56 | 50 | 259 | 156 | 68 | **193.526** |
| | **WD50FDS63289M** | FDS63 | 50 | 289 | 174 | 68 | **193.526** |
| NEW! | **WD50FDS71292M** | FDS71 | 50 | 292 | 200 | 68 | **193.526** |
| | **WD50FDS80327M** | FDS80 | 50 | 327 | 225 | 68 | **193.545** |
| | **WD50FDS90362M** | FDS90 | 50 | 362 | 250 | 68 | **193.545** |

## KSEM PLUS WD Shanks • 5 x D • Metric

| | catalogue number | CSWS system size | D | L1 | L2 | LS | clamp screw |
|---|---|---|---|---|---|---|---|
| | **WD32FDS28190M** | FDS28 | 32 | 190 | 133 | 58 | **193.537** |
| | **WD32FDS32216M** | FDS32 | 32 | 216 | 155 | 58 | **193.523** |
| | **WD32FDS36244M** | FDS36 | 32 | 244 | 175 | 58 | **193.524** |
| | **WD50FDS40271M** | FDS40 | 50 | 271 | 195 | 68 | **193.524** |
| | **WD50FDS45304M** | FDS45 | 50 | 304 | 220 | 68 | **193.525** |
| | **WD50FDS50338M** | FDS50 | 50 | 338 | 245 | 68 | **193.525** |
| | **WD50FDS56383M** | FDS56 | 50 | 383 | 280 | 68 | **193.526** |
| | **WD50FDS63429M** | FDS63 | 50 | 429 | 314 | 68 | **193.526** |
| NEW! | **WD50FDS71452M** | FDS71 | 50 | 452 | 360 | 68 | **193.526** |
| | **WD50FDS80507M** | FDS80 | 50 | 507 | 405 | 68 | **193.545** |
| | **WD50FDS90562M** | FDS90 | 50 | 562 | 450 | 68 | **193.545** |

- Order KSEM PLUS heads according to the connection coupling size (CSWS).
- Order KSEM PLUS heads separately; see pages H50–H51.
- Wrench will be shipped with KSEM PLUS head.
- Custom solution for cast iron application with twisted flutes available.



## KSEM PLUS WD Shanks • 8 x D • Metric

| catalogue number | CSWS system size | D | L1 | L2 | LS | clamp screw |
|---|---|---|---|---|---|---|
| **WD32FDS28283M** | FDS28 | 32 | 283 | 226 | 58 | **193.537** |
| **WD32FDS32321M** | FDS32 | 32 | 321 | 260 | 58 | **193.523** |
| **WD32FDS36361M** | FDS36 | 32 | 361 | 292 | 58 | **193.524** |
| **WD50FDS40403M** | FDS40 | 50 | 403 | 327 | 68 | **193.524** |
| **WD50FDS45451M** | FDS45 | 50 | 451 | 367 | 68 | **193.525** |
| **WD50FDS50503M** | FDS50 | 50 | 503 | 410 | 68 | **193.525** |
| **WD50FDS56569M** | FDS56 | 50 | 569 | 466 | 68 | **193.526** |
| **WD50FDS63639M** | FDS63 | 50 | 639 | 524 | 68 | **193.526** |

## KSEM PLUS WD Shanks • 10 x D • Metric

| catalogue number | CSWS system size | D | L1 | L2 | LS | clamp screw |
|---|---|---|---|---|---|---|
| **WD32FDS28345M** | FDS28 | 32 | 345 | 288 | 58 | **193.537** |
| **WD32FDS32391M** | FDS32 | 32 | 391 | 330 | 58 | **193.523** |
| **WD32FDS36439M** | FDS36 | 32 | 439 | 370 | 58 | **193.524** |
| **WD50FDS40491M** | FDS40 | 50 | 491 | 415 | 68 | **193.524** |
| **WD50FDS45549M** | FDS45 | 50 | 549 | 465 | 68 | **193.525** |
| **WD50FDS50613M** | FDS50 | 50 | 613 | 520 | 68 | **193.525** |
| **WD50FDS56693M** | FDS56 | 50 | 693 | 590 | 68 | **193.526** |
| **WD50FDS63779M** | FDS63 | 50 | 779 | 664 | 68 | **193.526** |

- To ensure 100% system stability, KSEM inserts used for KSEM PLUS should not be reground.
- The callout D1 (mm) = PDD. PDD is used in reference to the KSEM PLUS heads.




D1 (mm) = PDD

HPG




D1 (mm) = PDD



HPCCL

## KSEMP Inserts



● first choice
○ alternate choice

| HPGM • KC7315 | HPCCL • KC7410 | D1 mm | D1 in | seat size |
|---|---|---|---|---|
| **KSEMP1300HPGM** | **KSEM1300HPCCLM** | 13,000 | .5118 | C |
| **KSEMP1400HPGM** | **KSEM1400HPCCLM** | 14,000 | .5512 | B |
| **KSEMP1500HPGM** | **KSEM1500HPCCLM** | 15,000 | .5906 | A |
| **KSEMP1600HPGM** | **KSEM1600HPCCLM** | 16,000 | .6299 | 1 |
| **KSEMP1700HPGM** | **KSEM1700HPCCLM** | 17,000 | .6693 | 1 |
| **KSEMP1800HPGM** | **KSEM1800HPCCLM** | 18,000 | .7087 | 1 |
| **KSEMP1900HPGM** | **KSEM1900HPCCLM** | 19,000 | .7480 | 2 |
| **KSEMP2000HPGM** | **KSEM2000HPCCLM** | 20,000 | .7874 | 3 |
| **KSEMP2100HPGM** | **KSEM2100HPCCLM** | 21,000 | .8268 | 3 |
| **KSEMP2200HPGM** | **KSEM2200HPCCLM** | 22,000 | .8661 | 3 |
| **KSEMP2300HPGM** | **KSEM2300HPCCLM** | 23,000 | .9055 | 4 |
| **KSEMP2400HPGM** | **KSEM2400HPCCLM** | 24,000 | .9449 | 4 |
| **KSEMP2500HPGM** | **KSEM2500HPCCLM** | 25,000 | .9843 | 5 |
| **KSEMP2600HPGM** | **KSEM2600HPCCLM** | 26,000 | 1.0236 | 5 |
| **KSEMP2700HPGM** | **KSEM2700HPCCLM** | 27,000 | 1.0630 | 6 |
| **KSEMP2800HPGM** | **KSEM2800HPCCLM** | 28,000 | 1.1024 | 6 |
| **KSEMP2900HPGM** | **KSEM2900HPCCLM** | 29,000 | 1.1417 | 7 |
| **KSEMP3000HPGM** | **KSEM3000HPCCLM** | 30,000 | 1.1811 | 7 |
| **KSEMP3100HPGM** | **KSEM3100HPCCLM** | 31,000 | 1.2205 | 8 |
| **KSEMP3200HPGM** | **KSEM3200HPCCLM** | 32,000 | 1.2598 | 8 |
| **KSEMP3300HPGM** | – | 33,000 | 1.2992 | 9 |
| **KSEMP3400HPGM** | – | 34,000 | 1.3386 | 9 |

**Tolerance HPGM, HPCCLM • Metric**

| D1 | tolerance h8 |
|---|---|
| 12,5–18 | +0,000/-0,027 |
| >18–30 | +0,000/-0,033 |
| >30–40 | +0,000/-0,039 |

## DFT-HP




● first choice
○ alternate choice

beyond

| | P | M | K | N | S | H |
|---|---|---|---|---|---|---|
| KCU25 | ● | ○ | ● | ○ | ○ | |
| KCU40 | ● | ○ | ○ | ○ | ● | |

| catalogue number | L10 mm | L10 in | D mm | D in | D1 mm | D1 in | S mm | S in | Rε mm | Rε in | KCU25 | KCU40 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DFT05T308D32HP | 5,29 | .208 | 8,00 | .315 | 3,40 | .134 | 3,75 | .148 | 0,80 | .031 | ● | ● |
| DFT05T308D33HP | 5,29 | .208 | 8,00 | .315 | 3,40 | .134 | 3,75 | .148 | 0,80 | .031 | ● | ● |
| DFT06T308D36HP | 6,62 | .260 | 10,00 | .394 | 4,40 | .173 | 3,75 | .148 | 0,80 | .031 | ● | ● |
| DFT06T308D39HP | 6,62 | .260 | 10,00 | .394 | 4,40 | .173 | 3,75 | .148 | 0,80 | .031 | ● | ● |
| DFT06T308D44HP | 6,62 | .260 | 10,00 | .394 | 4,40 | .173 | 3,75 | .148 | 0,80 | .031 | ● | ● |
| DFT070408D45HP | 7,94 | .313 | 12,00 | .472 | 4,40 | .173 | 4,75 | .187 | 0,80 | .031 | ● | ● |
| DFT070408D50HP | 7,94 | .313 | 12,00 | .472 | 4,40 | .173 | 4,75 | .187 | 0,80 | .031 | ● | ● |
| DFT090508D56HP | 9,92 | .391 | 15,00 | .591 | 5,50 | .217 | 5,25 | .207 | 0,80 | .031 | ● | ● |
| DFT090508D63HP | 9,92 | .391 | 15,00 | .591 | 5,50 | .217 | 5,25 | .207 | 0,80 | .031 | ● | ● |

## DFT-MD




● first choice
○ alternate choice

| | P | M | K | N | S | H |
|---|---|---|---|---|---|---|
| KC7140 | ● | ● | ○ | ○ | ○ | |

| catalogue number | L10 mm | L10 in | D mm | D in | D1 mm | D1 in | S mm | S in | Rε mm | Rε in | KC7140 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| DFT05T308D33MD | 5,29 | .208 | 8,00 | .315 | 3,40 | .134 | 3,75 | .148 | 0,80 | .031 | ● |
| DFT05T308D32MD | 5,29 | .208 | 8,00 | .315 | 3,40 | .134 | 3,75 | .148 | 0,80 | .031 | ● |
| DFT06T308D44MD | 6,62 | .260 | 10,00 | .394 | 4,40 | .173 | 3,75 | .148 | 0,80 | .031 | ● |
| DFT06T308D39MD | 6,62 | .260 | 10,00 | .394 | 4,40 | .173 | 3,75 | .148 | 0,80 | .031 | ● |
| DFT06T308D36MD | 6,62 | .260 | 10,00 | .394 | 4,40 | .173 | 3,75 | .148 | 0,80 | .031 | ● |
| DFT070408D50MD | 7,94 | .313 | 12,00 | .472 | 4,40 | .173 | 4,75 | .187 | 0,80 | .031 | ● |
| DFT070408D45MD | 7,94 | .313 | 12,00 | .472 | 4,40 | .173 | 4,75 | .187 | 0,80 | .031 | ● |
| DFT090508D56MD | 9,92 | .391 | 15,00 | .591 | 5,50 | .217 | 5,25 | .207 | 0,80 | .031 | ● |
| DFT090508D63MD | 9,92 | .391 | 15,00 | .591 | 5,50 | .217 | 5,25 | .207 | 0,80 | .031 | ● |

## DFR-GD, -LD, -MD










● first choice
○ alternate choice

NEW!

beyond

| | P | M | K | N | S | H |
|---|---|---|---|---|---|---|
| KC7140 | ● | ● | ○ | ○ | ○ | |
| KC7225 | ○ | ○ | ● | ● | ○ | |
| KCU25 | ● | ○ | ● | ○ | ○ | |
| KCU40 | ● | ○ | ○ | ○ | ● | |

| catalogue number | L1 mm | L1 in | W mm | W in | D1 mm | D1 in | S mm | S in | Rε mm | Rε in | KC7140 | KC7225 | KCU25 | KCU40 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DFR040304D28GD | 10,76 | .4236 | 7,26 | .2860 | 2,85 | .1122 | 3,79 | .1492 | 0,40 | .0156 | | | ● | ● |
| DFR040304D28LD | 10,76 | .4236 | 7,26 | .2860 | 2,85 | .1122 | 3,78 | .1490 | 0,40 | .0156 | | ● | | |
| DFR040304D28MD | 10,76 | .4236 | 7,26 | .2860 | 2,85 | .1122 | 3,79 | .1490 | 0,40 | .0156 | ● | | | |




● first choice
○ alternate choice

| | | |
|---|---|---|
| P | ● | ● |
| M | ○ | ○ |
| K | ● | ○ |
| N | ○ | ● |
| S | ○ | ● |
| H | | |

NEW!

## DFC-HP

| | L1 | | W | | D1 | | S | | Rε | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| catalogue number | mm | in | mm | in | mm | in | mm | in | mm | in | KCU25 | KCU40 |
| **DFC040310D28HP** | 10,00 | .3940 | 7,60 | .2990 | 2,85 | .1120 | 3,18 | .1250 | 0,50 | .0200 | ● | ● |
| **DFC05T312D32HP** | 12,00 | .4720 | 9,40 | .3700 | 3,40 | .1340 | 3,75 | .1480 | 0,80 | .0320 | ● | ● |
| **DFC06T312D36HP** | 16,00 | .6300 | 12,40 | .4880 | 4,40 | .1730 | 3,75 | .1480 | 0,80 | .0320 | ● | ● |
| **DFC070416D45HP** | 18,00 | .7090 | 14,50 | .5710 | 4,40 | .1730 | 4,75 | .1870 | 0,80 | .0320 | ● | ● |
| **DFC090520D56HP** | 24,00 | .9450 | 19,00 | .7480 | 5,50 | .2170 | 5,25 | .2070 | 0,80 | .0310 | ● | ● |






● first choice
○ alternate choice

| | |
|---|---|
| P | ● |
| M | ● |
| K | ○ |
| N | ○ |
| S | ○ |
| H | |

NEW!

## DFC-MD

| | L1 | | W | | D1 | | S | | Rε | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| catalogue number | mm | in | mm | in | mm | in | mm | in | mm | in | KC7140 |
| **DFC040310D28MD** | 10,00 | .3940 | 7,60 | .2990 | 2,85 | .1120 | 3,18 | .1250 | 0,50 | .0200 | ● |
| **DFC05T312D32MD** | 12,00 | .4720 | 9,40 | .3700 | 3,40 | .1340 | 3,75 | .1480 | 0,80 | .0310 | ● |
| **DFC06T312D36MD** | 16,00 | .6300 | 12,40 | .4880 | 4,40 | .1730 | 3,75 | .1480 | 0,80 | .0310 | ● |
| **DFC070416D45MD** | 18,00 | .7090 | 14,50 | .5710 | 4,40 | .1730 | 4,75 | .1870 | 0,80 | .0310 | ● |
| **DFC090520D56MD** | 24,00 | .9450 | 19,00 | .7480 | 5,50 | .2170 | 5,25 | .2070 | 0,80 | .0310 | ● |






● first choice
○ alternate choice

| | |
|---|---|
| P | ● |
| M | ● |
| K | ● |
| N | ● |
| S | ● |
| H | |

NEW!

## DPA Guiding Pads

| | L | | W | | D1 | | S | | |
|---|---|---|---|---|---|---|---|---|---|
| catalogue number | mm | in | mm | in | mm | in | mm | in | KCU40 |
| **DPA07T3D25** | 8,60 | .3390 | 7,00 | .2760 | 2,85 | .1120 | 3,50 | .1380 | ● |
| **DPA09T4D32** | 11,00 | .4330 | 9,00 | .3540 | 3,40 | .1340 | 4,20 | .1650 | ● |
| **DPA13T5D50** | 16,00 | .6300 | 13,00 | .5120 | 4,40 | .1730 | 5,20 | .2050 | ● |

# KSEM™ Modular Drills

## KCPM45™ – Your New Grade for Tough Jobs in Low-Carbon Steel

- KCPM45 combines a very tough, fine-grain carbide substrate with an advanced multilayer TiAlN coating. It is capable of machining steel even in very difficult applications.
- Use KCPM45 HPG inserts as an effective alternative for stainless steel.
- Try our initial range of KSEM KCPM45 HPG cutting inserts — perfectly suited for drilling low-carbon steel.

### Main Applications:

— Construction industry.

— Heat exchanger tube sheets and baffles.




● first choice
○ alternate choice

| | |
|---|---|
| P | ● |
| M | ○ |
| K | |
| N | |
| S | |
| H | |

## KSEM Cutting Inserts

| HPG • KCPM45 | D1 mm | D1 in |
|---|---|---|
| **KSEM1270HPGM** | 12.7 | 1/2 |
| **KSEM1293HPGM** | 12.93 | – |
| **KSEM1400HPGM** | 14 | – |
| **KSEM1429HPGM** | 14.29 | 9/16 |
| **KSEM1609HPGM** | 16.09 | – |
| **KSEM1620HPGM** | 16.2 | – |
| **KSEM1667HPGM** | 16.67 | 21/32 |
| **KSEM1746HPGM** | 17.46 | 11/16 |
| **KSEM1800HPGM** | 18 | – |
| **KSEM1826HPGM** | 18.26 | 23/32 |
| **KSEM1900HPGM** | 19 | – |
| **KSEM1905HPGM** | 19.05 | 3/4 |
| **KSEM1925HPGM** | 19.25 | – |
| **KSEM1927HPGM** | 19.27 | – |
| **KSEM1950HPGM** | 19.5 | – |
| **KSEM1984HPGM** | 19.84 | 25/32 |
| **KSEM2000HPGM** | 20 | – |
| **KSEM2064HPGM** | 20.64 | 13/16 |
| **KSEM2100HPGM** | 21 | – |
| **KSEM2200HPGM** | 22 | – |
| **KSEM2223HPGM** | 22.23 | 7/8 |
| **KSEM2300HPGM** | 23 | – |

| HPG • KCPM45 | D1 mm | D1 in |
|---|---|---|
| **KSEM2381HPGM** | 23.81 | 15/16 |
| **KSEM2400HPGM** | 24 | – |
| **KSEM2500HPGM** | 25 | – |
| **KSEM2540HPGM** | 25.4 | 1 |
| **KSEM2560HPGM** | 25.6 | – |
| **KSEM2565HPGM** | 25.65 | – |
| **KSEM2567HPGM** | 25.67 | – |
| **KSEM2581HPGM** | 25.81 | 1.1/64 |
| **KSEM2600HPGM** | 26 | – |
| **KSEM2619HPGM** | 26.19 | 1.1/32 |
| **KSEM2700HPGM** | 27 | – |
| **KSEM2800HPGM** | 28 | – |
| **KSEM2858HPGM** | 28.58 | 1.1/8 |
| **KSEM3000HPGM** | 30 | – |
| **KSEM3016HPGM** | 30.16 | 1.3/16 |
| **KSEM3175HPGM** | 31.75 | 1.1/4 |
| **KSEM3200HPGM** | 32 | – |
| **KSEM3300HPGM** | 33 | – |
| **KSEM3334HPGM** | 33.34 | 1.5/16 |
| **KSEM3600HPGM** | 36 | – |
| **KSEM3810HPGM** | 38.1 | 1.1/2 |
| **KSEM4000HPGM** | 40 | – |

NOTE: HPG (M) tolerances apply

## KSEM PLUS A1 Heads 28–101,60mm • Spare Parts



| D1 mm | D1 in | PDD mm | PDD in | CSMS system size | KSEM insert screw | KSEM wrench | Drill Fix insert screw | Drilll Fix wrench |
|---|---|---|---|---|---|---|---|---|
| 28,00 | 1.102 | 14,00 | .5512 | FDS28 | **364.016** | **170.350** | **192.432** | **170.352** |
| 28,58 | 1.125 | 15,00 | .5906 | FDS28 | **364.016** | **170.350** | **192.432** | **170.352** |
| 29,00 | 1.142 | 15,00 | .5906 | FDS28 | **364.016** | **170.350** | **192.432** | **170.352** |
| 29,36 | 1.156 | 16,00 | .6299 | FDS28 | **364.010** | **170.345** | **192.432** | **170.352** |
| 30,00 | 1.181 | 16,00 | .6299 | FDS28 | **364.010** | **170.345** | **192.432** | **170.352** |
| 30,18 | 1.188 | 17,00 | .6693 | FDS28 | **364.010** | **170.345** | **192.432** | **170.352** |
| 30,96 | 1.219 | 17,00 | .6693 | FDS28 | **364.010** | **170.345** | **192.432** | **170.352** |
| 31,00 | 1.221 | 17,00 | .6693 | FDS28 | **364.010** | **170.345** | **192.432** | **170.352** |
| 31,75 | 1.250 | 15,00 | .5906 | FDS32 | **364.016** | **170.350** | **191.924** | **170.353** |
| 32,00 | 1.260 | 15,00 | .5906 | FDS32 | **364.016** | **170.350** | **191.924** | **170.353** |
| 33,00 | 1.299 | 16,00 | .6299 | FDS32 | **364.010** | **170.345** | **191.924** | **170.353** |
| 33,20 | 1.307 | 16,00 | .6299 | FDS32 | **364.010** | **170.345** | **191.924** | **170.353** |
| 33,35 | 1.313 | 17,00 | .6693 | FDS32 | **364.010** | **170.345** | **191.924** | **170.353** |
| 34,00 | 1.339 | 17,00 | .6693 | FDS32 | **364.010** | **170.345** | **191.924** | **170.353** |
| 34,93 | 1.375 | 18,00 | .7087 | FDS32 | **364.010** | **170.345** | **191.924** | **170.353** |
| 35,00 | 1.378 | 18,00 | .7087 | FDS32 | **364.010** | **170.345** | **191.924** | **170.353** |
| 36,00 | 1.417 | 13,00 | .5118 | FDS36 | **364.016** | **170.350** | **191.916** | **170.355** |
| 36,53 | 1.438 | 14,00 | .5512 | FDS36 | **364.016** | **170.350** | **191.916** | **170.355** |
| 37,00 | 1.457 | 14,00 | .5512 | FDS36 | **364.016** | **170.350** | **191.916** | **170.355** |
| 37,50 | 1.476 | 15,00 | .5906 | FDS36 | **364.016** | **170.350** | **191.916** | **170.355** |
| 38,00 | 1.496 | 15,00 | .5906 | FDS36 | **364.016** | **170.350** | **191.916** | **170.355** |
| 38,10 | 1.500 | 15,00 | .5906 | FDS36 | **364.016** | **170.350** | **191.916** | **170.355** |
| 39,00 | 1.535 | 16,00 | .6299 | FDS36 | **364.010** | **170.345** | **191.916** | **170.355** |
| 39,20 | 1.543 | 16,00 | .6299 | FDS36 | **364.010** | **170.345** | **191.916** | **170.355** |
| 39,70 | 1.563 | 17,00 | .6693 | FDS36 | **364.010** | **170.345** | **191.916** | **170.355** |
| 40,00 | 1.575 | 17,00 | .6693 | FDS40 | **364.010** | **170.345** | **191.916** | **170.355** |
| 41,00 | 1.614 | 18,00 | .7087 | FDS40 | **364.010** | **170.345** | **191.916** | **170.355** |
| 41,28 | 1.625 | 18,00 | .7087 | FDS40 | **364.010** | **170.345** | **191.916** | **170.355** |
| 42,00 | 1.654 | 19,00 | .7480 | FDS40 | **364.010** | **170.345** | **191.916** | **170.355** |
| 43,00 | 1.693 | 20,00 | .7874 | FDS40 | **364.011** | **170.346** | **191.916** | **170.355** |
| 44,00 | 1.732 | 21,00 | .8268 | FDS40 | **364.011** | **170.346** | **191.916** | **170.355** |
| 44,45 | 1.750 | 22,00 | .8661 | FDS40 | **364.011** | **170.346** | **191.916** | **170.355** |

*(continued)*



*(KSEM PLUS A1 Heads 28–101,60mm • Spare Parts continued)*

| D1 mm | D1 in | PDD mm | PDD in | CSMS system size | KSEM insert screw | KSEM wrench | Drill Fix insert screw | Drilll Fix wrench |
|---|---|---|---|---|---|---|---|---|
| 45,00 | 1.772 | 18,00 | .7087 | FDS45 | **364.010** | **170.345** | **191.698** | **170.355** |
| 46,00 | 1.811 | 19,00 | .7480 | FDS45 | **364.010** | **170.345** | **191.698** | **170.355** |
| 47,00 | 1.850 | 20,00 | .7874 | FDS45 | **364.011** | **170.346** | **191.698** | **170.355** |
| 47,63 | 1.875 | 21,00 | .8268 | FDS45 | **364.011** | **170.346** | **191.698** | **170.355** |
| 48,00 | 1.890 | 21,00 | .8268 | FDS45 | **364.011** | **170.346** | **191.698** | **170.355** |
| 49,00 | 1.929 | 22,00 | .8661 | FDS45 | **364.011** | **170.346** | **191.698** | **170.355** |
| 50,00 | 1.969 | 23,00 | .9055 | FDS50 | **364.011** | **170.346** | **191.698** | **170.355** |
| 50,80 | 2.000 | 24,00 | .9449 | FDS50 | **364.011** | **170.346** | **191.698** | **170.355** |
| 51,00 | 2.008 | 24,00 | .9449 | FDS50 | **364.011** | **170.346** | **191.698** | **170.355** |
| 52,00 | 2.047 | 25,00 | .9843 | FDS50 | **364.012** | **170.347** | **191.698** | **170.355** |
| 53,00 | 2.087 | 26,00 | 1.0236 | FDS50 | **364.012** | **170.347** | **191.698** | **170.355** |
| 53,98 | 2.125 | 27,00 | 1.0630 | FDS50 | **364.012** | **170.347** | **191.698** | **170.355** |
| 54,00 | 2.126 | 27,00 | 1.0630 | FDS50 | **364.012** | **170.347** | **191.698** | **170.355** |
| 55,00 | 2.165 | 28,00 | 1.1024 | FDS50 | **364.012** | **170.347** | **191.698** | **170.355** |
| 56,00 | 2.205 | 20,00 | .7874 | FDS56 | **364.011** | **170.346** | **191.726** | **170.356** |
| 57,00 | 2.244 | 21,00 | .8268 | FDS56 | **364.011** | **170.346** | **191.726** | **170.356** |
| 57,15 | 2.250 | 21,00 | .8268 | FDS56 | **364.011** | **170.346** | **191.726** | **170.356** |
| 58,00 | 2.284 | 22,00 | .8661 | FDS56 | **364.011** | **170.346** | **191.726** | **170.356** |
| 59,00 | 2.323 | 23,00 | .9055 | FDS56 | **364.011** | **170.346** | **191.726** | **170.356** |
| 60,00 | 2.362 | 24,00 | .9449 | FDS56 | **364.011** | **170.346** | **191.726** | **170.356** |
| 60,33 | 2.375 | 24,00 | .9449 | FDS56 | **364.011** | **170.346** | **191.726** | **170.356** |
| 61,00 | 2.402 | 25,00 | .9843 | FDS56 | **364.012** | **170.347** | **191.726** | **170.356** |
| 62,00 | 2.441 | 26,00 | 1.0236 | FDS56 | **364.012** | **170.347** | **191.726** | **170.356** |
| 63,00 | 2.480 | 27,00 | 1.0630 | FDS63 | **364.012** | **170.347** | **191.726** | **170.356** |
| 63,50 | 2.500 | 28,00 | 1.1024 | FDS63 | **364.012** | **170.347** | **191.726** | **170.356** |
| 64,00 | 2.520 | 28,00 | 1.1024 | FDS63 | **364.012** | **170.347** | **191.726** | **170.356** |
| 65,00 | 2.559 | 29,00 | 1.1417 | FDS63 | **364.013** | **170.348** | **191.726** | **170.356** |
| 66,00 | 2.598 | 30,00 | 1.1811 | FDS63 | **364.013** | **170.348** | **191.726** | **170.356** |
| 66,68 | 2.625 | 31,00 | 1.2205 | FDS63 | **364.013** | **170.348** | **191.726** | **170.356** |
| 67,00 | 2.638 | 31,00 | 1.2205 | FDS63 | **364.013** | **170.348** | **191.726** | **170.356** |
| 68,00 | 2.677 | 32,00 | 1.2598 | FDS63 | **364.013** | **170.348** | **191.726** | **170.356** |
| 69,00 | 2.717 | 33,00 | 1.2992 | FDS63 | **364.015** | **170.348** | **191.726** | **170.356** |
| 69,85 | 2.750 | 34,00 | 1.3386 | FDS63 | **364.015** | **170.348** | **191.726** | **170.356** |
| 70,00 | 2.756 | 34,00 | 1.3386 | FDS63 | **364.015** | **170.348** | **191.726** | **170.356** |
| 72,00 | 2.835 | 27,00 | 1.0630 | FDS71 | **364.012** | **170.347** | **191.916** | **170.355** |
| 74,00 | 2.913 | 29,00 | 1.1420 | FDS71 | **364.013** | **170.365** | **191.916** | **170.355** |
| 76,00 | 2.992 | 31,00 | 1.2200 | FDS71 | **364.013** | **170.365** | **191.916** | **170.355** |
| 76,20 | 3.000 | 31,00 | 1.2200 | FDS71 | **364.013** | **170.365** | **191.916** | **170.355** |
| 78,00 | 3.071 | 33,00 | 1.2990 | FDS71 | **364.015** | **170.365** | **191.916** | **170.355** |
| 80,00 | 3.150 | 31,00 | 1.2200 | FDS80 | **364.013** | **170.365** | **191.916** | **170.355** |
| 82,00 | 3.228 | 33,00 | 1.2992 | FDS80 | **364.015** | **170.365** | **191.916** | **170.355** |
| 82,55 | 3.250 | 34,00 | 1.3386 | FDS80 | **364.015** | **170.365** | **191.916** | **170.355** |
| 84,00 | 3.307 | 35,00 | 1.3780 | FDS80 | **364.015** | **170.365** | **191.916** | **170.355** |
| 86,00 | 3.386 | 37,00 | 1.4567 | FDS80 | **364.015** | **170.365** | **191.916** | **170.355** |
| 88,00 | 3.465 | 39,00 | 1.5354 | FDS80 | **364.015** | **170.365** | **191.916** | **170.355** |
| 88,90 | 3.500 | 40,00 | 1.5748 | FDS80 | **364.015** | **170.365** | **191.916** | **170.355** |
| 90,00 | 3.543 | 37,00 | 1.4567 | FDS90 | **364.015** | **170.365** | **191.916** | **170.355** |
| 92,00 | 3.622 | 39,00 | 1.5354 | FDS90 | **364.015** | **170.365** | **191.916** | **170.355** |
| 94,00 | 3.701 | 26,00 | 1.0236 | FDS90 | **364.012** | **170.347** | **191.916** | **170.355** |
| 95,25 | 3.750 | 27,00 | 1.0630 | FDS90 | **364.012** | **170.347** | **191.916** | **170.355** |
| 96,00 | 3.780 | 28,00 | 1.1024 | FDS90 | **364.012** | **170.347** | **191.916** | **170.355** |
| 98,00 | 3.858 | 30,00 | 1.1811 | FDS90 | **364.013** | **170.365** | **191.916** | **170.355** |
| 101,60 | 4.000 | 34,00 | 1.3390 | FDS90 | **364.015** | **170.365** | **191.916** | **170.355** |

NOTE: Find complete KSEM PLUS™ A1 product overview on pages B8–B9.

## KSEM PLUS B1 Heads 28–101,60mm • Spare Parts

| D1 mm | D1 in | KSEM B1 Head order number | KSEM insert screw | Torx wrench | DFC insert screw | Torx wrench | DPA guiding pad screw | Torx wrench | shim pack |
|---|---|---|---|---|---|---|---|---|---|
| 28,00 | 1.102 | 5115736 | 364.016 | 170.350 | 192.432 | 170.352 | 192.432 | 170.352 | 193.554 |
| 28,58 | 1.125 | 5115737 | 364.016 | 170.350 | 192.432 | 170.352 | 192.432 | 170.352 | 193.554 |
| 29,00 | 1.142 | 5115738 | 364.016 | 170.350 | 192.432 | 170.352 | 192.432 | 170.352 | 193.554 |
| 29,36 | 1.156 | 5115739 | 364.010 | 170.345 | 192.432 | 170.352 | 192.432 | 170.352 | 193.554 |
| 30,00 | 1.181 | 5116010 | 364.010 | 170.345 | 192.432 | 170.352 | 192.432 | 170.352 | 193.554 |
| 30,18 | 1.188 | 5116011 | 364.010 | 170.345 | 192.432 | 170.352 | 192.432 | 170.352 | 193.554 |
| 30,96 | 1.219 | 5116012 | 364.010 | 170.345 | 192.432 | 170.352 | 192.432 | 170.352 | 193.554 |
| 31,00 | 1.220 | 5116013 | 364.010 | 170.345 | 192.432 | 170.352 | 192.432 | 170.352 | 193.554 |
| 31,75 | 1.250 | 5116014 | 364.016 | 170.350 | 191.924 | 170.353 | 191.924 | 170.353 | 193.555 |
| 32,00 | 1.260 | 5116015 | 364.016 | 170.350 | 191.924 | 170.353 | 191.924 | 170.353 | 193.555 |
| 33,00 | 1.299 | 5116016 | 364.010 | 170.345 | 191.924 | 170.353 | 191.924 | 170.353 | 193.555 |
| 33,20 | 1.307 | 5116017 | 364.010 | 170.345 | 191.924 | 170.353 | 191.924 | 170.353 | 193.555 |
| 33,35 | 1.313 | 5116018 | 364.010 | 170.345 | 191.924 | 170.353 | 191.924 | 170.353 | 193.555 |
| 34,00 | 1.339 | 5116019 | 364.010 | 170.345 | 191.924 | 170.353 | 191.924 | 170.353 | 193.555 |
| 34,93 | 1.375 | 5116030 | 364.010 | 170.345 | 191.924 | 170.353 | 191.924 | 170.353 | 193.555 |
| 35,00 | 1.378 | 5116031 | 364.010 | 170.345 | 191.924 | 170.353 | 191.924 | 170.353 | 193.555 |
| 36,00 | 1.417 | 5116032 | 364.016 | 170.350 | 191.916 | 170.355 | 191.924 | 170.353 | 193.555 |
| 36,53 | 1.438 | 5116033 | 364.016 | 170.350 | 191.916 | 170.355 | 191.924 | 170.353 | 193.555 |
| 37,00 | 1.457 | 5116034 | 364.016 | 170.350 | 191.916 | 170.355 | 191.924 | 170.353 | 193.555 |
| 37,50 | 1.476 | 5116035 | 364.016 | 170.350 | 191.916 | 170.355 | 191.924 | 170.353 | 193.555 |
| 38,00 | 1.496 | 5116036 | 364.016 | 170.350 | 191.916 | 170.355 | 191.924 | 170.353 | 193.555 |
| 38,10 | 1.500 | 5116037 | 364.016 | 170.350 | 191.916 | 170.355 | 191.924 | 170.353 | 193.555 |
| 39,00 | 1.535 | 5116038 | 364.010 | 170.345 | 191.916 | 170.355 | 191.924 | 170.353 | 193.555 |
| 39,20 | 1.543 | 5116039 | 364.010 | 170.345 | 191.916 | 170.355 | 191.924 | 170.353 | 193.555 |
| 39,70 | 1.563 | 5116040 | 364.010 | 170.345 | 191.916 | 170.355 | 191.924 | 170.353 | 193.555 |
| 40,00 | 1.575 | 5116041 | 364.010 | 170.345 | 191.916 | 170.355 | 191.924 | 170.353 | 193.555 |
| 41,00 | 1.614 | 5116042 | 364.010 | 170.345 | 191.916 | 170.355 | 191.924 | 170.353 | 193.555 |
| 41,28 | 1.625 | 5116043 | 364.010 | 170.345 | 191.916 | 170.355 | 191.924 | 170.353 | 193.555 |
| 42,00 | 1.654 | 5116044 | 364.010 | 170.345 | 191.916 | 170.355 | 191.924 | 170.353 | 193.555 |
| 43,00 | 1.693 | 5116045 | 364.011 | 170.346 | 191.916 | 170.355 | 191.924 | 170.353 | 193.555 |
| 44,00 | 1.732 | 5116046 | 364.011 | 170.346 | 191.916 | 170.355 | 191.924 | 170.353 | 193.555 |
| 44,45 | 1.750 | 5116047 | 364.011 | 170.346 | 191.916 | 170.355 | 191.924 | 170.353 | 193.555 |

*(continued)*



*(KSEM PLUS B1 Heads 28–101,60mm continued)*

| D1 mm | D1 in | KSEM B1 Head order number | KSEM insert screw | Torx wrench | DFC insert screw | Torx wrench | DPA guiding pad screw | Torx wrench | shim pack |
|---|---|---|---|---|---|---|---|---|---|
| 45,00 | 1.772 | **5116098** | **364.010** | **170.345** | **191.916** | **170.355** | **191.924** | **170.353** | **193.555** |
| 46,00 | 1.811 | **5116099** | **364.010** | **170.345** | **191.916** | **170.355** | **191.924** | **170.353** | **193.555** |
| 47,00 | 1.850 | **5116110** | **364.011** | **170.346** | **191.916** | **170.355** | **191.924** | **170.353** | **193.555** |
| 47,63 | 1.875 | **5116111** | **364.011** | **170.346** | **191.916** | **170.355** | **191.924** | **170.353** | **193.555** |
| 48,00 | 1.890 | **5116112** | **364.011** | **170.346** | **191.916** | **170.355** | **191.924** | **170.353** | **193.555** |
| 49,00 | 1.929 | **5116113** | **364.011** | **170.346** | **191.916** | **170.355** | **191.924** | **170.353** | **193.555** |
| 50,00 | 1.969 | **5116114** | **364.011** | **170.346** | **191.916** | **170.355** | **191.916** | **170.355** | **193.556** |
| 50,80 | 2.000 | **5116115** | **364.011** | **170.346** | **191.916** | **170.355** | **191.916** | **170.355** | **193.556** |
| 51,00 | 2.008 | **5116116** | **364.011** | **170.346** | **191.916** | **170.355** | **191.916** | **170.355** | **193.556** |
| 52,00 | 2.047 | **5116117** | **364.012** | **170.347** | **191.916** | **170.355** | **191.916** | **170.355** | **193.556** |
| 53,00 | 2.087 | **5116118** | **364.012** | **170.347** | **191.916** | **170.355** | **191.916** | **170.355** | **193.556** |
| 53,98 | 2.125 | **5116119** | **364.012** | **170.347** | **191.916** | **170.355** | **191.916** | **170.355** | **193.556** |
| 54,00 | 2.126 | **5116120** | **364.012** | **170.347** | **191.916** | **170.355** | **191.916** | **170.355** | **193.556** |
| 55,00 | 2.165 | **5116121** | **364.012** | **170.347** | **191.916** | **170.355** | **191.916** | **170.355** | **193.556** |
| 56,00 | 2.205 | **5116122** | **364.011** | **170.346** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 57,00 | 2.244 | **5116123** | **364.011** | **170.346** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 57,15 | 2.250 | **5116124** | **364.011** | **170.346** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 58,00 | 2.283 | **5116125** | **364.011** | **170.346** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 59,00 | 2.323 | **5116126** | **364.011** | **170.346** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 60,00 | 2.362 | **5116127** | **364.011** | **170.346** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 60,33 | 2.375 | **5116128** | **364.011** | **170.346** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 61,00 | 2.402 | **5116129** | **364.012** | **170.347** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 62,00 | 2.441 | **5116130** | **364.012** | **170.347** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 63,00 | 2.480 | **5116131** | **364.012** | **170.347** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 63,50 | 2.500 | **5116132** | **364.012** | **170.347** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 64,00 | 2.520 | **5116133** | **364.012** | **170.347** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 65,00 | 2.559 | **5116134** | **364.013** | **170.348** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 66,00 | 2.598 | **5116135** | **364.013** | **170.348** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 66,68 | 2.625 | **5116136** | **364.013** | **170.348** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 67,00 | 2.638 | **5116137** | **364.013** | **170.348** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 68,00 | 2.677 | **5116138** | **364.013** | **170.348** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 69,00 | 2.717 | **5116139** | **364.015** | **170.348** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 69,85 | 2.750 | **5116140** | **364.015** | **170.348** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 70,00 | 2.756 | **5116141** | **364.015** | **170.348** | **191.726** | **170.356** | **191.916** | **170.355** | **193.556** |
| 76,20 | 3.000 | **5397562** | **364.013** | **170.365** | **191.916** | **170.355** | **191.916** | **170.356** | **193.556** |
| 82,55 | 3.250 | **5397563** | **364.015** | **170.355** | **191.916** | **170.355** | **191.916** | **170.356** | **193.556** |
| 88,90 | 3.500 | **5397564** | **364.015** | **170.355** | **191.916** | **170.355** | **191.916** | **170.356** | **193.556** |
| 95,25 | 3.750 | **5397565** | **364.012** | **170.347** | **191.916** | **170.355** | **191.916** | **170.356** | **193.556** |
| 101,60 | 4.000 | **5397566** | **364.015** | **170.365** | **191.916** | **170.355** | **191.916** | **170.356** | **193.556** |

NOTE: When one screw is listed, it is for both insert and guiding pad. When two screws are listed, the first one is for the insert screw, and the second one is for the guiding pad.
Find complete KSEM PLUS™ B1 product overview on pages B24–B25.

Holemaking

## Modular Drill • KSEM PLUS™ • Metric • A1 and B1 Style

| Material Group | | Condition | Cutting Speed — vc Range — m/min | | | Metric Recommended Feed Rate (f) by Diameter | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | min | Starting Value | max | | KSEM 14....17 DFR04... 28,00 - 31,74 | KSEM 15....18 DFT05.. 31,75 - 35,99 | KSEM 13....22 DFT06... 36,00 - 44,99 | KSEM 18....28 DFT07... 45,00 - 55,99 | KSEM 20....34 DFT09... 56,00 - 70,00 | KSEM 26....40 DFx06.../DFx07 70,36 - 102,35 |
| P | 2 | S | 90 | 190 | 230 | mm/r | 0,160 - 0,280 | 0,160 - 0,280 | 0,200 - 0,360 | 0,200 - 0,400 | 0,200 - 0,400 | 0,200 - 0,400 |
| | | U | 71 | 130 | 170 | mm/r | 0,160 - 0,280 | 0,160 - 0,280 | 0,200 - 0,360 | 0,200 - 0,400 | 0,200 - 0,400 | 0,200 - 0,400 |
| | | I | 50 | 80 | 110 | mm/r | 0,160 - 0,280 | 0,160 - 0,280 | 0,200 - 0,320 | 0,200 - 0,400 | 0,200 - 0,400 | 0,200 - 0,400 |
| | 3 | S | 90 | 180 | 230 | mm/r | 0,160 - 0,280 | 0,160 - 0,280 | 0,200 - 0,320 | 0,200 - 0,400 | 0,200 - 0,400 | 0,200 - 0,400 |
| | | U | 70 | 120 | 170 | mm/r | 0,160 - 0,280 | 0,160 - 0,280 | 0,200 - 0,320 | 0,200 - 0,400 | 0,200 - 0,400 | 0,200 - 0,400 |
| | | I | 50 | 70 | 106 | mm/r | 0,160 - 0,280 | 0,160 - 0,280 | 0,200 - 0,320 | 0,200 - 0,400 | 0,200 - 0,400 | 0,200 - 0,400 |
| | 4 | S | 90 | 140 | 220 | mm/r | 0,160 - 0,280 | 0,160 - 0,280 | 0,200 - 0,320 | 0,200 - 0,400 | 0,200 - 0,400 | 0,200 - 0,400 |
| | | U | 70 | 110 | 160 | mm/r | 0,160 - 0,280 | 0,160 - 0,280 | 0,200 - 0,320 | 0,200 - 0,400 | 0,200 - 0,400 | 0,200 - 0,400 |
| | | I | 50 | 80 | 110 | mm/r | 0,160 - 0,280 | 0,160 - 0,280 | 0,200 - 0,320 | 0,200 - 0,400 | 0,200 - 0,400 | 0,200 - 0,400 |
| | 5 | S | 90 | 130 | 210 | mm/r | 0,160 - 0,280 | 0,160 - 0,280 | 0,200 - 0,320 | 0,200 - 0,400 | 0,200 - 0,400 | 0,200 - 0,400 |
| | | U | 70 | 100 | 150 | mm/r | 0,160 - 0,280 | 0,160 - 0,280 | 0,200 - 0,320 | 0,200 - 0,400 | 0,200 - 0,400 | 0,200 - 0,400 |
| | | I | 50 | 70 | 100 | mm/r | 0,160 - 0,280 | 0,160 - 0,280 | 0,200 - 0,320 | 0,200 - 0,400 | 0,200 - 0,400 | 0,200 - 0,400 |
| | 6 | S | 70 | 90 | 180 | mm/r | 0,160 - 0,280 | 0,160 - 0,280 | 0,200 - 0,320 | 0,200 - 0,400 | 0,200 - 0,400 | 0,200 - 0,400 |
| | | U | 50 | 75 | 120 | mm/r | 0,160 - 0,280 | 0,160 - 0,280 | 0,200 - 0,320 | 0,200 - 0,400 | 0,200 - 0,400 | 0,200 - 0,400 |
| | | I | 40 | 60 | 100 | mm/r | 0,160 - 0,280 | 0,160 - 0,280 | 0,200 - 0,320 | 0,200 - 0,400 | 0,200 - 0,400 | 0,200 - 0,400 |
| M | 1 | S | 60 | 110 | 135 | mm/r | 0,130 - 0,250 | 0,130 - 0,250 | 0,160 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | | U | 40 | 70 | 90 | mm/r | 0,130 - 0,250 | 0,130 - 0,250 | 0,160 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | | I | 30 | 50 | 65 | mm/r | 0,130 - 0,250 | 0,130 - 0,250 | 0,160 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | 2 | S | 60 | 100 | 135 | mm/r | 0,130 - 0,250 | 0,130 - 0,250 | 0,160 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | | U | 40 | 60 | 90 | mm/r | 0,130 - 0,250 | 0,130 - 0,250 | 0,160 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | | I | 30 | 50 | 65 | mm/r | 0,130 - 0,250 | 0,130 - 0,250 | 0,160 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | 3 | S | 50 | 90 | 135 | mm/r | 0,130 - 0,250 | 0,130 - 0,250 | 0,160 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | | U | 40 | 60 | 90 | mm/r | 0,130 - 0,250 | 0,130 - 0,250 | 0,160 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | | I | 25 | 40 | 65 | mm/r | 0,130 - 0,250 | 0,130 - 0,250 | 0,160 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| K | 1 | S | 90 | 170 | 230 | mm/r | 0,180 - 0,300 | 0,180 - 0,300 | 0,216 - 0,360 | 0,240 - 0,420 | 0,240 - 0,420 | 0,240 - 0,420 |
| | | U | 60 | 120 | 160 | mm/r | 0,180 - 0,300 | 0,180 - 0,300 | 0,216 - 0,360 | 0,240 - 0,420 | 0,240 - 0,420 | 0,240 - 0,420 |
| | | I | 40 | 70 | 90 | mm/r | 0,180 - 0,300 | 0,180 - 0,300 | 0,216 - 0,360 | 0,240 - 0,420 | 0,240 - 0,420 | 0,240 - 0,420 |
| | 2 | S | 90 | 160 | 220 | mm/r | 0,180 - 0,300 | 0,180 - 0,300 | 0,216 - 0,360 | 0,240 - 0,420 | 0,240 - 0,420 | 0,240 - 0,420 |
| | | U | 60 | 110 | 160 | mm/r | 0,180 - 0,300 | 0,180 - 0,300 | 0,216 - 0,360 | 0,240 - 0,420 | 0,240 - 0,420 | 0,240 - 0,420 |
| | | I | 40 | 70 | 100 | mm/r | 0,180 - 0,300 | 0,180 - 0,300 | 0,216 - 0,360 | 0,240 - 0,420 | 0,240 - 0,420 | 0,240 - 0,420 |
| | 3 | S | 90 | 150 | 210 | mm/r | 0,180 - 0,300 | 0,180 - 0,300 | 0,216 - 0,360 | 0,240 - 0,420 | 0,240 - 0,420 | 0,240 - 0,420 |
| | | U | 60 | 100 | 150 | mm/r | 0,180 - 0,300 | 0,180 - 0,300 | 0,216 - 0,360 | 0,240 - 0,420 | 0,240 - 0,420 | 0,240 - 0,420 |
| | | I | 35 | 60 | 90 | mm/r | 0,180 - 0,300 | 0,180 - 0,300 | 0,216 - 0,360 | 0,240 - 0,420 | 0,240 - 0,420 | 0,240 - 0,420 |
| N | 1 | S | 150 | 240 | 360 | mm/r | 0,120 - 0,200 | 0,120 - 0,200 | 0,144 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | | U | 100 | 160 | 240 | mm/r | 0,120 - 0,200 | 0,120 - 0,200 | 0,144 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | | I | 60 | 100 | 160 | mm/r | 0,120 - 0,200 | 0,120 - 0,200 | 0,144 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | 2 | S | 150 | 220 | 360 | mm/r | 0,120 - 0,200 | 0,120 - 0,200 | 0,144 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | | U | 100 | 150 | 240 | mm/r | 0,120 - 0,200 | 0,120 - 0,200 | 0,144 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | | I | 60 | 100 | 160 | mm/r | 0,120 - 0,200 | 0,120 - 0,200 | 0,144 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | 3 | S | 150 | 200 | 360 | mm/r | 0,120 - 0,200 | 0,120 - 0,200 | 0,144 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | | U | 100 | 140 | 240 | mm/r | 0,120 - 0,200 | 0,120 - 0,200 | 0,144 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | | I | 60 | 90 | 160 | mm/r | 0,120 - 0,200 | 0,120 - 0,200 | 0,144 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | 4 | S | 110 | 220 | 260 | mm/r | 0,120 - 0,200 | 0,120 - 0,200 | 0,144 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | | U | 70 | 140 | 170 | mm/r | 0,120 - 0,200 | 0,120 - 0,200 | 0,144 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | | I | 45 | 90 | 110 | mm/r | 0,120 - 0,200 | 0,120 - 0,200 | 0,144 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | 5 | S | 150 | 200 | 360 | mm/r | 0,120 - 0,200 | 0,120 - 0,200 | 0,144 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | | U | 100 | 140 | 240 | mm/r | 0,120 - 0,200 | 0,120 - 0,200 | 0,144 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | | I | 60 | 90 | 160 | mm/r | 0,120 - 0,200 | 0,120 - 0,200 | 0,144 - 0,280 | 0,160 - 0,320 | 0,160 - 0,320 | 0,160 - 0,320 |
| | 6 | S | 250 | 400 | 600 | mm/r | 0,160 - 0,280 | 0,160 - 0,280 | 0,200 - 0,320 | 0,200 - 0,400 | 0,200 - 0,400 | 0,200 - 0,400 |
| | | U | 200 | 300 | 400 | mm/r | 0,160 - 0,280 | 0,160 - 0,280 | 0,200 - 0,320 | 0,200 - 0,400 | 0,200 - 0,400 | 0,200 - 0,400 |
| | | I | 150 | 200 | 300 | mm/r | 0,160 - 0,280 | 0,160 - 0,280 | 0,200 - 0,320 | 0,200 - 0,400 | 0,200 - 0,400 | 0,200 - 0,400 |

## Insert Recommendation

| Material Group | Outboard / Inboard | Insert Style | Grade |
|---|---|---|---|
| P | O | DFR-GD | KCU25, KCU40 |
| | | DFC-/DFT-HP | |
| | I | KSEMP-HPG | KC7315 |
| M | O | DFR-MD | KC7140 |
| | | DFC-/DFT-MD | |
| | I | KSEMP-HPG | KC7315 |
| K | O | DFR-LD | KCU25 |
| | | DFC/DFT-HP | |
| | I | KSEM-HPCCL | KC7410 |
| N | O | DFR-GD | KC7225 |
| | | DFC/DFT-HP | KCU40 |
| | I | KSEMP-HPG | KC7315 |

| Application | Workpiece Shape | A1 Head | B1 Head |
|---|---|---|---|
| Flat Face | | ✓ | ✓ |
| Cored Hole | | ✗ | ✓ |
| Stacked Plates | | ✗ | ✓ |
| Angled Exit (exit only!) | | ✓ <3° | ✓ max 15° |
| Angled Entrance | | ✓ <3° | ✓ <3° |
| Cross Holes | | ✗ | ✓ max 50% of D1 |

## KSEM PLUS Customised Solution Capabilities:

- Intermediate head Ø.
- Custom head to use reground KSEM™ inserts.
- Heads for cross holes Ø = d1.



(example)

- Customised shank: KM, HSK, VDI, ISO taper, etc.
- Customised flute helix.
- Step drill.

(example)

- Drill body up to L1 = 20 x D and total length of 1250mm.

## Mounting DPA Guiding Pads on B1 Heads

**All B1 heads are delivered with preset guiding pads.**

Measure radial undersize “A” of pad to cutting edge for both sides and adjust using shim set that comes with each head.

NOTE: For best results with slanted exits and in cross hole drilling, we recommend guiding pads adjustment results in an undersize of A = 30 µm (edge of guiding pads to cutting edges).

## Coolant Recommendations



Internal coolant is recommended for optimum chip flow and tool life.

## KSEM PLUS Piloting Insert SHOULD NOT Be Reground:




Only new KSEM PLUS inserts will provide consistency and process security on a KSEM PLUS modular drill system. If you want to regrind, refer to our custom solution A1 and B1 heads.

NOTE: Reground KSEM PLUS inserts can be used in KSEM™ drills.

## Piloting Instructions:




1. KSEM….PCM
   Pilot drill Ø equal KSEMP Ø PDD
2. Drill 1mm deep from full diameter

# RMB-E™ and RHM-E™ Expandable Reamers • The Expandable Reaming System

## Primary Application

The new Kennametal Expandable Reamers feature an elastic behaviour over the entire range (48 microns for each diameter). With a complete linear expansion rate of 2 microns per 30° twisting the expansion screw, the new Expandable Reamers can be positioned in the machining centre without measurement devices.

# Features and Benefits

### Versatility and Productivity

- Use with SIF steerable chucks for KST toolholders for easy compensation of radial runout and angular inaccuracies.
- Achieve the greatest possible hole straightness and surface quality.
- Tools are preadjusted to hit IT6 tolerance.

### Increased Tool Life

- Up to 4 times the tool life of non-expandable reamers due to compensation of the loss of diameter due to wear.
- Longer tool life at smaller tolerances.

### Customisation

- Diameters up to 42mm available with helical and straight flutes in 0,001mm increments.

- For hole tolerance H6.
- Intermediate sizes available.
- Allen expansion screw.










## RMB-E • Straight Flutes and Internal Coolant







● first choice
○ alternate choice

| KC6005 | KC6305 | D1 mm | D | L | L4 mm | L10 | LS | Z |
|---|---|---|---|---|---|---|---|---|
| RMBE14000H6SF | RMBE14000H6SF | 14,00 | 16,00 | 131,5 | 72,5 | 8,0 | 49,0 | 6 |
| RMBE15000H6SF | RMBE15000H6SF | 15,00 | 16,00 | 136,5 | 77,5 | 8,0 | 49,0 | 6 |
| RMBE16000H6SF | RMBE16000H6SF | 16,00 | 20,00 | 143,5 | 82,5 | 8,0 | 54,4 | 6 |
| RMBE17000H6SF | RMBE17000H6SF | 17,00 | 20,00 | 148,5 | 87,5 | 8,0 | 51,0 | 6 |
| RMBE18000H6SF | RMBE18000H6SF | 18,00 | 20,00 | 153,5 | 92,5 | 8,0 | 51,0 | 6 |
| RMBE19000H6SF | RMBE19000H6SF | 19,00 | 20,00 | 158,5 | 97,5 | 8,0 | 51,0 | 6 |
| RMBE20000H6SF | RMBE20000H6SF | 20,00 | 25,00 | 169,8 | 102,5 | 8,0 | 57,0 | 6 |

NOTE: Uncoated carbide grade K605™ and uncoated cermet grade KT325™ are available on request.

## Dimensions for Engineered-Solution Reamers

| D1 min mm | D1 max mm | D mm | L mm | L4 mm | L10 mm | LS mm | Z |
|---|---|---|---|---|---|---|---|
| 14,00 | 15,99 | 16,00 | 145 | 97 | 9 | 48 | 6 |
| 16,00 | 17,99 | 20,00 | 157 | 107 | 9 | 50 | 6 |
| 18,00 | 19,99 | 20,00 | 171 | 121 | 9 | 50 | 6 |
| 20,00 | 21,99 | 20,00 | 200 | 150 | 9 | 50 | 6 |
| 22,00 | 25,99 | 20,00 | 210 | 160 | 11 | 50 | 6 |
| 26,00 | 29,99 | 25,00 | 240 | 184 | 11 | 56 | 8 |
| 30,00 | 32,00 | 25,00 | 270 | 214 | 11 | 56 | 8 |

NOTE: The above dimensions are used when ordering engineered-solution reamers on this page unless otherwise specified.

- For hole tolerance H6.
- Intermediate sizes available.
- Allen expansion screw.







## RMB-E • Helical Flutes and Internal Coolant







● first choice
○ alternate choice

| KC6005 | KC6305 | D1 mm | D | L | L4 mm | L10 | LS | Z |
|---|---|---|---|---|---|---|---|---|
| RMBE14000H6HF | RMBE14000H6HF | 14,00 | 16,00 | 131,5 | 72,5 | 7,6 | 49,0 | 6 |
| RMBE15000H6HF | RMBE15000H6HF | 15,00 | 16,00 | 136,5 | 77,5 | 7,6 | 49,0 | 6 |
| RMBE16000H6HF | RMBE16000H6HF | 16,00 | 20,00 | 143,5 | 82,5 | 7,6 | 51,0 | 6 |
| RMBE17000H6HF | RMBE17000H6HF | 17,00 | 20,00 | 148,5 | 87,5 | 7,6 | 51,0 | 6 |
| RMBE18000H6HF | RMBE18000H6HF | 18,00 | 20,00 | 153,5 | 92,5 | 7,6 | 51,0 | 6 |
| RMBE19000H6HF | RMBE19000H6HF | 19,00 | 20,00 | 158,5 | 97,5 | 7,6 | 51,0 | 6 |
| RMBE20000H6HF | RMBE20000H6HF | 20,00 | 25,00 | 169,8 | 102,5 | 7,6 | 57,0 | 6 |

NOTE: Uncoated carbide grade K605™ is available on request.

## Dimensions for Engineered-Solution Reamers

| D1 min mm | D1 max mm | D mm | L mm | L4 mm | L10 mm | LS mm | Z |
|---|---|---|---|---|---|---|---|
| 14,00 | 15,99 | 16,00 | 145 | 97 | 9 | 48 | 6 |
| 16,00 | 17,99 | 20,00 | 157 | 107 | 9 | 50 | 6 |
| 18,00 | 19,99 | 20,00 | 171 | 121 | 9 | 50 | 6 |
| 20,00 | 21,99 | 20,00 | 200 | 150 | 9 | 50 | 6 |
| 22,00 | 25,99 | 20,00 | 210 | 160 | 11 | 50 | 6 |
| 26,00 | 29,99 | 25,00 | 240 | 184 | 11 | 56 | 8 |
| 30,00 | 32,00 | 25,00 | 270 | 214 | 11 | 56 | 8 |

NOTE: The above dimensions are used when ordering engineered-solution reamers on this page unless otherwise specified.

Holemaking

## RMB-E™ • Metric

| Material Group | | KT325 Cutting Speed — vc Range — m/min | | | KT6215 Cutting Speed — vc Range — m/min | | | K605 Cutting Speed — vc Range — m/min | | | KC6005 Cutting Speed — vc Range — m/min | | | KC6305 Cutting Speed — vc Range — m/min | | | Metric Recommended Feed Rate per Tooth | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | | | | Tool Diameter (mm) | 14,00–19,99 | | 20,00–32,00 | |
| | | min | Starting Value | max | min | Starting Value | max | min | Starting Value | max | min | Starting Value | max | min | Starting Value | max | Feed/ Tooth | min | max | min | max |
| P | 1 | 150 | **180** | 210 | 180 | **210** | 240 | 40 | **60** | 70 | 90 | **120** | 155 | 90 | **120** | 155 | mm/z | 0,10 | 0,22 | 0,10 | 0,25 |
| | 2 | 150 | **180** | 210 | 180 | **210** | 240 | 40 | **60** | 70 | 90 | **120** | 155 | 90 | **120** | 155 | mm/z | 0,10 | 0,22 | 0,10 | 0,25 |
| | 3 | 130 | **160** | 180 | 150 | **180** | 210 | 30 | **40** | 50 | 75 | **100** | 130 | 75 | **100** | 130 | mm/z | 0,10 | 0,22 | 0,10 | 0,25 |
| | 4 | 100 | **130** | 150 | 120 | **150** | 170 | 25 | **40** | 45 | 50 | **80** | 105 | 50 | **80** | 105 | mm/z | 0,10 | 0,22 | 0,10 | 0,25 |
| | 5 | 80 | **100** | 120 | 100 | **130** | 150 | 10 | **20** | 30 | 30 | **40** | 55 | 30 | **40** | 55 | mm/z | 0,08 | 0,2 | 0,08 | 0,22 |
| | 6 | 80 | **100** | 120 | 100 | **130** | 150 | 10 | **20** | 30 | 30 | **40** | 55 | 30 | **40** | 55 | mm/z | 0,08 | 0,2 | 0,08 | 0,22 |
| M | 1 | – | **–** | – | – | **–** | – | 8 | **10** | 15 | – | **–** | – | 15 | **20** | 28 | mm/z | 0,08 | 0,18 | 0,08 | 0,2 |
| | 2 | – | **–** | – | – | **–** | – | 8 | **10** | 15 | – | **–** | – | 15 | **20** | 28 | mm/z | 0,08 | 0,18 | 0,08 | 0,2 |
| | 3 | – | **–** | – | – | **–** | – | 8 | **10** | 15 | – | **–** | – | 15 | **20** | 28 | mm/z | 0,08 | 0,18 | 0,08 | 0,2 |
| K | 1 | 150 | **180** | 200 | 180 | **210** | 240 | 30 | **50** | 60 | 80 | **110** | 130 | 80 | **110** | 130 | mm/z | 0,10 | 0,22 | 0,10 | 0,25 |
| | 2 | 130 | **160** | 180 | 150 | **180** | 210 | 25 | **40** | 45 | 65 | **90** | 110 | 65 | **90** | 110 | mm/z | 0,10 | 0,22 | 0,10 | 0,25 |
| | 3 | 100 | **130** | 160 | 120 | **150** | 170 | 20 | **30** | 40 | 50 | **70** | 90 | 50 | **70** | 90 | mm/z | 0,10 | 0,2 | 0,10 | 0,22 |
| N | 1 | – | **–** | – | – | **–** | – | 110 | **150** | 195 | – | **–** | – | – | **–** | – | mm/z | 0,10 | 0,30 | 0,10 | 0,30 |
| | 2 | – | **–** | – | – | **–** | – | 110 | **150** | 195 | – | **–** | – | – | **–** | – | mm/z | 0,10 | 0,30 | 0,10 | 0,30 |
| | 3 | – | **–** | – | – | **–** | – | 110 | **150** | 195 | – | **–** | – | – | **–** | – | mm/z | 0,10 | 0,30 | 0,10 | 0,30 |
| | 4 | – | **–** | – | – | **–** | – | 110 | **150** | 195 | – | **–** | – | – | **–** | – | mm/z | 0,10 | 0,30 | 0,10 | 0,30 |
| | 5 | – | **–** | – | – | **–** | – | 105 | **140** | 180 | – | **–** | – | – | **–** | – | mm/z | 0,10 | 0,30 | 0,10 | 0,30 |
| S | 1 | – | **–** | – | – | **–** | – | 8 | **10** | 15 | – | **–** | – | 15 | **20** | 28 | mm/z | 0,10 | 0,18 | 0,10 | 0,20 |
| | 2 | – | **–** | – | – | **–** | – | 8 | **10** | 15 | – | **–** | – | 15 | **20** | 28 | mm/z | 0,10 | 0,18 | 0,10 | 0,20 |
| | 3 | – | **–** | – | – | **–** | – | 15 | **20** | 30 | – | **–** | – | 20 | **30** | 40 | mm/z | 0,10 | 0,20 | 0,10 | 0,20 |
| | 4 | – | **–** | – | – | **–** | – | 15 | **20** | 30 | – | **–** | – | 20 | **30** | 40 | mm/z | 0,10 | 0,20 | 0,10 | 0,20 |

- For hole tolerance H6.
- Intermediate sizes available.
- Screw for axial use or pull stud comes with holder.
- Allen expansion screw.



## RHM-E • Straight Flutes and Internal Coolant







● first choice
○ alternate choice

| KC6005 | KC6305 | CSMS system size | D1 mm | L1 mm | Z |
|---|---|---|---|---|---|
| RHME14000KST115H6SF | RHME14000KST115H6SF | KST115 | 14,00 | 25,00 | 6 |
| RHME14288KST115H6SF | RHME14288KST115H6SF | KST115 | 14,29 | 25,00 | 6 |
| RHME15000KST115H6SF | RHME15000KST115H6SF | KST115 | 15,00 | 25,00 | 6 |
| RHME16000KST135H6SF | RHME16000KST135H6SF | KST135 | 16,00 | 25,00 | 6 |
| RHME17000KST135H6SF | RHME17000KST135H6SF | KST135 | 17,00 | 25,00 | 6 |
| RHME17463KST135H6SF | RHME17463KST135H6SF | KST135 | 17,46 | 25,00 | 6 |
| RHME18000KST155H6SF | RHME18000KST155H6SF | KST155 | 18,00 | 25,00 | 6 |
| RHME19000KST155H6SF | RHME19000KST155H6SF | KST155 | 19,00 | 25,00 | 6 |
| RHME19050KST155H6SF | RHME19050KST155H6SF | KST155 | 19,05 | 25,00 | 6 |
| RHME20000KST175H6SF | RHME20000KST175H6SF | KST175 | 20,00 | 25,00 | 6 |
| RHME21000KST175H6SF | RHME21000KST175H6SF | KST175 | 21,00 | 25,00 | 6 |
| RHME22000KST175H6SF | RHME22000KST175H6SF | KST175 | 22,00 | 25,00 | 6 |
| RHME22225KST175H6SF | RHME22225KST175H6SF | KST175 | 22,22 | 25,00 | 6 |
| RHME23000KST200H6SF | RHME23000KST200H6SF | KST200 | 23,00 | 25,00 | 6 |
| RHME23813KST200H6SF | RHME23813KST200H6SF | KST200 | 23,81 | 25,00 | 6 |
| RHME24000KST200H6SF | RHME24000KST200H6SF | KST200 | 24,00 | 25,00 | 6 |
| RHME25000KST200H6SF | RHME25000KST200H6SF | KST200 | 25,00 | 30,00 | 6 |
| RHME25400KST200H6SF | RHME25400KST200H6SF | KST200 | 25,40 | 30,00 | 6 |
| RHME26000KST200H6SF | RHME26000KST200H6SF | KST200 | 26,00 | 30,00 | 8 |
| RHME27000KST200H6SF | RHME27000KST200H6SF | KST200 | 27,00 | 30,00 | 8 |
| RHME28000KST250H6SF | RHME28000KST250H6SF | KST250 | 28,00 | 36,00 | 8 |
| RHME30000KST250H6SF | RHME30000KST250H6SF | KST250 | 30,00 | 36,00 | 8 |
| RHME31750KST250H6SF | RHME31750KST250H6SF | KST250 | 31,75 | 36,00 | 8 |
| RHME32000KST250H6SF | RHME32000KST250H6SF | KST250 | 32,00 | 36,00 | 8 |
| RHME34000KST300H6SF | RHME34000KST300H6SF | KST300 | 33,99 | 36,00 | 8 |
| RHME36000KST300H6SF | RHME36000KST300H6SF | KST300 | 35,99 | 36,00 | 8 |
| RHME38000KST350H6SF | RHME38000KST350H6SF | KST350 | 37,99 | 36,00 | 8 |
| RHME40000KST350H6SF | RHME40000KST350H6SF | KST350 | 39,99 | 36,00 | 8 |
| RHME42000KST350H6SF | RHME42000KST350H6SF | KST350 | 41,99 | 36,00 | 8 |

NOTE: Uncoated carbide grade K605™ is available on request.

- For hole tolerance H6.
- Intermediate sizes available.
- Screw for axial use or pull stud comes with holder.
- Allen expansion screw.



## RHM-E • Helical Flutes and Internal Coolant







● first choice
○ alternate choice

| KC6005 | KC6305 | CSMS system size | D1 mm | L1 mm | Z |
|---|---|---|---|---|---|
| RHME14000KST115H6HF | RHME14000KST115H6HF | KST115 | 14,00 | 25,00 | 6 |
| RHME14288KST115H6HF | RHME14288KST115H6HF | KST115 | 14,29 | 25,00 | 6 |
| RHME15000KST115H6HF | RHME15000KST115H6HF | KST115 | 15,00 | 25,00 | 6 |
| RHME16000KST135H6HF | RHME16000KST135H6HF | KST135 | 16,00 | 25,00 | 6 |
| RHME17000KST135H6HF | RHME17000KST135H6HF | KST135 | 17,00 | 25,00 | 6 |
| RHME17463KST135H6HF | RHME17463KST135H6HF | KST135 | 17,46 | 25,00 | 6 |
| RHME18000KST155H6HF | RHME18000KST155H6HF | KST155 | 18,00 | 25,00 | 6 |
| RHME19000KST155H6HF | RHME19000KST155H6HF | KST155 | 19,00 | 25,00 | 6 |
| RHME19050KST155H6HF | RHME19050KST155H6HF | KST155 | 19,05 | 25,00 | 6 |
| RHME20000KST175H6HF | RHME20000KST175H6HF | KST175 | 20,00 | 25,00 | 6 |
| RHME21000KST175H6HF | RHME21000KST175H6HF | KST175 | 21,00 | 25,00 | 6 |
| RHME22000KST175H6HF | RHME22000KST175H6HF | KST175 | 22,00 | 25,00 | 6 |
| RHME22225KST175H6HF | RHME22225KST175H6HF | KST175 | 22,22 | 25,00 | 6 |
| RHME23000KST200H6HF | RHME23000KST200H6HF | KST200 | 23,00 | 25,00 | 6 |
| RHME23813KST200H6HF | RHME23813KST200H6HF | KST200 | 23,81 | 25,00 | 6 |
| RHME24000KST200H6HF | RHME24000KST200H6HF | KST200 | 24,00 | 25,00 | 6 |
| RHME25000KST200H6HF | RHME25000KST200H6HF | KST200 | 25,00 | 30,00 | 6 |
| RHME25400KST200H6HF | RHME25400KST200H6HF | KST200 | 25,40 | 30,00 | 6 |
| RHME26000KST200H6HF | RHME26000KST200H6HF | KST200 | 26,00 | 30,00 | 8 |
| RHME27000KST200H6HF | RHME27000KST200H6HF | KST200 | 27,00 | 30,00 | 8 |
| RHME28000KST250H6HF | RHME28000KST250H6HF | KST250 | 28,00 | 36,00 | 8 |
| RHME30000KST250H6HF | RHME30000KST250H6HF | KST250 | 30,00 | 36,00 | 8 |
| RHME31750KST250H6HF | RHME31750KST250H6HF | KST250 | 31,75 | 36,00 | 8 |
| RHME32000KST250H6HF | RHME32000KST250H6HF | KST250 | 32,00 | 36,00 | 8 |
| RHME34000KST300H6HF | RHME34000KST300H6HF | KST300 | 33,99 | 36,00 | 8 |
| RHME36000KST300H6HF | RHME36000KST300H6HF | KST300 | 35,99 | 36,00 | 8 |
| RHME38000KST350H6HF | RHME38000KST350H6HF | KST350 | 37,99 | 36,00 | 8 |
| RHME40000KST350H6HF | RHME40000KST350H6HF | KST350 | 39,99 | 36,00 | 8 |
| RHME42000KST350H6HF | RHME42000KST350H6HF | KST350 | 41,99 | 36,00 | 8 |

NOTE: Uncoated carbide grade K605™ is available on request.

- Tool body shipped with screw for axial use.
- Order reamer head separately.






*For information on L1 (Head), see pages B29–B30.

L Assy = L1 (RHM Head) + L (Shank)



## Round Shank Axial Actuation • Metric • 3 x D



| order number | catalogue number | CSWS system size | D1 mm | D1 max mm | D | L | L2 | LS | central lock screw | Torx wrench | Torx wrench | Nm |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4056174 | SS16KST115AR3M | KST115 | 14,00 | 15,999 | 16,00 | 91,00 | 35,00 | 48,00 | KST115115AS | – | 170.028 | 3,0 |
| 4056175 | SS20KST135AR3M | KST135 | 16,00 | 17,999 | 20,00 | 99,00 | 39,00 | 51,00 | KST135155AS | – | 170.085 | 4,0 |
| 4056176 | SS20KST155AR3M | KST155 | 18,00 | 19,999 | 20,00 | 106,00 | 45,00 | 51,00 | KST135155AS | – | 170.085 | 4,0 |
| 3861185 | SS20KST175AR3M | KST175 | 20,00 | 22,499 | 20,00 | 113,50 | 51,50 | 51,00 | KST175200AS | TT15 | – | 5,0 |
| 3861186 | SS20KST200AR3M | KST200 | 22,50 | 27,499 | 20,00 | 130,50 | 65,50 | 51,00 | KST175200AS | TT15 | – | 5,0 |
| 3861187 | SS25KST250AR3M | KST250 | 27,50 | 32,499 | 25,00 | 152,50 | 80,50 | 56,00 | KST250250AS | TT25 | – | 9,0 |
| 3861188 | SS32KST300AR3M | KST300 | 32,50 | 37,499 | 32,00 | 174,00 | 94,00 | 61,00 | KST300350AS | TT30 | – | 13,0 |
| 3861189 | SS32KST350AR3M | KST350 | 37,50 | 42,000 | 32,00 | 190,00 | 108,00 | 61,00 | KST300350AS | TT30 | – | 13,0 |

- Tool body shipped with screw for axial use.
- Order reamer head separately.






*For information on L1 (Head), see pages B29–B30.

L Assy = L1 (RHM Head) + L (Shank)

## Round Shank Axial Actuation • Metric • 5 x D



| order number | catalogue number | CSWS system size | D1 mm | D1 max mm | D | L | L2 | LS | central lock screw | Torx wrench | Torx wrench | Nm |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4056177 | SS16KST115AR5M | KST115 | 14,00 | 15,999 | 16,00 | 123,00 | 67,00 | 48,00 | KST115115AS | – | 170.028 | 3,0 |
| 4056178 | SS20KST135AR5M | KST135 | 16,00 | 17,999 | 20,00 | 135,00 | 75,00 | 51,00 | KST135155AS | – | 170.085 | 4,0 |
| 4056179 | SS20KST155AR5M | KST155 | 18,00 | 19,999 | 20,00 | 146,00 | 85,00 | 51,00 | KST135155AS | – | 170.085 | 4,0 |
| 3861190 | SS20KST175AR5M | KST175 | 20,00 | 22,499 | 20,00 | 158,50 | 96,50 | 51,00 | KST175200AS | TT15 | – | 5,0 |
| 3861191 | SS20KST200AR5M | KST200 | 22,50 | 27,499 | 20,00 | 185,50 | 120,50 | 51,00 | KST175200AS | TT15 | – | 5,0 |
| 3861192 | SS25KST250AR5M | KST250 | 27,50 | 32,499 | 25,00 | 217,50 | 145,50 | 56,00 | KST250250AS | TT25 | – | 9,0 |
| 3861193 | SS32KST300AR5M | KST300 | 32,50 | 37,499 | 32,00 | 249,00 | 169,00 | 61,00 | KST300350AS | TT30 | – | 13,0 |
| 3861194 | SS32KST350AR5M | KST350 | 37,50 | 42,000 | 32,00 | 274,00 | 192,00 | 61,00 | KST300350AS | TT30 | – | 13,0 |

- Tool body shipped with pull stud for radial use.
- Order reamer head separately.







*For information on L1 (Head), see pages B29–B30.

L Assy = L1 (RHM Head) + L (Shank)

## Round Shank Radial Actuation • Metric • 3 x D

| order number | catalogue number | CSWS system size | D1 mm | D1 max mm | D | L | L2 | LS | retention knob | clamp set | Torx wrench | Nm |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **3861195** | **SS20KST175RR3M** | KST175 | 20,00 | 22,50 | 20,00 | 113,50 | 51,50 | 51,00 | **KST175200RK** | **KST175CS** | **TT15** | 5,0 |
| **3861196** | **SS20KST200RR3M** | KST200 | 22,50 | 27,50 | 20,00 | 130,50 | 65,50 | 51,00 | **KST175200RK** | **KST200CS** | **TT15** | 5,0 |
| **3861197** | **SS25KST250RR3M** | KST250 | 27,50 | 32,50 | 25,00 | 152,50 | 80,50 | 56,00 | **KST250250RK** | **KST250CS** | **TT25** | 9,0 |
| **3861198** | **SS32KST300RR3M** | KST300 | 32,50 | 37,50 | 32,00 | 174,00 | 94,00 | 61,00 | **KST300350RK** | **KST300CS** | **TT30** | 13,0 |
| **3861199** | **SS32KST350RR3M** | KST350 | 37,50 | 42,00 | 32,00 | 190,00 | 108,00 | 61,00 | **KST300350RK** | **KST350CS** | **TT30** | 13,0 |

- Tool body shipped with pull stud for radial use.
- Order reamer head separately.






*For information on L1 (Head), see pages B29–B30.

L Assy = L1 (RHM Head) + L (Shank)

## Round Shank Radial Actuation • Metric • 5 x D

| order number | catalogue number | CSWS system size | D1 mm | D1 max mm | D | L | L2 | LS | retention knob | clamp set | Torx wrench | Nm |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **3861200** | **SS20KST175RR5M** | KST175 | 20,00 | 22,50 | 20,00 | 158,50 | 96,50 | 51,00 | **KST175200RK** | **KST175CS** | **TT15** | 5,0 |
| **3861201** | **SS20KST200RR5M** | KST200 | 22,50 | 27,50 | 20,00 | 185,50 | 120,50 | 51,00 | **KST175200RK** | **KST200CS** | **TT15** | 5,0 |
| **3861202** | **SS25KST250RR5M** | KST250 | 27,50 | 32,50 | 25,00 | 217,50 | 145,50 | 56,00 | **KST250250RK** | **KST250CS** | **TT25** | 9,0 |
| **3861203** | **SS32KST300RR5M** | KST300 | 32,50 | 37,50 | 32,00 | 249,00 | 169,00 | 61,00 | **KST300350RK** | **KST300CS** | **TT30** | 13,0 |
| **3861204** | **SS32KST350RR5M** | KST350 | 37,50 | 42,00 | 32,00 | 274,00 | 192,00 | 61,00 | **KST300350RK** | **KST350CS** | **TT30** | 13,0 |

- Tool body shipped with screw for axial use.
- Order reamer head separately.






*For information on L1 (Head), see pages B29–B30.

L1 Assy = L1 Head + L1 Shank

## HSK63A Shank Axial Actuation • 3 x D

| order number | catalogue number | CSWS system size | D1 mm | D1 max mm | D | L1 | L2 | central lock screw | Torx wrench | Torx wrench | Nm |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **4056180** | **HSK63AKST115AR3M** | KST115 | 14,00 | 15,999 | 63,00 | 69,00 | 35,00 | **KST115115AS** | **–** | **170.028** | 3,0 |
| **4056181** | **HSK63AKST135AR3M** | KST135 | 16,00 | 17,999 | 63,00 | 74,00 | 39,00 | **KST135155AS** | **–** | **170.085** | 4,0 |
| **4056182** | **HSK63AKST155AR3M** | KST155 | 18,00 | 19,999 | 63,00 | 81,00 | 45,00 | **KST135155AS** | **–** | **170.085** | 4,0 |
| **3860911** | **HSK63AKST175AR3M** | KST175 | 20,00 | 22,499 | 63,00 | 88,50 | 51,50 | **KST175200AS** | **TT15** | **–** | 5,0 |
| **3860912** | **HSK63AKST200AR3M** | KST200 | 22,50 | 27,499 | 63,00 | 105,50 | 65,50 | **KST175200AS** | **TT15** | **–** | 5,0 |
| **3860963** | **HSK63AKST250AR3M** | KST250 | 27,50 | 32,499 | 63,00 | 122,50 | 80,50 | **KST250250AS** | **TT25** | **–** | 9,0 |
| **3860964** | **HSK63AKST300AR3M** | KST300 | 32,50 | 37,499 | 63,00 | 139,00 | 94,00 | **KST300350AS** | **TT30** | **–** | 13,0 |
| **3860965** | **HSK63AKST350AR3M** | KST350 | 37,50 | 42,000 | 63,00 | 155,00 | 108,00 | **KST300350AS** | **TT30** | **–** | 13,0 |

- Tool body shipped with pull stud for radial use.
- Order reamer head separately.






*For information on L1 (Head), see pages B29–B30.

L1 Assy = L1 Head + L1 Shank

## HSK63A Shank Radial Actuation • 3 x D

| order number | catalogue number | CSWS system size | D1 mm | D1 max mm | D | L1 | L2 | retention knob | clamp set | Torx wrench | Nm |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **3860966** | **HSK63AKST175RR3M** | KST175 | 20,00 | 22,49 | 63,00 | 88,50 | 51,50 | **KST175200RK** | **KST175CS** | **TT15** | 5,0 |
| **3860967** | **HSK63AKST200RR3M** | KST200 | 22,50 | 27,49 | 63,00 | 105,50 | 65,50 | **KST175200RK** | **KST200CS** | **TT15** | 5,0 |
| **3860968** | **HSK63AKST250RR3M** | KST250 | 27,50 | 32,49 | 63,00 | 122,50 | 80,50 | **KST250250RK** | **KST250CS** | **TT25** | 9,0 |
| **3860969** | **HSK63AKST300RR3M** | KST300 | 32,50 | 37,49 | 63,00 | 139,00 | 94,00 | **KST300350RK** | **KST300CS** | **TT30** | 13,0 |
| **3860970** | **HSK63AKST350RR3M** | KST350 | 37,50 | 42,00 | 63,00 | 155,00 | 108,00 | **KST300350RK** | **KST350CS** | **TT30** | 13,0 |

- Tool body shipped with screw for axial use.
- Order reamer head separately.
- Order taper shank separately, see Kennametal Innovations Master Catalogue Cutting Tools 2013, page K129.









*For information on L1 (Head), see pages B29–B30.
L1 Assy = L1 Head + L1 Shank

## SIF70 Shank Axial Actuation • 5 x D

| order number | catalogue number | CSWS system size | D1 mm | D1 max mm | D | L1 | L2 | central lock screw | Torx wrench | Torx wrench | Nm |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 4056183 | SIF70KST115AR5M | KST115 | 14,00 | 15,999 | 70,00 | 95,00 | 67,00 | KST115115AS | – | 170.028 | 3,0 |
| 4056184 | SIF70KST135AR5M | KST135 | 16,00 | 17,999 | 70,00 | 104,00 | 75,00 | KST135155AS | – | 170.085 | 4,0 |
| 4056185 | SIF70KST155AR5M | KST155 | 18,00 | 19,999 | 70,00 | 115,00 | 85,00 | KST135155AS | – | 170.085 | 4,0 |
| 3860971 | SIF70KST175AR5M | KST175 | 20,00 | 22,499 | 70,00 | 127,50 | 96,50 | KST175200AS | TT15 | – | 5,0 |
| 3860972 | SIF70KST200AR5M | KST200 | 22,50 | 27,499 | 70,00 | 154,50 | 120,50 | KST175200AS | TT15 | – | 5,0 |
| 3860973 | SIF70KST250AR5M | KST250 | 27,50 | 32,499 | 70,00 | 181,50 | 145,50 | KST250250AS | TT25 | – | 9,0 |
| 3860974 | SIF70KST300AR5M | KST300 | 32,50 | 37,499 | 70,00 | 208,00 | 169,00 | KST300350AS | TT30 | – | 13,0 |
| 3860975 | SIF70KST350AR5M | KST350 | 37,50 | 42,000 | 70,00 | 233,00 | 192,00 | KST300350AS | TT30 | – | 13,0 |

- Tool body shipped with pull stud for radial use.
- Order reamer head separately.
- Order taper shank separately, see Kennametal Innovations Master Catalogue Cutting Tools 2013, page K129.









*For information on L1 (Head), see pages B29–B30.
L1 Assy = L1 Head + L1 Shank

## SIF70 Shank Radial Actuation • 5 x D

| order number | catalogue number | CSWS system size | D1 mm | D1 max mm | D | L1 | L2 | retention knob | clamp set | Torx wrench | Nm |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 3860976 | SIF70KST175RR5M | KST175 | 20,00 | 22,49 | 70,00 | 127,50 | 96,50 | KST175200RK | KST175CS | TT15 | 5,0 |
| 3860977 | SIF70KST200RR5M | KST200 | 22,50 | 27,49 | 70,00 | 154,50 | 120,50 | KST175200RK | KST200CS | TT15 | 5,0 |
| 3860978 | SIF70KST250RR5M | KST250 | 27,50 | 32,49 | 70,00 | 181,50 | 145,50 | KST250250RK | KST250CS | TT25 | 9,0 |
| 3860979 | SIF70KST300RR5M | KST300 | 32,50 | 37,49 | 70,00 | 208,00 | 169,00 | KST300350RK | KST300CS | TT30 | 13,0 |
| 3860980 | SIF70KST350RR5M | KST350 | 37,50 | 42,00 | 70,00 | 233,00 | 192,00 | KST300350RK | KST350CS | TT30 | 13,0 |

## RHM-E™ • Metric



| Material Group | | KT325 | | | KT6215 | | | K605 | | | KC6005 | | | KC6305 | | | Metric | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Cutting Speed — vc | | | Cutting Speed — vc | | | Cutting Speed — vc | | | Cutting Speed — vc | | | Cutting Speed — vc | | | Recommended Feed Rate per Tooth | | | | | | |
| | | Range — m/min | | | Range — m/min | | | Range — m/min | | | Range — m/min | | | Range — m/min | | | Tool Diameter (mm) | 14,00—19,99 | | 20,00—32,00 | | 32,50—42,00 | |
| | | min | Starting Value | max | min | Starting Value | max | min | Starting Value | max | min | Starting Value | max | min | Starting Value | max | Feed/Tooth | min | max | min | max | min | max |
| P | 1 | 150 | **180** | 210 | 180 | **210** | 240 | 40 | **60** | 70 | 90 | **120** | 155 | 90 | **120** | 155 | mm/z | 0,10 | 0,20 | 0,10 | 0,22 | 0,10 | 0,25 |
| | 2 | 150 | **180** | 210 | 180 | **210** | 240 | 40 | **60** | 70 | 90 | **120** | 155 | 90 | **120** | 155 | mm/z | 0,10 | 0,20 | 0,10 | 0,22 | 0,10 | 0,25 |
| | 3 | 130 | **160** | 180 | 150 | **180** | 210 | 30 | **40** | 50 | 75 | **100** | 130 | 75 | **100** | 130 | mm/z | 0,10 | 0,20 | 0,10 | 0,22 | 0,10 | 0,25 |
| | 4 | 100 | **130** | 150 | 120 | **150** | 170 | 25 | **40** | 45 | 50 | **80** | 105 | 50 | **80** | 105 | mm/z | 0,10 | 0,20 | 0,10 | 0,22 | 0,10 | 0,25 |
| | 5 | 80 | **100** | 120 | 100 | **130** | 150 | 10 | **20** | 30 | 30 | **40** | 55 | 30 | **40** | 55 | mm/z | 0,08 | 0,18 | 0,08 | 0,20 | 0,08 | 0,22 |
| | 6 | 80 | **100** | 120 | 100 | **130** | 150 | 10 | **20** | 30 | 30 | **40** | 55 | 30 | **40** | 55 | mm/z | 0,08 | 0,18 | 0,08 | 0,20 | 0,08 | 0,22 |
| M | 1 | – | – | – | – | – | – | 8 | **10** | 15 | – | – | – | 15 | **20** | 28 | mm/z | 0,08 | 0,15 | 0,08 | 0,18 | 0,08 | 0,20 |
| | 2 | – | – | – | – | – | – | 8 | **10** | 15 | – | – | – | 15 | **20** | 28 | mm/z | 0,08 | 0,15 | 0,08 | 0,18 | 0,08 | 0,20 |
| | 3 | – | – | – | – | – | – | 8 | **10** | 15 | – | – | – | 15 | **20** | 28 | mm/z | 0,08 | 0,15 | 0,08 | 0,18 | 0,08 | 0,20 |
| K | 1 | 150 | **180** | 200 | 180 | **210** | 240 | 30 | **50** | 60 | 80 | **110** | 130 | 80 | **110** | 130 | mm/z | 0,10 | 0,20 | 0,10 | 0,22 | 0,10 | 0,25 |
| | 2 | 130 | **160** | 180 | 150 | **180** | 210 | 25 | **40** | 45 | 65 | **90** | 110 | 65 | **90** | 110 | mm/z | 0,10 | 0,20 | 0,10 | 0,22 | 0,10 | 0,25 |
| | 3 | 100 | **130** | 160 | 120 | **150** | 170 | 20 | **30** | 40 | 50 | **70** | 90 | 50 | **70** | 90 | mm/z | 0,10 | 0,18 | 0,10 | 0,20 | 0,10 | 0,22 |
| N | 1 | – | – | – | – | – | – | 110 | **150** | 195 | – | – | – | – | – | – | mm/z | 0,10 | 0,30 | 0,10 | 0,30 | 0,10 | 0,30 |
| | 2 | – | – | – | – | – | – | 110 | **150** | 195 | – | – | – | – | – | – | mm/z | 0,10 | 0,30 | 0,10 | 0,30 | 0,10 | 0,30 |
| | 3 | – | – | – | – | – | – | 110 | **150** | 195 | – | – | – | – | – | – | mm/z | 0,10 | 0,30 | 0,10 | 0,30 | 0,10 | 0,30 |
| | 4 | – | – | – | – | – | – | 110 | **150** | 195 | – | – | – | – | – | – | mm/z | 0,10 | 0,30 | 0,10 | 0,30 | 0,10 | 0,30 |
| | 5 | – | – | – | – | – | – | 105 | **140** | 180 | – | – | – | – | – | – | mm/z | 0,10 | 0,30 | 0,10 | 0,30 | 0,10 | 0,30 |
| S | 1 | – | – | – | – | – | – | 8 | **10** | 15 | – | – | – | 15 | **20** | 28 | mm/z | 0,06 | 0,15 | 0,10 | 0,18 | 0,10 | 0,20 |
| | 2 | – | – | – | – | – | – | 8 | **10** | 15 | – | – | – | 15 | **20** | 28 | mm/z | 0,06 | 0,15 | 0,10 | 0,18 | 0,10 | 0,20 |
| | 3 | – | – | – | – | – | – | 15 | **20** | 30 | – | – | – | 20 | **30** | 40 | mm/z | 0,08 | 0,18 | 0,10 | 0,20 | 0,10 | 0,20 |
| | 4 | – | – | – | – | – | – | 15 | **20** | 30 | – | – | – | 20 | **30** | 40 | mm/z | 0,08 | 0,18 | 0,10 | 0,20 | 0,10 | 0,20 |

## To Expand

Rotate the Allen wrench to the right to expand the reamer.




## To Contract

Expansion always reversible: Rotate the Allen wrench to the left to contract the reamer.



- 30° = 2 µm linear expansion.
- 720° = 2 revolutions; = 48 µm maximum expansion.
- Hard stop after 720° expansion. You cannot over expand!
- The expansion occurs in the elastic material behaviour.
- You cannot reduce the diameter below D1.

## Assemble

1




2




| ø (mm) | | L (mm) |
|---|---|---|
| 14,000 | 27,499 | 5–5,5 |
| 27,500 | 42,000 | 5,5–6 |

3




4




| ø (mm) | | | (Nm) |
|---|---|---|---|
| 14,000 | 15,999 | DT - 8 | 2 |
| 16,000 | 19,999 | DT - 10 | 3 |
| 20,000 | 27,499 | TT - 15 | 5 |
| 27,500 | 32,499 | TT - 25 | 9 |
| 32,500 | 42,000 | TT - 30 | 13 |

**Disassemble** 4 → 3 → 2 → 1

## Disassemble

1




| ø (mm) | | | (Nm) |
|---|---|---|---|
| 17,5 | KST175CS | 2,5 | 2,5 |
| 20 | KST200CS | 2,5 | 2,5 |
| 25 | KST250CS | 3 | 5 |
| 30 | KST300CS | 4 | 9 |
| 35 | KST350CS | 4 | 9 |

2



3



**Assemble** 3 → 2 → 1

### SIF™



### Coolant flow



### Application

# Basic Design Overview • Multiflute Reaming Tooling

Kennametal offers two basic reaming designs, cylindrical margin land and up sharp. The cylindrical margin land design is used for all standard items of the RMS™, RMB™, and RHM™ reaming platforms. Engineered-solution tooling based on up sharp reaming design offers high hole quality and long tool life in exotic cases and high-temp alloys as only the sharp cutting edges contact the workpiece.

### Cylindrical Margin Reaming "C"






### Up Sharp Reaming "U" & "NC"




## Basic Lead Differences







### Single Lead

The single lead chamfer design is used with all standard RMS, RMB, and RHM reaming tooling and enables the tool to be applied on various materials without customisation. Design can be modified to meet specific applications such as thin walls, straightness correction, etc.

### Double Lead

Double lead designs are available as engineered solutions and enable higher surface quality and feed rates in general. Lead dimensions require customisation regarding the material to be machined for best machining results.

## Lead Design Overview




## Lead Nomenclature

**HFGPC**

| HF | GP | C |
|---|---|---|
| Flute | Application | Reaming Edge |
| **HF** = Helix Flute<br>**SF** = Straight Flute | **GP** = General Purpose<br>**F** = Fine Surface<br>**FN** = Fine Surface Non-Ferrous<br>**P** = Position Accuracy<br>**PN** = Position Accuracy Non-Ferrous<br>**C1** = Chip Control Geometry | **C** = Cylindrical<br>**U** = Up Sharp<br>**NC** = Narrow Cylindrical |

## General Purpose

| workpiece material | | hole type | surface requirement | recommended geometry | design | recommended grade |
|---|---|---|---|---|---|---|
| P | steel | through | IT 7, Ra <0.8 steel | HFGP | C | KT325 and KT6215 (Ra < 0.8), KC6305 (Ra <1.6) |
| | | blind | | SFGP | | |
| K | cast iron | through | It 7, Ra <1.6 CI | HFGP | C | KT325 and KT6215 (Ra < 0.8), KC6305 (Ra <1.6) |
| | | blind | | SFGP | | |
| M | stainless steel | through | IT 7, Ra <1.0 | HFGP | C | KC6305 |
| | | blind | | SFGP | | |
| S | high-temp alloys | through | IT 7, Ra <0.6 | HFGP | U | KC6305 |
| | | blind | | SFGP | | |
| N | non-ferrous | through | IT 7, Ra <0.8 | HFGP | C | K605, KD1415 |
| | | | | | U | |
| | | blind | | SFGP | C | |
| | | | | | U | |

## Extra Surface Finish

| workpiece material | | hole type | surface requirement | recommended geometry | design | recommended grade |
|---|---|---|---|---|---|---|
| P | steel | through | IT 7, Ra <0.8 | HFFN | C | KT325 and KT6215 (Ra <0.4), KC6305 (Ra <0.8) |
| | | blind | | SFFN | | |
| K | cast iron | through | IT 7, Ra <0.8 | HFFN | C | KT325 and KT6215 (Ra <0.4), KC6305 (Ra <0.8) |
| | | blind | | SFFN | | |
| N | non-ferrous | through | IT 7, Ra <0.4 | HFFN | C | K605, KD1415 |
| | | | | | U | |
| | | blind | | SFFN | C | |
| | | | | | U | |

## Additional Hole Position Accuracy

| workpiece material | | hole type | surface requirement | recommended geometry | design | recommended grade |
|---|---|---|---|---|---|---|
| P | steel | through | IT 7, Ra <0.8 steel | SFP | C | KT325, KT6215, KC6305 |
| | | blind | | | | |
| K | cast iron | through | It 7, Ra <1.6 CI | SFP | C | KT325, KT6215, KC6305 |
| | | blind | | | | |
| M | stainless steel | through | IT 7, Ra <1.0 | SFP | C | KC6305 |
| | | blind | | | NC | |
| S | high-temp alloys | through | IT 7, Ra <0.6 | SFP | U | KC6305 |
| | | blind | | | | |
| N | non-ferrous | through | Ra <0.8 | SFP | C | K605, KD1415 |
| | | blind | | | U | |
| | | through | Ra <0.4 | SFPN | C | |
| | | blind | | | U | |

## Extra Chip Control

| workpiece material | | hole type | surface requirement | recommended geometry | design | recommended grade |
|---|---|---|---|---|---|---|
| P | steel (long chipping) | blind | Ra 0.4–1.6 | SFC1 | C | KT325, KT6215, KC6305 |
| | | | | | U | |

# Tube Sheet Grooving Tool

## Primary Application

The new Kennametal grooving tool features a unique approach for manufacturing two grooves simultaneously in minimal time, especially in the field of heat exchanger manufacturing. All tubes need a finish operation to connect them. Kennametal developed a new grooving insert featuring KCU45™, a special grade for machining a wide variety of materials in the heat exchanger business, including A516-Grade 70 low-carbon steel, 304 stainless steel, duplex, and Hastelloy. Furthermore, the geometry leads to a burr-free cut. The minimal amount of tungsten carbide used in the insert eliminates the need for refurbishment enabling the tool to work faster with a lower cost per hole.

# Features and Benefits

## Higher Productivity and Profitability

- Two edges per insert.
- Up to four inserts, working at the same time.
- Rigid tool body design for highest productivity and grooving quality.
- Milling tool for maximum flexibility in hole diameter and interrupted cut for chip control.
- KCU45 grade for machining a variety of materials used for heat exchangers.
- Internal coolant supply for optimal tool life, groove quality, and chip evacuation.
- One-Path-to-Finish tool.
- Flexibility in groove position.



## Tube Sheet Groover End Mill Version • Metric

| order number | catalogue number | D1 mm | D1 in | D2 | D mm | D in | L | LS | L1 | L1S | L3 | CDX | insert screw |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **5134143** | **KGEM1905R1WN20M** | 18,87 | .743 | 16,00 | 20,00 | .787 | 98,42 | 50,80 | 83,03 | 92,55 | 24,58 | 1,00 | **MS1861** |
| **5134145** | **KGEM1905R3WN20M** | 18,87 | .743 | 16,00 | 20,00 | .787 | 123,82 | 50,80 | 108,44 | 117,96 | 49,99 | 1,00 | **MS1861** |

NOTE: The above dimensions are used when ordering engineered-solution reamers on this page unless otherwise specified.



## Tube Sheet Groover End Mill Version • Inch

| order number | catalogue number | D1 mm | D1 in | D2 | D | L | LS | L1 | L1S | L3 | CDX | insert screw |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **5134142** | **KGEM0750R1SS075** | 18,87 | .743 | .63 | .75 | 3 7/8 | 2.000 | 3.269 | 3.644 | 1.045 | .039 | **MS1861** |
| **5134144** | **KGEM0750R3SS075** | 18,87 | .743 | .63 | .75 | 4 7/8 | 2.000 | 4.269 | 4.644 | 2.045 | .039 | **MS1861** |

NOTE: The above dimensions are used when ordering engineered-solution reamers on this page unless otherwise specified.






● first choice
○ alternate choice

## Tube Sheet Groover Insert

| | D1 | | L1 | | S | | W1 | | W | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| catalogue number | mm | in | mm | in | mm | in | mm | in | mm | in | KCU45 |
| KGIP0125N0189GD | 2,80 | .110 | 12,80 | .504 | 2,82 | .111 | 3,56 | .140 | 3,18 | .125 | ● |

## Tube Sheet Groover Speed and Feed Chart

| | |
|---|---|
| P | A516-Grade70 |
| M | 304SS/Duplex |
| S | Hastelloy |

| Material Group | fz (mm/tooth) | tooth | RPM | vc (m/min) | VFC (mm/min) | VFL (mm/min) | DH (mm) | DT (mm) |
|---|---|---|---|---|---|---|---|---|
| P | 0,05–0,075 | 4 | 1300–1500 | 77–89 | 2,46–4,27 | 264–457 | 19,05 | 18,87 |
| M | 0,05–0,075 | 4 | 600–900 | 35–53 | 1,70–2,57 | 183–274 | 19,05 | 18,87 |
| S | 0,05–0,075 | 4 | 250–300 | 15–18 | 0,48–0,86 | 51–91 | 19,05 | 18,87 |

Nomenclature:

fz: feed per tooth

VFL: linear feed rate = fz x number of tooth x RPM

VFC: compensated feed = VFL x (DH - DT)/DH

DT: tool diameter

DH: hole diameter

NOTE: Choose low-feed (fz) for long tools and less rigid machine tools.
Choose low RPM for lower coolant.

# Romicron™ AVS Fine-Boring System

## Primary Application

The Romicron AVS tooling portfolio offers a diameter range from 25–79mm (.98–3.11") with five head sizes. It substitutes the Romicron SVS fine-boring platform with the following advantages:

- Implemented self-balancing system.
- Capability for up to 20,000 RPM.
- Operating with coolant pressure up to 120 bar.
- Improved CLB feature due to the new design.

The Romicron AVS offers all of the features and benefits you've come to expect from Romicron, like reduced setup times and scrap rates, fast adjustment, and avoidance of measurement equipment. Additionally, it operates with standard insert sizes for use in all materials. The all-new AVS heads match existing adaptors and extensions, but the cartridge designs have the implemented self-balancing system.

# Features and Benefits

## Higher Productivity and Profitability

- Higher cutting speeds due to higher RPM level and improved coolant pressure.
- Better chip evacuation leads to higher process reliability.
- Improved CLB capabilities for unmanned operation.

## Ease of Use and Adjustment

- No tools, e.g., wrenches, are needed to adjust the Romicron.
- No measurement devices needed. Just count the "clicks".
- Save time with the self-balancing system.
- New design makes it easy to clean.

## Customisation

- Engineered solutions available for multistep or high length-to-diameter tooling.
- Anti-chatter devices and various non-standard machine spindle coupling sizes are available.

Boring range, coolant capacity, and maximum RPM features for all Romicron boring heads.

| | head size | bore range |
|---|---|---|
| • 25,000 RPM max.<br>• Balanceable.<br>• 1,050 psi coolant capacity.<br>• 1,050 psi/70 bar coolant capacity.<br>• Movable zero reference. | **SVUBB1** | 4mm .157" – 16,5mm .650" |
| • 10,000 RPM max.<br>• Balanceable.<br>• 1,050 psi coolant capacity.<br>• 1,050 psi/70 bar coolant capacity.<br>• Movable zero reference. | **SVUBB2** | 6mm .236" – 25,5mm 1.00" |
| • 20,000 RPM.<br>• Prebalanced.<br>• 1740 psi/120 bar coolant capacity. | **AVS00B** | 25mm .984" – 32mm 1.26" |
| • 20,000 RPM.<br>• Prebalanced.<br>• 1740 psi/120 bar coolant capacity. | **AVS0B** | 31,5mm 1.24" – 42,5mm 1.67" |
| • 20,000 RPM.<br>• Prebalanced.<br>• 1740 psi/120 bar coolant capacity. | **AVS1B** | 42mm 1.65" – 53mm 2.08" |
| • 20,000 RPM.<br>• Prebalanced.<br>• 1740 psi/120 bar coolant capacity. | **AVS2B** | 52mm 2.04" – 66mm 2.59" |
| • 20,000 RPM.<br>• Prebalanced.<br>• 1740 psi/120 bar coolant capacity. | **AVS3B** | 65mm 2.55" – 79mm 3.11" |
| • 4,500 RPM.<br>• Prebalanced.<br>• 300 psi/20 bar coolant capacity. | **SVS4B** | 78mm 3.07" – 98mm 3.85" |
| • 4,500 RPM.<br>• Prebalanced.<br>• 300 psi/20 bar coolant capacity. | **SVS5B** | 97mm 3.81" – 117mm 4.60" |
| • 3,500 RPM.<br>• Prebalanced.<br>• 300 psi/20 bar coolant capacity. | **SVS6B** | 116mm 4.56" – 139mm 5.47" |
| • 6,000 RPM.<br>• Balanceable.<br>• 300 psi/20 bar coolant capacity.<br>• Movable zero reference. | **SVU65** | 71mm 2.79" – 111mm 4.37" |
| • 6,000 RPM.<br>• Balanceable.<br>• 300 psi/20 bar coolant capacity.<br>• Movable zero reference. | **SVU92** | 101mm 3.97" – 213mm 8.38" |
| • 6,000 RPM max.<br>• Balanceable.<br>• 300 psi/20 bar coolant capacity.<br>• Movable zero reference. | **SVU120** | 139mm 5.47" – 326mm 12.83" |

## AVS System • Tooling Tree

| cartridge range | cartridge size | bore range | head size |
|---|---|---|---|
| 25–27,5mm (.984–1.083") | 1Y | (25–32mm) (.984–1.260") | AVS00B |
| 27,25–29,75mm (1.073–1.171") | 2Y | | |
| 29,5–32mm (1.161–1.260") | 3Y | | |
| 31,5–35,5mm (1.240–1.398") | 1X | 31,5–42,5mm (1.240–1.673") | AVS0B |
| 35–39mm (1.378–1.535") | 2X | | |
| 38,5–42,5mm (1.516–1.673") | 3X | | |
| 42–46mm (1.654–1.811") | 1X | 42–53mm (1.654–2.087") | AVS1B |
| 45,5–49,5mm (1.791–1.949") | 2X | | |
| 49–53mm (1.929–2.087") | 3X | | |
| 52–57mm (2.047–2.244") | 1W | 52–66mm (2.047–2.598") | AVS2B |
| 56,5–61,5mm (2.224–2.421") | 2W | | |
| 61–66mm (2.402–2.598") | 3W | | |
| 65–70mm (2.559–2.756") | 1W | 65–79mm (2.559–3.110") | AVS3B |
| 69,5–74,5mm (2.736–2.933") | 2W | | |
| 74–79mm" (2.913–3.110) | 3W | | |



- Order cartridges separately.
- Order taper shank separately.



## Romicron AVS • KR Backend

| order number | catalogue number | BR1 bore range mm | CSMS system size | D2 mm | D5 mm | L mm | L1 mm | L2 mm | LADJR mm | kg |
|---|---|---|---|---|---|---|---|---|---|---|
| **5124812** | **KR32AVS00B099MCLB** | 25,000-32,000 | KR32 | 23,5 | 39,5 | 119,0 | 99,0 | 64,0 | 21,7 | 0,6 |
| **5124814** | **KR32AVS0B116MCLB** | 31,500-42,500 | KR32 | 30,0 | 39,5 | 136,0 | 116,0 | 85,0 | 21,7 | 0,8 |
| **5124816** | **KR32AVS1B100MCLB** | 42,000-53,000 | KR32 | 38,5 | 39,5 | 120,0 | 100,0 | 100,0 | 21,7 | 0,9 |
| **5124818** | **KR32AVS2B115MCLB** | 52,000-66,000 | KR32 | 47,0 | 48,0 | 135,0 | 115,0 | 115,0 | 29,2 | 1,5 |
| **5124820** | **KR32AVS3B115MCLB** | 65,000-79,000 | KR32 | 47,0 | 48,0 | 135,0 | 115,0 | 115,0 | 29,2 | 1,5 |

- Order cartridges separately.



## Romicron AVS • KM™ Backend

| order number | catalogue number | BR1 bore range mm | CSMS system size | D mm | D2 mm | L mm | L1 mm | L2 mm | LADJR mm | kg |
|---|---|---|---|---|---|---|---|---|---|---|
| **5124801** | **KM40TSAVS00B111MCLB** | 25,000-32,000 | KM40TS | 40,000 | 23,5 | 136,0 | 111,0 | 63,5 | 34,0 | 0,6 |
| **5124802** | **KM40TSAVS0B128MCLB** | 31,500-42,500 | KM40TS | 40,000 | 30,0 | 153,0 | 128,0 | 83,0 | 34,0 | 0,8 |
| **5124803** | **KM40TSAVS1B112MCLB** | 42,000-53,000 | KM40TS | 40,000 | 38,5 | 137,0 | 112,0 | 74,0 | 34,0 | 1,0 |
| **5124804** | **KM40TSAVS2B127MCLB** | 52,000-66,000 | KM40TS | 40,000 | 47,0 | 152,0 | 127,0 | 127,0 | 41,3 | 1,6 |
| **5124805** | **KM50TSAVS00B117MCLB** | 25,000-32,000 | KM50TS | 50,000 | 23,5 | 149,0 | 117,0 | 63,5 | 39,7 | 0,8 |
| **5124807** | **KM50TSAVS0B134MCLB** | 31,500-42,500 | KM50TS | 50,000 | 30,0 | 166,0 | 134,0 | 83,0 | 39,7 | 1,0 |
| **5124808** | **KM50TSAVS1B118MCLB** | 42,000-53,000 | KM50TS | 50,000 | 38,5 | 150,0 | 118,0 | – | 39,6 | 1,2 |
| **5124809** | **KM50TSAVS2B128MCLB** | 52,000-66,000 | KM50TS | 50,000 | 47,0 | 160,0 | 128,0 | 128,0 | 42,3 | 1,7 |
| **5124810** | **KM50TSAVS3B128MCLB** | 65,000-79,000 | KM50TS | 50,000 | 47,0 | 160,0 | 128,0 | 128,0 | 42,3 | 1,7 |
| **5124811** | **KM63TSAVS3B1230MCLB** | 65,000-79,000 | KM63TS | 63,000 | 47,0 | 170,0 | 130,0 | 106,0 | 44,3 | 2,0 |

• Order cartridges separately.








## Romicron AVS • HSK Backend

| order number | catalogue number | BR1 bore range mm | CSMS system size | D mm | D2 mm | L mm | L1 mm | L2 mm | LADJR mm | kg |
|---|---|---|---|---|---|---|---|---|---|---|
| 5124576 | HSK63AAVS00B126MCLB | 25,000-32,000 | HSK63A | 63,0 | 23,5 | 158,0 | 126,0 | 63,5 | 49,0 | 1,2 |
| 5124577 | HSK63AAVS0B143MCLB | 31,500-42,500 | HSK63A | 63,0 | 30,0 | 175,0 | 143,0 | 83,0 | 49,0 | 1,4 |
| 5124578 | HSK63AAVS1B127MCLB | 42,000-53,000 | HSK63A | 63,0 | 38,5 | 159,0 | 127,0 | 95,0 | 49,0 | 1,6 |
| 5124579 | HSK63AAVS2B139MCLB | 52,000-66,000 | HSK63A | 63,0 | 47,0 | 171,0 | 139,0 | 109,0 | 53,5 | 2,2 |
| 5124800 | HSK63AAVS3B139MCLB | 65,000-79,000 | HSK63A | 63,0 | 47,0 | 171,0 | 139,0 | 109,0 | 53,5 | 2,2 |

• Order inserts separately.



## Romicron • Cartridges SCF

| order number | catalogue number | L mm | F mm | gage insert | reference head | cartridge size | kg |
|---|---|---|---|---|---|---|---|
| 5124822 | KRCSCFPR061Y | 19,20 | 4,76 | CP..0602../CP..215... | AVS00B | 1Y | – |
| 5124823 | KRCSCFPR062Y | 19,20 | 5,88 | CP..0602../CP..215... | AVS00B | 2Y | – |
| 5124824 | KRCSCFPR063Y | 19,20 | 7,01 | CP..0602../CP..215... | AVS00B | 3Y | – |
| 5124825 | KRCSCFPR061X | 23,75 | 6,46 | CP..0602../CP..215... | AVS1B,AVS0B | 1X | 0,01 |
| 5124826 | KRCSCFPR062X | 23,60 | 8,21 | CP..0602../CP..215... | AVS1B,AVS0B | 2X | 0,01 |
| 5124827 | KRCSCFPR063X | 23,60 | 9,96 | CP..0602../CP..215... | AVS1B,AVS0B | 3X | 0,01 |
| 5124828 | KRCSCFPR061W | 26,60 | 6,45 | CP..0602../CP..215... | AVS3B1,AVS2B1 | 1W | 0,01 |
| 5124829 | KRCSCFPR062W | 26,75 | 8,70 | CP..0602../CP..215... | AVS2B1,AVS3B1 | 2W | 0,01 |
| 5124850 | KRCSCFPR063W | 26,60 | 10,95 | CP..0602../CP..215... | AVS3B1,AVS2B1 | 3W | 0,01 |

## Romicron™ • Finishing • Metric

Holemaking

| Material Group | | Condition | Geometry -LF | -UF | -FP | -FW | Cutting Speed m/min min | Starting Value | max | Feed Rate mm/r -LF | -UF | -FP | -FW |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | 1 | | KCP05 | | | | 180 | **435** | 495 | 0,06 - 0,25 | 0,04 - 0,16 | 0,06 - 0,25 | – |
| | | | | | KTP10 | | 180 | **435** | 495 | – | – | 0,06 - 0,25 | – |
| | | | KT315 | | | KT315 | 180 | **400** | 495 | 0,06 - 0,25 | – | – | 0,08 - 0,30 |
| | | | KCP10 | | | | 180 | **395** | 465 | 0,06 - 0,25 | 0,04 - 0,16 | 0,06 - 0,25 | – |
| | | | KC9110 | | | | 180 | **395** | 495 | 0,06 - 0,25 | 0,04 - 0,16 | – | – |
| | | | KCP25 | | | | 140 | **280** | 360 | 0,06 - 0,10 | 0,04 - 0,08 | 0,06 - 0,12 | 0,08 - 0,16 |
| | | | KC9125 | | | | 140 | **280** | 360 | 0,06 - 0,10 | 0,04 - 0,08 | – | – |
| | 2 | | KCP05 | | | | 180 | **265** | 400 | 0,06 - 0,25 | 0,04 - 0,16 | 0,06 - 0,25 | |
| | | | | | KTP10 | | 180 | **265** | 400 | – | – | 0,06 - 0,25 | – |
| | | | KT315 | | | KT315 | 190 | **270** | 390 | 0,06 - 0,25 | – | – | 0,08 - 0,30 |
| | | | KCP10 | | | | 180 | **240** | 330 | 0,06 - 0,25 | 0,04 - 0,16 | 0,06 - 0,25 | – |
| | | | KC9110 | | | | 180 | **240** | 330 | 0,06 - 0,25 | 0,04 - 0,16 | – | – |
| | | | KCP25 | | | | 145 | **195** | 320 | 0,06 - 0,10 | 0,04 - 0,08 | 0,06 - 0,12 | 0,08 - 0,16 |
| | | | KC9125 | | | | 145 | **195** | 320 | 0,06 - 0,10 | 0,04 - 0,08 | – | – |
| | 3 | | KCP05 | | | | 180 | **205** | 275 | 0,06 - 0,25 | 0,04 - 0,16 | 0,06 - 0,25 | – |
| | | | | | KTP10 | | 180 | **205** | 275 | – | – | 0,06 - 0,25 | – |
| | | | KT315 | | | KT315 | 180 | **210** | 275 | 0,06 - 0,25 | – | – | 0,08 - 0,30 |
| | | | KCP10 | | | | 160 | **190** | 250 | 0,06 - 0,25 | 0,04 - 0,16 | 0,06 - 0,25 | – |
| | | | KC9110 | | | | 155 | **190** | 240 | 0,06 - 0,25 | 0,04 - 0,16 | – | – |
| | | | KCP25 | | | | 135 | **155** | 225 | 0,06 - 0,10 | 0,04 - 0,08 | 0,06 - 0,12 | 0,08 - 0,16 |
| | | | KC9125 | | | | 135 | **155** | 225 | 0,06 - 0,10 | 0,04 - 0,08 | – | – |
| | 4 | | KCP05 | | | | 90 | **160** | 220 | 0,06 - 0,25 | 0,04 - 0,16 | 0,06 - 0,25 | – |
| | | | | | KTP10 | | 90 | **160** | 220 | – | – | 0,06 - 0,25 | – |
| | | | KT315 | | | KT315 | 90 | **180** | 220 | 0,06 - 0,25 | – | – | 0,08 - 0,30 |
| | | | KCP10 | | | | 90 | **145** | 195 | 0,06 - 0,25 | 0,04 - 0,16 | 0,06 - 0,25 | – |
| | | | KC9110 | | | | 90 | **145** | 195 | 0,06 - 0,25 | 0,04 - 0,16 | – | – |
| | | | KCP25 | | | | 75 | **105** | 180 | 0,06 - 0,10 | 0,04 - 0,08 | 0,06 - 0,12 | 0,08 - 0,16 |
| | | | KC9125 | | | | 75 | **105** | 180 | 0,06 - 0,10 | 0,04 - 0,08 | – | – |
| | 5 | | KCP05 | | | | 150 | **240** | 315 | 0,06 - 0,25 | 0,04 - 0,16 | 0,06 - 0,25 | – |
| | | | | | KTP10 | | 150 | **240** | 315 | – | – | 0,06 - 0,25 | – |
| | | | KT315 | | | KT315 | 150 | **250** | 315 | 0,06 - 0,25 | – | – | 0,08 - 0,30 |
| | | | KCP10 | | | | 150 | **215** | 300 | 0,06 - 0,25 | 0,04 - 0,16 | 0,06 - 0,25 | – |
| | | | KC9110 | | | | 150 | **215** | 300 | 0,06 - 0,25 | 0,04 - 0,16 | – | – |
| | | | KCP25 | | | | 120 | **195** | 255 | 0,06 - 0,10 | 0,04 - 0,08 | 0,06 - 0,12 | 0,08 - 0,16 |
| | | | KC9125 | | | | 120 | **195** | 255 | 0,06 - 0,10 | 0,04 - 0,08 | – | – |
| | 6 | | KCP05 | | | | 140 | **200** | 300 | 0,06 - 0,25 | 0,04 - 0,16 | 0,06 - 0,25 | – |
| | | | | | KTP10 | | 140 | **200** | 300 | – | – | 0,06 - 0,25 | – |
| | | | KT315 | | | KT315 | 140 | **200** | 300 | 0,06 - 0,25 | – | – | 0,08 - 0,30 |
| | | | KCP10 | | | | 120 | **180** | 275 | 0,06 - 0,25 | 0,04 - 0,16 | 0,06 - 0,25 | – |
| | | | KC9110 | | | | 120 | **180** | 225 | 0,06 - 0,25 | 0,04 - 0,16 | – | – |
| | | | KCP25 | | | | 105 | **150** | 225 | 0,06 - 0,10 | 0,04 - 0,08 | 0,06 - 0,12 | 0,08 - 0,16 |
| | | | KC9125 | | | | 105 | **150** | 225 | 0,06 - 0,10 | 0,04 - 0,08 | – | – |

| Material Group | | Condition | Geometry -LF | -UF | -FP | -FW | Cutting Speed m/min min | Starting Value | max | Feed Rate mm/r -LF | -UF | -FP | -FW |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| M | 1 | | | | KTP10 | | 140 | **230** | 315 | – | – | 0,06 - 0,25 | – |
| | | | KT315 | | | KT315 | 140 | **230** | 315 | 0,06 - 0,25 | – | – | 0,08 - 0,30 |
| | | | KC5010 | | | KC5010 | 130 | **215** | 245 | 0,06 - 0,25 | – | – | 0,08 - 0,30 |
| | | | KCM15 | | KCM15 | | 105 | **180** | 240 | 0,06 - 0,12 | – | 0,06 - 0,12 | – |
| | | | KC9225 | | | KC9225 | 105 | **180** | 240 | 0,06 - 0,12 | – | – | 0,08 - 0,16 |
| | 2 | | | | KTP10 | | 140 | **215** | 295 | – | – | 0,06 - 0,25 | – |
| | | | KT315 | | | KT315 | 140 | **215** | 295 | 0,06 - 0,25 | – | – | 0,08 - 0,30 |
| | | | KC5010 | | | KC5010 | 130 | **200** | 245 | 0,06 - 0,25 | – | – | 0,08 - 0,30 |
| | | | KCM15 | | KCM15 | | 105 | **165** | 250 | 0,06 - 0,12 | – | 0,06 - 0,12 | – |
| | | | KC9225 | | | KC9225 | 100 | **160** | 230 | 0,06 - 0,12 | – | – | 0,08 - 0,16 |
| | 3 | | | | KTP10 | | 140 | **200** | 300 | – | – | 0,06 - 0,25 | – |
| | | | KT315 | | | KT315 | 140 | **200** | 300 | 0,06 - 0,25 | – | – | 0,08 - 0,30 |
| | | | KC5010 | | | KC5010 | 130 | **185** | 230 | 0,06 - 0,25 | – | – | 0,08 - 0,30 |
| | | | KCM15 | | KCM15 | | 115 | **150** | 255 | 0,06 - 0,12 | – | 0,06 - 0,12 | – |
| | | | KC9225 | | | KC9225 | 110 | **150** | 230 | 0,06 - 0,12 | – | – | 0,08 - 0,16 |

## Romicron™ • Finishing • Metric



| Material Group | | Condition | Geometry | | | | Cutting Speed m/min | | | Feed Rate mm/r | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | -LF | -UF | -FP | -FW | min | Starting Value | max | -LF | -UF | -FP | -FW |
| K | 1 | | KCK20 | | KCK20 | | 200 | 300 | 540 | 0,06 - 0,25 | – | 0,06 - 0,25 | 0,08 - 0,30 |
| | | | KT315 | | | KT315 | 165 | 275 | 490 | 0,06 - 0,25 | – | – | 0,08 - 0,30 |
| | | | KC9315 | | | | 110 | 275 | 450 | 0,06 - 0,25 | – | – | – |
| | | | KC9320 | | | | 100 | 240 | 400 | 0,06 - 0,12 | – | – | – |
| | 2 | | KCK20 | | KCK20 | | 150 | 240 | 420 | 0,06 - 0,25 | – | 0,06 - 0,25 | 0,08 - 0,30 |
| | | | KT315 | | | KT315 | 180 | 275 | 360 | 0,06 - 0,25 | – | – | 0,08 - 0,30 |
| | | | KC5010 | | | KC5010 | 100 | 200 | 265 | 0,06 - 0,25 | 0,04 - 0,16 | – | 0,08 - 0,30 |
| | | | KC9315 | | | | 145 | 260 | 360 | 0,06 - 0,25 | – | – | – |
| | | | KC9320 | | | | 140 | 240 | 330 | 0,06 - 0,12 | – | – | – |
| | 3 | | KCK20 | | KCK20 | | 140 | 210 | 350 | 0,06 - 0,25 | – | 0,06 - 0,25 | 0,08 - 0,30 |
| | | | KT315 | | | KT315 | 180 | 230 | 320 | 0,06 - 0,25 | – | – | 0,08 - 0,30 |
| | | | KC5010 | | | KC5010 | 120 | 150 | 225 | 0,06 - 0,25 | 0,04 - 0,16 | – | 0,08 - 0,30 |
| | | | KC9315 | | | | 145 | 215 | 275 | 0,06 - 0,25 | – | – | – |
| | | | KC9320 | | | | 140 | 210 | 260 | 0,06 - 0,12 | – | – | – |

| Material Group | | Condition | Geometry | | | | Cutting Speed m/min | | | Feed Rate mm/r | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | -LF | -FWL20 | – | – | min | Starting Value | max | -LF | -FWL20 | – | – |
| N | 1 | | KC5410 | | | | 200 | 550 | 1000 | 0,10 - 0,40 | 0,20 - 0,50 | – | – |
| | | | KC5410 | | | | 200 | 550 | 1000 | 0,10 - 0,20 | – | – | – |
| | | | | | KD1400 | | 450 | 765 | 3000 | – | – | 0,06 - 0,15 | – |
| | 2 | | | | KD1425 | | 375 | 580 | 1150 | – | – | 0,06 - 0,25 | – |
| | | | | | KD1400 | | 400 | 650 | 1250 | – | – | 0,06 - 0,15 | – |
| | 3 | | KC5410 | | | | 125 | 275 | 525 | 0,10 - 0,40 | 0,20 - 0,50 | – | – |
| | | | | | KD1425 | | 250 | 500 | 875 | – | – | 0,06 - 0,25 | – |
| | | | KC5410 | | | | 125 | 275 | 525 | 0,10 - 0,20 | – | – | – |
| | | | | | KD1400 | | 375 | 520 | 1000 | – | – | 0,06 - 0,12 | – |
| | 5 | | KC5410 | | | | 125 | 200 | 375 | 0,10 - 0,40 | – | – | – |
| | | | KC5410 | | | | 125 | 200 | 375 | 0,10 - 0,20 | – | – | – |

| Material Group | | Condition | Geometry | | | | Cutting Speed m/min | | | Feed Rate mm/r | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | -LF | -UF | -FP | -FW | min | Starting Value | max | -LF | -UF | -FP | -FW |
| S | 1 | | | | KCU10 | | 30 | 55 | 125 | – | – | 0,06 - 0,25 | – |
| | | | K313 | | | | 10 | 30 | 60 | 0,06 - 0,25 | – | – | – |
| | | | KC5010 | | | KC5010 | 30 | 55 | 120 | 0,06 - 0,25 | 0,04 - 0,16 | | 0,08 - 0,30 |
| | | | | | KCU10 | | 30 | 55 | 125 | – | – | 0,06 - 0,25 | – |
| | | | KC5010 | | | KC5010 | 30 | 55 | 120 | 0,06 - 0,25 | 0,04 - 0,16 | | 0,08 - 0,30 |
| | | | | | KCU25 | | 10 | 40 | 50 | – | – | 0,06 - 0,12 | – |
| | | | KC5025 | | | | 10 | 40 | 50 | 0,06 - 0,10 | – | – | – |
| | 2 | | | | KCU10 | | 30 | 35 | 125 | – | – | 0,06 - 0,25 | – |
| | | | K313 | | | | 10 | 35 | 60 | 0,06 - 0,25 | – | – | – |
| | | | KC5010 | | | KC5010 | 30 | 60 | 120 | 0,06 - 0,25 | 0,04 - 0,16 | | 0,08 - 0,30 |
| | | | | | KCU10 | | 30 | 35 | 125 | – | – | 0,06 - 0,25 | – |
| | | | KC5010 | | | KC5010 | 30 | 60 | 120 | 0,06 - 0,25 | 0,04 - 0,16 | – | 0,08 - 0,30 |
| | | | | | KCU25 | | 10 | 30 | 50 | – | – | 0,06 - 0,12 | – |
| | | | KC5025 | | | | 10 | 30 | 50 | 0,06 - 0,10 | – | – | – |
| | 3 | | | | KCU10 | | 30 | 70 | 125 | – | – | 0,06 - 0,25 | – |
| | | | K313 | | | | 10 | 40 | 60 | 0,06 - 0,25 | – | – | – |
| | | | KC5010 | | | KC5010 | 30 | 70 | 120 | 0,06 - 0,25 | 0,04 - 0,16 | | 0,08 - 0,30 |
| | | | | | KCU10 | | 30 | 35 | 125 | – | – | 0,06 - 0,25 | – |
| | | | KC5010 | | | KC5010 | 30 | 70 | 120 | 0,06 - 0,25 | 0,04 - 0,16 | – | 0,08 - 0,30 |
| | | | | | KCU25 | | 25 | 40 | 60 | – | – | 0,06 - 0,12 | – |
| | | | KC5025 | | | | 25 | 40 | 60 | 0,06 - 0,10 | – | – | – |
| | 4 | | | | KCU10 | | 45 | 70 | 140 | – | – | 0,06 - 0,25 | – |
| | | | K313 | | | | 15 | 45 | 65 | 0,06 - 0,25 | – | – | – |
| | | | KC5010 | | | KC5010 | 45 | 70 | 140 | 0,06 - 0,25 | 0,04 - 0,16 | | 0,08 - 0,30 |
| | | | | | KCU10 | | 45 | 70 | 140 | – | – | 0,06 - 0,25 | – |
| | | | KC5010 | | | KC5010 | 45 | 70 | 140 | 0,06 - 0,25 | 0,04 - 0,16 | – | 0,08 - 0,30 |
| | | | | | KCU25 | | 25 | 55 | 90 | – | – | 0,06 - 0,12 | – |
| | | | KC5025 | | | | 15 | 55 | 90 | 0,06 - 0,10 | – | – | – |

# Romicron Assembly Instructions

The required parts for the adaptor assembly are identified in Figures 1 and 2. The SVS model is shown. The instructions are also valid for the SVU and SVUBB models




Figure 1 – Parts to be assembled

| | |
|---|---|
| 1 | Boring head |
| 2 | Taper shank |
| 3 | Square extension (3/8" or 1/2") |
| 4 | Torque wrench |
| 5 | Differential connector |
| 6 | Positioning pin |
| 7 | Lubricant ASL-3G |

**WARNING:**
**Before starting the assembly procedure, ensure that all surfaces to be assembled together are free of dirt and completely clean.**

Figure 2 – Assembled tool

A

A. Remove the Differential Connector (5) from the Taper Shank (2).

B

B. Lubricate the thread on the Differential Connector (5) with Lubricant ASL-3G (7), supplied with the Taper Shank (2).

C

C. Screw the Differential Connector (5) into the rear thread on the Boring Head (1) until the end of the thread. At this time it is not necessary to tighten the Differential Connector (5). Remember that the Differential Connector (5) has two different screws, so there is no way to assemble the wrong side.

# Romicron Assembly Instructions

D

D. Screw the front end of the Taper Shank (2) onto the Differential Connector (5), now located at the back on the Boring Head (1). Screw carefully until the Positioning Pin (6) gently touches the Taper Shank (2) face. Stop!

F

F. Insert the square end of the Extension (3) through the Taper Shank (2) and into the Differential Connector (5). Keeping the Positioning Pin (6) and the positioning slot aligned, turn the Extensions (3) counter-clockwise until you see that two Romicron faces are meshing. Ensure that the Positioning Pin (6) is inserted into the slot on the Taper Shank (2).

E

E. Unscrew the Taper Shank (2) a little bit until the Positioning Pin (6) is aligned with the positioning slot mark in the Taper Shank (2) face.

G

G. Tighten the Differential Connector (5) with the specified required torque, as shown on the table below. Use the Torque Wrench (4) to do this.

### Tightening Torque Specifications

| joint size | Torque Nm | drive square |
|---|---|---|
| KR32 | 30 | 3/8" |
| KR50 | 40 | 3/8" |
| KR63 | 55 | 1/2" |
| KR80 | 65 | 1/2" |

**Following these procedures will result in a rigid surface contact between the taper and the boring head face.**

# Setting Fixture

## Primary Application

The newly developed Kennametal Setting Fixture is helping customers to pre-adjust a wide range of guide pad tools. The setting fixture kits include all required components for fast and precise adjustment, especially for the padded reamer families working with RIR™, RIQ™, and RI8 inserts. Kits with two adjustment gages are available for adjusting back taper and diameter at the same time. It is also capable of adjusting two different diameters of step reamers simultaneously. For RIQ and RI8 reamers, there are kits with only one gage available as there is no back taper adjustment required. Additional equipment also enables the measurement of multistep reamers.

Due to its high rigidity and easy assembly, the setting fixture helps customers to adjust reaming tools with high reliability and repeatability.

# Features and Benefits

## Higher Precision and Ease of Use

- Number of gages according to applied tooling platform.
- Two different lengths available.
- Rigid.
- Reliable.
- Modular system.
- Additional equipment available.









## Setting Fixture • One Gage

| order number | catalogue number | H2 | | L | | LU | | W1 | |
|---|---|---|---|---|---|---|---|---|---|
| | | mm | in | mm | in | mm | in | mm | in |
| **5025599** | **SF300M1RS** | 118 | 4.646 | 450 | 17.717 | 300 | 11.811 | 195 | 7.677 |
| **5025670** | **SF750M1RS** | 118 | 4.646 | 900 | 35.443 | 750 | 29.527 | 195 | 7.677 |






## Setting Fixture • Two Gage

| order number | catalogue number | H2 | | L | | LU | | W1 | |
|---|---|---|---|---|---|---|---|---|---|
| | | mm | in | mm | in | mm | in | mm | in |
| **5025597** | **SF300M1LA1RA** | 118 | 4.646 | 450 | 17.717 | 300 | 11.811 | 195 | 7.677 |
| **5025598** | **SF750M1LA1RA** | 118 | 4.646 | 900 | 35.443 | 750 | 29.527 | 195 | 7.677 |

## Contact Pins Set

| order number | catalogue number |
|---|---|
| 5025686 | SFCPS |

## Clamp Handle for End Blocks and Axial Slides

| order number | catalogue number |
|---|---|
| 5025682 | SFEBCH |

## End Block including Screws

| order number | catalogue number |
|---|---|
| 5025681 | SFEBS |

## Support Bars (450mm and 900mm)

| order number | catalogue number |
|---|---|
| 5025684 | SFSB450 |
| 5025685 | SFSB900 |



## Axial Slides

| order number | catalogue number |
|---|---|
| 5025683 | SFSLSS |

## Standard Centre Ø20mm

| order number | catalogue number |
|---|---|
| 5025676 | SFCR20 |



## Spring-Loaded Centre Ø20mm

| order number | catalogue number |
|---|---|
| 5025679 | SFCR20S |

## HSK Centre

| order number | catalogue number |
|---|---|
| 5025677 | SFCRHSK3263 |
| 5025678 | SFCRHSK63100 |

## Gage Set

| order number | catalogue number |
|---|---|
| 5025675 | SFMGS |

Right Hand



Left Hand

## Axial Slide • 85°

| order number | catalogue number |
|---|---|
| 5025674 | SFSLLA |
| 5025673 | SFSLRA |



Right Hand



Left Hand

## Axial Slide • 90° with Angle Fine Adjustment

| order number | catalogue number |
|---|---|
| 5025672 | SFSLLS |
| 5025671 | SFSLRS |



## Base Plate for Vertical Setup

| order number | catalogue number |
|---|---|
| 5025680 | SFVB |

## Handling of the Setting Fixture

1. Slide bases along rails to suit the length of reamer and tighten clamp screws.
2. Insert the tool into the setting fixture.
3. Carefully locate centres in reamer and tighten clamp screw.




## Preadjusting Setting Fixture

**Calibrate 90° slide:** This condition is required for a precise measurement.




**Result:** Probe contact face and guide pad are parallel when x = y.
That condition is required for a precise measurement.

## Handling RIR™/RIQ™

### Adjusting RIR Insert

1. Position the axial slide along the X- and Y-axes.
   Position the first dial indicator at the front of the guide pad and the second dial indicator near the rear of the guide pad.
   Clamp screw when slide is in position. Zero both indicators.




2. Rotate the tool between centres to find the highest point of the blade as indicated on the dial indicators.

3. Use the front adjusting screw the to adjust overhang to + approximately 0,010mm (.0004") above the guide pad.
   Adjust the rear adjusting screw to a final setting, approximately -0,010— -0,015mm (.0004–.0006") smaller than front overhang. (see drawing for precise values)



Adjust insert to size and adjust the back taper using the two screws.




### Adjusting RIQ Insert

1. Position the axial slide along the X and Y-axes.
   Position the dial indicator at the front of the guide pad.
   Clamp screw when slide is in position. Zero the indicator.



2. Rotate the tool between centres to find the highest point of the insert as indicated on the dial indicator.

3. Use the adjusting screw to adjust overhang to approximately 0,010mm above the guide pad.



NOTE: For detailed instruction for RIR and RIQ see Kennametal Innovations Master Catalogue Cutting Tools, page K124.

# Line Expansion

## High-Performance HSS-E-PM Taps

beyond™

### Primary Application

The High-Performance High-Speed Steel (HSS-E-PM) Taps are manufactured to both ANSI and DIN standards from powder metal, offering high productivity and reliable thread quality and are engineered for greater wear- and heat-resistance. HSS-E-PM tools can be used on CNC-synchronous tapping machines as well as conventional non-rigid tapping machines for tapping through and blind holes in a variety of materials and are particularly efficient in tapping soft steel and aluminium.

The precision h6 shank enables usage in precision round toolholders as well as in conventional square drive tap holders.

## Features and Benefits

### Improved Performance, Wide Range of Choices

- Higher strength and wider range of applications versus carbide taps.
- Higher tapping speed capability and longer life than conventional HSS-E taps.
- Can be used on either conventional or synchronous tapping machines.
- Forming taps for soft steel and aluminium.
- Selection of taps for all materials:
  - Steel
  - Stainless steel
  - Iron
  - Aluminium, cast, and wrought
  - Aerospace
  - Hard steel

### Customisation

- Customised taps are available with short lead times from semi-finished blanks.

Solid Carbide = **bold**
HSS-E-PM = regular

## Through Holes

## Blind Holes

| | | Through Holes | | | | Blind Holes | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | Cutting | | Forming | | Cutting | | Forming | |
| | | Flood | Internal Coolant | Flood | Internal Coolant | Flood | Internal Coolant | Flood | Internal Coolant |
| P | <32 HRC | **T320_KC7542** T620_KP6525 | **T321_KC7542** T621_KP6525 | T622_KSP21 | **T381_KC7542** T623_KSP21 | T630_KP6525 T630_KP6505 T632_KP6525 T650_KP6525 | **T331_KC7542** T631_KP6525 T633_KP6525 T651_KP6525 | T622_KSP21 | **T391_KC7542** T623_KSP21 |
| | 32–44 HRC | T600_KSP2 | — | — | — | T602_KSP21 T604_KSH26 | — | — | — |
| M | | T620_KM6515 | T621_KM6515 | — | — | T630_KM6515 | T631_KM6515 | — | — |
| K | | **T340_KC7542** T640_KP6525 | T641_KP6525 | — | — | T640_KP6525 T642_KP6525 | **T351_KC7542** T641_KP6525 T643_KP6525 | — | — |
| N | Wrought, Low Si | T670_KSN38 | — | T622_KSN28 | **T481_KC7512** T623_KSN28 | T680_KSN38 | — | T622_KSN28 | **T491_KC7512** T623_KSN28 |
| | Cast, Si<12% | T640_KP6525 | **T461_KC7512** T641_KP6525 | T622_KSN28 | **T481_KC7512** T623_KSN28 | T640_KP6525 T642_KP6525 | **T471_KC7512** T641_KP6525 T643_KP6525 | T622_KSN28 | **T491_KC7512** T623_KSN28 |
| S | Titanium Alloys | T614_KSN25 | — | — | — | — | — | — | — |
| | Ni and Co Alloys | T610_KSSH22 | — | — | — | T612_KSSH22 | — | — | — |
| H | 44–55 HRC | T606_KSSH22 | — | — | — | T606_KSSH22 | — | — | — |
| | 55–63 HRC | **T410_KCU36** | — | — | — | **T410_KCU36** | — | — | — |

## HSS Taps Identification System

**T620MF120X150R6HX-D4**

**T620NC06250-11R3BX-A**

**Metric**

| T620 | MF | 120 | X | 150 | R | 6HX | -D4 |
|---|---|---|---|---|---|---|---|

**Inch**

| T620 | NC | 06250 | - | 11 | R | 3BX | -A |
|---|---|---|---|---|---|---|---|
| Tap Design | Type of Thread | Nominal Diameter of Thread | | Pitch | Cutting Direction | Tolerance Class | Taps Dimension |
| | | mm or inch (depending on type) | | mm or TPI (depending on type) | | | |

**M** = Metric coarse-pitch thread (ISO form)

**MF** = Metric fine-pitch thread (ISO form)

**NC** = Unified coarse series thread

**NF** = Unified fine series thread

**A** = ANSI

**D1** = DIN 371

**D4** = DIN 374

**D6** = DIN 376

**D74** = DIN 2174

**J** = JIS

**XL** = DIN extra length

**DA** = DIN length and ANSI shank

**Style**

**T620** = Steel and stainless steel, through holes, LH spiral flute, solid

**T621** = Steel and stainless steel, through holes, LH spiral flute, internal coolant

**T630** = Steel and stainless steel, blind holes, RH spiral flute, solid

**T631** = Steel and stainless steel, blind holes, RH spiral flute, internal coolant

**T640** = Cast iron, through and blind holes, straight flute, solid

**T641** = Cast iron, through and blind holes, straight flute, internal coolant

NOTE: Other taps styles, see page B84.






KP6525 • TiCN+ TiN for steel.

## T620 • DIN 371 and 376 • Form D Plug Chamfer • Machine Screw and Fractional




● first choice
○ alternate choice

| KP6525 | metric dimensions D1 size | L | L3 | L2 | D | number of flutes | dimension standard | class of fit |
|---|---|---|---|---|---|---|---|---|
| **T620NC#06-32R2BX-D1** | 6-32 | 56 | 9 | 20 | 4,0 | 2 | DIN 371 | 2BX |
| **T620NF#06-40R2BX-D1** | 6-40 | 56 | 9 | 20 | 4,0 | 2 | DIN 371 | 2BX |
| **T620NC#08-32R2BX-D1** | 8-32 | 63 | 10 | 21 | 4,5 | 2 | DIN 371 | 2BX |
| **T620NC#10-24R2BX-D1** | 10-24 | 70 | 10 | 25 | 6,0 | 3 | DIN 371 | 2BX |
| **T620NF#10-32R2BX-D1** | 10-32 | 70 | 10 | 25 | 6,0 | 3 | DIN 371 | 2BX |
| **T620NC02500-20R3BX-D1** | 1/4-20 | 80 | 13 | 30 | 7,0 | 3 | DIN 371 | 3BX |
| **T620NF02500-28R3BX-D1** | 1/4-28 | 80 | 13 | 30 | 7,0 | 3 | DIN 371 | 3BX |
| **T620NC03125-18R3BX-D1** | 5/16-18 | 90 | 13 | 35 | 8,0 | 3 | DIN 371 | 3BX |
| **T620NF03125-24R3BX-D1** | 5/16-24 | 90 | 13 | 35 | 8,0 | 3 | DIN 371 | 3BX |
| **T620NC03750-16R3BX-D1** | 3/8-16 | 100 | 16 | 39 | 10,0 | 3 | DIN 371 | 3BX |
| **T620NF03750-24R3BX-D1** | 3/8-24 | 100 | 16 | 39 | 10,0 | 3 | DIN 371 | 3BX |
| **T620NC04375-14R3BX-D6** | 7/16-14 | 100 | 15 | 41 | 8,0 | 3 | DIN 376 | 3BX |
| **T620NF04375-20R3BX-D6** | 7/16-20 | 100 | 15 | 41 | 8,0 | 3 | DIN 376 | 3BX |
| **T620NC05000-13R3BX-D6** | 1/2-13 | 110 | 20 | 47 | 9,0 | 3 | DIN 376 | 3BX |
| **T620NF05000-20R3BX-D6** | 1/2-20 | 110 | 20 | 47 | 9,0 | 3 | DIN 376 | 3BX |

**Shank Tolerance**

| D fractional | tolerance h6 |
|---|---|
| >3–6 | +0, -0,008 |
| >6–10 | +0, -0,009 |
| <10–18 | +0, -0,011 |






KP6525 • TiCN+ TiN for steel.

## T621 • DIN 371 and 376 • Form D Plug Chamfer • Through Coolant • Fractional




● first choice
○ alternate choice

| KP6525 | metric dimensions D1 size | L | L3 | L2 | D | number of flutes | dimension standard | class of fit |
|---|---|---|---|---|---|---|---|---|
| **T621NC02500-20R3BX-D1** | 1/4-20 | 80 | 13 | 30 | 7,0 | 3 | DIN 371 | 3BX |
| **T621NF02500-28R3BX-D1** | 1/4-28 | 80 | 13 | 30 | 7,0 | 3 | DIN 371 | 3BX |
| **T621NC03125-18R3BX-D1** | 5/16-18 | 90 | 13 | 35 | 8,0 | 3 | DIN 371 | 3BX |
| **T621NF03125-24R3BX-D1** | 5/16-24 | 90 | 13 | 35 | 8,0 | 3 | DIN 371 | 3BX |
| **T621NC03750-16R3BX-D1** | 3/8-16 | 100 | 16 | 39 | 10,0 | 3 | DIN 371 | 3BX |
| **T621NF03750-24R3BX-D1** | 3/8-24 | 100 | 16 | 39 | 10,0 | 3 | DIN 371 | 3BX |
| **T621NC04375-14R3BX-D6** | 7/16-14 | 100 | 15 | 41 | 8,0 | 3 | DIN 376 | 3BX |
| **T621NF04375-20R3BX-D6** | 7/16-20 | 100 | 15 | 41 | 8,0 | 3 | DIN 376 | 3BX |
| **T621NC05000-13R3BX-D6** | 1/2-13 | 110 | 20 | 47 | 9,0 | 3 | DIN 376 | 3BX |
| **T621NF05000-20R3BX-D6** | 1/2-20 | 110 | 20 | 47 | 9,0 | 3 | DIN 376 | 3BX |

**Shank Tolerance**

| D fractional | tolerance h6 |
|---|---|
| >3–6 | +0, -0,008 |
| >6–10 | +0, -0,009 |
| <10–18 | +0, -0,011 |






KP6525 • TiCN+ TiN for steel.

## T630 • DIN 371 and 376 • Form C Semi-Bottoming Chamfer • Machine Screw and Fractional




● first choice
○ alternate choice

| KP6525 | metric dimensions D1 size | L | L3 | L2 | D | number of flutes | dimension standard | class of fit |
|---|---|---|---|---|---|---|---|---|
| **T630NC#06-32R2BX-D1** | 6-32 | 56 | 9 | 20 | 4,0 | 3 | DIN 371 | 2BX |
| **T630NF#06-40R2BX-D1** | 6-40 | 56 | 9 | 20 | 4,0 | 3 | DIN 371 | 2BX |
| **T630NC#08-32R2BX-D1** | 8-32 | 63 | 10 | 21 | 4,5 | 3 | DIN 371 | 2BX |
| **T630NC#10-24R2BX-D1** | 10-24 | 70 | 10 | 25 | 6,0 | 3 | DIN 371 | 2BX |
| **T630NF#10-32R2BX-D1** | 10-32 | 70 | 10 | 25 | 6,0 | 3 | DIN 371 | 2BX |
| **T630NC02500-20R3BX-D1** | 1/4-20 | 80 | 13 | 30 | 7,0 | 3 | DIN 371 | 3BX |
| **T630NF02500-28R3BX-D1** | 1/4-28 | 80 | 13 | 30 | 7,0 | 3 | DIN 371 | 3BX |
| **T630NC03125-18R3BX-D1** | 5/16-18 | 90 | 13 | 35 | 8,0 | 3 | DIN 371 | 3BX |
| **T630NF03125-24R3BX-D1** | 5/16-24 | 90 | 13 | 35 | 8,0 | 3 | DIN 371 | 3BX |
| **T630NC03750-16R3BX-D1** | 3/8-16 | 100 | 16 | 39 | 10,0 | 3 | DIN 371 | 3BX |
| **T630NF03750-24R3BX-D1** | 3/8-24 | 100 | 16 | 39 | 10,0 | 3 | DIN 371 | 3BX |
| **T630NC04375-14R3BX-D6** | 7/16-14 | 100 | 15 | 41 | 8,0 | 4 | DIN 376 | 3BX |
| **T630NF04375-20R3BX-D6** | 7/16-20 | 100 | 15 | 41 | 8,0 | 4 | DIN 376 | 3BX |
| **T630NC05000-13R3BX-D6** | 1/2-13 | 110 | 20 | 47 | 9,0 | 4 | DIN 376 | 3BX |
| **T630NF05000-20R3BX-D6** | 1/2-20 | 110 | 20 | 47 | 9,0 | 4 | DIN 376 | 3BX |

**Shank Tolerance**

| D fractional | tolerance h6 |
|---|---|
| >3–6 | +0, -0,008 |
| >6–10 | +0, -0,009 |
| <10–18 | +0, -0,011 |






KP6525 • TiCN+ TiN for steel.

## T631 • DIN 371 and 376 • Form C Semi-Bottoming Chamfer • Through Coolant • Fractional




● first choice
○ alternate choice

| KP6525 | metric dimensions D1 size | L | L3 | L2 | D | number of flutes | dimension standard | class of fit |
|---|---|---|---|---|---|---|---|---|
| T631NC02500-20R3BX-D1 | 1/4 - 20 | 80 | 13 | 30 | 7 | 3 | DIN 371 | 3BX |
| T631NF02500-28R3BX-D1 | 1/4 - 28 | 80 | 13 | 30 | 7 | 3 | DIN 371 | 3BX |
| T631NC03125-18R3BX-D1 | 5/16 - 18 | 90 | 13 | 35 | 8 | 3 | DIN 371 | 3BX |
| T631NF03125-24R3BX-D1 | 5/16 - 24 | 90 | 13 | 35 | 8 | 3 | DIN 371 | 3BX |
| T631NC03750-16R3BX-D1 | 3/8 - 16 | 100 | 16 | 39 | 10 | 3 | DIN 371 | 3BX |
| T631NF03750-24R3BX-D1 | 3/8 - 24 | 100 | 16 | 39 | 10 | 3 | DIN 371 | 3BX |
| T631NC04375-14R3BX-D6 | 7/16 - 14 | 100 | 15 | 41 | 8 | 4 | DIN 376 | 3BX |
| T631NF04375-20R3BX-D6 | 7/16 - 20 | 100 | 15 | 41 | 8 | 4 | DIN 376 | 3BX |
| T631NC05000-13R3BX-D6 | 1/2 - 13 | 110 | 20 | 47 | 9 | 4 | DIN 376 | 3BX |
| T631NF05000-20R3BX-D6 | 1/2 - 20 | 110 | 20 | 47 | 9 | 4 | DIN 376 | 3BX |

**Shank Tolerance**

| D fractional | tolerance h6 |
|---|---|
| >3–6 | +0, -0,008 |
| >6–10 | +0, -0,009 |
| <10–18 | +0, -0,011 |






KP6525 • TiCN+ TiN for cast iron and cast aluminium.

## T640 • DIN 371 and 376 • Form C Semi-Bottoming Chamfer • Machine Screw and Fractional




● first choice
○ alternate choice

| KP6525 | metric dimensions D1 size | L | L3 | L2 | D | number of flutes | dimension standard | class of fit |
|---|---|---|---|---|---|---|---|---|
| **T640NC#06-32R2BX-D1** | 6-32 | 56 | 9 | 20 | 4,0 | 3 | DIN 371 | 2BX |
| **T640NF#06-40R2BX-D1** | 6-40 | 56 | 9 | 20 | 4,0 | 3 | DIN 371 | 2BX |
| **T640NC#08-32R2BX-D1** | 8-32 | 63 | 10 | 21 | 4,5 | 3 | DIN 371 | 2BX |
| **T640NC#10-24R2BX-D1** | 10-24 | 70 | 10 | 25 | 6,0 | 3 | DIN 371 | 2BX |
| **T640NF#10-32R2BX-D1** | 10-32 | 70 | 10 | 25 | 6,0 | 3 | DIN 371 | 2BX |
| **T640NC02500-20R3BX-D1** | 1/4-20 | 80 | 13 | 30 | 7,0 | 4 | DIN 371 | 3BX |
| **T640NF02500-28R3BX-D1** | 1/4-28 | 80 | 13 | 30 | 7,0 | 4 | DIN 371 | 3BX |
| **T640NC03125-18R3BX-D1** | 5/16-18 | 90 | 13 | 35 | 8,0 | 4 | DIN 371 | 3BX |
| **T640NF03125-24R3BX-D1** | 5/16-24 | 90 | 13 | 35 | 8,0 | 4 | DIN 371 | 3BX |
| **T640NC03750-16R3BX-D1** | 3/8-16 | 100 | 16 | 39 | 10,0 | 4 | DIN 371 | 3BX |
| **T640NF03750-24R3BX-D1** | 3/8-24 | 100 | 16 | 39 | 10,0 | 4 | DIN 371 | 3BX |
| **T640NC04375-14R3BX-D6** | 7/16-14 | 100 | 15 | 41 | 8,0 | 4 | DIN 376 | 3BX |
| **T640NF04375-20R3BX-D6** | 7/16-20 | 100 | 15 | 41 | 8,0 | 4 | DIN 376 | 3BX |
| **T640NC05000-13R3BX-D6** | 1/2-13 | 110 | 20 | 47 | 9,0 | 4 | DIN 376 | 3BX |
| **T640NF05000-20R3BX-D6** | 1/2-20 | 110 | 20 | 47 | 9,0 | 4 | DIN 376 | 3BX |

**Shank Tolerance**

| D fractional | tolerance h6 |
|---|---|
| **>3–6** | **+0, -0,008** |
| **>6–10** | **+0, -0,009** |
| **<10–18** | **+0, -0,011** |






KP6525 • TiCN+ TiN for cast iron and cast aluminium.

## T641 • DIN 371 and 376 • Form C Semi-Bottoming Chamfer • Through Coolant • Fractional




● first choice
○ alternate choice

| KP6525 | metric dimensions D1 size | L | L3 | L2 | D | number of flutes | dimension standard | class of fit |
|---|---|---|---|---|---|---|---|---|
| **T641NC02500-20R3BX-D1** | 1/4 - 20 | 80 | 13 | 30 | 7,0 | 4 | DIN 371 | 3BX |
| **T641NF02500-28R3BX-D1** | 1/4 - 28 | 80 | 13 | 30 | 7,0 | 4 | DIN 371 | 3BX |
| **T641NC03750-16R3BX-D1** | 5/16 - 16 | 100 | 16 | 39 | 10,0 | 4 | DIN 371 | 3BX |
| **T641NF03125-24R3BX-D1** | 5/16 - 24 | 90 | 13 | 35 | 8,0 | 4 | DIN 371 | 3BX |
| **T641NC03125-18R3BX-D1** | 3/8 - 18 | 90 | 13 | 35 | 8,0 | 4 | DIN 371 | 3BX |
| **T641NF03750-24R3BX-D1** | 3/8 - 24 | 100 | 16 | 39 | 10,0 | 4 | DIN 371 | 3BX |
| **T641NC04375-14R3BX-D6** | 7/16 - 14 | 100 | 15 | 41 | 8,0 | 4 | DIN 376 | 3BX |
| **T641NF04375-20R3BX-D6** | 7/16 - 20 | 100 | 15 | 41 | 8,0 | 4 | DIN 376 | 3BX |
| **T641NC05000-13R3BX-D6** | 1/2 - 13 | 110 | 20 | 47 | 9,0 | 4 | DIN 376 | 3BX |
| **T641NF05000-20R3BX-D6** | 1/2 - 20 | 110 | 20 | 47 | 9,0 | 4 | DIN 376 | 3BX |

**Shank Tolerance**

| D fractional | tolerance h6 |
|---|---|
| >3–6 | +0, -0,008 |
| >6–10 | +0, -0,009 |
| <10–18 | +0, -0,011 |

| Material Group | | Through Holes | | | | | Blind Holes | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Range – m/min | | | | | Range – m/min | | |
| | | Tap Style | Grade | min | Starting Value | max | Tap Style | Grade | min | Starting Value | max |
| P | 1 | T620 | KP6525 | 20 | **30** | 45 | T630,T632,T650 | KP6525 | 14 | **21** | 32 |
| | | T622 | KSP21 | 18 | **30** | 50 | T622 | KSP21 | 13 | **21** | 35 |
| | 2 | T620 | KP6525 | 17 | **25** | 38 | T630,T632,T650 | KP6525 | 12 | **18** | 26 |
| | | T622 | KSP21 | 15 | **25** | 42 | T622 | KSP21 | 10 | **18** | 29 |
| | 3 | T620 | KP6525 | 12 | **15** | 20 | T630,T632,T650 | KP6525 | 8 | **11** | 14 |
| | 4 | T600 | KSP21 | 5 | **6** | 8 | T602, T604 | KSP21 | 3 | **4** | 5 |
| | 5 | T620 | KP6525 | 12 | **15** | 20 | T630,T632,T650 | KP6525 | 8 | **11** | 14 |
| | 6 | T600 | KSP21 | 6 | **8** | 10 | T602, T604 | KSP21 | 4 | **6** | 7 |
| M | 1 | T620 | KM6515 | 12 | **15** | 20 | T630,T632,T650 | KM6515 | 8 | **11** | 14 |
| | 2 | T620 | KM6515 | 9 | **12** | 16 | T630,T632,T650 | KM6515 | 6 | **8** | 11 |
| | 3 | T620 | KM6515 | 8 | **10** | 13 | T630,T632,T650 | KM6515 | 5 | **7** | 9 |
| K | 1 | T640 | KP6525 | 35 | **45** | 59 | T640, T642 | KP6525 | 24 | **32** | 41 |
| | 2 | T640 | KP6525 | 31 | **40** | 52 | T640, T642 | KP6525 | 22 | **28** | 36 |
| | 3 | T640 | KP6525 | 23 | **30** | 39 | T640, T642 | KP6525 | 16 | **21** | 27 |
| N | 1 | T670 | KSN38 | 42 | **55** | 72 | T680 | KSN38 | 30 | **39** | 50 |
| | | T622 | KSN28 | 37 | **55** | 83 | T622 | KSN28 | 26 | **39** | 58 |
| | 2 | T640 | KP6525 | 38 | **50** | 65 | T640, T642 | KP6525 | 27 | **35** | 46 |
| | | T622 | KSN28 | 33 | **50** | 75 | T622 | KSN28 | 23 | **35** | 53 |
| | 4 | T640 | KP6525 | 4 | **6** | 9 | T640, T642 | KP6525 | 3 | **4** | 5 |
| S | 1 | T620 | KP6525 | 8 | **12** | 18 | T630, T632 | KP6525 | 6 | **8** | 11 |
| | 2 | T610 | KSSH22 | 3 | **5** | 8 | T612 | KSSH22 | 3 | **4** | 5 |
| | 3 | T610 | KSSH22 | 3 | **4** | 6 | T612 | KSSH22 | 2 | **3** | 4 |
| | 4 | T614 | KSN25 | 3 | **4** | 6 | T616 | KSN25 | 2 | **3** | 4 |
| H | 1 | T606 | KSSH22 | 1,3 | **2,0** | 3,0 | T606 | KSSH22 | 1,1 | **1,4** | 1,8 |
| | 2 | T606 | KSSH22 | 1,0 | **1,5** | 2,3 | T606 | KSSH22 | 0,8 | **1,1** | 1,4 |

NOTE: Increase speed by up to 25% when using coolant taps (T621, T623, T631, T633, T641, T643, T651).
Use grade KP6505 in steels. Use 50% of the recommended speed listed for grade KP6525™.


## Innovations Master Catalogue Cutting Tools 2013

**The complete Beyond™ High-Performance Taps Portfolio can be found in section L.**



beyond™

# New Beyond™ Grades for Solid Carbide Drills

## What has changed?

- Kennametal has established a unique post-coat treatment procedure in the manufacturing process of new tools.
- The average metal removal rate and tool life performance improves dramatically (minimum 10–30%).
- The new technology improves chip evacuation, especially on deep holes and in difficult cutting conditions.
- Low cutting forces and torques starting with the first hole.

### The KCK10™ Beyond Grade

- A further development of KC7410™.
- Well-known from Kennametal modular drill series.
- Applied in cast iron materials.

### The KCPK15™ Beyond Grade

- A further development of KC7315™.
- Well-known from other major drilling product lines, such as B22_HP series, Unidrill, or modular drills.
- Applied to steel workpieces.

### The KCM15™ Beyond Grade

- A further development of KC7515™.
- Well-known from former B21_HP series.
- Applied in stainless steel materials.

www.kennametal.com

KENNAMETAL®

# Solid End Milling

**Beyond Ceramic EADE Solid End Mills . . . . . C2–C11**
**High-Performance Solid Carbide End Mills . . . . . C12–C64**
HARVI I . . . . . C12–C22
HARVI II . . . . . C24–C29
HARVI II Long . . . . . C30–C34
HARVI III . . . . . C36–C44
KC643M Key Way Cutter . . . . . C46–C50
Roughing . . . . . C52–C64
**Catalogue Numbering System . . . . . C66–C67**

# Beyond™ EADE Solid Ceramic End Mills

## Primary Application

EADE Solid Ceramic End Mills offer higher productivity and tool life in roughing nickel-based high-temperature alloys. Beyond grade KYS40™ delivers best-in-class tool life and exceptionally high Metal Removal Rates (MRR), surpassing those of other solutions on the market today.

- Outstanding reduction of machining time.
- Less tool changes, due to higher tool life.
- Benefit from throw-away type of tooling.

# Features and Benefits

### Advanced Technology

- KYS40 Beyond grade solid SiAlON ceramic designed for machining nickel-based high-temperature alloys.
- Cutting speeds up to 1000 m/min increase Metal Removal Rate (MRR).
- Tool life up to 5x that of carbide.

### Extensive Standard Offering

- 4-flute tooling for pocketing and slotting. Undersize end mills leaving stock for finishing operations.
- 6-flute tooling for face milling and profiling.

### Customisation

- Engineered solutions are available upon request.

### Highest Cutting Speed Capability

- Increase compared to carbide.



**Ceramic optimised end geometry**
Increase in shearing action.
Improves corner stability.

**Enlarged core design**
Increases tool rigidity for less deflection.

**40° helix angle**
Improves chip evacuation.

**KYS40™ Beyond™ grade**
Enables highest cutting speeds.

- Kennametal standard dimensions.
- Non-centre cutting.
- Ramping up to 2,5°.
- Optimised geometry for roughing nickel-based high-temperature alloys.








beyond

## EADE • 4-Flute with Neck • Metric

NEW!




● first choice
○ alternate choice

| KYS40 | D1 | D | D3 | Ap1 max | L | L3 | Rε |
|---|---|---|---|---|---|---|---|
| **EADE0380A4AQE** | 3,80 | 6,00 | 3,65 | 3,00 | 50,00 | 8,00 | 0,50 |
| **EADE0400A4AQE** | 4,00 | 6,00 | 3,84 | 3,00 | 50,00 | 8,00 | 0,50 |
| **EADE0570A4AQF** | 5,70 | 6,00 | 5,47 | 4,50 | 50,00 | 12,00 | 0,75 |
| **EADE0600A4AQF** | 6,00 | 6,00 | 5,76 | 4,50 | 50,00 | 12,00 | 0,75 |
| **EADE0760A4AQG** | 7,60 | 8,00 | 7,30 | 6,00 | 57,00 | 16,00 | 1,00 |
| **EADE0800A4AQG** | 8,00 | 8,00 | 7,68 | 6,00 | 57,00 | 16,00 | 1,00 |
| **EADE0950A4AQH** | 9,50 | 10,00 | 9,12 | 7,50 | 63,00 | 20,00 | 1,25 |
| **EADE1000A4AQH** | 10,00 | 10,00 | 9,60 | 7,50 | 63,00 | 20,00 | 1,25 |
| **EADE1140A4AQJ** | 11,40 | 12,00 | 10,94 | 9,00 | 70,00 | 24,00 | 1,50 |
| **EADE1200A4AQJ** | 12,00 | 12,00 | 11,52 | 9,00 | 70,00 | 24,00 | 1,50 |

NOTE: For application data, see page C6.
For full slotting, profiling, and 3D-milling, do not exceed 0,5mm of Ap.

**End Mill Tolerances**

| D1 | tolerance e8 | D | tolerance h6 |
|---|---|---|---|
| ≤3 | -0,014/-0,028 | ≤3 | +0/-0,006 |
| >3–6 | -0,020/-0,038 | >3–6 | +0/-0,008 |
| >6–10 | -0,025/-0,047 | >6–10 | +0/-0,009 |
| >10–18 | -0,032/-0,059 | >10–18 | +0/-0,011 |
| >18–30 | -0,040/-0,073 | >18–30 | +0/-0,013 |

- Kennametal standard dimensions.
- Non-centre cutting.
- Ramping up to 2°.
- Optimised geometry for roughing nickel-based high-temperature alloys.



beyond

## EADE • 6-Flute • Metric

NEW!




● first choice
○ alternate choice

| KYS40 | D1 | D | Ap1 max | L | Rε |
|---|---|---|---|---|---|
| **EADE0400A6ARE** | 4,00 | 6,00 | 3,00 | 50,00 | 0,50 |
| **EADE0600A6ARF** | 6,00 | 6,00 | 4,50 | 50,00 | 0,75 |
| **EADE0800A6ARG** | 8,00 | 8,00 | 6,00 | 57,00 | 1,00 |
| **EADE1000A6ARH** | 10,00 | 10,00 | 7,50 | 63,00 | 1,25 |
| **EADE1200A6ARJ** | 12,00 | 12,00 | 9,00 | 70,00 | 1,50 |

NOTE: For application data, see page C6.
For face milling, profiling, and 3D-milling, do not exceed 0,5mm of Ap.

**End Mill Tolerances**

| D1 | tolerance e8 | D | tolerance h6 |
|---|---|---|---|
| ≤3 | -0,014/-0,028 | ≤3 | +0/-0,006 |
| >3–6 | -0,020/-0,038 | >3–6 | +0/-0,008 |
| >6–10 | -0,025/-0,047 | >6–10 | +0/-0,009 |
| >10–18 | -0,032/-0,059 | >10–18 | +0/-0,011 |
| >18–30 | -0,040/-0,073 | >18–30 | +0/-0,013 |

## 4-Flute with Neck • Metric

| Material Group | | Side Milling (A) and Slotting (B) A ap | Side Milling (A) and Slotting (B) A ae | Side Milling (A) and Slotting (B) B ap | KYS40 Cutting Speed — vc m/min min | KYS40 Cutting Speed — vc m/min max | Recommended feed per tooth (fz=mm/th) for side milling (A). For slotting (B), reduce fz by 20%. mm | D1 — Diameter 4,0 | 6,0 | 8,0 | 10,0 | 12,0 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| S | 3 | Ap1 max | 0,1 x D* | 0,5 x D | 250 | 1000 | fz | 0,020 | 0,024 | 0,028 | 0,030 | 0,032 |

* For above cutting data, do not exceed an overall ae of 1mm.

## 6-Flute • Metric



| Material Group | | Side Milling (A) and Profiling A ap | Side Milling (A) and Profiling A ae | KYS40 Cutting Speed — vc m/min min | KYS40 Cutting Speed — vc m/min max | Recommended feed per tooth (fz=mm/th) for side milling (A). mm | D1 — Diameter 4,0 | 6,0 | 8,0 | 10,0 | 12,0 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| S | 3 | Ap1 max | 0,1 x D* | 250 | 1000 | fz | 0,020 | 0,024 | 0,028 | 0,030 | 0,032 |

* For above cutting data, do not exceed an overall ae of 1mm.

# INTRODUCING

## The New Kennametal Innovations iPad® Application

Available as a **Free Download** from the iTunes® App Store℠.

### Now Available

The Kennametal Innovations iPad® app features interactive, cutting-edge animations and real-world demonstrations of Kennametal's productivity-enhancing technologies for machining and industrial processes. With selectable data, it is quick and convenient to compare complimenting and competitive products.

### Easy to Download

Go to the iTunes® App Store, and search for "Kennametal". Then follow the directions on downloading. It's simple, fast, and free.

### Easy to Use

The simple navigation makes it easy to search via keywords to find specific tooling solutions and product groups. The user-driven navigation map offers drop-down menus with supplemental information, including expandable, and customisable, charts and graphs.

## EADE 4-Flute End Mill

**CHALLENGE**

- Roughing a slot at turbine blade.
- Depth of slot 22mm.
- INCONEL® 718 material.
- Dry machining.

**SOLUTION**

- Engineered solution EADE KYS40™ ceramic end mill with extended neck.
- Ø 11,4mm with 4 effective cutting edges and 1,5mm corner radii.

**CUTTING DATA**

- vc 800 m/min
- fz 0,03 mm/z
- ap 0,5mm
- ae 11,4mm

**RESULT**

- **Customer proprietary information.**

**BENEFIT**

- **Machining time of 1 minute 54 seconds for one slot only.**
- **Metal removal rate of 15 cm³/min consistently achieved.**
- **Productivity significantly increased.**

## EADE 4-Flute End Mill

**CHALLENGE**

- Rough profiling of small turbine blades.
- INCONEL 718 material.
- Dry machining.

**SOLUTION**

- Standard EADE KYS40 ceramic end mill.
- Ø 11,4mm with 4 effective cutting edges and standard neck.

**CUTTING DATA**

- vc 645 m/min
- fz 0,03 mm/z
- ap 0,5mm
- ae 11,4mm

**RESULT**

- **3x tool life compared to 2x tool life with competitive solution in less time.**

**BENEFIT**

- **3x higher productivity as a result of increased cutting data.**
- **50% higher tool life compared to competitive carbide end mill.**

## EADE 6-Flute End Mill

**CHALLENGE**

- Rough profiling of aerospace parts.
- Haynes® 288 and INCONEL® 718 material.
- Dry machining.

**SOLUTION**

- Standard EADE KYS40™ ceramic end mill.
- Ø 10mm with 6 effective cutting edges.

**CUTTING DATA**

- vc 462 m/min
- fz 0,03 mm/z
- ap 0,5–1mm
- ae varying

**RESULT**

- **Customer proprietary information.**

**BENEFIT**

- **Machining time reduced.**
- **Productivity significantly increased.**

## EADE 6-Flute End Mill

**CHALLENGE**

- Rough profiling of blisk (blade integrated disk).
- INCONEL 718 material (42 HRC).
- Compressed air coolant.

**SOLUTION**

- Standard EADE KYS40 ceramic end mill.
- Ø 12mm with 6 effective cutting edges.

**CUTTING DATA**

- vc 679 m/min
- fz 0,03 mm/z
- ap varying up to 0,5mm
- ae varying

**RESULT**

- **2 blisk segments machined with one tool.**
- **12 minute machining time per segment.**

**BENEFIT**

- **Unprecedented reduction in machining time.**

| | |
|---|---|
| **Materials to Cut** | • Nickel-based high-temperature alloys.<br>• Cobalt-based alloys after consulting technical assistance.<br>• P6 and M1-3 stainless steels after consulting technical assistance.<br>• Do not apply on iron-based high-temperature alloys. |
| **Cutting Speed** | • Maximum RPM machine can provide recommended cutting speed: 250–1000 m/min.<br>• Highly dynamic machines recommended.<br>• Use of spindle speeders applicable (no wet coolant). |
| **Feed Rate** | • Refer to cutting data recommendation.<br>• General starting condition fz 0,03 mm/z. |
| **Depth of cut** | • Refer to cutting data recommendation.<br>• General starting condition ap 0,5mm. |
| **Coolant** | • Power cool nozzle preferred to flush chips away.<br>• Pressurised air applicable.<br>• Minimal Quantity Lubrication (MQL) and dry applicable.<br>• No coolant with emulsion or oil due to thermal shock. |
| **Adaptation** | • Hydraulic chuck with or without sleeve preferred.<br>• Collet or milling power chucks applicable.<br>• Balancing at 25,000 RPM (2,5G) preferred.<br>• Shrink adaptation not recommended. |
| **Roughing Application** | Yes |
| **Finishing Applications** | No |
| **Milling Strategy** | • Conventional milling preferred at lower speeds.<br>• Climb milling preferred at higher speeds. |
| **4-Flute EADE** | • Slotting and pocketing.<br>• Common sizes and undersize leaving finishing stock.<br>• Side milling possible up to ap max with increased feed.<br>• Non-centre cutting.<br>• Ramping and helical interpolation possible under 2.5°.  |
| **6-Flute EADE** | • Profiling and face milling.<br>• Non-centre cutting.<br>• Side milling possible up to ap max with increased feed.<br>• Ramping and helical interpolation possible under 2°.  |
| **Engineered Solutions** | Available upon request |
| **Reconditioning Service** | Not applicable |

## Wear Indication

**New**

**Used**

Wear rate 0,48mm.
Still good to use.

**End of Tool Life**

Wear rate 1,4mm.
End of tool life reached.

## Chip Formation

**Carbide**

Regular curled chips. Shape and length depend on end mill geometry and cutting data.

**Ceramic**

Chips are nearly like dust. Pressurised air coolant recommended to blow away chips.

## Causes of and Remedies for End Milling Problems

| problem | cause | remedy |
|---|---|---|
| **Excessive burr formation** | • Softness of material to cut.<br>• Excessive wear on radii. | • Use undersize end mills that leave stock for finishing operation.<br>• Replace tool as end of tool life reached.<br>• Check tool runout. |
| **Sudden breakage** | • Vibration of the workpiece.<br>• Unstable tool clamping.<br>• Use of 6-flute tooling in slotting. | • Check workpiece and tool clamping.<br>• Use of 4-flute EADE recommended. |
| **Chips sticking** | • Lack of cutting speed. | • Increase cutting speed. |
| **Chipping** | • Unstable tool and/or workpiece clamping.<br>• Initial cutting speed too high. | • Check workpiece and tool clamping.<br>• Reduce cutting speed during initial cut and increase as cutting continues. |
| **Thermal cracks** | • Wet coolant. | • Do not use wet coolant. |

# HARVI I™ High-Performance Solid Carbide End Mills

## Designed for roughing and finishing with one tool on almost all materials.

### Primary Application

HARVI I offers plunging, slotting, and profiling at the highest possible feed rates for a wide range of materials. They are designed to provide maximum Metal Removal Rates (MRR) and to achieve superior surface conditions. A wide range of diameters and corner configurations, such as chamfer, radii, and sharp edges, are available from stock. To prevent pull out of end mills during heavy cuts, HARVI I is available equipped with **SAFE-LOCK**™ by HAIMER®.

- Roughing and finishing with one tool.
- Outstanding Metal Removal Rates increase productivity.
- KCPM15™ and KCSM15™ Beyond™ grades for long tool life.

## Features and Benefits

### Advanced Technology

- Four unequally spaced flutes for chatter-free machining at high feed rates.
- Centre cutting design for plunging and improved ramping and helical interpolation capabilities.
- 1 x D full slotting capability in:
  - Steel
  - Stainless steel
  - Titanium

### Tailored Grades

- Proprietary KCPM15 Beyond grade for outstanding wear protection in milling stainless steel to mitigate crater, DOCN (depth-of-cut notching), and flank wear.
- Proprietary KCSM15 Beyond grade for exceptional tool life results in titanium.
- Universal KC643M™ grade suitable for cutting steel, cast iron, stainless steel (wet), and titanium (wet).

### Customisation

- Intermediate diameters available.
- Expanded length of tool, as well as increased length of cut, possible.
- Internal coolant axial, as well as radial, available.
- Various shank options and non-standard coatings available.
- Multiple steps possible.

### Extensive Standard Offering

- Diameter range 4–25mm.
- Necked, corner radii, and square-end offering.
- Extended reach length.
- Ball nose with extended reach length.
- Chip divider geometry for reduced power consumption and improved chip formation in difficult-to-cut materials.



**Centre cutting**
Enables axial movement for finish pass.
Expands ramping capabilities.

**Unequal flute spacing**
Reduces vibrations.
Improves surface finish.

**38° helix angle**
Roughing and finishing.

**SAFE-LOCK™ shank**
Prevents end mill pullout.
Enables higher feed rates.

**KCSM15™ Beyond™ grade**
Long tool life.
Enables higher cutting speeds.
Optimised for titanium machining.

**KCPM15™ Beyond™ grade**
Excellent performance,
up to 52 HRC.
Optimised for steel and
stainless steel machining.

*To learn more, **scan here**.*
*For instructions on how to scan, please see page xxv.*

- Kennametal standard dimensions.
- Centre cutting.
- Unequal flute spacing minimises chatter for smoother machining.
- Single tool for both roughing and finishing operations requiring fewer setups.






beyond

## F4AS...DL • 4-Flute • Metric







● first choice
○ alternate choice

| KCPM15 | KCPM15 | D1 | D | Ap1 max | L | BCH |
|---|---|---|---|---|---|---|
| **F4AS0400ADL38** | **F4AS0400BDL38** | 4,00 | 6,00 | 12,00 | 55,00 | 0,40 |
| **F4AS0500ADL38** | **F4AS0500BDL38** | 5,00 | 6,00 | 13,00 | 57,00 | 0,40 |
| **F4AS0600ADL38** | **F4AS0600BDL38** | 6,00 | 6,00 | 13,00 | 57,00 | 0,40 |
| **F4AS0800ADL38** | **F4AS0800BDL38** | 8,00 | 8,00 | 16,00 | 63,00 | 0,40 |
| **F4AS1000ADL38** | **F4AS1000BDL38** | 10,00 | 10,00 | 22,00 | 72,00 | 0,50 |
| **F4AS1200ADL38** | **F4AS1200BDL38** | 12,00 | 12,00 | 26,00 | 83,00 | 0,50 |
| **F4AS1400ADL38** | **F4AS1400BDL38** | 14,00 | 14,00 | 26,00 | 83,00 | 0,50 |
| **F4AS1600ADL38** | **F4AS1600BDL38** | 16,00 | 16,00 | 32,00 | 92,00 | 0,50 |
| **F4AS1800ADL38** | **F4AS1800BDL38** | 18,00 | 18,00 | 32,00 | 92,00 | 0,50 |
| **F4AS2000ADL38** | **F4AS2000BDL38** | 20,00 | 20,00 | 38,00 | 104,00 | 0,50 |
| **F4AS2500ADL38** | **F4AS2500BDL38** | 25,00 | 25,00 | 45,00 | 121,00 | 0,50 |

NOTE: For application data, see page C20.

**End Mill Tolerances**

| D1 | tolerance e8 | D | tolerance h6 |
|---|---|---|---|
| ≤3 | -0,014/-0,028 | ≤3 | +0/-0,006 |
| >3–6 | -0,020/-0,038 | >3–6 | +0/-0,008 |
| >6–10 | -0,025/-0,047 | >6–10 | +0/-0,009 |
| >10–18 | -0,032/-0,059 | >10–18 | +0/-0,011 |
| >18–30 | -0,040/-0,073 | >18–30 | +0/-0,013 |

- Kennametal standard dimensions.
- Centre cutting.
- Unequal flute spacing minimises chatter for smoother machining.
- Single tool for both roughing and finishing operations requiring fewer setups.



beyond

## UBDE • F4AS.. • 4-Flute with Neck • Metric










● first choice
○ alternate choice

| KCSM15 | KCPM15 | KCPM15 | D1 | D | D3 | Ap1 max | L3 | L | Rε |
|---|---|---|---|---|---|---|---|---|---|
| – | F4AS0600AWM38R050 | F4AS0600BWM38R050 | 6,00 | 6,00 | 5,64 | 9,00 | 18,00 | 63,00 | 0,50 |
| – | F4AS0600AWM38R100 | F4AS0600BWM38R100 | 6,00 | 6,00 | 5,64 | 9,00 | 18,00 | 63,00 | 1,00 |
| – | F4AS0800AWM38R050 | F4AS0800BWM38R050 | 8,00 | 8,00 | 7,52 | 12,00 | 24,00 | 68,00 | 0,50 |
| – | F4AS0800AWM38R100 | F4AS0800BWM38R100 | 8,00 | 8,00 | 7,52 | 12,00 | 24,00 | 68,00 | 1,00 |
| – | F4AS1000AWL38R050 | F4AS1000BWL38R050 | 10,00 | 10,00 | 9,40 | 15,00 | 30,00 | 76,00 | 0,50 |
| – | F4AS1000AWL38R100 | F4AS1000BWL38R100 | 10,00 | 10,00 | 9,40 | 15,00 | 30,00 | 76,00 | 1,00 |
| – | F4AS1000AWL38R200 | F4AS1000BWL38R200 | 10,00 | 10,00 | 9,40 | 15,00 | 30,00 | 76,00 | 2,00 |
| – | F4AS1000AWL38R300 | F4AS1000BWL38R300 | 10,00 | 10,00 | 9,40 | 15,00 | 30,00 | 76,00 | 3,00 |
| – | F4AS1000AWL38R400 | F4AS1000BWL38R400 | 10,00 | 10,00 | 9,40 | 15,00 | 30,00 | 76,00 | 4,00 |
| UBDE1200E4AQE | F4AS1200AWL38R050 | F4AS1200BWL38R050 | 12,00 | 12,00 | 11,28 | 18,00 | 36,00 | 83,00 | 0,50 |
| UBDE1200E4AQG | F4AS1200AWL38R100 | F4AS1200BWL38R100 | 12,00 | 12,00 | 11,28 | 18,00 | 36,00 | 83,00 | 1,00 |
| UBDE1200E4AQK | F4AS1200AWL38R200 | F4AS1200BWL38R200 | 12,00 | 12,00 | 11,28 | 18,00 | 36,00 | 83,00 | 2,00 |
| UBDE1200E4AQM | F4AS1200AWL38R300 | F4AS1200BWL38R300 | 12,00 | 12,00 | 11,28 | 18,00 | 36,00 | 83,00 | 3,00 |
| UBDE1200E4AQN | F4AS1200AWL38R400 | F4AS1200BWL38R400 | 12,00 | 12,00 | 11,28 | 18,00 | 36,00 | 83,00 | 4,00 |
| UBDE1600E4AQE | F4AS1600AWX38R050 | F4AS1600BWX38R050 | 16,00 | 16,00 | 15,04 | 24,00 | 48,00 | 100,00 | 0,50 |
| UBDE1600E4AQG | F4AS1600AWX38R100 | F4AS1600BWX38R100 | 16,00 | 16,00 | 15,04 | 24,00 | 48,00 | 100,00 | 1,00 |
| UBDE1600E4AQK | F4AS1600AWX38R200 | F4AS1600BWX38R200 | 16,00 | 16,00 | 15,04 | 24,00 | 48,00 | 100,00 | 2,00 |
| UBDE1600E4AQM | F4AS1600AWX38R300 | F4AS1600BWX38R300 | 16,00 | 16,00 | 15,04 | 24,00 | 48,00 | 100,00 | 3,00 |
| UBDE1600E4AQN | F4AS1600AWX38R400 | F4AS1600BWX38R400 | 16,00 | 16,00 | 15,04 | 24,00 | 48,00 | 100,00 | 4,00 |
| UBDE2000E4AQE | F4AS2000AWX38R050 | F4AS2000BWX38R050 | 20,00 | 20,00 | 18,80 | 30,00 | 60,00 | 115,00 | 0,50 |

*(continued)*

*(UBDE • F4AS.. • 4-Flute with Neck • Metric continued)*










| KCSM15 | KCPM15 | KCPM15 | D1 | D | D3 | Ap1 max | L3 | L | Rε |
|---|---|---|---|---|---|---|---|---|---|
| **UBDE2000E4AQG** | **F4AS2000AWX38R100** | **F4AS2000BWX38R100** | 20,00 | 20,00 | 18,80 | 30,00 | 60,00 | 115,00 | 1,00 |
| **UBDE2000E4AQK** | **F4AS2000AWX38R200** | **F4AS2000BWX38R200** | 20,00 | 20,00 | 18,80 | 30,00 | 60,00 | 115,00 | 2,00 |
| **UBDE2000E4AQM** | **F4AS2000AWX38R300** | **F4AS2000BWX38R300** | 20,00 | 20,00 | 18,80 | 30,00 | 60,00 | 115,00 | 3,00 |
| **UBDE2000E4AQN** | **F4AS2000AWX38R400** | **F4AS2000BWX38R400** | 20,00 | 20,00 | 18,80 | 30,00 | 60,00 | 115,00 | 4,00 |
| **UBDE2500E4AQE** | **F4AS2500AWX38R050** | **F4AS2500BWX38R050** | 25,00 | 25,00 | 23,50 | 37,50 | 75,00 | 135,00 | 0,50 |
| **UBDE2500E4AQG** | **F4AS2500AWX38R100** | **F4AS2500BWX38R100** | 25,00 | 25,00 | 23,50 | 37,50 | 75,00 | 135,00 | 1,00 |
| **UBDE2500E4AQK** | **F4AS2500AWX38R200** | **F4AS2500BWX38R200** | 25,00 | 25,00 | 23,50 | 37,50 | 75,00 | 135,00 | 2,00 |
| **UBDE2500E4AQM** | **F4AS2500AWX38R300** | **F4AS2500BWX38R300** | 25,00 | 25,00 | 23,50 | 37,50 | 75,00 | 135,00 | 3,00 |
| **UBDE2500E4AQN** | **F4AS2500AWX38R400** | **F4AS2500BWX38R400** | 25,00 | 25,00 | 23,50 | 37,50 | 75,00 | 135,00 | 4,00 |

NOTE: For application data, see page C21.

**End Mill Tolerances**

| D1 | tolerance e8 | D | tolerance h6 |
|---|---|---|---|
| ≤3 | -0,014/-0,028 | ≤3 | +0/-0,006 |
| >3–6 | -0,020/-0,038 | >3–6 | +0/-0,008 |
| >6–10 | -0,025/-0,047 | >6–10 | +0/-0,009 |
| >10–18 | -0,032/-0,059 | >10–18 | +0/-0,011 |
| >18–30 | -0,040/-0,073 | >18–30 | +0/-0,013 |

- Kennametal standard dimensions.
- Centre cutting.
- Unequal flute spacing minimises chatter for smoother machining.
- Chipbreaker profile.






beyond

## F4BS.. • 4-Flute with Neck and Chipbreaker • Metric







● first choice
○ alternate choice

| KCPM15 | KCPM15 | D1 | D | D3 | Ap1 max | L3 | L | Rε |
|---|---|---|---|---|---|---|---|---|
| F4BS0600AWM38R050 | F4BS0600BWM38R050 | 6,00 | 6,00 | 5,80 | 9,00 | 18,00 | 63,00 | 0,50 |
| F4BS0600AWM38R100 | F4BS0600BWM38R100 | 6,00 | 6,00 | 5,80 | 9,00 | 18,00 | 63,00 | 1,00 |
| F4BS0800AWM38R050 | F4BS0800BWM38R050 | 8,00 | 8,00 | 7,80 | 12,00 | 24,00 | 68,00 | 0,50 |
| F4BS0800AWM38R100 | F4BS0800BWM38R100 | 8,00 | 8,00 | 7,80 | 12,00 | 24,00 | 68,00 | 1,00 |
| F4BS1000AWL38R050 | F4BS1000BWL38R050 | 10,00 | 10,00 | 9,50 | 15,00 | 30,00 | 76,00 | 0,50 |
| F4BS1000AWL38R100 | F4BS1000BWL38R100 | 10,00 | 10,00 | 9,50 | 15,00 | 30,00 | 76,00 | 1,00 |
| F4BS1000AWL38R200 | F4BS1000BWL38R200 | 10,00 | 10,00 | 9,50 | 15,00 | 30,00 | 76,00 | 2,00 |
| F4BS1000AWL38R300 | F4BS1000BWL38R300 | 10,00 | 10,00 | 9,50 | 15,00 | 30,00 | 76,00 | 3,00 |
| F4BS1000AWL38R400 | F4BS1000BWL38R400 | 10,00 | 10,00 | 9,50 | 15,00 | 30,00 | 76,00 | 4,00 |
| F4BS1200AWL38R050 | F4BS1200BWL38R050 | 12,00 | 12,00 | 11,50 | 18,00 | 36,00 | 84,00 | 0,50 |
| F4BS1200AWL38R100 | F4BS1200BWL38R100 | 12,00 | 12,00 | 11,50 | 18,00 | 36,00 | 84,00 | 1,00 |
| F4BS1200AWL38R200 | F4BS1200BWL38R200 | 12,00 | 12,00 | 11,50 | 18,00 | 36,00 | 84,00 | 2,00 |
| F4BS1200AWL38R300 | F4BS1200BWL38R300 | 12,00 | 12,00 | 11,50 | 18,00 | 36,00 | 84,00 | 3,00 |
| F4BS1200AWL38R400 | F4BS1200BWL38R400 | 12,00 | 12,00 | 11,50 | 18,00 | 36,00 | 84,00 | 4,00 |
| F4BS1600AWX38R050 | F4BS1600BWX38R050 | 16,00 | 16,00 | 15,00 | 24,00 | 48,00 | 100,00 | 0,50 |
| F4BS1600AWX38R100 | F4BS1600BWX38R100 | 16,00 | 16,00 | 15,00 | 24,00 | 48,00 | 100,00 | 1,00 |
| F4BS1600AWX38R200 | F4BS1600BWX38R200 | 16,00 | 16,00 | 15,00 | 24,00 | 48,00 | 100,00 | 2,00 |
| F4BS1600AWX38R300 | F4BS1600BWX38R300 | 16,00 | 16,00 | 15,00 | 24,00 | 48,00 | 100,00 | 3,00 |
| F4BS1600AWX38R400 | F4BS1600BWX38R400 | 16,00 | 16,00 | 15,00 | 24,00 | 48,00 | 100,00 | 4,00 |
| F4BS2000AWX38R050 | F4BS2000BWX38R050 | 20,00 | 20,00 | 19,00 | 30,00 | 60,00 | 115,00 | 0,50 |
| F4BS2000AWX38R100 | F4BS2000BWX38R100 | 20,00 | 20,00 | 19,00 | 30,00 | 60,00 | 115,00 | 1,00 |
| F4BS2000AWX38R200 | F4BS2000BWX38R200 | 20,00 | 20,00 | 19,00 | 30,00 | 60,00 | 115,00 | 2,00 |
| F4BS2000AWX38R300 | F4BS2000BWX38R300 | 20,00 | 20,00 | 19,00 | 30,00 | 60,00 | 115,00 | 3,00 |
| F4BS2000AWX38R400 | F4BS2000BWX38R400 | 20,00 | 20,00 | 19,00 | 30,00 | 60,00 | 115,00 | 4,00 |
| F4BS2500AWX38R050 | F4BS2500BWX38R050 | 25,00 | 25,00 | 24,00 | 37,50 | 75,00 | 135,00 | 0,50 |
| F4BS2500AWX38R100 | F4BS2500BWX38R100 | 25,00 | 25,00 | 24,00 | 37,50 | 75,00 | 135,00 | 1,00 |
| F4BS2500AWX38R200 | F4BS2500BWX38R200 | 25,00 | 25,00 | 24,00 | 37,50 | 75,00 | 135,00 | 2,00 |
| F4BS2500AWX38R300 | F4BS2500BWX38R300 | 25,00 | 25,00 | 24,00 | 37,50 | 75,00 | 135,00 | 3,00 |
| F4BS2500AWX38R400 | F4BS2500BWX38R400 | 25,00 | 25,00 | 24,00 | 37,50 | 75,00 | 135,00 | 4,00 |

NOTE: For application data, see page C21.

**End Mill Tolerances**

| D1 | tolerance e8 | D | tolerance h6 |
|---|---|---|---|
| ≤3 | -0,014/-0,028 | ≤3 | +0/-0,006 |
| >3–6 | -0,020/-0,038 | >3–6 | +0/-0,008 |
| >6–10 | -0,025/-0,047 | >6–10 | +0/-0,009 |
| >10–18 | -0,032/-0,059 | >10–18 | +0/-0,011 |
| >18–30 | -0,040/-0,073 | >18–30 | +0/-0,013 |

- Kennametal standard dimensions.
- Centre cutting.
- Unequal flute spacing minimises chatter for smoother machining.
- Single tool for both roughing and finishing operations requiring fewer setups.




beyond

## UADE • 4-Flute Extended Reach • Metric

● first choice
○ alternate choice

| KCPM15 | KCPM15 | D1 | D | D3 | Ap1 max | L3 | L | BCH |
|---|---|---|---|---|---|---|---|---|
| **UADE0600A4AL** | **UADE0600B4AL** | 6,0 | 6 | 5,50 | 12,00 | 42,00 | 100 | 0,40 |
| **UADE0800A4AL** | **UADE0800B4AL** | 8,0 | 8 | 7,30 | 16,00 | 62,00 | 100 | 0,40 |
| **UADE1000A4AL** | **UADE1000B4AL** | 10,0 | 10 | 9,10 | 20,00 | 60,00 | 100 | 0,50 |
| **UADE1200A4AL** | **UADE1200B4AL** | 12,0 | 12 | 11,00 | 24,00 | 73,00 | 125 | 0,50 |
| **UADE1600A4AL** | **UADE1600B4AL** | 16,0 | 16 | 15,00 | 32,00 | 100,00 | 150 | 0,50 |
| **UADE2000A4AL** | **UADE2000B4AL** | 20,0 | 20 | 19,00 | 40,00 | 98,00 | 175 | 0,50 |

NOTE: For application data, see page C22.

**End Mill Tolerances**

| D1 | tolerance e8 | D | tolerance h6 + / - |
|---|---|---|---|
| ≤ 3 | -0,014/-0,028 | ≤ 3 | 0/0,006 |
| > 3-6 | -0,020/-0,038 | > 3–6 | 0/0,008 |
| > 6–10 | -0,025/-0,047 | > 6–10 | 0/0,009 |
| > 10–18 | -0,032/-0,059 | > 10–18 | 0/0,011 |
| > 18–30 | -0,040/-0,073 | > 18–30 | 0/0,013 |

- Kennametal standard dimensions.
- Centre cutting.
- Unequal flute spacing minimises chatter for smoother machining.
- Single tool for both roughing and finishing operations requiring fewer setups.



beyond

## F4AW.. • 4-Flute Extended Reach • Ball Nose • Metric




● first choice
○ alternate choice

| KCPM15 | D1 | D | D3 | Ap1 max | L3 | L |
|---|---|---|---|---|---|---|
| **F4AW0600AWL38E120** | 6,00 | 6,00 | 5,80 | 6,00 | 12,00 | 76,00 |
| **F4AW0800AWL38E160** | 8,00 | 8,00 | 7,80 | 8,00 | 16,00 | 100,00 |
| **F4AW1000AWX38E200** | 10,00 | 10,00 | 9,50 | 10,00 | 20,00 | 121,50 |
| **F4AW1200AWX38E240** | 12,00 | 12,00 | 11,50 | 12,00 | 24,00 | 125,00 |
| **F4AW1600AWX38E320** | 16,00 | 16,00 | 15,00 | 16,00 | 32,00 | 150,00 |

NOTE: For application data, see page C22.

**End Mill Tolerances**

| D1 | tolerance e8 | D | tolerance h6 |
|---|---|---|---|
| ≤3 | -0,014/-0,028 | ≤3 | +0/-0,006 |
| >3–6 | -0,020/-0,038 | >3–6 | +0/-0,008 |
| >6–10 | -0,025/-0,047 | >6–10 | +0/-0,009 |
| >10–18 | -0,032/-0,059 | >10–18 | +0/-0,011 |
| >18–30 | -0,040/-0,073 | >18–30 | +0/-0,013 |

## HARVI I™ • F4AS...DL • Unequal Flute Spacing

| Material Group | | Side Milling (A) and Slotting (B) A ap | A ae | B ap | KCPM15 Cutting Speed — vc m/min min | max | mm | Recommended feed per tooth (fz=mm/th) for side milling (A). For slotting (B), reduce fz by 20%. D1 — Diameter 4,0 | 6,0 | 8,0 | 10,0 | 12,0 | 16,0 | 20,0 | 25,0 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | 1 | 1,5 x D | 0,5 x D | 1 x D | 150 | 200 | fz | 0,028 | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 | 0,124 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 140 | 190 | fz | 0,028 | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 | 0,124 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 120 | 160 | fz | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 4 | 1,5 x D | 0,5 x D | 0,75 x D | 90 | 150 | fz | 0,021 | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 | 0,088 | 0,098 |
| | 5 | 1,5 x D | 0,5 x D | 1 x D | 60 | 100 | fz | 0,019 | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 | 0,091 |
| | 6 | 1,5 x D | 0,5 x D | 0,75 x D | 50 | 75 | fz | 0,016 | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 | 0,071 |
| M | 1 | 1,5 x D | 0,5 x D | 1 x D | 90 | 115 | fz | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 60 | 80 | fz | 0,019 | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 | 0,091 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 60 | 70 | fz | 0,016 | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 | 0,071 |
| K | 1 | 1,5 x D | 0,5 x D | 1 x D | 120 | 150 | fz | 0,028 | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 | 0,124 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 110 | 130 | fz | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 100 | 130 | fz | 0,019 | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 | 0,091 |
| H | 1 | 1,5 x D | 0,5 x D | 0,75 x D | 80 | 140 | fz | 0,021 | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 | 0,088 | 0,098 |

## HARVI I • UBDE • Unequal Flute Spacing • With Neck

| Material Group | | Side Milling (A) and Slotting (B) A ap | A ae | B ap | KCSM15 Cutting Speed — vc m/min min | max | mm | Recommended feed per tooth (fz=mm/th) for side milling (A). For slotting (B), reduce fz by 10%. D1 — Diameter 12,0 | 16,0 | 20,0 | 25,0 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| P | 1 | 1,5 x D | 0,5 x D | 1 x D | 150 | 200 | fz | 0,083 | 0,101 | 0,114 | 0,124 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 140 | 190 | fz | 0,083 | 0,101 | 0,114 | 0,124 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 120 | 160 | fz | 0,070 | 0,087 | 0,101 | 0,114 |
| | 4 | 1,5 x D | 0,5 x D | 0,75 x D | 90 | 150 | fz | 0,062 | 0,077 | 0,088 | 0,098 |
| | 5 | 1,5 x D | 0,5 x D | 1 x D | 60 | 100 | fz | 0,056 | 0,070 | 0,081 | 0,091 |
| | 6 | 1,5 x D | 0,5 x D | 0,75 x D | 50 | 75 | fz | 0,047 | 0,057 | 0,065 | 0,071 |
| M | 1 | 1,5 x D | 0,5 x D | 1 x D | 90 | 115 | fz | 0,070 | 0,087 | 0,101 | 0,114 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 60 | 80 | fz | 0,056 | 0,070 | 0,081 | 0,091 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 60 | 70 | fz | 0,047 | 0,057 | 0,065 | 0,071 |
| K | 1 | 1,5 x D | 0,5 x D | 1 x D | 120 | 150 | fz | 0,083 | 0,101 | 0,114 | 0,124 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 110 | 130 | fz | 0,070 | 0,087 | 0,101 | 0,114 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 110 | 130 | fz | 0,056 | 0,070 | 0,081 | 0,091 |
| S | 1 | 1,5 x D | 0,3 x D | 0,3 x D | 50 | 90 | fz | 0,070 | 0,087 | 0,101 | 0,114 |
| | 2 | 1,5 x D | 0,3 x D | 0,3 x D | 50 | 90 | fz | 0,070 | 0,087 | 0,101 | 0,114 |
| | 3 | 1,5 x D | 0,3 x D | 0,3 x D | 25 | 40 | fz | 0,037 | 0,046 | 0,054 | 0,061 |
| | 4 | 1,5 x D | 0,5 x D | 1 x D | 50 | 80 | fz | 0,052 | 0,064 | 0,074 | 0,084 |
| H | 1 | 1,5 x D | 0,5 x D | 0,75 x D | 80 | 140 | fz | 0,062 | 0,077 | 0,088 | 0,098 |

NOTE: Lower value of cutting speed is used for high stock removal applications or for higher hardness (machinability) within group.
Higher value of cutting speed is used for finishing applications or for lower hardness (machinability) within group.
Above parameters are based on ideal conditions. For smaller taper machining centres, please adjust parameters accordingly on >12mm diameter.

## HARVI I™ • F4AS.. WM-WX-WL • Unequal Flute Spacing • With Neck

| Material Group | | Side Milling (A) and Slotting (B) | | | KCSM15 | | Recommended feed per tooth (fz=mm/th) for side milling (A). For slotting (B), reduce fz by 10% | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A | | B | Cutting Speed — vc m/min | | | D1 — Diameter | | | | | | | |
| | | ap | ae | ap | min | max | mm | 4,0 | 6,0 | 8,0 | 10,0 | 12,0 | 16,0 | 20,0 | 25,0 | 32,0 |
| P | 0 | 1,5 x D | 0,5 x D | 1 x D | 150 | 200 | fz | 0,028 | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 | 0,124 | 0,134 |
| | 1 | 1,5 x D | 0,5 x D | 1 x D | 150 | 200 | fz | 0,028 | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 | 0,124 | 0,134 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 140 | 190 | fz | 0,028 | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 | 0,124 | 0,134 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 120 | 160 | fz | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 | 0,130 |
| | 4 | 1,5 x D | 0,5 x D | 0,75 x D | 90 | 150 | fz | 0,021 | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 | 0,088 | 0,098 | 0,109 |
| | 5 | 1,5 x D | 0,5 x D | 1 x D | 60 | 100 | fz | 0,019 | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 | 0,091 | 0,104 |
| | 6 | 1,5 x D | 0,5 x D | 0,75 x D | 50 | 75 | fz | 0,016 | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 | 0,071 | 0,078 |
| M | 1 | 1,5 x D | 0,5 x D | 1 x D | 90 | 115 | fz | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 | 0,130 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 60 | 80 | fz | 0,019 | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 | 0,091 | 0,104 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 60 | 70 | fz | 0,016 | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 | 0,071 | 0,078 |
| K | 1 | 1,5 x D | 0,5 x D | 1 x D | 120 | 150 | fz | 0,028 | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 | 0,124 | 0,134 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 110 | 130 | fz | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 | 0,130 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 110 | 130 | fz | 0,019 | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 | 0,091 | 0,104 |
| S | 1 | 1,5 x D | 0,3 x D | 0,3 x D | 50 | 90 | fz | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 | 0,130 |
| | 2 | 1,5 x D | 0,3 x D | 0,3 x D | 50 | 90 | fz | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 | 0,130 |
| | 3 | 1,5 x D | 0,3 x D | 0,3 x D | 25 | 40 | fz | 0,013 | 0,019 | 0,026 | 0,032 | 0,037 | 0,046 | 0,054 | 0,061 | 0,070 |
| | 4 | 1,5 x D | 0,5 x D | 1 x D | 50 | 80 | fz | 0,016 | 0,026 | 0,037 | 0,045 | 0,052 | 0,064 | 0,074 | 0,084 | 0,095 |
| H | 1 | 1,5 x D | 0,5 x D | 0,75 x D | 80 | 140 | fz | 0,021 | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 | 0,088 | 0,098 | 0,109 |

## HARVI I • F4BS.. WM-WX-WL • Unequal Flute Spacing • With Neck • Chipbreaker

| Material Group | | Side Milling (A) and Slotting (B) | | | KCPM15 | | Recommended feed per tooth (fz=mm/th) for side milling (A). For slotting (B), reduce fz by 20%. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A | | B | Cutting Speed — vc m/min | | | D1 — Diameter | | | | | | |
| | | ap | ae | ap | min | max | mm | 6,0 | 8,0 | 10,0 | 12,0 | 16,0 | 20,0 | 25,0 |
| P | 1 | 1,5 x D | 0,5 x D | 1 x D | 150 | 200 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 | 0,124 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 140 | 190 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 | 0,124 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 120 | 160 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 4 | 1,5 x D | 0,5 x D | 0,75 x D | 90 | 150 | fz | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 | 0,088 | 0,098 |
| | 5 | 1,5 x D | 0,5 x D | 1 x D | 60 | 100 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 | 0,091 |
| | 6 | 1,5 x D | 0,5 x D | 0,75 x D | 50 | 75 | fz | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 | 0,071 |
| M | 1 | 1,5 x D | 0,5 x D | 1 x D | 90 | 115 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 60 | 80 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 | 0,091 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 60 | 70 | fz | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 | 0,071 |
| K | 1 | 1,5 x D | 0,5 x D | 1 x D | 120 | 150 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 | 0,124 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 110 | 130 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 100 | 130 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 | 0,091 |
| H | 1 | 1,5 x D | 0,5 x D | 0,75 x D | 80 | 140 | fz | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 | 0,088 | 0,098 |

NOTE: Lower value of cutting speed is used for high stock removal applications or for higher hardness (machinability) within group.
Higher value of cutting speed is used for finishing applications or for lower hardness (machinability) within group.
Above parameters are based on ideal conditions. For smaller taper machining centres, please adjust parameters accordingly on >12mm diameter.

## HARVI I™ • UADE • Unequal Flute Spacing • Extended Reach

| Material Group | | Side Milling (A) and Slotting (B) | | | KCPM15 | | Recommended feed per tooth (fz=mm/th) for side milling (A). For slotting (B), reduce fz by 10%. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A | | B | Cutting Speed — vc m/min | | | D1 — Diameter | | | | | |
| | | ap | ae | ap | min | max | mm | 6,0 | 8,0 | 10,0 | 12,0 | 16,0 | 20,0 |
| P | 1 | 1,5 x D | 0,5 x D | 1 x D | 150 | 200 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 140 | 190 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 120 | 160 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 4 | 1,5 x D | 0,5 x D | 0,75 x D | 90 | 150 | fz | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 | 0,088 |
| | 5 | 1,5 x D | 0,5 x D | 1 x D | 60 | 100 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 |
| | 6 | 1,5 x D | 0,5 x D | 0,75 x D | 50 | 75 | fz | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 |
| M | 1 | 1,5 x D | 0,5 x D | 1 x D | 90 | 115 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 60 | 80 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 60 | 70 | fz | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 |
| K | 1 | 1,5 x D | 0,5 x D | 1 x D | 120 | 150 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 110 | 130 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 100 | 130 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 |
| S | 1 | 1,5 x D | 0,3 x D | 0,3 x D | 50 | 90 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 2 | 1,5 x D | 0,3 x D | 0,3 x D | 25 | 40 | fz | 0,019 | 0,026 | 0,032 | 0,037 | 0,046 | 0,054 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 60 | 80 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 |
| | 4 | 1,5 x D | 0,5 x D | 1 x D | 50 | 60 | fz | 0,026 | 0,037 | 0,045 | 0,052 | 0,064 | 0,074 |
| H | 1 | 1,5 x D | 0,5 x D | 0,75 x D | 80 | 140 | fz | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 | 0,088 |

## HARVI I • F4AW..WL-WX • Unequal Flute Spacing • Extended Reach • Ball Nose

| Material Group | | Side Milling (A) and Slotting (B) | | | KCPM15 | | Recommended feed per tooth (fz=mm/th) for side milling (A). For slotting (B), reduce fz by 20% | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A | | B | Cutting Speed — vc m/min | | | D1 — Diameter | | | | |
| | | ap | ae | ap | min | max | mm | 6,0 | 8,0 | 10,0 | 12,0 | 16,0 |
| P | 0 | 0,5 x D | 0,5 x D | 0,5 x D | 150 | 200 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 |
| | 1 | 0,5 x D | 0,5 x D | 0,5 x D | 150 | 200 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 |
| | 2 | 0,5 x D | 0,5 x D | 0,5 x D | 140 | 190 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 |
| | 3 | 0,5 x D | 0,5 x D | 0,5 x D | 120 | 160 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 |
| | 4 | 0,5 x D | 0,5 x D | 0,5 x D | 90 | 150 | fz | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 |
| | 5 | 0,5 x D | 0,5 x D | 0,5 x D | 60 | 100 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 |
| | 6 | 0,5 x D | 0,5 x D | 0,5 x D | 50 | 75 | fz | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 |
| M | 1 | 0,5 x D | 0,5 x D | 0,5 x D | 90 | 115 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 |
| | 2 | 0,5 x D | 0,5 x D | 0,5 x D | 60 | 80 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 |
| | 3 | 0,5 x D | 0,5 x D | 0,5 x D | 60 | 70 | fz | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 |
| K | 1 | 0,5 x D | 0,5 x D | 0,5 x D | 120 | 150 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 |
| | 2 | 0,5 x D | 0,5 x D | 0,5 x D | 110 | 130 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 |
| | 3 | 0,5 x D | 0,5 x D | 0,5 x D | 110 | 130 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 |
| H | 1 | 0,5 x D | 0,5 x D | 0,5 x D | 80 | 140 | fz | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 |

NOTE: Lower value of cutting speed is used for high stock removal applications or for higher hardness (machinability) within group.
Higher value of cutting speed is used for finishing applications or for lower hardness (machinability) within group.
Above parameters are based on ideal conditions. For smaller taper machining centres, please adjust parameters accordingly on >12mm diameter.

# MaxiMet™

## Superior Finishing

**Designed to significantly reduce machining time in aluminium! The innovative geometry designs include a wiper facet for superior surface finish on aluminium parts. MaxiMet handles roughing and finishing cuts with one tool.**

- Use only one tool for roughing and finishing operations.
- Slotting is effective up to full 1 x D axial depth; side milling is effective up to 0.5 x D radial, by 1.5 x D axial depth.
- Three-flute series uses unequal flute spacing for chatter-free performance.
- Effective in a full range of machine speeds.
- Multiple corner radii and extended neck configurations are available as standard.

Visit **www.kennametal.com** or contact your local Authorised Kennametal Distributor.

**www.kennametal.com**

KENNAMETAL®

# HARVI II™ High-Performance Solid Carbide End Mills

## High-feed roughing and finishing with one tool at highest length of cut.

### Primary Application

HARVI II is designed to provide maximum metal removal rates with five unequally spaced flutes for roughing and finishing operations in side milling, slotting, and profiling. A wide range of diameters and corner configurations, such as chamfer, radii, and sharp edges, are available from stock. To prevent pull out of end mills during heavy cuts, HARVI II is available equipped with **SAFE-LOCK**™ by HAIMER™.

- 1 x D slotting in titanium and stainless steels with five unequally spaced flutes
- Roughing and finishing with one tool
- KCPM15™ and KCSM15™ Beyond™ grades for highest tool life

## Features and Benefits

### Advanced Technology

- Five unequally spaced flutes for chatter-free machining at high feed rates.
- Proprietary parabolic core design increasing stability.
- Ramping up to 3°.
- 1 x D full slotting capability in:
  - Titanium
  - Stainless steel

### Tailored Grades

- Proprietary KCPM15 Beyond grade for outstanding wear protection in milling stainless steel to mitigate crater, DOCN (depth-of-cut notching), and flank wear.
- Proprietary KCSM15 Beyond grade for exceptional tool life results in titanium.
- Universal KC643M™ grade suitable for cutting steel, cast iron, stainless steel (wet), and titanium (wet).

### Customisation

- Intermediate diameters available .
- Expanded length of tool, as well as increased length of cut, possible.
- Chip divider geometry available for reduced power consumption and improved chip formation in difficult-to-cut materials.
- Ball-nose version possible.
- Internal coolant axial as well as radial available.
- Various shank options and non-standard coatings available.
- Multiple steps possible.

### Extensive Standard Offering

- Diameter range 4–25mm.
- Necked, corner radii, and square-end offering.






*To learn more, **scan here**.*
*For instructions on how to scan, please see page xxv.*

- Kennametal standard dimensions.
- Non-centre cutting.
- Ramping up to 3°.
- Unequal flute spacing minimises chatter for smoother machining.
- Single tool for both roughing and finishing operations requiring fewer setups.
- Five-flute geometry enables slotting up to 1 x D.



beyond

## UCDE • 5-Flute • Metric













● first choice
○ alternate choice

| KCPM15 | KC643M | KCPM15 | KC643M | D1 | D | Ap1 max | L | Rε |
|---|---|---|---|---|---|---|---|---|
| **UCDE0400A5ARA** | **UCDE0400A5ARA** | **UCDE0400B5ARA** | **UCDE0400B5ARA** | 4,00 | 6,00 | 11,00 | 55,00 | 0,25 |
| **UCDE0400A5ASA** | **UCDE0400A5ASA** | – | – | 4,00 | 6,00 | 11,00 | 55,00 | – |
| **UCDE0500A5ARA** | **UCDE0500A5ARA** | **UCDE0500B5ARA** | **UCDE0500B5ARA** | 5,00 | 6,00 | 13,00 | 57,00 | 0,25 |
| **UCDE0500A5ASA** | **UCDE0500A5ASA** | – | – | 5,00 | 6,00 | 13,00 | 57,00 | – |
| **UCDE0600A5ARA** | **UCDE0600A5ARA** | **UCDE0600B5ARA** | **UCDE0600B5ARA** | 6,00 | 6,00 | 13,00 | 57,00 | 0,40 |
| **UCDE0600A5ASA** | **UCDE0600A5ASA** | – | – | 6,00 | 6,00 | 13,00 | 57,00 | – |
| **UCDE0700A5ARA** | **UCDE0700A5ARA** | **UCDE0700B5ARA** | **UCDE0700B5ARA** | 7,00 | 8,00 | 16,00 | 63,00 | 0,40 |
| **UCDE0700A5ASA** | **UCDE0700A5ASA** | – | – | 7,00 | 8,00 | 16,00 | 63,00 | – |
| **UCDE0800A5ARA** | **UCDE0800A5ARA** | **UCDE0800B5ARA** | **UCDE0800B5ARA** | 8,00 | 8,00 | 19,00 | 63,00 | 0,50 |
| **UCDE0800A5ASA** | **UCDE0800A5ASA** | – | – | 8,00 | 8,00 | 19,00 | 63,00 | – |
| **UCDE0900A5ARA** | **UCDE0900A5ARA** | **UCDE0900B5ARA** | **UCDE0900B5ARA** | 9,00 | 10,00 | 19,00 | 72,00 | 0,50 |
| **UCDE0900A5ASA** | **UCDE0900A5ASA** | – | – | 9,00 | 10,00 | 19,00 | 72,00 | – |
| **UCDE1000A5ARA** | **UCDE1000A5ARA** | **UCDE1000B5ARA** | **UCDE1000B5ARA** | 10,00 | 10,00 | 22,00 | 72,00 | 0,50 |
| **UCDE1000A5ASA** | **UCDE1000A5ASA** | – | – | 10,00 | 10,00 | 22,00 | 72,00 | – |
| **UCDE1200A5ARA** | **UCDE1200A5ARA** | **UCDE1200B5ARA** | **UCDE1200B5ARA** | 12,00 | 12,00 | 26,00 | 83,00 | 0,75 |
| **UCDE1200A5ASA** | **UCDE1200A5ASA** | – | – | 12,00 | 12,00 | 26,00 | 83,00 | – |
| **UCDE1400A5ARA** | **UCDE1400A5ARA** | **UCDE1400B5ARA** | **UCDE1400B5ARA** | 14,00 | 14,00 | 26,00 | 83,00 | 0,75 |
| **UCDE1400A5ASA** | **UCDE1400A5ASA** | – | – | 14,00 | 14,00 | 26,00 | 83,00 | – |
| **UCDE1600A5ARA** | **UCDE1600A5ARA** | **UCDE1600B5ARA** | **UCDE1600B5ARA** | 16,00 | 16,00 | 32,00 | 92,00 | 0,75 |
| **UCDE1600A5ASA** | **UCDE1600A5ASA** | – | – | 16,00 | 16,00 | 32,00 | 92,00 | – |
| **UCDE1800A5ARA** | **UCDE1800A5ARA** | **UCDE1800B5ARA** | **UCDE1800B5ARA** | 18,00 | 18,00 | 32,00 | 92,00 | 0,75 |
| **UCDE1800A5ASA** | **UCDE1800A5ASA** | – | – | 18,00 | 18,00 | 32,00 | 92,00 | – |
| **UCDE2000A5ARA** | **UCDE2000A5ARA** | **UCDE2000B5ARA** | **UCDE2000B5ARA** | 20,00 | 20,00 | 38,00 | 104,00 | 0,75 |
| **UCDE2000A5ASA** | **UCDE2000A5ASA** | – | – | 20,00 | 20,00 | 38,00 | 104,00 | – |
| **UCDE2500A5ARA** | **UCDE2500A5ARA** | **UCDE2500B5ARA** | **UCDE2500B5ARA** | 25,00 | 25,00 | 45,00 | 121,00 | 0,75 |
| **UCDE2500A5ASA** | **UCDE2500A5ASA** | – | – | 25,00 | 25,00 | 45,00 | 121,00 | – |

NOTE: For application data, see page C29.

**End Mill Tolerances**

| D1 | tolerance e8 | D | tolerance h6 |
|---|---|---|---|
| ≤3 | -0,014/-0,028 | ≤3 | +0/-0,006 |
| >3–6 | -0,020/-0,038 | >3–6 | +0/-0,008 |
| >6–10 | -0,025/-0,047 | >6–10 | +0/-0,009 |
| >10–18 | -0,032/-0,059 | >10–18 | +0/-0,011 |
| >18–30 | -0,040/-0,073 | >18–30 | +0/-0,013 |

- Kennametal standard dimensions.
- Non-centre cutting.
- Ramping up to 3°.
- Optimised geometry for titanium machining.
- Unequal flute spacing minimises chatter for smoother machining.
- Single tool for both roughing and finishing operations requiring fewer setups.
- Five-flute geometry enables slotting up to 1 x D.






beyond

## UDDE • 5-Flute with Neck • Metric










● first choice
○ alternate choice

| KCSM15 | KC643M | KC643M | D1 | D | D3 | Ap1 max | L3 | L | Rε |
|---|---|---|---|---|---|---|---|---|---|
| – | – | UDDE0600B5ARA | 6,00 | 6,00 | 5,64 | 13,00 | 18,00 | 63,00 | 0,20 |
| – | UDDE0600A5ARA | UDDE0600B5ARB | 6,00 | 6,00 | 5,64 | 13,00 | 18,00 | 63,00 | 0,50 |
| – | UDDE0600A5ARB | UDDE0600B5ARC | 6,00 | 6,00 | 5,64 | 13,00 | 18,00 | 63,00 | 1,00 |
| – | UDDE0600A5ARC | UDDE0600B5ARD | 6,00 | 6,00 | 5,64 | 13,00 | 18,00 | 63,00 | 1,50 |
| – | UDDE0600A5ASA | – | 6,00 | 6,00 | 5,64 | 13,00 | 18,00 | 63,00 | – |
| – | – | UDDE0800B5ARA | 8,00 | 8,00 | 7,52 | 19,00 | 24,00 | 76,00 | 0,20 |
| – | UDDE0800A5ARA | UDDE0800B5ARB | 8,00 | 8,00 | 7,52 | 19,00 | 24,00 | 76,00 | 0,50 |
| – | UDDE0800A5ARB | UDDE0800B5ARC | 8,00 | 8,00 | 7,52 | 19,00 | 24,00 | 76,00 | 1,00 |
| – | UDDE0800A5ARC | UDDE0800B5ARD | 8,00 | 8,00 | 7,52 | 19,00 | 24,00 | 76,00 | 2,00 |
| – | UDDE0800A5ASA | – | 8,00 | 8,00 | 7,52 | 19,00 | 24,00 | 76,00 | – |
| – | UDDE1000A5ARA | UDDE1000B5ARA | 10,00 | 10,00 | 9,40 | 22,00 | 30,00 | 76,00 | 0,50 |
| – | UDDE1000A5ARB | UDDE1000B5ARB | 10,00 | 10,00 | 9,40 | 22,00 | 30,00 | 76,00 | 1,00 |
| – | UDDE1000A5ARC | UDDE1000B5ARC | 10,00 | 10,00 | 9,40 | 22,00 | 30,00 | 76,00 | 2,00 |
| – | UDDE1000A5ARD | UDDE1000B5ARD | 10,00 | 10,00 | 9,40 | 22,00 | 30,00 | 76,00 | 2,50 |
| – | UDDE1000A5ASA | – | 10,00 | 10,00 | 9,40 | 22,00 | 30,00 | 76,00 | – |
| UDDE1200E5AQE | UDDE1200A5ARA | UDDE1200B5ARA | 12,00 | 12,00 | 11,28 | 26,00 | 36,00 | 83,00 | 0,50 |
| UDDE1200E5AQG | UDDE1200A5ARB | UDDE1200B5ARB | 12,00 | 12,00 | 11,28 | 26,00 | 36,00 | 83,00 | 1,00 |
| UDDE1200E5AQK | UDDE1200A5ARC | UDDE1200B5ARC | 12,00 | 12,00 | 11,28 | 26,00 | 36,00 | 83,00 | 2,00 |
| UDDE1200E5AQM | UDDE1200A5ARD | UDDE1200B5ARD | 12,00 | 12,00 | 11,28 | 26,00 | 36,00 | 83,00 | 3,00 |
| – | UDDE1200A5ASA | – | 12,00 | 12,00 | 11,28 | 26,00 | 36,00 | 83,00 | – |
| – | UDDE1400A5ARA | UDDE1400B5ARA | 14,00 | 14,00 | 13,15 | 26,00 | 42,00 | 84,00 | 0,50 |
| – | UDDE1400A5ARB | UDDE1400B5ARB | 14,00 | 14,00 | 13,15 | 26,00 | 42,00 | 84,00 | 1,00 |
| – | UDDE1400A5ARC | UDDE1400B5ARC | 14,00 | 14,00 | 13,15 | 26,00 | 42,00 | 84,00 | 2,00 |
| – | UDDE1400A5ARD | UDDE1400B5ARD | 14,00 | 14,00 | 13,15 | 26,00 | 42,00 | 84,00 | 3,00 |

*(continued)*

*(UDDE • 5-Flute with Neck • Metric continued)*










| KCSM15 | KC643M | KC643M | D1 | D | D3 | Ap1 max | L3 | L | Rε |
|---|---|---|---|---|---|---|---|---|---|
| – | UDDE1400A5ASA | – | 14,00 | 14,00 | 13,15 | 26,00 | 42,00 | 84,00 | – |
| UDDE1600E5AQE | UDDE1600A5ARA | UDDE1600B5ARA | 16,00 | 16,00 | 15,04 | 32,00 | 48,00 | 100,00 | 0,50 |
| UDDE1600E5AQG | UDDE1600A5ARB | UDDE1600B5ARB | 16,00 | 16,00 | 15,04 | 32,00 | 48,00 | 100,00 | 1,00 |
| UDDE1600E5AQK | UDDE1600A5ARC | UDDE1600B5ARC | 16,00 | 16,00 | 15,04 | 32,00 | 48,00 | 100,00 | 2,00 |
| UDDE1600E5AQM | UDDE1600A5ARD | UDDE1600B5ARD | 16,00 | 16,00 | 15,04 | 32,00 | 48,00 | 100,00 | 3,00 |
| UDDE1600E5AQN | UDDE1600A5ARE | UDDE1600B5ARE | 16,00 | 16,00 | 15,04 | 32,00 | 48,00 | 100,00 | 4,00 |
| – | UDDE1600A5ASA | – | 16,00 | 16,00 | 15,04 | 32,00 | 48,00 | 100,00 | – |
| UDDE2000E5AQE | UDDE2000A5ARA | UDDE2000B5ARA | 20,00 | 20,00 | 18,80 | 38,00 | 60,00 | 115,00 | 0,50 |
| UDDE2000E5AQG | UDDE2000A5ARB | UDDE2000B5ARB | 20,00 | 20,00 | 18,80 | 38,00 | 60,00 | 115,00 | 1,00 |
| UDDE2000E5AQK | UDDE2000A5ARC | UDDE2000B5ARC | 20,00 | 20,00 | 18,80 | 38,00 | 60,00 | 115,00 | 2,00 |
| UDDE2000E5AQM | UDDE2000A5ARD | UDDE2000B5ARD | 20,00 | 20,00 | 18,80 | 38,00 | 60,00 | 115,00 | 3,00 |
| UDDE2000E5AQN | UDDE2000A5ARE | UDDE2000B5ARE | 20,00 | 20,00 | 18,80 | 38,00 | 60,00 | 115,00 | 4,00 |
| – | UDDE2000A5ASA | – | 20,00 | 20,00 | 18,80 | 38,00 | 60,00 | 115,00 | – |
| UDDE2500E5AQE | UDDE2500A5ARA | UDDE2500B5ARA | 25,00 | 25,00 | 23,50 | 45,00 | 75,00 | 135,00 | 0,50 |
| UDDE2500E5AQG | UDDE2500A5ARB | UDDE2500B5ARB | 25,00 | 25,00 | 23,50 | 45,00 | 75,00 | 135,00 | 1,00 |
| UDDE2500E5AQK | UDDE2500A5ARC | UDDE2500B5ARC | 25,00 | 25,00 | 23,50 | 45,00 | 75,00 | 135,00 | 2,00 |
| UDDE2500E5AQM | UDDE2500A5ARD | UDDE2500B5ARD | 25,00 | 25,00 | 23,50 | 45,00 | 75,00 | 135,00 | 3,00 |
| UDDE2500E5AQN | UDDE2500A5ARE | UDDE2500B5ARE | 25,00 | 25,00 | 23,50 | 45,00 | 75,00 | 135,00 | 4,00 |
| – | UDDE2500A5ASA | – | 25,00 | 25,00 | 23,50 | 45,00 | 75,00 | 135,00 | – |

NOTE: For application data, see page C29.

**End Mill Tolerances**

| D1 | tolerance e8 | D | tolerance h6 |
|---|---|---|---|
| ≤3 | -0,014 / -0,028 | ≤3 | +0 / -0,006 |
| >3–6 | -0,020 / -0,038 | >3–6 | +0 / -0,008 |
| >6–10 | -0,025 / -0,047 | >6–10 | +0 / -0,009 |
| >10–18 | -0,032 / -0,059 | >10–18 | +0 / -0,011 |
| >18–30 | -0,040 / -0,073 | >18–30 | +0 / -0,013 |

## HARVI II™ • UCDE • Unequal Flute Spacing

| Material Group | | Side Milling (A) and Slotting (B) | | | KCSM15 KC643M | | Recommended feed per tooth (fz=mm/th) for side milling (A). For slotting (B), reduce fz by 10%. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A | | B | Cutting Speed — vc m/min | | | D1 — Diameter | | | | | | |
| | | ap | ae | ap | min | max | mm | 6,0 | 8,0 | 10,0 | 12,0 | 16,0 | 20,0 | 25,0 |
| P | 0 | 1,5 x D | 0,5 x D | 1 x D | 150 | 200 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 | 0,124 |
| | 1 | 1,5 x D | 0,5 x D | 1 x D | 150 | 200 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 | 0,124 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 140 | 190 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 | 0,124 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 120 | 160 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 4 | 1,5 x D | 0,5 x D | 0,75 x D | 90 | 150 | fz | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 | 0,088 | 0,098 |
| | 5 | 1,5 x D | 0,5 x D | 1 x D | 60 | 100 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 | 0,091 |
| | 6 | 1,5 x D | 0,5 x D | 0,75 x D | 50 | 75 | fz | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 | 0,071 |
| M | 1 | 1,5 x D | 0,5 x D | 1 x D | 90 | 115 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 60 | 80 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 | 0,091 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 60 | 70 | fz | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 | 0,071 |
| K | 1 | 1,5 x D | 0,5 x D | 1 x D | 120 | 150 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 | 0,124 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 110 | 130 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 110 | 130 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 | 0,091 |
| S | 1 | 1,5 x D | 0,3 x D | 0,3 x D | 50 | 90 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 2 | 1,5 x D | 0,3 x D | 0,3 x D | 50 | 90 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 3 | 1,5 x D | 0,3 x D | 0,3 x D | 25 | 40 | fz | 0,019 | 0,026 | 0,032 | 0,037 | 0,046 | 0,054 | 0,061 |
| | 4 | 1,5 x D | 0,5 x D | 1 x D | 50 | 80 | fz | 0,026 | 0,037 | 0,045 | 0,052 | 0,064 | 0,074 | 0,084 |
| H | 1 | 1,5 x D | 0,5 x D | 0,75 x D | 80 | 140 | fz | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 | 0,088 | 0,098 |

## HARVI II • UDDE • Unequal Flute Spacing • With Neck

| Material Group | | Side Milling (A) and Slotting (B) | | | KCSM15 KC643M | | Recommended feed per tooth (fz=mm/th) for side milling (A). For slotting (B), reduce fz by 10%. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A | | B | Cutting Speed — vc m/min | | | D1 — Diameter | | | | | | |
| | | ap | ae | ap | min | max | mm | 6,0 | 8,0 | 10,0 | 12,0 | 16,0 | 20,0 | 25,0 |
| P | 0 | 1,5 x D | 0,5 x D | 1 x D | 150 | 200 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 | 0,124 |
| | 1 | 1,5 x D | 0,5 x D | 1 x D | 150 | 200 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 | 0,124 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 140 | 190 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 | 0,124 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 120 | 160 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 4 | 1,5 x D | 0,5 x D | 0,75 x D | 90 | 150 | fz | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 | 0,088 | 0,098 |
| | 5 | 1,5 x D | 0,5 x D | 1 x D | 60 | 100 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 | 0,091 |
| | 6 | 1,5 x D | 0,5 x D | 0,75 x D | 50 | 75 | fz | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 | 0,071 |
| M | 1 | 1,5 x D | 0,5 x D | 1 x D | 90 | 115 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 60 | 80 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 | 0,091 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 60 | 70 | fz | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 | 0,071 |
| K | 1 | 1,5 x D | 0,5 x D | 1 x D | 120 | 150 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 | 0,124 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 110 | 130 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 3 | 1,5 x D | 0,5 x D | 1 x D | 110 | 130 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 | 0,091 |
| S | 1 | 1,5 x D | 0,3 x D | 0,3 x D | 50 | 90 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 2 | 1,5 x D | 0,3 x D | 0,3 x D | 50 | 90 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 3 | 1,5 x D | 0,3 x D | 0,3 x D | 25 | 40 | fz | 0,019 | 0,026 | 0,032 | 0,037 | 0,046 | 0,054 | 0,061 |
| | 4 | 1,5 x D | 0,5 x D | 1 x D | 50 | 80 | fz | 0,026 | 0,037 | 0,045 | 0,052 | 0,064 | 0,074 | 0,084 |
| H | 1 | 1,5 x D | 0,5 x D | 0,75 x D | 80 | 140 | fz | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 | 0,088 | 0,098 |

# HARVI II™ Long High-Performance Solid Carbide End Mills

## 3 x D and 5 x D lengths of cut without reduced feed rates when machining corners.

### Primary Application

HARVI II™ Long is designed for machining titanium, steels, and stainless steels with excellent surface finishes at maximum Metal Removal Rates (MRR). The extended cutting length enables the HARVI II Long to machine deep pockets with thin walls in semi-finishing and finishing operations. It also reduces the number of cuts when machining wing profiles for the aerospace industry.

- 5 x D side milling finishing operations in titanium and stainless steels.
- Exceptionally straight walls.
- Universal KC643M™ grade for long tool life.

## Features and Benefits

### Advanced Technology

- Five unequally spaced flutes for chatter-free machining at high feed rates, improving surface finish and tool life.
- 3 x D and 5 x D lengths for reduced number of cuts.
- Innovative core design increases stability for exceptionally straight walls.
- Improved feed rate in corner machining operations versus conventional cutters.

### Tailored Grades

- Universal KC643M grade suitable for cutting steel, cast iron, stainless steel (wet), and titanium (wet).

### Customisation

- Intermediate diameters available.
- Chip divider geometry available for reduced power consumption and improved chip formation in difficult-to-cut materials.
- Internal coolant axial, as well as radial, available.
- Various shank options and non-standard coatings available.

### Extensive Standard Offering

- Diameter range 6–25mm.
- Various corner radii in stock.






*To learn more, **scan here**.*
*For instructions on how to scan, please see page xxv.*

- Kennametal standard dimensions.
- Non-centre cutting.
- Unequal flute spacing minimises chatter for smoother machining.
- For finishing and semi-finishing applications.
- Optimised geometry for machining corners at deep cavities.



## UGDE • 5-Flute • Metric




● first choice
○ alternate choice

| KC643M | D1 | D | Ap1 max | L | Rε |
|---|---|---|---|---|---|
| **UGDE0600A5ARA** | 6,00 | 6,00 | 18,00 | 63,00 | 0,20 |
| **UGDE0600A5ARB** | 6,00 | 6,00 | 18,00 | 63,00 | 0,50 |
| **UGDE0600A5ARC** | 6,00 | 6,00 | 18,00 | 63,00 | 1,00 |
| **UGDE0600A5BRA** | 6,00 | 6,00 | 30,00 | 76,00 | 0,20 |
| **UGDE0600A5BRB** | 6,00 | 6,00 | 30,00 | 76,00 | 0,50 |
| **UGDE0600A5BRC** | 6,00 | 6,00 | 30,00 | 76,00 | 1,00 |
| **UGDE0800A5ARA** | 8,00 | 8,00 | 24,00 | 67,00 | 0,20 |
| **UGDE0800A5ARB** | 8,00 | 8,00 | 24,00 | 67,00 | 0,50 |
| **UGDE0800A5ARC** | 8,00 | 8,00 | 24,00 | 67,00 | 1,00 |
| **UGDE0800A5BRA** | 8,00 | 8,00 | 40,00 | 87,00 | 0,20 |
| **UGDE0800A5BRB** | 8,00 | 8,00 | 40,00 | 87,00 | 0,50 |
| **UGDE0800A5BRC** | 8,00 | 8,00 | 40,00 | 87,00 | 1,00 |
| **UGDE1000A5ARA** | 10,00 | 10,00 | 30,00 | 76,00 | 0,50 |
| **UGDE1000A5ARB** | 10,00 | 10,00 | 30,00 | 76,00 | 1,00 |
| **UGDE1000A5ARC** | 10,00 | 10,00 | 30,00 | 76,00 | 2,00 |
| **UGDE1000A5ARD** | 10,00 | 10,00 | 30,00 | 76,00 | 2,50 |
| **UGDE1000A5BRA** | 10,00 | 10,00 | 50,00 | 100,00 | 0,50 |
| **UGDE1000A5BRB** | 10,00 | 10,00 | 50,00 | 100,00 | 1,00 |
| **UGDE1000A5BRC** | 10,00 | 10,00 | 50,00 | 100,00 | 2,00 |
| **UGDE1000A5BRD** | 10,00 | 10,00 | 50,00 | 100,00 | 2,50 |
| **UGDE1200A5ARA** | 12,00 | 12,00 | 36,00 | 100,00 | 0,50 |
| **UGDE1200A5ARB** | 12,00 | 12,00 | 36,00 | 100,00 | 1,00 |
| **UGDE1200A5ARC** | 12,00 | 12,00 | 36,00 | 100,00 | 2,00 |
| **UGDE1200A5ARD** | 12,00 | 12,00 | 36,00 | 100,00 | 2,50 |
| **UGDE1200A5BRA** | 12,00 | 12,00 | 36,00 | 125,00 | 0,50 |
| **UGDE1200A5BRB** | 12,00 | 12,00 | 60,00 | 125,00 | 1,00 |
| **UGDE1200A5BRC** | 12,00 | 12,00 | 60,00 | 125,00 | 2,00 |
| **UGDE1200A5BRD** | 12,00 | 12,00 | 60,00 | 125,00 | 2,50 |
| **UGDE1400A5ARD** | 14,00 | 14,00 | 42,00 | 100,00 | 3,00 |
| **UGDE1400A5BRD** | 14,00 | 14,00 | 70,00 | 120,00 | 3,00 |

*(continued)*

*(UGDE • 5-Flute • Metric continued)*




| KC643M | D1 | D | Ap1 max | L | Rε |
|---|---|---|---|---|---|
| **UGDE1600A5ARA** | 16,00 | 16,00 | 48,00 | 110,00 | 1,00 |
| **UGDE1600A5ARB** | 16,00 | 16,00 | 48,00 | 110,00 | 2,00 |
| **UGDE1600A5ARC** | 16,00 | 16,00 | 48,00 | 110,00 | 2,50 |
| **UGDE1600A5ARD** | 16,00 | 16,00 | 48,00 | 110,00 | 3,00 |
| **UGDE1600A5ARE** | 16,00 | 16,00 | 48,00 | 110,00 | 4,00 |
| **UGDE1600A5BRA** | 16,00 | 16,00 | 80,00 | 141,00 | 1,00 |
| **UGDE1600A5BRB** | 16,00 | 16,00 | 80,00 | 141,00 | 2,00 |
| **UGDE1600A5BRC** | 16,00 | 16,00 | 80,00 | 141,00 | 2,50 |
| **UGDE1600A5BRD** | 16,00 | 16,00 | 80,00 | 141,00 | 3,00 |
| **UGDE1600A5BRE** | 16,00 | 16,00 | 80,00 | 141,00 | 4,00 |
| **UGDE2000A5ARA** | 20,00 | 20,00 | 60,00 | 125,00 | 1,00 |
| **UGDE2000A5ARB** | 20,00 | 20,00 | 60,00 | 125,00 | 2,00 |
| **UGDE2000A5ARC** | 20,00 | 20,00 | 60,00 | 125,00 | 2,50 |
| **UGDE2000A5ARD** | 20,00 | 20,00 | 60,00 | 125,00 | 3,00 |
| **UGDE2000A5ARE** | 20,00 | 20,00 | 60,00 | 125,00 | 4,00 |
| **UGDE2000A5BRA** | 20,00 | 20,00 | 100,00 | 166,00 | 1,00 |
| **UGDE2000A5BRB** | 20,00 | 20,00 | 100,00 | 166,00 | 2,00 |
| **UGDE2000A5BRC** | 20,00 | 20,00 | 100,00 | 166,00 | 2,50 |
| **UGDE2000A5BRD** | 20,00 | 20,00 | 100,00 | 166,00 | 3,00 |
| **UGDE2000A5BRE** | 20,00 | 20,00 | 100,00 | 166,00 | 4,00 |
| **UGDE2500A5ARA** | 25,00 | 25,00 | 75,00 | 150,00 | 1,00 |
| **UGDE2500A5ARB** | 25,00 | 25,00 | 75,00 | 150,00 | 2,00 |
| **UGDE2500A5ARC** | 25,00 | 25,00 | 75,00 | 150,00 | 2,50 |
| **UGDE2500A5ARD** | 25,00 | 25,00 | 75,00 | 150,00 | 3,00 |
| **UGDE2500A5ARE** | 25,00 | 25,00 | 75,00 | 150,00 | 4,00 |
| **UGDE2500A5BRA** | 25,00 | 25,00 | 125,00 | 190,00 | 1,00 |
| **UGDE2500A5BRB** | 25,00 | 25,00 | 125,00 | 190,00 | 2,00 |
| **UGDE2500A5BRC** | 25,00 | 25,00 | 125,00 | 190,00 | 2,50 |
| **UGDE2500A5BRD** | 25,00 | 25,00 | 125,00 | 190,00 | 3,00 |
| **UGDE2500A5BRE** | 25,00 | 25,00 | 125,00 | 190,00 | 4,00 |

NOTE: For application data, see page C34.

**End Mill Tolerances**

| D1 | tolerance e8 | D | tolerance h6 |
|---|---|---|---|
| ≤3 | -0,014/-0,028 | ≤3 | +0/-0,006 |
| >3–6 | -0,020/-0,038 | >3–6 | +0/-0,008 |
| >6–10 | -0,025/-0,047 | >6–10 | +0/-0,009 |
| >10–18 | -0,032/-0,059 | >10–18 | +0/-0,011 |
| >18–30 | -0,040/-0,073 | >18–30 | +0/-0,013 |

## HARVI II™ • UGDE • Unequal Flute Spacing • 3 x D and 5 x D Lengths of Cut

| Material Group | | Side Milling (A) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A | | KC643M | | Recommended feed per tooth (fz=inch/th) for side milling (A). For slotting (B), reduce fz by 20%. | | | | | | | | |
| | | | | Cutting Speed — vc m/min | | | D1 — Diameter | | | | | | | |
| | | ap | ae | min | max | mm | 6,0 | 8,0 | 10,0 | 12,0 | 14,0 | 16,0 | 20,0 | 25,0 |
| P | 1 | Ap1 max | 0,05 x D* | 300 | 400 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,092 | 0,101 | 0,114 | 0,124 |
| | 2 | Ap1 max | 0,05 x D* | 280 | 380 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,092 | 0,101 | 0,114 | 0,124 |
| | 3 | Ap1 max | 0,05 x D* | 240 | 320 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,079 | 0,087 | 0,101 | 0,114 |
| | 4 | Ap1 max | 0,05 x D* | 180 | 300 | fz | 0,033 | 0,045 | 0,054 | 0,062 | 0,070 | 0,077 | 0,088 | 0,098 |
| | 5 | Ap1 max | 0,05 x D* | 120 | 200 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,063 | 0,070 | 0,081 | 0,091 |
| | 6 | Ap1 max | 0,05 x D* | 100 | 150 | fz | 0,025 | 0,034 | 0,040 | 0,047 | 0,052 | 0,057 | 0,065 | 0,071 |
| M | 1 | Ap1 max | 0,05 x D* | 180 | 230 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,079 | 0,087 | 0,101 | 0,114 |
| | 2 | Ap1 max | 0,05 x D* | 120 | 160 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,063 | 0,070 | 0,081 | 0,091 |
| | 3 | Ap1 max | 0,05 x D* | 120 | 140 | fz | 0,025 | 0,034 | 0,040 | 0,047 | 0,052 | 0,057 | 0,065 | 0,071 |
| K | 1 | Ap1 max | 0,05 x D* | 240 | 300 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,092 | 0,101 | 0,114 | 0,124 |
| | 2 | Ap1 max | 0,05 x D* | 220 | 260 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,079 | 0,087 | 0,101 | 0,114 |
| | 3 | Ap1 max | 0,05 x D* | 200 | 260 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,063 | 0,070 | 0,081 | 0,091 |
| S | 1 | Ap1 max | 0,05 x D* | 100 | 180 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,079 | 0,087 | 0,101 | 0,114 |
| | 2 | Ap1 max | 0,05 x D* | 100 | 180 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,079 | 0,087 | 0,101 | 0,114 |
| | 3 | Ap1 max | 0,05 x D* | 50 | 80 | fz | 0,019 | 0,026 | 0,032 | 0,037 | 0,042 | 0,046 | 0,054 | 0,061 |
| | 4 | Ap1 max | 0,05 x D* | 100 | 120 | fz | 0,026 | 0,037 | 0,045 | 0,052 | 0,058 | 0,064 | 0,074 | 0,084 |
| H | 1 | Ap1 max | 0,05 x D* | 160 | 280 | fz | 0,033 | 0,045 | 0,054 | 0,062 | 0,070 | 0,077 | 0,088 | 0,098 |

* For the above cutting data, do not exceed an overall ae of 0,8mm.

NOTE: Lower value of cutting speed is used for high stock removal applications or for higher hardness (machinability) within group.
Higher value of cutting speed is used for finishing applications or for lower hardness (machinability) within group.
Above parameters are based on ideal conditions. For smaller taper machinining centres, please adjust parameters accordingly on >12mm diameter.



# GOmill™

## The Economical Milling Cutter Line

The GOmill line is specifically engineered to work on short length-of-cut applications in multiple workpiece materials, like soft and hard steels up to 48 HRC, stainless steels, high-temperature alloys, and cast iron. With the very short overall length and soft cutting geometries, the line is made to conform to the growing market of millturn machines.

### What does this mean for you?

- Unequal flute spacing.
- AlTiN coating.
- Short overall tool length.
- Positive rake angle.
- Better surface finish and tool life.
- Universal usage on multiple workpiece materials.
- Higher cutting conditions, higher productivity, lower price due to less carbide.
- Lower power consumption.

Experience the advantages at your Authorised Kennametal Distributor or at **www.kennametal.com**.

www.kennametal.com

KENNAMETAL®

# HARVI III™ High-Performance Solid Carbide End Mills

## Primary Application

HARVI III takes high-performance profiling, semi-finishing, and finishing to the next level. Designed to provide maximum metal removal rates in titanium and stainless steel while achieving supreme surface conditions. A wide range of diameters and corner radii are available from stock as well as **SAFE-LOCK**™ by HAIMER® shanks.

- Outstanding metal removal rates increase productivity.
- Highest tool life due to eccentric relief grind and proprietary KCSM15™ Beyond™ grade.
- Increased process safety with **SAFE-LOCK**™ shanks.

# Features and Benefits

### Advanced Technology

- Six unequally spaced flutes for chatter-free machining at high feed rates.
- Less cutting forces and pressure on cutting edge through tailored axial and radial rake angles.
- Eccentric relief design increases tool life through higher edge stability.
- Proprietary tapered core provides highest tool stability at roughing and finishing operations.
- Centre cutting design for higher flexibility as well as radial and axial finishing pass after roughing operation.

### Tailored Grade

- Proprietary KCSM15 Beyond grade for exceptional tool life in titanium and stainless steels.

### Customisation

- Engineered solutions, including ball nose versions, are available upon request.

### Extensive Standard Offering

- Diameter ranges 10–25mm.
- Necked, corner radii, and square-end offering.
- Round shank and **SAFE-LOCK**™.


**Centre cutting**
Enables axial movement for finish pass.
Expands ramping capabilities.
**Proprietary core design**
Improves tool stability.
**38° helix angle**
Roughing and finishing.
**SAFE-LOCK™ shank**
Prevents end mill pullout.
Enables higher feed rates.
**KCSM15™ Beyond™ grade**
Highest tool life.
Enables higher cutting speeds.
Optimised for titanium machining.
**Eccentric relief grind**
Improves edge stability.
Enables higher feed rates.
**Unequal flute spacing**
Reduces vibrations.
Improves surface finish.

- Kennametal standard dimensions.
- Centre cutting.
- Optimised geometry for titanium machining.
- Unequal flute spacing minimises chatter for smoother machining.
- Single tool for both roughing and finishing operations requiring fewer setups.



beyond

## UJDE • 6-Flute with Eccentric Relief Grind • Metric

● first choice
○ alternate choice

| KCSM15 | KCSM15 | D1 | D | Ap1 max | L | Rε |
|---|---|---|---|---|---|---|
| – | **UJDE1000A6ARE** | 10,00 | 10,00 | 22,00 | 72,00 | 0,50 |
| – | **UJDE1000A6AS** | 10,00 | 10,00 | 22,00 | 72,00 | – |
| **UJDE1200E6ARF** | **UJDE1200A6ARF** | 12,00 | 12,00 | 26,00 | 83,00 | 0,75 |
| – | **UJDE1200A6AS** | 12,00 | 12,00 | 26,00 | 83,00 | – |
| **UJDE1400E6ARF** | **UJDE1400A6ARF** | 14,00 | 14,00 | 26,00 | 83,00 | 0,75 |
| – | **UJDE1400A6AS** | 14,00 | 14,00 | 26,00 | 83,00 | – |
| **UJDE1600E6ARF** | **UJDE1600A6ARF** | 16,00 | 16,00 | 32,00 | 92,00 | 0,75 |
| – | **UJDE1600A6AS** | 16,00 | 16,00 | 32,00 | 92,00 | – |
| **UJDE2000E6ARF** | **UJDE2000A6ARF** | 20,00 | 20,00 | 38,00 | 104,00 | 0,75 |
| – | **UJDE2000A6AS** | 20,00 | 20,00 | 38,00 | 115,00 | – |
| **UJDE2500E6ARF** | **UJDE2500A6ARF** | 25,00 | 25,00 | 45,00 | 121,00 | 0,75 |
| – | **UJDE2500A6AS** | 25,00 | 25,00 | 45,00 | 135,00 | – |

NOTE: For application data, see page C41.

**End Mill Tolerances**

| D1 | tolerance e8 | D | tolerance h6 |
|---|---|---|---|
| ≤3 | -0,014/-0,028 | ≤3 | +0/-0,006 |
| >3–6 | -0,020/-0,038 | >3–6 | +0/-0,008 |
| >6–10 | -0,025/-0,047 | >6–10 | +0/-0,009 |
| >10–18 | -0,032/-0,059 | >10–18 | +0/-0,011 |
| >18–30 | -0,040/-0,073 | >18–30 | +0/-0,013 |

- Kennametal standard dimensions.
- Centre cutting.
- Optimised geometry for titanium machining.
- Unequal flute spacing minimises chatter for smoother machining.
- Single tool for both roughing and finishing operations requiring fewer setups.



beyond

## UJDE • 6-Flute with Eccentric Relief Grind and Neck • Metric

● first choice
○ alternate choice

| KCSM15 | KCSM15 | D1 | D | D3 | Ap1 max | L3 | L | Rε |
|---|---|---|---|---|---|---|---|---|
| – | UJDE1000A6AQE | 10,00 | 10,00 | 9,40 | 22,00 | 30,00 | 76,00 | 0,50 |
| – | UJDE1000A6AQG | 10,00 | 10,00 | 9,40 | 22,00 | 30,00 | 76,00 | 1,00 |
| – | UJDE1000A6AQK | 10,00 | 10,00 | 9,40 | 22,00 | 30,00 | 76,00 | 2,00 |
| – | UJDE1000A6AQM | 10,00 | 10,00 | 9,40 | 22,00 | 30,00 | 76,00 | 3,00 |
| – | UJDE1000A6ANS | 10,00 | 10,00 | 9,40 | 22,00 | 30,00 | 76,00 | – |
| UJDE1200E6AQE | UJDE1200A6AQE | 12,00 | 12,00 | 11,28 | 26,00 | 36,00 | 83,00 | 0,50 |
| UJDE1200E6AQG | UJDE1200A6AQG | 12,00 | 12,00 | 11,28 | 26,00 | 36,00 | 83,00 | 1,00 |
| UJDE1200E6AQK | UJDE1200A6AQK | 12,00 | 12,00 | 11,28 | 26,00 | 36,00 | 83,00 | 2,00 |
| UJDE1200E6AQM | UJDE1200A6AQM | 12,00 | 12,00 | 11,28 | 26,00 | 36,00 | 83,00 | 3,00 |
| – | UJDE1200A6ANS | 12,00 | 12,00 | 11,28 | 26,00 | 36,00 | 83,00 | – |
| UJDE1600E6AQE | UJDE1600A6AQE | 16,00 | 16,00 | 15,04 | 32,00 | 48,00 | 100,00 | 0,50 |
| UJDE1600E6AQG | UJDE1600A6AQG | 16,00 | 16,00 | 15,04 | 32,00 | 48,00 | 100,00 | 1,00 |
| UJDE1600E6AQK | UJDE1600A6AQK | 16,00 | 16,00 | 15,04 | 32,00 | 48,00 | 100,00 | 2,00 |
| UJDE1600E6AQM | UJDE1600A6AQM | 16,00 | 16,00 | 15,04 | 32,00 | 48,00 | 100,00 | 3,00 |
| UJDE1600E6AQN | UJDE1600A6AQN | 16,00 | 16,00 | 15,04 | 32,00 | 48,00 | 100,00 | 4,00 |
| – | UJDE1600A6ANS | 16,00 | 16,00 | 15,04 | 32,00 | 48,00 | 100,00 | – |
| UJDE2000E6AQE | UJDE2000A6AQE | 20,00 | 20,00 | 18,80 | 38,00 | 60,00 | 115,00 | 0,50 |
| UJDE2000E6AQG | UJDE2000A6AQG | 20,00 | 20,00 | 18,80 | 38,00 | 60,00 | 115,00 | 1,00 |

*(continued)*

*(UJDE • 6-Flute with Eccentric Relief Grind and Neck • Metric continued)*







| KCSM15 | KCSM15 | D1 | D | D3 | Ap1 max | L3 | L | Rε |
|---|---|---|---|---|---|---|---|---|
| **UJDE2000E6AQK** | **UJDE2000A6AQK** | 20,00 | 20,00 | 18,80 | 38,00 | 60,00 | 115,00 | 2,00 |
| **UJDE2000E6AQM** | **UJDE2000A6AQM** | 20,00 | 20,00 | 18,80 | 38,00 | 60,00 | 115,00 | 3,00 |
| **UJDE2000E6AQN** | **UJDE2000A6AQN** | 20,00 | 20,00 | 18,80 | 38,00 | 60,00 | 115,00 | 4,00 |
| **–** | **UJDE2000A6ANS** | 20,00 | 20,00 | 18,80 | 38,00 | 60,00 | 115,00 | – |
| **UJDE2500E6AQE** | **UJDE2500A6AQE** | 25,00 | 25,00 | 23,50 | 45,00 | 75,00 | 135,00 | 0,50 |
| **UJDE2500E6AQG** | **UJDE2500A6AQG** | 25,00 | 25,00 | 23,50 | 45,00 | 75,00 | 135,00 | 1,00 |
| **UJDE2500E6AQK** | **UJDE2500A6AQK** | 25,00 | 25,00 | 23,50 | 45,00 | 75,00 | 135,00 | 2,00 |
| **UJDE2500E6AQM** | **UJDE2500A6AQM** | 25,00 | 25,00 | 23,50 | 45,00 | 75,00 | 135,00 | 3,00 |
| **UJDE2500E6AQN** | **UJDE2500A6AQN** | 25,00 | 25,00 | 23,50 | 45,00 | 75,00 | 135,00 | 4,00 |
| **–** | **UJDE2500A6ANS** | 25,00 | 25,00 | 23,50 | 45,00 | 75,00 | 135,00 | – |

NOTE: For application data, see page C43.

**End Mill Tolerances**

| D1 | tolerance e8 | D | tolerance h6 |
|---|---|---|---|
| ≤3 | -0,014 / -0,028 | ≤3 | +0 / -0,006 |
| >3–6 | -0,020 / -0,038 | >3–6 | +0 / -0,008 |
| >6–10 | -0,025 / -0,047 | >6–10 | +0 / -0,009 |
| >10–18 | -0,032 / -0,059 | >10–18 | +0 / -0,011 |
| >18–30 | -0,040 / -0,073 | >18–30 | +0 / -0,013 |

## HARVI III™ • UJDE • Unequal Flute Spacing • Roughing

| Material Group | | Side Milling (A) | | KCSM15 | | Recommended feed per tooth (fz=mm/th) for side milling (A). | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A | | Cutting Speed — vc m/min | | | D1 — Diameter | | | | |
| | | ap | ae | min | max | mm | 10,0 | 12,0 | 16,0 | 20,0 | 25,0 |
| P | 4 | Ap1 max | 0,4 x D | 90 | 150 | fz | 0,054 | 0,062 | 0,077 | 0,088 | 0,098 |
| | 5 | Ap1 max | 0,4 x D | 60 | 100 | fz | 0,048 | 0,056 | 0,070 | 0,081 | 0,091 |
| M | 1 | Ap1 max | 0,4 x D | 90 | 115 | fz | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 2 | Ap1 max | 0,4 x D | 60 | 80 | fz | 0,048 | 0,056 | 0,070 | 0,081 | 0,091 |
| | 3 | Ap1 max | 0,4 x D | 60 | 70 | fz | 0,040 | 0,047 | 0,057 | 0,065 | 0,071 |
| S | 1 | Ap1 max | 0,4 x D | 50 | 90 | fz | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 2 | Ap1 max | 0,4 x D | 50 | 90 | fz | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 3 | Ap1 max | 0,4 x D | 25 | 40 | fz | 0,032 | 0,037 | 0,046 | 0,054 | 0,061 |
| | 4 | Ap1 max | 0,4 x D | 50 | 80 | fz | 0,045 | 0,052 | 0,064 | 0,074 | 0,084 |
| H | 1 | Ap1 max | 0,4 x D | 80 | 140 | fz | 0,054 | 0,062 | 0,077 | 0,088 | 0,098 |

## HARVI III • UJDE • Unequal Flute Spacing • Finishing

| Material Group | | Side Milling (A) | | KCSM15 | | Recommended feed per tooth (fz=mm/th) for side milling (A). | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A | | Cutting Speed — vc m/min | | | D1 — Diameter | | | | |
| | | ap | ae | min | max | mm | 10,0 | 12,0 | 16,0 | 20,0 | 25,0 |
| P | 4 | Ap1 max | 0,06 x D | 171 | 285 | fz | 0,065 | 0,075 | 0,092 | 0,106 | 0,117 |
| | 5 | Ap1 max | 0,06 x D | 114 | 190 | fz | 0,058 | 0,067 | 0,084 | 0,097 | 0,109 |
| M | 1 | Ap1 max | 0,06 x D | 171 | 218 | fz | 0,073 | 0,084 | 0,105 | 0,121 | 0,137 |
| | 2 | Ap1 max | 0,06 x D | 114 | 152 | fz | 0,058 | 0,067 | 0,084 | 0,097 | 0,109 |
| | 3 | Ap1 max | 0,06 x D | 114 | 133 | fz | 0,048 | 0,056 | 0,068 | 0,078 | 0,085 |
| S | 1 | Ap1 max | 0,06 x D | 95 | 171 | fz | 0,073 | 0,084 | 0,105 | 0,121 | 0,137 |
| | 2 | Ap1 max | 0,06 x D | 95 | 171 | fz | 0,073 | 0,084 | 0,105 | 0,121 | 0,137 |
| | 3 | Ap1 max | 0,06 x D | 48 | 76 | fz | 0,038 | 0,045 | 0,056 | 0,065 | 0,074 |
| | 4 | Ap1 max | 0,06 x D | 95 | 152 | fz | 0,053 | 0,062 | 0,077 | 0,089 | 0,100 |
| H | 1 | Ap1 max | 0,06 x D | 152 | 266 | fz | 0,065 | 0,075 | 0,092 | 0,106 | 0,117 |

NOTE: Lower value of cutting speed is used for high stock removal applications or for higher hardness (machinability) within group.
Higher value of cutting speed is used for finishing applications or for lower hardness (machinability) within group.
Above parameters are based on ideal conditions. For smaller taper machining centres, please adjust parameters accordingly on >12mm diameter.

Solid End Milling

## HARVI III™ • UJDE • Unequal Flute Spacing • Roughing • With Neck

| Material Group | | Side Milling (A) | | KCSM15 | | Recommended feed per tooth (fz=mm/th) for side milling (A). | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A | | Cutting Speed — vc m/min | | | D1 — Diameter | | | | |
| | | ap | ae | min | max | mm | 10,0 | 12,0 | 16,0 | 20,0 | 25,0 |
| P | 4 | Ap1 max | 0,4 x D | 90 | 150 | fz | 0,054 | 0,062 | 0,077 | 0,088 | 0,098 |
| | 5 | Ap1 max | 0,4 x D | 60 | 100 | fz | 0,048 | 0,056 | 0,070 | 0,081 | 0,091 |
| M | 1 | Ap1 max | 0,4 x D | 90 | 115 | fz | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 2 | Ap1 max | 0,4 x D | 60 | 80 | fz | 0,048 | 0,056 | 0,070 | 0,081 | 0,091 |
| | 3 | Ap1 max | 0,4 x D | 60 | 70 | fz | 0,040 | 0,047 | 0,057 | 0,065 | 0,071 |
| S | 1 | Ap1 max | 0,4 x D | 50 | 90 | fz | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 2 | Ap1 max | 0,4 x D | 50 | 90 | fz | 0,061 | 0,070 | 0,087 | 0,101 | 0,114 |
| | 3 | Ap1 max | 0,4 x D | 25 | 40 | fz | 0,032 | 0,037 | 0,046 | 0,054 | 0,061 |
| | 4 | Ap1 max | 0,4 x D | 50 | 80 | fz | 0,045 | 0,052 | 0,064 | 0,074 | 0,084 |
| H | 1 | Ap1 max | 0,4 x D | 80 | 140 | fz | 0,054 | 0,062 | 0,077 | 0,088 | 0,098 |

## HARVI III • UJDE • Unequal Flute Spacing • Finishing • With Neck

| Material Group | | Side Milling (A) | | KCSM15 | | Recommended feed per tooth (fz=mm/th) for side milling (A). | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A | | Cutting Speed — vc m/min | | | D1 — Diameter | | | | |
| | | ap | ae | min | max | mm | 10,0 | 12,0 | 16,0 | 20,0 | 25,0 |
| P | 4 | Ap1 max | 0,06 x D | 171 | 285 | fz | 0,065 | 0,075 | 0,092 | 0,106 | 0,117 |
| | 5 | Ap1 max | 0,06 x D | 114 | 190 | fz | 0,058 | 0,067 | 0,084 | 0,097 | 0,109 |
| M | 1 | Ap1 max | 0,06 x D | 171 | 218 | fz | 0,073 | 0,084 | 0,105 | 0,121 | 0,137 |
| | 2 | Ap1 max | 0,06 x D | 114 | 152 | fz | 0,058 | 0,067 | 0,084 | 0,097 | 0,109 |
| | 3 | Ap1 max | 0,06 x D | 114 | 133 | fz | 0,048 | 0,056 | 0,068 | 0,078 | 0,085 |
| S | 1 | Ap1 max | 0,06 x D | 95 | 171 | fz | 0,073 | 0,084 | 0,105 | 0,121 | 0,137 |
| | 2 | Ap1 max | 0,06 x D | 95 | 171 | fz | 0,073 | 0,084 | 0,105 | 0,121 | 0,137 |
| | 3 | Ap1 max | 0,06 x D | 48 | 76 | fz | 0,038 | 0,045 | 0,056 | 0,065 | 0,074 |
| | 4 | Ap1 max | 0,06 x D | 95 | 152 | fz | 0,053 | 0,062 | 0,077 | 0,089 | 0,100 |
| H | 1 | Ap1 max | 0,06 x D | 152 | 266 | fz | 0,065 | 0,075 | 0,092 | 0,106 | 0,117 |

NOTE: Lower value of cutting speed is used for high stock removal applications or for higher hardness (machinability) within group.
Higher value of cutting speed is used for finishing applications or for lower hardness (machinability) within group.
Above parameters are based on ideal conditions. For smaller taper machining centres, please adjust parameters accordingly on >12mm diameter.

## HARVI III with Eccentric Relief

**CHALLENGE**

- Rough profile of extruded beams.
- Varying depths of cut.
- Titanium Alloy Beta (Ti Al6V4).
- External coolant.

**SOLUTION**

- HARVI III Ø 25,4mm with eccentric relief in KCSM15.
- 6 effective teeth with centre cut.

**CUTTING DATA**

- vc 56 m/min
- fz 0,07 mm/z

**RESULT**

- **56 workpieces tool life.**
- **Surface finish Ra 1,6 µm.**

**BENEFIT**

- **Up to 7x higher tool life compared to competition.**
- **Exceptional surface finish.**
- **Improved chip shearing and cutting efficiency.**

## HARVI III with Eccentric Relief

**CHALLENGE**

- Milling of various parts.
- Titanium Alloy Alpha (Ti Al6V4).
- External coolant.

**SOLUTION**

- HARVI III Ø 19,05mm with eccentric relief in KCSM15.
- 6 effective teeth with centre cut.

**CUTTING DATA**

- vc 55 m/min
- fz 0,06 mm/z

**RESULT**

- **300 workpieces tool life.**

**BENEFIT**

- **Up to 590 machine hours freed per year.**
- **Up to 5x higher tool life compared to competition.**

## HARVI III with Eccentric Relief

**CHALLENGE**

- Finish profile of beams.
- Titanium Beta Alloy (Ti Al6V4).
- External coolant.

**SOLUTION**

- HARVI III Ø 15,88mm with eccentric relief in KCSM15.
- 6 effective teeth with centre cut.

**CUTTING DATA**

- vc 89 m/min
- fz 0,11 mm/z

**RESULT**

- **12 workpieces tool life.**
- **Surface finish Ra 1,6 µm.**

**BENEFIT**

- **Up to 3x higher tool life compared to competition.**
- **Exceptional surface finish with no chatter.**
- **Improving overall finishing performance.**

## HARVI III with Eccentric Relief

**CHALLENGE**

- Full depth roughing.
- Titanium Alloy Alpha (Ti Al6V4).
- External coolant.

**SOLUTION**

- HARVI III Ø 19,05mm with eccentric relief in KCSM15.
- 6 effective teeth with centre cut.
- 1,5mm corner radii.

**CUTTING DATA**

- vc 49 m/min
- fz 0,08 mm/z

**RESULT**

- **7 workpieces tool life.**
- **Flank wear only.**

**BENEFIT**

- **Up to 191 machine hours freed per year.**
- **Up to 33% higher tool life compared to competition.**



# KenFeed™

## End Mills for High-Feed Milling

Specifically engineered to machine hardened steel up to 65 HRC at extreme speeds and feeds

## Features and Benefits

- Unique tool with new 6-flute style for high productivity.
- Necked shanks provide extended reach in deep cavities.
- High-feed rates up to 0,6mm per tooth on a 20mm tool.
- Machine hardened materials at 2–3x the metal removal rate of competitive end mills.
- Wide range of cutting diameters: down to 6mm for small and medium pocket work.
- Innovative new geometry maximises metal removal rates.
- High metal removal rates lower manufacturing costs.

Experience the advantages at your Authorised Kennametal Distributor or at **www.kennametal.com**.

www.kennametal.com

KENNAMETAL®

# KC643M™ Key Way Cutter

## Primary Application

F2AU and F3AU Key Way Cutters offer highest precision when machining slots for a shaft to hub connection. The corner radii increases workpiece durability as crack causing forces between floor and wall are minimised. To produce key slots according to ISO, the radii are adjusted accordingly to match this standard.

New KC643M Key Way Cutters replace old KC635M™ and KC625M™ versions.

- Highest accuracy with finishing (conventional milling)
- Roughing and finishing with one tool
- Less tool changes due to higher tool life

# Features and Benefits

### Advanced Technology

- Unequally spaced flutes with F3AU for chatter-free machining at high feed rates.
- F2AU designed for unstable machining conditions.
- Radii transition created between floor and wall at key slot increases durability of machined components by preventing cracks.
- True 90° wall straightness due to tapered peripheral edges creating a defined passive force during finishing cut (conventional cut).
- Roughing and finishing with one tool resulting in less tool changes and less tooling inventory necessary.

### Tailored Grade

- Universal KC643M grade suitable for cutting steel, cast iron, stainless steel (wet), and titanium (wet).

### Customisation

- Expanded length of tool as well as increased length of cut possible.
- Internal coolant axial as well as radial available.
- Various shank and non-standard coatings options available.

### Extensive Standard Offering

- Diameter range 1,80–19,70mm.
- 2-flute and 3-flute tooling in stock.


**Corner radii**
Increases durability of machined parts according to ISO standard.
**Unequal flute spacing**
Improves surface finish.
Reduces vibrations.
**KC643M™ AlTiN grade**
Universal usage.
For highest tool life.
**38° helix angle**
Roughing and finishing.

- Kennametal standard dimensions.
- Centre cutting.
- Single tool for roughing and finishing applications requiring fewer setups.
- Optimised for unstable machining conditions.



## F2AU.. • 2-Flute • Metric







● first choice
○ alternate choice

| KC643M | KC643M | D1 | D | D3 | Ap1 max | L | L3 | Rε |
|---|---|---|---|---|---|---|---|---|
| **F2AU0180ADK38** | – | 1,80 | 4,00 | 1,75 | 2,00 | 36,00 | 6,00 | 0,12 |
| **F2AU0280ADK38** | **F2AU0280BDK38** | 2,80 | 6,00 | 2,75 | 4,00 | 50,00 | 12,00 | 0,12 |
| **F2AU0380ADK38** | **F2AU0380BDK38** | 3,80 | 6,00 | 3,71 | 5,00 | 54,00 | 16,00 | 0,12 |
| **F2AU0480ADK38** | **F2AU0480BDK38** | 4,80 | 6,00 | 4,71 | 6,00 | 54,00 | 16,00 | 0,20 |
| **F2AU0575ADK38** | **F2AU0575BDK38** | 5,75 | 6,00 | 5,71 | 7,00 | 54,00 | 18,00 | 0,20 |
| **F2AU0775ADK38** | **F2AU0775BDK38** | 7,75 | 8,00 | 7,70 | 9,00 | 58,00 | 22,00 | 0,20 |
| **F2AU0970ADK38** | **F2AU0970BDK38** | 9,70 | 10,00 | 9,65 | 11,00 | 66,00 | 26,00 | 0,33 |
| **F2AU1170ADK38** | **F2AU1170BDK38** | 11,70 | 12,00 | 11,64 | 12,00 | 73,00 | 28,00 | 0,33 |
| **F2AU1370ADK38** | **F2AU1370BDK38** | 13,70 | 14,00 | 13,64 | 14,00 | 75,00 | 30,00 | 0,33 |
| **F2AU1570ADK38** | **F2AU1570BDK38** | 15,70 | 16,00 | 15,64 | 16,00 | 82,00 | 34,00 | 0,33 |
| **F2AU1770ADK38** | **F2AU1770BDK38** | 17,70 | 18,00 | 17,64 | 18,00 | 84,00 | 36,00 | 0,40 |
| **F2AU1970ADK38** | **F2AU1970BDK38** | 19,70 | 20,00 | 19,63 | 20,00 | 92,00 | 42,00 | 0,40 |

NOTE: For application data, see page C50.

**End Mill Tolerances**

| D1 | tolerance e8 | D | tolerance h6 |
|---|---|---|---|
| ≤3 | -0,014/-0,028 | ≤3 | +0/-0,006 |
| >3–6 | -0,020/-0,038 | >3–6 | +0/-0,008 |
| >6–10 | -0,025/-0,047 | >6–10 | +0/-0,009 |
| >10–18 | -0,032/-0,059 | >10–18 | +0/-0,011 |
| >18–30 | -0,040/-0,073 | >18–30 | +0/-0,013 |

- Kennametal standard dimensions.
- Centre cutting.
- Unequal flute spacing minimises chatter for smoother machining.
- Single tool for roughing and finishing applications requiring fewer setups.
- Optimised for high Metal Removal Rates (MRR) under stable machining conditions.






## F3AU.. • 3-Flute • Metric







● first choice
○ alternate choice

| KC643M | KC643M | D1 | D | D3 | Ap1 max | L | L3 | Rε |
|---|---|---|---|---|---|---|---|---|
| **F3AU0280ADK38** | **F3AU0280BDK38** | 2,80 | 6,00 | 2,75 | 4,00 | 50,00 | 12,00 | 0,12 |
| **F3AU0380ADK38** | **F3AU0380BDK38** | 3,80 | 6,00 | 3,71 | 5,00 | 54,00 | 16,00 | 0,12 |
| **F3AU0480ADK38** | **F3AU0480BDK38** | 4,80 | 6,00 | 4,71 | 6,00 | 54,00 | 16,00 | 0,20 |
| **F3AU0575ADK38** | **F3AU0575BDK38** | 5,75 | 6,00 | 5,71 | 7,00 | 54,00 | 18,00 | 0,20 |
| **F3AU0775ADK38** | **F3AU0775BDK38** | 7,75 | 8,00 | 7,70 | 9,00 | 58,00 | 22,00 | 0,20 |
| **F3AU0970ADK38** | **F3AU0970BDK38** | 9,70 | 10,00 | 9,65 | 11,00 | 66,00 | 26,00 | 0,33 |
| **F3AU1170ADK38** | **F3AU1170BDK38** | 11,70 | 12,00 | 11,64 | 12,00 | 73,00 | 28,00 | 0,33 |
| **F3AU1370ADK38** | **F3AU1370BDK38** | 13,70 | 14,00 | 13,64 | 14,00 | 75,00 | 30,00 | 0,33 |
| **F3AU1570ADK38** | **F3AU1570BDK38** | 15,70 | 16,00 | 15,64 | 16,00 | 82,00 | 34,00 | 0,33 |
| **F3AU1770ADK38** | **F3AU1770BDK38** | 17,70 | 18,00 | 17,64 | 18,00 | 84,00 | 36,00 | 0,40 |
| **F3AU1970ADK38** | **F3AU1970BDK38** | 19,70 | 20,00 | 19,63 | 20,00 | 92,00 | 42,00 | 0,40 |

NOTE: For application data, see page C50.

**End Mill Tolerances**

| D1 | tolerance e8 | D | tolerance h6 |
|---|---|---|---|
| ≤3 | -0,014/-0,028 | ≤3 | +0/-0,006 |
| >3–6 | -0,020/-0,038 | >3–6 | +0/-0,008 |
| >6–10 | -0,025/-0,047 | >6–10 | +0/-0,009 |
| >10–18 | -0,032/-0,059 | >10–18 | +0/-0,011 |
| >18–30 | -0,040/-0,073 | >18–30 | +0/-0,013 |

## F2AU...A/BDK38...

| Material Group | | Side Milling (A) and Slotting (B) A ap | A ae | B ap | KC643M Cutting Speed — vc m/min min | max | mm | Recommended feed per tooth (fz=mm/th) for side milling (A). For slotting (B), reduce fz by 10%. D1 — Diameter 2,0 | 3,0 | 4,0 | 6,0 | 8,0 | 10,0 | 12,0 | 16,0 | 20,0 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | 0 | 1 x D | 0,5 x D | 0,75 x D | 150 | 200 | fz | 0,014 | 0,021 | 0,028 | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 |
| | 1 | 1 x D | 0,5 x D | 0,75 x D | 150 | 200 | fz | 0,014 | 0,021 | 0,028 | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 |
| | 2 | 1 x D | 0,5 x D | 0,75 x D | 140 | 190 | fz | 0,014 | 0,021 | 0,028 | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 |
| | 3 | 1 x D | 0,5 x D | 0,75 x D | 120 | 160 | fz | 0,011 | 0,017 | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 4 | 1 x D | 0,5 x D | 0,75 x D | 90 | 150 | fz | 0,010 | 0,016 | 0,021 | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 | 0,088 |
| | 5 | 1 x D | 0,5 x D | 0,75 x D | 60 | 100 | fz | 0,009 | 0,014 | 0,019 | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 |
| | 6 | 1 x D | 0,5 x D | 0,75 x D | 50 | 75 | fz | 0,008 | 0,012 | 0,016 | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 |
| M | 1 | 1 x D | 0,5 x D | 0,75 x D | 90 | 115 | fz | 0,011 | 0,017 | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 2 | 1 x D | 0,5 x D | 0,75 x D | 60 | 80 | fz | 0,009 | 0,014 | 0,019 | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 |
| | 3 | 1 x D | 0,5 x D | 0,75 x D | 60 | 70 | fz | 0,008 | 0,012 | 0,016 | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 |
| K | 1 | 1 x D | 0,5 x D | 0,75 x D | 120 | 150 | fz | 0,014 | 0,021 | 0,028 | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 |
| | 2 | 1 x D | 0,5 x D | 0,75 x D | 110 | 130 | fz | 0,011 | 0,017 | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 3 | 1 x D | 0,5 x D | 0,75 x D | 110 | 130 | fz | 0,009 | 0,014 | 0,019 | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 |
| S | 1 | 1 x D | 0,3 x D | 0,3 x D | 50 | 90 | fz | 0,011 | 0,017 | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 2 | 1 x D | 0,3 x D | 0,3 x D | 50 | 90 | fz | 0,011 | 0,017 | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 3 | 1 x D | 0,3 x D | 0,3 x D | 25 | 40 | fz | 0,006 | 0,009 | 0,013 | 0,019 | 0,026 | 0,032 | 0,037 | 0,046 | 0,054 |
| | 4 | 1 x D | 0,5 x D | 0,75 x D | 50 | 80 | fz | 0,007 | 0,011 | 0,016 | 0,026 | 0,037 | 0,045 | 0,052 | 0,064 | 0,074 |
| H | 1 | 1 x D | 0,5 x D | 0,75 x D | 80 | 140 | fz | 0,010 | 0,016 | 0,0210 | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 | 0,088 |

## F3AU...A/BDK38... • Unequal Flute Spacing

| Material Group | | A ap | A ae | B ap | KC643M Cutting Speed — vc m/min min | max | mm | Recommended feed per tooth (fz=mm/th) for side milling (A). For Slotting (B), reduce fz by 10%. D1 — Diameter 2,0 | 3,0 | 4,0 | 6,0 | 8,0 | 10,0 | 12,0 | 16,0 | 20,0 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | 0 | 1 x D | 0,5 x D | 0,75 x D | 150 | 200 | fz | 0,014 | 0,021 | 0,028 | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 |
| | 1 | 1 x D | 0,5 x D | 0,75 x D | 150 | 200 | fz | 0,014 | 0,021 | 0,028 | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 |
| | 2 | 1 x D | 0,5 x D | 0,75 x D | 140 | 190 | fz | 0,014 | 0,021 | 0,028 | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 |
| | 3 | 1 x D | 0,5 x D | 0,75 x D | 120 | 160 | fz | 0,011 | 0,017 | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 4 | 1 x D | 0,5 x D | 0,75 x D | 90 | 150 | fz | 0,010 | 0,016 | 0,021 | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 | 0,088 |
| | 5 | 1 x D | 0,5 x D | 0,75 x D | 60 | 100 | fz | 0,009 | 0,014 | 0,019 | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 |
| | 6 | 1 x D | 0,5 x D | 0,75 x D | 50 | 75 | fz | 0,008 | 0,012 | 0,016 | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 |
| M | 1 | 1 x D | 0,5 x D | 0,75 x D | 90 | 115 | fz | 0,011 | 0,017 | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 2 | 1 x D | 0,5 x D | 0,75 x D | 60 | 80 | fz | 0,009 | 0,014 | 0,019 | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 |
| | 3 | 1 x D | 0,5 x D | 0,75 x D | 60 | 70 | fz | 0,008 | 0,012 | 0,016 | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 |
| K | 1 | 1 x D | 0,5 x D | 0,75 x D | 120 | 150 | fz | 0,014 | 0,021 | 0,028 | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 |
| | 2 | 1 x D | 0,5 x D | 0,75 x D | 110 | 130 | fz | 0,011 | 0,017 | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 3 | 1 x D | 0,5 x D | 0,75 x D | 110 | 130 | fz | 0,009 | 0,014 | 0,019 | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 |
| S | 1 | 1 x D | 0,3 x D | 0,3 x D | 50 | 90 | fz | 0,011 | 0,017 | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 2 | 1 x D | 0,3 x D | 0,3 x D | 50 | 90 | fz | 0,011 | 0,017 | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 3 | 1 x D | 0,3 x D | 0,3 x D | 25 | 40 | fz | 0,006 | 0,009 | 0,013 | 0,019 | 0,026 | 0,032 | 0,037 | 0,046 | 0,054 |
| | 4 | 1 x D | 0,5 x D | 0,75 x D | 50 | 80 | fz | 0,007 | 0,011 | 0,016 | 0,026 | 0,037 | 0,045 | 0,052 | 0,064 | 0,074 |
| H | 1 | 1 x D | 0,5 x D | 0,75 x D | 80 | 140 | fz | 0,010 | 0,016 | 0,0210 | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 | 0,088 |

NOTE: Lower value of cutting speed is used for high stock removal applications or for higher hardness (machinability) within group.
Higher value of cutting speed is used for finishing applications or for lower hardness (machinability) within group.
Above parameters are based on ideal conditions. For smaller taper machining centres, please adjust parameters accordingly on >12mm diameter.

# KCN05™

## CFRP Machining Tooling

**Engineered for machining difficult CFRP (Carbon-Fibre Reinforced Polymer) and non-ferrous components. KCN05 solid carbide tooling provides excellent tool life and produce smooth finishes with improved edge quality.**

- Excellent tool life due to KCN05 diamond-film coating.
- Proprietary substrate improves coating adhesion improving tool life.
- Design minimises delamination and burr formation.
- Compression-style end mills for trimming operations.
- Left-hand down cut and ball nose cutters for machining cavities.
- Burr-style router for highest Material Removal Rates (MRR).

Visit **www.kennametal.com** or contact your local Authorised Kennametal Distributor.

**www.kennametal.com**

KENNAMETAL®

# High-Performance Solid Carbide Roughing End Mills

## Highest metal removal rates – even on unstable machines or unstable workpiece clamping.

### Primary Application

HP Rougher can be applied on a wide range of workpiece materials such as steels, stainless steels, cast irons, and in certain cases, hardened materials. Tailored roughing profiles reduce cutting forces to the necessary level or combine roughing and semi-finishing for less tool changes.

- High-performance universal tools for almost all cutting materials.
- Lowering cutting forces and spindle power consumption.
- Centre cutting for plunging, ramping, profiling, high-feed slotting, and side milling.

## Features and Benefits

### Advanced Technology

- Up to full length of cut for:
  - Slotting
  - Side milling
  - Profiling
  - Semi-finishing
- Various roughing profiles available to choose from for the right balance between cutting forces, feed rates, and surface quality targeted.
- Internal coolant for improved chip evacuation and extended tool life.

### Tailored Grades

- Proprietary KCPM15™ Beyond™ grade for outstanding wear protection in milling stainless steel to mitigate crater, DOCN (depth-of-cut notching), and flank wear.

### Customisation

- Intermediate diameters available.
- Corner radii for near-shape roughing operations available.
- Various shank options, including **SAFE-LOCK**™, and non-standard coatings available.

### Extensive Standard Offering

- Diameter ranges 4–25mm.
- Weldon® shank for maximum torque transmission.

*To learn more,* ***scan the QR codes above.***

*For instructions on how to scan, please see page xxv.*

- Kennametal standard dimensions.
- Centre cutting.
- Cord profile.








beyond

## F3BH-F4BJ-F5BJ...WS-WM-WL-WX • Metric




● first choice
○ alternate choice

| KCPM15 | D1 | D | Ap1 max | L | BCH | Z U |
|---|---|---|---|---|---|---|
| **F3BH0400BWS20L110** | 4,00 | 6,00 | 11,00 | 55,00 | 0,30 | 3 |
| **F3BH0500BWS20L130** | 5,00 | 6,00 | 13,00 | 57,00 | 0,30 | 3 |
| **F3BH0600BWS20L080** | 6,00 | 6,00 | 8,00 | 54,00 | 0,30 | 3 |
| **F3BH0600BWS20L130** | 6,00 | 6,00 | 13,00 | 57,00 | 0,30 | 3 |
| **F3BH0800BWS20L110** | 8,00 | 8,00 | 11,00 | 58,00 | 0,30 | 3 |
| **F3BH0800BWM20L160** | 8,00 | 8,00 | 16,00 | 63,00 | 0,30 | 3 |
| **F4BJ1000BWM20L130** | 10,00 | 10,00 | 13,00 | 66,00 | 0,50 | 4 |
| **F4BJ1000BWM20L220** | 10,00 | 10,00 | 22,00 | 72,00 | 0,50 | 4 |
| **F4BJ1200BWM20L160** | 12,00 | 12,00 | 16,00 | 73,00 | 0,50 | 4 |
| **F4BJ1200BWL20L260** | 12,00 | 12,00 | 26,00 | 83,00 | 0,50 | 4 |
| **F4BJ1400BWL20L260** | 14,00 | 14,00 | 26,00 | 83,00 | 0,50 | 4 |
| **F4BJ1600BWL20L190** | 16,00 | 16,00 | 19,00 | 82,00 | 0,50 | 4 |
| **F4BJ1600BWL20L320** | 16,00 | 16,00 | 32,00 | 92,00 | 0,50 | 4 |
| **F4BJ2000BWL20L220** | 20,00 | 20,00 | 22,00 | 92,00 | 0,50 | 4 |
| **F4BJ2000BWX20L380** | 20,00 | 20,00 | 38,00 | 104,00 | 0,50 | 4 |
| **F5BJ2500BWX20L450** | 25,00 | 25,00 | 45,00 | 121,00 | 0,50 | 5 |

NOTE: For application data, see page C61.

**End Mill Tolerances**

| D1 | tolerance d11 | D | tolerance h6 |
|---|---|---|---|
| ≤ 3 | -0,020/-0,080 | ≤ 3 | +0/-0,006 |
| >3–6 | -0,030/-0,105 | >3–6 | +0/-0,008 |
| >6–10 | -0,040/-0,130 | >6–10 | +0/-0,009 |
| >10–18 | -0,050/0,160 | >10–18 | +0/-0,011 |
| >18–30 | -0,065/-0,195 | >18–30 | +0/-0,013 |

- Kennametal standard dimensions.
- Centre cutting.
- Cord profile.
- Internal coolant for optimised chip removal and increased tool life.



beyond

## F3BH-F4BJ...WS-WM-WL-WX • Internal Coolant • Metric




● first choice
○ alternate choice

| KCPM15 | D1 | D | Ap1 max | L | BCH | Z U |
|---|---|---|---|---|---|---|
| **F3BH0800BWS20C110** | 8,00 | 8,00 | 11,00 | 58,00 | 0,30 | 3 |
| **F3BH0800BWM20C160** | 8,00 | 8,00 | 16,00 | 63,00 | 0,30 | 3 |
| **F4BJ1000BWM20C130** | 10,00 | 10,00 | 13,00 | 66,00 | 0,50 | 4 |
| **F4BJ1000BWM20C220** | 10,00 | 10,00 | 22,00 | 72,00 | 0,50 | 4 |
| **F4BJ1200BWM20C160** | 12,00 | 12,00 | 16,00 | 73,00 | 0,50 | 4 |
| **F4BJ1200BWL20C260** | 12,00 | 12,00 | 26,00 | 83,00 | 0,50 | 4 |
| **F4BJ1600BWL20C190** | 16,00 | 16,00 | 19,00 | 82,00 | 0,50 | 4 |
| **F4BJ1600BWL20C320** | 16,00 | 16,00 | 32,00 | 92,00 | 0,50 | 4 |
| **F4BJ2000BWL20C220** | 20,00 | 20,00 | 22,00 | 92,00 | 0,50 | 4 |
| **F4BJ2000BWX20C380** | 20,00 | 20,00 | 38,00 | 104,00 | 0,50 | 4 |

NOTE: For application data, see page C61.

**End Mill Tolerances**

| D1 | tolerance d11 | D | tolerance h6 |
|---|---|---|---|
| ≤3 | -0,020/-0,080 | ≤3 | +0/-0,006 |
| >3–6 | -0,030/-0,105 | >3–6 | +0/-0,008 |
| >6–10 | -0,040/-0,130 | >6–10 | +0/-0,009 |
| >10–18 | -0,050/-0,160 | >10–18 | +0/-0,011 |
| >18–30 | -0,065/-0,195 | >18–30 | +0/-0,013 |

- Kennametal standard dimensions.
- Centre cutting.
- Flat shallow profile.






beyond

## ■ RUDC.. • With Neck • Metric

NEW!

● first choice
○ alternate choice

| KCPM15 | D1 | D | D3 | Ap1 max | L3 | L | BCH | Z U |
|---|---|---|---|---|---|---|---|---|
| **RUDC0400B3BN** | 4,0 | 6 | 3,60 | 8,00 | 21,00 | 57 | 0,30 | 3 |
| **RUDC0500B3BN** | 5,0 | 6 | 4,60 | 13,00 | 21,00 | 57 | 0,30 | 3 |
| **RUDC0600B3BN** | 6,0 | 6 | 5,50 | 13,00 | 21,00 | 57 | 0,30 | 3 |
| **RUDC0800B3BN** | 8,0 | 8 | 7,50 | 16,00 | 27,00 | 63 | 0,30 | 3 |
| **RUDC1000B4BN** | 10,0 | 10 | 9,50 | 22,00 | 32,00 | 72 | 0,50 | 4 |
| **RUDC1200B4BN** | 12,0 | 12 | 11,00 | 26,00 | 38,00 | 83 | 0,50 | 4 |
| **RUDC1400B4BN** | 14,0 | 14 | 13,00 | 26,00 | 38,00 | 83 | 0,50 | 4 |
| **RUDC1600B4BN** | 16,0 | 16 | 15,00 | 32,00 | 44,00 | 92 | 0,50 | 4 |
| **RUDC1800B4BN** | 18,0 | 18 | 17,00 | 32,00 | 44,00 | 92 | 0,50 | 4 |
| **RUDC2000B4BN** | 20,0 | 20 | 19,00 | 38,00 | 54,00 | 104 | 0,50 | 4 |
| **RUDC2500B5BN** | 25,0 | 25 | 24,00 | 45,00 | 65,00 | 121 | 0,50 | 5 |

NOTE: For application data, see page C62.

**End Mill Tolerances**

| D1 | tolerance d11 | D | tolerance h6 + / - |
|---|---|---|---|
| ≤ 3 | -0,020/-0,080 | ≤ 3 | 0/0,006 |
| > 3–6 | -0,030/-0,105 | > 3–6 | 0/0,008 |
| > 6–10 | -0,040/-0,130 | > 6–10 | 0/0,009 |
| > 10–18 | -0,050/-0,160 | > 10–18 | 0/0,011 |
| > 18–30 | -0,065/-0,195 | > 18–30 | 0/0,013 |

- Centre cutting.
- Flat shallow profile.






beyond

## F3BH...DL • DIN 6527 • Long • Metric




● first choice
○ alternate choice

| KCPM15 | D1 | D | Ap1 max | L | BCH |
|---|---|---|---|---|---|
| **F3BH0400BDL30** | 4,00 | 6,00 | 8,00 | 57,00 | 0,10 |
| **F3BH0500BDL30** | 5,00 | 6,00 | 13,00 | 57,00 | 0,10 |
| **F3BH0600BDL30** | 6,00 | 6,00 | 13,00 | 57,00 | 0,10 |
| **F3BH0800BDL30** | 8,00 | 8,00 | 16,00 | 63,00 | 0,20 |
| **F3BH1000BDL30** | 10,00 | 10,00 | 19,00 | 72,00 | 0,30 |
| **F3BH1200BDL30** | 12,00 | 12,00 | 22,00 | 83,00 | 0,30 |
| **F3BH1600BDL30** | 16,00 | 16,00 | 26,00 | 92,00 | 0,40 |
| **F3BH2000BDL30** | 20,00 | 20,00 | 32,00 | 104,00 | 0,40 |
| **F3BH2500BDL30** | 25,00 | 25,00 | 45,00 | 121,00 | 0,40 |

NOTE: For application data, see page C62.

**End Mill Tolerances**

| D1 | tolerance h11 | D | tolerance h6 |
|---|---|---|---|
| ≤3 | +0/-0,060 | ≤3 | +0/-0,006 |
| >3–6 | +0/-0,075 | >3–6 | +0/-0,008 |
| >6–10 | +0/-0,090 | >6–10 | +0/-0,009 |
| >10–18 | +0/-0,110 | >10–18 | +0/-0,011 |
| >18–30 | +0/-0,130 | >18–30 | +0/-0,013 |

- Centre cutting.
- Flat shallow profile.



beyond

## F4BJ-F6BJ...DL • DIN 6527 • Long • Metric




● first choice
○ alternate choice

| KCPM15 | D1 | D | Ap1 max | L | BCH | Z U |
|---|---|---|---|---|---|---|
| **F4BJ0600BDL45** | 6,00 | 6,00 | 13,00 | 57,00 | 0,10 | 4 |
| **F4BJ0800BDL45** | 8,00 | 8,00 | 19,00 | 63,00 | 0,20 | 4 |
| **F4BJ1000BDL45** | 10,00 | 10,00 | 22,00 | 72,00 | 0,30 | 4 |
| **F4BJ1200BDL45** | 12,00 | 12,00 | 26,00 | 83,00 | 0,30 | 4 |
| **F6BJ1600BDL45** | 16,00 | 16,00 | 32,00 | 92,00 | 1,00 | 6 |
| **F6BJ2000BDL45** | 20,00 | 20,00 | 38,00 | 104,00 | 1,25 | 6 |
| **F6BJ2500BDL45** | 25,00 | 25,00 | 45,00 | 121,00 | 1,25 | 6 |

NOTE: For application data, see page C62.

**End Mill Tolerances**

| D1 | tolerance h11 | D | tolerance h6 |
|---|---|---|---|
| ≤ 3 | +0/-0,060 | ≤ 3 | +0/-0,006 |
| >3–6 | +0/-0,075 | >3–6 | +0/-0,008 |
| >6–10 | +0/-0,090 | >6–10 | +0/-0,009 |
| >10–18 | +0/-0,110 | >10–18 | +0/-0,011 |
| >18–30 | +0/-0,130 | >18–30 | +0/-0,013 |

- Centre cutting.
- Chipbreaker profile.



beyond

## F4BJ...DL • DIN 6527 • Long • Metric




● first choice
○ alternate choice

| KCPM15 | D1 | D | Ap1 max | L | BCH |
|---|---|---|---|---|---|
| **F4BJ0600BDL30** | 6,00 | 6,00 | 13,00 | 57,00 | 0,10 |
| **F4BJ0800BDL30** | 8,00 | 8,00 | 19,00 | 63,00 | 0,20 |
| **F4BJ1000BDL30** | 10,00 | 10,00 | 22,00 | 72,00 | 0,30 |
| **F4BJ1200BDL30** | 12,00 | 12,00 | 26,00 | 83,00 | 0,30 |
| **F4BJ1400BDL30** | 14,00 | 14,00 | 26,00 | 83,00 | 0,30 |
| **F4BJ1600BDL30** | 16,00 | 16,00 | 32,00 | 92,00 | 0,40 |
| **F4BJ1800BDL30** | 18,00 | 18,00 | 32,00 | 92,00 | 0,40 |
| **F4BJ2000BDL30** | 20,00 | 20,00 | 38,00 | 104,00 | 0,40 |

NOTE: For application data, see page C63.

**End Mill Tolerances**

| D1 | tolerance h11 | D | tolerance h6 |
|---|---|---|---|
| ≤3 | +0/-0,060 | ≤3 | +0/-0,006 |
| >3–6 | +0/-0,075 | >3–6 | +0/-0,008 |
| >6–10 | +0/-0,090 | >6–10 | +0/-0,009 |
| >10–18 | +0/-0,110 | >10–18 | +0/-0,011 |
| >18–30 | +0/-0,130 | >18–30 | +0/-0,013 |

- Centre cutting.
- Chipbreaker profile.








beyond

## F3BS...DK-DL • DIN 6527 • Short • Long • Metric




● first choice
○ alternate choice

| KCPM15 | D1 | D | Ap1 max | L | Rε |
|---|---|---|---|---|---|
| **F3BS0600BDK35** | 6,00 | 6,00 | 7,00 | 54,00 | 0,45 |
| **F3BS0600BDL35** | 6,00 | 6,00 | 10,00 | 57,00 | 0,45 |
| **F3BS0800BDK35** | 8,00 | 8,00 | 9,00 | 58,00 | 0,45 |
| **F3BS0800BDL35** | 8,00 | 8,00 | 16,00 | 63,00 | 0,45 |
| **F3BS1000BDK35** | 10,00 | 10,00 | 11,00 | 66,00 | 0,45 |
| **F3BS1000BDL35** | 10,00 | 10,00 | 19,00 | 72,00 | 0,45 |
| **F3BS1200BDK35** | 12,00 | 12,00 | 12,00 | 73,00 | 0,45 |
| **F3BS1200BDL35** | 12,00 | 12,00 | 22,00 | 83,00 | 0,45 |
| **F3BS1400BDK35** | 14,00 | 14,00 | 14,00 | 75,00 | 0,45 |
| **F3BS1400BDL35** | 14,00 | 14,00 | 22,00 | 83,00 | 0,45 |
| **F3BS1600BDK35** | 16,00 | 16,00 | 16,00 | 82,00 | 0,45 |
| **F3BS1600BDL35** | 16,00 | 16,00 | 26,00 | 92,00 | 0,45 |
| **F3BS2000BDK35** | 20,00 | 20,00 | 20,00 | 92,00 | 0,45 |
| **F3BS2000BDL35** | 20,00 | 20,00 | 32,00 | 104,00 | 0,45 |

NOTE: For application data, see page C64.

**End Mill Tolerances**

| D1 | tolerance d11 | D | tolerance h6 |
|---|---|---|---|
| ≤3 | -0,020/-0,080 | ≤3 | +0/-0,006 |
| >3–6 | -0,030/-0,105 | >3–6 | +0/-0,008 |
| >6–10 | -0,040/-0,130 | >6–10 | +0/-0,009 |
| >10–18 | -0,050/-0,160 | >10–18 | +0/-0,011 |
| >18–30 | -0,065/-0,195 | >18–30 | +0/-0,013 |

## F3BH-F4BJ-F5BJ...WS-WM-WL-WX

| Material Group | | A | | B | KCPM15 | | Recommended feed per tooth (fz=mm/th) for side milling (A). For slotting (B), reduce fz by 20%. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Cutting Speed — vc m/min | | | D1 — Diameter | | | | | | | |
| | | ap | ae | ap | min | max | mm | 4,0 | 6,0 | 8,0 | 10,0 | 12,0 | 14,0 | 16,0 | 18,0 | 20,0 |
| P | 1 | 1,5 x D | 0,5 x D | 1 x D | 150 | 200 | fz | 0,024 | 0,037 | 0,049 | 0,059 | 0,072 | 0,080 | 0,087 | 0,093 | 0,098 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 140 | 190 | fz | 0,024 | 0,037 | 0,049 | 0,059 | 0,072 | 0,080 | 0,087 | 0,093 | 0,098 |
| | 3 | 1,5 x D | 0,4 x D | 0,75 x D | 120 | 160 | fz | 0,020 | 0,031 | 0,041 | 0,049 | 0,061 | 0,068 | 0,075 | 0,082 | 0,087 |
| | 4 | 1 x D | 0,3 x D | 0,5 x D | 90 | 150 | fz | 0,018 | 0,028 | 0,037 | 0,044 | 0,054 | 0,060 | 0,066 | 0,072 | 0,076 |
| | 5 | 1,5 x D | 0,4 x D | 0,75 x D | 60 | 100 | fz | 0,016 | 0,025 | 0,033 | 0,039 | 0,049 | 0,055 | 0,060 | 0,065 | 0,070 |
| M | 1 | 1 x D | 0,4 x D | 0,75 x D | 80 | 100 | fz | 0,020 | 0,031 | 0,041 | 0,049 | 0,061 | 0,068 | 0,075 | 0,082 | 0,087 |
| | 2 | 1 x D | 0,4 x D | 0,75 x D | 60 | 80 | fz | 0,016 | 0,025 | 0,033 | 0,039 | 0,049 | 0,055 | 0,060 | 0,065 | 0,070 |
| | 3 | 1 x D | 0,4 x D | 0,75 x D | 60 | 80 | fz | 0,014 | 0,021 | 0,026 | 0,032 | 0,039 | 0,044 | 0,048 | 0,052 | 0,056 |
| K | 1 | 1,5 x D | 0,5 x D | 1 x D | 120 | 160 | fz | 0,024 | 0,037 | 0,049 | 0,059 | 0,072 | 0,080 | 0,087 | 0,093 | 0,098 |
| | 2 | 1,5 x D | 0,4 x D | 1 x D | 110 | 140 | fz | 0,020 | 0,031 | 0,041 | 0,049 | 0,061 | 0,068 | 0,075 | 0,082 | 0,087 |
| | 3 | 1,5 x D | 0,4 x D | 1 x D | 100 | 130 | fz | 0,016 | 0,025 | 0,033 | 0,039 | 0,049 | 0,055 | 0,060 | 0,065 | 0,070 |
| H | 1 | 1,0 x D | 0,3 x D | 0,5 x D | 80 | 140 | fz | 0,018 | 0,028 | 0,037 | 0,044 | 0,054 | 0,060 | 0,066 | 0,072 | 0,076 |

## F3BH-F4BJ...WS-WM-WL-WX • Internal Coolant

| Material Group | | A | | B | KCPM15 | | Recommended feed per tooth (fz=mm/th) for side milling (A). For slotting (B), reduce fz by 20%. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Cutting Speed — vc m/min | | | D1 — Diameter | | | | | | |
| | | ap | ae | ap | min | max | mm | 8,0 | 10,0 | 12,0 | 14,0 | 16,0 | 18,0 | 20,0 |
| P | 1 | 1,5 x D | 0,5 x D | 1 x D | 150 | 200 | fz | 0,049 | 0,059 | 0,072 | 0,080 | 0,087 | 0,093 | 0,098 |
| | 2 | 1,5 x D | 0,5 x D | 1 x D | 140 | 190 | fz | 0,049 | 0,059 | 0,072 | 0,080 | 0,087 | 0,093 | 0,098 |
| | 3 | 1,5 x D | 0,4 x D | 0,75 x D | 120 | 160 | fz | 0,041 | 0,049 | 0,061 | 0,068 | 0,075 | 0,082 | 0,087 |
| | 4 | 1 x D | 0,3 x D | 0,5 x D | 90 | 150 | fz | 0,037 | 0,044 | 0,054 | 0,060 | 0,066 | 0,072 | 0,076 |
| | 5 | 1,5 x D | 0,4 x D | 0,75 x D | 60 | 100 | fz | 0,033 | 0,039 | 0,049 | 0,055 | 0,060 | 0,065 | 0,070 |
| M | 1 | 1 x D | 0,4 x D | 0,75 x D | 80 | 100 | fz | 0,041 | 0,049 | 0,061 | 0,068 | 0,075 | 0,082 | 0,087 |
| | 2 | 1 x D | 0,4 x D | 0,75 x D | 60 | 80 | fz | 0,033 | 0,039 | 0,049 | 0,055 | 0,060 | 0,065 | 0,070 |
| | 3 | 1 x D | 0,4 x D | 0,75 x D | 60 | 80 | fz | 0,026 | 0,032 | 0,039 | 0,044 | 0,048 | 0,052 | 0,056 |
| K | 1 | 1,5 x D | 0,5 x D | 1 x D | 120 | 160 | fz | 0,049 | 0,059 | 0,072 | 0,080 | 0,087 | 0,093 | 0,098 |
| | 2 | 1,5 x D | 0,4 x D | 1 x D | 110 | 140 | fz | 0,041 | 0,049 | 0,061 | 0,068 | 0,075 | 0,082 | 0,087 |
| | 3 | 1,5 x D | 0,4 x D | 1 x D | 100 | 130 | fz | 0,033 | 0,039 | 0,049 | 0,055 | 0,060 | 0,065 | 0,070 |
| H | 1 | 1,0 x D | 0,3 x D | 0,5 x D | 80 | 140 | fz | 0,037 | 0,044 | 0,054 | 0,060 | 0,066 | 0,072 | 0,076 |

NOTE: Lower value of cutting speed is used for high stock removal applications or for higher hardness (machinability) within group.
Higher value of cutting speed is used for finishing applications or for lower hardness (machinability) within group.
Above parameters are based on ideal conditions. For smaller taper machining centres, please adjust parameters accordingly on >12mm diameter.

Solid End Milling

## RUDC.. • With Neck

| Material Group | | Side Milling (A) and Slotting (B) A ap | A ae | B ap | KCPM15 Cutting Speed — vc m/min min | | max | mm | Recommended feed per tooth (fz=mm/th) for side milling (A). For slotting (B), reduce fz by 10%. D1 — Diameter 4,0 | 5,0 | 6,0 | 8,0 | 10,0 | 12,0 | 14,0 | 16,0 | 18,0 | 20,0 | 25,0 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | 1 | 1.5 x D | 0.5 x D | 1 x D | 150 | – | 200 | fz | 0,024 | 0,031 | 0,037 | 0,049 | 0,059 | 0,072 | 0,080 | 0,087 | 0,093 | 0,098 | 0,105 |
| | 2 | 1.5 x D | 0.5 x D | 1 x D | 140 | – | 190 | fz | 0,024 | 0,031 | 0,037 | 0,049 | 0,059 | 0,072 | 0,080 | 0,087 | 0,093 | 0,098 | 0,105 |
| | 3 | 1.5 x D | 0.4 x D | 0.75 x D | 120 | – | 160 | fz | 0,020 | 0,025 | 0,031 | 0,041 | 0,049 | 0,061 | 0,068 | 0,075 | 0,082 | 0,087 | 0,097 |
| | 4 | 1 x D | 0.3 x D | 0.5 x D | 90 | – | 150 | fz | 0,018 | 0,023 | 0,028 | 0,037 | 0,044 | 0,054 | 0,060 | 0,066 | 0,072 | 0,076 | 0,083 |
| | 5 | 1.5 x D | 0.4 x D | 0.75 x D | 60 | – | 100 | fz | 0,016 | 0,021 | 0,025 | 0,033 | 0,039 | 0,049 | 0,055 | 0,060 | 0,065 | 0,070 | 0,077 |
| M | 1 | 1 x D | 0.4 x D | 0.75 x D | 80 | – | 100 | fz | 0,020 | 0,025 | 0,031 | 0,041 | 0,049 | 0,061 | 0,068 | 0,075 | 0,082 | 0,087 | 0,097 |
| | 2 | 1 x D | 0.4 x D | 0.75 x D | 60 | – | 80 | fz | 0,016 | 0,021 | 0,025 | 0,033 | 0,039 | 0,049 | 0,055 | 0,060 | 0,065 | 0,070 | 0,077 |
| | 3 | 1 x D | 0.4 x D | 0.75 x D | 60 | – | 80 | fz | 0,014 | 0,017 | 0,021 | 0,026 | 0,032 | 0,039 | 0,044 | 0,048 | 0,052 | 0,056 | 0,060 |
| K | 1 | 1.5 x D | 0.5 x D | 1 x D | 120 | – | 160 | fz | 0,024 | 0,031 | 0,037 | 0,049 | 0,059 | 0,072 | 0,080 | 0,087 | 0,093 | 0,098 | 0,105 |
| | 2 | 1.5 x D | 0.4 x D | 1 x D | 110 | – | 140 | fz | 0,020 | 0,025 | 0,031 | 0,041 | 0,049 | 0,061 | 0,068 | 0,075 | 0,082 | 0,087 | 0,097 |
| | 3 | 1.5 x D | 0.4 x D | 1 x D | 100 | – | 130 | fz | 0,016 | 0,021 | 0,025 | 0,033 | 0,039 | 0,049 | 0,055 | 0,060 | 0,065 | 0,070 | 0,077 |
| S | 1 | 1.5 x D | 0.4 x D | 0.75 x D | 50 | – | 90 | fz | 0,020 | 0,025 | 0,031 | 0,041 | 0,049 | 0,061 | 0,068 | 0,075 | 0,082 | 0,087 | 0,097 |
| | 2 | 1.5 x D | 0.4 x D | 0.75 x D | 50 | – | 80 | fz | 0,016 | 0,021 | 0,025 | 0,033 | 0,039 | 0,049 | 0,055 | 0,060 | 0,065 | 0,070 | 0,077 |
| H | 1 | 1.0 x D | 0.3 x D | 0.5 x D | 80 | – | 140 | fz | 0,018 | 0,023 | 0,028 | 0,037 | 0,044 | 0,054 | 0,060 | 0,066 | 0,072 | 0,076 | 0,083 |

NOTE: Lower value of cutting speed is used for high stock removal applications or for higher hardness (machinability) within group.
Higher value of cutting speed is used for finishing applications or for lower hardness (machinability) within group.
Above parameters are based on ideal conditions. For smaller taper machining centres, please adjust parameters accordingly on >12mm diameters.

## F3BH...DL • DIN 6527 • Long

| Material Group | | A ap | A ae | B ap | KCPM15 Cutting Speed — vc m/min min | max | mm | Recommended feed per tooth (fz=mm/th) for side milling (A). For slotting (B), reduce fz by 10%. D1 — Diameter 4,0 | 6,0 | 8,0 | 10,0 | 12,0 | 16,0 | 20,0 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | 1 | 1 x D | 0,4 x D | 0,75 x D | 150 | 200 | fz | 0,028 | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 |
| | 2 | 1 x D | 0,4 x D | 0,75 x D | 140 | 190 | fz | 0,028 | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 |
| | 3 | 1 x D | 0,4 x D | 0,75 x D | 120 | 160 | fz | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 4 | 1 x D | 0,3 x D | 0,3 x D | 90 | 150 | fz | 0,021 | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 | 0,088 |
| | 5 | 1 x D | 0,4 x D | 0,75 x D | 60 | 100 | fz | 0,019 | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 |
| | 6 | 1 x D | 0,3 x D | 0,3 x D | 50 | 75 | fz | 0,016 | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 |
| M | 1 | 1 x D | 0,4 x D | 0,75 x D | 80 | 100 | fz | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 2 | 1 x D | 0,4 x D | 0,75 x D | 60 | 80 | fz | 0,019 | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 |
| | 3 | 1 x D | 0,4 x D | 0,75 x D | 60 | 80 | fz | 0,016 | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 |
| K | 1 | 1 x D | 0,4 x D | 0,75 x D | 120 | 160 | fz | 0,028 | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 |
| | 2 | 1 x D | 0,4 x D | 0,75 x D | 110 | 140 | fz | 0,023 | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 3 | 1 x D | 0,4 x D | 0,75 x D | 100 | 130 | fz | 0,019 | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 |

## F4BJ-F6BJ...DL • DIN 6527 • Long

| Material Group | | A | | B | KCPM15 | | Recommended feed per tooth (fz=mm/th) for side milling (A). For slotting (B), reduce fz by 20%. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Cutting Speed — vc m/min | | | D1 — Diameter | | | | | | |
| | | ap | ae | ap | min | max | mm | 6,0 | 8,0 | 10,0 | 12,0 | 16,0 | 20,0 | 25,0 |
| P | 3 | 1 x D | 0,5 x D | 0,5 x D | 120 | 160 | fz | 0,031 | 0,043 | 0,051 | 0,063 | 0,078 | 0,101 | 0,114 |
| | 4 | 1 x D | 0,3 x D | 0,4 x D | 90 | 150 | fz | 0,028 | 0,038 | 0,046 | 0,056 | 0,069 | 0,088 | 0,098 |
| | 5 | 1 x D | 0,5 x D | 0,5 x D | 60 | 100 | fz | 0,025 | 0,034 | 0,041 | 0,051 | 0,063 | 0,081 | 0,091 |
| | 6 | 1 x D | 0,3 x D | 0,4 x D | 50 | 75 | fz | 0,021 | 0,029 | 0,034 | 0,042 | 0,051 | 0,065 | 0,071 |
| M | 1 | 1 x D | 0,5 x D | 0,5 x D | 80 | 100 | fz | 0,031 | 0,043 | 0,051 | 0,063 | 0,078 | 0,101 | 0,114 |
| | 2 | 1 x D | 0,5 x D | 0,5 x D | 60 | 80 | fz | 0,025 | 0,034 | 0,041 | 0,051 | 0,063 | 0,081 | 0,091 |
| | 3 | 1 x D | 0,5 x D | 0,5 x D | 60 | 80 | fz | 0,021 | 0,029 | 0,034 | 0,042 | 0,051 | 0,065 | 0,071 |
| K | 1 | 1 x D | 0,5 x D | 0,5 x D | 120 | 160 | fz | 0,037 | 0,051 | 0,061 | 0,075 | 0,091 | 0,114 | 0,124 |
| | 2 | 1 x D | 0,5 x D | 0,5 x D | 110 | 140 | fz | 0,031 | 0,043 | 0,051 | 0,063 | 0,078 | 0,101 | 0,114 |
| | 3 | 1 x D | 0,5 x D | 0,5 x D | 100 | 130 | fz | 0,025 | 0,034 | 0,041 | 0,051 | 0,063 | 0,081 | 0,091 |
| H | 1 | 1 x D | 0,3 x D | 0,3 x D | 80 | 140 | fz | 0,028 | 0,038 | 0,046 | 0,056 | 0,069 | 0,088 | 0,098 |
| | 2 | 1 x D | 0,2 x D | 0,2 x D | 70 | 120 | fz | 0,021 | 0,029 | 0,034 | 0,042 | 0,051 | 0,065 | 0,071 |
| | 3 | 1 x D | 0,2 x D | 0,2 x D | 60 | 90 | fz | 0,017 | 0,023 | 0,027 | 0,034 | 0,041 | 0,052 | 0,057 |

NOTE: Lower value of cutting speed is used for high stock removal applications or for higher hardness (machinability) within group.
Higher value of cutting speed is used for finishing applications or for lower hardness (machinability) within group.
Above parameters are based on ideal conditions. For smaller taper machining centres, please adjust parameters accordingly on >12mm diameter.



## F4BJ...DL • DIN 6527 • Long

| Material Group | | A | | B | KCPM15 | | Recommended feed per tooth (fz=mm/th) for side milling (A). For slotting (B), reduce fz by 20%. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Cutting Speed — vc m/min | | | D1 — Diameter | | | | | | | |
| | | ap | ae | ap | min | max | mm | 6,0 | 8,0 | 10,0 | 12,0 | 14,0 | 16,0 | 18,0 | 20,0 |
| P | 1 | 1,5 x D | 0,4 x D | 1 x D | 150 | 200 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,092 | 0,101 | 0,107 | 0,114 |
| | 2 | 1,5 x D | 0,4 x D | 1 x D | 140 | 190 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,092 | 0,101 | 0,107 | 0,114 |
| | 3 | 1,5 x D | 0,4 x D | 0,75 x D | 120 | 160 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,079 | 0,087 | 0,094 | 0,101 |
| | 4 | 1,5 x D | 0,3 x D | 0,3 x D | 90 | 150 | fz | 0,033 | 0,045 | 0,054 | 0,062 | 0,070 | 0,077 | 0,082 | 0,088 |
| | 5 | 1,5 x D | 0,4 x D | 0,75 x D | 60 | 100 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,063 | 0,070 | 0,075 | 0,081 |
| | 6 | 1,5 x D | 0,3 x D | 0,3 x D | 50 | 75 | fz | 0,025 | 0,034 | 0,040 | 0,047 | 0,052 | 0,057 | 0,061 | 0,065 |
| M | 1 | 1,5 x D | 0,4 x D | 0,75 x D | 80 | 100 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,079 | 0,087 | 0,094 | 0,101 |
| | 2 | 1,5 x D | 0,4 x D | 0,75 x D | 60 | 80 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,063 | 0,070 | 0,075 | 0,081 |
| | 3 | 1,5 x D | 0,4 x D | 0,75 x D | 60 | 80 | fz | 0,025 | 0,034 | 0,040 | 0,047 | 0,052 | 0,057 | 0,061 | 0,065 |
| K | 1 | 1,5 x D | 0,4 x D | 1 x D | 120 | 160 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,092 | 0,101 | 0,107 | 0,114 |
| | 2 | 1,5 x D | 0,4 x D | 1 x D | 110 | 140 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,079 | 0,087 | 0,094 | 0,101 |
| | 3 | 1,5 x D | 0,4 x D | 1 x D | 100 | 130 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,063 | 0,070 | 0,075 | 0,081 |
| H | 1 | 1,5 x D | 0,3 x D | 0,3 x D | 100 | 140 | fz | 0,033 | 0,045 | 0,054 | 0,062 | 0,070 | 0,077 | 0,082 | 0,088 |

## F3BS...DK-DL • DIN 6527 • Short • Long



| Material Group | | A | | B | KCPM15 | | Recommended feed per tooth (fz=mm/th) for side milling (A). For slotting (B), reduce fz by 20%. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Cutting Speed — vc m/min | | | D1 — Diameter | | | | | |
| | | ap | ae | ap | min | max | mm | 6,0 | 8,0 | 10,0 | 12,0 | 16,0 | 20,0 |
| P | 1 | 1 x D | 0,4 x D | 0,75 x D | 150 | 200 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 |
| | 2 | 1 x D | 0,4 x D | 0,75 x D | 140 | 190 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 |
| | 3 | 1 x D | 0,4 x D | 0,75 x D | 120 | 160 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 4 | 1 x D | 0,3 x D | 0,3 x D | 90 | 150 | fz | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 | 0,088 |
| | 5 | 1 x D | 0,4 x D | 0,75 x D | 60 | 100 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 |
| | 6 | 1 x D | 0,3 x D | 0,3 x D | 50 | 75 | fz | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 |
| M | 1 | 1 x D | 0,4 x D | 0,75 x D | 80 | 100 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 2 | 1 x D | 0,4 x D | 0,75 x D | 60 | 80 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 |
| | 3 | 1 x D | 0,4 x D | 0,75 x D | 60 | 80 | fz | 0,025 | 0,034 | 0,040 | 0,047 | 0,057 | 0,065 |
| K | 1 | 1 x D | 0,4 x D | 0,75 x D | 120 | 160 | fz | 0,044 | 0,060 | 0,072 | 0,083 | 0,101 | 0,114 |
| | 2 | 1 x D | 0,4 x D | 0,75 x D | 110 | 140 | fz | 0,036 | 0,050 | 0,061 | 0,070 | 0,087 | 0,101 |
| | 3 | 1 x D | 0,4 x D | 0,75 x D | 100 | 130 | fz | 0,029 | 0,040 | 0,048 | 0,056 | 0,070 | 0,081 |
| H | 1 | 1 x D | 0,3 x D | 0,3 x D | 100 | 140 | fz | 0,033 | 0,045 | 0,054 | 0,062 | 0,077 | 0,088 |

NOTE: Lower value of cutting speed is used for high stock removal applications or for higher hardness (machinability) within group.
Higher value of cutting speed is used for finishing applications or for lower hardness (machinability) within group.
Above parameters are based on ideal conditions. For smaller taper machining centres, please adjust parameters accordingly on >12mm diameter.

## Looking for a product that's not shown in this catalogue?

# Check the Kennametal website!

Solid End Milling

### Online product catalogue available 24/7

Visit **http://www.kennametal.com/endmilling/** to browse our electronic catalogue any time you're looking for Kennametal's best tooling solutions. It's fast, free, and always available. The online e-catalogue is updated weekly with products and solutions for milling, turning, holemaking, and tooling systems applications.

KENNAMETAL

## How Do Catalogue Numbers Work?

Each character in our catalogue number signifies a specific trait of that product. Use the following key columns and corresponding images to easily identify which attributes apply.






### UJ

End Mill Family
1, 2

- **AA =** Aluminium
- **AB =** MaxiMet™ — aluminium
- **CB =** CFPR burr style
- **CC =** CFRP compression
- **CD =** CFPR down cutter
- **CR =** CFRP ball nose
- **GA =** General application
- **KH =** KenFeed™ (for hard steels)
- **KM =** KenFeed (for medium steels)
- **KS =** KenFeed (for material group P)
- **KT =** KenFeed (for material group S)
- **MA =** Micro
- **PA =** Precision
- **RA =** Rougher — aluminium design 1
- **RB =** Rougher — aluminium design 2
- **RF =** Rougher chipbreaker design 1
- **RG =** Rougher chipbreaker design 2
- **RK =** Rougher — fine pitch profile design 1
- **RL =** Rougher — fine pitch profile design 2
- **RP =** HARVI I™ — coarse pitch profile
- **RQ =** Rougher — coarse pitch profile design
- **RU =** Rougher — flat shallow profile
- **UA =** HARVI I (for material group M)
- **UB =** HARVI (for material group S)
- **UC =** HARVI II™ (for material group M)
- **UD =** HARVI II (for material group S)
- **UG =** HARVI II long (3 x D and 5 x D)
- **UH =** HARVI III™ centrecut and eccentric (material group M)
- **UJ =** HARVI III centrecut and eccentric (material group S)
- **UE =** GOmill™
- **UM =** Multiflute (for material group S)
- **FM =** Finisher multiflute
- **EA =** Ceramic end mill for nickel-based alloys

### D

End Mill Shape
3

- **A =** Ball nose RH — double end
- **B =** Ball nose RH
- **C =** Square end RH — double end
- **D =** Square end RH
- **J =** Ball nose LH — double end
- **K =** Ball nose LH
- **L =** Square end LH — double end
- **M =** Square end LH
- **N =** Square end RH + LH

### E

Helix Angle
4

- **A =** 0–10
- **B =** 11–20
- **C =** 21–30
- **D =** 31–35
- **E =** 36–40
- **F =** 41–45
- **G =** 46–60

### 2000

Diameter
mm
5, 6, 7, 8

*By referencing this easy-to-use guide, you can identify the correct product to meet your needs.*




| E | 6 | A | Q | E |
|---|---|---|---|---|
| Shank Style<br>9 | Number of Flutes<br>10 | Length of Cut<br>11 | Special End Mill Characteristics<br>12 | Radius<br>mm<br>13 |
| **A =** Plain<br>**B =** Weldon®<br>**C =** Whistle Notch™<br>**D =** Weldon and Whistle Notch<br>**E =** SAFE-LOCK™ | **1**<br>**2**<br>**3**<br>**4**<br>**5**<br>**6**<br>**7**<br>**8**<br>**9**<br>**A** = 10<br>**B** = 11<br>**C** = 12<br>**M** = multi | **A =** Short<br>**B =** Regular<br>**C =** Long<br>**D =** X Long<br>**E =** XX Long | **C =** Coolant<br>**H =** Chamfer<br>**L =** Extended reach + neck<br>**N =** Necked<br>**P =** Tapered<br>**Q =** Necked and radius<br>**R =** Radius<br>**S =** Square (sharp)<br>**T =** Toroid<br>**U =** Necked + sharp<br>**V =** Necked + chamfer<br>**X =** Necked + sharp + coolant<br>**Y =** Necked + radius + coolant<br>**Z =** Necked + chamfer + coolant | **A =** 0,2<br>**B =** 0,25<br>**C =** 0,3<br>**D =** 0,4<br>**E =** 0,5<br>**F =** 0,75<br>**G =** 1,0<br>**H =** 1,25<br>**J =** 1,5<br>**K =** 2,0<br>**L =** 2,5<br>**M =** 3,0<br>**N =** 4,0<br>**O =** 6,3<br>**S =** Sharp<br>**X =** Custom |

# High-Performance Solid Carbide End Mills

SAFE-λOCK™
by HAIMER

In High-Performance Cutting (HPC), slow microcreeping can cause the cutting tool to be pulled out of the chuck, **turning high-quality workpieces to scrap.**

## Be on the Safe Side with SAFE-LOCK™ in High-Performance Cutting (HPC)

## Benefits

- Highly accurate clamping due to positive connection.
- No loss of accuracy.
- No pull out or spinning of the tool.
- No damage to the workpiece or machine.
- Groove on tool shank is directed so the tool will be pulled into the chuck (depending on direction of rotation).

## Order Information

Kennametal high-performance end mills with a shank diameter of 12mm and larger are available with **SAFE-LOCK™** technology, as a special tool, upon request. Please contact your local customer service location to receive a quote.

### Features

- Form-closed clamping.
- High accuracy clamping.
- Helical grooves.

### Functions

- No pull out.
- Excellent runout.
- Adjustable clamping length.

### Benefits

- Reduce scrap rate.
- Higher tool life.
- No need to change NC programme after regrinding.

### HARVI III™ for Highest Metal Removal Rates

The HARVI III UJDE proprietary design with **unequal flute spacing** has a unique core geometry for chatter-free machining and eccentric relief for highest tool life.

### SAFE-LOCK™

The safety belt for high-performance solid carbide end mills provides a form-closed clamping with high accuracy and helical grooves for length adjustment.

# Indexable Milling


**KSOM Mini Line Expansion . . . . . D2–D8**

**Mill 1–7 . . . . . D10–D15**

**KenFeed 2X • Double-Sided High-Feed Milling Platform . . . . . D16–D28**

KenFeed 2X iC 09 . . . . . D18–D22

KenFeed 2X iC 13 . . . . . D24–D28

**KSSM High-Feed Beyond Blast . . . . . D30–D35**

**Rodeka Series • Double-Sided Round Inserts . . . . . D36–D59**

Rodeka 10 . . . . . D38–D44

Rodeka 12 . . . . . D45–D51

Rodeka 16 . . . . . D52–D54

Rodeka 12X Turbine Blades . . . . . D56–D59

**KSRM • Round Inserts, Specially Developed for Titanium and Stainless Steel . . . . . D60–D72**

RP.T1204 . . . . . D62–D67

RP.T1605 . . . . . D68–D72

# KSOM™ Mini Line Expansion

## Primary Application

Specially engineered to create lower cutting forces, the KSOM Mini enables a super soft cutting effect resulting in unbeatable surface floor finishing and flatness quality.

## Features and Benefits

- Up to eight cutting edges per insert.
- Excellent performance in stainless steel and high-temperature alloys.
- Exceeds expectations when machining root blades on finishing operations.
- Higher effective rake angle, reduces cutting forces.




*To learn more, **scan here**.*
*For instructions on how to scan, please see page xxv.*

The KSOM™ Mini exceeds expectations when machining root blades on finishing operations.

**Fine pitch cutter version offered**
Diameter 32–80mm (1.25–3").

**Only one screw used for** ease-of-use without additional adjustments.

**Eight index positions** for competitive cost per edge.

All cutters with internal coolant.

- Eight cutting edges per insert.
- Super soft cutting effect for superior surface floor finishing.





Ap1 max = 3,5mm (8 edges)
Ap2 max = 9mm (4 edges), reduce feed rate by 40%



## Screw-On End Mills

| order number | catalogue number | D1 | D1 max | D | DPM | G3X | L2 | WF | Ap1 max | Z | max ramp angle | kg | max RPM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **5358886** | **KSOM32Z03M16OF06X** | 32 | 41,1 | 29 | 17 | M16 | 40 | 22 | 3,5 | 3 | 11.0° | 0,22 | 19890 |
| **5358887** | **KSOM40Z04M16OF06X** | 40 | 49,0 | 29 | 17 | M16 | 40 | 22 | 3,5 | 4 | 7.5° | 0,27 | 15920 |





Ap1 max = 3,5mm (8 edges)
Ap2 max = 9mm (4 edges), reduce feed rate by 40%

## Cylindrical End Mills

| order number | catalogue number | D1 | D1 max | D | L | L2 | Ap1 max | Z | max ramp angle | kg | max RPM |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **5358888** | **KSOM32Z03A32OF06X** | 32 | 41,1 | 32 | 90 | 29 | 3,5 | 3 | 11.0° | 0,52 | 19890 |

## Spare Parts

| D1 | insert screw | Nm | Torx Plus wrench |
|---|---|---|---|
| 32 | **193.433** | 6,0 | **TTP15** |
| 40 | **193.433** | 6,0 | **TTP15** |

- Eight cutting edges per insert.
- Super soft cutting effect for superior surface floor finishing.





Ap1 max = 3,5mm (8 edges)
Ap2 max = 9mm (4 edges), reduce feed rate by 40%

## Shell Mills

| order number | catalogue number | D1 | D1 max | D | D6 | L | Ap1 max | Z | max ramp angle | kg | max RPM |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **5358889** | **KSOM40Z04OF06X** | 40 | 49,0 | 16 | 33 | 40 | 3,5 | 4 | 7.5° | 0,23 | 15920 |
| **5358930** | **KSOM50Z06OF06X** | 50 | 58,8 | 22 | 42 | 43 | 3,5 | 6 | 5.0° | 0,37 | 12730 |
| **5358931** | **KSOM63Z07OF06X** | 63 | 71,7 | 22 | 50 | 43 | 3,5 | 7 | 3.9° | 0,61 | 10110 |
| **5358932** | **KSOM80Z09OF06X** | 80 | 88,7 | 27 | 60 | 50 | 3,5 | 9 | 2.9° | 1,09 | 7960 |

## Spare Parts

| D1 | insert screw | Nm | Torx Plus wrench | low-head cap screw | socket-head cap screw |
|---|---|---|---|---|---|
| 40 | **193.433** | 6,0 | **TTP15** | **–** | **MS1294** |
| 50 | **193.433** | 6,0 | **TTP15** | **129.025** | **–** |
| 63 | **193.433** | 6,0 | **TTP15** | **–** | **125.025** |
| 80 | **193.433** | 6,0 | **TTP15** | **–** | **125.230** |

## Insert Selection Guide

| Material Group | Light Machining | | General Purpose | | Heavy Machining | |
|---|---|---|---|---|---|---|
| | Geometry | Grade | Geometry | Grade | Geometry | Grade |
| P1–P2 | .E..NLB | KC725M | **.E..NGB** | **KC725M** | .S..NHB | KC725M |
| P3–P4 | .E..NLB | KCPK30 | **.E..NGB** | **KCPK30** | .S..NHB | KCPK30 |
| P5–P6 | .E..NLB | KCPK30 | **.E..NLB** | **KCPK30** | .E..NGB | KCPK30 |
| M1–M2 | .E..NLB | KC725M | **.E..NGB** | **KC725M** | .S..NHB | KC725M |
| M3 | .E..NLB | KCPK30 | **.E..NLB** | **KCPK30** | .S..NLB | KC522M |
| K1–K2 | – | – | **.S..NHB** | **KCPM20** | .S..NHB | KCPK30 |
| K3 | .E..NLB | KCPK30 | **.E..NGB** | **KCPK30** | .S..NHB | KCPK30 |
| N1–N2 | – | – | **–** | **–** | – | – |
| N3 | – | – | **–** | **–** | – | – |
| S1–S2 | .E..NLB | KC725M | **.E..NGB** | **KC725M** | .S..NHB | KC725M |
| S3 | .E..NLB | KC725M | **.E..NGB** | **KC725M** | .S..NHB | KC725M |
| S4 | .E..NGB | KC725M | **.S..NHB** | **KC725M** | – | – |
| H1 | – | – | **–** | **–** | – | – |



## Indexable Inserts

- -LB light geometry is the first choice for turbine blade applications.
- -GB medium geometry for roughing and finishing operations on all materials.
- -HB geometry with the strongest cutting edge is the first choice for roughing operations on steel and cast iron.


OF.T-LB


OFKT-GB


OF.T- HB




● first choice
○ alternate choice

beyond

| | KC520M | KC522M | KC725M | KCK15 | KCPM20 | KCPK30 |
|---|---|---|---|---|---|---|
| P | | ○ | ● | | ● | ● |
| M | | | ● | ● | | ○ | ○ |
| K | ● | ○ | | | ● | ○ | ○ |
| N | | | | | | | |
| S | | | ● | ● | | | |
| H | | | | | | | |

### OFKT-LB

| catalogue number | D | S | L10 | BS | Rε | hm | cutting edges | KC520M | KC522M | KC725M | KCK15 | KCPM20 | KCPK30 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **OFKT06L5AFENLB** | 14,70 | 5,00 | 6,00 | 1,23 | 0,8 | 0,10 | 8 | | ● | ● | ● | | ● |
| **OFKT06L5AFSNLB** | 14,70 | 5,00 | 6,00 | 1,21 | 0,8 | 0,22 | 8 | ● | ● | ● | | | ● |

### OFKT-GB

| catalogue number | D | S | L10 | BS | Rε | hm | cutting edges | KC520M | KC522M | KC725M | KCK15 | KCPM20 | KCPK30 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **OFKT06L5AFENGB** | 14,70 | 5,00 | 6,00 | – | 0,8 | 0,15 | 8 | ● | ● | ● | ● | ● | ● |

### OFPT-HB

| catalogue number | D | S | L10 | BS | Rε | hm | cutting edges | KC520M | KC522M | KC725M | KCK15 | KCPM20 | KCPK30 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **OFPT06L5AFSNHB** | 14,70 | 5,00 | 6,00 | – | 0,8 | 0,21 | 8 | ● | | ● | ● | ● | ● |

## Recommended Starting Speeds [m/min]

| Material Group | | KCK15 | | | KC520M | | | KCPM20 | | | KC522M | | | KC725M | | | KCPK30 | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | 1 | – | – | – | – | – | – | 660 | **580** | 535 | 395 | **345** | 325 | 315 | **275** | 255 | 545 | **475** | 440 |
| | 2 | – | – | – | – | – | – | 410 | **370** | 330 | 330 | **290** | 240 | 260 | **230** | 195 | 335 | **305** | 275 |
| | 3 | – | – | – | – | – | – | 370 | **330** | 305 | 305 | **255** | 215 | 240 | **205** | 170 | 305 | **275** | 250 |
| | 4 | – | – | – | – | – | – | 275 | **255** | 230 | 270 | **225** | 180 | 215 | **180** | 145 | 225 | **210** | 190 |
| | 5 | – | – | – | – | – | – | 330 | **300** | 275 | 225 | **200** | 180 | 180 | **160** | 145 | 310 | **275** | 255 |
| | 6 | – | – | – | – | – | – | 230 | **200** | 175 | 200 | **150** | 120 | 160 | **120** | 95 | 190 | **165** | – |
| M | 1 | – | – | – | – | – | – | 270 | **240** | 205 | 245 | **215** | 200 | 205 | **180** | 165 | 250 | **220** | 190 |
| | 2 | – | – | – | – | – | – | 245 | **215** | 190 | 225 | **190** | 160 | 185 | **160** | 130 | 225 | **195** | 170 |
| | 3 | – | – | – | – | – | – | 195 | **175** | 150 | 170 | **145** | 115 | 140 | **120** | 95 | 175 | **160** | 140 |
| K | 1 | 505 | **460** | 410 | 325 | **295** | 260 | 435 | **390** | 350 | 275 | **250** | 220 | – | – | – | – | – | – |
| | 2 | 400 | **355** | 330 | 255 | **225** | 215 | 345 | **310** | 280 | 215 | **195** | 180 | – | – | – | – | – | – |
| | 3 | 335 | **300** | 275 | 215 | **190** | 170 | 290 | **255** | 240 | 180 | **160** | 145 | – | – | – | – | – | – |
| N | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| S | 1 | – | – | – | – | – | – | – | – | – | 50 | **45** | 35 | 45 | **35** | 30 | 45 | **35** | 30 |
| | 2 | – | – | – | – | – | – | – | – | – | 50 | **45** | 35 | 45 | **35** | 30 | 45 | **35** | 30 |
| | 3 | – | – | – | – | – | – | – | – | – | 60 | **50** | 35 | 55 | **45** | 30 | 55 | **45** | 30 |
| | 4 | – | – | – | – | – | – | – | – | – | 85 | **60** | 45 | 75 | **55** | 35 | 75 | **55** | 35 |
| H | 1 | – | – | – | – | – | – | 170 | **140** | 115 | 145 | **110** | 85 | – | – | – | – | – | – |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

NOTE: FIRST choice starting speeds are in **bold** type.
As the average chip thickness increases, the speed should be decreased.

## Recommended Starting Feeds [mm] at Ap1 max value

| Light Machining | General Purpose | Heavy Machining |
|---|---|---|

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50–100% | | | |
| .E..NLB | 0,25 | **0,37** | 0,43 | 0,18 | **0,28** | 0,32 | 0,16 | **0,24** | 0,28 | 0,15 | **0,22** | 0,26 | 0,15 | **0,22** | 0,26 | .E..NLB |
| .S..NLB | 0,57 | **0,69** | 0,79 | 0,42 | **0,51** | 0,59 | 0,37 | **0,45** | 0,52 | 0,34 | **0,42** | 0,48 | 0,34 | **0,41** | 0,47 | .S..NLB |
| .E..NGB | 0,52 | **0,55** | 0,65 | 0,39 | **0,41** | 0,48 | 0,34 | **0,36** | 0,42 | 0,32 | **0,34** | 0,39 | 0,31 | **0,33** | 0,38 | .E..NGB |
| .S..NHB | 0,57 | **0,78** | 0,91 | 0,42 | **0,58** | 0,68 | 0,37 | **0,5** | 0,59 | 0,34 | **0,47** | 0,55 | 0,34 | **0,46** | 0,54 | .S..NHB |

NOTE: Use “Light Machining” values as starting feed rate.
Ap2 max = 9mm (4 edges). Reduce general purpose and heavy machining values by 40%.

# KSOM Mini Application • OF.T06L5

## Ramping




**Metric Version**

| D1 mm | D1 max mm | Ap max mm | ramping angle (°) | ramping length mm |
|---|---|---|---|---|
| 32 | 41,1 | 9 | 11,0 | 46,3 |
| 40 | 49,0 | 9 | 7,5 | 68,4 |
| 50 | 58,9 | 9 | 5,0 | 102,9 |
| 63 | 71,8 | 9 | 3,9 | 132,0 |
| 80 | 88,7 | 9 | 2,9 | 177,7 |

## Helical Interpolation




**Metric Version**

| D1 mm | D1 max mm | hole diameter min mm | hole diameter max mm | Ap/rev mm |
|---|---|---|---|---|
| 32 | 41,1 | 61,7 | 81,7 | 4,7 |
| 40 | 49,0 | 77,5 | 97,6 | 4,7 |
| 50 | 58,9 | 97,4 | 117,4 | 4,7 |
| 63 | 71,8 | 123,3 | 143,3 | 4,7 |
| 80 | 88,7 | 157,2 | 177,2 | 4,7 |

## Plunging




| max plunging depth | mm |
|---|---|
| Ap1 max | 3,2 |

## Face Milling




| max DOC Ap | mm | chipload (fz) |
|---|---|---|
| Ap1 max | 3,5 | 1 x fx |
| Ap2 max | 9,0 | 0,6 x fz |

# Turbine Blade Machining

Kennametal offers both standard and customised tooling solutions to cost-effectively machine near-net shape blades, blade root, and air foil forms. Utilising indexable carbide inserts, solid carbide end mills, and ceramic indexable insert cutters, Kennametal offers the expertise of a global supplier with products that provide maximum productivity on difficult-to-machine materials common in energy turbine components. A wide range of proven tooling solutions provides manufacturing flexibility and downtime reduction.

## Rough Milling Solutions:

Dodeka™ Mini

Rodeka™

Mill 1™

*To learn more,* ***scan here****.*
*For instructions on how to scan, please see page xxv.*

**www.kennametal.com**

KENNAMETAL®

# Mill 1-7™ • High-Performance Shoulder Mill

## Primary Application

The Mill 1-7 line is engineered for small component machining and covers multiple applications, including ramping, slotting, and plunging. Mill 1-7 provides solutions for roughing and finishing operations in energy, aerospace, and general engineering, where small diameter end mills are required.

## Features and Benefits

- Mill 1-7 inserts enable the use of higher density cutters, providing greater feed and higher metal removal rates.
- Super positive rake provides soft action and low cutting forces for smooth entry and exit from the component. Run at higher feed rates while using less power.
- Inserts are designed with elliptical cutting edges and are optimised for a straight 90° wall.
- Inserts are available in three grades: KC725M™, KCPK30™, and KC522M™.
- Ramping, slotting, and plunging capabilities in one platform.

Internal coolant/air supply.

All pockets are machined into heat-treated material, which guarantees runout and pocket strength.

20º rake face angle and 13º clearance angle for soft cutting action and reduced cutting forces.

Elliptical edge generates 90º wall.

Chip gash designed for excellent chip evacuation.

Insert screw: Torx 6

Increase ramping capability up to 5.5º.

Margin along the main cutting edge and wiper facet for extra strength.





## End Mills • Screw-On

| order number | catalogue number | D1 | D | DPM | G3X | L2 | WF | Ap1 max | Z | max ramp angle | kg | max RPM |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **5190197** | **12A02R020M08ED07** | 11,87 | 13,00 | 8,50 | M8 | 20,00 | 9,95 | 6,96 | 2 | 5.2° | 0,02 | 64510 |





## End Mills • Cylindrical Shank

| order number | catalogue number | D1 | D | L | L2 | Ap1 max | Z | max ramp angle | kg | max RPM |
|---|---|---|---|---|---|---|---|---|---|---|
| **5190190** | **12A02R018A12ED07** | 12,00 | 12,00 | 100,00 | 18,00 | 6,96 | 2 | 5.2° | 0,08 | 64510 |
| **5190191** | **16A03R020A16ED07** | 16,00 | 16,00 | 100,00 | 20,00 | 6,98 | 3 | 2.9° | 0,14 | 55790 |
| **5190192** | **20A05R020A20ED07** | 20,00 | 20,00 | 110,00 | 20,00 | 6,93 | 5 | 2.0° | 0,24 | 49860 |

## Insert Selection Guide

| Material Group | Light Machining | | General Purpose | | Heavy Machining | |
|---|---|---|---|---|---|---|
| | Geometry | Grade | Geometry | Grade | Geometry | Grade |
| P1–P2 | .S..GE | KC725M | **.S..GE** | **KC725M** | .S..GE | KC725M |
| P3–P4 | .S..GE | KCPK30 | **.S..GE** | **KCPK30** | .S..GE | KCPK30 |
| P5–P6 | .S..GE | KC522M | **.S..GE** | **KC522M** | .S..GE | KC522M |
| M1–M2 | .S..GE | KC725M | **.S..GE** | **KC725M** | .S..GE | KC725M |
| M3 | .S..GE | KC725M | **.S..GE** | **KC725M** | .S..GE | KC725M |
| K1–K2 | .S..GE | KCPK30 | **.S..GE** | **KCPK30** | .S..GE | KCPK30 |
| K3 | .S..GE | KCPK30 | **.S..GE** | **KCPK30** | .S..GE | KCPK30 |
| N1–N2 | – | – | **–** | **–** | – | – |
| N3 | – | – | **–** | **–** | – | – |
| S1–S2 | .S..GE | KC725M | **.S..GE** | **KC725M** | .S..GE | KC522M |
| S3 | .S..GE | KC725M | **.S..GE** | **KC522M** | .S..GE | KC522M |
| S4 | .S..GE | KC725M | **.S..GE** | **KC522M** | .S..GE | KC522M |
| H1 | .S..GE | KC522M | **.S..GE** | **KC522M** | .S..GE | KC522M |



## Indexable Inserts




● first choice
○ alternate choice

| | | KC522M | KC725M | KCPK30 |
|---|---|---|---|---|
| P | | ○ | ● | ● |
| M | | ● | ● | ○ |
| K | | ○ | | ○ |
| N | | | | |
| S | | ● | ● | |
| H | | ● | | |

### EDPT-S.GE

| catalogue number | L1 | W | S | BS | Rε | cutting edges | KC522M | KC725M | KCPK30 |
|---|---|---|---|---|---|---|---|---|---|
| **EDPT070308PDSRGE** | 8,19 | 4,69 | 2,80 | 1,70 | 0,8 | 2 | ● | ● | ● |

## Recommended Starting Speeds [m/min]

| Material Group | | KC522M | | | KC725M | | | KCPK30 | | |
|---|---|---|---|---|---|---|---|---|---|---|
| P | 1 | 330 | **285** | 270 | 260 | **230** | 215 | 455 | **395** | 370 |
| | 2 | 275 | **240** | 200 | 220 | **190** | 160 | 280 | **255** | 230 |
| | 3 | 255 | **215** | 175 | 200 | **170** | 140 | 255 | **230** | 205 |
| | 4 | 225 | **185** | 150 | 180 | **150** | 120 | 190 | **175** | 160 |
| | 5 | 185 | **170** | 150 | 150 | **135** | 120 | 260 | **230** | 210 |
| | 6 | 165 | **125** | 100 | 130 | **100** | 80 | 160 | **135** | – |
| M | 1 | 205 | **180** | 165 | 170 | **150** | 135 | 205 | **185** | 155 |
| | 2 | 185 | **160** | 130 | 155 | **130** | 110 | 185 | **160** | 140 |
| | 3 | 140 | **120** | 95 | 115 | **100** | 80 | 145 | **130** | 115 |
| K | 1 | 230 | **205** | 185 | – | **–** | – | 295 | **265** | 240 |
| | 2 | 180 | **160** | 150 | – | **–** | – | 235 | **210** | 190 |
| | 3 | 150 | **135** | 120 | – | **–** | – | 195 | **175** | 160 |
| N | 1-2 | – | **–** | – | – | **–** | – | – | **–** | – |
| | 3 | – | **–** | – | – | **–** | – | – | **–** | – |
| S | 1 | 40 | **35** | 25 | 35 | **30** | 25 | – | **–** | – |
| | 2 | 40 | **35** | 25 | 35 | **30** | 25 | – | **–** | – |
| | 3 | 50 | **40** | 25 | 45 | **35** | 25 | – | **–** | – |
| | 4 | 70 | **50** | 35 | 60 | **45** | 30 | – | **–** | – |
| H | 1 | 120 | **90** | 70 | – | **–** | – | – | **–** | – |

NOTE: FIRST choice starting speeds are in **bold** type.
As the average chip thickness increases, the speed should be decreased.

## Recommended Starting Feeds [mm]

| Light Machining | General Purpose | Heavy Machining |
|---|---|---|

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50–100% | | | |
| .S..GE | 0,13 | **0,20** | 0,27 | 0,10 | **0,15** | 0,20 | 0,09 | **0,13** | 0,17 | 0,08 | **0,12** | 0,16 | 0,08 | **0,12** | 0,16 | .S..GE |

NOTE: Use “Light Machining” values as starting feed rate.

## Application Examples




| cutting diameter | max ramp angle to non-cutting corner tangent | DH min (min hole diameter) | DH1 min (min flat-bottomed hole diameter) | max diameter with no flat-bottom |
|---|---|---|---|---|
| 12 | 5,49° | 14,62 | 21,43 | 24 |
| 16 | 2,92° | 22,52 | 28,04 | 32 |
| 20 | 2,01° | 30,51 | 36,49 | 40 |

| Mill 1-7 | |
|---|---|
| max ADOC | 6,98 |
| fz | 0,10–0,68 |
| hm | 0,09 |

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| S | High-Temp Alloys |

| Coating | Grade Description | wear resistance ⟷ toughness: 05 10 15 20 25 30 35 40 45 |
|---|---|---|
| KC725M | A high-performance TiAlN-PVD-coated carbide grade for milling steel, stainless steel, and ductile cast iron. The good thermal shock resistance of the substrate makes this grade ideal for both wet and dry machining. KC725M is primarily for use in general and heavy machining. | P, M, S |
| KCPK30 | A multilayered TiN-TiCN-$Al_2O_3$-CVD-coated carbide grade with advanced Beyond™ post-coat treatment and a very tough substrate. KCPK30 has a wide application area in general and rough milling of steels and cast irons. It performs best dry but can also be used wet. | P, K |
| KC522M | AlTiN-PVD-coated carbide grade engineered to provide better performance in general machining of high-temperature alloys and stainless steel. KC522M resists breakage and offers improved wear resistance and increased strength. | P, M, K, S |



# KenFeed™ 2X • The Ultimate and Innovative Concept for Applying the Latest High-Feed Milling Strategies

## Primary Application

KenFeed 2X is a double-sided trigon insert with six cutting edges engineered to provide you a superior metal removal rate (MRR) and productivity through high feed rates for roughing operations. Smaller depths-of-cut at extremely high feed rates result in lower cutting forces, reducing vibrations and increasing process reliability.

## Features and Benefits

- Six cutting edges per insert. Double-sided solution with unique design.
- Two different insert sizes and two topography styles per size, covering any type of material, component, and application.
- KenFeed 2X is specially suitable for long, deep applications, up to 10 x L/D ratio.



9mm iC Insert **WOEJ094....**
Up to 1,5mm Ap max.
Diameter 25–80mm

13mm iC Insert **WOEJ1304....**
Up to 2mm Ap max.
Diameter 40–125mm

*To learn more, **scan here**.*
*For instructions on how to scan, please see page xxv.*


Strong design with a thick insert provides outstanding reliability.
Screw-On, end mill, and shell mill cutters with internal coolant.
Platform designed for pocketing, ramping, and helical interpolations.
Just two topographies to cover all applications with easy selection.
Double-sided insert with six real cutting edges for better cost-per-edge position with full usage.
No need for additional clamping device. Screw provides easy handling.

- Dramatically improves MRR using the latest milling strategies.
- Engineered to run up to 2,5mm fz.
- Ideal for pocketing, ramping, and helical interpolations. Z-plunge capabilities.
- First choice for deep cavities or from 3 x D.





## Screw-On End Mills

| order number | catalogue number | D1 max | D1 | D | WF | G3X | L2 | Ap1 max | Z | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **4113983** | **KF2X25Z02M12WO09** | 25 | 9 | 21 | 17 | M12 | 35 | 1,5 | 2 | 0,09 | 37000 | WOEJ090512__ |
| **4113984** | **KF2X32Z03M16WO09** | 32 | 16 | 29 | 22 | M16 | 45 | 1,5 | 3 | 0,22 | 30900 | WOEJ090512__ |
| **4113985** | **KF2X35Z03M16WO09** | 35 | 19 | 29 | 22 | M16 | 45 | 1,5 | 3 | 0,24 | 29000 | WOEJ090512__ |
| **4113986** | **KF2X42Z04M16WO09** | 42 | 26 | 29 | 22 | M16 | 45 | 1,5 | 4 | 0,28 | 25800 | WOEJ090512__ |





## End Mills

| order number | catalogue number | D1 max | D1 | D | L | LBX | Ap1 max | Z | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **4113987** | **KF2X25Z02A25WO09L140** | 25 | 9 | 25 | 140 | 45 | 1,5 | 2 | 0,46 | 37000 | WOEJ090512__ |
| **4113988** | **KF2X25Z02A25WO09L200** | 25 | 9 | 25 | 200 | 45 | 1,5 | 2 | 0,68 | 37000 | WOEJ090512__ |
| **4113989** | **KF2X25Z02A25WO09L300** | 25 | 9 | 25 | 300 | 45 | 1,5 | 2 | 1,05 | 37000 | WOEJ090512__ |
| **4113990** | **KF2X28Z02A25WO09L200** | 28 | 11 | 25 | 200 | 45 | 1,5 | 2 | 0,70 | 34000 | WOEJ090512__ |
| **4113991** | **KF2X32Z03A32WO09L150** | 32 | 16 | 32 | 150 | 50 | 1,5 | 3 | 0,82 | 30900 | WOEJ090512__ |
| **4113992** | **KF2X32Z03A32WO09L200** | 32 | 16 | 32 | 200 | 50 | 1,5 | 3 | 1,13 | 30900 | WOEJ090512__ |
| **4113993** | **KF2X32Z03A32WO09L300** | 32 | 16 | 32 | 300 | 50 | 1,5 | 3 | 1,75 | 30900 | WOEJ090512__ |
| **4113994** | **KF2X35Z03A32WO09L200** | 35 | 19 | 32 | 200 | 45 | 1,5 | 3 | 1,16 | 29000 | WOEJ090512__ |

## Spare Parts

| D1 max | insert screw | Nm | Torx Plus driver |
|---|---|---|---|
| 25 | **MS2219** | 1,0 | **DT9IP** |
| 28 | **MS2219** | 1,0 | **DT9IP** |
| 32 | **MS2219** | 1,0 | **DT9IP** |
| 35 | **MS2219** | 1,0 | **DT9IP** |
| 42 | **MS2219** | 1,0 | **DT9IP** |

- Dramatically improves MRR using the latest milling strategies.
- Engineered to run up to 2,5mm fz.
- Ideal for pocketing, ramping, and helical interpolations. Z-plunge capabilities.
- First choice for deep cavities or from 3 x D.





## Face Mills

| order number | catalogue number | D1 max | D1 | D | D6 | L | Ap1 max | Z | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **4113995** | **KF2X40Z04WO09** | 40 | 24 | 22 | 37 | 40 | 1,5 | 4 | 0,18 | 26600 | WOEJ090512__ |
| **4113996** | **KF2X50Z05WO09** | 50 | 34 | 22 | 44 | 50 | 1,5 | 5 | 0,39 | 23100 | WOEJ090512__ |
| **4113997** | **KF2X52Z05WO09** | 52 | 36 | 22 | 44 | 50 | 1,5 | 5 | 0,42 | 22600 | WOEJ090512__ |
| **5396014** | **KF2X63Z05S22WO09** | 63 | 47 | 22 | 49 | 50 | 1,5 | 5 | 0,76 | 20100 | WOEJ090512__ |
| **4113998** | **KF2X63Z05WO09** | 63 | 47 | 22 | 60 | 50 | 1,5 | 5 | 0,76 | 20100 | WOEJ090512__ |
| **5396015** | **KF2X66Z06S22WO09** | 66 | 50 | 22 | 49 | 50 | 1,5 | 6 | 0,78 | 19600 | WOEJ090512__ |
| **4113999** | **KF2X66Z06WO09** | 66 | 50 | 27 | 60 | 50 | 1,5 | 6 | 0,78 | 19600 | WOEJ090512__ |
| **4114000** | **KF2X80Z07WO09** | 80 | 64 | 27 | 60 | 50 | 1,5 | 7 | 1,07 | 17500 | WOEJ090512__ |

## Spare Parts

| D1 max | insert screw | Nm | Torx Plus driver | socket-head cap screw | mounting screw |
|---|---|---|---|---|---|
| 40 | **MS2219** | 1,0 | **DT8IP** | **–** | **KLSSM22-39-CG** |
| 50 | **MS2219** | 1,0 | **DT9IP** | **125.025** | – |
| 52 | **MS2219** | 1,0 | **DT9IP** | **125.025** | – |
| 63 | **MS2219** | 1,0 | **DT9IP** | **125.025** | – |
| 66 | **MS2219** | 1,0 | **DT9IP** | **125.225** | – |
| 80 | **MS2219** | 1,0 | **DT9IP** | **125.230** | – |

## Insert Selection Guide

| Material Group | Light Machining | | General Purpose | | Heavy Machining | |
|---|---|---|---|---|---|---|
| | Geometry | Grade | Geometry | Grade | Geometry | Grade |
| P1–P2 | .S..GD | KC522M | **.S..GD** | **KCPK30** | .S..GD | KCPK30 |
| P3–P4 | .S..HD | KC522M | **.S..HD** | **KCPK30** | .S..HD | KCPK30 |
| P5–P6 | .S..HD | KC522M | **.S..HD** | **KCPK30** | .S..HD | KCPK30 |
| M1–M2 | .S..GD | KC522M | **.S..GD** | **KC725M** | .S..GD | KC725M |
| M3 | .S..GD | KC725M | **.S..GD** | **KCPK30** | .S..HD | KCPK30 |
| K1– K2 | .S..HD | KCK15 | **.S..HD** | **KCK15** | .S..HD | KCPK30 |
| K3 | .S..HD | KCK15 | **.S..HD** | **KCK15** | .S..HD | KCPK30 |
| N1–N2 | – | – | **–** | **–** | – | – |
| N3 | – | – | **–** | **–** | – | – |
| S1–S2 | .S..GD | KC522M | **.S..GD** | **KC725M** | – | – |
| S3 | .S..GD | KC725M | **.S..GD** | **KC725M** | – | – |
| S4 | .S..GD | KC725M | **.S..GD** | **KC725M** | – | – |
| H1 | .S..HD | KC522M | **–** | **–** | – | – |



## Indexable Inserts • WOEJ09....

- Double-sided insert with six cutting edges.
- Unique and strong insert design that enables high-feed conditions, up to 2,5mm fz.
- -HD geometry is the first choice for steels, high-strength steels, and cast iron.
- -GD provides lower cutting forces, first choice for soft materials.



WOEJ-GD



WOEJ-HD




● first choice
○ alternate choice

| | | KC522M | KC725M | KCK15 | KCPK30 |
|---|---|---|---|---|---|
| P | | ○ | ● | | ● |
| M | | ● | ● | | ○ |
| K | | ○ | | ● | ○ |
| N | | | | | |
| S | | ● | ● | | |
| H | | ○ | | | |

## WOEJ-GD

| catalogue number | D | Rε | S | cutting edges | KC522M | KC725M | KCK15 | KCPK30 |
|---|---|---|---|---|---|---|---|---|
| **WOEJ090512SRGD** | 8,90 | 1,20 | 5,40 | 6 | ● | ● | | ● |

## WOEJ-HD

| catalogue number | D | Rε | S | cutting edges | KC522M | KC725M | KCK15 | KCPK30 |
|---|---|---|---|---|---|---|---|---|
| **WOEJ090512SRHD** | 8,90 | 1,20 | 5,50 | 6 | ● | ● | ● | ● |

## Recommended Starting Speeds [m/min]

| Material Group | | KC522M | | | KC725M | | | KCK15 | | | KCPK30 | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | 1 | 395 | **345** | 325 | 315 | **275** | 255 | – | – | – | 545 | **475** | 440 |
| | 2 | 330 | **290** | 240 | 260 | **230** | 195 | – | – | – | 335 | **305** | 275 |
| | 3 | 305 | **255** | 215 | 240 | **205** | 170 | – | – | – | 305 | **275** | 250 |
| | 4 | 270 | **225** | 180 | 215 | **180** | 145 | – | – | – | 225 | **210** | 190 |
| | 5 | 225 | **200** | 180 | 180 | **160** | 145 | – | – | – | 310 | **275** | 255 |
| | 6 | 200 | **150** | 120 | 160 | **120** | 95 | – | – | – | 190 | **165** | – |
| M | 1 | 245 | **215** | 200 | 205 | **180** | 165 | – | – | – | 250 | **220** | 190 |
| | 2 | 225 | **190** | 160 | 185 | **160** | 130 | – | – | – | 225 | **195** | 170 |
| | 3 | 170 | **145** | 115 | 140 | **120** | 95 | – | – | – | 175 | **160** | 140 |
| K | 1 | 275 | **250** | 220 | – | – | – | 505 | **460** | 410 | 355 | **320** | 285 |
| | 2 | 215 | **195** | 180 | – | – | – | 400 | **355** | 330 | 280 | **255** | 230 |
| | 3 | 180 | **160** | 145 | – | – | – | 335 | **300** | 275 | 235 | **210** | 195 |
| N | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| S | 1 | 50 | **45** | 35 | 45 | **35** | 30 | – | – | – | – | – | – |
| | 2 | 50 | **45** | 35 | 45 | **35** | 30 | – | – | – | – | – | – |
| | 3 | 60 | **50** | 35 | 55 | **45** | 30 | – | – | – | – | – | – |
| | 4 | 85 | **60** | 45 | 75 | **55** | 35 | – | – | – | – | – | – |
| H | 1 | 145 | **110** | 85 | – | – | – | – | – | – | – | – | – |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | – | – | – | – | – | – | – | – | – | – | – | – |

NOTE: FIRST choice starting speeds are in **bold** type.
As the average chip thickness increases, the speed should be decreased.

## Recommended Starting Feeds [mm]

| Light Machining | General Purpose | Heavy Machining |
|---|---|---|

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50–100% | | | |
| .S..GD | 0,82 | **1,63** | 3,33 | 0,61 | **1,21** | 2,43 | 0,53 | **1,05** | 2,11 | 0,50 | **0,98** | 1,97 | 0,49 | **0,96** | 1,92 | .S..GD |
| .S..HD | 0,82 | **2,08** | 3,39 | 0,61 | **1,54** | 2,47 | 0,53 | **1,34** | 2,14 | 0,50 | **1,25** | 2,00 | 0,49 | **1,22** | 1,95 | .S..HD |

NOTE: Use “Light Machining” values as starting feed rate.

## General Programming Information for Applying KenFeed 2X • iC 09

| Rt | Wt | t |
|---|---|---|
| 2.70 | 8.15 | 1.15 |




**Small Ap1 values and higher feed rates generate lower cutting forces versus traditional milling strategies.**




**For CAM programming, the loads can be programmed as a toroidal tool type by using the Rt value as the insert radius.**



**Recommended when long overhang is necessary due to lower radial forces. Maximum L/D ratio of 10 x D.**

## Maximum Linear Ramping and Helical Interpolation from Solid




| cutter type | catalogue number | recommended ramping angle (for continuous ramping process) | max ramp angle when Ap max (not for continuous ramping process) | max ramp angle for 360° helical interpolation | min hole diameter (DH min) | max flat-bottom hole diameter (DH1 max) | max diameter (no flat bottom) |
|---|---|---|---|---|---|---|---|
| Screw-On | **KF2X2X25Z02M12WO09** | 3.6° | 5.4° | 3.1° | 26,5 | 33,7 | 50 |
| | **KF2X32Z03M16WO09** | 1.8° | 2.7° | 1.7° | 41,2 | 48,4 | 64 |
| | **KF2X35Z03M16WO09** | 1.6° | 2.4° | 1.4° | 46,8 | 54,0 | 70 |
| | **KF2X42Z04M16WO09** | 1.2° | 1.9° | 0.8° | 68,7 | 75,9 | 84 |
| End Mills | **KF2X25Z02A25WO09L140** | 3.6° | 5.4° | 3.1° | 26,5 | 33,7 | 50 |
| | **KF2X25Z02A25WO09L200** | 3.6° | 5.4° | 3.1° | 26,5 | 33,7 | 50 |
| | **KF2X25Z02A25WO09L300** | 3.6° | 5.4° | 3.1° | 26,5 | 33,7 | 50 |
| | **KF2X28Z02A25WO09L200** | 3.1° | 4.6° | 2.5° | 31,6 | 38,8 | 56 |
| | **KF2X32Z03A32WO09L150** | 1.8° | 2.7° | 1.7° | 41,2 | 48,4 | 64 |
| | **KF2X32Z03A32WO09L200** | 1.8° | 2.7° | 1.7° | 41,2 | 48,4 | 64 |
| | **KF2X32Z03A32WO09L300** | 1.8° | 2.7° | 1.7° | 41,2 | 48,4 | 64 |
| | **KF2X35Z03A32WO09L200** | 1.6° | 2.4° | 1.4° | 46,8 | 54,0 | 70 |
| Face Mills | **KF2X40Z04WO09** | 1.3° | 2.0° | 1.2° | 56,4 | 63,6 | 80 |
| | **KF2X50Z05WO09** | 1.0° | 1.5° | 0.8° | 76,7 | 83,9 | 100 |
| | **KF2X52Z05WO09** | 1.0° | 1.4° | 0.8° | 80,7 | 87,9 | 104 |
| | **KF2X63Z05S22WO09** | 0.8° | 1.2° | 0.6° | 102,7 | 109,9 | 126 |
| | **KF2X63Z05WO09** | 0.8° | 1.2° | 0.6° | 102,7 | 109,9 | 126 |
| | **KF2X66Z06S22WO09** | 0.7° | 1.1° | 0.5° | 108,7 | 115,9 | 132 |
| | **KF2X66Z06WO09** | 0.7° | 1.1° | 0.5° | 108,7 | 115,9 | 132 |
| | **KF2X80Z07WO09** | 0.6° | 0.9° | 0.4° | 136,6 | 143,8 | 160 |

# Dodeka™ Mini • Leader in Advanced Face Milling Applications

The most comprehensive face milling booster on the market today, the Dodeka Mini series offers fast, accurate indexing — with only one screw! It is the first choice for long-reach face milling applications, or light fixtures with up to 40% shorter machining cycle time. With a standard offering of 15°, 45°, and 60° in combination with Beyond™ premium milling grades, expect up to 35% better tool life from light to heavy machining.

*To learn more,* ***scan here****.*
*For instructions on how to scan, please see page xxv.*

Experience the advantages at your Authorised Kennametal Distributor or at **www.kennametal.com**.

**www.kennametal.com**

KENNAMETAL®

- Dramatically improves MRR using the latest milling strategies.
- Engineered to run up to 2,5mm fz.
- Ideal for pocketing, ramping, and helical interpolations. Z-plunge capabilities.
- First choice for deep cavities or from 3 x D.





## Screw-On End Mills

| order number | catalogue number | D1 max | D1 | D | WF | G3X | L2 | Ap1 max | Z | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **5320996** | **KF2X40Z03M16WO13** | 40 | 22 | 29 | 24 | M16 | 40 | 2,1 | 3 | 0,20 | 22010 | WOEJ130713_R__ |
| **5320997** | **KF2X42Z03M16WO13** | 42 | 24 | 29 | 24 | M16 | 40 | 2,1 | 3 | 0,21 | 21480 | WOEJ130713_R__ |

## Spare Parts

| D1 max | insert screw | Nm | Torx Plus driver |
|---|---|---|---|
| 40 | **192.446** | 4,0 | **170.026** |
| 42 | **192.446** | 4,0 | **170.026** |

- Dramatically improves MRR using the latest milling strategies.
- Engineered to run up to 2,5mm fz.
- Ideal for pocketing, ramping, and helical interpolations. Z-plunge capabilities.
- First choice for deep cavities or from 3 x D.





## Face Mills

| order number | catalogue number | D1 max | D1 | D | D6 | L | Ap1 max | Z | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **5320998** | **KF2X50Z04S22WO13** | 50 | 32 | 22 | 42 | 50 | 2,1 | 4 | 0,37 | 19690 | WOEJ130713_R__ |
| **5320999** | **KF2X52Z04S22WO13** | 52 | 34 | 22 | 49 | 50 | 2,1 | 4 | 0,46 | 19300 | WOEJ130713_R__ |
| **5321000** | **KF2X63Z04S22WO13** | 63 | 45 | 22 | 49 | 50 | 2,1 | 4 | 0,61 | 17540 | WOEJ130713_R__ |
| **5321001** | **KF2X63Z05S22WO13** | 63 | 45 | 22 | 49 | 50 | 2,1 | 5 | 0,62 | 17540 | WOEJ130713_R__ |
| **5396016** | **KF2X66Z05S22WO13** | 66 | 48 | 22 | 49 | 50 | 2,1 | 5 | 0,66 | 17130 | WOEJ130713_R__ |
| **5321002** | **KF2X66Z05S27WO13** | 66 | 48 | 27 | 60 | 50 | 2,1 | 5 | 0,77 | 17130 | WOEJ130713_R__ |
| **5321003** | **KF2X80Z05S27WO13** | 80 | 62 | 27 | 60 | 50 | 2,1 | 5 | 0,98 | 15560 | WOEJ130713_R__ |
| **5321004** | **KF2X80Z06S27WO13** | 80 | 62 | 27 | 60 | 50 | 2,1 | 6 | 0,99 | 15560 | WOEJ130713_R__ |
| **5321005** | **KF2X85Z06S27WO13** | 85 | 67 | 27 | 60 | 50 | 2,1 | 6 | 1,07 | 15100 | WOEJ130713_R__ |
| **5321006** | **KF2X100Z06S32WO13** | 100 | 82 | 32 | 78 | 50 | 2,1 | 6 | 1,43 | 13920 | WOEJ130713_R__ |
| **5321007** | **KF2X100Z07S32WO13** | 100 | 82 | 32 | 78 | 50 | 2,1 | 7 | 1,69 | 13920 | WOEJ130713_R__ |
| **5321008** | **KF2X125Z07S40WO13** | 125 | 107 | 40 | 90 | 63 | 2,1 | 7 | 2,56 | 12450 | WOEJ130713_R__ |
| **5321009** | **KF2X125Z09S40WO13** | 125 | 107 | 40 | 90 | 63 | 2,1 | 9 | 2,96 | 12450 | WOEJ130713_R__ |

## Spare Parts

| D1 max | insert screw | Nm | Torx Plus driver | socket-head cap screw | socket-head cap screw with coolant groove | coolant lock screw assembly |
|---|---|---|---|---|---|---|
| 50 | **192.446** | 4,0 | **170.026** | – | **KLSSM22-39-CG** | – |
| 52 | **192.446** | 4,0 | **170.026** | **12146120500** | – | – |
| 63 | **192.446** | 4,0 | **170.026** | **125.025** | – | – |
| 66 | **192.446** | 4,0 | **170.026** | **125.230** | – | – |
| 80 | **192.446** | 4,0 | **170.026** | **125.230** | – | – |
| 85 | **192.446** | 4,0 | **170.026** | **125.230** | – | – |
| 100 | **192.446** | 4,0 | **170.026** | – | – | **MS2189C** |
| 125 | **192.446** | 4,0 | **170.026** | – | – | **MS2189C** |

## Insert Selection Guide

| Material Group | Light Machining | | General Purpose | | Heavy Machining | |
|---|---|---|---|---|---|---|
| | Geometry | Grade | Geometry | Grade | Geometry | Grade |
| P1–P2 | .S..GD | KC522M | **.S..GD** | **KCPK30** | .S..GD | KCPK30 |
| P3–P4 | .S..GD | KC522M | **.S..HD** | **KCPK30** | .S..HD | KCPK30 |
| P5–P6 | .S..GD | KCPK30 | **.S..HD** | **KCPK30** | .S..HD | KCPK30 |
| M1–M2 | .S..GD | KC522M | **.S..GD** | **KC725M** | .S..GD | KC725M |
| M3 | .S..GD | KC725M | **.S..GD** | **KCPM20** | .S..HD | KCPK30 |
| K1–K2 | .S..HD | KCK15 | **.S..HD** | **KCK15** | .S..HD | KCPK30 |
| K3 | .S..HD | KCK15 | **.S..HD** | **KCK15** | .S..HD | KCPK30 |
| N1–N2 | – | – | **–** | **–** | – | – |
| N3 | – | – | **–** | **–** | – | – |
| S1–S2 | .S..GD | KC522M | **.S..GD** | **KC725M** | – | – |
| S3 | .S..GD | KC725M | **.S..GD** | **KC725M** | – | – |
| S4 | .S..GD | KC725M | **.S..GD** | **KC725M** | .S..HD | KC725M |
| H1 | .S..HD | KC522M | **.S..HD** | **KCPM20** | – | – |



## Indexable Inserts • WOEJ13....

- Double-sided insert with six cutting edges.
- Unique and strong insert design that enables high-feed conditions, up to 2,5mm fz.
- -HD geometry is the first choice for high-strength steels and cast iron.
- -GD geometry provides lower cutting forces; first choice for steel and stainless steel.


WOEJ-GD


WOEJ-HD







● first choice
○ alternate choice

| | | KC520M | KC522M | KC725M | KCK15 | KCPM20 | KCPK30 |
|---|---|---|---|---|---|---|---|
| P | | | ○ | ● | | ● | ● |
| M | | | ● | ● | | ○ | ○ |
| K | | ● | ○ | | ● | ○ | ○ |
| N | | | | | | | |
| S | | | ● | ● | | | |
| H | | | ○ | | | | |

## WOEJ-GD

| catalogue number | D | S | cutting edges | KC520M | KC522M | KC725M | KCK15 | KCPM20 | KCPK30 |
|---|---|---|---|---|---|---|---|---|---|
| **WOEJ130713SRGD** | 13,00 | 7,30 | 6 | | ● | ● | | ● | ● |

## WOEJ-HD

| catalogue number | D | S | cutting edges | KC520M | KC522M | KC725M | KCK15 | KCPM20 | KCPK30 |
|---|---|---|---|---|---|---|---|---|---|
| **WOEJ130713SRHD** | 13,00 | 7,30 | 6 | ● | ● | ● | ● | ● | ● |

## Recommended Starting Speeds [m/min]

| Material Group | | KCK15 | | | KC520M | | | KCPM20 | | | KC522M | | | KC725M | | | KCPK30 | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | 1 | – | – | – | – | – | – | 660 | **580** | 535 | 395 | **345** | 325 | 315 | **275** | 255 | 545 | **475** | 440 |
| | 2 | – | – | – | – | – | – | 410 | **370** | 330 | 330 | **290** | 240 | 260 | **230** | 195 | 335 | **305** | 275 |
| | 3 | – | – | – | – | – | – | 370 | **330** | 305 | 305 | **255** | 215 | 240 | **205** | 170 | 305 | **275** | 250 |
| | 4 | – | – | – | – | – | – | 275 | **255** | 230 | 270 | **225** | 180 | 215 | **180** | 145 | 225 | **210** | 190 |
| | 5 | – | – | – | – | – | – | 330 | **300** | 275 | 225 | **200** | 180 | 180 | **160** | 145 | 310 | **275** | 255 |
| | 6 | – | – | – | – | – | – | 230 | **200** | 175 | 200 | **150** | 120 | 160 | **120** | 95 | 190 | **165** | – |
| M | 1 | – | – | – | – | – | – | 270 | **240** | 205 | 245 | **215** | 200 | 205 | **180** | 165 | 250 | **220** | 190 |
| | 2 | – | – | – | – | – | – | 245 | **215** | 190 | 225 | **190** | 160 | 185 | **160** | 130 | 225 | **195** | 170 |
| | 3 | – | – | – | – | – | – | 195 | **175** | 150 | 170 | **145** | 115 | 140 | **120** | 95 | 175 | **160** | 140 |
| K | 1 | 505 | **460** | 410 | 325 | **295** | 260 | 435 | **390** | 350 | 275 | **250** | 220 | – | – | – | – | – | – |
| | 2 | 400 | **355** | 330 | 255 | **225** | 215 | 345 | **310** | 280 | 215 | **195** | 180 | – | – | – | – | – | – |
| | 3 | 335 | **300** | 275 | 215 | **190** | 170 | 290 | **255** | 240 | 180 | **160** | 145 | – | – | – | – | – | – |
| N | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| S | 1 | – | – | – | – | – | – | – | – | – | 50 | **45** | 35 | 45 | **35** | 30 | 45 | **35** | 30 |
| | 2 | – | – | – | – | – | – | – | – | – | 50 | **45** | 35 | 45 | **35** | 30 | 45 | **35** | 30 |
| | 3 | – | – | – | – | – | – | – | – | – | 60 | **50** | 35 | 55 | **45** | 30 | 55 | **45** | 30 |
| | 4 | – | – | – | – | – | – | – | – | – | 85 | **60** | 45 | 75 | **55** | 35 | 75 | **55** | 35 |
| H | 1 | – | – | – | – | – | – | 170 | **140** | 115 | 145 | **110** | 85 | – | – | – | – | – | – |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

NOTE: FIRST choice starting speeds are in **bold** type.
As the average chip thickness increases, the speed should be decreased.

## Recommended Starting Feeds [mm]

| Light Machining | General Purpose | Heavy Machining |
|---|---|---|

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50–100% | | | |
| .S..GD | 0,65 | **1,53** | 3,01 | 0,48 | **1,13** | 2,21 | 0,42 | **0,99** | 1,91 | 0,39 | **0,92** | 1,78 | 0,39 | **0,90** | 1,75 | .S..GD |
| .S..HD | 0,65 | **1,71** | 3,46 | 0,48 | **1,26** | 2,53 | 0,42 | **1,10** | 2,19 | 0,39 | **1,03** | 2,04 | 0,39 | **1,00** | 2,00 | .S..HD |

NOTE: Use “Light Machining” values as starting feed rate.

## CAM Programming Information

| Rt | Wt | t |
|---|---|---|
| 3.4 | 10 | 1.6 |




**Small Ap1 values and higher feed rates generate lower cutting forces versus traditional milling strategies.**




**For CAM programming, the loads can be programmed as a toroidal tool type by using the Rt value as the insert radius.**

**Recommended when long overhang is necessary due to lower radial forces. Maximum L/D ratio of 10 x D.**

## Maximum Linear Ramping and Helical Interpolation from Solid • Metric






| diameter | max ramp angle | max ramp angle for 360° helical interpolation | max plunge depth | min hole diameter (DH min) | max flat-bottom hole diameter (DH1 max) | max diameter (no flat bottom) |
|---|---|---|---|---|---|---|
| 40 | 4,3° | 1,76° | 1,92 | 51,68 | 60,20 | 80 |
| 42 | 5,0° | 1,62° | 1,92 | 55,48 | 64,17 | 84 |
| 50 | 4,5° | 1,21° | 1,92 | 71,05 | 80,12 | 100 |
| 52 | 4,2° | 1,14° | 1,92 | 74,49 | 84,11 | 104 |
| 63 | 3,0° | 0,86° | 1,92 | 96,78 | 106,07 | 126 |
| 66 | 2,8° | 0,81° | 1,92 | 102,74 | 112,06 | 132 |
| 80 | 2,1° | 0,63° | 1,92 | 130,63 | 140,04 | 160 |
| 85 | 1,9° | 0,58° | 1,92 | 140,61 | 150,03 | 170 |
| 100 | 1,6° | 0,47° | 1,92 | 170,55 | 180,02 | 200 |
| 125 | 1,2° | 0,36° | 1,92 | 220,50 | 230,01 | 250 |

# Beyond BLAST™ • KSSM™ 45°

## More than just the right tool — the ultimate solution for titanium machining

### Features and Benefits

- PCT — Precision Coolant Technology.
- Coolant delivery exactly to the cutting area.
- Increased heat transfer.
- Less tool/chip friction and shear stress.
- Improved chip control.
- True internal coolant assists chip evacuation.
- Beyond BLAST also works with regular low-pressure conditions.
- No need for investments in high-pressure equipment.
- Easy to convert from conventional to Beyond BLAST technology.
- Shop-floor-proven handling reduces costly downtime.
- Up to 100% better tool life.
- Performance leader in machining titanium.

beyond™ BLAST™

Experience the advantages at your Authorised Kennametal Distributor or at **www.kennametal.com**.

**www.kennametal.com**

KENNAMETAL®

# Beyond BLAST™ • KSSM™ High-Feed More than just the right tool — the ultimate solution

## Primary Application

Specially developed for machining titanium, the Beyond BLAST KSSM High-Feed utilises Precision Coolant Technology (PCT) to precisely apply coolant directly to the cutting area. Not only does this reduce heat at the cutting edge, but it also assists with reducing tool and chip friction, increasing chip evacuation, and relieving shear stress. Because Beyond BLAST technology can be applied in low-pressure conditions, there is no need to invest in additional equipment.

## Features and Benefits

| Features | Benefits |
|---|---|
| Small depths of cut applied at higher feed rates. | Lower cutting forces and higher MRR. |
| Beyond BLAST increased heat transfer. | Less tool/chip friction and shear stress. |
| Beyond BLAST improved chip control. | True internal coolant assists chip evacuation. |
| Beyond BLAST also works with regular low-pressure conditions. | No need for investments in high-pressure equipment. |

**Four cutting edges**
Reliable, low cost per edge.

**Shell mills offered**
from 50–125mm.

**Coolant supply through the insert**
for unbeatable thermal management: up to 100% longer tool life versus traditional insert style.

**Multitask cutter**
High clearance on the cutters for superior pocketing, plunging, ramping, and chip load capacities.



- Use PCT technology, coolant through the insert.
- Engineered to provide the maximum performance in titanium machining.
- Pocketing, ramping, plunging, and helical interpolation capabilities.





## Shell Mills

| order number | catalogue number | D1 max | D1 | D | D6 | L | Ap1 max | Z | max RPM | insert 1 | kg |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5338778 | KSSM50Z04SD14BB-HF | 50 | 28 | 22 | 42 | 50 | 1,7 | 4 | 23200 | SE_X443AE_N7___ | 0,34 |
| 5338779 | KSSM50Z05SD14BB-HF | 50 | 28 | 22 | 42 | 50 | 1,7 | 5 | 23200 | SE_X443AE_N7___ | 0,35 |
| 5338800 | KSSM52Z05SD14BB-HF | 52 | 30 | 22 | 46 | 50 | 1,7 | 5 | 22500 | SE_X443AE_N7___ | 0,42 |
| 5338801 | KSSM63Z05SD14BB-HF | 63 | 41 | 22 | 50 | 40 | 1,7 | 5 | 19700 | SE_X443AE_N7___ | 0,44 |
| 5338802 | KSSM63Z06SD14BB-HF | 63 | 41 | 22 | 50 | 40 | 1,7 | 6 | 19700 | SE_X443AE_N7___ | 0,42 |
| 5338803 | KSSM66Z06SD14BB-HF | 66 | 44 | 22 | 50 | 40 | 1,7 | 6 | 19100 | SE_X443AE_N7___ | 0,46 |
| 5338804 | KSSM80Z06SD14BB-HF | 80 | 58 | 27 | 60 | 50 | 1,7 | 6 | 16900 | SE_X443AE_N7___ | 0,94 |
| 5338805 | KSSM80Z07SD14BB-HF | 80 | 58 | 27 | 60 | 50 | 1,7 | 7 | 16900 | SE_X443AE_N7___ | 0,94 |
| 5338807 | KSSM100Z10SD14BB-HF | 100 | 78 | 32 | 80 | 50 | 2,4 | 10 | 14700 | SE_X443AE_N7___ | 1,63 |
| 5338806 | KSSM100Z07SD14BB-HF | 100 | 78 | 32 | 80 | 50 | 2,4 | 7 | 14700 | SE_X443AE_N7___ | 1,63 |
| 5338809 | KSSM125Z12SD14BB-HF | 125 | 103 | 40 | 90 | 63 | 1,7 | 12 | 12900 | SE_X443AE_N7___ | 3,07 |
| 5338808 | KSSM125Z09SD14BB-HF | 125 | 103 | 40 | 90 | 63 | 1,7 | 9 | 12900 | SE_X443AE_N7___ | 3,07 |

## Spare Parts

| D1 max | insert screw | Nm | Torx Plus driver | socket-head cap screw | socket-head cap screw with coolant groove | coolant lock screw |
|---|---|---|---|---|---|---|
| 50 | MS2078 | 4,0 | DT15IP | – | KLSSM22-39-CG | – |
| 52 | MS2078 | 4,0 | DT15IP | – | KLSSM22-39-CG | – |
| 63 | MS2078 | 4,0 | DT15IP | MS1234 | – | – |
| 66 | MS2078 | 4,0 | DT15IP | MS1234 | – | – |
| 80 | MS2078 | 4,0 | DT15IP | MS2038 | – | – |
| 100 | MS2078 | 4,0 | DT15IP | – | – | MS2189C |
| 125 | MS2078 | 4,0 | DT15IP | – | – | MS2187C |

## Insert Selection Guide

| Material Group | Light Machining | | General Purpose | | Heavy Machining | |
|---|---|---|---|---|---|---|
| | Geometry | Grade | Geometry | Grade | Geometry | Grade |
| P1–P2 | – | – | – | – | – | – |
| P3–P4 | – | – | – | – | – | – |
| P5–P6 | – | – | – | – | – | – |
| M1–M2 | – | – | – | – | – | – |
| M3 | – | – | – | – | – | – |
| K1–K2 | – | – | – | – | – | – |
| K3 | – | – | – | – | – | – |
| N1–N2 | – | – | – | – | – | – |
| N3 | – | – | – | – | – | – |
| S1–S2 | – | – | – | – | – | – |
| S3 | – | – | – | – | – | – |
| S4 | .E..NGD2 | KC725M | **.E..NGN** | **KC725M** | .S..NGN | KC725M |
| H1 | – | – | – | – | – | – |



## Indexable Inserts

- -GD2 geometry for lower cutting forces.
- -GN geometry is the first choice for heavy applications.


SECX-SNGN

SECX-GD2



SECX-GN



SECX-GD2

beyond BLAST™

● first choice
○ alternate choice

## BB KSSM-HF

| catalogue number | D | BS | L10 | Rε | S | hm | cutting edges | KC725M |
|---|---|---|---|---|---|---|---|---|
| **SECX1404AEENGN** | 14,00 | 1,85 | 14,00 | 1,00 | 4,76 | 0,06 | 4 | ● |
| **SECX1404AESNGN** | 14,00 | 1,85 | 14,00 | 1,00 | 4,76 | 0,08 | 4 | ● |

## BB KSSM-HF

| catalogue number | D | BS | L10 | Rε | S | hm | cutting edges | KC725M |
|---|---|---|---|---|---|---|---|---|
| **SECX1404AEENGD2** | 14,00 | 1,85 | 14,00 | 1,00 | 4,76 | 0,06 | 4 | ● |

Indexable Milling

## Recommended Starting Speeds [m/min]

| Material Group | | KC725M | | |
|---|---|---|---|---|
| P | 1 | – | – | – |
| | 2 | – | – | – |
| | 3 | – | – | – |
| | 4 | – | – | – |
| | 5 | – | – | – |
| | 6 | – | – | – |
| M | 1 | – | – | – |
| | 2 | – | – | – |
| | 3 | – | – | – |
| K | 1 | – | – | – |
| | 2 | – | – | – |
| | 3 | – | – | – |
| N | 1 | – | – | – |
| | 2 | – | – | – |
| S | 1 | – | – | – |
| | 2 | – | – | – |
| | 3 | – | – | – |
| | 4 | 75 | **55** | 35 |
| H | 1 | – | – | – |
| | 2 | – | – | – |
| | 3 | – | – | – |

NOTE: FIRST choice starting speeds are in **bold** type.
As the average chip thickness increases, the speed should be decreased.

## Recommended Starting Feeds [mm]

| Light Machining | General Purpose | Heavy Machining |
|---|---|---|

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50–100% | | | |
| .E..NGD2 | 0,88 | **1,70** | 2,85 | 0,65 | **1,26** | 2,09 | 0,57 | **1,10** | 1,82 | 0,53 | **1,02** | 1,69 | 0,52 | **1,00** | 1,66 | .E..NGD2 |
| .E..NGN | 0,88 | **1,70** | 2,85 | 0,65 | **1,26** | 2,09 | 0,57 | **1,10** | 1,82 | 0,53 | **1,02** | 1,69 | 0,52 | **1,00** | 1,66 | .E..NGN |
| .S..NGN | 1,04 | **2,03** | 3,41 | 0,78 | **1,50** | 2,49 | 0,68 | **1,30** | 2,16 | 0,63 | **1,22** | 2,01 | 0,62 | **1,19** | 1,97 | .S..NGN |

NOTE: Use “Light Machining” values as starting feed rate.

## General Programming Information

| Rt | Wt | t |
|---|---|---|
| 4,1 | 11,0 | 1,3 |




**Small Ap1 values and higher feed rates generate lower cutting forces versus traditional milling strategies.**




**For CAM programming, the loads can be programmed as a toroidal tool type by using the Rt value as the insert radius.**

**Recommended when long overhang is necessary due to lower radial forces. Maximum L/D ratio of 10 x D.**

## Maximum Linear Ramping and Helical Interpolation from Solid




| cutter diameter | maximum ramping | Ap1 max | min hole diameter (DH) | min flat-bottom hole diameter (DH1) | max hole diameter no flat bottom |
|---|---|---|---|---|---|
| 50mm | **2.11°** | 1,65 | 96,34 | 78,02 | 100 |
| 52mm | **1.97°** | 1,65 | 100,34 | 82,02 | 104 |
| 63mm | **1.46°** | 1,65 | 122,34 | 104,02 | 126 |
| 66mm | **1.37°** | 1,65 | 128,34 | 110,02 | 132 |
| 80mm | **1.04°** | 1,65 | 156,34 | 138,02 | 160 |
| 100mm | **0.78°** | 1,65 | 196,34 | 178,02 | 200 |
| 125mm | **0.59°** | 1,65 | 246,34 | 228,02 | 250 |

# Rodeka™ • The New Round Insert Generation

## Primary Application

Kennametal introduces a new and revolutionary double-sided round milling insert capable of running in multiple types of milling operations and workpiece materials, providing the latest double-sided insert technology to boost your productivity with the most efficient cost per edge.

*To learn more, **scan here**.*
*For instructions on how to scan, please see page xxv.*

# Features and Benefits

## Rodeka Double-Sided Round Inserts

- Three insert sizes: 10, 12, and 16mm.
- Innovative, cutting-edge design increases tool life and reduces cutting forces.
- Rodeka 12X is a tailor-made solution for turbine blade machining.

**Rodeka 10**
10mm iC insert
8 cutting edges

**Rodeka 12X**
12mm iC insert
8 cutting edges

**Rodeka 12**
12mm iC insert
12 cutting edges

**Rodeka 16**
16mm iC insert
12 cutting edges

Double-sided insert with up to 12 cutting edges for a more productive cutting process.

Screw-On, end mill, and shell mill cutters with internal coolant.

Higher clearance in bodies to permit pocketing, profiling, and 5-axis machining.

Unique anti-rotation feature for excellent stability with higher feed rates and cutting forces. User-friendly insert rotation.

Three different insert sizes and three topography styles per size cover any type of material, component, and application.

- Double-sided round inserts with eight indexable positions.
- Anti-rotation features enable higher cutting data and extra stability.
- Pocketing and profiling capabilities.



## Screw-On End Mills

| order number | catalogue number | D1 max | D1 | D | WF | G3X | L2 | Ap1 max | Z | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **5152621** | **KDR25Z03M12RN10** | 25 | 15 | 21 | 17 | M12 | 32 | 5,0 | 3 | 0,07 | 54700 | RN_J10T3M0_N__ |
| **5152622** | **KDR32Z04M16RN10** | 32 | 22 | 29 | 24 | M16 | 40 | 5,0 | 4 | 0,18 | 48300 | RN_J10T3M0_N__ |
| **5152623** | **KDR35Z05M16RN10** | 35 | 25 | 29 | 24 | M16 | 40 | 5,0 | 5 | 0,20 | 46200 | RN_J10T3M0_N__ |
| **5152624** | **KDR40Z05M16RN10** | 40 | 30 | 29 | 24 | M16 | 40 | 5,0 | 5 | 0,23 | 43200 | RN_J10T3M0_N__ |
| **5152625** | **KDR42Z05M16RN10** | 42 | 32 | 29 | 24 | M16 | 40 | 5,0 | 5 | 0,25 | 42200 | RN_J10T3M0_N__ |

## Spare Parts

| D1 max | insert screw | Nm | Torx Plus driver |
|---|---|---|---|
| 25 | **191.848** | 2,0 | **170.025** |
| 32 | **191.848** | 2,0 | **170.025** |
| 35 | **191.848** | 2,0 | **170.025** |
| 40 | **191.848** | 2,0 | **170.025** |
| 42 | **191.848** | 2,0 | **170.025** |

- Double-sided round inserts with eight indexable positions.
- Anti-rotation features enable higher cutting data and extra stability.
- Pocketing, profiling, ramping, and helical interpolation capabilities.



## Weldon End Mills

| order number | catalogue number | D1 max | D1 | D | L | LBX | Ap1 max | Z | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **5152626** | **KDR25Z03B25RN10** | 25 | 15 | 25 | 89 | 32 | 5,0 | 3 | 0,27 | 54700 | RN_J10T3M0_N__ |
| **5152627** | **KDR32Z04B32RN10** | 32 | 22 | 32 | 101 | 40 | 5,0 | 4 | 0,53 | 48300 | RN_J10T3M0_N__ |

## Spare Parts

| D1 max | insert screw | Nm | Torx Plus driver |
|---|---|---|---|
| 25 | **191.848** | 2,0 | **170.025** |
| 32 | **191.848** | 2,0 | **170.025** |

- Double-sided round insert with eight indexable positions.
- Anti-rotation features enable higher cutting forces and extra stability.
- Pocketing and profiling capabilities.



## Cylindrical End Mills

| order number | catalogue number | D1 max | D1 | D | L | LBX | Ap1 max | Z | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **5152629** | **KDR25Z03A25RN10L150** | 25 | 15 | 25 | 150 | 32 | 5,0 | 3 | 0,50 | 54700 | RN_J10T3M0_N__ |
| **5152680** | **KDR25Z03A25RN10L200** | 25 | 15 | 25 | 200 | 32 | 5,0 | 3 | 0,69 | 54700 | RN_J10T3M0_N__ |
| **5152681** | **KDR25Z03A32RN10L250** | 25 | 15 | 32 | 250 | 32 | 5,0 | 3 | 1,42 | 54700 | RN_J10T3M0_N__ |
| **5152682** | **KDR28Z03A25RN10L200** | 28 | 18 | 25 | 200 | 40 | 5,0 | 3 | 0,70 | 51600 | RN_J10T3M0_N__ |
| **5152684** | **KDR32Z03A32RN10L250** | 32 | 22 | 32 | 250 | 40 | 5,0 | 3 | 1,44 | 48300 | RN_J10T3M0_N__ |
| **5152683** | **KDR32Z04A32RN10L200** | 32 | 22 | 32 | 200 | 40 | 5,0 | 4 | 1,14 | 48300 | RN_J10T3M0_N__ |

## Spare Parts

| D1 max | insert screw | Nm | Torx Plus driver |
|---|---|---|---|
| 32 | **191.848** | 2,0 | **170.025** |

- Double-sided round inserts with eight indexable positions.
- Anti-rotation features enable higher cutting data and extra stability.
- Pocketing and profiling capabilities.



## Shell Mills

| order number | catalogue number | D1 max | D1 | D | D6 | L | Ap1 max | Z | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **5152685** | **KDR40Z04S16RN10** | 40 | 30 | 16 | 38 | 40 | 5,0 | 4 | 0,24 | 43200 | RN_J10T3M0_N__ |
| **5152686** | **KDR40Z06S16RN10** | 40 | 30 | 16 | 38 | 40 | 5,0 | 6 | 0,24 | 43200 | RN_J10T3M0_N__ |
| **5152687** | **KDR50Z05S22RN10** | 50 | 40 | 22 | 42 | 40 | 5,0 | 5 | 0,32 | 38600 | RN_J10T3M0_N__ |
| **5152688** | **KDR50Z06S22RN10** | 50 | 40 | 22 | 42 | 40 | 5,0 | 6 | 0,32 | 38600 | RN_J10T3M0_N__ |
| **5152689** | **KDR52Z06S22RN10** | 52 | 42 | 22 | 49 | 50 | 5,0 | 6 | 0,52 | 37900 | RN_J10T3M0_N__ |
| **5152690** | **KDR63Z07S22RN10** | 63 | 53 | 22 | 49 | 50 | 5,0 | 7 | 0,66 | 34400 | RN_J10T3M0_N__ |
| **5152691** | **KDR66Z07S27RN10** | 66 | 56 | 27 | 60 | 50 | 5,0 | 7 | 0,86 | 33600 | RN_J10T3M0_N__ |
| **5152692** | **KDR80Z08S27RN10** | 80 | 70 | 27 | 60 | 50 | 5,0 | 8 | 1,07 | 30500 | RN_J10T3M0_N__ |

## Spare Parts

| D1 max | insert screw | Nm | socket-head cap screw | Torx Plus driver |
|---|---|---|---|---|
| 40 | **191.848** | 2,0 | **MS1294** | **170.025** |
| 63 | **191.848** | 2,0 | **MS1242** | **170.025** |
| 80 | **191.848** | 2,0 | **MS2038** | **170.025** |

## Insert Selection Guide

| Material Group | Light Machining | | General Purpose | | Heavy Machining | |
|---|---|---|---|---|---|---|
| | Geometry | Grade | Geometry | Grade | Geometry | Grade |
| P1–P2 | .E..LDJ | KC725M | **.S..GD** | **KCPK30** | .S..HD | KCPK30 |
| P3–P4 | .E..LDJ | KC522M | **.S..GD** | **KC522M** | .S..HD | KCPK30 |
| P5–P6 | .E..LD | KCMP30 | **.E..LD** | **KCMP30** | .S..GD | KCMP30 |
| M1–M2 | .E..LDJ | KC522M | **.E..LDJ** | **KC725M** | .S..GDJ | KC725M |
| M3 | .E..LDJ | KC725M | **.E..LD** | **KCMP30** | .S..GD | KCMP30 |
| K1–K2 | .S..HD | KCK15 | **.S..HD** | **KCK15** | .S..HD | KCPK30 |
| K3 | .S..HD | KCK15 | **.S..HD** | **KCK15** | .S..HD | KCPK30 |
| N1–N2 | .F..LDJ | KC422M | **.F..LDJ** | **KC422M** | – | – |
| N3 | .F..LDJ | KC422M | **.F..LDJ** | **KC422M** | – | – |
| S1–S2 | .E..LDJ | KC522M | **.E..LDJ** | **KC725M** | .S..GDJ | KC725M |
| S3 | .E..LDJ | KC522M | **.E..LDJ** | **KC725M** | .S..GDJ | KC725M |
| S4 | .E..LDJ | KC725M | **.E..LDJ** | **KC725M** | .S..GDJ | KC725M |
| H1 | .S..GD | KC522M | **.S..GD** | **KCPM20** | – | – |



## Indexable Inserts

- -FLDJ geometry is for non-ferrous metals.
- -LD geometry is the first choice for stainless steel and titanium machining at lower cutting forces.
- -GD geometry is for general use in steel and stainless steel.
- -HD geometry is the first choice for heavy machining high-strength steel and cast iron.


RNGJ-LD


RNGJ-GD/
RNPJ-GD


RNPJ-HD




● first choice
○ alternate choice

| | KC422M | KC522M | KC725M | KCMP30 |
|---|---|---|---|---|
| P | ○ | ● | ● | ● |
| M | | ● | ● | ● |
| K | | ○ | | |
| N | ● | | | |
| S | | ● | ● | ○ |
| H | | ○ | | |

## RNGJ10...-LD/-GD

| catalogue number | D | S | hm | cutting edges | KC422M | KC522M | KC725M | KCMP30 |
|---|---|---|---|---|---|---|---|---|
| **RNGJ10T3M0FLDJ** | 10,00 | 4,76 | 0,04 | 8 | ● | | | |
| **RNGJ10T3M0ELDJ** | 10,00 | 4,76 | 0,04 | 8 | | ● | ● | |
| **RNGJ10T3M0ELD** | 10,00 | 4,76 | 0,04 | 8 | | | | ● |
| **RNGJ10T3M0SGDJ** | 10,00 | 4,76 | 0,09 | 8 | | ● | ● | |
| **RNGJ10T3M0SGD** | 10,00 | 4,76 | 0,09 | 8 | | | | ● |

● first choice
○ alternate choice

| | KC510M | KC520M | KC522M | KC725M | KCK15 | KCPM20 | KCPK30 |
|---|---|---|---|---|---|---|---|
| P | ○ | | ○ | ● | | ● | ● |
| M | | | ● | ● | | ○ | ○ |
| K | ○ | ● | ○ | | ● | | ○ |
| N | | | | | | | |
| S | | | ● | ● | | | |
| H | ● | | ○ | | | ○ | |

## RNPJ10...-GD/-HD

| catalogue number | D | S | hm | cutting edges | KC510M | KC520M | KC522M | KC725M | KCK15 | KCPM20 | KCPK30 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **RNPJ10T3M0SGD** | 10,00 | 4,76 | 0,09 | 8 | ● | | ● | | | | ● |
| **RNPJ10T3M0SHD** | 10,00 | 4,76 | 0,18 | 8 | | ● | | ● | ● | ● | ● |

## Recommended Starting Speeds [m/min]

| Material Group | | KC422M | | | KC510M | | | KCK15 | | | KC520M | | | KCPM20 | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 660 | **580** | 535 |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 410 | **370** | 330 |
| | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 370 | **330** | 305 |
| | 4 | – | – | – | 295 | **240** | 200 | – | – | – | – | – | – | 275 | **255** | 230 |
| | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 330 | **300** | 275 |
| | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 230 | **200** | 175 |
| M | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 270 | **240** | 205 |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 245 | **215** | 190 |
| | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 195 | **175** | 150 |
| K | 1 | – | – | – | 350 | **315** | 285 | 505 | **460** | 410 | 325 | **295** | 260 | 435 | **390** | 350 |
| | 2 | – | – | – | 275 | **250** | 230 | 400 | **355** | 330 | 255 | **225** | 215 | 345 | **310** | 280 |
| | 3 | – | – | – | 235 | **205** | 190 | 335 | **300** | 275 | 215 | **190** | 170 | 290 | **255** | 240 |
| N | 1 | 1285 | **1135** | 1050 | 770 | **685** | 630 | – | – | – | – | – | – | – | – | – |
| | 2 | 1135 | **1050** | 915 | 695 | **640** | 585 | – | – | – | – | – | – | – | – | – |
| S | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| H | 1 | – | – | – | 190 | **155** | 110 | – | – | – | – | – | – | 170 | **140** | 115 |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

| Material Group | | KC522M | | | KC725M | | | KCMP30 | | | KCPK30 | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | 1 | 395 | **345** | 325 | 315 | **275** | 255 | 545 | **475** | 440 | 545 | **475** | 440 |
| | 2 | 330 | **290** | 240 | 260 | **230** | 195 | 335 | **305** | 275 | 335 | **305** | 275 |
| | 3 | 305 | **255** | 215 | 240 | **205** | 170 | 305 | **275** | 250 | 305 | **275** | 250 |
| | 4 | 270 | **225** | 180 | 215 | **180** | 145 | 225 | **210** | 190 | 225 | **210** | 190 |
| | 5 | 225 | **200** | 180 | 180 | **160** | 145 | 310 | **275** | 255 | 310 | **275** | 255 |
| | 6 | 200 | **150** | 120 | 160 | **120** | 95 | 190 | **165** | – | 190 | **165** | – |
| M | 1 | 245 | **215** | 200 | 205 | **180** | 165 | 250 | **220** | 190 | 250 | **220** | 190 |
| | 2 | 225 | **190** | 160 | 185 | **160** | 130 | 225 | **195** | 170 | 225 | **195** | 170 |
| | 3 | 170 | **145** | 115 | 140 | **120** | 95 | 175 | **160** | 140 | 175 | **160** | 140 |
| K | 1 | 275 | **250** | 220 | – | – | – | – | – | – | – | – | – |
| | 2 | 215 | **195** | 180 | – | – | – | – | – | – | – | – | – |
| | 3 | 180 | **160** | 145 | – | – | – | – | – | – | – | – | – |
| N | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| S | 1 | 50 | **45** | 35 | 45 | **35** | 30 | 45 | **35** | 30 | 45 | **35** | 30 |
| | 2 | 50 | **45** | 35 | 45 | **35** | 30 | 45 | **35** | 30 | 45 | **35** | 30 |
| | 3 | 60 | **50** | 35 | 55 | **45** | 30 | 55 | **45** | 30 | 55 | **45** | 30 |
| | 4 | 85 | **60** | 45 | 75 | **55** | 35 | 75 | **55** | 35 | 75 | **55** | 35 |
| H | 1 | 145 | **110** | 85 | – | – | – | – | – | – | – | – | – |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | – | – | – | – | – | – | – | – | – | – | – | – |

NOTE: FIRST choice starting speeds are in **bold** type.
As the average chip thickness increases, the speed should be decreased.

## Recommended Starting Feeds [mm]

| Light Machining | General Purpose | Heavy Machining |
|---|---|---|

### At 5,00 Axial Depth of Cut (ap)

| Insert Geometry | Programmed feed per tooth (fz) as a % of radial depth of cut (ae) of working diameter (dw) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50–100% | | | |
| .F..LDJ | 0,09 | **0,29** | 0,27 | 0,07 | **0,21** | 0,2 | 0,06 | **0,19** | 0,18 | 0,05 | **0,17** | 0,16 | 0,05 | **0,17** | 0,16 | .F..LDJ |
| .E..LDJ | 0,09 | **0,29** | 0,38 | 0,07 | **0,21** | 0,29 | 0,06 | **0,19** | 0,25 | 0,05 | **0,17** | 0,23 | 0,05 | **0,17** | 0,23 | .E..LDJ |
| .E..LD | 0,09 | **0,29** | 0,57 | 0,07 | **0,21** | 0,43 | 0,06 | **0,19** | 0,37 | 0,05 | **0,17** | 0,35 | 0,05 | **0,17** | 0,34 | .E..LD |
| .S..GDJ | 0,21 | **0,42** | 0,66 | 0,15 | **0,31** | 0,49 | 0,13 | **0,27** | 0,43 | 0,13 | **0,26** | 0,40 | 0,12 | **0,25** | 0,39 | .S..GDJ |
| .S..GD | 0,21 | **0,42** | 0,66 | 0,15 | **0,31** | 0,49 | 0,13 | **0,27** | 0,43 | 0,13 | **0,26** | 0,40 | 0,12 | **0,25** | 0,39 | .S..GD |
| .S..HD | 0,33 | **0,42** | 0,71 | 0,25 | **0,31** | 0,53 | 0,22 | **0,27** | 0,46 | 0,20 | **0,26** | 0,43 | 0,20 | **0,25** | 0,42 | .S..HD |

### At 2,00 Axial Depth of Cut (ap)

| Insert Geometry | Programmed feed per tooth (fz) as a % of radial depth of cut (ae) of working diameter (dw) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50%–100% | | | |
| .F..LDJ | 0,11 | **0,36** | 0,34 | 0,08 | **0,27** | 0,25 | 0,07 | **0,23** | 0,22 | 0,07 | **0,22** | 0,21 | 0,07 | **0,21** | 0,20 | .F..LDJ |
| .E..LDJ | 0,11 | **0,36** | 0,48 | 0,08 | **0,27** | 0,36 | 0,07 | **0,23** | 0,31 | 0,07 | **0,22** | 0,29 | 0,07 | **0,21** | 0,29 | .E..LDJ |
| .E..LD | 0,11 | **0,36** | 0,72 | 0,08 | **0,27** | 0,54 | 0,07 | **0,23** | 0,47 | 0,07 | **0,22** | 0,44 | 0,07 | **0,21** | 0,43 | .E..LD |
| .S..GDJ | 0,26 | **0,52** | 0,82 | 0,19 | **0,39** | 0,61 | 0,17 | **0,34** | 0,53 | 0,16 | **0,32** | 0,5 | 0,15 | **0,31** | 0,49 | .S..GDJ |
| .S..GD | 0,26 | **0,52** | 0,82 | 0,19 | **0,39** | 0,61 | 0,17 | **0,34** | 0,53 | 0,16 | **0,32** | 0,5 | 0,15 | **0,31** | 0,49 | .S..GD |
| .S..HD | 0,42 | **0,52** | 0,88 | 0,31 | **0,39** | 0,66 | 0,27 | **0,34** | 0,57 | 0,26 | **0,32** | 0,54 | 0,25 | **0,31** | 0,53 | .S..HD |

### At 1,00 Axial Depth of Cut (ap)

| Insert Geometry | Programmed feed per tooth (fz) as a % of radial depth of cut (ae) of working diameter (dw) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50%–100% | | | |
| .F..LDJ | 0,15 | **0,48** | 0,45 | 0,11 | **0,36** | 0,34 | 0,10 | **0,31** | 0,29 | 0,09 | **0,29** | 0,27 | 0,09 | **0,29** | 0,27 | .F..LDJ |
| .E..LDJ | 0,15 | **0,48** | 0,64 | 0,11 | **0,36** | 0,48 | 0,10 | **0,31** | 0,41 | 0,09 | **0,29** | 0,39 | 0,09 | **0,29** | 0,38 | .E..LDJ |
| .E..LD | 0,15 | **0,48** | 0,96 | 0,11 | **0,36** | 0,71 | 0,10 | **0,31** | 0,62 | 0,09 | **0,29** | 0,58 | 0,09 | **0,29** | 0,57 | .E..LD |
| .S..GDJ | 0,34 | **0,70** | 1,10 | 0,26 | **0,52** | 0,82 | 0,22 | **0,45** | 0,71 | 0,21 | **0,43** | 0,67 | 0,21 | **0,42** | 0,65 | .S..GDJ |
| .S..GD | 0,34 | **0,70** | 1,10 | 0,26 | **0,52** | 0,82 | 0,22 | **0,45** | 0,71 | 0,21 | **0,43** | 0,67 | 0,21 | **0,42** | 0,65 | .S..GD |
| .S..HD | 0,56 | **0,70** | 1,18 | 0,42 | **0,52** | 0,88 | 0,36 | **0,45** | 0,76 | 0,34 | **0,43** | 0,71 | 0,33 | **0,42** | 0,70 | .S..HD |

### At 0,50 Axial Depth of Cut (ap)

| Insert Geometry | Programmed feed per tooth (fz) as a % of radial depth of cut (ae) of working diameter (dw) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50%–100% | | | |
| .F..LDJ | 0,21 | **0,66** | 0,62 | 0,15 | **0,49** | 0,46 | 0,13 | **0,43** | 0,4 | 0,13 | **0,40** | 0,38 | 0,12 | **0,39** | 0,37 | .F..LDJ |
| .E..LDJ | 0,21 | **0,66** | 0,88 | 0,15 | **0,49** | 0,66 | 0,13 | **0,43** | 0,57 | 0,13 | **0,40** | 0,53 | 0,12 | **0,39** | 0,52 | .E..LDJ |
| .E..LD | 0,21 | **0,66** | 1,33 | 0,15 | **0,49** | 0,99 | 0,13 | **0,43** | 0,86 | 0,13 | **0,40** | 0,80 | 0,12 | **0,39** | 0,78 | .E..LD |
| .S..GDJ | 0,47 | **0,97** | 1,52 | 0,35 | **0,72** | 1,13 | 0,31 | **0,63** | 0,98 | 0,29 | **0,59** | 0,92 | 0,28 | **0,57** | 0,90 | .S..GDJ |
| .S..GD | 0,47 | **0,97** | 1,52 | 0,35 | **0,72** | 1,13 | 0,31 | **0,63** | 0,98 | 0,29 | **0,59** | 0,92 | 0,28 | **0,57** | 0,90 | .S..GD |
| .S..HD | 0,77 | **0,97** | 1,63 | 0,58 | **0,72** | 1,21 | 0,50 | **0,63** | 1,05 | 0,47 | **0,59** | 0,98 | 0,46 | **0,57** | 0,96 | .S..HD |

NOTE: Use “Light Machining” values as starting feed rate.

- Double-sided round inserts with 12 indexable positions.
- Anti-rotation features enable higher cutting data and extra stability.
- Pocketing and profiling capabilities.





## Screw-On End Mills

| order number | catalogue number | D1 max | D1 | D | WF | G3X | L2 | Ap1 max | Z | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **4147001** | **KDR32Z03M16RN12** | 32 | 20 | 29 | 24 | M16 | 40 | 3,0 | 3 | 0,18 | 39160 | RN_J1204M0__ |
| **4147002** | **KDR35Z03M16RN12** | 35 | 23 | 29 | 24 | M16 | 40 | 3,0 | 3 | 0,20 | 37440 | RN_J1204M0__ |
| **4147033** | **KDR42Z04M16RN12** | 42 | 30 | 29 | 24 | M16 | 40 | 3,0 | 4 | 0,23 | 34180 | RN_J1204M0__ |

## Spare Parts

| D1 max | insert screw | Nm | wrench |
|---|---|---|---|
| 32 | **193.492** | 4,0 | **170.025** |
| 35 | **193.492** | 4,0 | **170.025** |
| 42 | **193.492** | 4,0 | **170.025** |

- Double-sided round inserts with 12 indexable positions.
- Anti-rotation features enable higher cutting data and extra stability.
- Pocketing, profiling, ramping, and helical interpolation capabilities.





## Weldon End Mills

| order number | catalogue number | D1 max | D1 | D | L | LBX | Ap1 max | Z | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **4147035** | **KDR32Z03B32RN12** | 32 | 20 | 32 | 125 | 40 | 3,0 | 3 | 0,64 | 39160 | RN_J1204M0__ |

## Spare Parts

| D1 max | insert screw | Nm | wrench |
|---|---|---|---|
| 32 | **193.492** | 4,0 | **170.025** |

- Double-sided round insert with 12 indexable positions.
- Anti-rotation feature, enable higher cutting forces and extra stability.
- Pocketing and profiling capabilities.





## Cylindrical End Mills

| order number | catalogue number | D1 max | D1 | D | L | LBX | Ap1 max | Z | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **4147038** | **KDR32Z02A32RN12L250** | 32 | 20 | 32 | 250 | 40 | 3,0 | 2 | 1,41 | 39160 | RN_J1204M0__ |
| **4147037** | **KDR32Z03A32RN12L200** | 32 | 20 | 32 | 200 | 40 | 3,0 | 3 | 1,10 | 39160 | RN_J1204M0__ |

## Spare Parts

| D1 max | insert screw | Nm | wrench |
|---|---|---|---|
| 32 | **193.492** | 4,0 | **170.025** |
| 35 | **193.492** | 4,0 | **170.025** |
| 42 | **193.492** | 4,0 | **170.025** |

- Double-sided round inserts with 12 indexable positions.
- Anti-rotation features enable higher cutting data and extra stability.
- Pocketing and profiling capabilities.





## Shell Mills

| order number | catalogue number | D1 max | D1 | D | D6 | L | Ap1 max | Z | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **4147039** | **KDR40Z04S16RN12** | 40 | 28 | 16 | 38 | 40 | 3,0 | 4 | 0,21 | 35020 | RN_J1204M0__ |
| **4147040** | **KDR50Z04S22RN12** | 50 | 38 | 22 | 42 | 40 | 3,0 | 4 | 0,81 | 31330 | RN_J1204M0__ |
| **4147041** | **KDR50Z05S22RN12** | 50 | 38 | 22 | 42 | 40 | 3,0 | 5 | 0,81 | 31330 | RN_J1204M0__ |
| **4147042** | **KDR52Z05S22RN12** | 52 | 40 | 22 | 49 | 50 | 3,0 | 5 | 0,81 | 30720 | RN_J1204M0__ |
| **4147043** | **KDR63Z05S22RN12** | 63 | 51 | 22 | 49 | 50 | 3,0 | 5 | 0,81 | 27910 | RN_J1204M0__ |
| **4147044** | **KDR63Z07S22RN12** | 63 | 51 | 22 | 49 | 50 | 3,0 | 7 | 0,81 | 27910 | RN_J1204M0__ |
| **4147045** | **KDR66Z07S27RN12** | 66 | 54 | 27 | 60 | 50 | 3,0 | 7 | 0,81 | 27260 | RN_J1204M0__ |
| **4147046** | **KDR80Z06S27RN12** | 80 | 68 | 27 | 60 | 50 | 3,0 | 6 | 1,07 | 24760 | RN_J1204M0__ |
| **4147047** | **KDR80Z08S27RN12** | 80 | 68 | 27 | 60 | 50 | 3,0 | 8 | 0,81 | 24760 | RN_J1204M0__ |
| **4147048** | **KDR100Z07S32RN12** | 100 | 88 | 32 | 78 | 50 | 3,0 | 7 | 1,57 | 22150 | RN_J1204M0__ |
| **4147049** | **KDR100Z09S32RN12** | 100 | 88 | 32 | 78 | 50 | 3,0 | 9 | 1,56 | 22150 | RN_J1204M0__ |

## Spare Parts

| D1 max | insert screw | Nm | low-head cap screw | socket-head cap screw | coolant lock screw assembly | wrench |
|---|---|---|---|---|---|---|
| 40 | **193.492** | 4,0 | – | **MS1294** | – | **170.025** |
| 50 | **193.492** | 4,0 | **MS1336** | – | – | **170.025** |
| 52 | **193.492** | 4,0 | – | **MS1242** | – | **170.025** |
| 63 | **193.492** | 4,0 | – | **MS1242** | – | **170.025** |
| 66 | **193.492** | 4,0 | – | **MS2038** | – | **170.025** |
| 80 | **193.492** | 4,0 | – | **MS2038** | – | **170.025** |
| 100 | **193.492** | 4,0 | – | – | **MS2195C** | **170.025** |

## Insert Selection Guide

| Material Group | Light Machining | | General Purpose | | Heavy Machining | |
|---|---|---|---|---|---|---|
| | Geometry | Grade | Geometry | Grade | Geometry | Grade |
| P1–P2 | .E..LD | KCPK30 | **.S..GD** | **KCPK30** | .S..HD | KCPK30 |
| P3–P4 | .S..GD | KC522M | **.S..HD** | **KCPM20** | .S..HD | KCPK30 |
| P5–P6 | .S..GD | KC522M | **.S..GD** | **KCPK30** | .S..HD | KCPM20 |
| M1–M2 | .E..LD | KC522M | **.E..LD** | **KC522M** | .S..GD | KC725M |
| M3 | .E..LD | KC522M | **.S..GD** | **KCPK30** | .S..HD | KCPK30 |
| K1–K2 | .S..HD | KCK15 | **.S..HD** | **KCK15** | .S..HD | KCPK30 |
| K3 | .S..HD | KCK15 | **.S..HD** | **KCK15** | .S..HD | KCPK30 |
| N1–N2 | .F..LDJ | KC422M | **.F..LDJ** | **KC422M** | – | – |
| N3 | .F..LDJ | KC422M | **.F..LDJ** | **KC422M** | – | – |
| S1–S2 | .E..LD | KC725M | **.S..GD** | **KC725M** | .S..HD | KC725M |
| S3 | .E..LD | KC725M | **.S..GD** | **KC725M** | .S..HD | KC725M |
| S4 | .E..LD | KC725M | **.E..LD** | **KC725M** | .S..GD | KC725M |
| H1 | .S..GD | KC522M | **.S..HD** | **KCPM20** | – | – |





- -FLDJ geometry is for non-ferrous metals.
- -LD geometry is the first choice for stainless steel and titanium machining at lower cutting forces.
- -GD geometry is for general use in steel and stainless steel.
- -HD geometry is the first choice for heavy machining high-strength steel and cast iron.



RNGJ-LD | RNGJ-GD RNPJ-GD | RNGJ-HD RNPJ-HD




● first choice
○ alternate choice

| | | KC422M | KC510M | KC520M | KC522M | KC725M | KCK15 | KCPM20 | KCPK30 |
|---|---|---|---|---|---|---|---|---|---|
| P | | | ○ | | ○ | ● | | ● | ● |
| M | | | | | ● | ● | | ○ | ○ |
| K | | | ○ | ● | ○ | | ● | | ○ |
| N | | ● | | | | | | | |
| S | | | | | ● | ● | | | |
| H | | | ● | | ○ | | | ○ | |

## RNGJ12...-LD/-GD/-HD

| catalogue number | D | S | hm | cutting edges | KC422M | KC510M | KC520M | KC522M | KC725M | KCK15 | KCPM20 | KCPK30 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **RNGJ1204M0FLDJ** | 12,00 | 4,75 | 0,04 | 12 | ● | | | | | | | |
| **RNGJ1204M0ELD** | 12,00 | 4,75 | 0,04 | 12 | | | | ● | ● | | | ● |
| **RNGJ1204M0SGD** | 12,00 | 4,75 | 0,09 | 12 | | | | ● | ● | | | ● |
| **RNGJ1204M0SHD** | 12,00 | 4,75 | 0,19 | 12 | | | | | ● | ● | ● | ● |

## RNPJ12...-GD/-HD

| catalogue number | D | S | hm | cutting edges | KC422M | KC510M | KC520M | KC522M | KC725M | KCK15 | KCPM20 | KCPK30 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **RNPJ1204M0SGD** | 12,00 | 4,75 | – | 12 | | ● | | ● | ● | | | ● |
| **RNPJ1204M0SHD** | 12,00 | 4,75 | 0,18 | 12 | | | ● | | ● | ● | ● | ● |

## Recommended Starting Speeds [m/min]

| Material Group | | KC422M | | | KC510M | | | KCK15 | | | KC520M | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4 | – | – | – | 295 | **240** | 200 | – | – | – | – | – | – |
| | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| M | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| K | 1 | – | – | – | 350 | **315** | 285 | 505 | **460** | 410 | 325 | **295** | 260 |
| | 2 | – | – | – | 275 | **250** | 230 | 400 | **355** | 330 | 255 | **225** | 215 |
| | 3 | – | – | – | 235 | **205** | 190 | 335 | **300** | 275 | 215 | **190** | 170 |
| N | 1 | 1285 | **1135** | 1050 | 770 | **685** | 630 | – | – | – | – | – | – |
| | 2 | 1135 | **1050** | 915 | 695 | **640** | 585 | – | – | – | – | – | – |
| S | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| H | 1 | – | – | – | 190 | **155** | 110 | – | – | – | – | – | – |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | – | – | – | – | – | – | – | – | – | – | – | – |

| Material Group | | KCPM20 | | | KC522M | | | KC725M | | | KCPK30 | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | 1 | 660 | **580** | 535 | 395 | **345** | 325 | 315 | **275** | 255 | 545 | **475** | 440 |
| | 2 | 410 | **370** | 330 | 330 | **290** | 240 | 260 | **230** | 195 | 335 | **305** | 275 |
| | 3 | 370 | **330** | 305 | 305 | **255** | 215 | 240 | **205** | 170 | 305 | **275** | 250 |
| | 4 | 275 | **255** | 230 | 270 | **225** | 180 | 215 | **180** | 145 | 225 | **210** | 190 |
| | 5 | 330 | **300** | 275 | 225 | **200** | 180 | 180 | **160** | 145 | 310 | **275** | 255 |
| | 6 | 230 | **200** | 175 | 200 | **150** | 120 | 160 | **120** | 95 | 190 | **165** | – |
| M | 1 | 270 | **240** | 205 | 245 | **215** | 200 | 205 | **180** | 165 | 250 | **220** | 190 |
| | 2 | 245 | **215** | 190 | 225 | **190** | 160 | 185 | **160** | 130 | 225 | **195** | 170 |
| | 3 | 195 | **175** | 150 | 170 | **145** | 115 | 140 | **120** | 95 | 175 | **160** | 140 |
| K | 1 | 435 | **390** | 350 | 275 | **250** | 220 | – | – | – | – | – | – |
| | 2 | 345 | **310** | 280 | 215 | **195** | 180 | – | – | – | – | – | – |
| | 3 | 290 | **255** | 240 | 180 | **160** | 145 | – | – | – | – | – | – |
| N | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| S | 1 | – | – | – | 50 | **45** | 35 | 45 | **35** | 30 | 45 | **35** | 30 |
| | 2 | – | – | – | 50 | **45** | 35 | 45 | **35** | 30 | 45 | **35** | 30 |
| | 3 | – | – | – | 60 | **50** | 35 | 55 | **45** | 30 | 55 | **45** | 30 |
| | 4 | – | – | – | 85 | **60** | 45 | 75 | **55** | 35 | 75 | **55** | 35 |
| H | 1 | 170 | **140** | 115 | 145 | **110** | 85 | – | – | – | – | – | – |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | – | – | – | – | – | – | – | – | – | – | – | – |

NOTE: FIRST choice starting speeds are in **bold** type.
As the average chip thickness increases, the speed should be decreased.

## Recommended Starting Feeds [mm]

| Light Machining | General Purpose | Heavy Machining |
|---|---|---|

### At 6,00 Axial Depth of Cut (ap)

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50–100% | | | |
| .F..LDJ | 0,09 | **0,15** | 0,27 | 0,07 | **0,11** | 0,20 | 0,06 | **0,10** | 0,17 | 0,05 | **0,09** | 0,16 | 0,05 | **0,09** | 0,16 | .F..LDJ |
| .E..LD | 0,09 | **0,15** | 0,27 | 0,07 | **0,11** | 0,20 | 0,06 | **0,10** | 0,17 | 0,05 | **0,09** | 0,16 | 0,05 | **0,09** | 0,16 | .E..LD |
| .S..GD | 0,21 | **0,35** | 0,61 | 0,15 | **0,26** | 0,46 | 0,13 | **0,23** | 0,40 | 0,13 | **0,21** | 0,37 | 0,12 | **0,21** | 0,37 | .S..GD |
| .S..HD | 0,33 | **0,50** | 0,76 | 0,25 | **0,38** | 0,56 | 0,22 | **0,33** | 0,49 | 0,20 | **0,31** | 0,46 | 0,20 | **0,30** | 0,45 | .S..HD |

### At 3,00 Axial Depth of Cut (ap)

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50%–100% | | | |
| .F..LDJ | 0,10 | **0,18** | 0,31 | 0,08 | **0,13** | 0,23 | 0,07 | **0,11** | 0,20 | 0,06 | **0,11** | 0,19 | 0,06 | **0,11** | 0,18 | .F..LDJ |
| .E..LD | 0,10 | **0,18** | 0,31 | 0,08 | **0,13** | 0,23 | 0,07 | **0,11** | 0,20 | 0,06 | **0,11** | 0,19 | 0,06 | **0,11** | 0,18 | .E..LD |
| .S..GD | 0,24 | **0,40** | 0,71 | 0,18 | **0,30** | 0,53 | 0,16 | **0,26** | 0,46 | 0,15 | **0,25** | 0,43 | 0,14 | **0,24** | 0,42 | .S..GD |
| .S..HD | 0,39 | **0,58** | 0,87 | 0,29 | **0,43** | 0,65 | 0,25 | **0,38** | 0,57 | 0,24 | **0,35** | 0,53 | 0,23 | **0,35** | 0,52 | .S..HD |

### At 1,50 Axial Depth of Cut (ap)

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50%–100% | | | |
| .F..LDJ | 0,14 | **0,23** | 0,40 | 0,10 | **0,17** | 0,30 | 0,09 | **0,15** | 0,26 | 0,08 | **0,14** | 0,25 | 0,08 | **0,14** | 0,24 | .F..LDJ |
| .E..LD | 0,14 | **0,23** | 0,40 | 0,10 | **0,17** | 0,30 | 0,09 | **0,15** | 0,26 | 0,08 | **0,14** | 0,25 | 0,08 | **0,14** | 0,24 | .E..LD |
| .S..GD | 0,31 | **0,53** | 0,93 | 0,23 | **0,40** | 0,69 | 0,20 | **0,34** | 0,60 | 0,19 | **0,32** | 0,56 | 0,19 | **0,32** | 0,55 | .S..GD |
| .S..HD | 0,51 | **0,76** | 1,15 | 0,38 | **0,57** | 0,85 | 0,33 | **0,50** | 0,74 | 0,31 | **0,46** | 0,69 | 0,30 | **0,45** | 0,68 | .S..HD |

### At 0,75 Axial Depth of Cut (ap)

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50%–100% | | | |
| .F..LDJ | 0,19 | **0,32** | 0,55 | 0,14 | **0,24** | 0,41 | 0,12 | **0,21** | 0,36 | 0,11 | **0,19** | 0,34 | 0,11 | **0,19** | 0,33 | .F..LDJ |
| .E..LD | 0,19 | **0,32** | 0,55 | 0,14 | **0,24** | 0,41 | 0,12 | **0,21** | 0,36 | 0,11 | **0,19** | 0,34 | 0,11 | **0,19** | 0,33 | .E..LD |
| .S..GD | 0,43 | **0,72** | 1,28 | 0,32 | **0,54** | 0,95 | 0,28 | **0,47** | 0,82 | 0,26 | **0,44** | 0,77 | 0,25 | **0,43** | 0,75 | .S..GD |
| .S..HD | 0,69 | **1,04** | 1,58 | 0,52 | **0,78** | 1,17 | 0,45 | **0,68** | 1,02 | 0,42 | **0,63** | 0,95 | 0,41 | **0,62** | 0,93 | .S..HD |

NOTE: Use “Light Machining” values as starting feed rate.

- Double-sided round inserts with 12 indexable positions.
- Anti-rotation features enable higher cutting data and extra stability.
- Pocketing and profiling capabilities.



## Shell Mills

| order number | catalogue number | D1 max | D1 | D | D6 | L | Ap1 max | Z | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **5153837** | **KDR50Z04S22RN16** | 50 | 34 | 22 | 42 | 50 | 4,0 | 4 | 0,36 | 26700 | RNGJ1605M0___ |
| **5153838** | **KDR52Z04S22RN16** | 52 | 36 | 22 | 42 | 50 | 4,0 | 4 | 0,39 | 26000 | RNGJ1605M0___ |
| **5153839** | **KDR63Z04S22RN16** | 63 | 47 | 22 | 49 | 50 | 4,0 | 4 | 0,59 | 22700 | RNGJ1605M0___ |
| **5153890** | **KDR63Z06S22RN16** | 63 | 47 | 22 | 49 | 50 | 4,0 | 6 | 0,57 | 22700 | RNGJ1605M0___ |
| **5153891** | **KDR66Z05S27RN16** | 66 | 50 | 27 | 60 | 50 | 4,0 | 5 | 0,69 | 22000 | RNGJ1605M0___ |
| **5153892** | **KDR80Z05S27RN16** | 80 | 64 | 27 | 60 | 50 | 4,0 | 5 | 0,88 | 19500 | RNGJ1605M0___ |
| **5153893** | **KDR80Z07S27RN16** | 80 | 64 | 27 | 60 | 50 | 4,0 | 7 | 0,88 | 19500 | RNGJ1605M0___ |
| **5153894** | **KDR100Z06S32RN16** | 100 | 84 | 32 | 78 | 50 | 4,0 | 6 | 1,51 | 17000 | RNGJ1605M0___ |
| **5153895** | **KDR100Z08S32RN16** | 100 | 84 | 32 | 78 | 50 | 4,0 | 8 | 1,52 | 17000 | RNGJ1605M0___ |
| **5153898** | **KDR125Z10S40RN16** | 125 | 109 | 40 | 90 | 63 | 4,0 | 10 | 2,92 | 14900 | RNGJ1605M0___ |
| **5153897** | **KDR125Z08S40RN16** | 125 | 109 | 40 | 90 | 63 | 4,0 | 8 | 2,88 | 14900 | RNGJ1605M0___ |
| **5338057** | **KDR160Z12S40RN16** | 160 | 144 | 40 | 100 | 63 | 4,0 | 12 | 4,05 | 13000 | RNGJ1605M0___ |

## Spare Parts

| D1 max | insert screw | Nm | socket-head cap screw | coolant lock screw assembly | wrench |
|---|---|---|---|---|---|
| 50 | **MS2260** | 4,0 | **MS1242** | **–** | **170.026** |
| 52 | **MS2260** | 4,0 | **MS1242** | **–** | **170.026** |
| 63 | **MS2260** | 4,0 | **MS1242** | **–** | **170.026** |
| 66 | **MS2260** | 4,0 | **MS2038** | **–** | **170.026** |
| 80 | **MS2260** | 4,0 | **MS2038** | **–** | **170.026** |
| 100 | **MS2260** | 4,0 | **–** | **MS2195C** | **170.026** |
| 125 | **MS2260** | 4,0 | **–** | **MS2187C** | **170.026** |

## Insert Selection Guide

| Material Group | Light Machining | | General Purpose | | Heavy Machining | |
|---|---|---|---|---|---|---|
| | Geometry | Grade | Geometry | Grade | Geometry | Grade |
| P1–P2 | .S..LDJ | KC725M | **.S..GD** | **KCPK30** | .S..HD | KCPK30 |
| P3–P4 | .S..LDJ | KC522M | **.S..GD** | **KC522M** | .S..HD | KCPK30 |
| P5–P6 | .S..LD | KCMP30 | **.S..LD** | **KCMP30** | .S..GD | KCPK30 |
| M1–M2 | .S..LDJ | KC522M | **.S..LDJ** | **KC725M** | .S..GD | KC725M |
| M3 | .S..LDJ | KC725M | **.S..LD** | **KCMP30** | .S..HD | KCPK30 |
| K1–K2 | .S..HD | KCK15 | **.S..HD** | **KCK15** | .S..HD | KCPK30 |
| K3 | .S..HD | KCK15 | **.S..HD** | **KCK15** | .S..HD | KCPK30 |
| N1–N2 | – | – | **–** | **–** | – | – |
| N3 | – | – | **–** | **–** | – | – |
| S1–S2 | .S..LDJ | KC522M | **.S..GD** | **KC725M** | .S..HD | KC725M |
| S3 | .S..LDJ | KC522M | **.S..GD** | **KC725M** | .S..HD | KC725M |
| S4 | .S..LDJ | KC725M | **.S..LDJ** | **KC725M** | .S..GD | KC725M |
| H1 | .S..GD | KC522M | **.S..HD** | **KCPM20** | – | – |



## Indexable Inserts

- -LD geometry is the first choice for stainless steel and titanium machining at lower cutting forces.
- -GD geometry is for general use in steel and for stainless steel.
- -HD geometry is the first choice for heavy machining high-strength steel and cast iron.


RNGJ-LD


RNPJ-GD


RNPJ-HD




● first choice
○ alternate choice

| | | KC522M | KC725M | KCK15 | KCPM20 | KCMP30 |
|---|---|---|---|---|---|---|
| P | | ○ | ● | | ● | ● |
| M | | ● | ● | | ○ | ○ |
| K | | ○ | | ● | | ○ |
| N | | | | | | |
| S | | ● | ● | | | |
| H | | ○ | | | ○ | |

## RNGJ16...-LD

| catalogue number | D | S | hm | cutting edges | KC522M | KC725M | KCK15 | KCPM20 | KCMP30 |
|---|---|---|---|---|---|---|---|---|---|
| **RNGJ1605M0ELD** | 16,00 | 6,35 | 0,04 | 12 | | | | | ● |
| **RNGJ1605M0ELDJ** | 16,00 | 6,35 | 0,04 | 12 | ● | ● | | | |

## RNPJ16...-GD/-HD

| catalogue number | D | S | hm | cutting edges | KC522M | KC725M | KCK15 | KCPM20 | KCPK30 |
|---|---|---|---|---|---|---|---|---|---|
| **RNPJ1605M0SGD** | 16,00 | 6,35 | 0,09 | 12 | ● | ● | | | ● |
| **RNPJ1605M0SHD** | 16,00 | 6,35 | 0,23 | 12 | | ● | ● | ● | ● |

## Recommended Starting Speeds [m/min]

| Material Group | | KCK15 | | | KC520M | | | KCPM20 | | | KC522M | | | KC725M | | | KCMP30 | | | KCPK30 | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | 1 | – | – | – | – | – | – | 660 | **580** | 535 | 395 | **345** | 325 | 315 | **275** | 255 | 545 | **475** | 440 | 545 | **475** | 440 |
| | 2 | – | – | – | – | – | – | 410 | **370** | 330 | 330 | **290** | 240 | 260 | **230** | 195 | 335 | **305** | 275 | 335 | **305** | 275 |
| | 3 | – | – | – | – | – | – | 370 | **330** | 305 | 305 | **255** | 215 | 240 | **205** | 170 | 305 | **275** | 250 | 305 | **275** | 250 |
| | 4 | – | – | – | – | – | – | 275 | **255** | 230 | 270 | **225** | 180 | 215 | **180** | 145 | 225 | **210** | 190 | 225 | **210** | 190 |
| | 5 | – | – | – | – | – | – | 330 | **300** | 275 | 225 | **200** | 180 | 180 | **160** | 145 | 310 | **275** | 255 | 310 | **275** | 255 |
| | 6 | – | – | – | – | – | – | 230 | **200** | 175 | 200 | **150** | 120 | 160 | **120** | 95 | 190 | **165** | – | 190 | **165** | – |
| M | 1 | – | – | – | – | – | – | 270 | **240** | 205 | 245 | **215** | 200 | 205 | **180** | 165 | 250 | **220** | 190 | 250 | **220** | 190 |
| | 2 | – | – | – | – | – | – | 245 | **215** | 190 | 225 | **190** | 160 | 185 | **160** | 130 | 225 | **195** | 170 | 225 | **195** | 170 |
| | 3 | – | – | – | – | – | – | 195 | **175** | 150 | 170 | **145** | 115 | 140 | **120** | 95 | 175 | **160** | 140 | 175 | **160** | 140 |
| K | 1 | 505 | **460** | 410 | 325 | **295** | 260 | 435 | **390** | 350 | 275 | **250** | 220 | – | – | – | – | – | – | – | – | – |
| | 2 | 400 | **355** | 330 | 255 | **225** | 215 | 345 | **310** | 280 | 215 | **195** | 180 | – | – | – | – | – | – | – | – | – |
| | 3 | 335 | **300** | 275 | 215 | **190** | 170 | 290 | **255** | 240 | 180 | **160** | 145 | – | – | – | – | – | – | – | – | – |
| N | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| S | 1 | – | – | – | – | – | – | – | – | – | 50 | **45** | 35 | 45 | **35** | 30 | 45 | **35** | 30 | 45 | **35** | 30 |
| | 2 | – | – | – | – | – | – | – | – | – | 50 | **45** | 35 | 45 | **35** | 30 | 45 | **35** | 30 | 45 | **35** | 30 |
| | 3 | – | – | – | – | – | – | – | – | – | 60 | **50** | 35 | 55 | **45** | 30 | 55 | **45** | 30 | 55 | **45** | 30 |
| | 4 | – | – | – | – | – | – | – | – | – | 85 | **60** | 45 | 75 | **55** | 35 | 75 | **55** | 35 | 75 | **55** | 35 |
| H | 1 | – | – | – | – | – | – | 170 | **140** | 115 | 145 | **110** | 85 | – | – | – | – | – | – | – | – | – |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

NOTE: FIRST choice starting speeds are in **bold** type.
As the average chip thickness increases, the speed should be decreased.

## Recommended Starting Feeds [mm]

| Light Machining | General Purpose | Heavy Machining |
|---|---|---|

### At 8,00 Axial Depth of Cut (ap)

| Insert Geometry | Programmed feed per tooth (fz) as a % of radial depth of cut (ae) of working diameter (dw) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50–100% | | | |
| .E..LDJ | 0,09 | **0,29** | 0,38 | 0,07 | **0,21** | 0,29 | 0,06 | **0,19** | 0,25 | 0,05 | **0,17** | 0,23 | 0,05 | **0,17** | 0,23 | .E..LDJ |
| .S..GD | 0,21 | **0,50** | 0,58 | 0,15 | **0,38** | 0,44 | 0,13 | **0,33** | 0,38 | 0,13 | **0,31** | 0,36 | 0,12 | **0,30** | 0,35 | .S..GD |
| .S..HD | 0,38 | **0,50** | 0,76 | 0,29 | **0,38** | 0,56 | 0,25 | **0,33** | 0,49 | 0,23 | **0,31** | 0,46 | 0,23 | **0,30** | 0,45 | .S..HD |

### At 4,00 Axial Depth of Cut (ap)

| Insert Geometry | Programmed feed per tooth (fz) as a % of radial depth of cut (ae) of working diameter (dw) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50%–100% | | | |
| .E..LDJ | 0,10 | **0,33** | 0,44 | 0,08 | **0,25** | 0,33 | 0,07 | **0,22** | 0,29 | 0,06 | **0,20** | 0,27 | 0,06 | **0,20** | 0,26 | .E..LDJ |
| .S..GD | 0,24 | **0,58** | 0,67 | 0,18 | **0,43** | 0,50 | 0,16 | **0,38** | 0,44 | 0,15 | **0,35** | 0,41 | 0,14 | **0,35** | 0,40 | .S..GD |
| .S..HD | 0,44 | **0,58** | 0,87 | 0,33 | **0,43** | 0,65 | 0,29 | **0,38** | 0,57 | 0,27 | **0,35** | 0,53 | 0,27 | **0,35** | 0,52 | .S..HD |

### At 2,00 Axial Depth of Cut (ap)

| Insert Geometry | Programmed feed per tooth (fz) as a % of radial depth of cut (ae) of working diameter (dw) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50%–100% | | | |
| .E..LDJ | 0,14 | **0,43** | 0,58 | 0,10 | **0,32** | 0,43 | 0,09 | **0,28** | 0,38 | 0,08 | **0,26** | 0,35 | 0,08 | **0,26** | 0,34 | .E..LDJ |
| .S..GD | 0,31 | **0,76** | 0,89 | 0,23 | **0,57** | 0,66 | 0,20 | **0,50** | 0,57 | 0,19 | **0,46** | 0,54 | 0,19 | **0,45** | 0,53 | .S..GD |
| .S..HD | 0,58 | **0,76** | 1,15 | 0,44 | **0,57** | 0,85 | 0,38 | **0,50** | 0,74 | 0,35 | **0,46** | 0,69 | 0,35 | **0,45** | 0,68 | .S..HD |

### At 1,00 Axial Depth of Cut (ap)

| Insert Geometry | Programmed feed per tooth (fz) as a % of radial depth of cut (ae) of working diameter (dw) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50%–100% | | | |
| .E..LDJ | 0,19 | **0,59** | 0,79 | 0,14 | **0,44** | 0,59 | 0,12 | **0,39** | 0,51 | 0,11 | **0,36** | 0,48 | 0,11 | **0,35** | 0,47 | .E..LDJ |
| .S..GD | 0,43 | **1,04** | 1,21 | 0,32 | **0,78** | 0,90 | 0,28 | **0,68** | 0,79 | 0,26 | **0,63** | 0,73 | 0,25 | **0,62** | 0,72 | .S..GD |
| .S..HD | 0,80 | **1,04** | 1,58 | 0,60 | **0,78** | 1,17 | 0,52 | **0,68** | 1,02 | 0,48 | **0,63** | 0,95 | 0,48 | **0,62** | 0,93 | .S..HD |

NOTE: Use “Light Machining” values as starting feed rate.

# Screw-On Milling Cutter Adaptors

## The Complete Solution to Milling

### Features and Benefits

- High metal removal rates.
- High runout accuracy.
- Maximum performance capability.
- Optimising productivity with long reach and short overhang to support all types of applications.
- Cutter is kept on centre for precision and maximum performance compared to Weldon® shank system.
- Ability to extend with standard offering extensions and reducers.
- Ground face contact for rigidity and accuracy.

Experience the advantages at your Authorised Kennametal Distributor or at **www.kennametal.com**.

**www.kennametal.com**

KENNAMETAL®

## Rodeka 12X Turbine Blade Version

Revolutionary double-sided round insert engineered for turbine blade machining. Special geometries, insert styles, and dedicated cutter bodies have been developed to serve this demanding application.

Power Plant

Steam Turbine

Rodeka 12X



Turbine Blade




Four indexes per side, in total eight cutting edges. With higher Ap capabilities, up to 6mm.

Specific high positive geometries with improved chip forming and higher tool life.

Insert location twisted by 45° between top and bottom side for equal performance over all eight cutting edges.

Unique anti-rotation feature with higher contact area for excellent stability, allowing higher feed rates.

- Double-sided round inserts with eight indexable positions.
- Anti-rotation features enable higher cutting data and extra stability.
- Engineered for turbine blade machining.





## Shell Mills

| order number | catalogue number | D1 max | D1 | D | D6 | L | Ap1 max | Z | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **5104420** | **KDR40Z04S16RN12X** | 40 | 28 | 16 | 38 | 40 | 6,0 | 4 | 0,23 | 35020 | RN_J1204M0___ |
| **5104421** | **KDR50Z05S22RN12X** | 50 | 38 | 22 | 42 | 40 | 6,0 | 5 | 0,30 | 31330 | RN_J1204M0___ |
| **5104422** | **KDR50Z05S22RN12XL** | 50 | 38 | 22 | 49 | 40 | 6,0 | 5 | 0,37 | 31330 | RN_J1204M0___ |
| **5104423** | **KDR52Z05S22RN12X** | 52 | 40 | 22 | 42 | 40 | 6,0 | 5 | 0,30 | 30720 | RN_J1204M0___ |
| **5104424** | **KDR63Z06S22RN12X** | 63 | 51 | 22 | 49 | 40 | 6,0 | 6 | 0,48 | 27910 | RN_J1204M0___ |
| **5104425** | **KDR66Z06S27RN12X** | 66 | 54 | 27 | 60 | 40 | 6,0 | 6 | 0,62 | 27260 | RN_J1204M0___ |
| **5104426** | **KDR80Z07S27RN12X** | 80 | 68 | 27 | 60 | 50 | 6,0 | 7 | 1,05 | 24760 | RN_J1204M0___ |

## Spare Parts

| D1 max | insert screw | Nm | socket-head cap screw | wrench |
|---|---|---|---|---|
| 40 | **193.492** | 4,0 | **MS1294** | **170.025** |
| 50 | **193.492** | 4,0 | **125.025** | **170.025** |
| 52 | **193.492** | 4,0 | **125.025** | **170.025** |
| 63 | **193.492** | 4,0 | **125.025** | **170.025** |
| 66 | **193.492** | 4,0 | **125.230** | **170.025** |
| 80 | **193.492** | 4,0 | **MS2038** | **170.025** |

## Insert Selection Guide

| Material Group | Light Machining | | General Purpose | | Heavy Machining | |
|---|---|---|---|---|---|---|
| | Geometry | Grade | Geometry | Grade | Geometry | Grade |
| P1–P2 | .E..LDX | KCMP30 | **.S..GDX** | **KCMP30** | .S..GDX | KCMP30 |
| P3–P4 | .E..LDX | KCMP30 | **.S..GDJX** | **KC522M** | .S..GDX | KCMP30 |
| P5–P6 | .E..LDX | KCMP30 | **.E..LDX** | **KCMP30** | .S..GDX | KCMP30 |
| M1–M2 | .E..LDJX | KC522M | **.E..LDJX** | **KC725M** | .S..GDJX | KC725M |
| M3 | .E..LDJX | KC725M | **.E..LDX** | **KCMP30** | .S..GDX | KCMP30 |
| K1–K2 | – | – | **–** | **–** | – | – |
| K3 | – | – | **–** | **–** | – | – |
| N1–N2 | – | – | **–** | **–** | – | – |
| N3 | – | – | **–** | **–** | – | – |
| S1–S2 | .E..LDJX | KC522M | **.E..LDJX** | **KC725M** | .S..GDJX | KC725M |
| S3 | .E..LDJX | KC522M | **.E..LDJX** | **KC725M** | .S..GDJX | KC725M |
| S4 | .E..LDJX | KC725M | **.E..LDJX** | **KC725M** | .S..GDJX | KC725M |
| H1 | – | – | **.S..GDJX** | **KC522M** | – | – |



## Indexable Inserts • RNGJ12....

- -LD geometry is for general use on blades from a solid block.
- -LD geometry is the first choice for stainless steel and titanium machining at lower cutting forces.
- -GD geometry is the first choice for forged blades.
- -GD geometry is for general use in steel and stainless steel.


RNGJ-LDX


RNGJ-GDX







● first choice
○ alternate choice

| | | | |
|---|---|---|---|
| P | ○ | ● | ● |
| M | ● | ● | ○ |
| K | ○ | | |
| N | | | |
| S | ● | ● | ○ |
| H | ○ | | |

### RNGJ-LDX

| catalogue number | D | S | hm | cutting edges | KC522M | KC725M | KCMP30 |
|---|---|---|---|---|---|---|---|
| **RNGJ1204M0ENLDJX** | 12,00 | 4,75 | 0,03 | 8 | ● | ● | |
| **RNGJ1204M0ENLDX** | 12,00 | 4,75 | 0,03 | 8 | | | ● |

### RNGJ-GDX

| catalogue number | D | S | hm | cutting edges | KC522M | KC725M | KCMP30 |
|---|---|---|---|---|---|---|---|
| **RNGJ1204M0SNGDJX** | 12,00 | 4,75 | 0,09 | 8 | ● | ● | |
| **RNGJ1204M0SNGDX** | 12,00 | 4,75 | 0,09 | 8 | | | ● |

## Recommended Starting Speeds [m/min]

| Material Group | | KC522M | | | KC725M | | | KCMP30 | | |
|---|---|---|---|---|---|---|---|---|---|---|
| P | 1 | 395 | **345** | 325 | 315 | **275** | 255 | 545 | **475** | 440 |
| | 2 | 330 | **290** | 240 | 260 | **230** | 195 | 335 | **305** | 275 |
| | 3 | 305 | **255** | 215 | 240 | **205** | 170 | 305 | **275** | 250 |
| | 4 | 270 | **225** | 180 | 215 | **180** | 145 | 225 | **210** | 190 |
| | 5 | 225 | **200** | 180 | 180 | **160** | 145 | 310 | **275** | 255 |
| | 6 | 200 | **150** | 120 | 160 | **120** | 95 | 190 | **165** | – |
| M | 1 | 245 | **215** | 200 | 205 | **180** | 165 | 250 | **220** | 190 |
| | 2 | 225 | **190** | 160 | 185 | **160** | 130 | 225 | **195** | 170 |
| | 3 | 170 | **145** | 115 | 140 | **120** | 95 | 175 | **160** | 140 |
| K | 1 | 275 | **250** | 220 | – | **–** | – | – | **–** | – |
| | 2 | 215 | **195** | 180 | – | **–** | – | – | **–** | – |
| | 3 | 180 | **160** | 145 | – | **–** | – | – | **–** | – |
| N | 1–2 | – | **–** | – | – | **–** | – | – | **–** | – |
| | 3 | – | **–** | – | – | **–** | – | – | **–** | – |
| S | 1 | 50 | **45** | 35 | 45 | **35** | 30 | 45 | **35** | 30 |
| | 2 | 50 | **45** | 35 | 45 | **35** | 30 | 45 | **35** | 30 |
| | 3 | 60 | **50** | 35 | 55 | **45** | 30 | 55 | **45** | 30 |
| | 4 | 85 | **60** | 45 | 75 | **55** | 35 | 75 | **55** | 35 |
| H | 1 | 145 | **110** | 85 | – | **–** | – | – | **–** | – |

NOTE: FIRST choice starting speeds are in **bold** type.
As the average chip thickness increases, the speed should be decreased.

## Recommended Starting Feeds [mm]

| Light Machining | General Purpose | Heavy Machining |
|---|---|---|

### At 6,00 Axial Depth of Cut (ap)

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50–100% | | | |
| .E..LDJX | 0,08 | **0,29** | 0,59 | 0,06 | **0,22** | 0,44 | 0,06 | **0,19** | 0,38 | 0,05 | **0,18** | 0,36 | 0,05 | **0,18** | 0,35 | .E..LDJX |
| .E..LDX | 0,08 | **0,29** | 0,59 | 0,06 | **0,22** | 0,44 | 0,06 | **0,19** | 0,38 | 0,05 | **0,18** | 0,36 | 0,05 | **0,18** | 0,35 | .E..LDX |
| .S..GDJX | 0,12 | **0,41** | 0,68 | 0,09 | **0,31** | 0,51 | 0,08 | **0,27** | 0,44 | 0,07 | **0,25** | 0,41 | 0,07 | **0,25** | 0,41 | .S..GDJX |
| .S..GDX | 0,12 | **0,41** | 0,68 | 0,09 | **0,31** | 0,51 | 0,08 | **0,27** | 0,44 | 0,07 | **0,25** | 0,41 | 0,07 | **0,25** | 0,41 | .S..GDX |

### At 3,00 Axial Depth of Cut (ap)

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50%–100% | | | |
| .E..LDJX | 0,1 | **0,34** | 0,68 | 0,07 | **0,25** | 0,51 | 0,06 | **0,22** | 0,44 | 0,06 | **0,21** | 0,41 | 0,06 | **0,2** | 0,4 | .E..LDJX |
| .E..LDX | 0,1 | **0,34** | 0,68 | 0,07 | **0,25** | 0,51 | 0,06 | **0,22** | 0,44 | 0,06 | **0,21** | 0,41 | 0,06 | **0,2** | 0,4 | .E..LDX |
| .S..GDJX | 0,13 | **0,47** | 0,79 | 0,1 | **0,35** | 0,59 | 0,09 | **0,31** | 0,51 | 0,08 | **0,29** | 0,48 | 0,08 | **0,28** | 0,47 | .S..GDJX |
| .S..GDX | 0,13 | **0,47** | 0,79 | 0,1 | **0,35** | 0,59 | 0,09 | **0,31** | 0,51 | 0,08 | **0,29** | 0,48 | 0,08 | **0,28** | 0,47 | .S..GDX |

### At 2,50 Axial Depth of Cut (ap)

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50%–100% | | | |
| .E..LDJX | 0,1 | **0,36** | 0,72 | 0,08 | **0,27** | 0,54 | 0,07 | **0,24** | 0,47 | 0,06 | **0,22** | 0,44 | 0,06 | **0,22** | 0,43 | .E..LDJX |
| .E..LDX | 0,1 | **0,36** | 0,72 | 0,08 | **0,27** | 0,54 | 0,07 | **0,24** | 0,47 | 0,06 | **0,22** | 0,44 | 0,06 | **0,22** | 0,43 | .E..LDX |
| .S..GDJX | 0,14 | **0,51** | 0,84 | 0,11 | **0,38** | 0,63 | 0,09 | **0,33** | 0,55 | 0,09 | **0,31** | 0,51 | 0,09 | **0,3** | 0,5 | .S..GDJX |
| .S..GDX | 0,14 | **0,51** | 0,84 | 0,11 | **0,38** | 0,63 | 0,09 | **0,33** | 0,55 | 0,09 | **0,31** | 0,51 | 0,09 | **0,3** | 0,5 | .S..GDX |

### At 1,50 Axial Depth of Cut (ap)

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50%–100% | | | |
| .E..LDJX | 0,13 | **0,44** | 0,89 | 0,1 | **0,33** | 0,66 | 0,08 | **0,29** | 0,58 | 0,08 | **0,27** | 0,54 | 0,08 | **0,26** | 0,53 | .E..LDJX |
| .E..LDX | 0,13 | **0,44** | 0,89 | 0,1 | **0,33** | 0,66 | 0,08 | **0,29** | 0,58 | 0,08 | **0,27** | 0,54 | 0,08 | **0,26** | 0,53 | .E..LDX |
| .S..GDJX | 0,18 | **0,62** | 1,04 | 0,13 | **0,46** | 0,77 | 0,12 | **0,4** | 0,67 | 0,11 | **0,38** | 0,63 | 0,11 | **0,37** | 0,61 | .S..GDJX |
| .S..GDX | 0,18 | **0,62** | 1,04 | 0,13 | **0,46** | 0,77 | 0,12 | **0,4** | 0,67 | 0,11 | **0,38** | 0,63 | 0,11 | **0,37** | 0,61 | .S..GDX |

NOTE: Use “Light Machining” values as starting feed rate.

# KSRM Series • 12mm and 16mm iCs Line Expansion

## Primary Application

Specially developed for machining titanium and stainless steel. KSRM platform enables you to pocket, profile, ramp, and plunge with consistent performance, providing outstanding metal removal rates with the lowest cutting forces.

## Features and Benefits

- Up to eight cutting edges per insert.
- Anti-rotation feature achieving excellent stability.
- Engineered to provide longer tool life in titanium and stainless steel.
- Roughing and semi-finishing operations with lower cutting forces.

**High clearance on the cutters** for superior plunging, ramping, and chip load capacities.

All toolholders with **internal coolant** capabilities.

**Up to eight index positions** for fast and accurate insert changes.

**Anti-rotation feature provides** excellent stability with higher feed rates and cutting forces.

- Engineered for titanium and stainless steel machining.
- Anti-rotation components feature eight indexable positions.
- Pocketing, ramping, plunging, and helical interpolation capabilities.





## Screw-On End Mills

| order number | catalogue number | D1 max | D1 | D | DPM | G3X | L2 | Ap1 max | Z | max ramp angle | max RPM | kg | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **4043046** | **32E03R045M16RP12** | 32 | 20 | 29 | 17,0 | M16 | 45 | 6,0 | 3 | 6° | 43400 | 0,18 | RP.T1204M0… |
| **4043047** | **40E04R045M16RP12** | 40 | 28 | 29 | 17,0 | M16 | 45 | 6,0 | 4 | 9° | 38800 | 0,21 | RP.T1204M0… |





## Weldon End Mills

| order number | catalogue number | D1 max | D1 | D | L | L2 | Ap1 max | Z | max ramp angle | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **4043048** | **32A03R040B32RP12** | 32 | 20 | 32 | 101 | 40 | 6,0 | 3 | 6.0° | 0,51 | 43400 | RP.T1204M0… |

## Spare Parts

| D1 max | insert screw | Nm | Torx Plus driver |
|---|---|---|---|
| 32 | **MS2077** | 2,3 | **DT15IP** |
| 40 | **MS2077** | 2,3 | **DT15IP** |

- Engineered for titanium and stainless steel machining.
- Anti-rotation components feature eight indexable positions.
- Pocketing, ramping, plunging, and helical interpolation capabilities.





## Cylindrical End Mills

| order number | catalogue number | D1 max | D1 | D | L | LBX | Ap1 max | Z | max ramp angle | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **4043049** | **32A03R040A32RP12L190** | 32 | 20 | 32 | 190 | 40 | 6,0 | 3 | 6.0° | 1,05 | 43400 | RP_T1204M0__ |
| **4177164** | **35E03R050A32RP12L200** | 35 | 23 | 32 | 200 | 50 | 6,0 | 3 | 5.5° | 1,11 | 41400 | RP_T1204M0__ |
| **4177052** | **35E04R050A32RP12L200** | 35 | 23 | 32 | 200 | 50 | 6,0 | 4 | 7.0° | 1,11 | 41400 | RP_T1204M0__ |

## Spare Parts

| D1 max | insert screw | Nm | Torx Plus driver |
|---|---|---|---|
| 32 | **MS2077** | 2,3 | **DT15IP** |
| 35 | **MS2077** | 2,3 | **DT15IP** |

- Engineered for titanium and stainless steel machining.
- Anti-rotation components feature eight indexable positions.
- Pocketing, ramping, plunging, and helical interpolation capabilities.





## Face Mills

| order number | catalogue number | D1 max | D1 | D | D6 | L | Ap1 max | Z | max ramp angle | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **4043050** | **40A04RS90RP12** | 40 | 28 | 16 | 38 | 40 | 6,0 | 4 | 9.0° | 0,21 | 38800 | RP.T1204M0… |
| **4177163** | **42A04RS90RP12** | 42 | 30 | 16 | 38 | 40 | 6,0 | 4 | 10.0° | 0,22 | 37800 | RP.T1204M0.. |
| **4043051** | **50A04RS90RP12** | 50 | 38 | 22 | 42 | 40 | 6,0 | 4 | 10.8° | 0,26 | 34700 | RP.T1204M0... |
| **4043052** | **50A05RS90RP12** | 50 | 38 | 22 | 42 | 40 | 6,0 | 5 | 7.9° | 0,26 | 34700 | RP.T1204M0... |
| **3891914** | **52A05RS90RP12** | 52 | 40 | 22 | 49 | 50 | 6,0 | 5 | 10.2° | 0,50 | 34000 | RP.T1204M0... |
| **4043063** | **63A05RS90RP12** | 63 | 51 | 22 | 49 | 50 | 6,0 | 5 | 7.7° | 0,56 | 30900 | RP.T1204M0… |
| **4025498** | **63A07RS90RP12** | 63 | 51 | 22 | 49 | 50 | 6,0 | 7 | 2.6° | 0,56 | 30900 | RP.T1204M0… |
| **4005063** | **66A06RS90RP12** | 66 | 54 | 27 | 60 | 50 | 6,0 | 6 | 6.6° | 0,74 | 30200 | RP.T1204M0… |
| **4043064** | **80A06RS90RP12** | 80 | 68 | 27 | 60 | 50 | 6,0 | 6 | 5.1° | 0,95 | 27300 | RP.T1204M0… |
| **4024763** | **80A08RS90RP12** | 80 | 68 | 27 | 60 | 50 | 6,0 | 8 | 4.1° | 0,96 | 27300 | RP.T1204M0… |
| **4043065** | **100B07RS90RP12** | 100 | 88 | 32 | 78 | 50 | 6,0 | 7 | 4.0° | 1,39 | 24000 | RP.T1204M0… |
| **4027389** | **100B09RS90RP12** | 100 | 88 | 32 | 78 | 50 | 6,0 | 9 | 3.1° | 1,39 | 24000 | RP.T1204M0… |

## Spare Parts

| D1 max | insert screw | Nm | low-head cap screw | socket-head cap screw | socket-head cap screw with coolant groove* | coolant lock screw assembly | Torx Plus driver |
|---|---|---|---|---|---|---|---|
| 40 | **MS2077** | 2,3 | **–** | **MS1294** | **MS1294CG** | **–** | **DT15IP** |
| 42 | **MS2077** | 2,3 | **–** | **MS1294** | **MS1294CG** | **–** | **DT15IP** |
| 50 | **MS2077** | 2,3 | **MS1336** | **–** | **MS2072CG** | **–** | **DT15IP** |
| 52 | **MS2077** | 2,3 | **–** | **MS1242** | **MS1242CG** | **–** | **DT15IP** |
| 63 | **MS2077** | 2,3 | **–** | **MS1242** | **MS1242CG** | **–** | **DT15IP** |
| 66 | **MS2077** | 2,3 | **–** | **MS2038** | **MS2038CG** | **–** | **DT15IP** |
| 80 | **MS2077** | 2,3 | **–** | **MS2038** | **MS2038CG** | **–** | **DT15IP** |
| 100 | **MS2077** | 2,3 | **–** | **–** | **–** | **MS2195C** | **DT15IP** |

*Socket-head cap screw with coolant groove sold separately as a spare part.

## Insert Selection Guide

| Material Group | Light Machining | | General Purpose | | Heavy Machining | |
|---|---|---|---|---|---|---|
| | Geometry | Grade | Geometry | Grade | Geometry | Grade |
| P1–P2 | .E..LEJ | KC725M | **.S..GEJ** | **KC725M** | .S..GP | KC725M |
| P3–P4 | .E..LE | KCPK30 | **.S..GE** | **KCPK30** | .S..GP | KCPK30 |
| P5–P6 | .S..GDX | KCMP30 | **.S..GDX** | **KCMP30** | .S..GP | KCPK30 |
| M1–M2 | .E..LEJ | KC725M | **.S..GEJ** | **KC725M** | .S..GP | KC725M |
| M3 | .S..GDX | KCMP30 | **.S..GDX** | **KCMP30** | .S..GDX | KCMP30 |
| K1–K2 | – | – | **.S..GP** | **KCPK30** | – | – |
| K3 | – | – | **.S..GP** | **KCPK30** | – | – |
| N1–N2 | .E..LEJ | KC422M | **.E..LEJ** | **KC422M** | .E..LEJ | KC422M |
| N3 | .E..LEJ | KC422M | **.E..LEJ** | **KC422M** | .E..LEJ | KC422M |
| S1–S2 | .E..LEJ | KC725M | **.S..GEJ** | **KC725M** | .S..GDX | KC725M |
| S3 | .E..LEJ | KC725M | **.S..GEJ** | **KC725M** | .S..GDX | KC725M |
| S4 | .E..LEJ | KC725M | **.E..LEJ** | **KC725M** | .S..GEJ | KC725M |
| H1 | – | – | **.S..GP** | **KCPM20** | – | – |





- -SGEJ and -ELEJ are the first choice for titanium machining.
- -SGDX is the first choice for martensitic stainless steel and turbine blade applications.
- -ELEJ is the first choice for lower cutting forces to avoid built-up edge.
- -GP geometry is mainly for heavy applications.


-LE
-GE

-GDX


-GP




● first choice
○ alternate choice

beyond

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| P | | | ○ | ● | ● | ● | ● |
| M | | | ● | ● | ○ | ○ | ○ |
| K | | | ○ | | ○ | | ○ |
| N | | ● | | | | | |
| S | | | ● | ● | | ○ | |
| H | | | | | | | |

### RPET-LE

| catalogue number | D | S | hm | cutting edges | KC422M | KC522M | KC725M | KCPM20 | KCMP30 | KCPK30 |
|---|---|---|---|---|---|---|---|---|---|---|
| **RPET1204M0ELEJ** | 12,00 | 4,76 | 0,03 | 8 | ● | ● | ● | | | |
| **RPET1204M0ELE** | 12,00 | 4,76 | 0,05 | 8 | | | | | | ● |

### RPET-GE

| catalogue number | D | S | hm | cutting edges | KC422M | KC522M | KC725M | KCPM20 | KCMP30 | KCPK30 |
|---|---|---|---|---|---|---|---|---|---|---|
| **RPET1204M0SGEJ** | 12,00 | 4,76 | 0,11 | 8 | | ● | ● | | | |
| **RPET1204M0SGE** | 12,00 | 4,76 | 0,10 | 8 | | | | | | ● |

### RPPT-GDX

| catalogue number | D | S | hm | cutting edges | KC422M | KC522M | KC725M | KCPM20 | KCMP30 | KCPK30 |
|---|---|---|---|---|---|---|---|---|---|---|
| **RPPT1204M0SGDX** | 12,00 | 4,76 | 0,18 | 8 | | | ● | | ● | |

### RPPT-GP

| catalogue number | D | S | hm | cutting edges | KC422M | KC522M | KC725M | KCPM20 | KCMP30 | KCPK30 |
|---|---|---|---|---|---|---|---|---|---|---|
| **RPPT1204M0SGP** | 12,00 | 4,76 | 0,13 | 8 | | | ● | ● | | ● |

## Recommended Starting Speeds [m/min]

| Material Group | | KC422M | | | KC522M | | | KC725M | | | KCPM20 | | | KCMP30 | | | KCPK30 | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | 1 | – | – | – | 395 | **345** | 325 | 315 | **275** | 255 | 660 | **580** | 535 | 545 | **475** | 440 | 545 | **475** | 440 |
| | 2 | – | – | – | 330 | **290** | 240 | 260 | **230** | 195 | 410 | **370** | 330 | 335 | **305** | 275 | 335 | **305** | 275 |
| | 3 | – | – | – | 305 | **255** | 215 | 240 | **205** | 170 | 370 | **330** | 305 | 305 | **275** | 250 | 305 | **275** | 250 |
| | 4 | – | – | – | 270 | **225** | 180 | 215 | **180** | 145 | 275 | **255** | 230 | 225 | **210** | 190 | 225 | **210** | 190 |
| | 5 | – | – | – | 225 | **200** | 180 | 180 | **160** | 145 | 330 | **300** | 275 | 310 | **275** | 255 | 310 | **275** | 255 |
| | 6 | – | – | – | 200 | **150** | 120 | 160 | **120** | 95 | 230 | **200** | 175 | 190 | **165** | – | 190 | **165** | – |
| M | 1 | – | – | – | 245 | **215** | 200 | 205 | **180** | 165 | 270 | **240** | 205 | 250 | **220** | 190 | 250 | **220** | 190 |
| | 2 | – | – | – | 225 | **190** | 160 | 185 | **160** | 130 | 245 | **215** | 190 | 225 | **195** | 170 | 225 | **195** | 170 |
| | 3 | – | – | – | 170 | **145** | 115 | 140 | **120** | 95 | 195 | **175** | 150 | 175 | **160** | 140 | 175 | **160** | 140 |
| K | 1 | – | – | – | 275 | **250** | 220 | – | – | – | 435 | **390** | 350 | – | – | – | 355 | **320** | 285 |
| | 2 | – | – | – | 215 | **195** | 180 | – | – | – | 345 | **310** | 280 | – | – | – | 280 | **255** | 230 |
| | 3 | – | – | – | 180 | **160** | 145 | – | – | – | 290 | **255** | 240 | – | – | – | 235 | **210** | 195 |
| N | 1–2 | 1285 | **1135** | 1050 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | 1135 | **1050** | 915 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| S | 1 | – | – | – | 50 | **45** | 35 | 45 | **35** | 30 | – | – | – | 45 | **35** | 30 | – | – | – |
| | 2 | – | – | – | 50 | **45** | 35 | 45 | **35** | 30 | – | – | – | 45 | **35** | 30 | – | – | – |
| | 3 | – | – | – | 60 | **50** | 35 | 55 | **45** | 30 | – | – | – | 55 | **45** | 30 | – | – | – |
| | 4 | – | – | – | 85 | **60** | 45 | 75 | **55** | 35 | – | – | – | 75 | **55** | 35 | – | – | – |
| H | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

NOTE: FIRST choice starting speeds are in **bold** type.
As the average chip thickness increases, the speed should be decreased.

## Recommended Starting Feeds [mm]

| Light Machining | General Purpose | Heavy Machining |
|---|---|---|

### At 6,00 Axial Depth of Cut (ap)

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50–100% | | | |
| .E..LEJ | 0,08 | **0,12** | 0,18 | 0,06 | **0,09** | 0,13 | 0,05 | **0,08** | 0,11 | 0,05 | **0,07** | 0,11 | 0,05 | **0,07** | 0,11 | .E..LEJ |
| .E..LE | 0,12 | **0,26** | 0,51 | 0,09 | **0,19** | 0,38 | 0,08 | **0,17** | 0,33 | 0,07 | **0,16** | 0,31 | 0,07 | **0,15** | 0,31 | .E..LE |
| .S..GEJ | 0,17 | **0,34** | 0,60 | 0,13 | **0,26** | 0,45 | 0,11 | **0,22** | 0,39 | 0,10 | **0,21** | 0,37 | 0,10 | **0,21** | 0,36 | .S..GEJ |
| .S..GE | 0,17 | **0,34** | 0,60 | 0,13 | **0,26** | 0,45 | 0,11 | **0,22** | 0,39 | 0,10 | **0,21** | 0,36 | 0,10 | **0,20** | 0,36 | .S..GE |
| .S..GDX | 0,17 | **0,42** | 0,74 | 0,13 | **0,31** | 0,55 | 0,11 | **0,27** | 0,48 | 0,10 | **0,26** | 0,45 | 0,10 | **0,25** | 0,44 | .S..GDX |
| .S..GP | 0,17 | **0,42** | 0,77 | 0,13 | **0,31** | 0,57 | 0,11 | **0,27** | 0,50 | 0,10 | **0,26** | 0,47 | 0,10 | **0,25** | 0,46 | .S..GP |

### At 3,00 Axial Depth of Cut (ap)

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50–100% | | | |
| .E..LEJ | 0,10 | **0,14** | 0,20 | 0,07 | **0,10** | 0,15 | 0,06 | **0,09** | 0,13 | 0,06 | **0,08** | 0,12 | 0,06 | **0,08** | 0,12 | .E..LEJ |
| .E..LE | 0,14 | **0,30** | 0,59 | 0,10 | **0,22** | 0,44 | 0,09 | **0,19** | 0,39 | 0,09 | **0,18** | 0,36 | 0,08 | **0,18** | 0,35 | .E..LE |
| .S..GEJ | 0,19 | **0,40** | 0,70 | 0,14 | **0,30** | 0,52 | 0,13 | **0,26** | 0,45 | 0,12 | **0,24** | 0,42 | 0,12 | **0,24** | 0,41 | .S..GEJ |
| .S..GE | 0,19 | **0,39** | 0,69 | 0,14 | **0,29** | 0,52 | 0,13 | **0,26** | 0,45 | 0,12 | **0,24** | 0,42 | 0,12 | **0,24** | 0,41 | .S..GE |
| .S..GDX | 0,19 | **0,48** | 0,86 | 0,14 | **0,36** | 0,64 | 0,13 | **0,32** | 0,56 | 0,12 | **0,29** | 0,52 | 0,12 | **0,29** | 0,51 | .S..GDX |
| .S..GP | 0,19 | **0,48** | 0,89 | 0,14 | **0,36** | 0,66 | 0,13 | **0,32** | 0,58 | 0,12 | **0,29** | 0,54 | 0,12 | **0,29** | 0,53 | .S..GP |

### At 1,50 Axial Depth of Cut (ap)

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50–100% | | | |
| .E..LEJ | 0,13 | **0,18** | 0,27 | 0,09 | **0,14** | 0,2 | 0,08 | **0,12** | 0,17 | 0,08 | **0,11** | 0,16 | 0,08 | **0,11** | 0,16 | .E..LEJ |
| .E..LE | 0,18 | **0,39** | 0,78 | 0,14 | **0,29** | 0,58 | 0,12 | **0,25** | 0,51 | 0,11 | **0,24** | 0,47 | 0,11 | **0,23** | 0,46 | .E..LE |
| .S..GEJ | 0,25 | **0,52** | 0,91 | 0,19 | **0,39** | 0,68 | 0,17 | **0,34** | 0,59 | 0,15 | **0,32** | 0,55 | 0,15 | **0,31** | 0,54 | .S..GEJ |
| .S..GE | 0,25 | **0,52** | 0,91 | 0,19 | **0,39** | 0,68 | 0,17 | **0,34** | 0,59 | 0,15 | **0,31** | 0,55 | 0,15 | **0,31** | 0,54 | .S..GE |
| .S..GDX | 0,25 | **0,63** | 1,13 | 0,19 | **0,47** | 0,84 | 0,17 | **0,41** | 0,73 | 0,15 | **0,39** | 0,68 | 0,15 | **0,38** | 0,67 | .S..GDX |
| .S..GP | 0,25 | **0,63** | 1,17 | 0,19 | **0,47** | 0,87 | 0,17 | **0,41** | 0,76 | 0,15 | **0,39** | 0,71 | 0,15 | **0,38** | 0,69 | .S..GP |

### At 0,75 Axial Depth of Cut (ap)

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50–100% | | | |
| .E..LEJ | 0,17 | **0,25** | 0,36 | 0,13 | **0,19** | 0,27 | 0,11 | **0,16** | 0,24 | 0,11 | **0,15** | 0,22 | 0,10 | **0,15** | 0,22 | .E..LEJ |
| .E..LE | 0,25 | **0,53** | 1,07 | 0,19 | **0,40** | 0,79 | 0,16 | **0,35** | 0,69 | 0,15 | **0,32** | 0,65 | 0,15 | **0,32** | 0,63 | .E..LE |
| .S..GEJ | 0,35 | **0,71** | 1,25 | 0,26 | **0,53** | 0,93 | 0,23 | **0,46** | 0,81 | 0,21 | **0,43** | 0,76 | 0,21 | **0,42** | 0,74 | .S..GEJ |
| .S..GE | 0,35 | **0,71** | 1,25 | 0,26 | **0,53** | 0,93 | 0,23 | **0,46** | 0,81 | 0,21 | **0,43** | 0,75 | 0,21 | **0,42** | 0,74 | .S..GE |
| .S..GDX | 0,35 | **0,87** | 1,55 | 0,26 | **0,65** | 1,15 | 0,23 | **0,56** | 1,00 | 0,21 | **0,53** | 0,93 | 0,21 | **0,52** | 0,91 | .S..GDX |
| .S..GP | 0,35 | **0,87** | 1,60 | 0,26 | **0,65** | 1,19 | 0,23 | **0,56** | 1,03 | 0,21 | **0,53** | 0,96 | 0,21 | **0,52** | 0,94 | .S..GP |

NOTE: Use “Light Machining” values as starting feed rate.

## Maximum Linear Ramping and Helical Interpolation from Solid




| catalogue number | max ramp angle | max plunging depth | min hole diameter (DH min) | min flat-bottomed hole diameter (DHl min) | max hole diameter (flat bottom) |
|---|---|---|---|---|---|
| **32E03R045M16RP12** | 6.0° | 1,65 | 43,95 | 52 | 64 |
| **40E04R045M16RP12** | 9.0° | 3,50 | 57,24 | 68 | 80 |
| **32A03R040B32RP12** | 6.0° | 1,65 | 43,95 | 52 | 64 |
| **32A03R040A32RP12L190** | 6.0° | 1,65 | 43,95 | 52 | 64 |
| **40A04RS90RP12** | 9.0° | 3,50 | 57,24 | 68 | 80 |
| **42A04RS90RP12** | 9.6° | 4,20 | 60,68 | 72 | 84 |
| **50A04RS90RP12** | 10.8° | 6,00 | 76,04 | 88 | 100 |
| **50A05RS90RP12** | 7.9° | 4,40 | 76,50 | 88 | 100 |
| **52A05RS90RP12** | 10.2° | 6,00 | 80,05 | 92 | 104 |
| **63A05RS90RP12** | 7.7° | 6,00 | 102,02 | 114 | 126 |
| **63A07RS90RP12** | 2.6° | 2,10 | 105,08 | 114 | 126 |
| **66A06RS90RP12** | 6.6° | 5,50 | 108,14 | 120 | 132 |
| **80A06RS90RP12** | 5.1° | 5,50 | 136,04 | 148 | 160 |
| **80A08RS90RP12** | 4.1° | 4,40 | 136,58 | 148 | 160 |
| **100B07RS90RP12** | 4.0° | 5,70 | 176,04 | 188 | 200 |
| **100B09RS90RP12** | 3.1° | 4,40 | 176,55 | 188 | 200 |

- Engineered for titanium and stainless steel machining.
- Anti-rotation components feature eight indexable positions.
- Pocketing, ramping, plunging, and helical interpolation capabilities.





## Screw-On End Mills

| order number | catalogue number | D1 max | D1 | D | DPM | G3X | L2 | Ap1 max | Z | max ramp angle | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **4042581** | **40E03R045M16RP16** | 40 | 24 | 29 | 17,0 | M16 | 45 | 8,0 | 3 | 8.4° | 0,19 | 27300 | RP..T1605M0… |





## Cylindrical End Mills

| order number | catalogue number | D1 max | D1 | D | L | LBX | Ap1 max | Z | max ramp angle | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **4042582** | **40E02R040A32RP16L200** | 40 | 24 | 32 | 200 | 40 | 8,0 | 2 | 11.1° | 1,13 | 27300 | RP..T1605M0… |

## Spare Parts

| D1 max | insert screw | Nm | Torx Plus driver |
|---|---|---|---|
| 40 | **MS-2071** | 4,0 | **DT15IP** |

- Engineered for titanium and stainless steel machining.
- Anti-rotation components feature eight indexable positions.
- Pocketing, ramping, plunging, and helical interpolation capabilities.





## Face Mills

| order number | catalogue number | D1 max | D1 | D | D6 | L | Ap1 max | Z | max ramp angle | kg | max RPM | insert 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **4164868** | **50A04RS90RP16** | 50 | 34 | 22 | 42 | 50 | 8,0 | 4 | 9° | 0,32 | 24400 | RP..T1605M0# |
| **4042693** | **52A04RS90RP16** | 52 | 36 | 22 | 49 | 50 | 8,0 | 4 | 11° | 0,42 | 23900 | RP..T1605M0… |
| **4042694** | **63A04RS90RP16** | 63 | 47 | 22 | 49 | 50 | 8,0 | 4 | 12° | 0,50 | 21700 | RP..T1605M0… |
| **4042695** | **63A06RS90RP16** | 63 | 47 | 22 | 49 | 50 | 8,0 | 6 | 4° | 0,51 | 21700 | RP..T1605M0… |
| **4042696** | **80A05RS90RP16** | 80 | 64 | 27 | 60 | 50 | 8,0 | 5 | 8° | 0,87 | 19200 | RP..T1605M0… |
| **4042697** | **80A07RS90RP16** | 80 | 64 | 27 | 60 | 50 | 8,0 | 7 | 5° | 0,90 | 19200 | RP..T1605M0… |
| **4042698** | **100B06RS90RP16** | 100 | 84 | 32 | 78 | 50 | 8,0 | 6 | 6° | 1,29 | 16700 | RP..T1605M0… |
| **4042699** | **100B08RS90RP16** | 100 | 84 | 32 | 78 | 50 | 8,0 | 8 | 5° | 1,29 | 16700 | RP..T1605M0… |
| **4042700** | **125B09RS90RP16** | 125 | 109 | 40 | 90 | 63 | 8,0 | 9 | 4° | 2,48 | 14700 | RP..T1605M0… |

## Spare Parts

| D1 max | insert screw | Nm | socket-head cap screw | socket-head cap screw with coolant groove* | coolant lock screw assembly | Torx Plus driver |
|---|---|---|---|---|---|---|
| 50 | **MS-2071** | 4,0 | **MS1242** | **MS1242CG** | **–** | **DT15IP** |
| 52 | **MS-2071** | 4,0 | **MS1242** | **MS1242CG** | **–** | **DT15IP** |
| 63 | **MS-2071** | 4,0 | **MS1242** | **MS1242CG** | **–** | **DT15IP** |
| 80 | **MS-2071** | 4,0 | **MS2038** | **MS2038CG** | **–** | **DT15IP** |
| 100 | **MS-2071** | 4,0 | **–** | **–** | **MS2195C** | **DT15IP** |
| 125 | **MS-2071** | 4,0 | **–** | **–** | **MS2187C** | **DT15IP** |

*Socket-head cap screw with coolant groove sold separately as a spare part.

## Insert Selection Guide

| Material Group | Light Machining | | General Purpose | | Heavy Machining | |
|---|---|---|---|---|---|---|
| | Geometry | Grade | Geometry | Grade | Geometry | Grade |
| P1–P2 | .E..LEJ | KC725M | **.S..GEJ** | **KC725M** | .S..HP | KC725M |
| P3–P4 | .E..LEJ | KC725M | **.S..GE** | **KCPK30** | .S..HP | KCPK30 |
| P5–P6 | .S..GE | KCPK30 | **.S..HP** | **KCPK30** | .S..HP | KCPK30 |
| M1–M2 | .E..LEJ | KC725M | **.S..GEJ** | **KC725M** | .S..GEJ | KC725M |
| M3 | .E..LE | KCPK30 | **.S..GE** | **KCPK30** | .S..GE | KCPK30 |
| K1–K2 | – | – | **.S..HP** | **KCPK30** | – | – |
| K3 | – | – | **.S..HP** | **KCPK30** | – | – |
| N1–N2 | .E..LEJ | KC422M | **.E..LEJ** | **KC422M** | .E..LEJ | KC422M |
| N3 | .E..LEJ | KC422M | **.E..LEJ** | **KC422M** | .E..LEJ | KC422M |
| S1–S2 | .E..LEJ | KC725M | **.S..GEJ** | **KC725M** | .S..GEJ | KC725M |
| S3 | .E..LEJ | KC725M | **.S..GEJ** | **KC725M** | .S..GEJ | KC725M |
| S4 | .E..LEJ | KC725M | **.E..LEJ** | **KC725M** | .S..GEJ | KC725M |
| H1 | – | – | **.S..HP** | **KCPM20** | – | – |



## Indexable Round Inserts • KSRM

- -SGEJ and -ELEJ are the first choice for titanium machining.
- -SGE geometry is the first choice for medium and heavy applications.
- -ELEJ is the first choice for lower cutting forces to avoid built-up edge.
- -HP geometry is for high-strength steels and heavy applications.


RPET-LE
RPET-GE


RPPT-HP




● first choice
○ alternate choice

| | | | | | | |
|---|---|---|---|---|---|---|
| P | | | ○ | ● | ● | ● |
| M | | | ● | ● | ○ | ○ |
| K | | | ○ | | ○ | ○ |
| N | | ● | ○ | | | |
| S | | | ● | ● | | |
| H | | | | | | |

### RPET-LE

| catalogue number | D | S | hm | cutting edges | KC422M | KC522M | KC725M | KCPM20 | KCPK30 |
|---|---|---|---|---|---|---|---|---|---|
| **RPET1605M0ELEJ** | 16,00 | 5,56 | 0,03 | 8 | ● | ● | ● | | |
| **RPET1605M0ELE** | 16,00 | 5,56 | 0,05 | 8 | | | | | ● |

### RPET-GE

| catalogue number | D | S | hm | cutting edges | KC422M | KC522M | KC725M | KCPM20 | KCPK30 |
|---|---|---|---|---|---|---|---|---|---|
| **RPET1605M0SGEJ** | 16,00 | 5,56 | 0,11 | 8 | | ● | ● | | |
| **RPET1605M0SGE** | 16,00 | 5,56 | 0,10 | 8 | | | | | ● |

### RPPT-HP

| catalogue number | D | S | hm | cutting edges | KC422M | KC522M | KC725M | KCPM20 | KCPK30 |
|---|---|---|---|---|---|---|---|---|---|
| **RPPT1605M0SHP** | 16,00 | 5,56 | 0,18 | 8 | | | ● | ● | ● |

## Recommended Starting Speeds [m/min]

| Material Group | | KC422M | | | KC522M | | | KC725M | | | KCPM20 | | | KCPK30 | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | 1 | – | – | – | 395 | **345** | 325 | 315 | **275** | 255 | 660 | **580** | 535 | 545 | **475** | 440 |
| | 2 | – | – | – | 330 | **290** | 240 | 260 | **230** | 195 | 410 | **370** | 330 | 335 | **305** | 275 |
| | 3 | – | – | – | 305 | **255** | 215 | 240 | **205** | 170 | 370 | **330** | 305 | 305 | **275** | 250 |
| | 4 | – | – | – | 270 | **225** | 180 | 215 | **180** | 145 | 275 | **255** | 230 | 225 | **210** | 190 |
| | 5 | – | – | – | 225 | **200** | 180 | 180 | **160** | 145 | 330 | **300** | 275 | 310 | **275** | 255 |
| | 6 | – | – | – | 200 | **150** | 120 | 160 | **120** | 95 | 230 | **200** | 175 | 190 | **165** | – |
| M | 1 | – | – | – | 245 | **215** | 200 | 205 | **180** | 165 | 270 | **240** | 205 | 250 | **220** | 190 |
| | 2 | – | – | – | 225 | **190** | 160 | 185 | **160** | 130 | 245 | **215** | 190 | 225 | **195** | 170 |
| | 3 | – | – | – | 170 | **145** | 115 | 140 | **120** | 95 | 195 | **175** | 150 | 175 | **160** | 140 |
| K | 1 | – | – | – | 275 | **250** | 220 | – | – | – | 435 | **390** | 350 | 355 | **320** | 285 |
| | 2 | – | – | – | 215 | **195** | 180 | – | – | – | 345 | **310** | 280 | 280 | **255** | 230 |
| | 3 | – | – | – | 180 | **160** | 145 | – | – | – | 290 | **255** | 240 | 235 | **210** | 195 |
| N | 1–2 | 1285 | **1135** | 1050 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | 1135 | **1050** | 915 | – | – | – | – | – | – | – | – | – | – | – | – |
| S | 1 | – | – | – | 50 | **45** | 35 | 45 | **35** | 30 | – | – | – | – | – | – |
| | 2 | – | – | – | 50 | **45** | 35 | 45 | **35** | 30 | – | – | – | – | – | – |
| | 3 | – | – | – | 60 | **50** | 35 | 55 | **45** | 30 | – | – | – | – | – | – |
| | 4 | – | – | – | 85 | **60** | 45 | 75 | **55** | 35 | – | – | – | – | – | – |
| H | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

NOTE: FIRST choice starting speeds are in **bold** type.
As the average chip thickness increases, the speed should be decreased.

## Recommended Starting Feeds [mm]

| Light Machining | General Purpose | Heavy Machining |
|---|---|---|

### At 8,00 Axial Depth of Cut (ap)

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50–100% | | | |
| .E..LEJ | 0,08 | **0,12** | 0,18 | 0,06 | **0,09** | 0,13 | 0,05 | **0,08** | 0,11 | 0,05 | **0,07** | 0,11 | 0,05 | **0,07** | 0,11 | .E..LEJ |
| .E..LE | 0,12 | **0,26** | 0,51 | 0,09 | **0,19** | 0,38 | 0,08 | **0,17** | 0,33 | 0,07 | **0,16** | 0,31 | 0,07 | **0,15** | 0,31 | .E..LE |
| .S..GEJ | 0,17 | **0,33** | 0,63 | 0,13 | **0,25** | 0,47 | 0,11 | **0,22** | 0,41 | 0,10 | **0,20** | 0,38 | 0,10 | **0,20** | 0,37 | .S..GEJ |
| .S..GE | 0,17 | **0,33** | 0,62 | 0,13 | **0,25** | 0,46 | 0,11 | **0,22** | 0,40 | 0,10 | **0,20** | 0,38 | 0,10 | **0,20** | 0,37 | .S..GE |
| .S..HP | 0,17 | **0,42** | 0,75 | 0,13 | **0,31** | 0,56 | 0,11 | **0,27** | 0,49 | 0,10 | **0,26** | 0,45 | 0,10 | **0,25** | 0,45 | .S..HP |

### At 4,00 Axial Depth of Cut (ap)

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50–100% | | | |
| .E..LEJ | 0,10 | **0,14** | 0,2 | 0,07 | **0,10** | 0,15 | 0,06 | **0,09** | 0,13 | 0,06 | **0,08** | 0,12 | 0,06 | **0,08** | 0,12 | .E..LEJ |
| .E..LE | 0,14 | **0,30** | 0,59 | 0,10 | **0,22** | 0,44 | 0,09 | **0,19** | 0,39 | 0,09 | **0,18** | 0,36 | 0,08 | **0,18** | 0,35 | .E..LE |
| .S..GEJ | 0,19 | **0,38** | 0,73 | 0,14 | **0,29** | 0,54 | 0,13 | **0,25** | 0,47 | 0,12 | **0,23** | 0,44 | 0,12 | **0,23** | 0,43 | .S..GEJ |
| .S..GE | 0,19 | **0,39** | 0,72 | 0,14 | **0,29** | 0,54 | 0,13 | **0,25** | 0,47 | 0,12 | **0,24** | 0,44 | 0,12 | **0,23** | 0,43 | .S..GE |
| .S..HP | 0,19 | **0,48** | 0,86 | 0,14 | **0,36** | 0,64 | 0,13 | **0,32** | 0,56 | 0,12 | **0,29** | 0,52 | 0,12 | **0,29** | 0,51 | .S..HP |

### At 2,00 Axial Depth of Cut (ap)

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50–100% | | | |
| .E..LEJ | 0,13 | **0,18** | 0,27 | 0,09 | **0,14** | 0,2 | 0,08 | **0,12** | 0,17 | 0,08 | **0,11** | 0,16 | 0,08 | **0,11** | 0,16 | .E..LEJ |
| .E..LE | 0,18 | **0,39** | 0,78 | 0,14 | **0,29** | 0,58 | 0,12 | **0,25** | 0,51 | 0,11 | **0,24** | 0,47 | 0,11 | **0,23** | 0,46 | .E..LE |
| .S..GEJ | 0,25 | **0,50** | 0,95 | 0,19 | **0,37** | 0,71 | 0,17 | **0,33** | 0,62 | 0,15 | **0,31** | 0,58 | 0,15 | **0,30** | 0,57 | .S..GEJ |
| .S..GE | 0,25 | **0,51** | 0,94 | 0,19 | **0,38** | 0,70 | 0,17 | **0,33** | 0,61 | 0,15 | **0,31** | 0,57 | 0,15 | **0,30** | 0,56 | .S..GE |
| .S..HP | 0,25 | **0,63** | 10,14 | 0,19 | **0,47** | 0,84 | 0,17 | **0,41** | 0,74 | 0,15 | **0,39** | 0,69 | 0,15 | **0,38** | 0,67 | .S..HP |

### At 1,00 Axial Depth of Cut (ap)

| Insert Geometry | Programmed Feed per Tooth (fz) as a % of Radial Depth of Cut (ae) | | | | | | | | | | | | | | | Insert Geometry |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10% | | | 20% | | | 30% | | | 40% | | | 50–100% | | | |
| .E..LEJ | 0,17 | **0,25** | 0,36 | 0,13 | **0,19** | 0,27 | 0,11 | **0,16** | 0,24 | 0,11 | **0,15** | 0,22 | 0,10 | **0,15** | 0,22 | .E..LEJ |
| .E..LE | 0,25 | **0,53** | 1,07 | 0,19 | **0,40** | 0,79 | 0,16 | **0,35** | 0,69 | 0,15 | **0,32** | 0,65 | 0,15 | **0,32** | 0,63 | .E..LE |
| .S..GEJ | 0,35 | **0,69** | 1,31 | 0,26 | **0,51** | 0,97 | 0,23 | **0,45** | 0,84 | 0,21 | **0,42** | 0,79 | 0,21 | **0,41** | 0,77 | .S..GEJ |
| .S..GE | 0,35 | **0,69** | 1,29 | 0,26 | **0,52** | 0,96 | 0,23 | **0,45** | 0,84 | 0,21 | **0,42** | 0,78 | 0,21 | **0,41** | 0,77 | .S..GE |
| .S..HP | 0,35 | **0,87** | 1,56 | 0,26 | **0,65** | 1,16 | 0,23 | **0,56** | 1,00 | 0,21 | **0,53** | 0,94 | 0,21 | **0,52** | 0,92 | .S..HP |

NOTE: Use “Light Machining” values as starting feed rate.

## Maximum Linear Ramping and Helical Interpolation from Solid




| catalogue number | max ramp angle | max plunging depth | min hole diameter (DH min) | max flat-bottom hole diameter (DH1 max) | max diameter (no flat bottom) |
|---|---|---|---|---|---|
| **40E03R045M16RP16** | 8.3° | 2,6 | 52.4 | 64 | 80 |
| **40E02R040A32RP16L200** | 11.1° | 3,3 | 51,2 | 64 | 80 |
| **50A04RS90RP16** | 9.2° | 4,3 | 70 | 84 | 100 |
| **52A04RS90RP16** | 10.7° | 5,25 | 73,14 | 88 | 104 |
| **63A04RS90RP16** | 11.8° | 8,0 | 94,05 | 110 | 126 |
| **63A06RS90RP16** | 4.3° | 3,07 | 97,71 | 110 | 126 |
| **80A05RS90RP16** | 8.2° | 8,0 | 128,02 | 144 | 160 |
| **80A07RS90RP16** | 4.5° | 4,5 | 129,89 | 144 | 160 |
| **100B06RS90RP16** | 6.1° | 8,0 | 168,01 | 184 | 200 |
| **100B08RS90RP16** | 4.7° | 6,22 | 168,58 | 184 | 200 |
| **125B09RS90RP16** | 4,3° | 7,5 | 218,08 | 234 | 250 |

# KM4X™

## The Next Generation Spindle Interface for Heavy-Duty Machining!

KM4X is designed to take on your most aggressive machining jobs. This next generation KM™ spindle interface should be your first choice for heavy-duty machining applications. It's especially suited for large structural components, like titanium aerospace components.

We engineered these rotating and static tool adaptors to handle 3x more bending capacity than similar competitive models.

### What does this mean for you?

- Enables full use of machine and cutting tools for the highest productivity.
- Higher metal removal rates.
- Can retrofit to existing machines to boost throughput without buying new equipment.
- Ideal for aerospace and transportation industry machining jobs.

Experience the advantages at your Authorised Kennametal Distributor or at **www.kennametal.com**.

**www.kennametal.com**

KENNAMETAL®

DBJS-252
ID:5876475

# Tooling Systems

**KM Quick Change** . . . . . **E2–E5**
**KM4X 100** . . . . . **E6–E39**
Automatic Clamping Units . . . . . E8–E9
Cutting Units . . . . . E10–E21
Shank Tools . . . . . E22–E35
Technical Information . . . . . E37–E39
**HSK63A Shank Tools** . . . . . **E40–E44**

# KM™ Quick Change

**KM™ Quick Change Tooling is a central component in achieving dramatic improvement in machine and cutting tool use. It's the choice of manufacturers requiring maximum machine output.**

The necessary tasks of changing, setting up, and gaging tools create an excess of machine downtime. For small batch manufacturing operations requiring these frequent setups, KM™ Quick Change Tooling is the most efficient method for reducing lost time and improving the overall quality of the machining process by generating greater productivity and increasing profits.

Aside from Quick Change Clamping units, KM™ has other economical means to improving machine utility. For example, Shrink Fit technology and Hydraulic Chucks are other methods offered for Quick Change Tooling.

There's no better way to begin maximising production than switching to KM™ Quick Change Tooling. Whether you're looking to purchase a new machine or to gain greater output from your current equipment, Kennametal offers a variety of methods to upgrade your tooling system. The cost of these improvements will be justified by time saved, production increased, and profits.

**The KM™ portfolio has three distinctive sub-families, KM Micro™ and KM™ Mini, KM-TS™ (ISO), and KM4X™:**

**KM Micro and KM Mini:** This unique quick-change system is specially designed to support and mount on Swiss-style turning centres, gang machines, and smaller lathes.

**KM-TS:** The ISO 26622 quick-change tooling system delivers the greatest value to customers by maximising downtime and gaining optimum productivity with rigidity, accuracy, and enabling pre-gaging off line. This tooling system supports both lathe and machining centres.

**KM4X:** The next generation of KM offers higher clamping forces and interference levels that lead to a robust connection and extremely high stiffness and bending load capacity resulting in unmatched performance from both lathe and machining centres.

**Uniquely Designed**

A uniquely designed clamping mechanism is the driving force of KM™ Quick Change Tooling technology, which is designed around a single shank tapered at a shallow angle.

Using a simple mechanism involving lock rods and a ball track, a high clamping force is generated from a minimal amount of input force. This design is universal, and enables faster tool changes, reducing downtime.



## Extremely Rigid

The most heavy-duty, rigid modular quick-change tooling available on the market today. The strength of the metal-to-metal locking device is extremely rigid, reducing vibration between components.

## Reliability

Not only is KM™ Quick Change Tooling faster and more economical, it's also more reliable. The rigid coupling design enables a high degree of accuracy and repeatability. Low activation forces and decreased vibration provide longer life for clamping units and protect the mechanism in the event of a crash. Clamp strength enables operators to run machines at high maximum speeds without loss of force after continuous use.

## Versatility

The KM™ System is a true modular system. It has been designed for all metalcutting operations and provides a standard platform for use throughout your shop. The KM™ clamping mechanism is designed to be used on all types of manufacturing equipment. Available in manual, VDI, KM-LOC II™, automatic, and rotating spindles.

KM™ QUICK CHANGE

## KM4X — The Next Generation Spindle Connection System

- Heavy-duty, rigid configuration with evenly distributed clamping force.
- Simple design enables front-loaded spindle configuration.
- Balanced-by-design for high spindle speed capacity.
- Capable of performing in a wide range of operations from low speed, high torque to high speed, low torque.



KM4X three-surface contact for improved stability and accuracy. Optimised clamping force distribution and interference fit provides higher stiffness.



The graph below represents the load capacity of HSK, PSC, and KM4X. The shaded areas represent the typical requirements for heavy duty in various machining processes. KM4X is the only system that can deliver the torque and bending required to achieve high-performance machining.

Some systems may be able to transmit considerable amount of torque, but the cutting forces also generate bending moments that will exceed the interface's limits before torque limits are exceeded.



## Choosing What's Right

When machining tough materials like titanium, cutting speeds are relatively low due to thermal effects on cutting tools. In response, machine tool builders have improved stiffness and damping on spindles and machine structures over the years. Spindles have been designed with abundant torque at low rotational speeds. Nevertheless, the spindle connection remains the weak link in the system.

The spindle connection must provide torque and bending capacity compatible with the machine tool specifications and the requirements for higher productivity. It becomes obvious that in end milling applications where the projection lengths are typically greater, the limiting factor is bending capacity of the spindle interface.

With more materials that are tougher to machine and require considerably higher cutting forces from the machine tool, choosing wisely on the spindle interface to maximise cutting edge performance is the key to success.

The KM spindle connections greatly outperform the conventional 7/24 steep taper and its face taper contact derivative. HSK and PSC systems with their greater stiffness advantages help minimise undesirable vibrations, gaining the best possible productivity from the machine tool. The KM4X is the best large, heavy-duty spindle connection, where optimal rigidity is necessary. It has superb balance between bending and torsion capabilities from the machine tool.

As an example, an indexable helical cutter with 250mm projection from spindle face and 80mm in diameter generates 4620 Nm of bending moment and less than 900 Nm of torque.

Chart shows a comparison of Steep Taper with and without face contact, HSK, and KM4X.






# KM4X™ • The New Choice for Heavy-Duty Milling

## Primary Application

The KM4X 4-ball spindle interface provides up to 3x more bending capacity than HSK.
The greater bending capacity enables customers to fully utilise the capabilities of their machine and cutting tools when working with tough materials like titanium or during heavy machining.
Increased metal removal rates optimise machine production and decrease overall manufacturing cost.

- Heavy-duty, rigid configuration.
- 3x more bending capacity than HSK.
- Increased metal removal rates.
- Full utilisation of machine tools.
- Decreased manufacturing costs.
- Balanced-by-design for higher spindle speeds.
- Highest maximum speed capability.

# Features and Benefits

## The Latest Innovation in Spindle Interface Technology

- KM4X offers the most rigid connection able to withstand extremely high bending due to a combination of high interference and high clamping forces.
- KM™ is the only connection that maintains stiffness at elevated rotational speeds and is suitable for a range of applications from low speeds with high torque to very high spindle speeds.
- KM4X is better balanced between bending and torsion capabilities.

*To learn more, **scan here**.*
*For instructions on how to scan, please see page xxv.*


Four locking elements for power, drive, and uniform rigid locking. Provides even distribution of forces.
Standardised HSK V-flange and features for automatic tool-change arms.
Systems secondary drive/location and orientation feature.
The KM™ System's superior rigidity and accuracy is gained by optimised interference levels. Three surface areas of contact develop when clamped, resulting in superior performance.









KM QUICK CHANGE



## NACA

| order number | catalogue number | CSWS system size | D | F | L1 | LS | D2 | LMAD travel |
|---|---|---|---|---|---|---|---|---|
| **5326071** | **KM4X100NCADS85** | KM4X100 | 104 | 0 | 85,0 | 123 | 100 | 13,00 |

## Actuating Force

| catalogue number | actuating force (kN) | actuating force (lbs) |
|---|---|---|
| KM4X100NCADS85 | 70 | 15700 |




KM QUICK CHANGE

## KIT

| detail number | description | catalogue number | order number |
|---|---|---|---|
| 1 | canister | **2699630** | **5408797** |
| 2 | lockrod | **2404270** | **5408798** |
| 3 | canister ring | **2404272** | **5408799** |
| 4 | canister spacer | **2699631** | **5413745** |
| 5 | modified set screw | **(M16 x 2,0)** | **5408990** |
| 6 | chrome ball | **LMB200025** | **5413539** |
| 7 | set screw | **S-1786** | **5413744** |
| 8 | O-ring | **OR01109139V75** | **5413740** |
| 9 | O-ring | **OR01046139V75** | **5413741** |
| 10 | back-up ring | **BUR135V90** | **5413742** |
| 11 | O-ring | **OR01925103V75** | **5413743** |






## DCLN 95°

| order number | catalogue number | L1 mm | L1 in | F mm | F in | D min mm | D min in | gage insert | shim | shim screw | clamp assembly | pin | kg |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | right hand | | | | | | | | | | | | |
| 5345267 | KM4X100DCLNR12KC04 | 100 | 3.937 | 63 | 2.480 | 120 | 4.72 | CN..120408/CN..432 | ICSN443 | KMSP415IP | CM234R ASSY | SSP025016M | 4,52 |
| 5345268 | KM4X100DCLNR16KC06 | 100 | 3.937 | 63 | 2.480 | 120 | 4.72 | CN..160612/CN..543 | ICSN543 | KMSP515IP | CM209R ASSY | SSP025018M | 4,51 |
| | left hand | | | | | | | | | | | | |
| 5345265 | KM4X100DCLNL12KC04 | 100 | 3.937 | 63 | 2.480 | 120 | 4.72 | CN..120408/CN..432 | ICSN443 | KMSP415IP | CM234R ASSY | SSP025016M | 4,52 |
| 5345266 | KM4X100DCLNL16KC06 | 100 | 3.937 | 63 | 2.480 | 120 | 4.72 | CN..160612/CN..543 | ICSN543 | KMSP515IP | CM209R ASSY | SSP025018M | 4,51 |






## DDJN 93°

| order number | catalogue number | L1 mm | L1 in | F mm | F in | gage insert | shim | shim screw | clamp assembly | pin | kg |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | right hand | | | | | | | | | | |
| 5345310 | KM4X100DDJNR15KC06 | 100 | 3.937 | 63 | 2.480 | DN..150608/DN..442 | IDSN433 | KMSP415IP | CM234R ASSY | SSP025016M | 4,19 |
| | left hand | | | | | | | | | | |
| 5345269 | KM4X100DDJNL15KC06 | 100 | 3.937 | 63 | 2.480 | DN..150608/DN..442 | IDSN433 | KMSP415IP | CM234R ASSY | SSP025016M | 4,19 |






KM QUICK CHANGE

## DDQN 107,5°

| order number | catalogue number | L1 mm | L1 in | F mm | F in | D min mm | D min in | gage insert | shim | shim screw | clamp assembly | pin | kg |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | right hand | | | | | | | | | | | | |
| 2265440 | KM63TSDDQNR15KC04 | 60 | 2.362 | 43 | 1.693 | 86 | 3.39 | DN..150408/DN..432 | IDSN443 | KMSP415IP | CM234R ASSY | SSP025016M | 1,11 |
| 2265442 | KM63TSDDQNR15KC06 | 60 | 2.362 | 43 | 1.693 | 86 | 3.39 | DN..150608/DN..442 | IDSN433 | KMSP415IP | CM234R ASSY | SSP025016M | 1,11 |
| | left hand | | | | | | | | | | | | |
| 2265441 | KM63TSDDQNL15KC04 | 60 | 2.362 | 43 | 1.693 | 86 | 3.39 | DN..150408/DN..432 | IDSN443 | KMSP415IP | CM234R ASSY | SSP025016M | 1,11 |
| 2265443 | KM63TSDDQNL15KC06 | 60 | 2.362 | 43 | 1.693 | 86 | 3.39 | DN..150608/DN..442 | IDSN433 | KMSP415IP | CM234R ASSY | SSP025016M | 1,11 |






KM QUICK CHANGE

## DDUN 93°

| order number | catalogue number | L1 mm | L1 in | F mm | F in | D min mm | D min in | gage insert | shim | shim screw | clamp assembly | pin | kg |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | right hand | | | | | | | | | | | | |
| 5345315 | KM4X100DDUNR15KC06 | 100 | 3.937 | 63 | 2.480 | 120 | 4.72 | DN..150608/DN..442 | IDSN433 | KMSP415IP | CM234R ASSY | SSP025016M | 4,56 |
| | left hand | | | | | | | | | | | | |
| 5345314 | KM4X100DDUNL15KC06 | 100 | 3.937 | 63 | 2.480 | 120 | 4.72 | DN..150608/DN..442 | IDSN433 | KMSP415IP | CM234R ASSY | SSP025016M | 4,56 |






KM QUICK CHANGE

## MCKN 75°



| order number | catalogue number | L1 mm | L1 in | F mm | F in | D min mm | D min in | gage insert | shim | lock pin | clamp | clamp screw | kg | lbs |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | right hand | | | | | | | | | | | | | |
| 5337807 | KM4X100MCKNR19 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | CN..190612/CN..643 | ICSN633 | KLM68 | CKM12 | STCM4 | 4,80 | 10.58 |
| | left hand | | | | | | | | | | | | | |
| 5337806 | KM4X100MCKNL19 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | CN..190612/CN..643 | ICSN633 | KLM68 | CKM12 | STCM4 | 4,87 | 10.74 |






KM QUICK CHANGE

## MCLN 95°



| order number | catalogue number | L1 mm | L1 in | F mm | F in | D min mm | D min in | gage insert | shim | lock pin | clamp | clamp screw | kg | lbs |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | right hand | | | | | | | | | | | | | |
| 5337810 | KM4X100MCLNR19 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | CN..190612/CN..643 | ICSN633 | KLM68 | CKM12 | STCM4 | 4,45 | 9.82 |
| 5337811 | KM4X100MCLNR25 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | CN..250924/CN..866 | ICSN846 | KLM810 | CKM24 | STCM19 | 4,48 | 9.88 |
| | left hand | | | | | | | | | | | | | |
| 5337808 | KM4X100MCLNL19 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | CN..190612/CN..643 | ICSN633 | KLM68 | CKM12 | STCM4 | 4,49 | 9.89 |
| 5337809 | KM4X100MCLNL25 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | CN..250924/CN..866 | ICSN846 | KLM810 | CKM24 | STCM19 | 4,53 | 9.98 |






KM QUICK CHANGE

## MCRN 75°



| order number | catalogue number | L1 mm | L1 in | F mm | F in | gage insert | shim | lock pin | clamp | clamp screw | kg | lbs |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | right hand | | | | | | | | | | | |
| 5337814 | KM4X100MCRNR19 | 100 | 3.937 | 58 | 2.283 | CN..190612/CN..643 | ICSN633 | KLM68 | CKM12 | STCM4 | 4,47 | 9.86 |
| 5337815 | KM4X100MCRNR25 | 100 | 3.937 | 58 | 2.283 | CN..250924/CN..866 | ICSN846 | KLM810 | CKM24 | STCM19 | 4,58 | 10.09 |
| | left hand | | | | | | | | | | | |
| 5337812 | KM4X100MCRNL19 | 100 | 3.937 | 58 | 2.283 | CN..190612/CN..643 | ICSN633 | KLM68 | CKM12 | STCM4 | 4,53 | 9.98 |
| 5337813 | KM4X100MCRNL25 | 100 | 3.937 | 58 | 2.283 | CN..250924/CN..866 | ICSN846 | KLM810 | CKM24 | STCM19 | 4,57 | 10.06 |






KM QUICK CHANGE

## MRGN 0°



| order number | catalogue number | L1 mm | L1 in | F mm | F in | D min mm | D min in | gage insert | shim | lock pin | clamp | clamp screw | kg | lbs |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | right hand | | | | | | | | | | | | | |
| 5337734 | KM4X100MRGNR12 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | RN..120400/RN..43 | IRSN43 | KLM46 | CKM9 | STCM4 | 1,52 | 9.97 |
| 5337735 | KM4X100MRGNR19 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | RN..190600/RN..64 | IRSN63 | KLM68 | CKM12 | STCM4 | 4,52 | 9.97 |
| 5337736 | KM4X100MRGNR25 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | RN..250900/RN..86 | IRSN84 | KLM810 | CKM24 | STCM19 | 4,55 | 10.03 |
| | left hand | | | | | | | | | | | | | |
| 5337737 | KM4X100MRGNL12 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | RN..120400/RN..43 | IRSN43 | KLM46 | CKM9 | STCM4 | 4,59 | 10.13 |
| 5337738 | KM4X100MRGNL19 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | RN..190600/RN..64 | IRSN63 | KLM68 | CKM20 | STCM4 | 4,60 | 10.15 |
| 5337739 | KM4X100MRGNL25 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | RN..250900/RN..86 | IRSN84 | KLM810 | CKM24 | STCM19 | 4,62 | 10.20 |






KM QUICK CHANGE

■ MSDN 45°

| order number | catalogue number | L1 mm | L1 in | F mm | F in | gage insert | shim | lock pin | clamp | clamp screw | kg | lbs |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **5337697** | **KM4X100MSDNN19** | 100 | 3.937 | 0 | .000 | SN..190612/SN..643 | **ISSN633** | **KLM68** | **CKM12** | **STCM4** | 3,97 | 8.76 |
| **5337698** | **KM4X100MSDNN25** | 100 | 3.937 | 0 | .000 | SN..250924/SN..856 | **ISSN846** | **KLM810** | **CKM24** | **STCM19** | 3,97 | 8.76 |



## Looking for a product that's not shown in this catalogue?
## Check the Kennametal website!

### Online product catalogue available 24/7

Visit **http://www.kennametal.com/toolingsystems/** to browse our electronic catalogue any time you're looking for Kennametal's best tooling solutions. It's fast, free, and always available. The online e-catalogue is updated weekly with products and solutions for milling, turning, holemaking, and tooling systems applications.






KM QUICK CHANGE

## MSKN 75°



| order number | catalogue number | L1 mm | L1 in | F mm | F in | D min mm | D min in | gage insert | shim | lock pin | clamp | clamp screw | kg | lbs |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | right hand | | | | | | | | | | | | | |
| **5337711** | **KM4X100MSKNR19** | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | SN..190612/SN..643 | **ISSN633** | **KLM68** | **CKM12** | **STCM4** | 4,59 | 10.12 |






KM QUICK CHANGE

## MSRN 75°

| order number | catalogue number | L1 mm | L1 in | F mm | F in | gage insert | shim | lock pin | clamp | clamp screw | kg | lbs |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | right hand | | | | | | | | | | | |
| 5337715 | KM4X100MSRNR19 | 100 | 3.937 | 58 | 2.283 | SN..190612/SN..643 | ISSN633 | KLM68 | CKM12 | STCM4 | 4,47 | 9.85 |
| 5337716 | KM4X100MSRNR25 | 100 | 3.937 | 58 | 2.283 | SN..250924/SN..856 | ISSN846 | KLM810 | CKM24 | STCM19 | 4,46 | 9.83 |
| | left hand | | | | | | | | | | | |
| 5337713 | KM4X100MSRNL19 | 100 | 3.937 | 58 | 2.283 | SN..190612/SN..643 | ISSN633 | KLM68 | CKM12 | STCM4 | 4,44 | 9.78 |
| 5337714 | KM4X100MSRNL25 | 100 | 3.937 | 58 | 2.283 | SN..250924/SN..856 | ISSN846 | KLM810 | CKM24 | STCM19 | 4,41 | 9.73 |






KM QUICK CHANGE

## MTJN 93°

| order number | catalogue number | L1 mm | L1 in | F mm | F in | gage insert | shim | lock pin | clamp | clamp screw | kg | lbs |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | right hand | | | | | | | | | | | |
| 5337717 | KM4X100MTJNR27 | 100 | 3.937 | 63 | 2.480 | TN..270612/TN..543 | ITSN534 | KLM58 | CKM12 | STCM4 | 4,75 | 10.49 |
| 5337718 | KM4X100MTJNR33 | 100 | 3.937 | 63 | 2.480 | TN..330912/TN..663 | ITSN636 | KLM68L | CKM12 | STCM4 | 4,76 | 10.49 |
| | left hand | | | | | | | | | | | |
| 5337719 | KM4X100MTJNL27 | 100 | 3.937 | 63 | 2.480 | TN..270612/TN..543 | ITSN534 | KLM58 | CKM12 | STCM4 | 4,82 | 10.62 |
| 5337730 | KM4X100MTJNL33 | 100 | 3.937 | 63 | 2.480 | TN..330912/TN..663 | ITSN636 | KLM68L | CKM12 | STCM4 | 4,79 | 10.57 |






KM QUICK CHANGE

## MVUN 93°



| order number | catalogue number | L1 mm | L1 in | F mm | F in | D min mm | D min in | gage insert | shim | lock pin | clamp | clamp screw | kg | lbs |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | right hand | | | | | | | | | | | | | |
| **5337732** | **KM4X100MVUNR16** | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | VN..160408/VN..332 | **IVSN322** | **KLM34L** | **CKM22** | **STCM20** | 4,57 | 10.08 |
| | left hand | | | | | | | | | | | | | |
| **5337731** | **KM4X100MVUNL16** | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | VN..160408/VN..332 | **IVSN322** | **KLM34L** | **CKM22** | **STCM20** | 4,90 | 10.81 |








KM QUICK CHANGE

## PRDCN

| order number | catalogue number | L1 mm | L1 in | F mm | F in | CD mm | CD in | gage insert | shim | clamp screw | clamp stud | kg | lbs |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | left hand | | | | | | | | | | | | |
| **5337750** | **KM4X100PRDCN20** | 100 | 3.937 | 10 | .394 | 40 | 1.581 | RCMT2006M0 | **169.333** | **121.820** | **119.073** | 3,63 | 8.00 |
| **5337751** | **KM4X100PRDCN25** | 100 | 3.937 | 13 | .492 | 50 | 1.975 | RCMT2507M0RP | **169.337** | **121.820** | **118.404** | 3,31 | 7.29 |
| **5337752** | **KM4X100PRDCN32** | 110 | 4.331 | 16 | .630 | 60 | 2.368 | RCMX3209M0RP | **169.339** | **121.030** | **118.604** | 3,50 | 7.93 |









KM QUICK CHANGE

■ NE



| order number | catalogue number | L1 mm | L1 in | F mm | F in | D min mm | D min in | gage insert | clamp | clamp screw | kg | lbs |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | right hand | | | | | | | | | | | |
| 5337758 | KM4X100NER3 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | NG3L | CM73 | MS1489 | 4,44 | 9.79 |
| 5337759 | KM4X100NER4 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | NG4L | CM73 | MS1489 | 4,49 | 9.90 |
| 5337770 | KM4X100NER5 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | NG5L | CM81 | MS1490 | 4,59 | 10.13 |
| 5337771 | KM4X100NER6 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | NG6L | CM121 | MS1489 | 4,48 | 9.88 |
| | left hand | | | | | | | | | | | |
| 5337754 | KM4X100NEL3 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | NG3R | CM72 | MS1489 | 4,44 | 9.79 |
| 5337755 | KM4X100NEL4 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | NG4R | CM72 | MS1489 | 4,49 | 9.90 |
| 5337756 | KM4X100NEL5 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | NG5R | CM80 | MS1490 | 4,59 | 10.13 |
| 5337757 | KM4X100NEL6 | 100 | 3.937 | 63 | 2.480 | 120 | 4.724 | NG6R | CM120 | MS1489 | 4,48 | 9.88 |




KM QUICK CHANGE

## KGME

| order number | catalogue number | L1 mm | L1 in | F mm | F in | cartridge size | blade screw | clamp screw | nozzle | kg |
|---|---|---|---|---|---|---|---|---|---|---|
| | right hand | | | | | | | | | |
| 5337789 | KM4X100KGMER50 | 88 | 3.47 | 50,5 | 1.988 | 50 | – | – | – | 4,89 |
| 5337800 | KM4X100KGMER65C | 87 | 3.43 | 50,5 | 1.988 | 65 | – | – | – | 5,73 |
| | left hand | | | | | | | | | |
| 5337787 | KM4X100KGMEL50 | 88 | 3.47 | 50,5 | 1.988 | 50 | – | – | – | 4,89 |
| 5337788 | KM4X100KGMEL65C | 87 | 3.43 | 50,5 | 1.988 | 65 | – | – | – | 5,73 |

NOTE: For A3/A4 modular blades, see the Kennametal Innovations Master Catalogue Cutting Tools 2013.
Right-hand cutting units use left-hand blades.




KM QUICK CHANGE

## KGMS

| order number | catalogue number | L1 mm | L1 in | F mm | F in | cartridge size | blade screw | clamp screw | nozzle | kg |
|---|---|---|---|---|---|---|---|---|---|---|
| | right hand | | | | | | | | | |
| 5337803 | KM4X100KGMSR50 | 89 | 3.48 | 51,0 | 2.008 | 50 | MS1162 | MS2002 | PMT04525 | 4,17 |
| 5337804 | KM4X100KGMSR65C | 89 | 3.48 | 44,0 | 1.732 | 65 | – | – | – | 5,31 |
| | left hand | | | | | | | | | |
| 5337801 | KM4X100KGMSL50 | 89 | 3.48 | 51,0 | 2.008 | 50 | MS1162 | MS2002 | PMT04525 | 4,17 |
| 5337802 | KM4X100KGMSL65C | 89 | 3.48 | 44,0 | 1.732 | 65 | – | – | – | 5,31 |

NOTE: For A3/A4 modular blades, see the Kennametal Innovations Master Catalogue Cutting Tools 2013.
Right-hand cutting units use right-hand blades.






KM QUICK CHANGE

## STA • Metric

| order number | catalogue number | B2 | BW | F | HW | L1 | LPR | nozzle | kg |
|---|---|---|---|---|---|---|---|---|---|
| | **right hand** | | | | | | | | |
| **5337782** | **KM4X100STAR20** | 102 | 32 | 21 | 32 | 53 | 180 | **PMT04526** | 12,09 |
| **5337783** | **KM4X100STAR24** | 102 | 38 | 14 | 38 | 53 | 180 | **PMT04526** | 11,61 |
| **5337784** | **KM4X100STAR2525M** | 102 | 25 | 27 | 25 | 55 | 180 | **PMT04526** | 12,52 |
| **5337785** | **KM4X100STAR3232M** | 102 | 32 | 20 | 32 | 55 | 180 | **PMT04526** | 12,09 |
| | **left hand** | | | | | | | | |
| **5337779** | **KM4X100STAL24** | 102 | 38 | 14 | 38 | 53 | 180 | **PMT04526** | 11,61 |
| **5337780** | **KM4X100STAL2525M** | 102 | 25 | 27 | 25 | 55 | 180 | **PMT04526** | 12,52 |
| **5337781** | **KM4X100STAL3232M** | 102 | 32 | 20 | 32 | 55 | 180 | **PMT04526** | 12,09 |






KM QUICK CHANGE

## STA • Inch

| order number | catalogue number | B2 | BW | F | HW | L1 | LPR | nozzle | lbs |
|---|---|---|---|---|---|---|---|---|---|
| | **right hand** | | | | | | | | |
| **5337782** | **KM4X100STAR20** | 4.028 | 1.250 | .809 | 1.250 | 2.071 | 7.087 | **PMT04526** | 26.66 |
| **5337783** | **KM4X100STAR24** | 4.028 | 1.500 | .559 | 1.500 | 2.071 | 7.087 | **PMT04526** | 25.60 |
| **5337784** | **KM4X100STAR2525M** | 4.028 | .984 | 1.075 | .984 | 2.165 | 7.087 | **PMT04526** | 27.60 |
| **5337785** | **KM4X100STAR3232M** | 4.028 | 1.260 | .799 | 1.260 | 2.165 | 7.087 | **PMT04526** | 26.67 |
| | **left hand** | | | | | | | | |
| **5337779** | **KM4X100STAL24** | 4.028 | 1.500 | .559 | 1.500 | 2.071 | 7.087 | **PMT04526** | 25.60 |
| **5337780** | **KM4X100STAL2525M** | 4.028 | .984 | 1.075 | .984 | 2.165 | 7.087 | **PMT04526** | 27.60 |
| **5337781** | **KM4X100STAL3232M** | 4.028 | 1.260 | .799 | 1.260 | 2.165 | 7.087 | **PMT04526** | 26.67 |









KM QUICK CHANGE

■ ETA • Inch

| order number | catalogue number | B2 | BW | F | HW | L1 | LPR | nozzle | lbs |
|---|---|---|---|---|---|---|---|---|---|
| | right hand | | | | | | | | |
| 5337778 | KM4X100ETAR20 | 4.724 | 1.250 | -2.244 | 1.250 | 3.002 | 4.252 | PMT04526 | 16.52 |
| | left hand | | | | | | | | |
| 5337777 | KM4X100ETAL20 | 4.724 | 1.250 | -2.244 | 1.250 | 3.002 | 4.252 | PMT04526 | 16.52 |



KM QUICK CHANGE

- Balanceable — fine tune with optional M6 set screws.
- Suitable for carbide and HSS cutting tools.

**Cutting Tool Shank Requirements metric (ISO standard)**

| cutting tool shank diameter | | tolerance |
|---|---|---|
| 6 | h6 | 0,000/-0,008 |
| 8 & 10 | h6 | 0,000/-0,009 |
| 12, 14, 16, & 18 | h6 | 0,000/-0,011 |
| 20 & 25 | h6 | 0,000/-0,013 |
| 32, 40, & 50 | h6 | 0,000/-0,016 |



## TT GP HPV MM-KM4X • Metric

| order number | catalogue number | D1 | D2 | D21 | D22 | L1 | L2 | L9 | L21 | V | stop screw | wrench size stop screw |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4156046 | KM4X100HPVTT06085M | 6 | 21 | 27 | — | 85 | 56 | 26 | — | 10 | TTSS05014M | 2,5mm |
| 4156047 | KM4X100HPVTT06160M | 6 | 21 | 27 | 32 | 160 | 50 | 26 | 122 | 10 | TTSS05014M | 2,5mm |
| 4156048 | KM4X100HPVTT08085M | 8 | 21 | 27 | — | 85 | 56 | 26 | — | 10 | TTSS06014M | 3mm |
| 4156049 | KM4X100HPVTT08160M | 8 | 21 | 27 | 32 | 160 | 50 | 26 | 122 | 10 | TTSS06014M | 3mm |
| 4156050 | KM4X100HPVTT10090M | 10 | 24 | 32 | — | 90 | 61 | 31 | — | 10 | TTSS08014M | 4mm |
| 4156051 | KM4X100HPVTT10160M | 10 | 24 | 32 | 36 | 160 | 63 | 31 | 122 | 10 | TTSS08014M | 4mm |
| 4156052 | KM4X100HPVTT12095M | 12 | 24 | 32 | — | 95 | 66 | 36 | — | 10 | TTSS10014M | 5mm |
| 4156113 | KM4X100HPVTT12160M | 12 | 24 | 32 | 36 | 160 | 63 | 36 | 122 | 10 | TTSS10014M | 5mm |
| 4156114 | KM4X100HPVTT14095M | 14 | 27 | 34 | — | 95 | 66 | 36 | — | 10 | TTSS10014M | 5mm |
| 4156115 | KM4X100HPVTT14160M | 14 | 27 | 34 | 38 | 160 | 57 | 36 | 122 | 10 | TTSS10014M | 5mm |
| 4156116 | KM4X100HPVTT16100M | 16 | 27 | 34 | — | 100 | 71 | 39 | — | 10 | TTSS12014M | 6mm |
| 4156117 | KM4X100HPVTT16160M | 16 | 27 | 34 | 38 | 160 | 57 | 39 | 122 | 10 | TTSS12014M | 6mm |
| 4156118 | KM4X100HPVTT18100M | 18 | 33 | 42 | — | 100 | 71 | 39 | — | 10 | TTSS12014M | 6mm |
| 4156119 | KM4X100HPVTT18160M | 18 | 33 | 42 | 46 | 160 | 69 | 39 | 122 | 10 | TTSS12014M | 6mm |
| 4156120 | KM4X100HPVTT20105M | 20 | 33 | 42 | — | 105 | 76 | 41 | — | 10 | TTSS16014M | 8mm |
| 4156121 | KM4X100HPVTT20160M | 20 | 33 | 42 | 46 | 160 | 69 | 41 | 122 | 10 | TTSS16014M | 8mm |
| 4156122 | KM4X100HPVTT25115M | 25 | 44 | 53 | — | 115 | 86 | 47 | — | 10 | TTSS16014M | 8mm |
| 4156123 | KM4X100HPVTT25160M | 25 | 44 | 53 | 57 | 160 | 69 | 47 | 122 | 10 | TTSS16014M | 8mm |
| .4156124 | KM4X100HPVTT32120M | 32 | 44 | 53 | — | 120 | 91 | 51 | — | 10 | TTSS16014M | 8mm |
| 4156125 | KM4X100HPVTT32160M | 32 | 44 | 53 | 57 | 160 | 69 | 51 | 122 | 10 | TTSS16014M | 8mm |

NOTE: Do not overheat. Overheating will destroy the accuracy and functionality of the toolholder.
Supplied with stop screw.
Optional M6~1.0P x 5 lg fine-balancing screw set (10 pieces) available. Order number: MS1276PKG. Must be ordered separately.



KM QUICK CHANGE

- Balanceable — fine tune with optional M6 set screws.
- Suitable for carbide and HSS cutting tools.

**Cutting Tool Shank Requirements**
**inch (industry standard)**

| cutting tool shank diameter | tolerance |
|---|---|
| 1/4, 5/16, & 3/8 | -.0001/-.0004 |
| 7/16, 1/2, 9/16, 5/8, & 11/16 | .0000/-.0004 |
| 3/4, 7/8, 1, 1-1/4, 1-1/2, & 2 | .0000/-.0005 |



## TT GP HPV IN-KM4X • Inch

| order number | catalogue number | D1 | D2 | D21 | D22 | L1 | L2 | L9 | L21 | V | stop screw | wrench size stop screw |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **4155746** | **KM4X100HPVTT025335** | 1/4 | 0.83 | 1.06 | — | 3.35 | 2.21 | 1.02 | — | 0.39 | **TTSS05014M** | 2,5mm |
| **4155747** | **KM4X100HPVTT025630** | 1/4 | 0.83 | 1.06 | 1.26 | 6.30 | 1.97 | 1.02 | 4.81 | 0.39 | **TTSS05014M** | 2,5mm |
| **4155748** | **KM4X100HPVTT031335** | 5/16 | 0.83 | 1.06 | — | 3.35 | 2.21 | 1.02 | — | 0.39 | **TTSS06014M** | 3mm |
| **4155749** | **KM4X100HPVTT031630** | 5/16 | 0.83 | 1.06 | 1.26 | 6.30 | 1.97 | 1.02 | 4.81 | 0.39 | **TTSS06014M** | 3mm |
| **4155750** | **KM4X100HPVTT038354** | 3/8 | 0.95 | 1.24 | — | 3.54 | 2.40 | 1.22 | — | 0.39 | **TTSS08014M** | 4mm |
| **4155751** | **KM4X100HPVTT038630** | 3/8 | 0.95 | 1.26 | 1.42 | 6.30 | 2.48 | 1.22 | 4.81 | 0.39 | **TTSS08014M** | 4mm |
| **4155752** | **KM4X100HPVTT050374** | 1/2 | 0.95 | 1.26 | — | 3.74 | 2.60 | 1.42 | — | 0.39 | **TTSS10014M** | 5mm |
| **4156153** | **KM4X100HPVTT050630** | 1/2 | 0.95 | 1.26 | 1.42 | 6.30 | 2.48 | 1.42 | 4.81 | 0.39 | **TTSS10014M** | 5mm |
| **4156154** | **KM4X100HPVTT062394** | 5/8 | 1.06 | 1.34 | — | 3.94 | 2.80 | 1.54 | — | 0.39 | **TTSS12014M** | 6mm |
| **4156155** | **KM4X100HPVTT062630** | 5/8 | 1.06 | 1.34 | 1.51 | 6.30 | 2.24 | 1.54 | 4.81 | 0.39 | **TTSS12014M** | 6mm |
| **4156156** | **KM4X100HPVTT075413** | 3/4 | 1.30 | 1.65 | — | 4.13 | 2.99 | 1.61 | — | 0.39 | **TTSS16014M** | 8mm |
| **4156157** | **KM4X100HPVTT075630** | 3/4 | 1.30 | 1.65 | 1.8 | 6.30 | 2.72 | 1.61 | 4.81 | 0.39 | **TTSS16014M** | 8mm |
| **4156158** | **KM4X100HPVTT088413** | 7/8 | 1.30 | 1.65 | — | 4.13 | 2.99 | 1.61 | — | 0.39 | **TTSS16014M** | 8mm |
| **4156159** | **KM4X100HPVTT088630** | 7/8 | 1.30 | 1.65 | 1.8 | 6.30 | 2.72 | 1.61 | 4.81 | 0.39 | **TTSS16014M** | 8mm |
| **4156160** | **KM4X100HPVTT100453** | 1 | 1.73 | 2.08 | — | 4.53 | 3.39 | 1.85 | — | 0.39 | **TTSS16014M** | 8mm |
| **4156161** | **KM4X100HPVTT100630** | 1 | 1.73 | 2.08 | 2.23 | 6.30 | 2.72 | 1.85 | 4.81 | 0.39 | **TTSS16014M** | 8mm |
| **4156162** | **KM4X100HPVTT125472** | 1 1/4 | 1.73 | 2.08 | — | 4.72 | 3.59 | 2.01 | — | 0.39 | **TTSS16014M** | 8mm |
| **4156163** | **KM4X100HPVTT125630** | 1 1/4 | 1.73 | 2.08 | 2.23 | 6.30 | 2.72 | 2.01 | 4.81 | 0.39 | **TTSS16014M** | 8mm |
| **4156164** | **KM4X100HPVTT150531** | 1 1/2 | 2.36 | 2.75 | — | 5.31 | 4.18 | 2.01 | — | 0.39 | **TTSS20014M** | 10mm |

NOTE: Do not overheat. Overheating will destroy the accuracy and functionality of the toolholder.
Supplied with stop screw.
Optional M6~1.0P x 5 lg fine-balancing screw set (10 pieces) available. Order number: MS1276PKG. Must be ordered separately.



KM QUICK CHANGE

SHRINKER

- 30–50% higher clamping torque compared to GP line.
- Balanceable — fine tune with optional M6 set screws.
- Suitable for carbide only, designated by groove in front face.
- 10 kW power or greater Shrink Fit device must be used.

**Cutting Tool Shank Requirements inch (industry standard)**

| cutting tool shank diameter | tolerance |
|---|---|
| 1/2 & 5/8 | .0000/-.0004 |
| 3/4, 7/8, 1, 1-1/4, & 1-1/2 | .0000/-.0005 |

**Cutting Tool Shank Requirements metric (ISO standard)**

| cutting tool shank diameter | tolerance | |
|---|---|---|
| 12, 14, 16, & 18 | h6 | 0,000/-0,011 |
| 20 & 25 | h6 | 0,000/-0,013 |
| 32, 40, & 50 | h6 | 0,000/-0,016 |



## TT HT HPV MM-KM4X • Metric

| order number | catalogue number | D1 | D2 | D21 | L1 | L2 | L9 | V | stop screw | wrench size stop screw |
|---|---|---|---|---|---|---|---|---|---|---|
| **4156182** | **KM4X100HPVTTHT12095M** | 12 | 24 | 31,9 | 95 | 66 | 36 | 10 | **TTSS10014M** | 5mm |
| **4156193** | **KM4X100HPVTTHT14095M** | 14 | 27 | 33,9 | 95 | 66 | 36 | 10 | **TTSS10014M** | 5mm |
| **4156194** | **KM4X100HPVTTHT16100M** | 16 | 27 | 33,9 | 100 | 71 | 39 | 10 | **TTSS12014M** | 6mm |
| **4156195** | **KM4X100HPVTTHT18100M** | 18 | 33 | 41,9 | 100 | 71 | 39 | 10 | **TTSS12014M** | 6mm |
| **4156196** | **KM4X100HPVTTHT20105M** | 20 | 33 | 41,9 | 105 | 76 | 41 | 10 | **TTSS16014M** | 8mm |
| **4156197** | **KM4X100HPVTTHT25115M** | 25 | 44 | 52,9 | 115 | 86 | 47 | 10 | **TTSS16014M** | 8mm |
| **4156198** | **KM4X100HPVTTHT32120M** | 32 | 44 | 52,9 | 120 | 91 | 51 | 10 | **TTSS16014M** | 8mm |

*(continued)*

## TT HT HPV IN-KM4X • Inch

| order number | catalogue number | D1 | D2 | D21 | D22 | L1 | L2 | L9 | L21 | V | stop screw | wrench size stop screw |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **4156166** | **KM4X100HPVTTHT050374** | 1/2 | 0.95 | 1.26 | — | 3.74 | 2.60 | 1.42 | — | 0.39 | **TTSS10014M** | 5mm |
| **4156167** | **KM4X100HPVTTHT050630** | 1/2 | 0.95 | 1.26 | 1.42 | 6.30 | 2.48 | 1.42 | 4.81 | 0.39 | **TTSS10014M** | 5mm |
| **4156168** | **KM4X100HPVTTHT062394** | 5/8 | 1.06 | 1.34 | — | 3.94 | 2.80 | 1.54 | — | 0.39 | **TTSS12014M** | 6mm |
| **4156169** | **KM4X100HPVTTHT062630** | 5/8 | 1.06 | 1.34 | 1.51 | 6.30 | 2.24 | 1.54 | 4.81 | 0.39 | **TTSS12014M** | 6mm |
| **4156170** | **KM4X100HPVTTHT075413** | 3/4 | 1.30 | 1.65 | — | 4.13 | 2.99 | 1.61 | — | 0.39 | **TTSS16014M** | 8mm |
| **4156171** | **KM4X100HPVTTHT075630** | 3/4 | 1.30 | 1.65 | 1.8 | 6.30 | 2.72 | 1.61 | 4.81 | 0.39 | **TTSS16014M** | 8mm |
| **4156172** | **KM4X100HPVTTHT088413** | 7/8 | 1.30 | 1.65 | — | 4.13 | 2.99 | 1.61 | — | 0.39 | **TTSS16014M** | 8mm |
| **4156203** | **KM4X100HPVTTHT088630** | 7/8 | 1.30 | 1.65 | 1.8 | 6.30 | 2.72 | 1.61 | 4.81 | 0.39 | **TTSS16014M** | 8mm |
| **4156204** | **KM4X100HPVTTHT100453** | 1 | 1.73 | 2.08 | — | 4.53 | 3.39 | 1.85 | — | 0.39 | **TTSS16014M** | 8mm |
| **4156205** | **KM4X100HPVTTHT100630** | 1 | 1.73 | 2.08 | 2.23 | 6.30 | 2.72 | 1.85 | 4.81 | 0.39 | **TTSS16014M** | 8mm |
| **4156206** | **KM4X100HPVTTHT125472** | 1 1/4 | 1.73 | 2.08 | — | 4.72 | 3.59 | 2.01 | — | 0.39 | **TTSS16014M** | 8mm |
| **4156207** | **KM4X100HPVTTHT125630** | 1 1/4 | 1.73 | 2.08 | 2.23 | 6.30 | 2.72 | 2.01 | 4.81 | 0.39 | **TTSS16014M** | 8mm |
| **4156208** | **KM4X100HPVTTHT150531** | 1 1/2 | 2.36 | 2.75 | — | 5.31 | 4.18 | 2.01 | — | 0.39 | **TTSS20014M** | 10mm |

NOTE: Do not overheat. Overheating will destroy the accuracy and functionality of the toolholder.
Supplied with stop screw.
Optional M6~1.0P x 5 lg fine-balancing screw set (10 pieces) available. Order number: MS1276PKG. Must be ordered separately.






- Tremendous Grip (3:1 advantage).

| | Collet Capacity | | | |
|---|---|---|---|---|
| | mm | | inch | |
| TG collet series | min | max | min | max |
| TG50 | 1,1 | 13,5 | 1/32 | 17/32 |
| TG75 | 2,6 | 20,0 | 3/64 | 3/4 |
| TG100 | 2,6 | 25,5 | 5/64 | 1 |
| TG150 | 11,6 | 40,0 | 23/64 | 1-1/2 |



## TG Round-KM4X

| order number | catalogue number | collet series | D11 | L1 | L9 | V | locknut | locknut wrench | Nm | stop screw | wrench size stop screw |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **4156445** | **KM4X100TG050105M** | TG50 | 38 | 105 | 42 | 40 | **LNA050M** | **HSW34M** | 68 | **SS056041G** | 4mm & 5/32 |
| **4156446** | **KM4X100TG050160M** | TG50 | 38 | 160 | 42 | 58 | **LNA050M** | **HSW34M** | 68 | **SS056041G** | 4mm & 5/32 |
| **4156447** | **KM4X100TG075120M** | TG75 | 50 | 120 | 54 | 46 | **LNA075M** | **HSW45M** | 136 | **SS081041G** | 4mm & 5/32 |
| **4156448** | **KM4X100TG100140M** | TG100 | 60 | 140 | 70 | 45 | **LNA100M** | **HSW58M** | 203 | **SS112041G** | 4mm & 5/32 |
| **4156449** | **KM4X100TG150165M** | TG150 | 85 | 165 | 84 | 46 | **LNA150M** | **HSW80M** | 271 | **SS162062G** | 4mm & 5/32 |

NOTE: First, load collet into locknut. Before loading into the chuck body, insert cutting tool, then tighten to recommended tightening torque.
Supplied with locknut and stop screw.
Locknut wrench must be ordered separately.






• Grip (2:1 advantage).

| | Collet Capacity | | | |
|---|---|---|---|---|
| | mm | | inch | |
| ER collet series | min | max | min | max |
| ER16 | 0,5 | 10,0 | .02 | .41 |
| ER20 | 0,5 | 13,0 | .02 | .50 |
| ER25 | 1,0 | 16,0 | .04 | .63 |
| ER32 | 2,0 | 20,0 | .08 | .81 |
| ER40 | 3,0 | 26,0 | .12 | 1.00 |



## ER Hex-KM4X

| order number | catalogue number | collet series | D11 | D21 | L1 | L2 | L9 | V | locknut | locknut wrench | Nm | stop screw | wrench size stop screw |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **4159999** | **KM4X100ER16100M** | ER16 | 28 | — | 100 | — | 32 | 53 | **LNHSER16M** | **OEW25M** | 56 | **SS044038G** | 4mm & 5/32 |
| **4160000** | **KM4X100ER16160M** | ER16 | 28 | 60 | 160 | 85 | 32 | 68 | **LNHSER16M** | **OEW25M** | 56 | **SS044038G** | 4mm & 5/32 |
| **4160001** | **KM4X100ER20100M** | ER20 | 34 | — | 100 | — | 36 | 35 | **LNHSER20M** | **OEW30M** | 80 | **SS056041G** | 4mm & 5/32 |






## ER Round-KM4X

| order number | catalogue number | collet series | D11 | L1 | L9 | V | locknut | locknut wrench | Nm | stop screw | wrench size stop screw |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **4160002** | **KM4X100ER25100M** | ER25 | 42 | 100 | 40 | 33 | **LNSER25M** | **ER25WM** | 104 | **SS075041G** | 4mm & 5/32 |
| **4160043** | **KM4X100ER32100M** | ER32 | 50 | 100 | 45 | 32 | **LNSER32M** | **ER32WM** | 136 | **SS094041G** | 4mm & 5/32 |
| **4160044** | **KM4X100ER32160M** | ER32 | 50 | 160 | 45 | 92 | **LNSER32M** | **ER32WM** | 136 | **SS094041G** | 4mm & 5/32 |
| **4160045** | **KM4X100ER40120M** | ER40 | 63 | 120 | 52 | 38 | **LNSER40M** | **ER40WM** | 175 | **SS112041G** | 4mm & 5/32 |

NOTE: First, load collet into locknut. Before loading into the chuck body, insert cutting tool, then tighten to recommended tightening torque.
Supplied with locknut and stop screw.
Locknut wrench must be ordered separately.



## WN MM-KM4X • Metric

| order number | catalogue number | D1 | D2 | L1 | L9 | V | clamp screw | wrench size clamp screw | Nm | stop screw | wrench size stop screw |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **4160047** | **KM4X100WN06090M** | 6 | 24,5 | 90 | 30 | 10 | **SS03M012** | 3mm | 7 | **571.060** | 2,5mm |
| **4160048** | **KM4X100WN08090M** | 8 | 27,5 | 90 | 30 | 10 | **SS03M014** | 4mm | 15 | **571.067** | 3mm |
| **4160049** | **KM4X100WN10090M** | 10 | 34,5 | 90 | 35 | 10 | **SS03M018** | 5mm | 25 | **571.068** | 4mm |
| **4160050** | **KM4X100WN12100M** | 12 | 41,5 | 100 | 40 | 10 | **SS03M023** | 6mm | 35 | **571.074** | 5mm |
| **4160051** | **KM4X100WN14100M** | 14 | 43,5 | 100 | 40 | 10 | **SS03M023** | 6mm | 35 | **571.074** | 5mm |
| **4160052** | **KM4X100WN16100M** | 16 | 47,5 | 100 | 43 | 10 | **SS03M025** | 6mm | 50 | **571.069** | 6mm |
| **4160073** | **KM4X100WN18100M** | 18 | 49,5 | 100 | 43 | 10 | **SS03M025** | 6mm | 50 | **571.069** | 6mm |
| **4160074** | **KM4X100WN20110M** | 20 | 51,5 | 110 | 45 | 10 | **SS03M026** | 8mm | 95 | **571.076** | 6mm |
| **4160075** | **KM4X100WN25120M** | 25 | 64,5 | 120 | 50 | 10 | **SS03M027** | 10mm | 135 | **571.077** | 6mm |
| **4160076** | **KM4X100WN32120M** | 32 | 71,5 | 120 | 54 | 10 | **SS03M029** | 10mm | 160 | **571.077** | 6mm |

NOTE: Do not overtighten clamp screw; use torque recommendations above.
Supplied with clamp screw and stop screw.
Clamp screw and stop screw wrenches not included.



## HTS-KM4X

| order number | catalogue number | D1 | D2 | L1 | L1S | clamp screw | hex wrench | drive ring | ft. lbs. | kg |
|---|---|---|---|---|---|---|---|---|---|---|
| **4159439** | **KM4X100HTS40085M** | 40 | 70 | 99 | 85 | **191.728** | **170.008** | **192.424** | 26 | 3.80 |
| **4159440** | **KM4X100HTS50090M** | 50 | 80 | 106 | 90 | **191.728** | **170.008** | **192.425** | 26 | 4.27 |

NOTE: Shipped with drive ring and clamping screw.
Assemble components using recommended torque values.



## EM MM-KM4X • Metric

| order number | catalogue number | D1 | D2 | L1 | L9 | clamp screw | wrench size clamp screw | Nm |
|---|---|---|---|---|---|---|---|---|
| 4160510 | KM4X100EM06080M | 6 | 24,5 | 80 | 52 | SS03M012 | 3mm | 7 |
| 4160511 | KM4X100EM08080M | 8 | 27,5 | 80 | 52 | SS03M014 | 4mm | 15 |
| 4160512 | KM4X100EM10080M | 10 | 34,5 | 80 | 52 | SS03M018 | 5mm | 25 |
| 4160533 | KM4X100EM12080M | 12 | 41,5 | 80 | 49 | SS03M023 | 6mm | 35 |
| 4160534 | KM4X100EM14080M | 14 | 43,5 | 80 | 49 | SS03M023 | 6mm | 35 |
| 4160535 | KM4X100EM16100M | 16 | 47,5 | 100 | 53 | SS03M025 | 6mm | 50 |
| 4160536 | KM4X100EM18100M | 18 | 49,5 | 100 | 53 | SS03M025 | 6mm | 50 |
| 4160537 | KM4X100EM20100M | 20 | 51,5 | 100 | 55 | SS03M026 | 8mm | 95 |
| 4160538 | KM4X100EM25100M | 25 | 64,5 | 100 | 60 | SS03M027 | 10mm | 135 |
| 4160539 | KM4X100EM32100M | 32 | 71,5 | 100 | 65 | SS03M029 | 10mm | 160 |
| 4160540 | KM4X100EM40120M | 40 | 89,5 | 120 | 75 | SS03M032 | 10mm | 160 |
| 4160541 | KM4X100EM50130M | 50 | 99,5 | 130 | 85 | SS03M030 | 12mm | 200 |



## EM IN-KM4X • Inch

| order number | catalogue number | D1 | D2 | L1 | L9 | clamp screw | wrench size clamp screw | ft. lbs. |
|---|---|---|---|---|---|---|---|---|
| 4160518 | KM4X100EM025300 | 1/4 | 1.000 | 3.000 | 1.89 | ELS025025 | 1/8 | 8 |
| 4160519 | KM4X100EM038300 | 3/8 | 1.000 | 3.000 | 1.89 | ELS038031 | 3/16 | 15 |
| 4160520 | KM4X100EM050325 | 1/2 | 1.375 | 3.250 | 1.97 | ELS044038 | 7/32 | 20 |
| 4160521 | KM4X100EM062375 | 5/8 | 1.625 | 3.750 | 2.09 | ELS056050 | 1/4 | 40 |
| 4160522 | KM4X100EM075375 | 3/4 | 1.750 | 3.750 | 2.22 | ELS062050 | 5/16 | 70 |
| 4160573 | KM4X100EM100425 | 1 | 2.000 | 4.250 | 2.46 | ELS075056 | 3/8 | 110 |
| 4160574 | KM4X100EM125425 | 1 1/4 | 2.500 | 4.250 | 2.51 | ELS075062 | 3/8 | 110 |
| 4160575 | KM4X100EM150450 | 1 1/2 | 2.750 | 4.500 | 2.93 | ELS075069 | 3/8 | 110 |
| 4160576 | KM4X100EM200550 | 2 | 3.750 | 5.500 | 3.53 | ELS100088 | 1/2 | 150 |
| 4160577 | KM4X100EM250575 | 2 1/2 | 4.188 | 5.750 | 3.63 | ELS100088 | 1/2 | 150 |

NOTE: Do not overtighten clamp screw; use torque recommendations above.
Supplied with clamp screw.
Clamp screw wrench not included.



## SMC TD CAP MM-KM4X • Metric

| order number | catalogue number | D1 | D2 | D21 | L1 | L2 | L20 | L21 | lock screw | wrench size lock screw |
|---|---|---|---|---|---|---|---|---|---|---|
| **4169583** | **KM4X100TDSMC22260M** | 22 | 49 | 65 | 260 | 13,5 | 215 | 231 | **MS-1234** | 8mm |



## SMC TD Lock MM-KM4X • Metric

| order number | catalogue number | D1 | D2 | D21 | L1 | L2 | L20 | L21 | lock screw | wrench size lock screw |
|---|---|---|---|---|---|---|---|---|---|---|
| **4169584** | **KM4X100TDSMC27320M** | 27 | 61 | 85 | 320 | 13,5 | 275 | 291 | **KLSS27M** | 10mm |
| **4169585** | **KM4X100TDSMC32330M** | 32 | 78 | — | 330 | 299 | — | — | **KLSS32M** | 14mm |



## SMC TD Lock IN-KM4X • Inch

| order number | catalogue number | D1 | D2 | D21 | L1 | L2 | L20 | L21 | clamp screw | wrench size clamp screw |
|---|---|---|---|---|---|---|---|---|---|---|
| **4169586** | **KM4X100TDSMC0751050** | 3/4 | 1.75 | 2.56 | 10.5 | .53 | 8.73 | 9.24 | **KLS07** | 1/4 |
| **4169587** | **KM4X100TDSMC1001250** | 1 | 2.75 | 3.33 | 12.5 | .53 | 10.73 | 11.36 | **KLS10** | 5/16 |
| **4169588** | **KM4X100TDSMC1251300** | 1 1/4 | 2.88 | 3.33 | 13 | .63 | 11.23 | 11.86 | **KLS12** | 5/16 |

NOTE: Do not overtighten lock screw; use torque recommendations above.
Supplied with lock screw and drive keys.
Lock screw wrench not included.






## SMC CAP MM-KM4X • Metric

| order number | catalogue number | D1 | D2 | L1 | lock screw | wrench size lock screw |
|---|---|---|---|---|---|---|
| 4160335 | KM4X100SMC22050M | 22 | 49 | 50 | MS1234 | 8mm |
| 4160337 | KM4X100SMC22100M | 22 | 49 | 100 | MS1234 | 8mm |
| 4160338 | KM4X100SMC22160M | 22 | 49 | 160 | MS1234 | 8mm |









## SMC Lock MM-KM4X • Metric

| order number | catalogue number | D1 | D2 | D4 | G1 | L1 | lock screw | wrench size lock screw |
|---|---|---|---|---|---|---|---|---|
| 4160340 | KM4X100SMC27050M | 27 | 60 | – | – | 50 | KLSS27M | 10mm |
| 4160341 | KM4X100SMC27100M | 27 | 60 | – | – | 100 | KLSS27M | 10mm |
| 4160342 | KM4X100SMC27160M | 27 | 60 | – | – | 160 | KLSS27M | 10mm |
| 4160343 | KM4X100SMC32050M | 32 | 78 | – | – | 50 | KLSS32M | 14mm |
| 4160344 | KM4X100SMC32100M | 32 | 78 | – | – | 100 | KLSS32M | 14mm |
| 4160345 | KM4X100SMC32160M | 32 | 78 | – | – | 160 | KLSS32M | 14mm |
| 4160346 | KM4X100SMC40060M | 40 | 89 | 67 | M12x1,75 | 60 | KLSS40M | 17mm |
| 4160347 | KM4X100SMC40100M | 40 | 89 | 67 | M12x1,75 | 100 | KLSS40M | 17mm |
| 4160348 | KM4X100SMC40160M | 40 | 89 | 67 | M12x1,75 | 160 | KLSS40M | 17mm |
| 4160350 | KM4X100SMC50070M | 50 | 98 | – | – | 70 | KLS50M | SMW50M |
| 4160351 | KM4X100SMC50100M | 50 | 98 | – | – | 100 | KLS50M | SMW50M |
| 4160352 | KM4X100SMC50160M | 50 | 98 | – | – | 160 | KLS50M | SMW50M |
| 4160353 | KM4X100SMC60070M | 60 | 129 | 102 | M16x2,0 | 70 | – | – |
| 4160354 | KM4X100SMC60100M | 60 | 129 | 102 | M16x2,0 | 100 | – | – |
| 4160355 | KM4X100SMC60160M | 60 | 129 | 102 | M16x2,0 | 160 | – | – |






## SMC Lock IN-KM4X • Inch

| order number | catalogue number | D1 | D2 | D4 | G1 | L1 | lock screw | wrench size lock screw |
|---|---|---|---|---|---|---|---|---|
| **4160286** | **KM4X100SMC075400** | 3/4 | 1.75 | – | – | 4.00 | **KLS07** | 1/4 |
| **4160287** | **KM4X100SM2C075400** | 3/4 | 1.46 | – | – | 4.00 | **KLS07** | 1/4 |
| **4160289** | **KM4X100SMC075600** | 3/4 | 1.75 | – | – | 6.00 | **KLS07** | 1/4 |
| **4160290** | **KM4X100SM2C075600** | 3/4 | 1.46 | – | – | 6.00 | **KLS07** | 1/4 |
| **4160291** | **KM4X100SMC100400** | 1 | 2.75 | – | – | 4.00 | **KLS10** | 5/16 |
| **4160292** | **KM4X100SM2C100400** | 1 | 2.19 | – | – | 4.00 | **KLS10** | 5/16 |
| **4160313** | **KM4X100SMC100600** | 1 | 2.75 | – | – | 6.00 | **KLS10** | 5/16 |
| **4160314** | **KM4X100SM2C100600** | 1 | 2.19 | – | – | 6.00 | **KLS10** | 5/16 |
| **4160315** | **KM4X100SMC125400** | 1 1/4 | 2.88 | – | – | 4.00 | **KLS12** | 5/16 |
| **4160316** | **KM4X100SMC125600** | 1 1/4 | 2.88 | – | – | 6.00 | **KLS12** | 5/16 |
| **4160317** | **KM4X100SMC150400** | 1 1/2 | 3.81 | – | – | 4.00 | **KLS15** | 3/8 |
| **4160318** | **KM4X100SMC150600** | 1 1/2 | 3.81 | – | – | 6.00 | **KLS15** | 3/8 |
| **4160319** | **KM4X100SMC200400** | 2 | 4.88 | 4.00 | 5/8 - 11 | 4.00 | **KLS20** | 9/16 |
| **4160320** | **KM4X100SMC200600** | 2 | 4.88 | 4.00 | 5/8 - 11 | 6.00 | **KLS20** | 9/16 |
| **4160321** | **KM4X100SMC250400** | 2 1/2 | 4.88 | 4.00 | 5/8 - 11 | 4.00 | **–** | 1/2 |
| **4160322** | **KM4X100SMC250600** | 2 1/2 | 4.88 | 4.00 | 5/8 - 11 | 6.00 | **–** | 1/2 |

NOTE: Do not overtighten lock screw; use torque recommendations above.
Supplied with lock screw and drive keys.
Lock screw wrench not included.



## KM-KM4X

| order number | catalogue number | CSWS | D2 | L1 | spare parts package | wrench size actuation screw | Nm |
|---|---|---|---|---|---|---|---|
| **4161856** | **KM4X100KM32075M** | 32 | 32 | 75 | **KM32PKGS** | 5mm | 8 - 11 |
| **4161858** | **KM4X100KM40080M** | 40 | 40 | 80 | **KM40PKGS** | 6mm | 12 - 16 |
| **4161859** | **KM4X100KM40100M** | 40 | 40 | 100 | **KM40PKGS** | 6mm | 12 - 16 |
| **4161860** | **KM4X100KM40150M** | 40 | 40 | 150 | **KM40PKGS** | 6mm | 12 - 16 |
| **4161861** | **KM4X100KM50100M** | 50 | 50 | 100 | **KM50PKGS** | 10mm | 27 - 34 |
| **4161862** | **KM4X100KM50150M** | 50 | 50 | 150 | **KM50PKGS** | 10mm | 27 - 34 |
| **4161863** | **KM4X100KM50200M** | 50 | 50 | 200 | **KM50PKGS** | 10mm | 27 - 34 |
| **4161864** | **KM4X100KM63100M** | 63 | 63 | 100 | **KM63PKGS** | 12mm | 47 - 54 |
| **4161865** | **KM4X100KM63150M** | 63 | 63 | 150 | **KM63PKGS** | 12mm | 47 - 54 |
| **4161866** | **KM4X100KM63200M** | 63 | 63 | 200 | **KM63PKGS** | 12mm | 47 - 54 |
| **4161867** | **KM4X100KM80100M** | 80 | 80 | 100 | **KM80PKGS** | 14mm | 79 - 85 |
| **4161868** | **KM4X100KM80150M** | 80 | 80 | 150 | **KM80PKGS** | 14mm | 79 - 85 |
| **4161869** | **KM4X100KM80200M** | 80 | 80 | 200 | **KM80PKGS** | 14mm | 79 - 85 |

NOTE: Do not overtorque actuation screw; use torque recommendations above.
Supplied with KM actuation mechanism.



- Machinable front 32–38 RW C.

## BB-KM4X

| order number | catalogue number | D2 | L1 |
|---|---|---|---|
| **4160571** | **KM4X100BN080150M** | 80 | 150 |
| **4160572** | **KM4X100BN110150M** | 110 | 150 |
| **4160613** | **KM4X100BN130200M** | 130 | 200 |





- For acceptance testing on machine tool spindles.
- 0,003mm (.0001") maximum TIR.
- Precision ground.

## GB-KM4X

| order number | catalogue number | D2 | L1 | L13 |
|---|---|---|---|---|
| **4160529** | **KM4X100GB40349M** | 40 | 349 | 330 |

# Looking for a product that's not shown in this catalogue?
# Check the Kennametal website!

## Tooling Systems

### Online product catalogue available 24/7

Visit **http://www.kennametal.com/toolingsystems/** to browse our electronic catalogue any time you're looking for Kennametal's best tooling solutions. It's fast, free, and always available. The online e-catalogue is updated weekly with products and solutions for milling, turning, holemaking, and tooling systems applications.

KENNAMETAL

You Tube

## KM4X — The Next Generation Spindle Connection System

As a global tooling supplier and a true customer support partner, we recognise the need to offer tooling products for all spindle interfaces and make available solutions to provide the best cutting edges to gain maximum productivity at the spindle system connection.

KM4X is the latest version of the KM™ spindle interface targeted at heavy-duty machining operations and is a top choice for machining large, structural tough-to-machine materials like titanium for the aerospace industry.



### The Latest Innovation in Spindle Interface Technology

- KM4X offers the most rigid connection able to withstand extremely high bending due to a combination of high interference and high clamping forces.
- KM4X provides 3x more bending capacity than comparable face contact systems.
- KM is the only connection that maintains stiffness at elevated rotational speeds and is suitable for a range of applications from low speeds with high torque to very high spindle speeds with low torque.
- KM4X maintains a better balance between bending and torsion capabilities.
- The ability to retrofit KM4X to an existing machine tool offers the added advantage of increasing throughput.
- Heavy-duty, rigid configuration with evenly distributed clamping force.
- Simple design enables front-loaded spindle configuration.
- Balanced-by-design for high spindle speed capacity.



**KM4X three-surface contact for improved stability and accuracy.
Optimised clamping force distribution and interference fit provides higher stiffness.**

## Why Bending Load Capacity Is Important

When machining tough materials like titanium, cutting speeds are relatively low due to thermal effects on cutting tools. Over the years, machine tool builders responded to this issue by improving stiffness and damping on spindles and machine structures. Spindles have been designed with abundant torque at low rotational speeds. Nevertheless, the spindle connection has remained the weak link in the system.

The spindle connection must provide torque and bending load capacity compatible with the machine tool specifications and the requirements for higher productivity. It becomes obvious that in end-milling applications where the projection lengths are typically greater, the limiting factor is the bending load capacity of the spindle interface.

The lines on the chart to the right represent the load capacity of HSK, PSC, and KM4X. The shaded areas represent the typical requirements for heavy-duty applications in various machining processes. KM4X is the only system that can deliver the torque and bending capacity required for achieving high-performance machining. Some systems may be able to transmit considerable amounts of torque, but the cutting forces also generate bending moments that exceed the interface's limits before torque limits are exceeded.







**IMPORTANT**
Information shown on the following charts was developed exclusively for use with KM™ tooling in static conditions. Do not use for any other tooling system because the results will not apply. To account for cutting force fluctuations in dynamic conditions, a reduction of 20–30% should be applied to the loads shown in charts.

Chart shows load-deflection comparison of steep taper with and without face contact — HSK and KM4X.






The KM4X system is the best large, heavy-duty connection. A weak connection can fail to deliver the desired cutting edge performance. KM4X superior rigidity equals maximum productivity.

**IMPORTANT**
Information shown on the following charts was developed exclusively for use with KM™ tooling in static conditions. Do not use for any other tooling system because the results will not apply. To account for cutting force fluctuations in dynamic conditions, a reduction of 20–30% should be applied to the loads shown in charts.

# ERICKSON™ HSK Shank Tooling System • HSK63A Series

## Primary Application

Kennametal has further developed their successful products, hydraulic chucks and Shrink Fit toolholders, by replacing the individual components for use in wet, dry, and MQL (Minimum Quantity Lubrication) machining applications.
The HSK63A Series, well known in the automotive industry, is mainly used for holemaking applications.
In dry/MQL machining, more than 70% of the heat is dissipated by the chips, creating less abrasive wear.

## Features and Benefits

- DIN 69090 1–3 standard.
- Open-source solution.
- Universal for wet, MQL, or dry machining.
- Designed for all straight shanks.
- Equal dimensions for wet and MQL tools.




Coolant tube assembly for
automatic tool changing
MQL adjustment screw
Replaceable
Toolholder
Coolant filling piece for
manual tool changing
Cutting tool



## ERICKSON

■ HCT • MQL • Metric



| order number | catalogue number | D1 | D2 | D21 | L1 | L2 | L9 | V | actuation wrench | wrench size actuation screw | length adjustment wrench | wrench size stop screw | kg |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **5006410** | **HSK63AHCTMQL1C06080M** | 6 | 25,7 | 50 | 80 | 34 | 27 | 10 | **170.135** | 5 mm | **170.002** | 2.5 mm | 1,00 |
| **5006411** | **HSK63AHCTMQL1C08080M** | 8 | 27,7 | 50 | 80 | 34 | 27 | 10 | **170.135** | 5 mm | **170.003** | 3 mm | 1,02 |
| **5006413** | **HSK63AHCTMQL1C10085M** | 10 | 29,7 | 50 | 85 | 39 | 31 | 10 | **170.135** | 5 mm | **170.004** | 4 mm | 1,06 |
| **5006414** | **HSK63AHCTMQL1C12090M** | 12 | 31,6 | 50 | 90 | 45 | 36 | 10 | **170.135** | 5 mm | – | 5 mm | 1,09 |
| **5006415** | **HSK63AHCTMQL1C14090M** | 14 | 33,6 | 50 | 90 | 46 | 36 | 10 | **170.135** | 5 mm | – | 5 mm | 1,11 |
| **5006416** | **HSK63AHCTMQL1C16095M** | 16 | 37,6 | 50 | 95 | 52 | 39 | 10 | **170.135** | 5 mm | – | 5 mm | 1,21 |
| **5006417** | **HSK63AHCTMQL1C18095M** | 18 | 39,6 | 50 | 95 | 52 | 39 | 10 | **170.135** | 5 mm | – | 5 mm | 1,24 |
| **5006418** | **HSK63AHCTMQL1C20100M** | 20 | 41,6 | 50 | 100 | 58 | 41 | 10 | **170.135** | 5 mm | – | 5 mm | 1,31 |
| **5006419** | **HSK63AHCTMQL1C25120M** | 25 | 49,8 | 70 | 120 | 53 | 47 | 10 | **170.136** | 6 mm | **170.005** | 5 mm | 2,10 |
| **5006430** | **HSK63AHCTMQL1C32125M** | 32 | 59,8 | 75 | 125 | 59 | 51 | 10 | **170.136** | 6 mm | **170.005** | 5 mm | 2,45 |

NOTE: Do not overtorque actuation screw. Tighten by hand until stop is felt.
Wrenches must be ordered separately.
Supplied with adjusting stop screw.
Reduction sleeves are available and must be ordered separately.
HSK coolant unit and wrench are available and must be ordered separately.
Shank of the cutting tool according to DIN 69090.

- Balanceable — fine tune with optional M6 set screws.
- Suitable for carbide and HSS cutting tools (requirements below).






**Cutting Tool Shank Requirements metric (ISO standard)**

| cutting tool shank diameter | | tolerance |
|---|---|---|
| 3 | h4 | 0,000/-0,003 |
| 4 | h4 | 0,000/-0,004 |
| 5 | h5 | 0,000/-0,005 |
| 6 | h6 | 0,000/-0,008 |
| 8 & 10 | h6 | 0,000/-0,009 |
| 12, 14, 16, & 18 | h6 | 0,000/-0,011 |
| 20 & 25 | h6 | 0,000/-0,013 |
| 32 | h6 | 0,000/-0,016 |



## ERICKSON

### HPVTT • MQL • Metric

| order number | catalogue number | D1 | D2 | D21 | L1 | L2 | L9 | V | screw | wrench size stop screw | kg |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5008181 | HSK63AHPVTTMQL1C06080M | 6 | 21 | 27 | 80 | 54 | 26 | 10,0 | 06ASMQL1C05170M | 2.5 mm | 0,82 |
| 5008182 | HSK63AHPVTTMQL1C08080M | 8 | 21 | 27 | 80 | 54 | 26 | 10,0 | 08ASMQL1C06180M | 3 mm | 0,82 |
| 5008183 | HSK63AHPVTTMQL1C10085M | 10 | 24 | 32 | 85 | 59 | 31 | 10,0 | 10ASMQL1C08180M | 4 mm | 0,90 |
| 5008184 | HSK63AHPVTTMQL1C12090M | 12 | 24 | 32 | 90 | 64 | 36 | 10,0 | 12ASMQL1C10180M | 5 mm | 0,91 |
| 5008185 | HSK63AHPVTTMQL1C14090M | 14 | 27 | 34 | 90 | 64 | 36 | 10,0 | 14ASMQL1C10195M | 5 mm | 0,96 |
| 5008186 | HSK63AHPVTTMQL1C16095M | 16 | 27 | 34 | 95 | 69 | 39 | 10,0 | 16ASMQL1C10220M | 5 mm | 0,97 |
| 5008187 | HSK63AHPVTTMQL1C18095M | 18 | 33 | 42 | 95 | 69 | 39 | 10,0 | 18ASMQL1C10220M | 5 mm | 1,14 |
| 5008188 | HSK63AHPVTTMQL1C20100M | 20 | 33 | 42 | 100 | 74 | 41 | 10,0 | 20ASMQL1C10235M | 5 mm | 1,16 |
| 5008189 | HSK63AHPVTTMQL1C25115M | 25 | 44 | 53 | 115 | 89 | 47 | 10,0 | 25ASMQL1C10275M | 5 mm | 1,73 |
| 5008210 | HSK63AHPVTTMQL1C32120M | 32 | 44 | 53 | 120 | 94 | 51 | 10,0 | 32ASMQL1C10305M | 5 mm | 1,61 |

NOTE: Do not overheat. Overheating will destroy the accuracy and functionality of the toolholder.
Supplied with adjusting stop screw.
Optional M6~1.0P x 5mm lg fine-balancing screw set (10 pieces) is available.
Order number is MS1276PKG and must be ordered separately.
HSK coolant unit and wrench are available and must be ordered separately.
Shank of the cutting tool according to DIN 69090.



## FP • MQL

| order number | catalogue number | D1 mm | D1 in | L mm | L in | TDZ |
|---|---|---|---|---|---|---|
| 5086819 | HSK40AFPMQL1C050095M | 5,00 | .197 | 9,50 | .374 | M12 X 1.0 |
| 5086840 | HSK50AFPMQL1C064115M | 6,40 | .252 | 11,50 | .453 | M16 X 1.0 |
| 5086841 | HSK63AFPMQL1C080135M | 8,00 | .315 | 13,50 | .532 | M18 X 1.0 |
| 5086842 | HSK80AFPMQL1C080155M | 8,00 | .315 | 15,50 | .610 | M20 X 1.5 |
| 5086843 | HSK100AFPMQL1C080175M | 8,00 | .315 | 17,50 | .689 | M24 X 1.5 |





## AS • MQL

| order number | catalogue number | D2 mm | D2 in | L mm | L in | external thread size | I.D. drive size |
|---|---|---|---|---|---|---|---|
| 5086710 | 06ASMQL1C05170M | 6 | .226 | 17,00 | .669 | M5 | 2.5 mm |
| 5086711 | 08ASMQL1C06180M | 8 | .305 | 18,00 | .709 | M6 | 3 mm |
| 5086712 | 10ASMQL1C08180M | 10 | .384 | 18,00 | .709 | M8 X 1 | 4 mm |
| 5086713 | 12ASMQL1C10180M | 12 | .463 | 18,00 | .709 | M10 X 1 | 5 mm |
| 5086714 | 14ASMQL1C10195M | 14 | .541 | 19,50 | .768 | M10 X 1 | 5 mm |
| 5086715 | 16ASMQL1C10220M | 16 | .620 | 22,00 | .866 | M10 X 1 | 5 mm |
| 5086716 | 18ASMQL1C10220M | 18 | .699 | 22,00 | .866 | M10 X 1 | 5 mm |
| 5086717 | 20ASMQL1C10235M | 20 | .778 | 23,50 | .925 | M10 X 1 | 5 mm |
| 5086718 | 25ASMQL1C10275M | 25 | 1.026 | 27,50 | 1.083 | M10 X 1 | 5 mm |
| 5086719 | 32ASMQL1C10305M | 32 | 1.250 | 30,50 | 1.201 | M10 X 1 | 5 mm |

KENNAMETAL

# REPAIR SERVICES

## Getting Started, and Getting Finished, Is Easy.

**Follow these 4 simple steps and be on your way to restored tools and great savings.**

1. Visit www.kennametal.com to find the tool you're looking to have repaired.
2. Download and complete the form. Mail the completed form and the tooling to the Kennametal Service and Repair Department.
3. Kennametal will quickly respond to your request with a cost estimate and timetable for the completion of the repair.
4. Within 60 days of receiving the estimate, notify Kennametal whether you'd like the tooling repaired, returned, or scrapped.

**Please note that the tap adaptors are not cost effective to repair.*

## Repair Services

**Tools are valuable. Protect them and get the most from your investment.**

You can be assured that when your advanced tooling products need to be serviced, the Kennametal Service and Repair Department has the highly trained, experienced staff to provide expert assistance. For about half the cost of a new tool purchase, you can have your existing, damaged tools serviced and repaired to like-new condition.

KENNAMETAL®

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 1013484 | LNA150M | E26 |
| 1013485 | LNA100M | E26 |
| 1013486 | LNA075M | E26 |
| 1016536 | SM812 | A225–A227, A230–A231 |
| 1016552 | SM871 | A222–A224, A228, A232 |
| 1016574 | SM872 | A222–A224, A228, A232 |
| 1016576 | SM885 | A221–A223, A227–A228, A232 |
| 1016578 | SM886 | A221–A223, A227–A229, A232 |
| 1016650 | ITSN636 | E16 |
| 1016680 | IDSN433 | E10–E11 |
| 1017226 | IVSN322 | E17 |
| 1017246 | IRSN43 | E13 |
| 1017294 | ITSN534 | E16 |
| 1017300 | ISSN633 | E14–E16 |
| 1017302 | IRSN63 | E13 |
| 1017334 | ICSN633 | E12–E13 |
| 1018525 | CM66 | A222–A224, A228, A232 |
| 1018527 | CM68 | A221, A223, A227–A228, A232 |
| 1018531 | CM72 | E18 |
| 1018533 | CM73 | E18 |
| 1018567 | CM79 | A229 |
| 1018569 | CM80 | E18 |
| 1018571 | CM81 | E18 |
| 1019977 | SS044038G | E27 |
| 1019981 | SS056041G | E26–E27 |
| 1019985 | SS075041G | E27 |
| 1019987 | SS081041G | E26 |
| 1019989 | SS094041G | E27 |
| 1019991 | SS112041G | E26–E27 |
| 1020017 | SS162062G | E26 |
| 1020376 | LNA050M | E26 |
| 1020545 | MS1861 | B42 |
| 1020550 | KLS07 | E31, E33 |
| 1020552 | KLS10 | E31, E33 |
| 1020574 | KLS12 | E31, E33 |
| 1020576 | KLS15 | E33 |
| 1020578 | KLS20 | E33 |
| 1020581 | CKM9 | E13 |
| 1020595 | CKM12 | E12–E16 |
| 1020603 | CKM20 | E13 |
| 1020607 | CKM22 | E17 |
| 1020611 | CKM24 | E12–E14, E16 |
| 1020971 | MS111 | A222–A224, A228, A232 |
| 1020973 | MS412 | A225–A227, A230, A231 |
| 1021011 | MS524 | A221–A223, A227–A228, A232 |
| 1021013 | MS625 | A222–A224 |
| 1021095 | MS518 | A224–A231 |
| 1021135 | MS959 | A221–A232 |
| 1021327 | MS1242 | D41, D48, D52, D64, D69 |
| 1021387 | MS1220 | A229 |
| 1021389 | MS1221 | A228 |
| 1021451 | STCM4 | E12–E14, E16 |
| 1021461 | STCM19 | E12–E14, E16 |
| 1021463 | STCM20 | E17 |
| 1021537 | KLM46 | E13 |
| 1021539 | KLM58 | E16 |
| 1021541 | KLM68 | E12–E14, E16 |
| 1021565 | KLM34L | E17 |
| 1021657 | CM113 | A225–A227, A230, A231 |
| 1021659 | CM114 | A225–A226, A230–A231 |
| 1021679 | CM120 | E18 |
| 1021681 | CM121 | E18 |
| 1022071 | CM158 | A224–A226, A229–A231 |
| 1022073 | CM159 | A224–A225, A229–A231 |
| 1022315 | TT15 | B31–B34 |
| 1022519 | TT25 | B31–B34 |
| 1022521 | TT30 | B31–B34 |
| 1024980 | ELS025025 | E30 |
| 1024981 | ELS038031 | E30 |
| 1024982 | ELS044038 | E30 |
| 1024983 | ELS056050 | E30 |
| 1025015 | ELS075069 | E30 |
| 1025016 | ELS100088 | E30 |
| 1025177 | ELS075056 | E30 |
| 1025543 | ELS075062 | E30 |
| 1058528 | KLM810 | E12–E14, E16 |
| 1067611 | CM69 | A228 |
| 1067615 | CM77 | A228 |
| 1094300 | MS1595 | A204–A205 |
| 1098815 | NKLCR1212F11 | A221 |
| 1098816 | NKLCR1616H11 | A221 |
| 1098817 | NKLCR2020K11 | A221 |
| 1098818 | NKLCR2525M11 | A221 |
| 1098819 | NKLCRF1212M11Q | A221 |
| 1098820 | NKLCRF1616K11Q | A221 |
| 1098821 | NKLNR2020K15 | A222 |
| 1098822 | NKLNR2525M15 | A222 |
| 1098823 | NKLNR3225P15 | A222 |
| 1098827 | NKNCR1616H11 | A222 |
| 1098828 | NKNNR2525M15 | A223 |
| 1098831 | NKXCR1212F11 | A223 |
| 1098832 | NKXCR1616H11 | A223 |
| 1098834 | NKXNR2525M15 | A224 |
| 1098835 | NVLCR1616H16 | A225 |
| 1098836 | NVLCR2020K16 | A225 |
| 1098837 | NVLCR2525M16 | A225 |
| 1098838 | NVLCR3225P16 | A225 |
| 1098839 | NVVCN1616H16 | A227 |
| 1098840 | NVVCN2020K16 | A227 |
| 1098841 | NVVCN2525M16 | A227 |
| 1098842 | NVOCR2020K16 | A226 |
| 1098843 | NVOCR2525M16 | A226 |
| 1098845 | NVVBN2020K11 | A226 |
| 1098846 | NVVBN2525M11 | A226 |
| 1098887 | NKLCL1616H11 | A221 |
| 1098888 | NKLCL2020K11 | A221 |
| 1098889 | NKLCL2525M11 | A221 |
| 1098891 | NKLCLF1616K11Q | A221 |
| 1098892 | NKLNL2020K15 | A222 |
| 1098893 | NKLNL2525M15 | A222 |
| 1098898 | NKNCL1616H11 | A222 |
| 1098899 | NKNNL2020K15 | A223 |
| 1098900 | NKNNL2525M15 | A223 |
| 1098904 | NKXCL1616H11 | A223 |
| 1098906 | NKXNL2525M15 | A224 |
| 1098907 | NVLBR1616H11 | A225 |
| 1098908 | NVLBR2020K11 | A225 |
| 1098909 | NVLBR2525M11 | A225 |
| 1098911 | NVLCL1616H16 | A225 |
| 1098912 | NVLCL2020K16 | A225 |
| 1098913 | NVLCL2525M16 | A225 |
| 1098924 | NVLCL3225P16 | A225 |
| 1098926 | NVLBL2020K11 | A225 |
| 1098927 | NVLBL2525M11 | A225 |
| 1098929 | NVOCL2020K16 | A226 |
| 1098930 | NVOCL2525M16 | A226 |
| 1098931 | NVHBL1616H11 | A224 |
| 1098932 | NVHBL2020K11 | A224 |
| 1098933 | NVHBL2525M11 | A224 |
| 1098934 | NVHBR1616H11 | A224 |
| 1098935 | NVHBR2020K11 | A224 |
| 1098936 | NVHBR2525M11 | A224 |
| 1098959 | A12MNKLCR11 | A227 |
| 1098960 | A12MNKLCL11 | A227 |
| 1098961 | A16MNKLCR11 | A227 |
| 1098962 | A16MNKLCL11 | A227 |
| 1098963 | A25TNVLBL11 | A229 |
| 1098964 | A25TNVLBR11 | A229 |
| 1098965 | A25TNVQBL11 | A230 |
| 1098966 | A25TNVQBR11 | A230 |
| 1098967 | A25TNVWBL11 | A231 |
| 1098968 | A25TNVWBR11 | A231 |
| 1098969 | A20SNVLBL11 | A229 |
| 1098970 | A20SNVLBR11 | A229 |
| 1098971 | A20SNVQBL11 | A230 |
| 1098972 | A20SNVQBR11 | A230 |
| 1098974 | A16RNVQBR11 | A230 |
| 1098975 | A32SNKLCR11 | A227 |
| 1098976 | A32SNKLCL11 | A227 |
| 1098977 | A32SNVOCR16 | A230 |
| 1098978 | A32SNVOCR16 | A231 |
| 1098979 | A32SNVOCL16 | A230 |
| 1098980 | A32SNVQCL16 | A231 |
| 1098981 | A40TNVOCR16 | A230 |
| 1098982 | A40TNVQCR16 | A231 |
| 1098983 | A40TNVOCL16 | A230 |
| 1098985 | A32SNKLNR15 | A228 |
| 1098986 | A32SNKLNL15 | A228 |
| 1098987 | A40TNKLNR15 | A228 |
| 1098988 | A40TNKLNL15 | A228 |
| 1098989 | A20QNKLCR11 | A227 |
| 1098990 | A20QNKLCL11 | A227 |
| 1098991 | A20QNKXCL11 | A229 |
| 1098992 | A25RNKLCR11 | A227 |
| 1098993 | A25RNKLCL11 | A227 |
| 1098995 | A25RNKLNR15 | A228 |
| 1098996 | A25RNKLNL15 | A228 |
| 1098997 | A50UNVOCR16 | A230 |
| 1099062 | H25NKLCR11 | A232 |
| 1099074 | H32NKLNR15 | A232 |
| 1099075 | H32NKLNL15 | A232 |
| 1099427 | SM813 | A224–A226, A229–A231 |
| 1099638 | MS624 | A228, A232 |
| 1099645 | MS1160 | A204, A205 |
| 1105612 | 191.924 | B18, B20–B21 |
| 1106668 | MS1970 | A204–A205 |
| 1121195 | 112.244 | A255–A256 |
| 1122180 | 191.726 | B19, B21 |
| 1122397 | CPGT060204K K313 | A91 |
| 1123666 | TCMT110204LF K68 | A106 |
| 1124195 | SPMT09T308LF K68 | A104 |
| 1124300 | TNMA220408 K68 | A65 |
| 1125440 | TNMA160408 K68 | A65 |
| 1125685 | KNUX150410L25 K68 | A217 |
| 1126170 | MS1489 | E18 |
| 1127019 | MS1162 | E19 |
| 1128691 | KNUX150410R25 K68 | A217 |
| 1129648 | MS1234 | D32, E31–E32 |
| 1130286 | 364.010 | B18–B21 |
| 1130295 | 364.011 | B18–B21 |
| 1130303 | 364.012 | B19, B21 |
| 1130313 | 364.013 | B19, B21 |
| 1131888 | 571.060 | E28 |
| 1131991 | SS03M012 | E28, E30 |
| 1132000 | SS03M014 | E28, E30 |
| 1132007 | SS03M018 | E28, E30 |
| 1132026 | SS03M023 | E28, E30 |
| 1132034 | SS03M025 | E28, E30 |
| 1132041 | SS03M026 | E28, E30 |
| 1132048 | SS03M027 | E28, E30 |
| 1132054 | SS03M029 | E28, E30 |
| 1132063 | 191.698 | B19 |
| 1132138 | 191.728 | E29 |
| 1132353 | KNUX150410L20 K68 | A217 |
| 1132436 | 191.848 | D38–D41 |
| 1132523 | 191.916 | B18–B21 |
| 1132599 | ISSN846 | E14, E16 |
| 1132990 | DCMT070204LF K313 | A96 |
| 1134135 | NKNNR2020K15 | A223 |
| 1134285 | SNMA120408 K68 | A58 |
| 1134333 | 192.425 | E29 |
| 1134385 | 192.432 | B18, B20 |
| 1134469 | 192.446 | D24–D25 |
| 1135177 | KCUX110305L15 K68 | A218 |
| 1135184 | KCUX110302R15 K68 | A218 |
| 1135192 | KCUX110302L15 K68 | A218 |
| 1135217 | KNUX150405R25 K68 | A217 |
| 1135224 | KCUX110305R15 K68 | A218 |
| 1135739 | KNUX150405L25 K68 | A217 |
| 1135984 | 170.008 | E29 |
| 1136087 | ER32WM | E27 |
| 1136096 | ER40WM | E27 |
| 1136108 | 112.403 | A254, A256 |
| 1136113 | ER25WM | E27 |
| 1136116 | 112.404 | A254–A256 |
| 1136144 | 112.505 | A256 |
| 1136152 | 112.604 | A256 |
| 1136247 | 118.204 | A258–A259 |
| 1136282 | 118.214 | A257 |
| 1136295 | 118.314 | A257–A258 |
| 1136302 | 118.404 | A258–A259, E17 |
| 1136352 | 119.073 | E17 |
| 1136423 | 121.030 | E17 |
| 1136625 | 121.612 | A254–A258 |
| 1136633 | 121.616 | A254–A256, A259 |
| 1136703 | 121.812 | A257 |
| 1136713 | 121.816 | A256–A259 |
| 1136718 | 121.820 | A258, E17 |
| 1136743 | 121.825 | A259 |
| 1136777 | 125.025 | D5, D19, D25, D57 |
| 1136840 | 125.225 | D19 |
| 1136849 | 125.230 | D5, D19, D25, D57 |
| 1137453 | 129.025 | D5 |
| 1138100 | 169.333 | E17 |
| 1138108 | 169.337 | E17 |
| 1138118 | 169.339 | E17 |
| 1138297 | 170.002 | E42 |
| 1138307 | 170.003 | A254–A259, E42 |
| 1138315 | 170.004 | A256–A259, E42 |
| 1138323 | 170.005 | E42 |
| 1138438 | 170.025 | D38–D41, D45–D48, D57 |
| 1138446 | 170.026 | D24–D25, D52 |
| 1138465 | 170.028 | B31, B33, B34 |
| 1138612 | 170.085 | B31, B33, B34 |
| 1138748 | 170.135 | E42 |
| 1138755 | 170.136 | E42 |
| 1140176 | 571.067 | E28 |
| 1140179 | 571.068 | E28 |
| 1140182 | 571.069 | E28 |
| 1147002 | ICSN846 | E12–E13 |
| 1147628 | 118.604 | E17 |
| 1152199 | SPGN120308 K68 | A84 |
| 1152824 | E12QNKLCR11 KWH | A228 |
| 1152826 | E16RNKLCR11 KWH | A228 |
| 1152827 | E16RNKLCL11 KWH | A228 |
| 1152828 | E20SNKLCR11 KWH | A228 |
| 1152829 | E20SNKLCL11 KWH | A228 |
| 1156428 | SNMA190612 K68 | A58 |
| 1159961 | CNMG120408 K313 | A39 |
| 1159964 | CNMG120408P K313 | A43 |
| 1159970 | DNMG150408P K313 | A53 |
| 1159971 | SNMG120408 K313 | A58 |
| 1159980 | VNMG160408P K313 | A76 |
| 1160004 | RNMA120400 K68 | A56 |
| 1160005 | RNMA150600 K68 | A56 |
| 1160013 | CNMA120408 K68 | A39 |
| 1160018 | CNMG120404B K68 | A39 |
| 1160019 | CNMG120408 K68 | A39 |
| 1160020 | CNMG120412 K68 | A39 |
| 1160025 | CNMG190612 K68 | A39 |
| 1160027 | DNMG150408B K68 | A49 |
| 1160039 | SNMG120412 K68 | A58 |
| 1160040 | SNMG120416B K68 | A58 |
| 1160042 | SNMG190612 K68 | A58 |
| 1160060 | TNMG220412 K68 | A66 |
| 1160061 | TNMG220416 K68 | A66 |
| 1160068 | VNMG160408 K68 | A74 |
| 1160069 | VNMG160412 K68 | A74 |
| 1160070 | VNMG220408 K68 | A74 |
| 1160071 | VNMG220412 K68 | A74 |
| 1161076 | CNGG120408LF K313 | A38 |
| 1161083 | SNGG090308LF K313 | A57 |
| 1161093 | VNGG160408LF K313 | A73 |
| 1161095 | CNMP120404 K313 | A46 |
| 1161096 | CNMP120408 K313 | A46 |
| 1161098 | CNMP190612 K313 | A46 |
| 1161105 | VNGP160404K K313 | A74 |
| 1161106 | VNGP160408K K313 | A74 |
| 1161107 | SNMP190612 K313 | A64 |
| 1161108 | TNMP160404 K313 | A72 |
| 1161109 | TNMP160408 K313 | A72 |
| 1161112 | CNGP120404 K313 | A38 |
| 1161113 | CNGP120408 K313 | A38 |
| 1161114 | CNGP120412 K313 | A38 |
| 1161118 | DNGP150404 K313 | A48 |
| 1161119 | DNGP150408 K313 | A48 |
| 1161121 | DNGP150604 K313 | A48 |
| 1161124 | VNMP160404 K313 | A77 |
| 1161125 | VNMP160408 K313 | A77 |
| 1161127 | VNGP220408 K313 | A73 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 1161146 | CNMP120404 K68 | A46 |
| 1161147 | CNMP120408 K68 | A46 |
| 1161148 | CNMP120412 K68 | A46 |
| 1161155 | CNMS120408 K68 | A47 |
| 1161157 | CNMS190608 K68 | A47 |
| 1161158 | CNMS190612 K68 | A47 |
| 1161159 | DNMP150404 K68 | A55 |
| 1161160 | DNMP150408 K68 | A55 |
| 1161161 | DNMP150412 K68 | A55 |
| 1161162 | DNMP150404 K68 | A55 |
| 1161168 | DNMS150408 K68 | A56 |
| 1161170 | SNMP120408 K68 | A64 |
| 1161172 | SNMP190612 K68 | A64 |
| 1161173 | SNMS120408 K68 | A64 |
| 1161175 | SNMS190612 K68 | A64 |
| 1161182 | TNMP220416 K68 | A72 |
| 1161186 | CNGP120404 K68 | A38 |
| 1161187 | CNGP120408 K68 | A38 |
| 1161191 | TNMS160404 K68 | A72 |
| 1161192 | TNMS160408 K68 | A72 |
| 1161194 | TNMS220408 K68 | A72 |
| 1161199 | VNMP160404 K68 | A77 |
| 1161200 | VNMP160408 K68 | A77 |
| 1161201 | VNMP160404K K68 | A77 |
| 1161202 | VNMP160408K K68 | A77 |
| 1161203 | VNMS160404 K68 | A77 |
| 1161204 | VNMS160408 K68 | A77 |
| 1162181 | CCGT060202HP K313 | A87 |
| 1162182 | CCGT060204HP K313 | A87 |
| 1162183 | CCGT09T302HP K313 | A87 |
| 1162184 | CCGT09T304HP K313 | A87 |
| 1162185 | CCGT120404HP K313 | A87 |
| 1162186 | CCGT120408HP K313 | A87 |
| 1162187 | CCMT060204LF K313 | A88 |
| 1162189 | CCMT09T302LF K313 | A88 |
| 1162190 | CCMT09T304LF K313 | A88 |
| 1162191 | CCMT09T308LF K313 | A88 |
| 1162192 | CDHBS4T002 K313 | A90 |
| 1162194 | CPGT09T302HP K313 | A92 |
| 1162195 | CPGT09T304HP K313 | A92 |
| 1162199 | CPMT060204LF K313 | A93 |
| 1162200 | CPMT060208LF K313 | A93 |
| 1162204 | DCGT070202HP K313 | A94 |
| 1162205 | DCGT070204HP K313 | A94 |
| 1162206 | DCGT11T302HP K313 | A94 |
| 1162207 | DCGT11T304HP K313 | A94 |
| 1162208 | DCGT11T308HP K313 | A94 |
| 1162209 | DCMT070202LF K313 | A96 |
| 1162211 | DCMT11T304LF K313 | A96 |
| 1162212 | DCMT11T308LF K313 | A96 |
| 1162215 | DPGT070204HP K313 | A97 |
| 1162216 | DPGT11T304HP K313 | A97 |
| 1162223 | TPMT110204LF K313 | A111 |
| 1162225 | VBGT110304LF K313 | A112 |
| 1162226 | VBGT160402LF K313 | A112 |
| 1162228 | VBGT160404HP K313 | A112 |
| 1162229 | VBGT160408HP K313 | A112 |
| 1162230 | VBMT110304LF K313 | A113 |
| 1162233 | VBMT160402LF K313 | A113 |
| 1162234 | VBMT160404LF K313 | A113 |
| 1162235 | VBMT160408LF K313 | A113 |
| 1162241 | RCGT0803M0HP K313 | A99 |
| 1162242 | RCGT10T3M0HP K313 | A99 |
| 1162243 | RCGT1204M0HP K313 | A99 |
| 1162245 | RCMT09T300 K313 | A100 |
| 1162246 | RCMT0602M0 K313 | A100 |
| 1162247 | RCMT0803M0 K313 | A100 |
| 1162249 | RCMT1204M0 K313 | A100 |
| 1162250 | RCMT1605M0 K313 | A100 |
| 1162251 | RCMT2006M0 K313 | A100 |
| 1162254 | TCGT110204HP K313 | A105 |
| 1162255 | TCGT16T304HP K313 | A105 |
| 1162256 | TCGT16T308HP K313 | A105 |
| 1162264 | CCGT120404HP K68 | A87 |
| 1162268 | CCMT09T304LF K68 | A88 |
| 1162272 | CPMT060204LF K68 | A93 |
| 1162273 | CPMT09T304LF K68 | A93 |
| 1162274 | CPMT09T308LF K68 | A93 |
| 1162288 | VBGT110302LF K68 | A112 |
| 1162289 | VBGT160404HP K68 | A112 |
| 1162293 | VBMT160408LF K68 | A113 |
| 1162296 | RCGT0803M0HP K68 | A99 |
| 1162297 | RCMT0602M0 K68 | A100 |
| 1162586 | SPUN120308 K68 | A85 |
| 1162732 | TPUN110304 K68 | A86 |
| 1162733 | TPUN110308 K68 | A86 |
| 1162734 | TPUN160304 K68 | A86 |
| 1162735 | TPUN160308 K68 | A86 |
| 1162737 | TPUN220408 K68 | A86 |
| 1162738 | TPUN220412 K68 | A86 |
| 1163005 | TPGT110208K K313 | A109 |
| 1163007 | CPGT060208K K313 | A91 |
| 1163009 | CPGH09T304 K313 | A91 |
| 1163010 | CPGH09T308 K313 | A91 |
| 1163033 | TD6P K68 | A108 |
| 1163049 | TPGT110204K K68 | A109 |
| 1163051 | CPGT060202K K68 | A91 |
| 1163052 | CPGT060204K K68 | A91 |
| 1163053 | CPGT060208K K68 | A91 |
| 1163054 | CPGH09T302 K68 | A91 |
| 1163055 | CPGH09T304 K68 | A91 |
| 1163056 | CPGH09T308 K68 | A91 |
| 1163276 | KCGX110302R15 K313 | A217 |
| 1163277 | KCGX110302L15 K313 | A217 |
| 1163280 | KCGX110301R15 K313 | A217 |
| 1163281 | KCGX110304R15 K313 | A217 |
| 1163283 | KCGX110301L15 K313 | A217 |
| 1163284 | KCGX110304L15 K313 | A217 |
| 1163285 | KCGX110308L15 K313 | A217 |
| 1163286 | VCGR160404 K313 | A220 |
| 1163287 | VCGR160408 K313 | A220 |
| 1163311 | KCGX110301R15 K68 | A217 |
| 1163312 | KCGX110304R15 K68 | A217 |
| 1163313 | KCGX110308R15 K68 | A217 |
| 1163314 | KCGX110301L15 K68 | A217 |
| 1163315 | KCGX110304L15 K68 | A217 |
| 1163316 | KCGX110308L15 K68 | A217 |
| 1163317 | KNGX150401R15 K68 | A216 |
| 1163323 | KNGX150408L20 K68 | A216 |
| 1163325 | VCGR160402 K68 | A220 |
| 1163326 | VCGR160404 K68 | A220 |
| 1163327 | VCGR160408 K68 | A220 |
| 1163328 | VCGR160412 K68 | A220 |
| 1163336 | KCGR110304R08 K68 | A215 |
| 1163338 | KCGR110304L08 K68 | A215 |
| 1163341 | DCGR150408 K68 | A214 |
| 1164694 | SPUN120304 K68 | A85 |
| 1178775 | KLS50M | E32 |
| 1180107 | RNMG190600 K313 | A56 |
| 1182851 | SPGN090308 K313 | A84 |
| 1182853 | SPGN120308 K313 | A84 |
| 1182856 | SPGN190412 K313 | A84 |
| 1182921 | SPGN090304 K68 | A84 |
| 1182922 | SPGN090308 K68 | A84 |
| 1182923 | SPGN090312 K68 | A84 |
| 1182925 | SPGN120304 K68 | A84 |
| 1182926 | SPGN120312 K68 | A84 |
| 1182929 | SPGN190408 K68 | A84 |
| 1183203 | TPGN110304 K313 | A85 |
| 1183204 | TPGN110308 K313 | A85 |
| 1183205 | TPGN160304 K313 | A85 |
| 1183206 | TPGN160308 K313 | A85 |
| 1183207 | TPGN160312 K313 | A85 |
| 1183208 | TPGN160316 K313 | A85 |
| 1183209 | TPGN160302 K313 | A85 |
| 1183210 | TPGN220404 K313 | A85 |
| 1183211 | TPGN220408 K313 | A85 |
| 1183254 | TPGN110304 K68 | A85 |
| 1183255 | TPGN110308 K68 | A85 |
| 1183257 | TPGN160304 K68 | A85 |
| 1183258 | TPGN160308 K68 | A85 |
| 1183260 | TPGN160316 K68 | A85 |
| 1183262 | TPGN160302 K68 | A85 |
| 1183264 | TPGN220404 K68 | A85 |
| 1183265 | TPGN220408 K68 | A85 |
| 1183266 | TPGN220412 K68 | A85 |
| 1183267 | TPGN220416 K68 | A85 |
| 1183273 | TPGN270616 K68 | A85 |
| 1183421 | CPGN120304 K313 | A83 |
| 1183422 | CPGN120308 K313 | A83 |
| 1183457 | CPGN120304 K68 | A83 |
| 1183458 | CPGN120308 K68 | A182 |
| 1183542 | RPGN120300 K313 | A84 |
| 1183544 | RCGV120700 K313 | A83 |
| 1186649 | OEW25M | E27 |
| 1190945 | 1.18020R130 | A256 |
| 1190977 | 1.78025R300 | A259 |
| 1192229 | HSW45M | E26 |
| 1192230 | HSW58M | E26 |
| 1192231 | HSW80M | E26 |
| 1197721 | 410.081 | A254 |
| 1198178 | SCMT09T30811 KT315 | A102 |
| 1198179 | DCMT07020211 KT315 | A95 |
| 1198180 | VBMT11030211 KT315 | A112 |
| 1198181 | SCMT09T30411 KT315 | A102 |
| 1198182 | SCMT12040411 KT315 | A102 |
| 1198183 | VBMT16040411 KT315 | A112 |
| 1198184 | VBMT16040811 KT315 | A112 |
| 1198185 | TCMT11020411 KT315 | A106 |
| 1198186 | TCMT16T30411 KT315 | A106 |
| 1198187 | CCMT06020411 KT315 | A87 |
| 1198188 | CCMT09T30411 KT315 | A87 |
| 1198189 | CCMT09T30811 KT315 | A87 |
| 1198191 | DCMT07020411 KT315 | A95 |
| 1198192 | DCMT11T30411 KT315 | A95 |
| 1243469 | 112.423 | A255 |
| 1243476 | 114.111 | A257 |
| 1243527 | 132.151 | A256 |
| 1243529 | 132.156 | A256 |
| 1245222 | 122.511 | A259 |
| 1245235 | 1.18020L310 | A256 |
| 1245236 | 1.18025L310 | A256 |
| 1245237 | 1.18025R315 | A256 |
| 1245238 | 1.18025R330 | A256 |
| 1245239 | 1.18032L410 | A256 |
| 1245240 | 1.18032R410 | A256 |
| 1245243 | 1.10820L310 | A254 |
| 1245244 | 1.10820R310 | A254 |
| 1245245 | 1.10825L310 | A254 |
| 1245247 | 1.10825R310 | A254 |
| 1245248 | 1.10825R700 | A254 |
| 1245255 | 1.18016R110 | A256 |
| 1245256 | 1.18020L110 | A256 |
| 1245257 | 1.18020R110 | A256 |
| 1245258 | 1.18020R310 | A256 |
| 1245259 | 1.18025R310 | A256 |
| 1245260 | 1.18032L315 | A256 |
| 1245261 | 1.18032R315 | A256 |
| 1245275 | 1.17120L130 | A255 |
| 1245276 | 1.17120R130 | A255 |
| 1245277 | 1.17125L330 | A255 |
| 1245278 | 1.17125R330 | A255 |
| 1245287 | 1.18016L110 | A256 |
| 1245288 | 1.18020L130 | A256 |
| 1245291 | 1.18025L302 | A255 |
| 1245292 | 1.18025L330 | A256 |
| 1245294 | 1.18032L430 | A256 |
| 1245296 | 1.18032R430 | A256 |
| 1245326 | 1.18025L315 | A256 |
| 1245327 | 1.18025R302 | A255 |
| 1245338 | 1.38020R021 | A257 |
| 1245339 | 1.38025L021 | A257 |
| 1245340 | 1.38025R021 | A257 |
| 1245348 | 1.38020L021 | A257 |
| 1245357 | 1.77132R400 | A258 |
| 1245363 | 1.78032L400 | A259 |
| 1245364 | 1.78032R400 | A259 |
| 1245371 | 1.77120L100 | A258 |
| 1245372 | 1.77120R100 | A258 |
| 1245374 | 1.77125R300 | A258 |
| 1245382 | 1.77225R301 | A258 |
| 1245388 | 1.77725R301 | A257 |
| 1245392 | 1.78012R103 | A259 |
| 1245394 | 1.78016R100 | A259 |
| 1245397 | 1.78020R100 | A259 |
| 1245398 | 1.78025L300 | A259 |
| 1245641 | 571.074 | E28 |
| 1245644 | 571.077 | E28 |
| 1246543 | 571.076 | E28 |
| 1273814 | HSW34M | E26 |
| 1274659 | IRSN84 | E13 |
| 1279626 | KNUX150410R20 K68 | A217 |
| 1284014 | OEW30M | E27 |
| 1290146 | TNMA220412 KCK20 | A65 |
| 1290535 | TPGR110304K KC5010 | A86 |
| 1291909 | VBMT11030411 KT315 | A112 |
| 1310704 | DPGT070204LF KC5010 | A97 |
| 1310705 | DPGT11T302LF KC5010 | A97 |
| 1310707 | DPGT11T301LF KC5010 | A97 |
| 1310718 | CCGT060202LF KC5010 | A87 |
| 1310719 | DPGT11T304HP KC5010 | A97 |
| 1310720 | DPGT11T304LF KC5010 | A97 |
| 1310721 | CCGT060201LF KC5010 | A87 |
| 1310723 | DPGT11T308HP KC5010 | A97 |
| 1310724 | CCGT060204HP KC5010 | A87 |
| 1310725 | DPGT11T308LF KC5010 | A97 |
| 1310726 | CCGT060204LF KC5010 | A87 |
| 1310728 | CCGT060208LF KC5010 | A87 |
| 1310730 | CCGT09T302HP KC5010 | A87 |
| 1310733 | CCGT09T302LF KC5010 | A87 |
| 1310735 | CCGT09T301LF KC5010 | A87 |
| 1310737 | CCGT09T304HP KC5010 | A87 |
| 1310739 | CCGT09T304LF KC5010 | A87 |
| 1310740 | CCGT09T308LF KC5010 | A87 |
| 1310746 | CCGT120402HP KC5010 | A87 |
| 1310750 | CCGT120404HP KC5010 | A87 |
| 1310793 | TPGT110202HP KC5010 | A109 |
| 1310800 | TPGT16T304HP KC5010 | A109 |
| 1310802 | TPGT16T308HP KC5010 | A109 |
| 1310805 | TPGT16T308LF KC5010 | A110 |
| 1310838 | CPGT060202LF KC5010 | A92 |
| 1310839 | CPGT060201LF KC5010 | A92 |
| 1310841 | VBMT110302LF KC5010 | A113 |
| 1310842 | CPGT060204LF KC5010 | A92 |
| 1310844 | CPGT09T302HP KC5010 | A92 |
| 1310845 | VBMT110304LF KC5010 | A113 |
| 1310846 | CPGT09T302LF KC5010 | A92 |
| 1310849 | VBMT160404LF KC5010 | A113 |
| 1310850 | CPGT09T304HP KC5010 | A92 |
| 1310878 | CPGT09T304LF KC5010 | A92 |
| 1310880 | DCGT11T302HP KC5010 | A94 |
| 1310881 | DCGT11T304HP KC5010 | A94 |
| 1310882 | DCGT11T308HP KC5010 | A94 |
| 1310885 | DCMT070204LF KC5010 | A96 |
| 1310887 | DCMT11T302LF KC5010 | A96 |
| 1310890 | DCMT11T304LF KC5010 | A96 |
| 1310939 | TPGT110204HP KC5010 | A109 |
| 1310943 | TPGT110204LF KC5010 | A110 |
| 1310944 | DPGT070202HP KC5010 | A97 |
| 1310945 | DPGT070204HP KC5010 | A97 |
| 1310946 | TPGT16T304LF KC5010 | A110 |
| 1310947 | DPGT070202LF KC5010 | A97 |
| 1310948 | VBMT160408LF KC5010 | A113 |
| 1310951 | DCMT070202LF KC5010 | A96 |
| 1310954 | CCGT120408HP KC5010 | A87 |
| 1312498 | 364.015 | B19, B21 |
| 1314840 | DCMT11T308LF KC5010 | A96 |
| 1511189 | VCGR160404 KT315 | A220 |
| 1522848 | TPGT090204LF KC5010 | A110 |
| 1522850 | TPGT16T302HP KC5010 | A109 |
| 1522905 | CPGT060202HP KC5010 | A92 |
| 1522907 | CPGT060204HP KC5010 | A92 |
| 1522942 | TCGT110204HP KC5010 | A105 |
| 1522943 | TCGT16T302HP KC5010 | A105 |
| 1522945 | TCGT16T304HP KC5010 | A105 |
| 1522946 | TCGT110204LF KC5010 | A105 |
| 1522947 | TCGT16T302LF KC5010 | A105 |
| 1522948 | TCGT16T304LF KC5010 | A105 |
| 1522949 | TCGT16T308LF KC5010 | A105 |
| 1523196 | TCGT110202HP KC5010 | A105 |
| 1523329 | TPGT090202LF KC5010 | A110 |
| 1523354 | TCGT16T308HP KC5010 | A105 |
| 1523720 | CCGT09T302LF K313 | A87 |
| 1527051 | SCMT12040811 KT315 | A102 |
| 1527992 | DCMT11T30811 KT315 | A95 |
| 1527995 | TCMT16T30811 KT315 | A106 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 1541663 | CPGT060202LF K313 | A92 |
| 1560389 | CCGT060204HP KC5410 | A87 |
| 1560390 | CCGT09T302HP KC5410 | A87 |
| 1560600 | CCGT060202HP KC5410 | A87 |
| 1560651 | CCGT09T304HP KC5410 | A87 |
| 1560653 | CCGT120404HP KC5410 | A87 |
| 1560655 | CCGT120408HP KC5410 | A87 |
| 1560691 | CPGH09T308 KC5410 | A91 |
| 1560692 | CPGT060204LF KC5410 | A92 |
| 1560693 | CPGT09T302HP KC5410 | A92 |
| 1560694 | CPGT09T304HP KC5410 | A92 |
| 1560698 | CPGT09T304LF KC5410 | A92 |
| 1560699 | DCGT11T302HP KC5410 | A94 |
| 1560714 | DCGT11T304HP KC5410 | A94 |
| 1560715 | DCGT11T308HP KC5410 | A94 |
| 1560717 | DNGP150402 KC5410 | A48 |
| 1560721 | DPGT070204HP KC5410 | A97 |
| 1560722 | DPGT070202LF KC5410 | A97 |
| 1560723 | DPGT11T304HP KC5410 | A97 |
| 1560755 | TPGT110202HP KC5410 | A109 |
| 1560756 | TPGT110204HP KC5410 | A109 |
| 1560757 | TPGT16T304HP KC5410 | A109 |
| 1560759 | TPGT16T308HP KC5410 | A109 |
| 1560781 | VCGR160404 KC5410 | A220 |
| 1560783 | VCGR160408 KC5410 | A220 |
| 1560784 | WNGP080408K KC5410 | A78 |
| 1560790 | CNMP120404 KC5410 | A46 |
| 1560795 | CNMP120408 KC5410 | A46 |
| 1560797 | CNMS120408 KC5410 | A47 |
| 1560799 | CNMS160608 KC5410 | A47 |
| 1560801 | CNMS190608 KC5410 | A47 |
| 1560803 | DNMS150408 KC5410 | A56 |
| 1560808 | SNMS190612 KC5410 | A64 |
| 1560829 | TNMS220408 KC5410 | A72 |
| 1560833 | VNMS160404 KC5410 | A77 |
| 1599081 | TNMG220412MP KC5010 | A68 |
| 1600598 | TNMG220408MP1 KC5010 | A68 |
| 1601557 | CNMG120404FF KC5010 | A40 |
| 1601631 | CNMG120404FF KT315 | A40 |
| 1601632 | CNMG120408FF KC5010 | A40 |
| 1601637 | DNMG150608FF KC5010 | A50 |
| 1601651 | DNMG150608FF KT315 | A50 |
| 1601652 | WNMG080408FF KC5010 | A79 |
| 1601656 | TNMG160408FF KC5010 | A66 |
| 1601886 | TNMG160408FF KT315 | A66 |
| 1601888 | VNMG160404FF KC5010 | A74 |
| 1601890 | VNMG160408FF KC5010 | A74 |
| 1601953 | VNMG160408FF KT315 | A74 |
| 1601956 | WNMG060404FF KC5010 | A79 |
| 1602247 | VNMG160404FF KT315 | A74 |
| 1602249 | WNMG060404FF KT315 | A79 |
| 1602250 | WNMG060408FF KC5010 | A79 |
| 1602304 | WNMG060408FF KT315 | A79 |
| 1602579 | TNMG160404FF KT315 | A66 |
| 1602604 | TNMG160404FF KC5010 | A66 |
| 1604705 | DNMG150408FF KT315 | A50 |
| 1604706 | DNMG150408FF KC5010 | A50 |
| 1605207 | CNMG120404FN KT315 | A40 |
| 1605242 | CNMG120408FN KT315 | A40 |
| 1605250 | CNMG120412FN KT315 | A40 |
| 1605279 | DNMG150408FN KT315 | A50 |
| 1605334 | DNMG150608FN KT315 | A50 |
| 1606360 | SNMG120408FN KT315 | A58 |
| 1606485 | TNMG160408FN KT315 | A66 |
| 1606718 | WNMG080408FN KT315 | A79 |
| 1608497 | DNMG110404FF KC5010 | A50 |
| 1608500 | DNMG110404FF KT315 | A50 |
| 1608941 | DNMG110408FF KC5010 | A50 |
| 1608944 | DNMG110408FF KT315 | A50 |
| 1608949 | TNMG160404FN KT315 | A66 |
| 1610085 | TNMG160412FN KT315 | A66 |
| 1610089 | DNMG110404FN KT315 | A50 |
| 1610905 | VCGR160408 KT315 | A220 |
| 1610983 | DNMG110408FN KT315 | A50 |
| 1610985 | DNMG150604FF KC5010 | A50 |
| 1610988 | DNMG150604FF KT315 | A50 |
| 1610989 | SNMG120404FF KC5010 | A58 |
| 1611086 | DNMG110412FN KT315 | A50 |
| 1611279 | DNMG150604FN KT315 | A51 |
| 1611325 | DNMG150612FN KT315 | A50 |
| 1611330 | WNMG060404FN KT315 | A79 |
| 1611335 | WNMG060408FN KT315 | A79 |
| 1611338 | WNMG080404FF KC5010 | A79 |
| 1611414 | WNMG080404FN KT315 | A79 |
| 1611417 | SNMG120408FF KC5010 | A58 |
| 1612562 | DNMG150404FF KC5010 | A50 |
| 1612565 | DNMG150404FF KT315 | A50 |
| 1612950 | DNMG150404FN KT315 | A50 |
| 1617589 | DNMG150412FN KT315 | A50 |
| 1620371 | CPGH09T308 KT315 | A91 |
| 1620372 | KCGR110304R08 KT315 | A215 |
| 1620373 | TPMT110204LF KT315 | A111 |
| 1620374 | CPMT060208LF KT315 | A93 |
| 1621087 | MS2002 | E19 |
| 1623193 | CCGT060208HP KC5410 | A87 |
| 1623194 | CCGT09T308HP KC5410 | A87 |
| 1623200 | DCGT070202HP KC5410 | A94 |
| 1623271 | DCGT070204HP KC5410 | A94 |
| 1623272 | TCGT110202HP KC5410 | A105 |
| 1623273 | TCGT110204HP KC5410 | A105 |
| 1623274 | TCGT16T304HP KC5410 | A105 |
| 1623275 | TCGT16T308HP KC5410 | A105 |
| 1623278 | VBGT160404HP KC5410 | A112 |
| 1623279 | VBGT160408HP KC5410 | A112 |
| 1624156 | CNMG090304FF KC5010 | A40 |
| 1624159 | CNMG090308FF KC5010 | A40 |
| 1624223 | SNMG090304FF KC5010 | A58 |
| 1624227 | SNMG090308FF KC5010 | A58 |
| 1624229 | SNMG090308FF KT315 | A58 |
| 1624230 | TNMG110304FF KC5010 | A66 |
| 1624233 | TNMG110308FF KC5010 | A66 |
| 1624424 | CNMG090304FN KT315 | A40 |
| 1624431 | VNMG160404FN KT315 | A75 |
| 1624432 | VNMG160408FN KT315 | A75 |
| 1713307 | RCGT0803M0HP KC5410 | A99 |
| 1713308 | RCGT10T3M0HP KC5410 | A99 |
| 1713310 | RCGT0803M0HP KC5010 | A99 |
| 1713351 | RCGT10T3M0HP KC5010 | A99 |
| 1713352 | RCGT1204M0HP KC5010 | A99 |
| 1713356 | CPGT09T308LF KC5010 | A92 |
| 1713359 | VBGT110301LF KC5010 | A112 |
| 1723608 | SPGT09T308LF KC5410 | A104 |
| 1724923 | CNGA120404S01025MT KB5625 | A165 |
| 1724924 | CNGA120408S01025MT KB5625 | A165 |
| 1724925 | CNGA120412S01025MT KB5625 | A165 |
| 1724926 | DNGA150404S01025MT KB5625 | A166 |
| 1724927 | DNGA150408S01025MT KB5625 | A166 |
| 1724942 | DNGA150412S01025MT KB5625 | A166 |
| 1724943 | SNGA120404S01025MT KB5625 | A168 |
| 1724944 | SNGA120408S01025MT KB5625 | A168 |
| 1724945 | SNGA120412S01025MT KB5625 | A168 |
| 1724946 | TNGA160404S01025MT KB5625 | A169 |
| 1724947 | TNGA160408S01025MT KB5625 | A169 |
| 1724948 | TNGA160412S01025MT KB5625 | A169 |
| 1724949 | VNGA160404S01025MT KB5625 | A169 |
| 1724950 | VNGA160408S01025MT KB5625 | A169 |
| 1724951 | CCGW060202EM KB5625 | A172 |
| 1724952 | CCGW060204S01015M KB5625 | A172 |
| 1724954 | CCGW09T304S01015M KB5625 | A172 |
| 1724956 | CCGW09T308S01015M KB5625 | A172 |
| 1724957 | DCGW070202EM KB5625 | A174 |
| 1724961 | DCGW070204S01015M KB5625 | A174 |
| 1724962 | DCGW11T304S01015M KB5625 | A174 |
| 1724963 | DCGW11T308S01015M KB5625 | A174 |
| 1724965 | TCGW110202EM KB5625 | A177 |
| 1724970 | TCGW110204S01015M KB5625 | A177 |
| 1724971 | TCGW16T304S01015M KB5625 | A177 |
| 1724972 | TCGW16T308S01015M KB5625 | A177 |
| 1732924 | MS1944 | A204–A205 |
| 1747635 | DCGT070202HP KC5010 | A94 |
| 1777860 | CNMG120408MP KC5025 | A42 |
| 1782505 | VCGR160402 KC5410 | A220 |
| 1782823 | RCMT09T300 KC5410 | A100 |
| 1782831 | TPGT090204LF KC5410 | A110 |
| 1782893 | SPGH070208 KC5410 | A103 |
| 1782895 | SPGH090308 KC5410 | A103 |
| 1782902 | CNMG120404FW KT315 | A41 |
| 1783133 | CNMG120408FW KT315 | A41 |
| 1783134 | CNMG120412FW KT315 | A41 |
| 1783135 | DNMG110404FW KT315 | A51 |
| 1783136 | DNMG110408FW KT315 | A51 |
| 1783137 | DNMG150404FW KT315 | A51 |
| 1783138 | DNMG150408FW KT315 | A51 |
| 1783141 | WNMG060404FW KT315 | A79 |
| 1783142 | WNMG060408FW KT315 | A79 |
| 1783143 | WNMG080404FW KT315 | A79 |
| 1783144 | WNMG080408FW KT315 | A79 |
| 1783152 | CNMG120404FW KC5010 | A41 |
| 1783233 | CNMG120408FW KC5010 | A41 |
| 1783234 | CNMG120412FW KC5010 | A41 |
| 1783237 | DNMG150404FW KC5010 | A51 |
| 1783238 | DNMG150408FW KC5010 | A51 |
| 1783273 | WNMG060408FW KC5010 | A79 |
| 1783275 | WNMG080408FW KC5010 | A79 |
| 1785474 | DCGT070204HP KC5010 | A94 |
| 1785475 | DCGT070208HP KC5010 | A94 |
| 1785476 | DPGT070208HP KC5010 | A97 |
| 1785477 | CCGT060208HP KC5010 | A87 |
| 1785478 | CPGT060208HP KC5010 | A92 |
| 1785479 | CCGT09T308HP KC5010 | A87 |
| 1785480 | CPGT09T308HP KC5010 | A92 |
| 1785481 | TCGT110208HP KC5010 | A105 |
| 1785482 | TPGT110208HP KC5010 | A109 |
| 1785713 | VBGT160404HP KC5010 | A112 |
| 1785714 | VBGT160408HP KC5010 | A112 |
| 1785715 | CNGP120401 KC5410 | A38 |
| 1785716 | CNGP120402 KC5410 | A38 |
| 1785717 | CNGP120404 KC5410 | A38 |
| 1785718 | CNGP120408 KC5410 | A38 |
| 1785719 | CNGP120412 KC5410 | A38 |
| 1785733 | DNGP150404 KC5410 | A48 |
| 1785734 | DNGP150408 KC5410 | A48 |
| 1785735 | DNGP150604 KC5410 | A48 |
| 1785736 | DNGP150608 KC5410 | A48 |
| 1785740 | TNGP160404 KC5410 | A65 |
| 1785741 | TNGP160408 KC5410 | A65 |
| 1785746 | VNGP160401 KC5410 | A73 |
| 1785747 | VNGP160402 KC5410 | A73 |
| 1785748 | CPGT060202HP KC5410 | A92 |
| 1785749 | CPGT060204HP KC5410 | A92 |
| 1785750 | CPGT060208HP KC5410 | A92 |
| 1785752 | CPGT09T308HP KC5410 | A92 |
| 1785753 | DCGT070208HP KC5410 | A94 |
| 1785755 | TCGT110208HP KC5410 | A105 |
| 1785756 | TPGT110208HP KC5410 | A109 |
| 1791528 | 410.084 | A258–A259 |
| 1795809 | 364.016 | B18, B20 |
| 1802547 | CCMT09T304MW KT315 | A89 |
| 1802549 | CCMT09T308MW KT315 | A89 |
| 1802550 | CPMT09T308MW KT315 | A94 |
| 1802551 | WNGG080408LF KC5010 | A78 |
| 1802563 | CCMT120408MW KT315 | A89 |
| 1802564 | CCMT09T304MW KC5010 | A89 |
| 1802565 | CPMT09T304MW KC5010 | A94 |
| 1802566 | CCMT09T308MW KC5010 | A89 |
| 1802567 | CPMT09T308MW KC5010 | A94 |
| 1802568 | CCMT120404MW KC5010 | A89 |
| 1802569 | CCMT120408MW KC5010 | A89 |
| 1802813 | CCMT060202FW KT315 | A88 |
| 1802843 | CPMT060202FW KT315 | A93 |
| 1802844 | CCMT060204FW KT315 | A88 |
| 1802845 | CPMT060204FW KT315 | A93 |
| 1802846 | CCMT060208FW KT315 | A88 |
| 1802971 | CPMT060208FW KT315 | A93 |
| 1802983 | CCMT09T304FW KT315 | A88 |
| 1802984 | CPMT09T304FW KT315 | A93 |
| 1802986 | CCMT09T308FW KT315 | A88 |
| 1802991 | CPMT09T308FW KT315 | A93 |
| 1802992 | CCMT060202FW KC5010 | A88 |
| 1803013 | CPMT060202FW KC5010 | A93 |
| 1803014 | CCMT060204FW KC5010 | A88 |
| 1803015 | CPMT060204FW KC5010 | A93 |
| 1803016 | CCMT060208FW KC5010 | A88 |
| 1803018 | CPMT060208FW KC5010 | A93 |
| 1803020 | CCMT09T304FW KC5010 | A88 |
| 1803021 | CPMT09T304FW KC5010 | A93 |
| 1803022 | CCMT09T308FW KC5010 | A88 |
| 1803023 | CPMT09T308FW KC5010 | A93 |
| 1807220 | CCGT09T304LF KC5410 | A87 |
| 1817572 | CNMG120404FP KC5010 | A41 |
| 1817614 | CNMG120408FP KC5010 | A41 |
| 1817616 | DNMG110404FP KC5010 | A51 |
| 1817617 | DNMG110408FP KC5010 | A51 |
| 1819206 | CNMG120404FP KT315 | A41 |
| 1819207 | CNMG120408FP KT315 | A41 |
| 1819211 | DNMG110408FP KT315 | A51 |
| 1819335 | DNMG150404FP KT315 | A51 |
| 1819336 | DNMG150408FP KT315 | A51 |
| 1819337 | DNMG150412FP KTP10 | A51 |
| 1819340 | DNMG150612FP KT315 | A51 |
| 1819354 | TNMG160404FP KT315 | A67 |
| 1819355 | TNMG160408FP KT315 | A67 |
| 1819357 | VNMG160404FP KT315 | A75 |
| 1819358 | VNMG160408FP KT315 | A75 |
| 1819440 | DNMG150404FP KC5010 | A51 |
| 1819441 | DNMG150408FP KC5010 | A51 |
| 1819494 | DNMG150604FP KC5010 | A51 |
| 1819495 | DNMG150608FP KC5010 | A51 |
| 1819497 | SNMG120404FP KC5010 | A59 |
| 1819498 | SNMG120408FP KC5010 | A59 |
| 1819500 | TNMG160404FP KC5010 | A67 |
| 1819501 | TNMG160408FP KC5010 | A67 |
| 1819502 | TNMG160412FP KC5010 | A67 |
| 1819513 | VNMG160404FP KC5010 | A75 |
| 1819514 | VNMG160408FP KC5010 | A75 |
| 1819515 | WNMG060404FP KC5010 | A79 |
| 1819516 | WNMG060408FP KC5010 | A79 |
| 1819517 | WNMG080404FP KC5010 | A79 |
| 1819518 | WNMG080408FP KC5010 | A79 |
| 1819519 | WNMG080412FP KC5010 | A79 |
| 1824861 | TCMT16T308LF KC5010 | A106 |
| 1824882 | TCMT16T304LF KC5010 | A106 |
| 1829218 | TNMG160404FW KT315 | A67 |
| 1829219 | TNMG160408FW KT315 | A67 |
| 1829220 | TNMG160404FW KC5010 | A67 |
| 1829221 | TNMG160408FW KC5010 | A67 |
| 1832293 | CNMG090308MP KC5010 | A42 |
| 1832294 | CNMG120404MP KC5010 | A42 |
| 1832295 | CNMG120408MP KC5010 | A42 |
| 1832296 | CNMG120412MP KC5010 | A42 |
| 1832297 | CNMG120416MP KC5010 | A42 |
| 1832298 | CNMG160608MP KC5010 | A42 |
| 1832299 | CNMG160612MP KC5010 | A42 |
| 1832301 | CNMG160616MP KC5010 | A42 |
| 1832302 | CNMG190608MP KC5010 | A42 |
| 1832313 | CNMG190612MP KC5010 | A42 |
| 1832315 | CNMG190616MP KC5010 | A42 |
| 1832316 | DNMG110408MP KC5010 | A52 |
| 1832318 | DNMG150404MP KC5010 | A52 |
| 1832319 | DNMG150408MP KC5010 | A52 |
| 1832321 | DNMG150412MP KC5010 | A52 |
| 1832322 | DNMG150604MP KC5010 | A52 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 1832323 | DNMG150608MP KC5010 | A52 |
| 1832324 | DNMG150612MP KC5010 | A52 |
| 1832325 | SNMG120408MP KC5010 | A60 |
| 1832327 | SNMG120412MP KC5010 | A60 |
| 1832330 | SNMG150612MP KC5010 | A60 |
| 1832332 | SNMG190612MP KC5010 | A60 |
| 1832353 | SNMG190616MP KC5010 | A60 |
| 1832354 | TNMG160404MP KC5010 | A68 |
| 1832355 | TNMG160408MP KC5010 | A68 |
| 1832356 | TNMG160412MP KC5010 | A68 |
| 1832357 | TNMG220408MP KC5010 | A68 |
| 1832358 | TNMG220412MP KC5010 | A68 |
| 1832359 | TNMG220416MP KC5010 | A68 |
| 1832360 | VNMG160404MP KC5010 | A75 |
| 1832361 | VNMG160408MP KC5010 | A75 |
| 1832373 | VNMG160412MP KC5010 | A75 |
| 1832374 | WNMG060404MP KC5010 | A80 |
| 1832376 | WNMG060408MP KC5010 | A80 |
| 1832378 | WNMG080408MP KC5010 | A80 |
| 1832379 | WNMG080412MP KC5010 | A80 |
| 1834295 | SNMG120412FW KT315 | A59 |
| 1841355 | VCGR160416 KC5010 | A220 |
| 1841781 | MS1336 | D48, D64 |
| 1841782 | MS2038 | D32, D41, D48, D52, D57, D64, D69 |
| 1843976 | RCMT1204M0 KC5010 | A100 |
| 1845216 | TCMT110204LF KC5010 | A106 |
| 1845218 | CCMT120408LF KC5010 | A88 |
| 1845219 | TPMT110204LF KC5010 | A111 |
| 1845227 | CCMT09T304LF KC5010 | A88 |
| 1845230 | SCMT09T304LF KC5010 | A102 |
| 1848655 | ICSN443 | E10 |
| 1849051 | DCGR150404 KC5010 | A214 |
| 1849052 | DCGR150408 KC5010 | A214 |
| 1849053 | DCGR150412 KC5010 | A214 |
| 1849054 | KCGX110301R15 KC5010 | A217 |
| 1849055 | KCGX110301L15 KC5010 | A217 |
| 1849056 | KCGX110302R15 KC5010 | A217 |
| 1849058 | KCGX110304R15 KC5010 | A217 |
| 1849059 | KCGX110304L15 KC5010 | A217 |
| 1849060 | KCGX110308R15 KC5010 | A217 |
| 1849243 | KCGX110308L15 KC5010 | A217 |
| 1849249 | KNGX150404R20 KC5010 | A216 |
| 1849250 | KNGX150404L20 KC5010 | A216 |
| 1849251 | KNGX150408R20 KC5010 | A216 |
| 1849252 | KNGX150408L20 KC5010 | A216 |
| 1849274 | KCGR110304R08 KC5010 | A215 |
| 1849275 | KCGR110304L08 KC5010 | A215 |
| 1849276 | KCGR110308R08 KC5010 | A215 |
| 1849279 | VBMR110304 KC5010 | A218 |
| 1849281 | VCGR160402 KC5010 | A220 |
| 1849301 | VCGR160404 KC5010 | A220 |
| 1849302 | VCGR160408 KC5010 | A220 |
| 1849323 | VCGR160412 KC5010 | A220 |
| 1849846 | KCGR110304L08 KT315 | A215 |
| 1849865 | KCGX110301R15 KT315 | A217 |
| 1849869 | KCGX110302R15 KT315 | A217 |
| 1849871 | KCGX110304R15 KT315 | A217 |
| 1849874 | KCGX110308R15 KT315 | A217 |
| 1849885 | VBMR110304 KT315 | A218 |
| 1849903 | KCGR110308L08 KC5025 | A215 |
| 1849905 | VBMR110302 KC5025 | A218 |
| 1849906 | VBMR110304 KC5025 | A218 |
| 1849907 | VBMR110308 KC5025 | A218 |
| 1849908 | VCGR160402 KC5025 | A220 |
| 1849909 | VCGR160404 KC5025 | A220 |
| 1849910 | VCGR160408 KC5025 | A220 |
| 1849939 | DCGR150408 KC5025 | A214 |
| 1849983 | KCGX110301R15 KC5025 | A217 |
| 1849998 | KCGX110304R15 KC5025 | A217 |
| 1850011 | KCGX110304L15 KC5025 | A217 |
| 1850012 | KCGX110308R15 KC5025 | A217 |
| 1850023 | KCGX110308L15 KC5025 | A217 |
| 1850035 | KNGX150408L20 KC5025 | A216 |
| 1850067 | KCGR110304R08 KC5025 | A215 |
| 1850070 | KCGR110304L08 KC5025 | A215 |
| 1854201 | CPMT050204LF KC5010 | A93 |
| 1859604 | VBMT160404LF KT315 | A113 |
| 1861979 | CCGW060204EFWM KB5625 | A172 |
| 1861980 | CCGW09T304EFWM KB5625 | A172 |
| 1862016 | CCGW09T308EFWM KB5625 | A172 |
| 1862045 | DPGW070204S01015M KB5625 | A176 |
| 1862048 | DPGW11T304S01015M KB5625 | A176 |
| 1862049 | DPGW11T308S01015M KB5625 | A176 |
| 1862050 | DPGW070202EM KB5625 | A176 |
| 1862064 | TPGW110202EM KB5625 | A179 |
| 1862065 | TPGW110204S01015M KB5625 | A179 |
| 1862066 | TPGW110208S01015M KB5625 | A179 |
| 1862067 | TPGW16T304S01015M KB5625 | A179 |
| 1862071 | CNGA120408EFWMT KB5625 | A164 |
| 1862072 | CNGA120412EFWMT KB5625 | A164 |
| 1862083 | DNGA150404EFWMT KB5625 | A166 |
| 1862085 | DNGA150408EFWMT KB5625 | A166 |
| 1862086 | DNGA150412EFWMT KB5625 | A166 |
| 1862087 | TNGA160408EFWMT KB5625 | A168 |
| 1862091 | DNGA150408EMT KB5625 | A165 |
| 1862092 | DNGA150412EMT KB5625 | A165 |
| 1864501 | VCMR160404 KC5010 | A219 |
| 1864502 | VCMR160408 KC5010 | A219 |
| 1864543 | VCMR160404 KC5025 | A219 |
| 1864544 | VCMR160408 KC5025 | A219 |
| 1864562 | VCMR160404 KT315 | A219 |
| 1864583 | VCMR160408 KT315 | A219 |
| 1865174 | SPGR090308K KC5010 | A85 |
| 1865214 | TPGR160304K KC5010 | A86 |
| 1865218 | TPGR160308K KC5010 | A86 |
| 1865436 | SPGN090304 KC5010 | A84 |
| 1865452 | SPGN090308 KC5010 | A84 |
| 1865483 | SPGN120304 KC5010 | A84 |
| 1865484 | SPGN120308 KC5010 | A84 |
| 1865486 | SPGN120316 KC5010 | A84 |
| 1865531 | TPGN110304 KC5010 | A85 |
| 1865532 | TPGN110308 KC5010 | A85 |
| 1865533 | TPGN160302 KC5010 | A85 |
| 1865534 | TPGN160304 KC5010 | A85 |
| 1865536 | TPGN160312 KC5010 | A85 |
| 1865537 | TPGN160316 KC5010 | A85 |
| 1865538 | TPGN220404 KC5010 | A85 |
| 1865539 | TPGN220408 KC5010 | A85 |
| 1865540 | TPGN220412 KC5010 | A85 |
| 1865541 | TPGN220416 KC5010 | A85 |
| 1865959 | RCGV060400 KC5010 | A83 |
| 1865960 | RCGV090700 KC5010 | A83 |
| 1865961 | RCGV120700 KC5010 | A83 |
| 1865962 | RPGV090700 KC5010 | A84 |
| 1865999 | RCMT0602M0 KC5010 | A100 |
| 1866000 | RCMT0803M0 KC5010 | A100 |
| 1866001 | RCMT10T3M0 KC5010 | A100 |
| 1866014 | RCMT1605M0 KC5010 | A100 |
| 1866015 | RCMT2006M0 KC5010 | A100 |
| 1866017 | RCMT060200 KC5010 | A100 |
| 1866019 | RCMT09T300 KC5010 | A100 |
| 1866562 | CPGT09T308LF K313 | A92 |
| 1866564 | CCGT0602X0LF KC5025 | A87 |
| 1866565 | CCGT060201LF KC5025 | A87 |
| 1866566 | CCGT060202LF KC5025 | A87 |
| 1866567 | CCGT060204LF KC5025 | A87 |
| 1866568 | CCGT060208LF KC5025 | A87 |
| 1866569 | CCGT09T3X0LF KC5025 | A87 |
| 1866570 | CCGT09T301LF KC5025 | A87 |
| 1866571 | CCGT09T302LF KC5025 | A87 |
| 1866572 | CCGT09T304LF KC5025 | A87 |
| 1866593 | CCGT09T308LF KC5025 | A87 |
| 1866595 | CCGT060201LF KC5410 | A87 |
| 1866597 | CCGT060204LF KC5410 | A87 |
| 1866600 | CCGT09T301LF KC5410 | A87 |
| 1866612 | CCGT060208LF K313 | A87 |
| 1866616 | CCGT09T308LF K313 | A87 |
| 1866617 | CPGT060201LF KC5025 | A92 |
| 1866618 | CPGT060202LF KC5025 | A92 |
| 1866619 | CPGT060204LF KC5025 | A92 |
| 1866620 | CPGT060208LF KC5025 | A92 |
| 1866621 | CPGT09T302LF KC5025 | A92 |
| 1866622 | CPGT09T304LF KC5025 | A92 |
| 1866623 | CPGT09T308LF KC5025 | A92 |
| 1866625 | CPGT060201LF KC5410 | A92 |
| 1866627 | CPGT060208LF KC5410 | A92 |
| 1866638 | TPGT090204LF KC5025 | A110 |
| 1866640 | TPGT110202LF KC5025 | A110 |
| 1866641 | TPGT110204LF KC5025 | A110 |
| 1866643 | DCGT0702X0LF KC5025 | A95 |
| 1866646 | DCGT070201LF KC5025 | A95 |
| 1866647 | DCGT11T301LF KC5025 | A95 |
| 1866648 | DCGT11T3X0LF KC5025 | A95 |
| 1866650 | DCGT070201LF KC5010 | A95 |
| 1866651 | DCGT11T301LF KC5010 | A95 |
| 1866652 | DCGT150408LF KC5010 | A95 |
| 1866653 | TPGT16T304LF KC5025 | A110 |
| 1866655 | TPGT110208LF KC5010 | A110 |
| 1866658 | TPGT090202LF KC5410 | A110 |
| 1866661 | TPGT110204LF KC5410 | A110 |
| 1866665 | DPGT070204LF KC5025 | A97 |
| 1866667 | DPGT11T302LF KC5025 | A97 |
| 1866668 | DPGT11T304LF KC5025 | A97 |
| 1866669 | DPGT11T308LF KC5025 | A97 |
| 1866670 | DPGT070201LF KT315 | A97 |
| 1866672 | DPGT070204LF KT315 | A97 |
| 1866673 | TPGT16T304LF KC5410 | A110 |
| 1866674 | TPGT16T308LF KC5410 | A110 |
| 1866675 | VBGT1103X0LF KC5025 | A112 |
| 1866676 | VBGT110301LF KC5025 | A112 |
| 1866677 | VBGT110302LF KC5025 | A112 |
| 1866678 | VBGT110304LF KC5025 | A112 |
| 1866679 | VBGT1604X0LF KC5025 | A112 |
| 1866681 | VBGT160401LF KC5025 | A112 |
| 1866682 | VBGT160402LF KC5025 | A112 |
| 1866683 | VBGT160404LF KC5025 | A112 |
| 1866685 | VBGT110302LF KC5010 | A112 |
| 1866686 | VBGT110304LF KC5010 | A112 |
| 1866695 | DPGT11T304LF KT315 | A97 |
| 1866754 | VBGT160401LF KC5010 | A112 |
| 1866755 | VBGT160402LF KC5010 | A112 |
| 1866756 | VBGT160404LF KC5010 | A112 |
| 1866757 | VBGT110301LF KC5410 | A112 |
| 1866758 | VBGT110302LF KC5410 | A112 |
| 1866759 | VBGT110304LF KC5410 | A112 |
| 1866760 | VBGT160401LF KC5410 | A112 |
| 1866761 | VBGT160402LF KC5410 | A112 |
| 1866762 | VBGT160404LF KC5410 | A112 |
| 1866774 | DPGT070201LF KC5410 | A97 |
| 1866775 | DPGT070204LF KC5410 | A97 |
| 1866778 | DPGT11T304LF KC5410 | A97 |
| 1866781 | DPGT070201LF KC5010 | A97 |
| 1866782 | SPGT09T304LF KC5025 | A104 |
| 1866793 | SPGT09T308LF KC5025 | A104 |
| 1866795 | SPGT09T304LF KC5010 | A104 |
| 1866796 | SPGT09T308LF KC5010 | A104 |
| 1866801 | TCGT110201LF KC5025 | A105 |
| 1866802 | TCGT110204LF KC5025 | A105 |
| 1866955 | CCGT060202HP KC5025 | A87 |
| 1866956 | CCGT060204HP KC5025 | A87 |
| 1866959 | CCGT09T302HP KC5025 | A87 |
| 1866960 | CCGT09T304HP KC5025 | A87 |
| 1866961 | CCGT09T308HP KC5025 | A87 |
| 1866962 | CCGT120401HP KC5025 | A87 |
| 1866994 | CCGT120404HP KC5025 | A87 |
| 1866995 | CCGT120408HP KC5025 | A87 |
| 1866996 | CPGT060202HP KC5025 | A92 |
| 1866997 | CPGT060204HP KC5025 | A92 |
| 1866999 | CPGT060208HP KC5025 | A92 |
| 1867001 | CPGT09T302HP KC5025 | A92 |
| 1867002 | CPGT09T304HP KC5025 | A92 |
| 1867003 | CPGT09T308HP KC5025 | A92 |
| 1867004 | DCGT070202HP KC5025 | A94 |
| 1867006 | DCGT070204HP KC5025 | A94 |
| 1867007 | DCGT070208HP KC5025 | A94 |
| 1867009 | DCGT11T302HP KC5025 | A94 |
| 1867010 | DCGT11T304HP KC5025 | A94 |
| 1867011 | DCGT11T308HP KC5025 | A94 |
| 1867023 | DPGT070204HP KC5025 | A97 |
| 1867027 | RCGT0803M0HP KC5025 | A99 |
| 1867028 | RCGT10T3M0HP KC5025 | A99 |
| 1867029 | RCGT1204M0HP KC5025 | A99 |
| 1867031 | TCGT110204HP KC5025 | A105 |
| 1867032 | TCGT110208HP KC5025 | A105 |
| 1867034 | TCGT16T304HP KC5025 | A105 |
| 1867035 | TCGT16T308HP KC5025 | A105 |
| 1867036 | TPGT110202HP KC5025 | A109 |
| 1867037 | TPGT110204HP KC5025 | A109 |
| 1867042 | TPGT16T304HP KC5025 | A109 |
| 1867044 | TPGT16T308HP KC5025 | A109 |
| 1867046 | VBGT160404HP KC5025 | A112 |
| 1867049 | VBGT160408HP KC5025 | A112 |
| 1867050 | VBGT110304HP KC5025 | A112 |
| 1867051 | VBGT110302HP KC5025 | A112 |
| 1867060 | VBGT110304HP KC5010 | A112 |
| 1867061 | VBGT110302HP KC5010 | A112 |
| 1867212 | SSP025016M | E10–E11 |
| 1867278 | KMSP415IP | E10–E11 |
| 1867314 | KMSP515IP | E10 |
| 1867620 | CNGP120408 KC5010 | A38 |
| 1868190 | CPGH09T301 KC5010 | A91 |
| 1868253 | CPGH09T301 KC5025 | A91 |
| 1868254 | CPGH09T301 KT315 | A91 |
| 1868255 | CPGH09T302 KC5010 | A91 |
| 1868257 | CPGH09T302 KC5025 | A91 |
| 1868419 | CNGP120401 KC5010 | A38 |
| 1868420 | CNGP120402 KC5010 | A38 |
| 1868421 | CNGP120404 KC5010 | A38 |
| 1868443 | CNGP120412 KC5010 | A38 |
| 1868444 | CNGP120416 KC5010 | A38 |
| 1868451 | DNGP150401 KC5010 | A48 |
| 1868452 | DNGP150402 KC5010 | A48 |
| 1868453 | DNGP150404 KC5010 | A48 |
| 1868454 | DNGP150408 KC5010 | A48 |
| 1868456 | DNGP150608 KC5010 | A48 |
| 1868457 | SNGP120404 KC5010 | A57 |
| 1868458 | SNGP120408 KC5010 | A57 |
| 1868461 | TNGP160402 KC5010 | A65 |
| 1868462 | TNGP160404 KC5010 | A65 |
| 1868463 | TNGP160408 KC5010 | A65 |
| 1868464 | VNGP160401 KC5010 | A73 |
| 1868465 | VNGP160402 KC5010 | A73 |
| 1868466 | VNGP220404 KC5010 | A73 |
| 1868467 | VNGP220408 KC5010 | A73 |
| 1869820 | CCMT060202LF KC5010 | A88 |
| 1869821 | CCMT060204LF KC5010 | A88 |
| 1869894 | CPGH09T304 KC5010 | A91 |
| 1869896 | CPGH09T304 KC5025 | A91 |
| 1869899 | CPGH09T304 KT315 | A91 |
| 1869901 | CPGH09T308 KC5010 | A91 |
| 1869903 | CPGH09T308 KC5025 | A91 |
| 1869932 | CCMT060202LF KT315 | A88 |
| 1869964 | CCMT060204LF KT315 | A88 |
| 1869965 | CCMT060208LF KT315 | A88 |
| 1869966 | CCMT09T302LF KT315 | A88 |
| 1869967 | CCMT09T304LF KT315 | A88 |
| 1869968 | CCMT09T308LF KT315 | A88 |
| 1869973 | DCMT070204LF KT315 | A96 |
| 1869974 | DCMT11T302LF KT315 | A96 |
| 1869975 | DCMT11T304LF KT315 | A96 |
| 1869976 | DCMT11T308LF KT315 | A96 |
| 1869980 | SCMT09T304LF KT315 | A102 |
| 1869996 | TCMT110204LF KT315 | A106 |
| 1869998 | TCMT110208LF KT315 | A106 |
| 1870000 | TCMT16T304LF KT315 | A106 |
| 1870002 | TCMT16T308LF KT315 | A106 |
| 1870021 | CNGG120401LF KC5010 | A38 |
| 1870022 | CNGG120402LF KC5010 | A38 |
| 1870036 | VBMT110302LF KT315 | A113 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 1870037 | VBMT110304LF KT315 | A113 |
| 1870039 | VBMT160402LF KT315 | A113 |
| 1870043 | CNGG120404LF KC5010 | A38 |
| 1870044 | CNGG120408LF KC5010 | A38 |
| 1870069 | CNGG120412LF KC5010 | A38 |
| 1870070 | CNGG160608LF KC5010 | A38 |
| 1870072 | DNGG150402LF KC5010 | A48 |
| 1870113 | DNGG150404LF KC5010 | A48 |
| 1870114 | DNGG150408LF KC5010 | A48 |
| 1870323 | VBMT160408LF KT315 | A113 |
| 1870324 | CPMT050204LF KT315 | A93 |
| 1870326 | CPMT060204LF KT315 | A93 |
| 1870328 | CPMT09T302LF KT315 | A93 |
| 1870329 | CPMT09T304LF KT315 | A93 |
| 1870333 | CPMT09T308LF KT315 | A93 |
| 1870335 | DPMT070204LF KT315 | A98 |
| 1870337 | DPMT11T304LF KT315 | A98 |
| 1870339 | SPMT09T304LF KT315 | A104 |
| 1870342 | TPMT090204LF KT315 | A111 |
| 1870365 | TPMT110208LF KT315 | A111 |
| 1870366 | TPMT16T304LF KT315 | A111 |
| 1870367 | TPMT16T308LF KT315 | A111 |
| 1870616 | SNGG090308LF KC5010 | A57 |
| 1870617 | SNGG120408LF KC5010 | A57 |
| 1870618 | SNGG150612LF KC5010 | A57 |
| 1870619 | TNGG160402LF KC5010 | A65 |
| 1870983 | CCMT060208LF KC5010 | A88 |
| 1870984 | CCMT09T302LF KC5010 | A88 |
| 1870986 | CCMT09T308LF KC5010 | A88 |
| 1870987 | CCMT120404LF KC5010 | A88 |
| 1870990 | CPMT050202LF KC5010 | A93 |
| 1870992 | CPMT060202LF KC5010 | A93 |
| 1870998 | DPMT11T302LF KC5010 | A98 |
| 1870999 | DPMT11T304LF KC5010 | A98 |
| 1871000 | DPMT11T308LF KC5010 | A98 |
| 1871002 | SCMT09T308LF KC5010 | A102 |
| 1871013 | CPMT060204LF KC5010 | A93 |
| 1871014 | CPMT060208LF KC5010 | A93 |
| 1871015 | CPMT09T302LF KC5010 | A93 |
| 1871016 | CPMT09T304LF KC5010 | A93 |
| 1871017 | CPMT09T308LF KC5010 | A93 |
| 1871019 | DCMT11T312LF KC5010 | A96 |
| 1871020 | DCMT150404LF KC5010 | A96 |
| 1871021 | DCMT150408LF KC5010 | A96 |
| 1871022 | DPMT070202LF KC5010 | A98 |
| 1871033 | DPMT070204LF KC5010 | A98 |
| 1871035 | VBMT110308LF KC5010 | A113 |
| 1871036 | VBMT160402LF KC5010 | A113 |
| 1871037 | WPMTS3T104LF KC5010 | A114 |
| 1871038 | WPMT040204LF KC5010 | A114 |
| 1871039 | WPMT06T304LF KC5010 | A114 |
| 1871040 | WPMT06T308LF KC5010 | A114 |
| 1871041 | WCMT040204LF KC5010 | A114 |
| 1871042 | WCMT06T308LF KC5010 | A114 |
| 1871083 | SCMT120404LF KC5010 | A102 |
| 1871084 | SCMT120408LF KC5010 | A102 |
| 1871085 | SCMT120412LF KC5010 | A102 |
| 1871086 | SPMT09T304LF KC5010 | A104 |
| 1871087 | SPMT09T308LF KC5010 | A104 |
| 1871088 | TCMT110202LF KC5010 | A106 |
| 1871090 | TCMT110208LF KC5010 | A106 |
| 1871091 | TCMT16T302LF KC5010 | A106 |
| 1871104 | TCMT16T312LF KC5010 | A106 |
| 1871105 | TCMT220408LF KC5010 | A106 |
| 1871106 | TPMT090202LF KC5010 | A111 |
| 1871107 | TPMT090204LF KC5010 | A111 |
| 1871108 | TPMT110202LF KC5010 | A111 |
| 1871110 | TPMT110208LF KC5010 | A111 |
| 1871111 | TPMT16T304LF KC5010 | A111 |
| 1871112 | TPMT16T308LF KC5010 | A111 |
| 1871134 | TPMT220408LF KC5010 | A111 |
| 1871163 | CCMT060204UF KC5010 | A89 |
| 1871164 | CCMT09T302UF KC5010 | A89 |
| 1871165 | CCMT09T304UF KC5010 | A89 |
| 1871166 | CCMT09T308UF KC5010 | A89 |
| 1871167 | CPMT060204UF KC5010 | A94 |
| 1871168 | CPMT09T304UF KC5010 | A94 |
| 1871169 | DCMT070204UF KC5010 | A97 |
| 1871170 | DCMT11T302UF KC5010 | A97 |
| 1871171 | DCMT11T304UF KC5010 | A97 |
| 1871172 | DCMT11T308UF KC5010 | A97 |
| 1871193 | DPMT070204UF KC5010 | A98 |
| 1871196 | SCMT09T308UF KC5010 | A103 |
| 1871197 | SPMT09T304UF KC5010 | A105 |
| 1871198 | TCMT110204UF KC5010 | A107 |
| 1871199 | TCMT110208UF KC5010 | A107 |
| 1871200 | TCMT16T308UF KC5010 | A107 |
| 1871201 | TPMT110202UF KC5010 | A112 |
| 1871202 | TPMT110204UF KC5010 | A112 |
| 1871286 | TNGG160404LF KC5010 | A65 |
| 1871287 | TNGG160408LF KC5010 | A65 |
| 1871288 | VNGG160402LF KC5010 | A73 |
| 1871289 | VNGG160404LF KC5010 | A73 |
| 1871313 | VNGG160408LF KC5010 | A73 |
| 1871317 | VNGG220408LF KC5010 | A73 |
| 1871318 | WNGG080401LF KC5010 | A78 |
| 1871319 | WNGG080402LF KC5010 | A78 |
| 1871320 | WNGG080404LF KC5010 | A78 |
| 1872409 | ICSN543 | E10 |
| 1876838 | TNMG160412FW KT315 | A67 |
| 1876849 | TNMG220404FP KC5010 | A67 |
| 1876854 | TNMG220404FN KT315 | A66 |
| 1881199 | KCUX110302R15 KC5010 | A218 |
| 1881200 | KCUX110305R15 KC5010 | A218 |
| 1881201 | KCUX110302L15 KC5010 | A218 |
| 1881202 | KCUX110305L15 KC5010 | A218 |
| 1881203 | KNUX150405R20 KC5010 | A217 |
| 1881205 | KNUX150410R20 KC5010 | A217 |
| 1881207 | KNUX150405L20 KC5010 | A217 |
| 1882013 | VBGW160404S01015M KB5625 | A180 |
| 1882014 | VBGW160408S01015M KB5625 | A180 |
| 1900998 | CNMG120412MP KC5025 | A42 |
| 1900999 | CNMG190612MP KC5025 | A42 |
| 1901000 | DNMG150608MP KC5025 | A52 |
| 1901135 | SNMG120412MP KC5025 | A60 |
| 1905695 | CNMG190612RP KC5010 | A44 |
| 1905810 | MS1294 D5, D41, D48, D57, D64 | |
| 1909790 | CPGT060208LF KC5010 | A92 |
| 1909791 | TPGT110202LF KC5010 | A110 |
| 1910043 | VBGT110302HP KC5410 | A112 |
| 1910044 | VBGT110304HP KC5410 | A112 |
| 1910215 | CNMG120412RP KC5010 | A44 |
| 1923833 | A4G0300M03P02GMP KC5025 | A193 |
| 1923834 | A4R0500M05P00GMP KC5025 | A195 |
| 1923835 | A4G0500M05P04GMP KC5010 | A193 |
| 1923836 | A4G0505M05U04GMN KC5025 | A194 |
| 1923837 | A4G0505M05U08GMN KC5025 | A194 |
| 1923838 | A4G0505M05U04GMP KC5025 | A193 |
| 1923839 | A4G0505M05U08GMP KC5025 | A193 |
| 1923840 | A4G0500M05P08GMP KC5010 | A193 |
| 1926594 | CNMG120402FN KT315 | A40 |
| 1926595 | CNMG120402FN KC5010 | A40 |
| 1931147 | MS2091 | A204–A205 |
| 1931554 | TTP15 | D4–D5 |
| 1931573 | MS2077 | D62–D64 |
| 1931575 | MS2078 | D32 |
| 1937503 | CDHBS4T0S0 KC5010 | A90 |
| 1937504 | CDHBS4T0S0 KC5025 | A90 |
| 1937506 | CDHBS4T004 KC5010 | A90 |
| 1937507 | CDHBS4T004 KC5025 | A90 |
| 1937508 | CDHBS4T004 KT315 | A90 |
| 1937509 | CDHBS4T002 KC5010 | A90 |
| 1937510 | CDHBS4T002 KC5025 | A90 |
| 1937511 | CDHBS4T002 KT315 | A90 |
| 1937512 | CDHHS4T002L KC5010 | A90 |
| 1937513 | CDHHS4T002R KC5010 | A90 |
| 1937514 | CDHHS4T002L KC5025 | A90 |
| 1937515 | CDHHS4T002R KC5025 | A90 |
| 1937516 | CDHHS4T002L KT315 | A90 |
| 1937517 | CDHHS4T002R KT315 | A90 |
| 1937518 | CDHHS4T004L KC5010 | A90 |
| 1937519 | CDHHS4T004R KC5010 | A90 |
| 1937520 | CDHHS4T004L KC5025 | A90 |
| 1937521 | CDHHS4T004R KC5025 | A90 |
| 1937524 | CDG127038R KC5010 | A90 |
| 1937525 | CDG127050R KC5010 | A90 |
| 1937526 | CDG127064R KC5010 | A90 |
| 1937528 | CDG127102R KC5010 | A90 |
| 1937530 | GPCD050102 KC5025 | A99 |
| 1937531 | GPCD050104 KC5025 | A99 |
| 1937532 | TDHB07T12S0 KC5010 | A108 |
| 1937534 | TDHB07T12S0 KT315 | A108 |
| 1937535 | TDHB07T1202 KC5010 | A108 |
| 1937536 | TDHB07T1202 KC5025 | A108 |
| 1937538 | TDHB07T1204 KC5010 | A108 |
| 1937539 | TDHB07T1204 KC5025 | A108 |
| 1937540 | TDHB07T1204 KT315 | A108 |
| 1937542 | TDHB07T1208 KC5025 | A108 |
| 1937544 | TDHH07T1202L KC5010 | A108 |
| 1937546 | TDHH07T1202L KC5025 | A108 |
| 1937550 | TDHH07T1204L KC5010 | A108 |
| 1937552 | TDHH07T1204L KC5025 | A108 |
| 1937562 | WPGTS30101UF KC5010 | A114 |
| 1937563 | WPGTS30102UF KC5010 | A114 |
| 1937580 | TPCG110202L KC5010 | A108 |
| 1937586 | TPCG110204L KC5010 | A108 |
| 1937588 | TPCG110204L KC5025 | A108 |
| 1937592 | TPCG110208L KC5010 | A108 |
| 1937598 | TPCH110202 KC5010 | A109 |
| 1937601 | TPCH110204 KC5010 | A109 |
| 1937615 | TPCB160302 KC5010 | A108 |
| 1937618 | TPCB160304 KC5010 | A108 |
| 1937621 | TPCB160308 KC5010 | A108 |
| 1937645 | TPGH160308 KC5010 | A109 |
| 1937646 | TPGH160308 KC5025 | A109 |
| 1940958 | CNMG120408RP KC5010 | A44 |
| 1940959 | CNMG120416RP KC5010 | A44 |
| 1940960 | CNMG160608RP KC5010 | A44 |
| 1940961 | CNMG160612RP KC5010 | A44 |
| 1940965 | DNMG150408RP KC5010 | A54 |
| 1940966 | DNMG150412RP KC5010 | A54 |
| 1940967 | DNMG150416RP KC5010 | A54 |
| 1940968 | DNMG150608RP KC5010 | A54 |
| 1940971 | SNMG120408RP KC5010 | A62 |
| 1940972 | SNMG120412RP KC5010 | A62 |
| 1940973 | SNMG150612RP KC5010 | A62 |
| 1940975 | SNMG190612RP KC5010 | A62 |
| 1940977 | TNMG160408RP KC5010 | A70 |
| 1940979 | TNMG220408RP KC5010 | A70 |
| 1940983 | TNMG330924RP KC5010 | A70 |
| 1940984 | VNMG160408RP KC5010 | A76 |
| 1940986 | WNMG080408RP KC5010 | A82 |
| 1940987 | WNMG080412RP KC5010 | A82 |
| 1949633 | A4SMR1616K0314 | A204 |
| 1949634 | A4SML1616K0314 | A205 |
| 1949635 | A4SMR2020K0314 | A204 |
| 1949636 | A4SML2020K0314 | A205 |
| 1949637 | A4SMR2525M0317 | A204 |
| 1949638 | A4SML2525M0317 | A205 |
| 1949639 | A4SMR2020K0414 | A204 |
| 1949640 | A4SML2020K0414 | A205 |
| 1949641 | A4SMR2525M0417 | A204 |
| 1949642 | A4SML2525M0417 | A205 |
| 1949643 | A4SMR3225P0417 | A204 |
| 1949644 | A4SML3225P0417 | A205 |
| 1949645 | A4SMR2020K0519 | A204 |
| 1949646 | A4SML2020K0519 | A205 |
| 1949647 | A4SMR2525M0520 | A204 |
| 1949648 | A4SML2525M0520 | A205 |
| 1949649 | A4SMR3225P0522 | A204 |
| 1949650 | A4SML3225P0522 | A205 |
| 1952700 | A4G0305M03U02GMN KC5010 | A194 |
| 1952701 | A4G0305M03U02GMN KC5025 | A194 |
| 1952702 | A4G0305M03U04GMN KC5010 | A194 |
| 1952733 | A4G0305M03U04GMN KC5025 | A194 |
| 1952734 | A4G0405M04U04GMN KC5010 | A194 |
| 1952735 | A4G0405M04U04GMN KC5025 | A194 |
| 1952736 | A4G0405M04U08GMN KC5010 | A194 |
| 1952737 | A4G0405M04U08GMN KC5025 | A194 |
| 1952738 | A4G0505M05U04GMN KC5010 | A194 |
| 1952740 | A4G0505M05U08GMN KC5010 | A194 |
| 1952742 | A4G0305M03U02GMP KT315 | A193 |
| 1952743 | A4G0305M03U02GMP KC5010 | A193 |
| 1952744 | A4G0305M03U02GMP KC5025 | A193 |
| 1952745 | A4G0305M03U04GMP KT315 | A193 |
| 1952746 | A4G0305M03U04GMP KC5010 | A193 |
| 1952747 | A4G0305M03U04GMP KC5025 | A193 |
| 1952748 | A4G0405M04U04GMP KT315 | A193 |
| 1952749 | A4G0405M04U04GMP KC5010 | A193 |
| 1952750 | A4G0405M04U04GMP KC5025 | A193 |
| 1952751 | A4G0405M04U08GMP KT315 | A193 |
| 1952752 | A4G0405M04U08GMP KC5010 | A193 |
| 1952753 | A4G0405M04U08GMP KC5025 | A193 |
| 1952755 | A4G0505M05U04GMP KC5010 | A193 |
| 1952757 | A4G0505M05U08GMP KT315 | A193 |
| 1952758 | A4G0505M05U08GMP KC5010 | A193 |
| 1952760 | A4G0300M03P02GMP KC5010 | A193 |
| 1952762 | A4G0300M03P04GMP KC5010 | A193 |
| 1952763 | A4G0300M03P04GMP KC5025 | A193 |
| 1952764 | A4G0400M04P02GMP KC5010 | A193 |
| 1952765 | A4G0400M04P02GMP KC5025 | A193 |
| 1952766 | A4G0400M04P04GMP KC5010 | A193 |
| 1952767 | A4G0400M04P04GMP KC5025 | A193 |
| 1952768 | A4G0400M04P08GMP KC5010 | A193 |
| 1952769 | A4G0400M04P08GMP KC5025 | A193 |
| 1952771 | A4G0500M05P04GMP KC5025 | A193 |
| 1952773 | A4G0500M05P08GMP KC5025 | A193 |
| 1952774 | A4R0405M04U00GMN KC5010 | A195 |
| 1952775 | A4R0405M04U00GMN KC5025 | A195 |
| 1952776 | A4R0505M05U00GMN KC5010 | A195 |
| 1952777 | A4R0505M05U00GMN KC5025 | A195 |
| 1952778 | A4R0400M04P00GMP KC5010 | A195 |
| 1952779 | A4R0400M04P00GMP KC5025 | A195 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 1952780 | A4R0500M05P00GMP | KC5010 A195 |
| 1952847 | A4C0305N00CF02 | KC5025 A200 |
| 1952848 | A4C0305R06CF02 | KC5025 A200 |
| 1952849 | A4C0305L06CF02 | KC5025 A200 |
| 1953085 | A4G0300M03P02GMP | K313 A193 |
| 1953086 | A4G0300M03P04GMP | K313 A193 |
| 1953087 | A4G0400M04P02GMP | K313 A193 |
| 1953088 | A4G0400M04P04GMP | K313 A193 |
| 1953089 | A4G0400M04P08GMP | KCU10 A193 |
| 1953090 | A4G0500M05P04GMP | K313 A193 |
| 1953091 | A4G0500M05P08GMP | K313 A193 |
| 1953092 | A4R0400M04P00GMP | K313 A195 |
| 1953153 | A4R0500M05P00GMP | K313 A195 |
| 1956971 | TNMG220408FP | KC5010 A67 |
| 1983992 | CCMT120408LF | KC5025 A88 |
| 1984003 | CCMT09T308MF | KC5025 A89 |
| 1998336 | A4G0300M03P04E | KD1405 A198 |
| 1998337 | A4G0400M04P04E | KD1405 A198 |
| 1998338 | A4G0500M05P08E | KD1405 A198 |
| 1998340 | A4R0500M05P00E | KD1405 A198 |
| 1998962 | CNMG160612RP | KC5025 A44 |
| 2001226 | A4G0505M05U08GMN | KC9125 A194 |
| 2001227 | A4G0505M05U08GMN | KC9110 A194 |
| 2001228 | A4G0505M05U08GMN | KC9125 A194 |
| 2018296 | MS2260 D52 |
| 2037136 | A4G0405M04U04GMN | KC9110 A194 |
| 2037137 | A4G0405M04U04GMP | KC9110 A193 |
| 2037138 | A4G0405M04U04GMN | KC9125 A194 |
| 2037139 | A4G0405M04U04GMP | KC9125 A193 |
| 2048426 | A4G0305M03U04GMN | KC9110 A194 |
| 2048429 | A4G0305M03U04GMN | KC9125 A194 |
| 2084647 | DNGG150404FS | K313 A48 |
| 2084648 | DNGG150408FS | K313 A48 |
| 2213947 | WNMG060408RP | KC5010 A82 |
| 2213949 | CNMG120408RP | KC5025 A44 |
| 2213950 | CNMG120412RP | KC5025 A44 |
| 2213958 | CNMG160612MP | KC5025 A42 |
| 2213959 | DNMG150612MP | KC5025 A52 |
| 2213962 | CCMT120412MF | KC5025 A89 |
| 2226032 | VNMG160404MS | K313 A76 |
| 2229547 | CNGG120404FS | KC5510 A38 |
| 2229549 | CNGG120404FS | KC5525 A38 |
| 2229550 | CNGG120408FS | KC5510 A38 |
| 2229551 | CNGG120408FS | KC5525 A38 |
| 2229552 | DNGG150402FS | KC5510 A48 |
| 2229644 | DNGG150404FS | KC5510 A48 |
| 2229645 | DNGG150404FS | KC5525 A48 |
| 2229646 | DNGG150408FS | KC5510 A48 |
| 2229647 | DNGG150408FS | KC5525 A48 |
| 2229648 | CNMG120402MS | KC5510 A43 |
| 2229649 | CNMG120402MS | KC5525 A43 |
| 2229651 | CNMG120401MS | KC5510 A43 |
| 2229652 | CNMG120401MS | KC5525 A43 |
| 2229653 | CNMG120404MS | K313 A43 |
| 2229654 | CNMG120404MS | KC5510 A43 |
| 2229655 | CNMG120404MS | KC5525 A43 |
| 2229656 | CNMG120408MS | K313 A43 |
| 2229657 | CNMG120408MS | KC5510 A43 |
| 2229659 | CNMG120408MS | KC5525 A43 |
| 2229660 | DNMG150404MS | K313 A52 |
| 2229661 | DNMG150404MS | KC5510 A52 |
| 2229662 | DNMG150404MS | KC5525 A52 |
| 2229693 | DNMG150408MS | K313 A52 |
| 2229694 | DNMG150408MS | KC5510 A52 |
| 2229695 | DNMG150408MS | KC5525 A52 |
| 2229696 | VNMG160404MS | KC5510 A76 |
| 2229697 | VNMG160404MS | KC5525 A76 |
| 2234816 | A4C0405N00CF02 | KC5025 A200 |
| 2234817 | A4C0405R06CF02 | KC5025 A200 |
| 2234818 | A4C0405L06CF02 | KC5025 A200 |
| 2234819 | A4C0305R10CF02 | KC5025 A200 |
| 2234820 | A4C0305L10CF02 | KC5025 A200 |
| 2234821 | A4C0405R10CF02 | KC5025 A200 |
| 2234822 | A4C0405L10CF02 | KC5025 A200 |
| 2234823 | A4R0305M03U00GMN | KC5025 A195 |
| 2234824 | A4R0305M03U00GMN | KC5010 A195 |
| 2234825 | A4R0300M03P00GMP | KC5025 A195 |
| 2234826 | A4R0300M03P00GMP | KC5010 A195 |
| 2235210 | A4R0300M03P00GMP | K313 A195 |
| 2238345 | A4G0505M05U04GMN | KC9125 A194 |
| 2239620 | DCMT11T308FW | KT315 A95 |
| 2239684 | DPMT070208FW | KC5010 A98 |
| 2239685 | DCMT11T304FW | KC5010 A95 |
| 2244883 | CNMG120412MS | KC5510 A43 |
| 2244884 | CNMG120416MS | KC5510 A43 |
| 2244885 | CNMG160608MS | KC5510 A43 |
| 2244886 | CNMG160612MS | KC5510 A43 |
| 2244887 | CNMG190608MS | KC5510 A43 |
| 2244888 | CNMG190612MS | KC5510 A43 |
| 2244890 | DNMG150401MS | KC5510 A52 |
| 2244891 | DNMG150402MS | KC5510 A52 |
| 2244892 | DNMG150412MS | KC5510 A52 |
| 2244893 | DNMG150604MS | KC5510 A52 |
| 2244894 | DNMG150608MS | KC5510 A52 |
| 2244895 | DNMG150612MS | KC5510 A52 |
| 2244896 | SNMG120408MS | KC5510 A60 |
| 2244897 | SNMG120412MS | KC5510 A60 |
| 2244900 | SNMG190612MS | KC5510 A60 |
| 2244901 | TNMG160402MS | KC5510 A68 |
| 2244902 | TNMG160404MS | KC5510 A68 |
| 2244903 | TNMG160408MS | KC5510 A68 |
| 2244904 | TNMG220404MS | KC5510 A68 |
| 2244905 | TNMG220408MS | KC5510 A68 |
| 2244906 | TNMG220412MS | KC5510 A68 |
| 2244910 | VNMG160401MS | KC5510 A76 |
| 2244911 | VNMG160402MS | KC5510 A76 |
| 2244912 | VNMG160408MS | KC5510 A76 |
| 2244913 | VNMG220404MS | KC5510 A76 |
| 2244914 | VNMG220408MS | KC5510 A76 |
| 2244915 | WNMG080401MS | KC5510 A80 |
| 2244916 | WNMG080402MS | KC5510 A80 |
| 2244917 | WNMG080404MS | KC5510 A80 |
| 2244918 | WNMG080408MS | KC5510 A80 |
| 2244919 | CNMG120412MS | KC5525 A43 |
| 2244920 | CNMG120416MS | KC5525 A43 |
| 2244921 | CNMG160608MS | KC5525 A43 |
| 2244922 | CNMG160612MS | KC5525 A43 |
| 2244923 | CNMG190608MS | KC5525 A43 |
| 2244924 | CNMG190612MS | KC5525 A43 |
| 2244925 | CNMG190616MS | KC5525 A43 |
| 2244926 | DNMG150401MS | KC5525 A52 |
| 2244927 | DNMG150402MS | KC5525 A52 |
| 2244928 | DNMG150412MS | KC5525 A52 |
| 2244929 | DNMG150604MS | KC5525 A52 |
| 2244930 | DNMG150608MS | KC5525 A52 |
| 2244931 | DNMG150612MS | KC5525 A52 |
| 2244932 | SNMG120408MS | KC5525 A60 |
| 2244933 | SNMG120412MS | KC5525 A60 |
| 2244936 | SNMG190612MS | KC5525 A60 |
| 2244937 | TNMG160402MS | KC5525 A68 |
| 2244938 | TNMG160404MS | KC5525 A68 |
| 2244939 | TNMG160408MS | KC5525 A68 |
| 2244940 | TNMG220404MS | KC5525 A68 |
| 2244941 | TNMG220408MS | KC5525 A68 |
| 2244943 | TNMG270608MS | KC5525 A68 |
| 2244946 | VNMG160401MS | KC5525 A76 |
| 2244947 | VNMG160402MS | KC5525 A76 |
| 2244948 | VNMG160408MS | KC5525 A76 |
| 2244950 | VNMG220408MS | KC5525 A76 |
| 2244952 | WNMG080402MS | KC5525 A80 |
| 2244953 | WNMG080404MS | KC5525 A80 |
| 2244954 | WNMG080408MS | KC5525 A80 |
| 2244955 | CNMG120412MS | K313 A43 |
| 2244957 | CNMG160608MS | K313 A43 |
| 2244958 | CNMG160612MS | K313 A43 |
| 2244959 | CNMG190608MS | K313 A43 |
| 2244961 | CNMG190616MS | K313 A43 |
| 2244962 | DNMG150401MS | K313 A52 |
| 2244964 | DNMG150412MS | K313 A52 |
| 2244965 | DNMG150604MS | K313 A52 |
| 2244966 | DNMG150608MS | K313 A52 |
| 2244977 | TNMG220408MS | K313 A68 |
| 2244981 | TNMG270616MS | K313 A68 |
| 2244983 | VNMG160402MS | K313 A76 |
| 2244984 | VNMG160408MS | K313 A76 |
| 2244985 | VNMG220404MS | K313 A76 |
| 2244986 | VNMG220408MS | K313 A76 |
| 2244987 | WNMG080401MS | K313 A80 |
| 2244988 | WNMG080402MS | K313 A80 |
| 2244989 | WNMG080404MS | K313 A80 |
| 2244990 | WNMG080408MS | K313 A80 |
| 2244991 | CNMG120408RP | KC5510 A44 |
| 2244992 | CNMG120412RP | KC5510 A44 |
| 2245013 | CNMG120416RP | KC5510 A44 |
| 2245015 | CNMG160612RP | KC5510 A44 |
| 2245016 | CNMG160616RP | KC5510 A44 |
| 2245017 | CNMG190612RP | KC5510 A44 |
| 2245019 | DNMG150408RP | KC5510 A54 |
| 2245021 | DNMG150416RP | KC5510 A54 |
| 2245022 | DNMG150608RP | KC5510 A54 |
| 2245025 | SNMG120408RP | KC5510 A62 |
| 2245026 | SNMG120412RP | KC5510 A62 |
| 2245029 | SNMG190612RP | KC5510 A62 |
| 2245031 | TNMG160408RP | KC5510 A70 |
| 2245034 | TNMG220412RP | KC5510 A70 |
| 2245036 | TNMG220432RP | KC5510 A70 |
| 2245037 | TNMG270612RP | KC5510 A70 |
| 2245040 | VNMG160408RP | KC5510 A76 |
| 2245041 | VNMG160412RP | KC5510 A76 |
| 2245042 | WNMG080408RP | KC5510 A82 |
| 2245043 | WNMG080412RP | KC5510 A82 |
| 2245045 | CNMG120408RP | KC5525 A44 |
| 2245046 | CNMG120412RP | KC5525 A44 |
| 2245047 | CNMG120416RP | KC5525 A44 |
| 2245048 | CNMG160608RP | KC5525 A44 |
| 2245049 | CNMG160612RP | KC5525 A44 |
| 2245050 | CNMG160616RP | KC5525 A44 |
| 2245051 | CNMG190612RP | KC5525 A44 |
| 2245052 | CNMG190616RP | KC5525 A44 |
| 2245053 | DNMG150408RP | KC5525 A54 |
| 2245054 | DNMG150412RP | KC5525 A54 |
| 2245056 | DNMG150608RP | KC5525 A54 |
| 2245059 | SNMG120408RP | KC5525 A62 |
| 2245060 | SNMG120412RP | KC5525 A62 |
| 2245061 | SNMG150612RP | KC5525 A62 |
| 2245062 | SNMG150616RP | KC5525 A62 |
| 2245063 | SNMG190612RP | KC5525 A62 |
| 2245064 | SNMG190616RP | KC5525 A62 |
| 2245065 | TNMG160408RP | KC5525 A70 |
| 2245066 | TNMG160412RP | KC5525 A70 |
| 2245067 | TNMG220408RP | KC5525 A70 |
| 2245068 | TNMG220412RP | KC5525 A70 |
| 2245071 | TNMG270612RP | KC5525 A70 |
| 2245074 | VNMG160408RP | KC5525 A76 |
| 2245076 | WNMG080408RP | KC5525 A82 |
| 2245077 | WNMG080412RP | KC5525 A82 |
| 2245079 | DNMG110408RP | KC5510 A54 |
| 2245083 | WNMG060408RP | KC5510 A82 |
| 2245084 | WNMG060408RP | KC5525 A82 |
| 2245088 | SNMG120416RP | KC5525 A62 |
| 2245484 | A4SMR2525M0620 | A204 |
| 2245485 | A4SMR2525M0820 | A204 |
| 2245486 | A4SML2525M0620 | A205 |
| 2245487 | A4SML2525M0820 | A205 |
| 2246044 | A4G0605M06U08GMP | KC5025 A193 |
| 2246045 | A4G0605M06U08GMP | KC5010 A193 |
| 2246047 | A4G0600M06P08GMP | KC5025 A193 |
| 2246074 | TPMT110204LF | KC5025 A111 |
| 2250739 | DNGG110402FS | K313 A48 |
| 2250740 | DNGG110404FS | K313 A48 |
| 2250754 | DNGG150608FS | K313 A48 |
| 2250762 | VNGG160401FS | K313 A73 |
| 2250771 | CNGG120401FS | KC5510 A38 |
| 2250772 | CNGG120402FS | KC5510 A38 |
| 2250773 | CNGG120412FS | KC5510 A38 |
| 2250774 | DNGG110401FS | KC5510 A48 |
| 2250775 | DNGG110402FS | KC5510 A48 |
| 2250776 | DNGG110404FS | KC5510 A48 |
| 2250777 | DNGG110408FS | KC5510 A48 |
| 2250782 | SNGG120408FS | KC5510 A57 |
| 2250784 | TNGG160404FS | KC5510 A64 |
| 2250788 | VNGG160401FS | KC5510 A73 |
| 2250789 | VNGG160402FS | KC5510 A73 |
| 2250790 | VNGG160404FS | KC5510 A73 |
| 2250791 | VNGG160408FS | KC5510 A73 |
| 2250795 | WNGG080408FS | KC5510 A78 |
| 2250797 | CNGG120401FS | KC5525 A38 |
| 2250800 | DNGG110401FS | KC5525 A48 |
| 2250802 | DNGG110404FS | KC5525 A48 |
| 2250803 | DNGG110408FS | KC5525 A48 |
| 2250804 | DNGG150401FS | KC5525 A48 |
| 2250809 | TNGG160402FS | KC5525 A64 |
| 2250810 | TNGG160404FS | KC5525 A64 |
| 2250811 | TNGG160408FS | KC5525 A64 |
| 2250815 | VNGG160402FS | KC5525 A73 |
| 2250816 | VNGG160404FS | KC5525 A73 |
| 2250817 | VNGG160408FS | KC5525 A73 |
| 2251521 | SSP025018M | E10 |
| 2255511 | PMT04526 | E20, E21 |
| 2263089 | A4SMR3225P0626 | A204 |
| 2263090 | A4SML3225P0626 | A205 |
| 2263091 | A4SMR3225P0826 | A204 |
| 2263092 | A4SML3225P0826 | A205 |
| 2263173 | A4SMR3225P1026 | A204 |
| 2263174 | A4SML3225P1026 | A205 |
| 2263299 | MS1490 | A204–A205, E18 |
| 2263361 | A4G0605M06U04GMN | KC5010 A194 |
| 2263362 | A4G0605M06U04GMN | KC5025 A194 |
| 2263374 | A4G0605M06U08GMN | KC5010 A194 |
| 2263375 | A4G0605M06U08GMN | KC5025 A194 |
| 2263376 | A4G0605M06U12GMN | KC5010 A194 |
| 2263377 | A4G0605M06U12GMN | KC5025 A194 |
| 2263378 | A4G0805M08U08GMN | KC5010 A194 |
| 2263379 | A4G0805M08U08GMN | KC5025 A194 |
| 2263380 | A4G0805M08U12GMN | KC5010 A194 |
| 2263381 | A4G0805M08U12GMN | KC5025 A194 |
| 2263381 | A4G0805M08U12GMP | KC5025 A193 |
| 2263383 | A4G1005M10U08GMN | KC5025 A194 |
| 2263385 | A4G1005M10U12GMN | KC5025 A194 |
| 2263386 | A4G0605M06U04GMP | KC5010 A193 |
| 2263387 | A4G0605M06U04GMP | KC5025 A193 |
| 2263388 | A4G0605M06U08GMP | KT315 A193 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 2263389 | A4G0605M06U12GMP KC5010 | A193 |
| 2263390 | A4G0605M06U12GMP KC5025 | A193 |
| 2263392 | A4G0805M08U08GMP KC5025 | A193 |
| 2263394 | A4G0805M08U12GMP KC5025 | A193 |
| 2263396 | A4G1005M10U12GMP KC5025 | A193 |
| 2263397 | A4R0605M06U00GMN KC5010 | A195 |
| 2263398 | A4R0605M06U00GMN KC5025 | A195 |
| 2263399 | A4R0805M08U00GMN KC5010 | A195 |
| 2263400 | A4R0805M08U00GMN KC5025 | A195 |
| 2263401 | A4R1005M10U00GMN KC5010 | A195 |
| 2263402 | A4R1005M10U00GMN KC5025 | A195 |
| 2263403 | A4R0600M06P00GMP KC5010 | A195 |
| 2263404 | A4R0600M06P00GUP KCU25 | A196 |
| 2263404 | A4R0600M06P00GMP KC5025 | A195 |
| 2263406 | A4R0800M08P00GMP KC5010 | A195 |
| 2263407 | A4R0800M08P00GMP KC5025 | A195 |
| 2263408 | A4R0800M08P00GMP K313 | A195 |
| 2263411 | A4R1000M10P00GMP K313 | A195 |
| 2263412 | A4G1005M10U08GMP KC5010 | A193 |
| 2263413 | A4G1005M10U08GMP KC5025 | A193 |
| 2263414 | A4G0600M06P04GMP KC5010 | A193 |
| 2263415 | A4G0600M06P08GMP KC5010 | A193 |
| 2263416 | A4G0800M08P08GMP KC5010 | A193 |
| 2263417 | A4G0800M08P12GMP KC5010 | A193 |
| 2263418 | A4G1000M10P08GMP KC5010 | A193 |
| 2263419 | A4G1000M10P12GMP KC5010 | A193 |
| 2263420 | A4G0600M06P04GMP KC5025 | A193 |
| 2263421 | A4G0800M08P08GMP KC5025 | A193 |
| 2263423 | A4G1000M10P08GMP KC5025 | A193 |
| 2263427 | A4G0800M08P08GMP K313 | A193 |
| 2263429 | A4G1000M10P08GMP K313 | A193 |
| 2263578 | RCGH120400 KC5510 | A99 |
| 2265440 | KM63TSDDQNR15KC04 | E11 |
| 2265441 | KM63TSDDQNL15KC04 | E11 |
| 2265442 | KM63TSDDQNR15KC06 | E11 |
| 2265443 | KM63TSDDQNL15KC06 | E11 |
| 2265770 | A4G0605M06U08GMN KC9110 | A194 |
| 2265771 | A4G0605M06U08GMN KC9125 | A194 |
| 2265903 | A4G0605M06U08GMP KC9125 | A193 |
| 2265905 | A4G0305M03U02GMN KC9110 | A194 |
| 2269913 | DT9IP | D18–D19 |
| 2269914 | DT15IP | D32, D62–D64, D68–D69 |
| 2274946 | A4G125I03P05GMN KC5025 | A194 |
| 2274947 | A4G125I03P1GMN KC5025 | A194 |
| 2274948 | A4G187I04P1GMN KC5025 | A194 |
| 2274949 | A4G187I04P2GMN KC5025 | A194 |
| 2274950 | A4G250I06P1GMN KC5025 | A194 |
| 2274951 | A4G250I06P2GMN KC5025 | A194 |
| 2274952 | A4G312I08P1GMN KC5025 | A194 |
| 2275073 | A4G312I08P2GMN KC5025 | A194 |
| 2275075 | A4G375I10P2GMN KC5025 | A194 |
| 2275076 | A4R125I03P00GMN KC5025 | A195 |
| 2275077 | A4R187I04P00GMN KC5025 | A195 |
| 2275078 | A4R250I06P00GMN KC5025 | A195 |
| 2275080 | A4R375I10P00GMN KC5025 | A195 |
| 2275081 | A4G125I03P05GMN KC5010 | A194 |
| 2275082 | A4G125I03P1GMN KC5010 | A194 |
| 2275083 | A4G187I04P1GMN KC5010 | A194 |
| 2275084 | A4G187I04P2GMN KC5010 | A194 |
| 2275085 | A4G250I06P1GMN KC5010 | A194 |
| 2275086 | A4G250I06P2GMN KC5010 | A194 |
| 2275087 | A4G312I08P1GMN KC5010 | A194 |
| 2275089 | A4G375I10P1GMN KC5010 | A194 |
| 2275090 | A4G375I10P2GMN KC5010 | A194 |
| 2275091 | A4R125I03P00GMN KC5010 | A195 |
| 2275092 | A4R187I04P00GMN KC5010 | A195 |
| 2275093 | A4R250I06P00GMN KC5010 | A195 |
| 2275094 | A4R312I08P00GMN KC5010 | A195 |
| 2277900 | VBMT110304LF KC5025 | A113 |
| 2288132 | A4G0805M08U08GMN KC9110 | A194 |
| 2384836 | A4G0505M05U04GMN KC9110 | A194 |
| 2384837 | A4G0405M04U08GMN KC9110 | A194 |
| 2384839 | A4G0605M06U04GMN KC9110 | A194 |
| 2384841 | A4G0805M08U12GMN KC9110 | A194 |
| 2384842 | A4G1005M10U08GMN KC9110 | A194 |
| 2385283 | A4G1005M10U12GMN KC9110 | A194 |
| 2385284 | A4G0305M03U02GMP KC9110 | A193 |
| 2385285 | A4G0305M03U04GMP KC9110 | A193 |
| 2385286 | A4G0405M04U08GMP KC9110 | A193 |
| 2385287 | A4G0505M05U04GMP KC9110 | A193 |
| 2385288 | A4G0505M05U08GMP KC9110 | A193 |
| 2385289 | A4G0605M06U04GMP KC9110 | A193 |
| 2385290 | A4G0605M06U08GMP KC9110 | A193 |
| 2385292 | A4G0805M08U08GMP KC9110 | A193 |
| 2385296 | A4R0305M03U00GMN KC9110 | A195 |
| 2385297 | A4R0405M04U00GMN KC9110 | A195 |
| 2385298 | A4R0505M05U00GMN KC9110 | A195 |
| 2385299 | A4R0605M06U00GMN KC9110 | A195 |
| 2385300 | A4R0805M08U00GMN KC9110 | A195 |
| 2385302 | A4G0305M03U02GMN KC9125 | A194 |
| 2385303 | A4G0405M04U08GMN KC9125 | A194 |
| 2385304 | A4G0605M06U04GMN KC9125 | A194 |
| 2385305 | A4G0605M06U12GMN KC9125 | A194 |
| 2385306 | A4G0805M08U08GMN KC9125 | A194 |
| 2385307 | A4G0805M08U12GMN KC9125 | A194 |
| 2385308 | A4G1005M10U08GMN KC9125 | A194 |
| 2385309 | A4G1005M10U12GMN KC9125 | A194 |
| 2385310 | A4G0305M03U02GMP KC9125 | A193 |
| 2385311 | A4G0305M03U04GMP KC9125 | A193 |
| 2385312 | A4G0405M04U08GMP KC9125 | A193 |
| 2385313 | A4G0505M05U04GMP KC9125 | A193 |
| 2385314 | A4G0505M05U08GMP KC9125 | A193 |
| 2385315 | A4G0605M06U04GMP KC9125 | A193 |
| 2385317 | A4G0805M08U08GMP KC9125 | A193 |
| 2385320 | A4G1005M10U12GMP KC9125 | A193 |
| 2385321 | A4R0305M03U00GMN KC9125 | A195 |
| 2385322 | A4R0405M04U00GMN KC9125 | A195 |
| 2385323 | A4R0505M05U00GMN KC9125 | A195 |
| 2385324 | A4R0605M06U00GMN KC9125 | A195 |
| 2385325 | A4R0805M08U00GMN KC9125 | A195 |
| 2385326 | A4R1005M10U00GMN KC9125 | A195 |
| 2388424 | DT8IP | D19 |
| 2389802 | PMT04525 | E19 |
| 2397765 | KLM68L | E16 |
| 2404706 | A4G0405M04U04B KC5025 | A199 |
| 2404707 | A4G0305M03U02B KC5025 | A199 |
| 2404709 | A4G0505M05U04B KC5025 | A199 |
| 2404710 | A4G0605M06U04B KC5025 | A199 |
| 2425659 | CCMT060202LF KC5025 | A88 |
| 2425660 | CCMT060204LF KC5025 | A88 |
| 2425661 | CCMT060208LF KC5025 | A88 |
| 2425662 | CCMT09T302LF KC5025 | A88 |
| 2425773 | CCMT09T304LF KC5025 | A88 |
| 2425775 | CCMT120404LF KC5025 | A88 |
| 2425779 | CPMT050204LF KC5025 | A93 |
| 2425780 | CPMT060202LF KC5025 | A93 |
| 2425781 | CPMT060204LF KC5025 | A93 |
| 2425782 | CPMT060208LF KC5025 | A93 |
| 2425784 | CPMT09T304LF KC5025 | A93 |
| 2425785 | CPMT09T308LF KC5025 | A93 |
| 2425786 | DCMT070202LF KC5025 | A96 |
| 2425788 | DCMT150404LF KC5025 | A96 |
| 2425789 | DCMT150408LF KC5025 | A96 |
| 2425790 | DPMT070202LF KC5025 | A98 |
| 2425791 | DPMT070204LF KC5025 | A98 |
| 2425793 | DPMT11T304LF KC5025 | A98 |
| 2425794 | DPMT11T308LF KC5025 | A98 |
| 2425795 | SCMT09T304LF KC5025 | A102 |
| 2425796 | SCMT09T308LF KC5025 | A102 |
| 2425798 | SCMT120408LF KC5025 | A102 |
| 2425799 | SCMT120412LF KC5025 | A102 |
| 2425800 | SPMT09T304LF KC5025 | A104 |
| 2425801 | SPMT09T308LF KC5025 | A104 |
| 2425802 | TCMT110202LF KC5025 | A106 |
| 2425803 | TCMT110204LF KC5025 | A106 |
| 2425804 | TCMT110208LF KC5025 | A106 |
| 2425805 | TCMT16T302LF KC5025 | A106 |
| 2425806 | TCMT16T304LF KC5025 | A106 |
| 2425807 | TCMT16T308LF KC5025 | A106 |
| 2425809 | TCMT220408LF KC5025 | A106 |
| 2425811 | TPMT090204LF KC5025 | A111 |
| 2425813 | TPMT110208LF KC5025 | A111 |
| 2425814 | TPMT16T304LF KC5025 | A111 |
| 2425815 | TPMT16T308LF KC5025 | A111 |
| 2425817 | TPMT220408LF KC5025 | A111 |
| 2425818 | VBMT110308LF KC5025 | A113 |
| 2425819 | VBMT160402LF KC5025 | A113 |
| 2425820 | WPMTS3T104LF KC5025 | A114 |
| 2425821 | WPMT040204LF KC5025 | A114 |
| 2425825 | WCMT06T308LF KC5025 | A114 |
| 2425826 | CNMG120404RP KC5010 | A44 |
| 2425827 | CNMG120404RP KC5510 | A44 |
| 2425828 | CNMG120404RP KC5525 | A44 |
| 2425841 | DNGG150412FS KC5510 | A48 |
| 2425843 | DCMT070204LF KC5025 | A96 |
| 2425844 | DCMT11T302LF KC5025 | A96 |
| 2425845 | DCMT11T304LF KC5025 | A96 |
| 2425846 | DCMT11T308LF KC5025 | A96 |
| 2425847 | VBMT160404LF KC5025 | A113 |
| 2425848 | VBMT160408LF KC5025 | A113 |
| 2425861 | DNGG150416FS KC5525 | A48 |
| 2425862 | DNGG150416FS K313 | A48 |
| 2425863 | DNMG110408MS KC5510 | A52 |
| 2425864 | DNMG110408MS KC5525 | A52 |
| 2425866 | DNMG110412MS KC5510 | A52 |
| 2425869 | WNMG060408MS KC5510 | A80 |
| 2425870 | WNMG060408MS KC5525 | A80 |
| 2425871 | WNMG060408MS K313 | A80 |
| 2425873 | WNMG060412MS KC5525 | A80 |
| 2425874 | WNMG060412MS K313 | A80 |
| 2429851 | CNMG120408CT KC5010 | A40 |
| 2429979 | DNMG150404CT KC5010 | A50 |
| 2429985 | DNMG150408CT KC5010 | A50 |
| 2430001 | DNMG150608CT KC5010 | A50 |
| 2430006 | DNMG150612CT KC5010 | A50 |
| 2435297 | CNMG120404P KC5010 | A43 |
| 2435298 | CNMG120408P KC5010 | A43 |
| 2435299 | CNMG120412P KC5010 | A43 |
| 2435300 | CNMG190612P KC5010 | A43 |
| 2435301 | DNMG150404P KC5010 | A53 |
| 2435302 | DNMG150408P KC5010 | A53 |
| 2435313 | SNMG120408P KC5010 | A61 |
| 2435314 | SNMG120412P KC5010 | A61 |
| 2435315 | TNMG160404P KC5010 | A69 |
| 2435316 | TNMG160408P KC5010 | A69 |
| 2435317 | TNMG220404P KC5010 | A69 |
| 2435318 | TNMG220408P KC5010 | A69 |
| 2435320 | VNMG160404P KC5010 | A76 |
| 2435321 | VNMG160408P KC5010 | A76 |
| 2435322 | WNMG080404P KC5010 | A81 |
| 2435323 | WNMG080408P KCU10 | A81 |
| 2435325 | DNMG150608P KC5010 | A53 |
| 2446615 | RPGV120700 KC5510 | A84 |
| 2446617 | RPGV090700 KC5510 | A84 |
| 2446618 | RPGV060400 KC5510 | A84 |
| 2453686 | OFPT06L5AFSNHB KC725M | D6 |
| 2453687 | OFKT06L5AFENGB KC725M | D6 |
| 2455430 | A4R0500M05P00T01025 KY3500 | A199 |
| 2455802 | OFPT06L5AFSNHB KCK15 | D6 |
| 2455818 | OFPT06L5AFSNHB KCPK30 | D6 |
| 2455819 | OFKT06L5AFENGB KCK15 | D6 |
| 2455822 | OFPT06L5AFSNHB KC520M | D6 |
| 2455854 | OFKT06L5AFENGB KC520M | D6 |
| 2455891 | OFKT06L5AFENGB KCPK30 | D6 |
| 2456097 | RCGT0803M0MS KC5010 | A99 |
| 2456099 | RCGT1204M0MS KC5010 | A99 |
| 2456214 | RCGT1606M0MS KC5025 | A99 |
| 2458790 | OFKT06L5AFENGB KC522M | D6 |
| 2460715 | TCMT16T308UF KU10T | A107 |
| 2488096 | 193.433 | D4–D5 |
| 2493869 | CCGT09T316HP KC5025 | A87 |
| 2503550 | A4SML2020K0317 | A205 |
| 2503551 | A4SMR2020K0317 | A204 |
| 2503552 | A4SML2020K0417 | A205 |
| 2503553 | A4SMR2020K0417 | A204 |
| 2503554 | A4SML2020K0620 | A205 |
| 2503555 | A4SMR2020K0620 | A204 |
| 2503556 | A4SML2016K0317 | A205 |
| 2503557 | A4SMR2016K0317 | A204 |
| 2503558 | A4SML2016K0417 | A205 |
| 2503559 | A4SMR2016K0417 | A204 |
| 2604354 | RNMG120400RN KC5510 | A56 |
| 2658419 | A4G0300M03P04T01025 KY3500 | A199 |
| 2658420 | A4G0400M04P04T01025 KY3500 | A199 |
| 2658421 | A4G0500M05P08T01025 KY3500 | A199 |
| 2658422 | A4G0600M06P08T01025 KY3500 | A199 |
| 2659233 | A4G0800M08P08T01025 KY3500 | A199 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 2659234 | A4G125I03P1T0425 KY3500 | A199 |
| 2659235 | A4G187I04P2T0425 KY3500 | A199 |
| 2659236 | A4G250I06P2T0425 KY3500 | A199 |
| 2659238 | A4R0300M03P00T01025 KY3500 | A199 |
| 2659239 | A4R0400M04P00T01025 KY3500 | A199 |
| 2659240 | A4R0600M06P00T01025 KY3500 | A199 |
| 2659241 | A4R0800M08P00T01025 KY3500 | A199 |
| 2659242 | A4R125I03P00T0425 KY3500 | A199 |
| 2659243 | A4R187I04P00T0425 KY3500 | A199 |
| 2659244 | A4R250I06P00T0425 KY3500 | A199 |
| 2876977 | RPGV120700 KC5510 | A84 |
| 2964505 | RNMG120400RN KC5010 | A56 |
| 2964507 | RNMG190600RN KC5010 | A56 |
| 2972258 | A4C0155N00CF01 KC5025 | A200 |
| 2972259 | A4C0155L06CF01 | A200 |
| 2972262 | A4C0155R06CF01 KC5025 | A200 |
| 2973093 | A4C0155R10CF01 KC5025 | A200 |
| 2973094 | A4C0155R16CF01 KC5025 | A200 |
| 2974425 | A4SMR2020K0217 | A204 |
| 2979109 | A4C0205L06CF02 KC5025 | A200 |
| 2979110 | A4C0205L10CF02 KC5025 | A200 |
| 2979111 | A4C0205N00CF02 KC5025 | A200 |
| 2979112 | A4C0205R06CF02 KC5025 | A200 |
| 2979213 | A4C0205R10CF02 KC5025 | A200 |
| 2979216 | A4C0255N00CF02 KC5025 | A200 |
| 2979217 | A4C0255R06CF02 KC5025 | A200 |
| 2982020 | OFKT06L5AFSNLB KC725M | D6 |
| 2982021 | OFKT06L5AFENLB KC725M | D6 |
| 2982069 | OFKT06L5AFSNLB KC522M | D6 |
| 2982070 | OFKT06L5AFSNLB KC520M | D6 |
| 2982072 | OFKT06L5AFSNLB KCPK30 | D6 |
| 2982084 | OFKT06L5AFENLB KC522M | D6 |
| 2982086 | OFKT06L5AFENLB KCK15 | D6 |
| 2982087 | OFKT06L5AFENLB KCPK30 | D6 |
| 2982551 | A4G0205M02U02GMN KC9110 | A194 |
| 2982563 | A4G0205M02U02GMP KC9110 | A193 |
| 2982569 | A4R0205M02U00GMN KC9110 | A195 |
| 2983980 | A4G0205M02U02GMN KC5010 | A194 |
| 2983981 | A4G0205M02U02GMN KC5025 | A194 |
| 2983982 | A4G0205M02U02GMP KC5010 | A193 |
| 2984013 | A4G0205M02U02GMP KC5025 | A193 |
| 2984015 | A4G0200M02P02GMP KC5010 | A193 |
| 2984016 | A4G0200M02P02GMP KC5025 | A193 |
| 2984017 | A4G0255M2BU02GMN KC5010 | A194 |
| 2984018 | A4G0255M2BU02GMN KC5025 | A194 |
| 2984020 | A4G0255M2BU02GMP KC5025 | A193 |
| 2984022 | A4G0250M2BP02GMP KC5010 | A193 |
| 2984024 | A4R0205M02U00GMN KC5010 | A195 |
| 2984025 | A4R0205M02U00GMN KC5025 | A195 |
| 2984026 | A4R0200M02P00GMP KC5010 | A195 |
| 2984027 | A4R0200M02P00GMP KC5025 | A195 |
| 2984028 | A4G0941I2BP05GMN KC5010 | A194 |
| 3017334 | A4SML2525M0217 | A205 |
| 3017335 | A4SML2525M0214 | A205 |
| 3017336 | A4SML2020K0214 | A205 |
| 3017337 | A4SML2020K0217 | A205 |
| 3017338 | A4SML1616K0214 | A205 |
| 3017339 | A4SMR2525M0217 | A204 |
| 3017340 | A4SMR2525M0214 | A204 |
| 3017341 | A4SMR2020K0214 | A204 |
| 3017342 | A4SMR1616K0214 | A204 |
| 3021212 | MS1242CG | D64, D69 |
| 3030148 | TTSS20014M | E23, E25 |
| 3062811 | LNHSER16M | E27 |
| 3062812 | LNHSER20M | E27 |
| 3063113 | LNSER25M | E27 |
| 3063114 | LNSER32M | E27 |
| 3063115 | LNSER40M | E27 |
| 3066053 | A4G0605M06U04B KC9320 | A199 |
| 3121225 | 193.492 | D45–D48, D57 |
| 3133459 | MS1294CG | D64 |
| 3324721 | A4G0305M03U02B KC9320 | A199 |
| 3324722 | A4G0405M04U04B KC9320 | A199 |
| 3324723 | A4G0505M05U04B KC9320 | A199 |
| 3324724 | A4G0805M08U08B KC9320 | A199 |
| 3324725 | A4G1005M10U08B KC9320 | A199 |
| 3396815 | CCGW060202EFWC KB5625 | A171 |
| 3396816 | CCGW060202EC KB5625 | A171 |
| 3396817 | CCGW060204EFWC KB5625 | A171 |
| 3396822 | CCGW060204S01015C KB5625 | A171 |
| 3396833 | CCGW09T304EFWC KB5625 | A171 |
| 3396988 | CCGW09T304S01015C KB5625 | A171 |
| 3396989 | CCGW09T308EFWC KB5625 | A171 |
| 3396990 | CCGW09T308S01015C KB5625 | A171 |
| 3397107 | DPGW070202EC KB5625 | A175 |
| 3397108 | DPGW070204S01015C KB5625 | A175 |
| 3397123 | DCGW070202EC KB5625 | A174 |
| 3397124 | DCGW070204S01015C KB5625 | A174 |
| 3397126 | DPGW070208S01015C KB5625 | A175 |
| 3397135 | TCGW110202EC KB5625 | A177 |
| 3397137 | TCGW110204S01015C KB5625 | A177 |
| 3397138 | TPGW110202EC KB5625 | A178 |
| 3397141 | TPGW110204S01015C KB5625 | A178 |
| 3397142 | TPGW110208S01015C KB5625 | A178 |
| 3403362 | CNMG120404UP KC5010 | A45 |
| 3403423 | CNMG120408UP KC5010 | A45 |
| 3403424 | CNMG120412UP KC5010 | A45 |
| 3403430 | DNMG150408UP KC5010 | A54 |
| 3403432 | DNMG150604UP KC5010 | A54 |
| 3403433 | DNMG150608UP KC5010 | A54 |
| 3403435 | SNMG120408UP KC5010 | A62 |
| 3403436 | SNMG120412UP KC5010 | A62 |
| 3403440 | TNMG160408UP KC5010 | A71 |
| 3403444 | VNMG160404UP KC5010 | A77 |
| 3403445 | VNMG160408UP KC5010 | A77 |
| 3403448 | WNMG080408UP KC5010 | A82 |
| 3403449 | WNMG080412UP KC5010 | A82 |
| 3450356 | MS2189C | D25, D32, D48, D52, D64, D69 |
| 3482532 | CCMT09T308FP KCU10 | A88 |
| 3503901 | MS2187C | D32, D52, D69 |
| 3524411 | UCDE0400A5ARA KC643M | C26 |
| 3524412 | UCDE0500A5ASA KC643M | C26 |
| 3524433 | UCDE0500A5ARA KC643M | C26 |
| 3524434 | UCDE0600A5ASA KC643M | C26 |
| 3524435 | UCDE0600A5ARA KC643M | C26 |
| 3524436 | UCDE0700A5ASA KC643M | C26 |
| 3524437 | UCDE0700A5ARA KC643M | C26 |
| 3524438 | UCDE0800A5ASA KC643M | C26 |
| 3524439 | UCDE0800A5ARA KC643M | C26 |
| 3524440 | UCDE0900A5ASA KC643M | C26 |
| 3524441 | UCDE0900A5ARA KC643M | C26 |
| 3524442 | UCDE1000A5ASA KC643M | C26 |
| 3524443 | UCDE1000A5ARA KC643M | C26 |
| 3524444 | UCDE1200A5ASA KC643M | C26 |
| 3524445 | UCDE1200A5ARA KC643M | C26 |
| 3524446 | UCDE1600A5ARA KC643M | C26 |
| 3524446 | UCDE1400A5ASA KC643M | C26 |
| 3524447 | UCDE1400A5ARA KC643M | C26 |
| 3524448 | UCDE1600A5ASA KC643M | C26 |
| 3524450 | UCDE1800A5ASA KC643M | C26 |
| 3524451 | UCDE1800A5ARA KC643M | C26 |
| 3524452 | UCDE2000A5ASA KC643M | C26 |
| 3524453 | UCDE2000A5ARA KC643M | C26 |
| 3524454 | UCDE2500A5ASA KC643M | C26 |
| 3524455 | UCDE2500A5ARA KC643M | C26 |
| 3524456 | UCDE0400A5ASA KC643M | C26 |
| 3524462 | UCDE0400B5ARA KC643M | C26 |
| 3524473 | UCDE0500B5ARA KC643M | C26 |
| 3524474 | UCDE0600B5ARA KC643M | C26 |
| 3524475 | UCDE0700B5ARA KC643M | C26 |
| 3524476 | UCDE0800B5ARA KC643M | C26 |
| 3524477 | UCDE0900B5ARA KC643M | C26 |
| 3524478 | UCDE1000B5ARA KC643M | C26 |
| 3524479 | UCDE1200B5ARA KC643M | C26 |
| 3524480 | UCDE1400B5ARA KC643M | C26 |
| 3524481 | UCDE1600B5ARA KC643M | C26 |
| 3524482 | UCDE1800B5ARA KC643M | C26 |
| 3524483 | UCDE2000B5ARA KC643M | C26 |
| 3524484 | UCDE2500B5ARA KC643M | C26 |
| 3524485 | UDDE0600A5ASA KC643M | C27 |
| 3524486 | UDDE0600A5ARA KC643M | C27 |
| 3524487 | UDDE0600A5ARB KC643M | C27 |
| 3524488 | UDDE0600A5ARC KC643M | C27 |
| 3524489 | UDDE0800A5ASA KC643M | C27 |
| 3524490 | UDDE0800A5ARA KC643M | C27 |
| 3524491 | UDDE0800A5ARB KC643M | C27 |
| 3524492 | UDDE0800A5ARC KC643M | C27 |
| 3524513 | UDDE1000A5ASA KC643M | C27 |
| 3524514 | UDDE1000A5ARA KC643M | C27 |
| 3524515 | UDDE1000A5ARB KC643M | C27 |
| 3524516 | UDDE1000A5ARC KC643M | C27 |
| 3524517 | UDDE1000A5ARD KC643M | C27 |
| 3524518 | UDDE1200A5ASA KC643M | C27 |
| 3524519 | UDDE1200A5ARA KC643M | C27 |
| 3524520 | UDDE1200A5ARB KC643M | C27 |
| 3524521 | UDDE1200A5ARC KC643M | C27 |
| 3524522 | UDDE1200A5ARD KC643M | C27 |
| 3524523 | UDDE1600A5ASA KC643M | C28 |
| 3524524 | UDDE1600A5ARA KC643M | C28 |
| 3524525 | UDDE1600A5ARB KC643M | C28 |
| 3524526 | UDDE1600A5ARC KC643M | C28 |
| 3524527 | UDDE1600A5ARD KC643M | C28 |
| 3524528 | UDDE1600A5ARE KC643M | C28 |
| 3524529 | UDDE2000A5ASA KC643M | C28 |
| 3524530 | UDDE2000A5ARA KC643M | C28 |
| 3524531 | UDDE2000A5ARB KC643M | C28 |
| 3524532 | UDDE2000A5ARC KC643M | C28 |
| 3524533 | UDDE2000A5ARD KC643M | C28 |
| 3524534 | UDDE2000A5ARE KC643M | C28 |
| 3524535 | UDDE2500A5ASA KC643M | C28 |
| 3524536 | UDDE2500A5ARA KC643M | C28 |
| 3524537 | UDDE2500A5ARB KC643M | C28 |
| 3524538 | UDDE2500A5ARC KC643M | C28 |
| 3524539 | UDDE2500A5ARD KC643M | C28 |
| 3524540 | UDDE2500A5ARE KC643M | C28 |
| 3524542 | UDDE0600B5ARA KC643M | C27 |
| 3524543 | UDDE0600B5ARB KC643M | C27 |
| 3524544 | UDDE0600B5ARC KC643M | C27 |
| 3524545 | UDDE0600B5ARD KC643M | C27 |
| 3524546 | UDDE0800B5ARA KC643M | C27 |
| 3524547 | UDDE0800B5ARB KC643M | C27 |
| 3524548 | UDDE0800B5ARC KC643M | C27 |
| 3524549 | UDDE0800B5ARD KC643M | C27 |
| 3524550 | UDDE1000B5ARA KC643M | C27 |
| 3524551 | UDDE1000B5ARB KC643M | C27 |
| 3524552 | UDDE1000B5ARC KC643M | C27 |
| 3524553 | UDDE1000B5ARD KC643M | C27 |
| 3524554 | UDDE1200B5ARA KC643M | C27 |
| 3524555 | UDDE1200B5ARB KC643M | C27 |
| 3524556 | UDDE1200B5ARC KC643M | C27 |
| 3524557 | UDDE1200B5ARD KC643M | C27 |
| 3524558 | UDDE1600B5ARA KC643M | C28 |
| 3524559 | UDDE1600B5ARB KC643M | C28 |
| 3524560 | UDDE1600B5ARC KC643M | C28 |
| 3524561 | UDDE1600B5ARD KC643M | C28 |
| 3524562 | UDDE1600B5ARE KC643M | C28 |
| 3524563 | UDDE2000B5ARA KC643M | C28 |
| 3524564 | UDDE2000B5ARB KC643M | C28 |
| 3524565 | UDDE2000B5ARC KC643M | C28 |
| 3524566 | UDDE2000B5ARD KC643M | C28 |
| 3524567 | UDDE2000B5ARE KC643M | C28 |
| 3524568 | UDDE2500B5ARA KC643M | C28 |
| 3524569 | UDDE2500B5ARB KC643M | C28 |
| 3524570 | UDDE2500B5ARC KC643M | C28 |
| 3524571 | UDDE2500B5ARD KC643M | C28 |
| 3524572 | UDDE2500B5ARE KC643M | C28 |
| 3597589 | MS2219 | D18–D19 |
| 3613695 | MS2072CG | D64 |
| 3613696 | MS2038CG | D64, D69 |
| 3639761 | SCMT09T308MP KCK20 | A103 |
| 3639762 | SCMT09T308MP KCP25 | A103 |
| 3639874 | SCMT09T308MP KCU10 | A103 |
| 3639875 | DCMT11T308MP KCK20 | A96 |
| 3639877 | DCMT11T308MP KCP25 | A96 |
| 3639878 | DCMT11T308MP KCU10 | A96 |
| 3639880 | TCMT16T308MP KCK20 | A107 |
| 3639881 | TCMT16T308MP KCP25 | A107 |
| 3639883 | TCMT16T308MP KCU10 | A107 |
| 3643845 | KCGR110304L08 KD1425 | A215 |
| 3643846 | KCGR110304R08 KD1425 | A215 |
| 3643847 | KCGR110308L08 KD1425 | A215 |
| 3643848 | KCGR110308R08 KD1425 | A215 |
| 3643849 | KCGX110301L15 KD1425 | A217 |
| 3643850 | KCGX110301R15 KD1425 | A217 |
| 3643851 | KCGX110302L15 KD1425 | A217 |
| 3643852 | KCGX110302R15 KD1425 | A217 |
| 3643854 | KCGX110304R15 KD1425 | A217 |
| 3643855 | VCGN160404 KD1425 | A219 |
| 3643856 | VCGN160408 KD1425 | A219 |
| 3643857 | VCGN160412 KD1425 | A219 |
| 3643858 | VCGR160404 KD1425 | A220 |
| 3643859 | VCGR160408 KD1425 | A220 |
| 3643860 | VCGR160412 KD1425 | A220 |
| 3643861 | DCGR150404 KD1425 | A214 |
| 3643862 | DCGR150408 KD1425 | A214 |
| 3646911 | SNMG250924RM KC5010 | A61 |
| 3647244 | CNGA120408S01025MT KB5610 | A165 |
| 3647245 | CNGA120412S01025MT KB5610 | A165 |
| 3647246 | CNGA120404S01025FWMT KB5610 | A164 |
| 3647247 | CNGA120408S01025FWMT KB5610 | A164 |
| 3647248 | DNGA150404S01025MT KB5610 | A166 |
| 3647249 | DNGA150408S01025MT KB5610 | A166 |
| 3647250 | VNGA160404S01025MT KB5610 | A169 |
| 3647251 | VNGA160408S01025MT KB5610 | A169 |
| 3648330 | CPGN120304F KD1425 | A182 |
| 3648331 | CPGN120308F KD1425 | A182 |
| 3648332 | TPGN110304F KD1425 | A182 |
| 3648428 | DFT06T308D36MD KC7140 | B15 |
| 3648430 | DFT05T308D32MD KC7140 | B15 |
| 3648474 | DFT070408D45MD KC7140 | B15 |
| 3648478 | DFT090508D56MD KC7140 | B15 |
| 3648583 | TPGN110308F KD1425 | A182 |
| 3648584 | TPGN160304F KD1425 | A182 |
| 3648585 | TPGN160308F KD1425 | A85, A182 |
| 3648586 | TPGN160312F KD1425 | A182 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 3648587 | TPGN220404F KD1425 | A182 |
| 3648588 | TPGN220408F KD1425 | A182 |
| 3648715 | CCGW060202S01015C KB5610 | A171 |
| 3648716 | CCGW060204S01015C KB5610 | A171 |
| 3648717 | CCGW09T304S01015MT KB5610 | A172 |
| 3648718 | CCGW09T308S01015MT KB5610 | A172 |
| 3648733 | DCGW070202S01015C KB5610 | A174 |
| 3648734 | DCGW070204S01015C KB5610 | A174 |
| 3648735 | DCGW11T304S01015MT KB5610 | A174 |
| 3648736 | DCGW11T308S01015MT KB5610 | A175 |
| 3648737 | TPGW110204S01015C KB5610 | A178 |
| 3648738 | TPGW110208S01015C KB5610 | A178 |
| 3648739 | VBGW160404S01015MT KB5610 | A180 |
| 3648740 | VBGW160408S01015MT KB5610 | A180 |
| 3650831 | SCMT120408MP KCK20 | A103 |
| 3650903 | SCMT120408MP KCP25 | A103 |
| 3652100 | CNMG190616RM KCU10 | A44 |
| 3652101 | CNMG250924RM KCU10 | A44 |
| 3652102 | SNMG190612RM KCU10 | A61 |
| 3652398 | CNMG190612 KC5010 | A39 |
| 3652844 | CNMG190616RM KCP30 | A44 |
| 3652845 | CNMG250924RM KCP30 | A44 |
| 3652847 | SNMG190616RM KCP30 | A61 |
| 3652848 | TNMG330924RM KCP30 | A69 |
| 3652863 | SNMG190616RM KCU10 | A61 |
| 3652864 | TNMG330924RM KCU10 | A69 |
| 3652912 | DNMG190612RM KC5010 | A53 |
| 3655880 | CNGA120404FST KD1400 | A164 |
| 3655881 | CNGA120408FST KD1400 | A164 |
| 3655882 | CNMS120404FST KD1400 | A165 |
| 3656063 | CNMS120408FST KD1400 | A165 |
| 3656064 | DNGA150404FST KD1400 | A166 |
| 3656065 | DNGA150408FST KD1400 | A166 |
| 3656066 | DNMS150404FST KD1400 | A167 |
| 3656067 | DNMS150408FST KD1400 | A56 |
| 3656068 | TNMS160404FST KD1400 | A169 |
| 3656069 | TNMS160408FST KD1400 | A169 |
| 3656070 | VNGA160404FST KD1400 | A169 |
| 3656071 | VNGA160408FST KD1400 | A169 |
| 3656072 | VNMS160404FST KD1400 | A170 |
| 3656073 | VNMS160408FST KD1400 | A77, A170 |
| 3656075 | WNGA080408FST KD1400 | A170 |
| 3656449 | CNGA120404FST KD1425 | A164 |
| 3656450 | CNGA120408FST KD1425 | A164 |
| 3656451 | CNMS120404FST KD1425 | A165 |
| 3656452 | CNMS120408FST KD1425 | A165 |
| 3656463 | DNGA150404FST KD1425 | A166 |
| 3656464 | DNGA150408FST KD1425 | A166 |
| 3656465 | DNMS150404FST KD1425 | A167 |
| 3656466 | DNMS150408FST KD1425 | A167 |
| 3656467 | TNMS160404FST KD1425 | A169 |
| 3656468 | TNMS160408FST KD1425 | A169 |
| 3656469 | VNGA160404FST KD1425 | A169 |
| 3656470 | VNGA160408FST KD1425 | A169 |
| 3656471 | VNMS160404FST KD1425 | A170 |
| 3656472 | VNMS160408FST KD1425 | A77, A170 |
| 3656473 | WNGA080404FST KD1425 | A170 |
| 3656474 | WNGA080408FST KD1425 | A170 |
| 3656475 | SNMS120408FST KD1425 | A168 |
| 3656476 | SNMS120412FST KD1425 | A168 |
| 3659002 | KLSSM22-39-CG | D19, D25, D32 |
| 3659963 | CDHBS4T002FST KD1400 | A173 |
| 3659964 | CDHBS4T004FST KD1400 | A173 |
| 3659965 | CCGW060204FST KD1400 | A171 |
| 3659966 | CCGW09T304FST KD1400 | A171 |
| 3659967 | CCGW09T308FST KD1400 | A171 |
| 3659968 | CPGW060202FST KD1400 | A173 |
| 3659969 | CPGW060204FST KD1400 | A173 |
| 3659970 | CPGW060208FST KD1400 | A173 |
| 3659971 | CPGW09T304FST KD1400 | A173 |
| 3659972 | CPGW09T308FST KD1400 | A173 |
| 3659974 | CPGW120408FST KD1400 | A173 |
| 3659975 | CPGW060204FWST KD1400 | A173 |
| 3659976 | CPGW09T308FWST KD1400 | A173 |
| 3659977 | CPGW120408FWST KD1400 | A173 |
| 3659978 | DCGW070204FST KD1400 | A175 |
| 3659979 | DCGW11T304FST KD1400 | A175 |
| 3659980 | DPGW070202FST KD1400 | A176 |
| 3659981 | DPGW070204FST KD1400 | A176 |
| 3659982 | DPGW11T304FST KD1400 | A176 |
| 3659983 | DPGW070204FWST KD1400 | A176 |
| 3659984 | DPGW11T304FWST KD1400 | A176 |
| 3659985 | TCGW110204FST KD1400 | A177 |
| 3659986 | TCGW16T304FST KD1400 | A177 |
| 3659987 | TPGW110204FST KD1400 | A178 |
| 3659988 | TPGW110208FST KD1400 | A178 |
| 3659989 | TPGW16T304FST KD1400 | A178 |
| 3659990 | TPGW16T308FST KD1400 | A178 |
| 3659991 | VBGW110304FST KD1400 | A180 |
| 3659992 | VBGW160404FST KD1400 | A180 |
| 3659994 | CDHBS4T004FST KD1425 | A173 |
| 3659995 | CDHBS4T002FST KD1425 | A173 |
| 3659996 | CCGW060204FST KD1425 | A171 |
| 3659997 | CCGW09T304FST KD1425 | A171 |
| 3659998 | CCGW09T308FST KD1425 | A171 |
| 3659999 | CPGW060202FST KD1425 | A173 |
| 3660000 | CPGW060204FST KD1425 | A173 |
| 3660001 | CPGW060208FST KD1425 | A173 |
| 3660002 | CPGW09T304FST KD1425 | A173 |
| 3660003 | CPGW09T308FST KD1425 | A173 |
| 3660005 | CPGW120408FST KD1425 | A173 |
| 3660006 | CPGW060204FWST KD1425 | A173 |
| 3660007 | CPGW09T308FWST KD1425 | A173 |
| 3660008 | CPGW120408FWST KD1425 | A173 |
| 3660009 | DCGW070204FST KD1425 | A175 |
| 3660010 | DCGW11T304FST KD1425 | A175 |
| 3660011 | DPGW070202FST KD1425 | A176 |
| 3660012 | DPGW070204FST KD1425 | A176 |
| 3660013 | DPGW11T304FST KD1425 | A176 |
| 3660014 | DPGW070204FWST KD1425 | A176 |
| 3660015 | DPGW11T304FWST KD1425 | A176 |
| 3660016 | TCGW110204FST KD1425 | A177 |
| 3660017 | TCGW16T304FST KD1425 | A177 |
| 3660018 | TPGW110204FST KD1425 | A178 |
| 3660019 | TPGW110208FST KD1425 | A178 |
| 3660020 | TPGW16T304FST KD1425 | A178 |
| 3660021 | TPGW16T308FST KD1425 | A178 |
| 3660022 | VBGW110304FST KD1425 | A180 |
| 3660023 | VBGW160404FST KD1425 | A180 |
| 3660154 | KSEMP1300HPGM KC7315 | B14 |
| 3660156 | KSEMP2000HPGM KC7315 | B14 |
| 3660157 | KSEMP3400HPGM KC7315 | B14 |
| 3669000 | DFT05T308D33MD KC7140 | B15 |
| 3669001 | DFT06T308D39MD KC7140 | B15 |
| 3669002 | DFT06T308D44MD KC7140 | B15 |
| 3669083 | DFT070408D50MD KC7140 | B15 |
| 3669084 | DFT090508D63MD KC7140 | B15 |
| 3690478 | KSEMP1400HPGM KC7315 | B14 |
| 3690479 | KSEMP1500HPGM KC7315 | B14 |
| 3690480 | KSEMP1600HPGM KC7315 | B14 |
| 3690481 | KSEMP1700HPGM KC7315 | B14 |
| 3690482 | KSEMP1800HPGM KC7315 | B14 |
| 3690713 | KSEMP1900HPGM KC7315 | B14 |
| 3690714 | KSEMP2100HPGM KC7315 | B14 |
| 3690715 | KSEMP2200HPGM KC7315 | B14 |
| 3690716 | KSEMP2300HPGM KC7315 | B14 |
| 3690717 | KSEMP2400HPGM KC7315 | B14 |
| 3690718 | KSEMP2500HPGM KC7315 | B14 |
| 3690719 | KSEMP2600HPGM KC7315 | B14 |
| 3690720 | KSEMP2700HPGM KC7315 | B14 |
| 3690721 | KSEMP2800HPGM KC7315 | B14 |
| 3690722 | KSEMP2900HPGM KC7315 | B14 |
| 3690723 | KSEMP3000HPGM KC7315 | B14 |
| 3690724 | KSEMP3100HPGM KC7315 | B14 |
| 3690725 | KSEMP3200HPGM KC7315 | B14 |
| 3690726 | KSEMP3300HPGM KC7315 | B14 |
| 3733337 | CNGA120412S01020MT KB5630 | A165 |
| 3733417 | DNGA150404S01025MT KB5630 | A166 |
| 3742210 | KSEMP3300FDS32A1M | B4, B8 |
| 3742211 | KSEMP5000FDS50A1M | B5, B9 |
| 3742212 | KSEMP7000FDS63A1M | B5, B9 |
| 3742293 | WD32FDS32321M | B4, B6, B13 |
| 3742294 | WD50FDS50503M | B5, B7, B13 |
| 3742296 | WD50FDS63779M | B5, B7, B13 |
| 3744865 | CCMT060204MP KCM15 | A89 |
| 3744866 | CCMT09T304MP KCM15 | A89 |
| 3744867 | CCMT09T308MP KCM15 | A89 |
| 3744868 | CCMT120408MP KCM15 | A89 |
| 3744869 | CCMT120412MP KCM15 | A89 |
| 3744870 | CPMT09T308MP KCM15 | A93 |
| 3744871 | CPMT09T312MP KCM15 | A93 |
| 3744872 | DCMT11T308MP KCM15 | A96 |
| 3744873 | SCMT09T304MP KCM15 | A103 |
| 3744874 | SCMT09T308MP KCM15 | A103 |
| 3744875 | SCMT120404MP KCM15 | A103 |
| 3744876 | SCMT120408MP KCM15 | A103 |
| 3744877 | SCMT120412MP KCM15 | A103 |
| 3744878 | SPMT09T308MP KCM15 | A105 |
| 3744879 | TCMT16T304MP KCM15 | A107 |
| 3744880 | TCMT16T308MP KCM15 | A107 |
| 3744884 | CCMT060204MP KCP25 | A89 |
| 3744886 | CCMT09T304MP KCP25 | A89 |
| 3744887 | CCMT09T308MP KCP25 | A89 |
| 3744888 | CCMT09T312MP KCP25 | A89 |
| 3744890 | CCMT120408MP KCP25 | A89 |
| 3744891 | CCMT120412MP KCP25 | A89 |
| 3744892 | CPMT060208MP KCP25 | A93 |
| 3744893 | CPMT09T308MP KCP25 | A93 |
| 3744896 | DCMT11T312MP KCP25 | A96 |
| 3744897 | DPMT11T308MP KCP25 | A98 |
| 3744898 | SCMT09T304MP KCP25 | A103 |
| 3744899 | SCMT120404MP KCP25 | A103 |
| 3744900 | SCMT120412MP KCP25 | A103 |
| 3744901 | SPMT09T308MP KCP25 | A105 |
| 3744903 | SPMT120408MP KCP25 | A105 |
| 3744904 | TCMT110208MP KCP25 | A107 |
| 3744906 | TCMT16T304MP KCP25 | A107 |
| 3744907 | TCMT16T312MP KCP25 | A107 |
| 3744908 | TPMT110208MP KCP25 | A111 |
| 3744909 | TPMT16T308MP KCP25 | A111 |
| 3744910 | TPMT16T312MP KCP25 | A111 |
| 3744911 | VBMT160404MP KCP25 | A113 |
| 3744912 | VBMT160408MP KCP25 | A113 |
| 3744917 | CCMT060204MP KCM25 | A89 |
| 3744918 | CCMT09T304MP KCM25 | A89 |
| 3744919 | CCMT09T308MP KCM25 | A89 |
| 3744920 | CCMT09T312MP KCM25 | A89 |
| 3744921 | CCMT120408MP KCM25 | A89 |
| 3744923 | CCMT120412MP KCM25 | A89 |
| 3744924 | CPMT09T308MP KCM25 | A93 |
| 3744925 | DCMT11T308MP KCM25 | A96 |
| 3744926 | SCMT09T304MP KCM25 | A103 |
| 3744927 | SCMT09T308MP KCM25 | A103 |
| 3744928 | SCMT120404MP KCM25 | A103 |
| 3744929 | SCMT120408MP KCM25 | A103 |
| 3744930 | SCMT120412MP KCM25 | A103 |
| 3744931 | TCMT16T304MP KCM25 | A107 |
| 3744932 | TCMT16T308MP KCM25 | A107 |
| 3744933 | TCMT16T312MP KCM25 | A107 |
| 3744935 | VBMT160404MP KCM25 | A113 |
| 3744936 | VBMT160408MP KCM25 | A113 |
| 3744940 | CCMT060204MP KCP10 | A89 |
| 3744941 | CCMT09T304MP KCP10 | A89 |
| 3744942 | CCMT09T308MP KCP10 | A89 |
| 3744943 | CCMT120408MP KCP10 | A89 |
| 3744944 | CPMT060208MP KCP10 | A93 |
| 3744945 | CPMT09T308MP KCP10 | A93 |
| 3744947 | DCMT11T308MP KCP10 | A96 |
| 3744948 | DCMT11T312MP KCP10 | A96 |
| 3744949 | SCMT09T308MP KCP10 | A103 |
| 3744950 | SCMT120408MP KCP10 | A103 |
| 3744951 | TCMT16T308MP KCP10 | A107 |
| 3744952 | CCMT060204MP KCK20 | A89 |
| 3744954 | CCMT09T304MP KCK20 | A89 |
| 3744955 | CCMT09T308MP KCK20 | A89 |
| 3744956 | CCMT120408MP KCK20 | A89 |
| 3744957 | CCMT120412MP KCK20 | A89 |
| 3744958 | CPMT09T308MP KCK20 | A93 |
| 3744959 | CPMT09T312MP KCK20 | A93 |
| 3744961 | DPMT11T308MP KCK20 | A98 |
| 3744962 | SCMT09T304MP KCK20 | A103 |
| 3744963 | SCMT120404MP KCK20 | A103 |
| 3744964 | SCMT120412MP KCK20 | A103 |
| 3744965 | SPMT09T308MP KCK20 | A105 |
| 3744966 | SPMT120408MP KCK20 | A105 |
| 3744967 | TCMT110208MP KCK20 | A107 |
| 3744968 | TCMT16T304MP KCK20 | A107 |
| 3744969 | TCMT16T312MP KCK20 | A107 |
| 3744970 | TPMT110208MP KCK20 | A111 |
| 3744971 | TPMT16T308MP KCK20 | A111 |
| 3744972 | TPMT16T312MP KCK20 | A111 |
| 3744973 | VBMT160404MP KCK20 | A113 |
| 3744974 | VBMT160408MP KCK20 | A113 |
| 3744975 | CCMT060204MP KCU10 | A89 |
| 3744976 | CCMT09T304MP KCU10 | A89 |
| 3744977 | CCMT09T308MP KCU10 | A89 |
| 3744978 | CCMT120408MP KCU10 | A89 |
| 3744979 | CPMT060208MP KCU10 | A93 |
| 3744980 | CPMT09T308MP KCU10 | A93 |
| 3744982 | DCMT11T312MP KCU10 | A96 |
| 3744983 | DPMT11T308MP KCU10 | A98 |
| 3744984 | SCMT09T304MP KCU10 | A103 |
| 3744985 | SCMT120404MP KCU10 | A103 |
| 3744986 | SCMT120408MP KCU10 | A103 |
| 3744987 | SPMT09T308MP KCU10 | A105 |
| 3744988 | SPMT120408MP KCU10 | A105 |
| 3744989 | TCMT110208MP KCU10 | A107 |
| 3744990 | TCMT16T304MP KCU10 | A107 |
| 3744991 | TPMT110208MP KCU10 | A111 |
| 3746052 | CNMG120404MN KCP05 | A42 |
| 3746073 | CNMG160612MN KCP05 | A42 |
| 3746074 | DNMG110404MN KCP05 | A51 |
| 3746075 | DNMG110408MN KCP05 | A51 |
| 3746076 | DNMG150404MN KCP05 | A51 |
| 3746077 | DNMG150412MN KCP05 | A51 |
| 3746078 | DNMG150604MN KCP05 | A51 |
| 3746079 | DNMG150612MN KCP05 | A51 |
| 3746080 | TNMG160404MN KCP05 | A67 |
| 3746081 | TNMG160412MN KCP05 | A67 |
| 3746082 | VNMG160404MN KCP05 | A75 |
| 3746083 | VNMG160408MN KCP05 | A75 |
| 3746084 | WNMG080412MN KCP05 | A80 |
| 3746085 | CNMG120412MW KCP05 | A43 |
| 3746086 | DNMG150608MW KCP05 | A52 |
| 3746087 | TNMG160408MW KCP05 | A69 |
| 3746088 | WNMG060408MW KCP05 | A81 |
| 3746089 | WNMG080408MW KCP05 | A81 |
| 3746090 | DNMG150408MW KCP05 | A52 |
| 3746091 | DNMG150412MW KCP05 | A52 |
| 3746092 | DNMG150612MW KCP05 | A52 |
| 3746112 | TNMG160412MW KCP05 | A69 |
| 3746114 | CNMG120412RP KCP05 | A44 |
| 3746116 | DNMG150608RP KCP05 | A54 |
| 3746117 | DNMG150612RP KCP05 | A54 |
| 3746118 | SNMG120408RP KCP05 | A62 |
| 3746119 | SNMG120412RP KCP05 | A62 |
| 3746120 | TNMG160408RP KCP05 | A70 |
| 3746121 | TNMG160412RP KCP05 | A70 |
| 3746122 | WNMG080408RP KCP05 | A82 |
| 3746123 | WNMG080412RP KCP05 | A82 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 3746124 | WNMG080416RP KCP05 | A82 |
| 3746125 | CCMT060204UF KCP05 | A89 |
| 3746126 | CCMT09T302UF KCP05 | A89 |
| 3746127 | CCMT09T304UF KCP05 | A89 |
| 3746128 | CCMT09T308UF KCP05 | A89 |
| 3746129 | CPMT060204UF KCP05 | A94 |
| 3746130 | CPMT09T304UF KCP05 | A94 |
| 3746131 | DCMT070204UF KCP05 | A97 |
| 3746132 | DCMT11T302UF KCP05 | A97 |
| 3746133 | DCMT11T304UF KCP05 | A97 |
| 3746134 | DCMT11T308UF KCP05 | A97 |
| 3746135 | SCMT09T308UF KCP05 | A103 |
| 3746137 | TPMT110202UF KCP05 | A112 |
| 3746138 | TPMT110204UF KCP05 | A112 |
| 3747140 | CNGA120404S01025MT KB5630 | A165 |
| 3747141 | CNGA120408S01025MT KB5630 | A165 |
| 3747142 | CNGA120412S01025MT KB5630 | A165 |
| 3747223 | CNGA120404S01025FWMT KB563 | A164 |
| 3747224 | CNGA120408S01025FWMT KB5630 | A164 |
| 3747225 | DNGA150408S01025MT KB5630 | A166 |
| 3747226 | VNGA160404S01025MT KB5630 | A169 |
| 3747227 | VNGA160408S01025MT KB5630 | A169 |
| 3747231 | CCGW060202S01015C KB5630 | A171 |
| 3747232 | CCGW060204S01015C KB5630 | A171 |
| 3747233 | CCGW09T304S01015MT KB5630 | A172 |
| 3747234 | CCGW09T308S01015MT KB5630 | A172 |
| 3747239 | DCGW070202S01015C KB5630 | A174 |
| 3747240 | DCGW070204S01015C KB5630 | A174 |
| 3747241 | DCGW11T304S01015MT KB5630 | A174 |
| 3747242 | DCGW11T308S01015MT KB5630 | A175 |
| 3747243 | TPGW110204S01015C KB5630 | A178 |
| 3747244 | TPGW110208S01015C KB5630 | A178 |
| 3747245 | VBGW160404S01015MT KB5630 | A180 |
| 3747246 | VBGW160408S01015MT KB5630 | A180 |
| 3748345 | CNMG120408CT KCP05 | A40 |
| 3748347 | CNMG120412CT KCP05 | A40 |
| 3748348 | DNMG110408CT KCP05 | A50 |
| 3748350 | DNMG150408CT KCP05 | A50 |
| 3748351 | DNMG150608CT KCP05 | A50 |
| 3748363 | DNMG150612CT KCP05 | A50 |
| 3748365 | TNMG220412CT KCP05 | A66 |
| 3748366 | CNMG120404FF KCP05 | A40 |
| 3748367 | CNMG120408FF KCP05 | A40 |
| 3748368 | DNMG110408FF KCP05 | A50 |
| 3748369 | DNMG150404FF KCP05 | A50 |
| 3748370 | DNMG150604FF KCP05 | A50 |
| 3748371 | DNMG150608FF KCP05 | A50 |
| 3748373 | TNMG160404FF KCP05 | A66 |
| 3748374 | TNMG160408FF KCP05 | A66 |
| 3748375 | VNMG160404FF KCP05 | A74 |
| 3748376 | VNMG160408FF KCP05 | A74 |
| 3748377 | CNMG120404FW KCP05 | A41 |
| 3748378 | CNMG120408FW KCP05 | A41 |
| 3748379 | CNMG120412FW KCP05 | A41 |
| 3748380 | DNMG110404FW KCP05 | A51 |
| 3748381 | DNMG110408FW KCP05 | A51 |
| 3748383 | DNMG150408FW KCP05 | A51 |
| 3748384 | DNMG150604FW KCP05 | A51 |
| 3748385 | DNMG150608FW KCP05 | A51 |
| 3748386 | SNMG120408FW KCP05 | A59 |
| 3748387 | SNMG120412FW KCP05 | A59 |
| 3748388 | TNMG160404FW KCP05 | A67 |
| 3748389 | TNMG160408FW KCP05 | A67 |
| 3748390 | TNMG160412FW KCP05 | A67 |
| 3748391 | WNMG060404FW KCP05 | A79 |
| 3748392 | WNMG060408FW KCP05 | A79 |
| 3748393 | WNMG060412FW KCP05 | A79 |
| 3748394 | WNMG080404FW KCP05 | A79 |
| 3748395 | WNMG080408FW KCP05 | A79 |
| 3748396 | WNMG080412FW KCP05 | A79 |
| 3748397 | CCMT060208LF KCP05 | A88 |
| 3748399 | CPMT060204LF KCP05 | A93 |
| 3748400 | CPMT060208LF KCP05 | A93 |
| 3748401 | CPMT09T304LF KCP05 | A93 |
| 3748402 | CPMT09T308LF KCP05 | A93 |
| 3748403 | DCMT070204LF KCP05 | A96 |
| 3748404 | DCMT11T308LF KCP05 | A96 |
| 3748408 | DPMT11T308LF KCP05 | A98 |
| 3748412 | TCMT110204LF KCP05 | A106 |
| 3748413 | TCMT110208LF KCP05 | A106 |
| 3748414 | TCMT16T304LF KCP05 | A106 |
| 3748415 | TCMT16T308LF KCP05 | A106 |
| 3748418 | TPMT110204LF KCP05 | A111 |
| 3748419 | TPMT110208LF KCP05 | A111 |
| 3748422 | VBMT110304LF KCP05 | A113 |
| 3748423 | VBMT110308LF KCP05 | A113 |
| 3748424 | VBMT160404LF KCP05 | A113 |
| 3748425 | VBMT160408LF KCP05 | A113 |
| 3749198 | CNMG120412MW KCP10 | A43 |
| 3749199 | DNMG150408MW KCP10 | A52 |
| 3749200 | DNMG150608MW KCP10 | A52 |
| 3749201 | DNMG150612MW KCP10 | A52 |
| 3749202 | SNMG120408MW KCP10 | A60 |
| 3749253 | SNMG120412MW KCP10 | A60 |
| 3749254 | TNMG160408MW KCP10 | A69 |
| 3749255 | TNMG160412MW KCP10 | A69 |
| 3749256 | WNMG060408MW KCP10 | A81 |
| 3749257 | WNMG060412MW KCP10 | A81 |
| 3749258 | WNMG080408MW KCP10 | A81 |
| 3749259 | CNMG120404RP KCP10 | A44 |
| 3749260 | CNMG120412RP KCP10 | A44 |
| 3749261 | CNMG120416RP KCP10 | A44 |
| 3749262 | CNMG160608RP KCP10 | A44 |
| 3749263 | CNMG160612RP KCP10 | A44 |
| 3749264 | CNMG160616RP KCP10 | A44 |
| 3749265 | CNMG190612RP KCP10 | A44 |
| 3749266 | CNMG190616RP KCP10 | A44 |
| 3749267 | DNMG110408RP KCP10 | A54 |
| 3749268 | DNMG110412RP KCP10 | A54 |
| 3749269 | DNMG150408RP KCP10 | A54 |
| 3749270 | DNMG150412RP KCP10 | A54 |
| 3749271 | DNMG150608RP KCP10 | A54 |
| 3749272 | DNMG150612RP KCP10 | A54 |
| 3749273 | DNMG150616RP KCP10 | A54 |
| 3749274 | RCMT1204M0RP KCP10 | A100–A101 |
| 3749275 | RCMT1606M0RP KCP10 | A100–A101 |
| 3749276 | RCMX1003M0RP KCP10 | A100–A101 |
| 3749277 | SNMG120408RP KCP10 | A62 |
| 3749278 | SNMG120412RP KCP10 | A62 |
| 3749279 | SNMG120416RP KCP10 | A62 |
| 3749280 | SNMG150612RP KCP10 | A62 |
| 3749281 | SNMG150616RP KCP10 | A62 |
| 3749282 | SNMG190612RP KCP10 | A62 |
| 3749283 | SNMG190616RP KCP10 | A62 |
| 3749284 | TNMG160408RP KCP10 | A70 |
| 3749285 | TNMG160412RP KCP10 | A70 |
| 3749286 | TNMG160416RP KCP10 | A70 |
| 3749287 | TNMG220408RP KCP10 | A70 |
| 3749288 | TNMG220412RP KCP10 | A70 |
| 3749289 | TNMG220416RP KCP10 | A70 |
| 3749290 | TNMG270612RP KCP10 | A70 |
| 3749291 | VNMG160408RP KCP10 | A76 |
| 3749292 | VNMG160412RP KCP10 | A76 |
| 3749293 | WNMG060408RP KCP10 | A82 |
| 3749294 | WNMG060412RP KCP10 | A82 |
| 3749295 | WNMG080408RP KCP10 | A82 |
| 3749296 | WNMG080412RP KCP10 | A82 |
| 3749297 | WNMG080416RP KCP10 | A82 |
| 3749298 | CCMT060204UF KCP10 | A89 |
| 3749299 | CCMT09T302UF KCP10 | A89 |
| 3749300 | CCMT09T304UF KCP10 | A89 |
| 3749301 | CCMT09T308UF KCP10 | A89 |
| 3749302 | CPMT060204UF KCP10 | A94 |
| 3749303 | CPMT09T304UF KCP10 | A94 |
| 3749304 | DCMT070204UF KCP10 | A97 |
| 3749305 | DCMT11T302UF KCP10 | A97 |
| 3749306 | DCMT11T304UF KCP10 | A97 |
| 3749307 | DCMT11T308UF KCP10 | A97 |
| 3749308 | DPMT070204UF KCP10 | A98 |
| 3749309 | DPMT11T304UF KCP10 | A98 |
| 3749310 | DPMT11T308UF KCP10 | A98 |
| 3749311 | SCMT09T308UF KCP10 | A103 |
| 3749312 | SPMT09T304UF KCP10 | A105 |
| 3749313 | TCMT110204UF KCP10 | A107 |
| 3749314 | TCMT110208UF KCP10 | A107 |
| 3749315 | TCMT16T308UF KCP10 | A107 |
| 3749316 | TPMT110204UF KCP10 | A112 |
| 3749317 | TPMT16T304UF KCP10 | A112 |
| 3749318 | TPMT16T308UF KCP10 | A112 |
| 3749319 | DNMG150412MW KCP10 | A52 |
| 3749334 | CNMG120408CT KCP10 | A40 |
| 3749335 | CNMG120412CT KCP10 | A40 |
| 3749336 | CNMG120416CT KCP10 | A40 |
| 3749337 | DNMG110408CT KCP10 | A50 |
| 3749338 | DNMG150404CT KCP10 | A50 |
| 3749339 | DNMG150408CT KCP10 | A50 |
| 3749340 | DNMG150412CT KCP10 | A50 |
| 3749341 | DNMG150604CT KCP10 | A50 |
| 3749342 | DNMG150608CT KCP10 | A50 |
| 3749344 | DNMG150612CT KCP10 | A50 |
| 3749345 | TNMG220408CT KCP10 | A66 |
| 3749346 | TNMG220412CT KCP10 | A66 |
| 3749347 | CNMG120404FF KCP10 | A40 |
| 3749348 | CNMG120408FF KCP10 | A40 |
| 3749349 | DNMG110408FF KCP10 | A50 |
| 3749350 | DNMG150404FF KCP10 | A50 |
| 3749351 | DNMG150604FF KCP10 | A50 |
| 3749352 | DNMG150608FF KCP10 | A50 |
| 3749353 | SNMG090308FF KCP10 | A58 |
| 3749354 | SNMG120408FF KCP10 | A58 |
| 3749355 | TNMG160404FF KCP10 | A66 |
| 3749356 | TNMG160408FF KCP10 | A66 |
| 3749357 | VNMG160404FF KCP10 | A74 |
| 3749358 | VNMG160408FF KCP10 | A74 |
| 3749359 | CNMG120404FW KCP10 | A41 |
| 3749360 | CNMG120408FW KCP10 | A41 |
| 3749361 | CNMG120412FW KCP10 | A41 |
| 3749362 | DNMG110404FW KCP10 | A51 |
| 3749363 | DNMG110408FW KCP10 | A51 |
| 3749364 | DNMG150404FW KCP10 | A51 |
| 3749365 | DNMG150408FW KCP10 | A51 |
| 3749366 | DNMG150604FW KCP10 | A51 |
| 3749367 | DNMG150608FW KCP10 | A51 |
| 3749368 | SNMG120408FW KCP10 | A59 |
| 3749369 | SNMG120412FW KCP10 | A59 |
| 3749370 | TNMG160404FW KCP10 | A67 |
| 3749371 | TNMG160408FW KCP10 | A67 |
| 3749372 | TNMG160412FW KCP10 | A67 |
| 3749373 | WNMG060404FW KCP10 | A79 |
| 3749374 | WNMG060408FW KCP10 | A79 |
| 3749375 | WNMG060412FW KCP10 | A79 |
| 3749376 | WNMG080404FW KCP10 | A79 |
| 3749377 | WNMG080408FW KCP10 | A79 |
| 3749378 | WNMG080412FW KCP10 | A79 |
| 3749379 | CCMT060208LF KCP10 | A88 |
| 3749380 | CCMT120408LF KCP10 | A88 |
| 3749381 | CPMT060204LF KCP10 | A93 |
| 3749382 | CPMT060208LF KCP10 | A93 |
| 3749383 | CPMT09T304LF KCP10 | A93 |
| 3749384 | CPMT09T308LF KCP10 | A93 |
| 3749386 | DCMT070204LF KCP10 | A96 |
| 3749387 | DCMT11T308LF KCP10 | A96 |
| 3749388 | DCMT11T312LF KCP10 | A96 |
| 3749389 | DCMT150404LF KCP10 | A96 |
| 3749390 | DCMT150408LF KCP10 | A96 |
| 3749391 | DPMT070204LF KCP10 | A98 |
| 3749392 | DPMT11T304LF KCP10 | A98 |
| 3749393 | DPMT11T308LF KCP10 | A98 |
| 3749394 | SCMT09T304LF KCP10 | A102 |
| 3749395 | SCMT09T308LF KCP10 | A102 |
| 3749396 | SCMT120404LF KCP10 | A102 |
| 3749397 | SCMT120408LF KCP10 | A102 |
| 3749398 | SCMT120412LF KCP10 | A102 |
| 3749399 | SPMT09T304LF KCP10 | A104 |
| 3749400 | SPMT09T308LF KCP10 | A104 |
| 3749401 | TCMT110204LF KCP10 | A106 |
| 3749402 | TCMT110208LF KCP10 | A106 |
| 3749403 | TCMT16T304LF KCP10 | A106 |
| 3749404 | TCMT16T308LF KCP10 | A106 |
| 3749406 | TCMT220408LF KCP10 | A106 |
| 3749407 | TPMT090204LF KCP10 | A111 |
| 3749408 | TPMT110204LF KCP10 | A111 |
| 3749409 | TPMT110208LF KCP10 | A111 |
| 3749410 | TPMT16T304LF KCP10 | A111 |
| 3749411 | TPMT16T308LF KCP10 | A111 |
| 3749412 | VBMT110304LF KCP10 | A113 |
| 3749413 | VBMT110308LF KCP10 | A113 |
| 3749414 | VBMT160404LF KCP10 | A113 |
| 3749415 | VBMT160408LF KCP10 | A113 |
| 3749416 | WPMT040204LF KCP10 | A114 |
| 3749417 | WPMT06T304LF KCP10 | A114 |
| 3749418 | WPMT06T308LF KCP10 | A114 |
| 3749422 | CCMT060204MF KCP10 | A89 |
| 3749443 | CCMT09T304MF KCP10 | A89 |
| 3749444 | CCMT09T312MF KCP10 | A89 |
| 3749445 | CCMT120412MF KCP10 | A89 |
| 3749446 | CPMT060208MF KCP10 | A93 |
| 3749447 | CPMT09T308MF KCP10 | A93 |
| 3749448 | CPMT09T312MF KCP10 | A93 |
| 3749449 | DCMT11T304MF KCP10 | A96 |
| 3749450 | DCMT11T308MF KCP10 | A96 |
| 3749451 | DCMT11T312MF KCP10 | A96 |
| 3749452 | DPMT11T308MF KCP10 | A98 |
| 3749453 | SCMT09T308MF KCP10 | A102 |
| 3749454 | SCMT120408MF KCP10 | A102 |
| 3749455 | SCMT120412MF KCP10 | A102 |
| 3749456 | SPMT09T308MF KCP10 | A104 |
| 3749457 | SPMT120408MF KCP10 | A104 |
| 3749458 | TCMT110208MF KCP10 | A107 |
| 3749459 | TCMT16T308MF KCP10 | A107 |
| 3749460 | TCMT16T312MF KCP10 | A107 |
| 3749461 | TPMT110208MF KCP10 | A111 |
| 3749462 | TPMT16T308MF KCP10 | A111 |
| 3749463 | CNMG090304MN KCP10 | A42 |
| 3749464 | CNMG090308MN KCP10 | A42 |
| 3749465 | CNMG120404MN KCP10 | A42 |
| 3749466 | CNMG120416MN KCP10 | A42 |
| 3749467 | CNMG160608MN KCP10 | A42 |
| 3749468 | CNMG160612MN KCP10 | A42 |
| 3749469 | CNMG160616MN KCP10 | A42 |
| 3749470 | CNMG190608MN KCP10 | A42 |
| 3749471 | CNMG190612MN KCP10 | A42 |
| 3749472 | CNMG190616MN KCP10 | A42 |
| 3749473 | DNMG110404MN KCP10 | A51 |
| 3749474 | DNMG110408MN KCP10 | A51 |
| 3749475 | DNMG110412MN KCP10 | A51 |
| 3749476 | DNMG150404MN KCP10 | A51 |
| 3749477 | DNMG150412MN KCP10 | A51 |
| 3749478 | DNMG150416MN KCP10 | A51 |
| 3749479 | DNMG150604MN KCP10 | A51 |
| 3749480 | DNMG150612MN KCP10 | A51 |
| 3749481 | DNMG150616MN KCP10 | A51 |
| 3749482 | DNMG190612MN KCP10 | A51 |
| 3749483 | SNMG090308MN KCP10 | A59 |
| 3749484 | SNMG090312MN KCP10 | A59 |
| 3749485 | SNMG120404MN KCP10 | A59 |
| 3749486 | SNMG120408MN KCP10 | A59 |
| 3749487 | SNMG120412MN KCP10 | A59 |
| 3749488 | SNMG120416MN KCP10 | A59 |
| 3749489 | SNMG150612MN KCP10 | A59 |
| 3749490 | SNMG190612MN KCP10 | A59 |
| 3749491 | TNMG160404MN KCP10 | A67 |
| 3749492 | TNMG160412MN KCP10 | A67 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 3749493 | TNMG220404MN KCP10 | A67 |
| 3749494 | TNMG220408MN KCP10 | A67 |
| 3749495 | TNMG220412MN KCP10 | A67 |
| 3749496 | VNMG160404MN KCP10 | A75 |
| 3749497 | VNMG160408MN KCP10 | A75 |
| 3749498 | VNMG160412MN KCP10 | A75 |
| 3749499 | WNMG060404MN KCP10 | A80 |
| 3749500 | WNMG060408MN KCP10 | A80 |
| 3749501 | WNMG060412MN KCP10 | A80 |
| 3749502 | WNMG080412MN KCP10 | A80 |
| 3749503 | CNMP120408K KCP10 | A46 |
| 3749504 | DNMP110408K KCP10 | A55 |
| 3749505 | DNMP150408K KCP10 | A55 |
| 3749506 | SNMP120408K KCP10 | A64 |
| 3749507 | TNMP160408K KCP10 | A72 |
| 3749508 | VNMP160408K KCP10 | A77 |
| 3751151 | DNMG110404FF KCP05 | A50 |
| 3751152 | DNMG150408FF KCP05 | A50 |
| 3751402 | WNMG060404UN KCK15 | A82 |
| 3751404 | DNMA110412 KCK20 | A49 |
| 3751405 | RCMT1204M0RP KCK20 | A100–A101 |
| 3751406 | RCMT2006M0RP KCK20 | A100–A101 |
| 3751474 | CNMG120404FN KCP05 | A40 |
| 3751475 | CNMG120408FN KCP05 | A40 |
| 3751476 | CNMG120412FN KCP05 | A40 |
| 3751477 | DNMG110404FN KCP05 | A50 |
| 3751478 | DNMG110408FN KCP05 | A50 |
| 3751479 | DNMG110412FN KCP05 | A50 |
| 3751480 | DNMG150404FN KCP05 | A50 |
| 3751481 | DNMG150408FN KCP05 | A50 |
| 3751482 | DNMG150412FN KCP05 | A50 |
| 3751483 | DNMG150604FN KCP10 | A51 |
| 3751484 | DNMG150608FN KCP05 | A50 |
| 3751485 | DNMG150612FN KCP05 | A50 |
| 3751486 | SNMG120404FN KCP05 | A58 |
| 3751487 | SNMG120408FN KCP05 | A58 |
| 3751488 | TNMG160404FN KCP05 | A66 |
| 3751489 | TNMG160408FN KCP05 | A66 |
| 3751490 | TNMG160412FN KCP05 | A66 |
| 3751491 | TNMG220408FN KCP05 | A66 |
| 3751492 | VNMG160404FN KCP05 | A75 |
| 3751493 | VNMG160408FN KCP05 | A75 |
| 3751494 | WNMG080404FN KCP05 | A79 |
| 3751495 | WNMG080408FN KCP05 | A79 |
| 3751496 | CCMT060204LF KCP05 | A88 |
| 3751497 | CCMT09T304LF KCP05 | A88 |
| 3751498 | CCMT09T308LF KCP05 | A88 |
| 3751499 | DCMT11T304LF KCP05 | A96 |
| 3751500 | CNMG120408MN KCP05 | A42 |
| 3751501 | CNMG120412MN KCP05 | A42 |
| 3751503 | DNMG150408MN KCP05 | A51 |
| 3751504 | DNMG150608MN KCP05 | A51 |
| 3751505 | TNMG160408MN KCP05 | A67 |
| 3751506 | WNMG080408MN KCP05 | A80 |
| 3751507 | CNMG120408MW KCP05 | A43 |
| 3751508 | WNMG080412MW KCP05 | A81 |
| 3751509 | CNMG120408RN KCP05 | A44 |
| 3751510 | CNMG120416RN KCP05 | A44 |
| 3751511 | CNMG120408RP KCP05 | A44 |
| 3751512 | CNMM120408RP KCP05 | A46 |
| 3751513 | CNMM120412RP KCP05 | A46 |
| 3751514 | CNMM160612RP KCP05 | A46 |
| 3751518 | CNMG190608 KCP25 | A39 |
| 3751519 | CNMG190612 KCP25 | A39 |
| 3751520 | CNMG190616 KCP25 | A39 |
| 3751521 | CNMG250924 KCP25 | A39 |
| 3751522 | RNMG190600 KCP25 | A56 |
| 3751544 | SNMG190612 KCP25 | A58 |
| 3751545 | SNMG190616 KCP25 | A58 |
| 3751546 | SNMG250924 KCP25 | A58 |
| 3751547 | TNMG330924 KCP25 | A66 |
| 3751548 | RCMT0602M0 KCP25 | A100 |
| 3751549 | RCMT0803M0 KCP25 | A100 |
| 3751550 | RCMT10T3M0 KCP25 | A100 |
| 3751551 | RCMT1605M0 KCP25 | A100 |
| 3751552 | RCMT2006M0 KCP25 | A100 |
| 3751553 | RCMT060200 KCP25 | A100 |
| 3751554 | RCMT09T300 KCP25 | A100 |
| 3751555 | CNMG120408CT KCP25 | A40 |
| 3751556 | CNMG120412CT KCP25 | A40 |
| 3751557 | DNMG150404CT KCP25 | A50 |
| 3751558 | DNMG150408CT KCP25 | A50 |
| 3751559 | DNMG150608CT KCP25 | A50 |
| 3751560 | DNMG150612CT KCP25 | A50 |
| 3751561 | CCMT060204FW KCP25 | A88 |
| 3751562 | CCMT060208FW KCP25 | A88 |
| 3751563 | CCMT09T304FW KCP25 | A88 |
| 3751564 | CCMT09T308FW KCP25 | A88 |
| 3751565 | CPMT060204FW KCP25 | A93 |
| 3751566 | CPMT060208FW KCP25 | A93 |
| 3751567 | CPMT09T304FW KCP25 | A93 |
| 3751568 | CPMT09T308FW KCP25 | A93 |
| 3751569 | DCMT11T304FW KCP25 | A95 |
| 3751570 | DCMT11T308FW KCP25 | A95 |
| 3751571 | DPMT070204FW KCP25 | A98 |
| 3751572 | DPMT070208FW KCP25 | A98 |
| 3751573 | DPMT11T304FW KCP25 | A98 |
| 3751575 | CCMT060208LF KCP25 | A88 |
| 3751576 | CCMT120408LF KCP25 | A88 |
| 3751577 | CPMT060204LF KCP25 | A93 |
| 3751578 | CPMT060208LF KCP25 | A93 |
| 3751579 | CPMT09T304LF KCP25 | A93 |
| 3751580 | CPMT09T308LF KCP25 | A93 |
| 3751581 | DCMT070204LF KCP25 | A96 |
| 3751582 | DCMT11T308LF KCP25 | A96 |
| 3751583 | DCMT11T312LF KCP25 | A96 |
| 3751584 | DCMT150404LF KCP25 | A96 |
| 3751585 | DCMT150408LF KCP25 | A96 |
| 3751586 | DPMT070204LF KCP25 | A98 |
| 3751587 | DPMT11T304LF KCP25 | A98 |
| 3751588 | DPMT11T308LF KCP25 | A98 |
| 3751589 | SCMT09T304LF KCP25 | A102 |
| 3751590 | SCMT09T308LF KCP25 | A102 |
| 3751591 | SCMT120404LF KCP25 | A102 |
| 3751592 | SCMT120408LF KCP25 | A102 |
| 3751593 | SCMT120412LF KCP25 | A102 |
| 3751594 | SPMT09T304LF KCP25 | A104 |
| 3751595 | SPMT09T308LF KCP25 | A104 |
| 3751596 | TCMT110204LF KCP25 | A106 |
| 3751597 | TCMT110208LF KCP25 | A106 |
| 3751598 | TCMT16T304LF KCP25 | A106 |
| 3751599 | TCMT16T308LF KCP25 | A106 |
| 3751600 | TCMT16T312LF KCP25 | A106 |
| 3751601 | TCMT220408LF KCP25 | A106 |
| 3751602 | TPMT090204LF KCP25 | A111 |
| 3751603 | TPMT110204LF KCP25 | A111 |
| 3751604 | TPMT110208LF KCP25 | A111 |
| 3751605 | TPMT16T304LF KCP25 | A111 |
| 3751606 | TPMT16T308LF KCP25 | A111 |
| 3751607 | VBMT110304LF KCP25 | A113 |
| 3751608 | VBMT110308LF KCP25 | A113 |
| 3751609 | VBMT160404LF KCP25 | A113 |
| 3751610 | VBMT160408LF KCP25 | A113 |
| 3751611 | WPMT06T304LF KCP25 | A114 |
| 3751612 | WPMT06T308LF KCP25 | A114 |
| 3751614 | CCMT09T304MW KCP25 | A89 |
| 3751615 | CCMT09T308MW KCP25 | A89 |
| 3751616 | CCMT120404MW KCP25 | A89 |
| 3751617 | CCMT120408MW KCP25 | A89 |
| 3751618 | CNMG120412MW KCP25 | A43 |
| 3751619 | CPMT09T304MW KCP25 | A94 |
| 3751620 | CPMT09T308MW KCP25 | A94 |
| 3751621 | DCMT11T304MW KCP25 | A96 |
| 3751622 | DCMT11T308MW KCP25 | A96 |
| 3751633 | DNMG150408MW KCP25 | A52 |
| 3751634 | DNMG150412MW KCP25 | A52 |
| 3751635 | DNMG150608MW KCP25 | A52 |
| 3751636 | DNMG150612MW KCP25 | A52 |
| 3751637 | SNMG120408MW KCP25 | A60 |
| 3751638 | SNMG120412MW KCP25 | A60 |
| 3751639 | TNMG160408MW KCP25 | A69 |
| 3751640 | TNMG160412MW KCP25 | A69 |
| 3751641 | WNMG060408MW KCP25 | A81 |
| 3751642 | WNMG060412MW KCP25 | A81 |
| 3751643 | WNMG080408MW KCP25 | A81 |
| 3751644 | CNMG120404RP KCP25 | A44 |
| 3751645 | CNMG120412RP KCP25 | A44 |
| 3751646 | CNMG120416RP KCP25 | A44 |
| 3751647 | CNMG160608RP KCP25 | A44 |
| 3751648 | CNMG160612RP KCP25 | A44 |
| 3751649 | CNMG160616RP KCP25 | A44 |
| 3751650 | CNMG190612RP KCP25 | A44 |
| 3751651 | CNMG190616RP KCP25 | A44 |
| 3751652 | CNMM250924RP KCP25 | A46 |
| 3751653 | DNMG110408RP KCP25 | A54 |
| 3751654 | DNMG110412RP KCP25 | A54 |
| 3751655 | DNMG150408RP KCP25 | A54 |
| 3751656 | DNMG150412RP KCP25 | A54 |
| 3751657 | DNMG150608RP KCP25 | A54 |
| 3751658 | DNMG150612RP KCP25 | A54 |
| 3751659 | DNMG150616RP KCP25 | A54 |
| 3751660 | RCGT0803M0RP KCP25 | A100–A101 |
| 3751661 | RCGT1204M0RP KCP25 | A100 |
| 3751662 | RCGX1003M0RP KCP25 | A100 |
| 3751673 | RCMT1204M0RP KCP25 | A100–A101 |
| 3751674 | RCMT1606M0RP KCP25 | A100–A101 |
| 3751675 | RCMT2006M0RP KCP25 | A100–A101 |
| 3751676 | RCMX1003M0RP KCP25 | A100–A101 |
| 3751677 | RCMX2507M0RP KCP25 | A100–A101 |
| 3751678 | RCMX3209M0RP KCP25 | A100–A101 |
| 3751679 | SNMG120408RP KCP25 | A62 |
| 3751680 | SNMG120412RP KCP25 | A62 |
| 3751681 | SNMG150612RP KCP25 | A62 |
| 3751682 | SNMG150616RP KCP25 | A62 |
| 3751683 | SNMG190612RP KCP25 | A62 |
| 3751684 | SNMG190616RP KCP25 | A62 |
| 3751685 | SNMM250724RP KCP25 | A63 |
| 3751686 | SNMM250924RP KCP25 | A63 |
| 3751687 | TNMG160408RP KCP25 | A70 |
| 3751688 | TNMG160412RP KCP25 | A70 |
| 3751689 | TNMG220408RP KCP25 | A70 |
| 3751690 | TNMG220412RP KCP25 | A70 |
| 3751691 | TNMG220432RP KCP25 | A70 |
| 3751692 | TNMG270612RP KCP25 | A70 |
| 3751693 | TNMG270616RP KCP25 | A70 |
| 3751694 | TNMG330924RP KCP25 | A70 |
| 3751695 | VNMG160408RP KCP25 | A76 |
| 3751696 | VNMG160412RP KCP25 | A76 |
| 3751697 | WNMG060408RP KCP25 | A82 |
| 3751698 | WNMG060412RP KCP25 | A82 |
| 3751699 | WNMG080408RP KCP25 | A82 |
| 3751700 | WNMG080412RP KCP25 | A82 |
| 3751701 | WNMG080416RP KCP25 | A82 |
| 3751702 | CCMT060204UF KCP25 | A89 |
| 3751703 | CCMT09T304UF KCP25 | A89 |
| 3751704 | CCMT09T308UF KCP25 | A89 |
| 3751705 | CPMT060204UF KCP25 | A94 |
| 3751706 | CPMT09T304UF KCP25 | A94 |
| 3751707 | DCMT070204UF KCP25 | A97 |
| 3751708 | DCMT11T302UF KCP25 | A97 |
| 3751709 | DCMT11T304UF KCP25 | A97 |
| 3751710 | DCMT11T308UF KCP25 | A97 |
| 3751711 | DPMT070204UF KCP25 | A98 |
| 3751712 | TCMT110204UF KCP25 | A107 |
| 3751713 | TCMT110208UF KCP25 | A107 |
| 3751714 | TCMT16T308UF KCP25 | A107 |
| 3751715 | CNMM120408RM KCP25 | A46 |
| 3751716 | CNMM120412RM KCP25 | A46 |
| 3751717 | CNMM120416RM KCP25 | A46 |
| 3751718 | CNMM160612RM KCP25 | A46 |
| 3751719 | CNMM160616RM KCP25 | A46 |
| 3751720 | CNMM160624RM KCP25 | A46 |
| 3751721 | CNMM190612RM KCP25 | A46 |
| 3751722 | CNMM190616RM KCP25 | A46 |
| 3751733 | CNMM190624RM KCP25 | A46 |
| 3751734 | DNMM150408RM KCP25 | A55 |
| 3751735 | DNMM150412RM KCP25 | A55 |
| 3751736 | DNMM150608RM KCP25 | A55 |
| 3751737 | DNMM150612RM KCP25 | A55 |
| 3751738 | DNMM150616RM KCP25 | A55 |
| 3751739 | SNMM120408RM KCP25 | A63 |
| 3751741 | SNMM120412RM KCP25 | A63 |
| 3751742 | SNMM120416RM KCP25 | A63 |
| 3751743 | SNMM150612RM KCP25 | A63 |
| 3751744 | SNMM150616RM KCP25 | A63 |
| 3751745 | SNMM190612RM KCP25 | A63 |
| 3751746 | SNMM190616RM KCP25 | A63 |
| 3751747 | SNMM190624RM KCP25 | A63 |
| 3751748 | TNMM160408RM KCP25 | A71 |
| 3751749 | TNMM160412RM KCP25 | A71 |
| 3751750 | TNMM220408RM KCP25 | A71 |
| 3751751 | TNMM220412RM KCP25 | A71 |
| 3751752 | TNMM220416RM KCP25 | A71 |
| 3751753 | TNMM270612RM KCP25 | A71 |
| 3751754 | TNMM270616RM KCP25 | A71 |
| 3751755 | CNMG120408RN KCP25 | A44 |
| 3751756 | CNMG120416RN KCP25 | A44 |
| 3751757 | CNMG120408RP KCP25 | A44 |
| 3751758 | CNMM120408RP KCP25 | A46 |
| 3751759 | CNMM120412RP KCP25 | A46 |
| 3751760 | CNMM120416RP KCP25 | A46 |
| 3751761 | CNMM160608RP KCP25 | A46 |
| 3751762 | CNMM160612RP KCP25 | A46 |
| 3751763 | CNMM160616RP KCP25 | A46 |
| 3751764 | CNMM190612RP KCP25 | A46 |
| 3751765 | CNMM190616RP KCP25 | A46 |
| 3751766 | CNMM190624RP KCP25 | A46 |
| 3751767 | DNMM150608RP KCP25 | A55 |
| 3751768 | DNMM150612RP KCP25 | A55 |
| 3751769 | DNMM150616RP KCP25 | A55 |
| 3751770 | SNMM120408RP KCP25 | A63 |
| 3751771 | SNMM120412RP KCP25 | A63 |
| 3751772 | SNMM150612RP KCP25 | A63 |
| 3751773 | SNMM190612RP KCP25 | A63 |
| 3751774 | SNMM190616RP KCP25 | A63 |
| 3751775 | SNMM190624RP KCP25 | A63 |
| 3751776 | TNMM160408RP KCP25 | A71 |
| 3751777 | TNMM220412RP KCP25 | A71 |
| 3751778 | TNMM220416RP KCP25 | A71 |
| 3751779 | TNMM270616RP KCP25 | A71 |
| 3751781 | CNMG190608 KCP40 | A39 |
| 3751782 | CNMG190612 KCP40 | A39 |
| 3751803 | CNMG190616 KCP40 | A39 |
| 3751804 | CNMG250924 KCP40 | A39 |
| 3751805 | RNMG190600 KCP40 | A56 |
| 3751806 | RNMG250900 KCP40 | A56 |
| 3751807 | SNMG190612 KCP40 | A58 |
| 3751808 | SNMG190616 KCP40 | A58 |
| 3751809 | SNMG250924 KCP40 | A58 |
| 3751810 | TNMG330924 KCP40 | A66 |
| 3751811 | CNMG120408MN KCP40 | A42 |
| 3751812 | CNMG120412MN KCP40 | A42 |
| 3751813 | CNMG190612MN KCP40 | A42 |
| 3751814 | DNMG150408MN KCP40 | A51 |
| 3751815 | DNMG150412MN KCP40 | A51 |
| 3751816 | DNMG150608MN KCP40 | A51 |
| 3751817 | DNMG150612MN KCP40 | A51 |
| 3751818 | SNMG120408MN KCP40 | A59 |
| 3751819 | SNMG120412MN KCP40 | A59 |
| 3751820 | SNMG120416MN KCP40 | A59 |
| 3751821 | SNMG150612MN KCP40 | A59 |
| 3751822 | SNMG190612MN KCP40 | A59 |
| 3751823 | TNMG160412MN KCP40 | A67 |
| 3751824 | TNMG220408MN KCP40 | A67 |
| 3751825 | TNMG220412MN KCP40 | A67 |
| 3751826 | WNMG080408MN KCP40 | A80 |
| 3751827 | WNMG080412MN KCP40 | A80 |
| 3751828 | CNMG120408RP KCP40 | A44 |
| 3751829 | CNMG120412RP KCP40 | A44 |
| 3751830 | CNMG160612RP KCP40 | A44 |
| 3751831 | CNMG190612RP KCP40 | A44 |
| 3751832 | CNMG190616RP KCP40 | A44 |
| 3751833 | CNMM120408RP KCP40 | A46 |
| 3751837 | CNMM160612RP KCP40 | A46 |
| 3751839 | CNMM190612RP KCP40 | A46 |
| 3751840 | CNMM190616RP KCP40 | A46 |
| 3751842 | DNMG150408RP KCP40 | A54 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 3751843 | DNMG150412RP KCP40 | A54 |
| 3751844 | DNMG150608RP KCP40 | A54 |
| 3751846 | SNMG120408RP KCP40 | A62 |
| 3751847 | SNMG120412RP KCP40 | A62 |
| 3751848 | SNMG150612RP KCP40 | A62 |
| 3751849 | SNMG190612RP KCP40 | A62 |
| 3751850 | SNMG190616RP KCP40 | A62 |
| 3751851 | SNMM120408RP KCP40 | A63 |
| 3751852 | SNMM120412RP KCP40 | A63 |
| 3751853 | SNMM150612RP KCP40 | A63 |
| 3751854 | SNMM190612RP KCP40 | A63 |
| 3751855 | SNMM190616RP KCP40 | A63 |
| 3751856 | SNMM250724RP KCP40 | A63 |
| 3751857 | TNMG220408RP KCP40 | A70 |
| 3751858 | TNMG220412RP KCP40 | A70 |
| 3751859 | TNMG330924RP KCP40 | A70 |
| 3751860 | WNMG080408RP KCP40 | A82 |
| 3751861 | WNMG080412RP KCP40 | A82 |
| 3751862 | CNMG120408RP KCK05 | A44 |
| 3751873 | CNMG120404UN KCK05 | A45 |
| 3751874 | CNMG120408UN KCK05 | A45 |
| 3751875 | CNMG120412UN KCK05 | A45 |
| 3751876 | CNMG120416UN KCK05 | A45 |
| 3751877 | CNMG160608UN KCK05 | A45 |
| 3751878 | CNMG160612UN KCK05 | A45 |
| 3751880 | CNMG190608UN KCK05 | A45 |
| 3751881 | CNMG190612UN KCK05 | A45 |
| 3751882 | CNMG190616UN KCK05 | A45 |
| 3751884 | DNMG110412UN KCK05 | A54 |
| 3751887 | DNMG150412UN KCK05 | A54 |
| 3751888 | DNMG150608UN KCK05 | A54 |
| 3751889 | DNMG150612UN KCK05 | A54 |
| 3751891 | SNMG120408UN KCK05 | A62 |
| 3751892 | SNMG120412UN KCK05 | A62 |
| 3751893 | CNMA120404 KCK05 | A39 |
| 3751895 | SNMG150612UN KCK05 | A62 |
| 3751896 | CNMA120408 KCK05 | A39 |
| 3751897 | SNMG150616UN KCK05 | A62 |
| 3751898 | CNMA120412 KCK05 | A39 |
| 3751899 | CNMA120416 KCK05 | A39 |
| 3751900 | SNMG190612UN KCK05 | A62 |
| 3751902 | CNMA160612 KCK05 | A39 |
| 3751903 | CNMA160616 KCK05 | A39 |
| 3751905 | CNMA190608 KCK05 | A39 |
| 3751906 | CNMA190612 KCK05 | A39 |
| 3751907 | CNMA190616 KCK05 | A39 |
| 3751908 | TNMG160408UN KCK05 | A70 |
| 3751909 | DNMA110408 KCK05 | A49 |
| 3751910 | DNMA150408 KCK05 | A49 |
| 3751911 | TNMG160412UN KCK05 | A70 |
| 3751912 | DNMA150412 KCK05 | A49 |
| 3751915 | DNMA150608 KCK05 | A49 |
| 3751916 | DNMA150612 KCK05 | A49 |
| 3751917 | RNMA120400 KCK05 | A56 |
| 3751918 | TNMG220408UN KCK05 | A70 |
| 3751919 | SNMA120408 KCK05 | A58 |
| 3751920 | SNMA120412 KCK05 | A58 |
| 3751921 | TNMG220412UN KCK05 | A70 |
| 3751922 | SNMA120416 KCK05 | A58 |
| 3751923 | SNMA150612 KCK05 | A58 |
| 3751924 | SNMA150616 KCK05 | A58 |
| 3751926 | SNMA190612 KCK05 | A58 |
| 3751927 | SNMA190616 KCK05 | A58 |
| 3751928 | TNMA160408 KCK05 | A65 |
| 3751929 | VNMG160404UN KCK05 | A77 |
| 3751930 | TNMA160412 KCK05 | A65 |
| 3751931 | TNMA220408 KCK05 | A65 |
| 3751932 | TNMA220412 KCK05 | A65 |
| 3751933 | VNMG160408UN KCK05 | A77 |
| 3751934 | VNMA160408 KCK05 | A74 |
| 3751935 | WNMA060408 KCK05 | A78 |
| 3751936 | WNMG060408UN KCK05 | A82 |
| 3751938 | WNMA080408 KCK05 | A78 |
| 3751939 | WNMA080412 KCK05 | A78 |
| 3751940 | WNMG060412UN KCK05 | A82 |
| 3751941 | WNMA080416 KCK05 | A78 |
| 3751942 | CNMG090304FN KCK05 | A40 |
| 3751943 | WNMG080404UN KCK05 | A82 |
| 3751944 | CNMG090308FN KCK05 | A40 |
| 3751945 | CNMG120404FN KCK05 | A40 |
| 3751946 | CNMG120408FN KCK05 | A40 |
| 3751947 | WNMG080408UN KCK05 | A82 |
| 3751948 | CNMG120412FN KCK05 | A40 |
| 3751950 | DNMG110404FN KCK05 | A50 |
| 3751951 | WNMG080412UN KCK05 | A82 |
| 3751952 | DNMG110408FN KCK05 | A50 |
| 3751955 | DNMG150404FN KCK05 | A50 |
| 3751956 | DNMG150408FN KCK05 | A50 |
| 3751958 | DNMG150412FN KCK05 | A50 |
| 3751959 | DNMG150604FN KCP05 | A51 |
| 3751960 | DNMG150608FN KCK05 | A50 |
| 3751961 | DNMG150612FN KCK05 | A50 |
| 3751962 | SNMG090304FN KCK05 | A58 |
| 3751963 | SNMG090308FN KCK05 | A58 |
| 3751964 | SNMG120404FN KCK05 | A58 |
| 3751965 | SNMG120408FN KCK05 | A58 |
| 3751966 | SNMG120412FN KCK05 | A58 |
| 3751967 | SNMG120416FN KCK05 | A58 |
| 3751968 | TNMG110304FN KCK05 | A66 |
| 3751970 | TNMG160404FN KCK05 | A66 |
| 3751971 | TNMG160408FN KCK05 | A66 |
| 3751972 | TNMG160412FN KCK05 | A66 |
| 3751973 | TNMG220404FN KCK05 | A66 |
| 3751974 | VNMG160404FN KCK05 | A75 |
| 3751975 | VNMG160408FN KCK05 | A75 |
| 3751976 | WNMG060404FN KCK05 | A79 |
| 3751977 | WNMG060408FN KCK05 | A79 |
| 3751978 | WNMG080404FN KCK05 | A79 |
| 3751979 | WNMG080408FN KCK05 | A79 |
| 3751980 | CCMT060204LF KCK05 | A88 |
| 3751981 | CCMT09T304LF KCK05 | A88 |
| 3751982 | CCMT09T308LF KCK05 | A88 |
| 3751983 | CCMT120404LF KCK05 | A88 |
| 3751984 | CCMT120412LF KCK05 | A88 |
| 3751985 | DCMT11T304LF KCK05 | A96 |
| 3751986 | CCMT060208LF KCK15 | A88 |
| 3751987 | CCMT120408LF KCK15 | A88 |
| 3751988 | CPMT060204LF KCK15 | A93 |
| 3751989 | CPMT060208LF KCK15 | A93 |
| 3751990 | CPMT09T304LF KCK15 | A93 |
| 3751991 | CPMT09T308LF KCK15 | A93 |
| 3751992 | DCMT11T308LF KCK15 | A96 |
| 3752013 | SCMT09T308LF KCK15 | A102 |
| 3752014 | SCMT120408LF KCK15 | A102 |
| 3752015 | SPMT09T308LF KCK15 | A104 |
| 3752016 | TCMT110204LF KCK15 | A106 |
| 3752017 | TCMT110208LF KCK15 | A106 |
| 3752018 | TCMT16T304LF KCK15 | A106 |
| 3752019 | TCMT16T308LF KCK15 | A106 |
| 3752020 | TCMT16T312LF KCK15 | A106 |
| 3752021 | TPMT090204LF KCK15 | A111 |
| 3752022 | TPMT110204LF KCK15 | A111 |
| 3752023 | TPMT110208LF KCK15 | A111 |
| 3752024 | TPMT16T304LF KCK15 | A111 |
| 3752025 | TPMT16T308LF KCK15 | A111 |
| 3752026 | VBMT160404LF KCK15 | A113 |
| 3752027 | VBMT160408LF KCK15 | A113 |
| 3752028 | CCMT060204MF KCK15 | A89 |
| 3752029 | CCMT09T304MF KCK15 | A89 |
| 3752030 | CCMT09T312MF KCK15 | A89 |
| 3752031 | CCMT120412MF KCK15 | A89 |
| 3752032 | CPMT060208MF KCK15 | A93 |
| 3752033 | CPMT09T308MF KCK15 | A93 |
| 3752035 | DCMT11T304MF KCK15 | A96 |
| 3752036 | DCMT11T308MF KCK15 | A96 |
| 3752037 | DCMT11T312MF KCK15 | A96 |
| 3752038 | DPMT11T308MF KCK15 | A98 |
| 3752039 | SCMT09T308MF KCK15 | A102 |
| 3752040 | SCMT120408MF KCK15 | A102 |
| 3752041 | SCMT120412MF KCK15 | A102 |
| 3752042 | SPMT09T308MF KCK15 | A104 |
| 3752043 | SPMT120408MF KCK15 | A104 |
| 3752044 | TCMT110208MF KCK15 | A107 |
| 3752045 | TCMT16T308MF KCK15 | A107 |
| 3752046 | TCMT16T312MF KCK15 | A107 |
| 3752047 | TPMT110208MF KCK15 | A111 |
| 3752048 | TPMT16T308MF KCK15 | A111 |
| 3752049 | TPMT16T312MF KCK15 | A111 |
| 3752050 | CNMG120412RP KCK15 | A44 |
| 3752051 | CNMG120416RP KCK15 | A44 |
| 3752052 | CNMG160612RP KCK15 | A44 |
| 3752053 | CNMG190612RP KCK15 | A44 |
| 3752054 | DNMG150408RP KCK15 | A54 |
| 3752055 | DNMG150412RP KCK15 | A54 |
| 3752056 | DNMG150608RP KCK15 | A54 |
| 3752057 | DNMG150612RP KCK15 | A54 |
| 3752058 | RCMT1204M0RP KCK15 | A100–A101 |
| 3752059 | RCMT1606M0RP KCK15 | A100–A101 |
| 3752060 | SNMG120408RP KCK15 | A62 |
| 3752061 | SNMG120412RP KCK15 | A62 |
| 3752062 | SNMG150612RP KCK15 | A62 |
| 3752063 | TNMG160408RP KCK15 | A70 |
| 3752064 | TNMG220408RP KCK15 | A70 |
| 3752065 | TNMG220412RP KCK15 | A70 |
| 3752066 | TNMG220416RP KCK15 | A70 |
| 3752067 | VNMG160408RP KCK15 | A76 |
| 3752068 | VNMG160412RP KCK15 | A76 |
| 3752069 | WNMG080408RP KCK15 | A82 |
| 3752070 | WNMG080412RP KCK15 | A82 |
| 3752072 | CCMT060208LF KCK05 | A88 |
| 3752073 | CCMT120408LF KCK05 | A88 |
| 3752074 | CPMT060204LF KCK05 | A93 |
| 3752075 | CPMT060208LF KCK05 | A93 |
| 3752076 | CPMT09T304LF KCK05 | A93 |
| 3752077 | CPMT09T308LF KCK05 | A93 |
| 3752078 | DCMT070204LF KCK05 | A96 |
| 3752079 | DCMT11T308LF KCK05 | A96 |
| 3752080 | DCMT11T312LF KCK05 | A96 |
| 3752082 | DCMT150408LF KCK05 | A96 |
| 3752083 | DPMT070204LF KCK05 | A98 |
| 3752084 | DPMT11T304LF KCK05 | A98 |
| 3752085 | DPMT11T308LF KCK05 | A98 |
| 3752086 | SCMT09T304LF KCK05 | A102 |
| 3752087 | SCMT09T308LF KCK05 | A102 |
| 3752088 | SCMT120404LF KCK05 | A102 |
| 3752089 | SCMT120408LF KCK05 | A102 |
| 3752090 | SCMT120412LF KCK05 | A102 |
| 3752092 | SPMT09T308LF KCK05 | A104 |
| 3752093 | TCMT110204LF KCK05 | A106 |
| 3752094 | TCMT110208LF KCK05 | A106 |
| 3752095 | TCMT16T304LF KCK05 | A106 |
| 3752096 | TCMT16T308LF KCK05 | A106 |
| 3752097 | TCMT16T312LF KCK05 | A106 |
| 3752098 | TCMT220408LF KCK05 | A106 |
| 3752099 | TPMT090204LF KCK05 | A111 |
| 3752100 | TPMT110204LF KCK05 | A111 |
| 3752101 | TPMT110208LF KCK05 | A111 |
| 3752102 | TPMT16T304LF KCK05 | A111 |
| 3752103 | TPMT16T308LF KCK05 | A111 |
| 3752104 | TPMT16T312LF KCK05 | A111 |
| 3752105 | TPMT220408LF KCK05 | A111 |
| 3752106 | VBMT110304LF KCK05 | A113 |
| 3752107 | VBMT110308LF KCK05 | A113 |
| 3752108 | VBMT160404LF KCK05 | A113 |
| 3752109 | VBMT160408LF KCK05 | A113 |
| 3752110 | VBMT160412LF KCK05 | A113 |
| 3752111 | WPMT040204LF KCK05 | A114 |
| 3752113 | WPMT06T308LF KCK05 | A114 |
| 3752114 | CNMG120412RP KCK05 | A44 |
| 3752115 | CNMG160612RP KCK05 | A44 |
| 3752116 | CNMG190612RP KCK05 | A44 |
| 3752117 | DNMG150408RP KCK05 | A54 |
| 3752118 | DNMG150608RP KCK05 | A54 |
| 3752119 | DNMG150612RP KCK05 | A54 |
| 3752120 | SNMG120408RP KCK05 | A62 |
| 3752121 | SNMG120412RP KCK05 | A62 |
| 3752122 | TNMG160408RP KCK05 | A70 |
| 3752124 | WNMG080408RP KCK05 | A82 |
| 3752125 | WNMG080412RP KCK05 | A82 |
| 3752127 | CNMA120404 KCK15 | A39 |
| 3752128 | CNMA120408 KCK15 | A39 |
| 3752129 | CNMA120412 KCK15 | A39 |
| 3752130 | CNMA120416 KCK15 | A39 |
| 3752131 | CNMA160608 KCK15 | A39 |
| 3752132 | CNMA160612 KCK15 | A39 |
| 3752143 | CNMA160616 KCK15 | A39 |
| 3752144 | CNMA190612 KCK15 | A39 |
| 3752145 | DNMA150408 KCK15 | A49 |
| 3752146 | DNMA150412 KCK15 | A49 |
| 3752147 | DNMA150608 KCK15 | A49 |
| 3752148 | DNMA150612 KCK15 | A49 |
| 3752149 | RNMA120400 KCK15 | A56 |
| 3752150 | SNMA120408 KCK15 | A58 |
| 3752152 | SNMA120412 KCK15 | A58 |
| 3752153 | SNMA120416 KCK15 | A58 |
| 3752154 | SNMA150612 KCK15 | A58 |
| 3752155 | SNMA190612 KCK15 | A58 |
| 3752156 | SNMA190616 KCK15 | A58 |
| 3752157 | TNMA160408 KCK15 | A65 |
| 3752158 | TNMA160412 KCK15 | A65 |
| 3752159 | TNMA160416 KCK15 | A65 |
| 3752160 | TNMA220408 KCK15 | A65 |
| 3752161 | TNMA220412 KCK15 | A65 |
| 3752162 | TNMA220416 KCK15 | A65 |
| 3752163 | TNMA270616 KCK15 | A65 |
| 3752164 | VNMA160408 KCK15 | A74 |
| 3752165 | WNMA060408 KCK15 | A78 |
| 3752166 | WNMA060412 KCK15 | A78 |
| 3752167 | WNMA080408 KCK15 | A78 |
| 3752168 | WNMA080412 KCK15 | A78 |
| 3752169 | WNMA080416 KCK15 | A78 |
| 3752170 | CCMT060204LF KCK15 | A88 |
| 3752171 | CCMT09T304LF KCK15 | A88 |
| 3752172 | CCMT09T308LF KCK15 | A88 |
| 3752173 | DCMT11T304LF KCK15 | A96 |
| 3752174 | CCMT09T308MF KCK15 | A89 |
| 3752175 | CCMT120408MF KCK15 | A89 |
| 3752176 | CNMG120408RP KCK15 | A44 |
| 3752177 | CNMG120404UN KCK15 | A45 |
| 3752178 | CNMG120408UN KCK15 | A45 |
| 3752179 | CNMG120412UN KCK15 | A45 |
| 3752180 | CNMG120416UN KCK15 | A45 |
| 3752181 | CNMG160608UN KCK15 | A45 |
| 3752182 | CNMG160612UN KCK15 | A45 |
| 3752183 | CNMG160616UN KCK15 | A45 |
| 3752184 | CNMG190608UN KCK15 | A45 |
| 3752185 | CNMG190612UN KCK15 | A45 |
| 3752186 | CNMG190616UN KCK15 | A45 |
| 3752187 | DNMG110408UN KCK15 | A54 |
| 3752188 | DNMG110412UN KCK15 | A54 |
| 3752189 | DNMG150408UN KCK15 | A54 |
| 3752190 | DNMG150412UN KCK15 | A54 |
| 3752191 | DNMG150416UN KCK15 | A54 |
| 3752192 | DNMG150608UN KCK15 | A54 |
| 3752193 | DNMG150612UN KCK15 | A54 |
| 3752194 | DNMG150616UN KCK15 | A54 |
| 3752195 | RNMG120400UN KCK15 | A57 |
| 3752196 | SNMG120408UN KCK15 | A62 |
| 3752197 | SNMG120412UN KCK15 | A62 |
| 3752198 | SNMG120416UN KCK15 | A62 |
| 3752199 | SNMG150612UN KCK15 | A62 |
| 3752200 | SNMG150616UN KCK15 | A62 |
| 3752201 | SNMG190612UN KCK15 | A62 |
| 3752202 | SNMG190616UN KCK15 | A62 |
| 3752203 | TNMG160408UN KCK15 | A70 |
| 3752204 | TNMG160412UN KCK15 | A70 |
| 3752205 | TNMG160416UN KCK15 | A70 |
| 3752206 | TNMG220408UN KCK15 | A70 |
| 3752207 | TNMG220412UN KCK15 | A70 |
| 3752208 | TNMG220416UN KCK15 | A70 |
| 3752209 | VNMG160404UN KCK15 | A77 |
| 3752210 | VNMG160408UN KCK15 | A77 |
| 3752211 | WNMG060408UN KCK15 | A82 |
| 3752212 | WNMG060412UN KCK15 | A82 |
| 3752213 | WNMG080404UN KCK15 | A82 |
| 3752214 | WNMG080408UN KCK15 | A82 |
| 3752215 | WNMG080412UN KCK15 | A82 |
| 3752216 | WNMG080416UN KCK15 | A82 |
| 3753160 | CNMG090304FF KCP10 | A40 |
| 3753161 | CNMG090308FF KCP10 | A40 |
| 3753162 | DNMG110404FF KCP10 | A50 |
| 3753203 | DNMG150408FF KCP10 | A50 |
| 3753204 | SNMG090304FF KCP10 | A58 |
| 3753205 | SNMG120404FF KCP10 | A58 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 3753206 | WNMG060404FF KCP10 | A79 |
| 3753207 | WNMG060408FF KCP10 | A79 |
| 3753208 | WNMG080408FF KCP10 | A79 |
| 3753209 | CNMG090304FN KCP10 | A40 |
| 3753210 | CNMG090308FN KCP10 | A40 |
| 3753211 | CNMG120404FN KCP10 | A40 |
| 3753212 | CNMG120408FN KCP10 | A40 |
| 3753213 | CNMG120412FN KCP10 | A40 |
| 3753214 | CNMG120416FN KCP10 | A40 |
| 3753215 | DNMG110404FN KCP10 | A50 |
| 3753216 | DNMG110408FN KCP10 | A50 |
| 3753217 | DNMG110412FN KCP10 | A50 |
| 3753218 | DNMG150404FN KCP10 | A50 |
| 3753219 | DNMG150408FN KCP10 | A50 |
| 3753220 | DNMG150412FN KCP10 | A50 |
| 3753221 | DNMG150604FN KCP25 | A51 |
| 3753222 | DNMG150608FN KCP10 | A50 |
| 3753223 | DNMG150612FN KCP10 | A50 |
| 3753224 | SNMG090304FN KCP10 | A58 |
| 3753225 | SNMG090308FN KCP10 | A58 |
| 3753226 | SNMG120404FN KCP10 | A58 |
| 3753227 | SNMG120408FN KCP10 | A58 |
| 3753228 | SNMG120412FN KCP10 | A58 |
| 3753229 | SNMG120416FN KCP10 | A58 |
| 3753230 | TNMG110304FN KCP10 | A66 |
| 3753231 | TNMG110308FN KCP10 | A66 |
| 3753232 | TNMG160404FN KCP10 | A66 |
| 3753233 | TNMG160408FN KCP10 | A66 |
| 3753234 | TNMG160412FN KCP10 | A66 |
| 3753235 | TNMG220404FN KCP10 | A66 |
| 3753236 | TNMG220408FN KCP10 | A66 |
| 3753237 | TNMG220412FN KCP10 | A66 |
| 3753238 | VNMG160404FN KCP10 | A75 |
| 3753239 | VNMG160408FN KCP10 | A75 |
| 3753240 | WNMG060404FN KCP10 | A79 |
| 3753241 | WNMG060408FN KCP10 | A79 |
| 3753242 | WNMG080404FN KCP10 | A79 |
| 3753243 | WNMG080408FN KCP10 | A79 |
| 3753244 | CCMT060204LF KCP10 | A88 |
| 3753245 | CCMT09T304LF KCP10 | A88 |
| 3753246 | CCMT09T308LF KCP10 | A88 |
| 3753247 | CCMT120404LF KCP10 | A88 |
| 3753248 | CCMT120412LF KCP10 | A88 |
| 3753249 | DCMT11T304LF KCP10 | A96 |
| 3753250 | CCMT09T308MF KCP10 | A89 |
| 3753251 | CCMT120408MF KCP10 | A89 |
| 3753252 | CNMG120408MN KCP10 | A42 |
| 3753253 | CNMG120412MN KCP10 | A42 |
| 3753254 | DNMG150408MN KCP10 | A51 |
| 3753255 | DNMG150608MN KCP10 | A51 |
| 3753256 | TNMG160408MN KCP10 | A67 |
| 3753257 | WNMG080408MN KCP10 | A80 |
| 3753288 | CNMG120412RN KCP10 | A44 |
| 3753291 | CNMG160608RN KCP10 | A44 |
| 3753292 | CNMG160612RN KCP10 | A44 |
| 3753293 | CNMG160616RN KCP10 | A44 |
| 3753294 | CNMG190608RN KCP10 | A44 |
| 3753295 | CNMG190612RN KCP10 | A44 |
| 3753296 | CNMG190616RN KCP10 | A44 |
| 3753297 | CNMG190624RN KCP10 | A44 |
| 3753298 | DNMG150408RN KCP10 | A53 |
| 3753299 | DNMG150412RN KCP10 | A53 |
| 3753300 | DNMG150416RN KCP10 | A53 |
| 3753301 | DNMG150608RN KCP10 | A53 |
| 3753302 | DNMG150612RN KCP10 | A53 |
| 3753303 | DNMG150616RN KCP10 | A53 |
| 3753304 | DNMG190608RN KCP10 | A53 |
| 3753305 | DNMG190612RN KCP10 | A53 |
| 3753306 | RNMG090300RN KCP10 | A56 |
| 3753307 | CNMG120408MW KCP10 | A43 |
| 3753308 | RNMG120400RN KCP10 | A56 |
| 3753309 | RNMG150600RN KCP10 | A56 |
| 3753310 | RNMG190600RN KCP10 | A56 |
| 3753311 | RNMG250900RN KCP10 | A56 |
| 3753312 | SNMG090412RN KCP10 | A61 |
| 3753313 | SNMG120408RN KCP10 | A61 |
| 3753314 | WNMG080412MW KCP10 | A81 |
| 3753315 | SNMG120412RN KCP10 | A61 |
| 3753316 | CNMM190612RH KCP10 | A45 |
| 3753317 | CNMM190616RH KCP10 | A45 |
| 3753318 | SNMG120416RN KCP10 | A61 |
| 3753319 | CNMM190624RH KCP10 | A45 |
| 3753320 | SNMM190612RH KCP10 | A63 |
| 3753321 | SNMG150608RN KCP10 | A61 |
| 3753322 | SNMM190616RH KCP10 | A63 |
| 3753323 | SNMM190624RH KCP10 | A63 |
| 3753324 | SNMG150612RN KCP10 | A61 |
| 3753325 | CNMM120408RM KCP10 | A46 |
| 3753326 | CNMM120412RM KCP10 | A46 |
| 3753327 | SNMG150616RN KCP10 | A61 |
| 3753328 | CNMM160612RM KCP10 | A46 |
| 3753329 | CNMM160616RM KCP10 | A46 |
| 3753330 | SNMG190612RN KCP10 | A61 |
| 3753331 | CNMM160624RM KCP10 | A46 |
| 3753332 | CNMM190612RM KCP10 | A46 |
| 3753333 | CNMM190616RM KCP10 | A46 |
| 3753334 | SNMG190616RN KCP10 | A61 |
| 3753335 | DNMM150608RM KCP10 | A55 |
| 3753336 | DNMM150612RM KCP10 | A55 |
| 3753337 | TNMG160408RN KCP10 | A70 |
| 3753338 | DNMM150616RM KCP10 | A55 |
| 3753339 | SNMM150612RM KCP10 | A63 |
| 3753340 | TNMG160412RN KCP10 | A70 |
| 3753341 | SNMM150616RM KCP10 | A63 |
| 3753342 | SNMM190612RM KCP10 | A63 |
| 3753343 | SNMM190616RM KCP10 | A63 |
| 3753344 | TNMG220408RN KCP10 | A70 |
| 3753345 | TNMM160408RM KCP10 | A71 |
| 3753346 | TNMM220416RM KCP10 | A71 |
| 3753347 | TNMG220412RN KCP10 | A70 |
| 3753348 | CNMG120408RN KCP10 | A44 |
| 3753349 | CNMG120416RN KCP10 | A44 |
| 3753350 | TNMG220416RN KCP10 | A70 |
| 3753351 | CNMG120408RP KCP10 | A44 |
| 3753352 | CNMM120408RP KCP10 | A46 |
| 3753353 | CNMM120412RP KCP10 | A46 |
| 3753354 | TNMG270608RN KCP10 | A70 |
| 3753355 | CNMM120416RP KCP10 | A46 |
| 3753356 | CNMM160612RP KCP10 | A46 |
| 3753357 | TNMG270612RN KCP10 | A70 |
| 3753358 | CNMM160616RP KCP10 | A46 |
| 3753359 | CNMM190612RP KCP10 | A46 |
| 3753360 | CNMM190616RP KCP10 | A46 |
| 3753361 | TNMG270616RN KCP10 | A70 |
| 3753362 | CNMM190624RP KCP10 | A46 |
| 3753363 | TNMG330924RN KCP10 | A70 |
| 3753364 | DNMM150608RP KCP10 | A55 |
| 3753365 | DNMM150612RP KCP10 | A55 |
| 3753366 | DNMM150616RP KCP10 | A55 |
| 3753367 | VNMG160408RN KCP10 | A76 |
| 3753368 | SNMM150616RP KCP10 | A63 |
| 3753369 | TNMM160408RP KCP10 | A71 |
| 3753370 | TNMM160412RP KCP10 | A71 |
| 3753371 | VNMG160412RN KCP10 | A76 |
| 3753372 | TNMM220408RP KCP10 | A71 |
| 3753373 | TNMM220412RP KCP10 | A71 |
| 3753374 | VNMG220408RN KCP10 | A76 |
| 3753375 | TNMM220416RP KCP10 | A71 |
| 3753376 | VNMG220412RN KCP10 | A76 |
| 3753377 | WNMG060408RN KCP10 | A81 |
| 3753378 | WNMG060412RN KCP10 | A81 |
| 3753379 | WNMG080408RN KCP10 | A81 |
| 3753380 | WNMG080412RN KCP10 | A81 |
| 3753381 | WNMG080416RN KCP10 | A81 |
| 3753389 | CCMT060204MF KCP25 | A89 |
| 3753390 | CCMT09T304MF KCP25 | A89 |
| 3753391 | CCMT09T312MF KCP25 | A89 |
| 3753413 | CCMT120412MF KCP25 | A89 |
| 3753414 | CPMT060208MF KCP25 | A93 |
| 3753415 | CPMT09T308MF KCP25 | A93 |
| 3753416 | CPMT09T312MF KCP25 | A93 |
| 3753418 | DCMT11T304MF KCP25 | A96 |
| 3753419 | DCMT11T308MF KCP25 | A96 |
| 3753420 | DCMT11T312MF KCP25 | A96 |
| 3753421 | DPMT11T308MF KCP25 | A98 |
| 3753422 | SCMT09T308MF KCP25 | A102 |
| 3753423 | SCMT120408MF KCP25 | A102 |
| 3753424 | SCMT120412MF KCP25 | A102 |
| 3753425 | SPMT09T308MF KCP25 | A104 |
| 3753426 | SPMT120408MF KCP25 | A104 |
| 3753427 | TCMT110208MF KCP25 | A107 |
| 3753428 | TCMT16T308MF KCP25 | A107 |
| 3753429 | TCMT16T312MF KCP25 | A107 |
| 3753430 | TPMT110208MF KCP25 | A111 |
| 3753431 | TPMT16T308MF KCP25 | A111 |
| 3753432 | TPMT16T312MF KCP25 | A111 |
| 3753433 | CNMG090304MN KCP25 | A42 |
| 3753434 | CNMG090308MN KCP25 | A42 |
| 3753435 | CNMG090312MN KCP25 | A42 |
| 3753436 | CNMG120404MN KCP25 | A42 |
| 3753437 | CNMG120416MN KCP25 | A42 |
| 3753438 | CNMG160608MN KCP25 | A42 |
| 3753439 | CNMG160612MN KCP25 | A42 |
| 3753440 | CNMG160616MN KCP25 | A42 |
| 3753441 | CNMG190608MN KCP25 | A42 |
| 3753442 | CNMG190612MN KCP25 | A42 |
| 3753443 | CNMG190616MN KCP25 | A42 |
| 3753444 | DNMG110404MN KCP25 | A51 |
| 3753445 | DNMG110408MN KCP25 | A51 |
| 3753446 | DNMG110412MN KCP25 | A51 |
| 3753447 | DNMG150404MN KCP25 | A51 |
| 3753448 | DNMG150412MN KCP25 | A51 |
| 3753449 | DNMG150416MN KCP25 | A51 |
| 3753450 | DNMG150604MN KCP25 | A51 |
| 3753451 | DNMG150612MN KCP25 | A51 |
| 3753452 | SNMG090304MN KCP25 | A59 |
| 3753453 | SNMG090308MN KCP25 | A59 |
| 3753454 | SNMG090312MN KCP25 | A59 |
| 3753455 | SNMG120404MN KCP25 | A59 |
| 3753456 | SNMG120408MN KCP25 | A59 |
| 3753457 | SNMG120412MN KCP25 | A59 |
| 3753458 | SNMG120416MN KCP25 | A59 |
| 3753459 | SNMG150612MN KCP25 | A59 |
| 3753460 | SNMG150616MN KCP25 | A59 |
| 3753461 | SNMG190612MN KCP25 | A59 |
| 3753462 | SNMG190616MN KCP25 | A59 |
| 3753463 | TNMG160404MN KCP25 | A67 |
| 3753464 | TNMG160412MN KCP25 | A67 |
| 3753465 | TNMG220404MN KCP25 | A67 |
| 3753466 | TNMG220408MN KCP25 | A67 |
| 3753467 | TNMG220412MN KCP25 | A67 |
| 3753468 | TNMG220416MN KCP25 | A67 |
| 3753469 | VNMG160404MN KCP25 | A75 |
| 3753470 | VNMG160408MN KCP25 | A75 |
| 3753471 | VNMG160412MN KCP25 | A75 |
| 3753472 | WNMG060404MN KCP25 | A80 |
| 3753473 | WNMG060408MN KCP25 | A80 |
| 3753474 | WNMG060412MN KCP25 | A80 |
| 3753475 | WNMG080412MN KCP25 | A80 |
| 3753476 | WNMG080416MN KCP25 | A80 |
| 3753477 | CNMP120404K KCP25 | A47 |
| 3753478 | CNMP120408K KCP25 | A47 |
| 3753479 | CNMP120412K KCP25 | A47 |
| 3753481 | DNMP150404K KCP25 | A55 |
| 3753482 | DNMP150408K KCP25 | A55 |
| 3753483 | DNMP150412K KCP25 | A55 |
| 3753484 | SNMP120408K KCP25 | A64 |
| 3753486 | TNMP160404K KCP25 | A72 |
| 3753487 | TNMP160408K KCP25 | A72 |
| 3753489 | TNMP220408K KCP25 | A72 |
| 3753491 | VNMP160404K KCP25 | A77 |
| 3753494 | VNMP160408K KCP25 | A77 |
| 3753495 | CNMG190612RM KCP25 | A44 |
| 3753496 | CNMG190616RM KCP25 | A44 |
| 3753497 | CNMG250924RM KCP25 | A44 |
| 3753498 | DNMG190608RM KCP25 | A53 |
| 3753499 | DNMG190612RM KCP25 | A53 |
| 3753500 | SNMG190612RM KCP25 | A61 |
| 3753501 | SNMG190616RM KCP25 | A61 |
| 3753502 | SNMG250924RM KCP25 | A61 |
| 3753503 | TNMG330924RM KCP25 | A69 |
| 3753504 | CNMG120412RN KCP25 | A44 |
| 3753505 | CNMG160608RN KCP25 | A44 |
| 3753506 | CNMG160612RN KCP25 | A44 |
| 3753507 | CNMG160616RN KCP25 | A44 |
| 3753508 | CNMG190608RN KCP25 | A44 |
| 3753509 | CNMG190612RN KCP25 | A44 |
| 3753510 | CNMG190616RN KCP25 | A44 |
| 3753511 | CNMG190624RN KCP25 | A44 |
| 3753512 | DNMG150408RN KCP25 | A53 |
| 3753513 | DNMG150412RN KCP25 | A53 |
| 3753514 | DNMG150416RN KCP25 | A53 |
| 3753515 | DNMG150608RN KCP25 | A53 |
| 3753516 | DNMG150612RN KCP25 | A53 |
| 3753517 | DNMG150616RN KCP25 | A53 |
| 3753518 | DNMG190608RN KCP25 | A53 |
| 3753519 | DNMG190612RN KCP25 | A53 |
| 3753520 | RNMG090300RN KCP25 | A56 |
| 3753521 | RNMG120400RN KCP25 | A56 |
| 3753522 | RNMG150600RN KCP25 | A56 |
| 3753523 | RNMG190600RN KCP25 | A56 |
| 3753525 | RNMG250900RN KCP25 | A56 |
| 3753526 | SNMG120408RN KCP25 | A61 |
| 3753527 | SNMG120412RN KCP25 | A61 |
| 3753528 | SNMG120416RN KCP25 | A61 |
| 3753529 | SNMG150608RN KCP25 | A61 |
| 3753530 | SNMG150612RN KCP25 | A61 |
| 3753531 | SNMG150616RN KCP25 | A61 |
| 3753532 | SNMG190608RN KCP25 | A61 |
| 3753543 | SNMG190612RN KCP25 | A61 |
| 3753544 | SNMG190616RN KCP25 | A61 |
| 3753545 | SNMG190624RN KCP25 | A61 |
| 3753546 | TNMG160408RN KCP25 | A70 |
| 3753547 | TNMG160412RN KCP25 | A70 |
| 3753548 | TNMG220408RN KCP25 | A70 |
| 3753549 | TNMG220412RN KCP25 | A70 |
| 3753550 | TNMG220416RN KCP25 | A70 |
| 3753551 | TNMG270608RN KCP25 | A70 |
| 3753552 | TNMG270612RN KCP25 | A70 |
| 3753553 | TNMG270616RN KCP25 | A70 |
| 3753554 | TNMG330924RN KCP25 | A70 |
| 3753555 | VNMG160408RN KCP25 | A76 |
| 3753556 | VNMG160412RN KCP25 | A76 |
| 3753557 | VNMG220408RN KCP25 | A76 |
| 3753558 | VNMG220412RN KCP25 | A76 |
| 3753559 | WNMG060408RN KCP25 | A81 |
| 3753560 | WNMG060412RN KCP25 | A81 |
| 3753561 | WNMG080408RN KCP25 | A81 |
| 3753562 | WNMG080412RN KCP25 | A81 |
| 3753563 | WNMG080416RN KCP25 | A81 |
| 3753608 | CNMG120412RN KCP30 | A44 |
| 3753609 | CNMG160608RN KCP30 | A44 |
| 3753610 | CNMG160612RN KCP30 | A44 |
| 3753611 | CNMG190612RN KCP30 | A44 |
| 3753612 | CNMG190616RN KCP30 | A44 |
| 3753633 | CNMG190624RN KCP30 | A44 |
| 3753634 | DNMG150408RN KCP30 | A53 |
| 3753635 | DNMG150412RN KCP30 | A53 |
| 3753636 | DNMG150608RN KCP30 | A53 |
| 3753637 | DNMG150612RN KCP30 | A53 |
| 3753638 | DNMG150616RN KCP30 | A53 |
| 3753639 | DNMG190608RN KCP30 | A53 |
| 3753640 | DNMG190612RN KCP30 | A53 |
| 3753641 | RNMG120400RN KCP30 | A56 |
| 3753642 | RNMG150600RN KCP30 | A56 |
| 3753643 | RNMG190600RN KCP30 | A56 |
| 3753644 | RNMG250900RN KCP30 | A56 |
| 3753645 | SNMG120408RN KCP30 | A61 |
| 3753646 | SNMG120412RN KCP30 | A61 |
| 3753647 | SNMG120416RN KCP30 | A61 |
| 3753648 | SNMG150612RN KCP30 | A61 |
| 3753649 | SNMG150616RN KCP30 | A61 |
| 3753650 | SNMG190608RN KCP30 | A61 |
| 3753651 | SNMG190612RN KCP30 | A61 |
| 3753652 | SNMG190616RN KCP30 | A61 |
| 3753653 | SNMG190624RN KCP30 | A61 |
| 3753654 | TNMG160408RN KCP30 | A70 |
| 3753655 | TNMG160412RN KCP30 | A70 |
| 3753656 | TNMG220408RN KCP30 | A70 |
| 3753657 | TNMG220412RN KCP30 | A70 |
| 3753658 | TNMG270608RN KCP30 | A70 |
| 3753659 | TNMG270612RN KCP30 | A70 |
| 3753660 | TNMG270616RN KCP30 | A70 |
| 3753661 | TNMG330924RN KCP30 | A70 |
| 3753662 | VNMG220408RN KCP30 | A76 |
| 3753663 | VNMG220412RN KCP30 | A76 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 3753664 | WNMG080408RN KCP30 | A81 |
| 3753665 | WNMG080412RN KCP30 | A81 |
| 3753666 | WNMG080416RN KCP30 | A81 |
| 3753699 | CNMG120404FN KCP25 | A40 |
| 3753700 | CNMG120408FN KCP25 | A40 |
| 3753701 | CNMG120412FN KCP25 | A40 |
| 3753702 | CNMG120416FN KCP25 | A40 |
| 3753703 | DNMG110404FN KCP25 | A50 |
| 3753704 | DNMG110408FN KCP25 | A50 |
| 3753705 | DNMG150404FN KCP25 | A50 |
| 3753706 | DNMG150408FN KCP25 | A50 |
| 3753707 | DNMG150604FN KCK05 | A51 |
| 3753708 | DNMG150608FN KCP25 | A50 |
| 3753709 | DNMG150612FN KCP25 | A50 |
| 3753710 | SNMG090304FN KCP25 | A58 |
| 3753711 | SNMG090308FN KCP25 | A58 |
| 3753712 | SNMG120408FN KCP25 | A58 |
| 3753713 | SNMG120412FN KCP25 | A58 |
| 3753714 | TNMG110304FN KCP25 | A66 |
| 3753715 | TNMG110308FN KCP25 | A66 |
| 3753716 | TNMG160404FN KCP25 | A66 |
| 3753717 | TNMG160408FN KCP25 | A66 |
| 3753718 | TNMG160412FN KCP25 | A66 |
| 3753719 | TNMG220404FN KCP25 | A66 |
| 3753720 | TNMG220408FN KCP25 | A66 |
| 3753721 | TNMG220412FN KCP25 | A66 |
| 3753722 | VNMG160404FN KCP25 | A75 |
| 3753723 | VNMG160408FN KCP25 | A75 |
| 3753724 | WNMG060408FN KCP25 | A79 |
| 3753725 | WNMG080404FN KCP25 | A79 |
| 3753726 | WNMG080408FN KCP25 | A79 |
| 3753727 | CCMT060204LF KCP25 | A88 |
| 3753728 | CCMT09T304LF KCP25 | A88 |
| 3753729 | CCMT09T308LF KCP25 | A88 |
| 3753730 | CCMT120404LF KCP25 | A88 |
| 3753731 | CCMT120412LF KCP25 | A88 |
| 3753732 | DCMT11T304LF KCP25 | A96 |
| 3753733 | CCMT09T308MF KCP25 | A89 |
| 3753734 | CCMT120408MF KCP25 | A89 |
| 3753735 | RCMT0602M0 KCP30 | A100 |
| 3753736 | RCMT0803M0 KCP30 | A100 |
| 3753737 | RCMT10T3M0 KCP30 | A100 |
| 3753738 | RCMT2006M0 KCP30 | A100 |
| 3753739 | CCMT060208LF KCP30 | A88 |
| 3753740 | CCMT120408LF KCP30 | A88 |
| 3753741 | CPMT060204LF KCP30 | A93 |
| 3753742 | CPMT060208LF KCP30 | A93 |
| 3753743 | CPMT09T304LF KCP30 | A93 |
| 3753744 | CPMT09T308LF KCP30 | A93 |
| 3753745 | DCMT070204LF KCP30 | A96 |
| 3753746 | DCMT11T308LF KCP30 | A96 |
| 3753748 | DPMT11T304LF KCP30 | A98 |
| 3753749 | DPMT11T308LF KCP30 | A98 |
| 3753750 | SCMT09T304LF KCP30 | A102 |
| 3753751 | SCMT09T308LF KCP30 | A102 |
| 3753752 | SCMT120404LF KCP30 | A102 |
| 3753753 | SCMT120408LF KCP30 | A102 |
| 3753754 | TCMT110204LF KCP30 | A106 |
| 3753755 | TCMT110208LF KCP30 | A106 |
| 3753756 | TCMT16T304LF KCP30 | A106 |
| 3753757 | TCMT16T308LF KCP30 | A106 |
| 3753759 | VBMT110308LF KCP30 | A113 |
| 3753760 | VBMT160404LF KCP30 | A113 |
| 3753761 | VBMT160408LF KCP30 | A113 |
| 3753762 | CCMT060204MF KCP30 | A89 |
| 3753763 | CCMT09T304MF KCP30 | A89 |
| 3753764 | CPMT09T308MF KCP30 | A93 |
| 3753765 | DCMT11T304MF KCP30 | A96 |
| 3753766 | DCMT11T308MF KCP30 | A96 |
| 3753767 | SCMT120408MF KCP30 | A102 |
| 3753768 | SPMT120408MF KCP30 | A104 |
| 3753769 | TCMT16T308MF KCP30 | A107 |
| 3753770 | TPMT16T308MF KCP30 | A111 |
| 3753771 | CNMG090304MN KCP30 | A42 |
| 3753772 | CNMG090308MN KCP30 | A42 |
| 3753773 | CNMG120404MN KCP30 | A42 |
| 3753774 | CNMG160608MN KCP30 | A42 |
| 3753775 | CNMG160612MN KCP30 | A42 |
| 3753776 | CNMG190608MN KCP30 | A42 |
| 3753777 | CNMG190612MN KCP30 | A42 |
| 3753778 | CNMG190616MN KCP30 | A42 |
| 3753779 | DNMG110404MN KCP30 | A51 |
| 3753780 | DNMG110408MN KCP30 | A51 |
| 3753781 | DNMG150404MN KCP30 | A51 |
| 3753782 | DNMG150604MN KCP30 | A51 |
| 3753783 | DNMG190612MN KCP30 | A51 |
| 3753784 | SNMG090308MN KCP30 | A59 |
| 3753785 | SNMG120404MN KCP30 | A59 |
| 3753786 | SNMG120408MN KCP30 | A59 |
| 3753787 | SNMG120412MN KCP30 | A59 |
| 3753789 | TNMG160404MN KCP30 | A67 |
| 3753790 | TNMG160412MN KCP30 | A67 |
| 3753791 | TNMG220404MN KCP30 | A67 |
| 3753792 | TNMG220408MN KCP30 | A67 |
| 3753793 | TNMG220412MN KCP30 | A67 |
| 3753794 | VNMG160404MN KCP30 | A75 |
| 3753795 | VNMG160408MN KCP30 | A75 |
| 3753796 | VNMG160412MN KCP30 | A75 |
| 3753797 | WNMG060408MN KCP30 | A80 |
| 3753798 | CNMG120412RP KCP30 | A44 |
| 3753799 | CNMG160612RP KCP30 | A44 |
| 3753800 | CNMG160616RP KCP30 | A44 |
| 3753801 | CNMG190612RP KCP30 | A44 |
| 3753802 | CNMG190616RP KCP30 | A44 |
| 3753803 | DNMG150408RP KCP30 | A54 |
| 3753804 | DNMG150412RP KCP30 | A54 |
| 3753805 | DNMG150608RP KCP30 | A54 |
| 3753808 | RCGT0803M0RP KCP30 | A101 |
| 3753809 | RCMX1003M0RP KCP30 | A100–A101 |
| 3753810 | RCMX2507M0RP KCP30 | A100–A101 |
| 3753811 | SNMG120408RP KCP30 | A62 |
| 3753812 | SNMG120412RP KCP30 | A62 |
| 3753813 | SNMG150612RP KCP30 | A62 |
| 3753814 | SNMG150616RP KCP30 | A62 |
| 3753815 | SNMG190612RP KCP30 | A62 |
| 3753816 | TNMG160408RP KCP30 | A70 |
| 3753817 | TNMG220408RP KCP30 | A70 |
| 3753818 | TNMG220412RP KCP30 | A70 |
| 3753819 | TNMG220432RP KCP30 | A70 |
| 3753820 | WNMG080408RP KCP30 | A82 |
| 3753821 | CNMG120408MN KCP25 | A42 |
| 3753822 | WNMG080412RP KCP30 | A82 |
| 3753823 | CNMG120412MN KCP25 | A42 |
| 3753825 | DNMG150408MN KCP25 | A51 |
| 3753827 | DNMG150608MN KCP25 | A51 |
| 3753828 | TNMG160408MN KCP25 | A67 |
| 3753829 | WNMG080408MN KCP25 | A80 |
| 3753830 | CNMG120408MW KCP25 | A43 |
| 3753831 | WNMG080412MW KCP25 | A81 |
| 3753832 | CNMM190612RH KCP25 | A45 |
| 3753833 | CNMM190616RH KCP25 | A45 |
| 3753834 | CNMM190624RH KCP25 | A45 |
| 3753835 | SNMM190612RH KCP25 | A63 |
| 3753836 | SNMM190616RH KCP25 | A63 |
| 3753837 | SNMM190624RH KCP25 | A63 |
| 3753866 | CCMT09T304MW KCK20 | A89 |
| 3753867 | CCMT09T308MW KCK20 | A89 |
| 3753868 | CCMT120404MW KCK20 | A89 |
| 3753869 | CCMT120408MW KCK20 | A89 |
| 3753870 | CPMT09T304MW KCK20 | A94 |
| 3753871 | CPMT09T308MW KCK20 | A94 |
| 3753872 | DCMT11T304MW KCK20 | A96 |
| 3753873 | DCMT11T308MW KCK20 | A96 |
| 3753874 | CNMG120404RP KCK20 | A44 |
| 3753875 | CNMG120412RP KCK20 | A44 |
| 3753876 | CNMG120416RP KCK20 | A44 |
| 3753877 | CNMG160608RP KCK20 | A44 |
| 3753878 | CNMG160612RP KCK20 | A44 |
| 3753879 | CNMG160616RP KCK20 | A44 |
| 3753880 | CNMG190612RP KCK20 | A44 |
| 3753881 | CNMG190616RP KCK20 | A44 |
| 3753882 | DNMG110408RP KCK20 | A54 |
| 3753884 | DNMG150408RP KCK20 | A54 |
| 3753885 | DNMG150412RP KCK20 | A54 |
| 3753887 | DNMG150608RP KCK20 | A54 |
| 3753888 | DNMG150612RP KCK20 | A54 |
| 3753889 | DNMG150616RP KCK20 | A54 |
| 3753891 | SNMG120408RP KCK20 | A62 |
| 3753892 | SNMG120412RP KCK20 | A62 |
| 3753893 | SNMG120416RP KCK20 | A62 |
| 3753896 | SNMG190612RP KCK20 | A62 |
| 3753897 | SNMG190616RP KCK20 | A62 |
| 3753898 | TNMG160408RP KCK20 | A70 |
| 3753899 | TNMG160412RP KCK20 | A70 |
| 3753901 | TNMG220408RP KCK20 | A70 |
| 3753902 | TNMG220412RP KCK20 | A70 |
| 3753904 | TNMG220432RP KCK20 | A70 |
| 3753905 | TNMG270612RP KCK20 | A70 |
| 3753906 | TNMG270616RP KCK20 | A70 |
| 3753908 | VNMG160408RP KCK20 | A76 |
| 3753909 | VNMG160412RP KCK20 | A76 |
| 3753910 | WNMG060408RP KCK20 | A82 |
| 3753911 | WNMG060412RP KCK20 | A82 |
| 3753912 | WNMG080408RP KCK20 | A82 |
| 3753923 | WNMG080412RP KCK20 | A82 |
| 3753924 | WNMG080416RP KCK20 | A82 |
| 3753925 | CCMT060204FW KCK20 | A88 |
| 3753926 | CCMT060208FW KCK20 | A88 |
| 3753928 | CCMT09T304FW KCK20 | A88 |
| 3753929 | CCMT09T308FW KCK20 | A88 |
| 3753931 | CPMT060204FW KCK20 | A93 |
| 3753932 | CPMT060208FW KCK20 | A93 |
| 3753933 | CPMT09T304FW KCK20 | A93 |
| 3753934 | CPMT09T308FW KCK20 | A93 |
| 3753935 | DCMT11T304FW KCK20 | A95 |
| 3753937 | DCMT11T308FW KCK20 | A95 |
| 3753939 | DPMT070208FW KCK20 | A98 |
| 3753941 | DPMT11T308FW KCK20 | A98 |
| 3753974 | CNMG190612RM KCP40 | A44 |
| 3753975 | CNMG190616RM KCP40 | A44 |
| 3753976 | CNMG250924RM KCP40 | A44 |
| 3753977 | SNMG190612RM KCP40 | A61 |
| 3753978 | SNMG190616RM KCP40 | A61 |
| 3753979 | SNMG250924RM KCP40 | A61 |
| 3753981 | CNMG120408RN KCP40 | A44 |
| 3753982 | CNMG120412RN KCP40 | A44 |
| 3753993 | CNMG120416RN KCP40 | A44 |
| 3753994 | CNMG160612RN KCP40 | A44 |
| 3753995 | CNMG160616RN KCP40 | A44 |
| 3753996 | CNMG190608RN KCP40 | A44 |
| 3753997 | CNMG190612RN KCP40 | A44 |
| 3753998 | CNMG190616RN KCP40 | A44 |
| 3753999 | DNMG150408RN KCP40 | A53 |
| 3754000 | DNMG150608RN KCP40 | A53 |
| 3754001 | DNMG150612RN KCP40 | A53 |
| 3754002 | DNMG150616RN KCP40 | A53 |
| 3754003 | SNMG120408RN KCP40 | A61 |
| 3754004 | SNMG120412RN KCP40 | A61 |
| 3754005 | SNMG120416RN KCP40 | A61 |
| 3754006 | SNMG150612RN KCP40 | A61 |
| 3754007 | SNMG150616RN KCP40 | A61 |
| 3754008 | SNMG190612RN KCP40 | A61 |
| 3754009 | SNMG190616RN KCP40 | A61 |
| 3754010 | TNMG220408RN KCP40 | A70 |
| 3754011 | TNMG220412RN KCP40 | A70 |
| 3754012 | TNMG270612RN KCP40 | A70 |
| 3754014 | VNMG220408RN KCP40 | A76 |
| 3754015 | WNMG080408RN KCP40 | A81 |
| 3754016 | WNMG080412RN KCP40 | A81 |
| 3754059 | RCMT1204M0 KCP30 | A100 |
| 3754060 | CCMT060204LF KCP30 | A88 |
| 3754061 | CCMT09T304LF KCP30 | A88 |
| 3754062 | CCMT09T308LF KCP30 | A88 |
| 3754343 | CCMT120404LF KCP30 | A88 |
| 3754344 | DCMT11T304LF KCP30 | A96 |
| 3754345 | CCMT09T308MF KCP30 | A89 |
| 3754346 | CCMT120408MF KCP30 | A89 |
| 3754347 | CNMG120408MN KCP30 | A42 |
| 3754348 | CNMG120412MN KCP30 | A42 |
| 3754349 | DNMG150408MN KCP30 | A51 |
| 3754350 | DNMG150608MN KCP30 | A51 |
| 3754351 | TNMG160408MN KCP30 | A67 |
| 3754352 | WNMG080408MN KCP30 | A80 |
| 3754363 | CNMG120408RN KCP30 | A44 |
| 3754364 | CNMG120416RN KCP30 | A44 |
| 3754365 | CNMG120408RP KCP30 | A44 |
| 3754367 | CNMM120412RP KCP30 | A46 |
| 3754369 | CNMM160612RP KCP30 | A46 |
| 3754370 | CNMM160616RP KCP30 | A46 |
| 3754371 | CNMM190612RP KCP30 | A46 |
| 3754373 | CNMM190612RH KCP30 | A45 |
| 3754374 | CNMM190616RH KCP30 | A45 |
| 3754375 | CNMM190624RH KCP30 | A45 |
| 3754376 | SNMM190612RH KCP30 | A63 |
| 3754377 | SNMM190616RH KCP30 | A63 |
| 3754378 | SNMM190624RH KCP30 | A63 |
| 3754379 | CNMM120408RM KCP30 | A46 |
| 3754380 | CNMM120412RM KCP30 | A46 |
| 3754382 | CNMM160612RM KCP30 | A46 |
| 3754383 | CNMM160616RM KCP30 | A46 |
| 3754384 | CNMM190612RM KCP30 | A46 |
| 3754385 | CNMM190616RM KCP30 | A46 |
| 3754386 | CNMM190624RM KCP30 | A46 |
| 3754388 | DNMM150608RM KCP30 | A55 |
| 3754389 | DNMM150612RM KCP30 | A55 |
| 3754391 | SNMM120416RM KCP30 | A63 |
| 3754393 | SNMM190612RM KCP30 | A63 |
| 3754394 | SNMM190616RM KCP30 | A63 |
| 3754395 | SNMM190624RM KCP30 | A63 |
| 3754399 | TNMM270612RM KCP30 | A71 |
| 3754400 | TNMM270616RM KCP30 | A71 |
| 3754815 | CNMM190612RH KCP40 | A45 |
| 3754817 | CNMM190616RH KCP40 | A45 |
| 3754818 | CNMM250924RH KCP40 | A45 |
| 3754819 | SNMM190616RH KCP40 | A63 |
| 3754820 | SNMM190624RH KCP40 | A63 |
| 3754821 | SNMM250724RH KCP40 | A63 |
| 3754822 | SNMM250924RH KCP40 | A63 |
| 3754853 | CNMM120412RM KCP40 | A46 |
| 3754854 | CNMM120416RM KCP40 | A46 |
| 3754856 | CNMM190612RM KCP40 | A46 |
| 3754857 | CNMM190616RM KCP40 | A46 |
| 3754858 | CNMM250924RM KCP40 | A46 |
| 3754861 | DNMM150612RM KCP40 | A55 |
| 3754863 | SNMM190612RM KCP40 | A63 |
| 3754864 | SNMM250924RM KCP40 | A63 |
| 3754941 | WNMG060404UN KCK05 | A82 |
| 3755331 | WNMG080404FF KCP10 | A79 |
| 3755332 | CNMM250924RH KCP10 | A45 |
| 3755366 | RCMT2006M0RH KCP10 | A101 |
| 3755367 | RCMX2507M0RH KCP10 | A101 |
| 3755368 | RCMX3209M0RH KCP10 | A101 |
| 3755369 | SNMM250724RH KCP10 | A63 |
| 3755370 | SNMM250924RH KCP10 | A63 |
| 3755371 | CNMM250924RM KCP10 | A46 |
| 3755372 | SNMM250724RM KCP10 | A63 |
| 3755382 | RCMT0602M0 KCK20 | A100 |
| 3755383 | SNMM250924RM KCP10 | A63 |
| 3755473 | RCMT0803M0 KCK20 | A100 |
| 3755474 | RCMT10T3M0 KCK20 | A100 |
| 3755475 | RCMT1605M0 KCK20 | A100 |
| 3755476 | RCMT2006M0 KCK20 | A100 |
| 3755478 | RCMT09T300 KCK20 | A100 |
| 3755479 | RCMT120400 KCK20 | A100 |
| 3755480 | CCMT060208LF KCK20 | A88 |
| 3755481 | CCMT120408LF KCK20 | A88 |
| 3755482 | CPMT060204LF KCK20 | A93 |
| 3755483 | CPMT060208LF KCK20 | A93 |
| 3755484 | CPMT09T304LF KCK20 | A93 |
| 3755485 | CPMT09T308LF KCK20 | A93 |
| 3755486 | DCMT070204LF KCK20 | A96 |
| 3755487 | DCMT11T308LF KCK20 | A96 |
| 3755488 | DCMT11T312LF KCK20 | A96 |
| 3755489 | DCMT150404LF KCK20 | A96 |
| 3755490 | DCMT150408LF KCK20 | A96 |
| 3755491 | DPMT070204LF KCK20 | A98 |
| 3755492 | DPMT11T304LF KCK20 | A98 |
| 3755503 | DPMT11T308LF KCK20 | A98 |
| 3755504 | SCMT09T304LF KCK20 | A102 |
| 3755505 | SCMT09T308LF KCK20 | A102 |
| 3755506 | SCMT120404LF KCK20 | A102 |
| 3755507 | SCMT120408LF KCK20 | A102 |
| 3755508 | SCMT120412LF KCK20 | A102 |
| 3755509 | SPMT09T304LF KCK20 | A104 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 3755510 | SPMT09T308LF KCK20 | A104 |
| 3755511 | TCMT110204LF KCK20 | A106 |
| 3755512 | TCMT110208LF KCK20 | A106 |
| 3755513 | TCMT16T304LF KCK20 | A106 |
| 3755514 | TCMT16T308LF KCK20 | A106 |
| 3755515 | TCMT16T312LF KCK20 | A106 |
| 3755516 | TCMT220408LF KCK20 | A106 |
| 3755517 | TPMT110204LF KCK20 | A111 |
| 3755518 | TPMT110208LF KCK20 | A111 |
| 3755519 | TPMT16T304LF KCK20 | A111 |
| 3755520 | TPMT16T308LF KCK20 | A111 |
| 3755522 | TPMT220408LF KCK20 | A111 |
| 3755524 | VBMT110308LF KCK20 | A113 |
| 3755525 | VBMT160404LF KCK20 | A113 |
| 3755526 | VBMT160408LF KCK20 | A113 |
| 3755527 | VBMT160412LF KCK20 | A113 |
| 3755528 | WPMT040204LF KCK20 | A114 |
| 3755529 | WPMT06T304LF KCK20 | A114 |
| 3755530 | WPMT06T308LF KCK20 | A114 |
| 3755531 | CCMT060204MF KCK20 | A89 |
| 3755532 | CCMT09T304MF KCK20 | A89 |
| 3755533 | CCMT09T312MF KCK20 | A89 |
| 3755534 | CCMT120412MF KCK20 | A89 |
| 3755535 | CPMT060208MF KCK20 | A93 |
| 3755536 | CPMT09T308MF KCK20 | A93 |
| 3755537 | CPMT09T312MF KCK20 | A93 |
| 3755538 | DCMT11T304MF KCK20 | A96 |
| 3755539 | DCMT11T308MF KCK20 | A96 |
| 3755540 | DCMT11T312MF KCK20 | A96 |
| 3755541 | DPMT11T308MF KCK20 | A98 |
| 3755542 | SCMT09T308MF KCK20 | A102 |
| 3755543 | SCMT120408MF KCK20 | A102 |
| 3755544 | SCMT120412MF KCK20 | A102 |
| 3755545 | SPMT09T308MF KCK20 | A104 |
| 3755546 | SPMT120408MF KCK20 | A104 |
| 3755547 | TCMT110208MF KCK20 | A107 |
| 3755548 | TCMT16T308MF KCK20 | A107 |
| 3755549 | TCMT16T312MF KCK20 | A107 |
| 3755550 | TPMT110208MF KCK20 | A111 |
| 3755551 | TPMT16T308MF KCK20 | A111 |
| 3755552 | TPMT16T312MF KCK20 | A111 |
| 3755565 | CCMT060204LF KCM15 | A88 |
| 3755566 | CCMT09T304LF KCM15 | A88 |
| 3755567 | CCMT09T308LF KCM15 | A88 |
| 3755568 | CCMT120404LF KCM15 | A88 |
| 3755570 | DCMT11T304LF KCM15 | A96 |
| 3755571 | CCMT09T308MF KCM15 | A89 |
| 3755572 | CCMT120408MF KCM15 | A89 |
| 3755593 | CNMG120408RP KCM15 | A44 |
| 3755594 | CNMM120408RP KCM15 | A46 |
| 3755595 | CNMM120412RP KCM15 | A46 |
| 3755600 | CNMM190616RP KCM15 | A46 |
| 3755601 | CNMM190624RP KCM15 | A46 |
| 3755614 | SNMM120408RP KCM15 | A63 |
| 3755615 | SNMM120412RP KCM15 | A63 |
| 3755618 | TNMM220408RP KCM15 | A71 |
| 3755619 | TNMM220412RP KCM15 | A71 |
| 3755632 | CNMM250924RH KCP25 | A45 |
| 3755633 | CCMT060208LF KCM15 | A88 |
| 3755634 | CCMT120408LF KCM15 | A88 |
| 3755635 | CPMT060204LF KCM15 | A93 |
| 3755636 | CPMT060208LF KCM15 | A93 |
| 3755637 | CPMT09T304LF KCM15 | A93 |
| 3755638 | CPMT09T308LF KCM15 | A93 |
| 3755639 | DCMT070204LF KCM15 | A96 |
| 3755640 | DCMT11T308LF KCM15 | A96 |
| 3755641 | DPMT070204LF KCM15 | A98 |
| 3755642 | DPMT11T304LF KCM15 | A98 |
| 3755644 | SCMT09T304LF KCM15 | A102 |
| 3755645 | SCMT09T308LF KCM15 | A102 |
| 3755648 | SCMT120408LF KCM15 | A102 |
| 3755649 | TCMT110204LF KCM15 | A106 |
| 3755650 | TCMT110208LF KCM15 | A106 |
| 3755651 | TCMT16T304LF KCM15 | A106 |
| 3755652 | TCMT16T308LF KCM15 | A106 |
| 3755654 | TPMT090204LF KCM15 | A111 |
| 3755655 | TPMT110204LF KCM15 | A111 |
| 3755657 | TPMT16T304LF KCM15 | A111 |
| 3755658 | TPMT16T308LF KCM15 | A111 |
| 3755659 | VBMT110304LF KCM15 | A113 |
| 3755661 | VBMT160404LF KCM15 | A113 |
| 3755662 | VBMT160408LF KCM15 | A113 |
| 3755663 | WPMT06T304LF KCM15 | A114 |
| 3755664 | WPMT06T308LF KCM15 | A114 |
| 3755665 | CCMT060204MF KCM15 | A89 |
| 3755666 | CCMT09T304MF KCM15 | A89 |
| 3755668 | CCMT120412MF KCM15 | A89 |
| 3755669 | CPMT060208MF KCM15 | A93 |
| 3755670 | CPMT09T308MF KCM15 | A93 |
| 3755671 | CPMT09T312MF KCM15 | A93 |
| 3755672 | DCMT11T304MF KCM15 | A96 |
| 3755673 | DCMT11T308MF KCM15 | A96 |
| 3755675 | DPMT11T308MF KCM15 | A98 |
| 3755676 | SCMT09T308MF KCM15 | A102 |
| 3755677 | SCMT120408MF KCM15 | A102 |
| 3755678 | SPMT09T308MF KCM15 | A104 |
| 3755679 | SPMT120408MF KCM15 | A104 |
| 3755680 | TCMT110208MF KCM15 | A107 |
| 3755681 | TCMT16T308MF KCM15 | A107 |
| 3755682 | TPMT16T308MF KCM15 | A111 |
| 3755683 | CNMG090308MP KCM15 | A42 |
| 3755684 | CNMG120404MP KCM15 | A42 |
| 3755685 | CNMG120408MP KCM15 | A42 |
| 3755686 | CNMG120412MP KCM15 | A42 |
| 3755687 | CNMG120416MP KCM15 | A42 |
| 3755688 | CNMG160608MP KCM15 | A42 |
| 3755689 | CNMG160612MP KCM15 | A42 |
| 3755690 | CNMG190608MP KCM15 | A42 |
| 3755691 | CNMG190612MP KCM15 | A42 |
| 3755692 | CNMG190616MP KCM15 | A42 |
| 3755693 | DNMG110408MP KCM15 | A52 |
| 3755694 | DNMG110412MP KCM15 | A52 |
| 3755695 | DNMG150404MP KCM15 | A52 |
| 3755696 | DNMG150408MP KCM15 | A52 |
| 3755697 | DNMG150412MP KCM15 | A52 |
| 3755698 | DNMG150604MP KCM15 | A52 |
| 3755699 | DNMG150608MP KCM15 | A52 |
| 3755700 | DNMG150612MP KCM15 | A52 |
| 3755701 | SNMG120408MP KCM15 | A60 |
| 3755702 | SNMG120412MP KCM15 | A60 |
| 3755703 | SNMG150608MP KCM15 | A60 |
| 3755704 | SNMG150612MP KCM15 | A60 |
| 3755705 | SNMG190612MP KCM15 | A60 |
| 3755706 | TNMG160404MP KCM15 | A68 |
| 3755707 | TNMG160408MP KCM15 | A68 |
| 3755708 | TNMG160412MP KCM15 | A68 |
| 3755709 | TNMG220408MP KCM15 | A68 |
| 3755710 | TNMG220412MP KCM15 | A68 |
| 3755711 | VNMG160404MP KCM15 | A75 |
| 3755712 | VNMG160408MP KCM15 | A75 |
| 3755713 | VNMG160412MP KCM15 | A75 |
| 3755714 | WNMG060404MP KCM15 | A80 |
| 3755715 | WNMG060408MP KCM15 | A80 |
| 3755716 | WNMG080408MP KCM15 | A80 |
| 3755717 | WNMG080412MP KCM15 | A80 |
| 3755755 | RCMT2006M0RH KCP25 | A101 |
| 3755756 | RCMX2507M0RH KCP25 | A101 |
| 3755757 | RCMX3209M0RH KCP25 | A101 |
| 3755758 | SNMM250724RH KCP25 | A63 |
| 3755760 | SNMM250924RH KCP25 | A63 |
| 3755761 | CNMM250924RM KCP25 | A46 |
| 3755762 | RCMT2006M0RM KCP25 | A101 |
| 3755763 | SNMM250724RM KCP25 | A63 |
| 3755764 | SNMM250924RM KCP25 | A63 |
| 3757391 | DNMA110408 KCK20 | A49 |
| 3757392 | DNMA150416 KCK20 | A49 |
| 3757584 | WNMA060408 KCK20 | A78 |
| 3757585 | WNMA060412 KCK20 | A78 |
| 3757586 | CNMG120404UN KCK20 | A45 |
| 3757587 | CNMG120408UN KCK20 | A45 |
| 3757588 | CNMG120412UN KCK20 | A45 |
| 3757589 | CNMG120416UN KCK20 | A45 |
| 3757590 | CNMG160608UN KCK20 | A45 |
| 3757591 | CNMG160612UN KCK20 | A45 |
| 3757592 | CNMG160616UN KCK20 | A45 |
| 3757593 | CNMG190608UN KCK20 | A45 |
| 3757594 | CNMG190612UN KCK20 | A45 |
| 3757595 | CNMG190616UN KCK20 | A45 |
| 3757596 | DNMG110408UN KCK20 | A54 |
| 3757597 | DNMG110412UN KCK20 | A54 |
| 3757598 | DNMG150408UN KCK20 | A54 |
| 3757599 | DNMG150412UN KCK20 | A54 |
| 3757600 | DNMG150416UN KCK20 | A54 |
| 3757601 | DNMG150608UN KCK20 | A54 |
| 3757602 | DNMG150612UN KCK20 | A54 |
| 3757603 | DNMG150616UN KCK20 | A54 |
| 3757604 | RNMG120400UN KCK20 | A57 |
| 3757605 | SNMG120408UN KCK20 | A62 |
| 3757606 | SNMG120412UN KCK20 | A62 |
| 3757607 | SNMG120416UN KCK20 | A62 |
| 3757608 | SNMG150612UN KCK20 | A62 |
| 3757609 | SNMG150616UN KCK20 | A62 |
| 3757610 | SNMG190612UN KCK20 | A62 |
| 3757611 | SNMG190616UN KCK20 | A62 |
| 3757612 | TNMG160408UN KCK20 | A70 |
| 3757613 | TNMG160412UN KCK20 | A70 |
| 3757614 | TNMG160416UN KCK20 | A70 |
| 3757615 | TNMG220408UN KCK20 | A70 |
| 3757616 | TNMG220412UN KCK20 | A70 |
| 3757617 | TNMG220416UN KCK20 | A70 |
| 3757618 | VNMG160404UN KCK20 | A77 |
| 3757619 | VNMG160408UN KCK20 | A77 |
| 3757620 | WNMG060408UN KCK20 | A82 |
| 3757621 | WNMG060412UN KCK20 | A82 |
| 3757622 | WNMG080404UN KCK20 | A82 |
| 3757623 | WNMG080408UN KCK20 | A82 |
| 3757624 | WNMG080412UN KCK20 | A82 |
| 3757625 | WNMG080416UN KCK20 | A82 |
| 3757914 | CCMW060204 KCK20 | A90 |
| 3757915 | CCMW09T304 KCK20 | A90 |
| 3757916 | CCMW09T308 KCK20 | A90 |
| 3757917 | CCMW120408 KCK20 | A90 |
| 3757918 | CCMW120412 KCK20 | A90 |
| 3757919 | SCMW09T304 KCK20 | A103 |
| 3757920 | SCMW09T308 KCK20 | A103 |
| 3757921 | SCMW120408 KCK20 | A103 |
| 3757922 | SCMW120412 KCK20 | A103 |
| 3757959 | CNMG120412RN KCP05 | A44 |
| 3757960 | DNMG150608RN KCP05 | A53 |
| 3757961 | DNMG150612RN KCP05 | A53 |
| 3757962 | WNMG080408RN KCP05 | A81 |
| 3757973 | TCMW16T304 KCK20 | A107 |
| 3757974 | TCMW16T308 KCK20 | A107 |
| 3758013 | WNMG080412RN KCP05 | A81 |
| 3758015 | CNMG120404RP KCM15 | A44 |
| 3758016 | CNMG120412RP KCM15 | A44 |
| 3758017 | CNMG120416RP KCM15 | A44 |
| 3758019 | CNMG160608RP KCM15 | A44 |
| 3758020 | CNMG160612RP KCM15 | A44 |
| 3758021 | CNMG190612RP KCM15 | A44 |
| 3758022 | CNMG190616RP KCM15 | A44 |
| 3758033 | DNMG110408RP KCM15 | A54 |
| 3758035 | DNMG150408RP KCM15 | A54 |
| 3758036 | DNMG150608RP KCM15 | A54 |
| 3758038 | SNMG120408RP KCM15 | A62 |
| 3758040 | SNMG150612RP KCM15 | A62 |
| 3758041 | SNMG150616RP KCM15 | A62 |
| 3758042 | SNMG190612RP KCM15 | A62 |
| 3758043 | TNMG160408RP KCM15 | A70 |
| 3758044 | TNMG220408RP KCM15 | A70 |
| 3758045 | TNMG220412RP KCM15 | A70 |
| 3758046 | TNMG270612RP KCM15 | A70 |
| 3758047 | TNMG270616RP KCM15 | A70 |
| 3758048 | VNMG160408RP KCM15 | A76 |
| 3758049 | VNMG160412RP KCM15 | A76 |
| 3758054 | CNMG120404UP KCM15 | A45 |
| 3758055 | CNMG120408UP KCM15 | A45 |
| 3758056 | CNMG120412UP KCM15 | A45 |
| 3758057 | CNMG160608UP KCM15 | A45 |
| 3758058 | CNMG160612UP KCM15 | A45 |
| 3758059 | CNMG190608UP KCM15 | A45 |
| 3758060 | CNMG190612UP KCM15 | A45 |
| 3758061 | CNMG190616UP KCM15 | A45 |
| 3758062 | DNMG110408UP KCM15 | A54 |
| 3758063 | DNMG110412UP KCM15 | A54 |
| 3758064 | DNMG150404UP KCM15 | A54 |
| 3758065 | DNMG150408UP KCM15 | A54 |
| 3758066 | DNMG150412UP KCM15 | A54 |
| 3758067 | DNMG150604UP KCM15 | A54 |
| 3758068 | DNMG150608UP KCM15 | A54 |
| 3758069 | DNMG150612UP KCM15 | A54 |
| 3758070 | SNMG120408UP KCM15 | A62 |
| 3758071 | SNMG120412UP KCM15 | A62 |
| 3758072 | SNMG120416UP KCM15 | A62 |
| 3758073 | SNMG150612UP KCM15 | A62 |
| 3758074 | SNMG190612UP KCM15 | A62 |
| 3758075 | TNMG160404UP KCM15 | A71 |
| 3758084 | WNMG080408UP KCM15 | A82 |
| 3758085 | WNMG080412UP KCM15 | A82 |
| 3758086 | RCMT1204M0 KCM25 | A100 |
| 3758087 | CCMT060204LF KCM25 | A88 |
| 3758088 | CCMT09T304LF KCM25 | A88 |
| 3758089 | CCMT09T308LF KCM25 | A88 |
| 3758090 | CCMT120404LF KCM25 | A88 |
| 3758091 | CCMT120412LF KCM25 | A88 |
| 3758092 | DCMT11T304LF KCM25 | A96 |
| 3758093 | CCMT09T308MF KCM25 | A89 |
| 3758094 | CCMT120408MF KCM25 | A89 |
| 3758095 | CNMG120408RP KCM25 | A44 |
| 3758096 | CNMM120408RP KCM25 | A46 |
| 3758097 | CNMM120412RP KCM25 | A46 |
| 3758098 | CNMM160612RP KCM25 | A46 |
| 3758099 | CNMM160616RP KCM25 | A46 |
| 3758100 | CNMM190612RP KCM25 | A46 |
| 3758101 | CNMM190616RP KCM25 | A46 |
| 3758102 | DNMM150608RP KCM25 | A55 |
| 3758103 | DNMM150612RP KCM25 | A55 |
| 3758105 | SNMM120408RP KCM25 | A63 |
| 3758106 | SNMM120412RP KCM25 | A63 |
| 3758107 | SNMM150612RP KCM25 | A63 |
| 3758108 | SNMM150616RP KCM25 | A63 |
| 3758109 | SNMM190612RP KCM25 | A63 |
| 3758110 | SNMM190616RP KCM25 | A63 |
| 3758111 | SNMM190624RP KCM25 | A63 |
| 3758112 | TNMM220412RP KCM25 | A71 |
| 3758133 | CNMA120404 KCK20 | A39 |
| 3758134 | CNMA120408 KCK20 | A39 |
| 3758135 | CNMA120412 KCK20 | A39 |
| 3758136 | CNMA120416 KCK20 | A39 |
| 3758137 | CNMA160608 KCK20 | A39 |
| 3758138 | CNMA160612 KCK20 | A39 |
| 3758139 | CNMA160616 KCK20 | A39 |
| 3758140 | CNMA190608 KCK20 | A39 |
| 3758141 | CNMA190612 KCK20 | A39 |
| 3758142 | CNMA190616 KCK20 | A39 |
| 3758143 | DNMA150408 KCK20 | A49 |
| 3758144 | DNMA150412 KCK20 | A49 |
| 3758145 | DNMA150608 KCK20 | A49 |
| 3758146 | DNMA150612 KCK20 | A49 |
| 3758147 | DNMA150616 KCK20 | A49 |
| 3758148 | RNMA120400 KCK20 | A56 |
| 3758149 | SNMA120408 KCK20 | A58 |
| 3758150 | SNMA120412 KCK20 | A58 |
| 3758151 | SNMA120416 KCK20 | A58 |
| 3758152 | SNMA150612 KCK20 | A58 |
| 3758153 | SNMA150616 KCK20 | A58 |
| 3758154 | SNMA190612 KCK20 | A58 |
| 3758155 | SNMA190616 KCK20 | A58 |
| 3758156 | TNMA160408 KCK20 | A65 |
| 3758157 | TNMA160412 KCK20 | A65 |
| 3758158 | TNMA160416 KCK20 | A65 |
| 3758159 | TNMA220408 KCK20 | A65 |
| 3758160 | TNMA220416 KCK20 | A65 |
| 3758161 | TNMA270616 KCK20 | A65 |
| 3758162 | VNMA160408 KCK20 | A74 |
| 3758163 | WNMA080408 KCK20 | A78 |
| 3758164 | WNMA080412 KCK20 | A78 |
| 3758165 | WNMA080416 KCK20 | A78 |
| 3758166 | RCMT1204M0 KCK20 | A100 |
| 3758167 | CCMT060204LF KCK20 | A88 |
| 3758168 | CCMT09T304LF KCK20 | A88 |
| 3758169 | CCMT09T308LF KCK20 | A88 |
| 3758170 | CCMT120404LF KCK20 | A88 |
| 3758171 | CCMT120412LF KCK20 | A88 |
| 3758172 | DCMT11T304LF KCK20 | A96 |
| 3758173 | CCMT09T308MF KCK20 | A89 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 3758174 | CCMT120408MF KCK20 | A89 |
| 3758175 | CNMG120408RP KCK20 | A44 |
| 3758783 | CNMG120404FP KCM15 | A41 |
| 3758784 | CNMG120408FP KCM15 | A41 |
| 3758785 | CNMG120412FP KCM15 | A41 |
| 3758786 | DNMG110404FP KCM15 | A51 |
| 3758787 | DNMG110408FP KCM15 | A51 |
| 3758788 | DNMG150404FP KCM15 | A51 |
| 3758789 | DNMG150408FP KCM15 | A51 |
| 3758790 | DNMG150412FP KCM15 | A51 |
| 3758791 | DNMG150604FP KCM15 | A51 |
| 3758792 | DNMG150608FP KCM15 | A51 |
| 3758793 | DNMG150612FP KCM15 | A51 |
| 3758794 | SNMG120404FP KCM15 | A59 |
| 3758795 | SNMG120408FP KCM15 | A59 |
| 3758796 | SNMG120412FP KCM15 | A59 |
| 3758797 | TNMG160404FP KCM15 | A67 |
| 3758798 | TNMG160408FP KCM15 | A67 |
| 3758799 | TNMG160412FP KCM15 | A67 |
| 3758800 | TNMG220404FP KCM15 | A67 |
| 3758801 | TNMG220408FP KCM15 | A67 |
| 3758802 | VNMG160404FP KCM15 | A75 |
| 3758803 | VNMG160408FP KCM15 | A75 |
| 3758804 | WNMG060404FP KCM15 | A79 |
| 3758805 | WNMG060408FP KCM15 | A79 |
| 3758806 | WNMG080404FP KCM15 | A79 |
| 3758807 | WNMG080408FP KCM15 | A79 |
| 3758827 | CNMM250924RH KCP30 | A45 |
| 3758828 | SNMM250724RH KCP30 | A63 |
| 3758829 | SNMM250732RH KCP30 | A63 |
| 3758830 | SNMM250924RH KCP30 | A63 |
| 3758831 | CNMM250924RM KCP30 | A46 |
| 3758873 | SNMM250924RM KCP30 | A63 |
| 3760221 | CCMT060204LF KCM35 | A88 |
| 3760254 | CCMT09T304LF KCM35 | A88 |
| 3760257 | CCMT09T308LF KCM35 | A88 |
| 3760259 | DCMT11T304LF KCM35 | A96 |
| 3760261 | CCMT09T308MF KCM35 | A89 |
| 3760262 | CCMT120408MF KCM35 | A89 |
| 3760273 | CNMG120408RP KCM35 | A44 |
| 3760274 | CNMM120412RP KCM35 | A46 |
| 3760275 | CNMM160612RP KCM35 | A46 |
| 3760276 | CNMM190616RP KCM35 | A46 |
| 3760277 | SNMM120408RP KCM35 | A63 |
| 3760278 | TNMM220412RP KCM35 | A71 |
| 3760279 | RCMT0602M0 KCM25 | A100 |
| 3760280 | RCMT0803M0 KCM25 | A100 |
| 3760281 | RCMT10T3M0 KCM25 | A100 |
| 3760282 | RCMT1605M0 KCM25 | A100 |
| 3760284 | RCMT060200 KCM25 | A100 |
| 3760285 | RCMT09T300 KCM25 | A100 |
| 3760286 | RCMT120400 KCM25 | A100 |
| 3760287 | CCMT060208LF KCM25 | A88 |
| 3760289 | CCMT120408LF KCM25 | A88 |
| 3760290 | CPMT060204LF KCM25 | A93 |
| 3760291 | CPMT060208LF KCM25 | A93 |
| 3760292 | CPMT09T304LF KCM25 | A93 |
| 3760293 | CPMT09T308LF KCM25 | A93 |
| 3760294 | DCMT070204LF KCM25 | A96 |
| 3760295 | DCMT11T308LF KCM25 | A96 |
| 3760296 | DPMT070204LF KCM25 | A98 |
| 3760297 | DPMT11T304LF KCM25 | A98 |
| 3760298 | DPMT11T308LF KCM25 | A98 |
| 3760299 | SCMT09T304LF KCM25 | A102 |
| 3760300 | SCMT09T308LF KCM25 | A102 |
| 3760301 | SCMT120404LF KCM25 | A102 |
| 3760302 | SCMT120408LF KCM25 | A102 |
| 3760303 | TCMT110204LF KCM25 | A106 |
| 3760304 | TCMT110208LF KCM25 | A106 |
| 3760305 | TCMT16T304LF KCM25 | A106 |
| 3760306 | TCMT16T308LF KCM25 | A106 |
| 3760307 | TCMT16T312LF KCM25 | A106 |
| 3760308 | TPMT090204LF KCM25 | A111 |
| 3760309 | TPMT110204LF KCM25 | A111 |
| 3760310 | TPMT110208LF KCM25 | A111 |
| 3760311 | TPMT16T304LF KCM25 | A111 |
| 3760312 | TPMT16T308LF KCM25 | A111 |
| 3760313 | VBMT110304LF KCM25 | A113 |
| 3760314 | VBMT110308LF KCM25 | A113 |
| 3760315 | VBMT160404LF KCM25 | A113 |
| 3760316 | VBMT160408LF KCM25 | A113 |
| 3760317 | WPMT06T304LF KCM25 | A114 |
| 3760318 | WPMT06T308LF KCM25 | A114 |
| 3760319 | CCMT060204MF KCM25 | A89 |
| 3760320 | CCMT09T304MF KCM25 | A89 |
| 3760321 | CCMT09T312MF KCM25 | A89 |
| 3760323 | CPMT060208MF KCM25 | A93 |
| 3760324 | CPMT09T308MF KCM25 | A93 |
| 3760325 | CPMT09T312MF KCM25 | A93 |
| 3760326 | DCMT11T304MF KCM25 | A96 |
| 3760327 | DCMT11T308MF KCM25 | A96 |
| 3760329 | DPMT11T308MF KCM25 | A98 |
| 3760330 | SCMT09T308MF KCM25 | A102 |
| 3760331 | SCMT120408MF KCM25 | A102 |
| 3760332 | SCMT120412MF KCM25 | A102 |
| 3760333 | SPMT09T308MF KCM25 | A104 |
| 3760334 | SPMT120408MF KCM25 | A104 |
| 3760335 | TCMT110208MF KCM25 | A107 |
| 3760336 | TCMT16T308MF KCM25 | A107 |
| 3760337 | TCMT16T312MF KCM25 | A107 |
| 3760338 | TPMT110208MF KCM25 | A111 |
| 3760339 | TPMT16T308MF KCM25 | A111 |
| 3760340 | TPMT16T312MF KCM25 | A111 |
| 3760341 | CNMG090308MP KCM25 | A42 |
| 3760342 | CNMG120404MP KCM25 | A42 |
| 3760343 | CNMG120408MP KCM25 | A42 |
| 3760344 | CNMG120412MP KCM25 | A42 |
| 3760345 | CNMG120416MP KCM25 | A42 |
| 3760346 | CNMG160608MP KCM25 | A42 |
| 3760347 | CNMG160612MP KCM25 | A42 |
| 3760349 | CNMG190608MP KCM25 | A42 |
| 3760350 | CNMG190612MP KCM25 | A42 |
| 3760351 | CNMG190616MP KCM25 | A42 |
| 3760352 | DNMG110408MP KCM25 | A52 |
| 3760353 | DNMG110412MP KCM25 | A52 |
| 3760354 | DNMG150404MP KCM25 | A52 |
| 3760355 | DNMG150408MP KCM25 | A52 |
| 3760356 | DNMG150412MP KCM25 | A52 |
| 3760357 | DNMG150604MP KCM25 | A52 |
| 3760358 | DNMG150608MP KCM25 | A52 |
| 3760359 | DNMG150612MP KCM25 | A52 |
| 3760360 | SNMG120408MP KCM25 | A60 |
| 3760361 | SNMG120412MP KCM25 | A60 |
| 3760362 | SNMG120416MP KCM25 | A60 |
| 3760363 | SNMG150608MP KCM25 | A60 |
| 3760364 | SNMG150612MP KCM25 | A60 |
| 3760365 | SNMG150616MP KCM25 | A60 |
| 3760366 | SNMG190612MP KCM25 | A60 |
| 3760367 | SNMG190616MP KCM25 | A60 |
| 3760368 | RCMT2006M0 KCM25 | A100 |
| 3760394 | CCMT120408LF KCM35 | A88 |
| 3760395 | DCMT070204LF KCM35 | A96 |
| 3760396 | DCMT11T308LF KCM35 | A96 |
| 3760398 | TCMT110204LF KCM35 | A106 |
| 3760399 | TCMT16T304LF KCM35 | A106 |
| 3760400 | TCMT16T308LF KCM35 | A106 |
| 3760402 | VBMT160404LF KCM35 | A113 |
| 3760403 | VBMT160408LF KCM35 | A113 |
| 3760404 | CCMT060204MF KCM35 | A89 |
| 3760405 | CCMT09T304MF KCM35 | A89 |
| 3760406 | CPMT09T308MF KCM35 | A93 |
| 3760407 | DCMT11T308MF KCM35 | A96 |
| 3760408 | DPMT11T308MF KCM35 | A98 |
| 3760409 | SCMT09T308MF KCM35 | A102 |
| 3760410 | SCMT120408MF KCM35 | A102 |
| 3760411 | TCMT16T308MF KCM35 | A107 |
| 3760412 | TCMT16T312MF KCM35 | A107 |
| 3760413 | CNMG120404MP KCM35 | A42 |
| 3760414 | CNMG120408MP KCM35 | A42 |
| 3760415 | CNMG120412MP KCM35 | A42 |
| 3760416 | CNMG160608MP KCM35 | A42 |
| 3760417 | CNMG160612MP KCM35 | A42 |
| 3760418 | CNMG160616MP KCM35 | A42 |
| 3760419 | CNMG190612MP KCM35 | A42 |
| 3760420 | DNMG150404MP KCM35 | A52 |
| 3760421 | DNMG150408MP KCM35 | A52 |
| 3760422 | DNMG150604MP KCM35 | A52 |
| 3760423 | DNMG150608MP KCM35 | A52 |
| 3760424 | SNMG120408MP KCM35 | A60 |
| 3760425 | SNMG120412MP KCM35 | A60 |
| 3760426 | SNMG120416MP KCM35 | A60 |
| 3760427 | SNMG190612MP KCM35 | A60 |
| 3760428 | SNMG190616MP KCM35 | A60 |
| 3760429 | TNMG160404MP KCM35 | A68 |
| 3760430 | TNMG160408MP KCM35 | A68 |
| 3760431 | VNMG160404MP KCM35 | A75 |
| 3760432 | VNMG160408MP KCM35 | A75 |
| 3760433 | WNMG060408MP KCM35 | A80 |
| 3760434 | WNMG080408MP KCM35 | A80 |
| 3760435 | WNMG080412MP KCM35 | A80 |
| 3760436 | CNMG120412RP KCM35 | A44 |
| 3760437 | CNMG120416RP KCM35 | A44 |
| 3760438 | CNMG160612RP KCM35 | A44 |
| 3760439 | CNMG190612RP KCM35 | A44 |
| 3760440 | CNMG190616RP KCM35 | A44 |
| 3760441 | DNMG150408RP KCM35 | A54 |
| 3760442 | DNMG150412RP KCM35 | A54 |
| 3760443 | DNMG150608RP KCM35 | A54 |
| 3760444 | DNMG150612RP KCM35 | A54 |
| 3760445 | SNMG120408RP KCM35 | A62 |
| 3760446 | SNMG120412RP KCM35 | A62 |
| 3760447 | SNMG150612RP KCM35 | A62 |
| 3760448 | SNMG190612RP KCM35 | A62 |
| 3760449 | SNMG190616RP KCM35 | A62 |
| 3760450 | TNMG160412RP KCM35 | A70 |
| 3760451 | TNMG270612RP KCM35 | A70 |
| 3760452 | TNMG270616RP KCM35 | A70 |
| 3760453 | WNMG080408RP KCM35 | A82 |
| 3760454 | WNMG080412RP KCM35 | A82 |
| 3760455 | CNMG120408UP KCM35 | A45 |
| 3760456 | CNMG120412UP KCM35 | A45 |
| 3760457 | CNMG160608UP KCM35 | A45 |
| 3760458 | CNMG160612UP KCM35 | A45 |
| 3760459 | CNMG190612UP KCM35 | A45 |
| 3760460 | CNMG190616UP KCM35 | A45 |
| 3760461 | DNMG150408UP KCM35 | A54 |
| 3760462 | DNMG150412UP KCM35 | A54 |
| 3760463 | DNMG150608UP KCM35 | A54 |
| 3760464 | DNMG150612UP KCM35 | A54 |
| 3760465 | SNMG120408UP KCM35 | A62 |
| 3760466 | SNMG120412UP KCM35 | A62 |
| 3760467 | SNMG120416UP KCM35 | A62 |
| 3760468 | SNMG150612UP KCM35 | A62 |
| 3760469 | SNMG190612UP KCM35 | A62 |
| 3760470 | TNMG220408UP KCM35 | A71 |
| 3760471 | TNMG220412UP KCM35 | A71 |
| 3760472 | WNMG080408UP KCM35 | A82 |
| 3760473 | WNMG080412UP KCM35 | A82 |
| 3760968 | TNMG160404MP KCM25 | A68 |
| 3760969 | TNMG160408MP KCM25 | A68 |
| 3760970 | TNMG160412MP KCM25 | A68 |
| 3760971 | TNMG220408MP KCM25 | A68 |
| 3760972 | TNMG220412MP KCM25 | A68 |
| 3760993 | TNMG220416MP KCM25 | A68 |
| 3760994 | VNMG160404MP KCM25 | A75 |
| 3760995 | VNMG160408MP KCM25 | A75 |
| 3760996 | VNMG160412MP KCM25 | A75 |
| 3760997 | WNMG060404MP KCM25 | A80 |
| 3760998 | WNMG060408MP KCM25 | A80 |
| 3760999 | WNMG060412MP KCM25 | A80 |
| 3761000 | WNMG080408MP KCM25 | A80 |
| 3761001 | WNMG080412MP KCM25 | A80 |
| 3761002 | CNMG120404RP KCM25 | A44 |
| 3761003 | CNMG120412RP KCM25 | A44 |
| 3761004 | CNMG120416RP KCM25 | A44 |
| 3761005 | CNMG160612RP KCM25 | A44 |
| 3761006 | CNMG160616RP KCM25 | A44 |
| 3761007 | CNMG190612RP KCM25 | A44 |
| 3761008 | CNMG190616RP KCM25 | A44 |
| 3761009 | DNMG150408RP KCM25 | A54 |
| 3761010 | DNMG150412RP KCM25 | A54 |
| 3761011 | DNMG150608RP KCM25 | A54 |
| 3761012 | DNMG150612RP KCM25 | A54 |
| 3761013 | RCMT2006M0RP KCM25 | A100–A101 |
| 3761014 | SNMG120408RP KCM25 | A62 |
| 3761015 | SNMG120412RP KCM25 | A62 |
| 3761016 | SNMG150612RP KCM25 | A62 |
| 3761017 | SNMG150616RP KCM25 | A62 |
| 3761018 | SNMG190612RP KCM25 | A62 |
| 3761019 | SNMG190616RP KCM25 | A62 |
| 3761020 | SNMM250724RP KCM25 | A63 |
| 3761021 | SNMM250924RP KCM25 | A63 |
| 3761022 | TNMG160408RP KCM25 | A70 |
| 3761023 | TNMG160412RP KCM25 | A70 |
| 3761025 | TNMG220408RP KCM25 | A70 |
| 3761026 | TNMG220412RP KCM25 | A70 |
| 3761027 | TNMG220416RP KCM25 | A70 |
| 3761028 | TNMG270612RP KCM25 | A70 |
| 3761029 | TNMG270616RP KCM25 | A70 |
| 3761030 | TNMG330924RP KCM25 | A70 |
| 3761031 | VNMG160412RP KCM25 | A76 |
| 3761032 | WNMG060408RP KCM25 | A82 |
| 3761033 | WNMG080408RP KCM25 | A82 |
| 3761034 | WNMG080412RP KCM25 | A82 |
| 3761035 | CNMG120404UP KCM25 | A45 |
| 3761036 | CNMG120408UP KCM25 | A45 |
| 3761037 | CNMG120412UP KCM25 | A45 |
| 3761038 | CNMG160608UP KCM25 | A45 |
| 3761039 | CNMG160612UP KCM25 | A45 |
| 3761040 | CNMG190608UP KCM25 | A45 |
| 3761041 | CNMG190612UP KCM25 | A45 |
| 3761042 | CNMG190616UP KCM25 | A45 |
| 3761043 | DNMG110408UP KCM25 | A54 |
| 3761044 | DNMG110412UP KCM25 | A54 |
| 3761045 | DNMG150404UP KCM25 | A54 |
| 3761046 | DNMG150408UP KCM25 | A54 |
| 3761047 | DNMG150412UP KCM25 | A54 |
| 3761048 | DNMG150604UP KCM25 | A54 |
| 3761049 | DNMG150608UP KCM25 | A54 |
| 3761050 | DNMG150612UP KCM25 | A54 |
| 3761051 | SNMG120408UP KCM25 | A62 |
| 3761052 | SNMG120412UP KCM25 | A62 |
| 3761053 | SNMG120416UP KCM25 | A62 |
| 3761054 | SNMG150612UP KCM25 | A62 |
| 3761055 | SNMG190612UP KCM25 | A62 |
| 3761056 | TNMG160404UP KCM25 | A71 |
| 3761057 | TNMG160408UP KCM25 | A71 |
| 3761058 | TNMG160412UP KCM25 | A71 |
| 3761059 | TNMG220408UP KCM25 | A71 |
| 3761060 | TNMG220412UP KCM25 | A71 |
| 3761061 | VNMG160404UP KCM25 | A77 |
| 3761062 | VNMG160408UP KCM25 | A77 |
| 3761063 | VNMG160412UP KCM25 | A77 |
| 3761064 | WNMG060408UP KCM25 | A82 |
| 3761065 | WNMG080408UP KCM25 | A82 |
| 3761066 | WNMG080412UP KCM25 | A82 |
| 3764792 | CNMA120408S02020 KB1340 | A181 |
| 3764833 | CNMA120412S02020 KB1340 | A181 |
| 3764834 | CNMN090308S02020 KB1340 | A181 |
| 3764836 | CNMN120408S02020 KB1340 | A181 |
| 3764837 | CNMN120412S02020 KB1340 | A181 |
| 3764838 | DNMA110408S02020 KB1340 | A181 |
| 3764839 | DNMA110412S02020 KB1340 | A181 |
| 3764840 | RNMN090300S02020 KB1340 | A181 |
| 3764841 | RNMN120300S02020 KB1340 | A181 |
| 3764842 | RNMN120400S02020 KB1340 | A181 |
| 3764844 | SNMA120412S02020 KB1340 | A182 |
| 3764848 | SNMN120308S02020 KB1340 | A182 |
| 3764849 | SNMN120312S02020 KB1340 | A182 |
| 3768928 | CCMT060204FP KCP05 | A88 |
| 3768929 | CCMT060208FP KCP05 | A88 |
| 3768930 | CCMT09T304FP KCP05 | A88 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 3768931 | CCMT09T308FP KCP05 | A88 |
| 3768932 | CCMT120404FP KCP05 | A88 |
| 3768936 | CCMT060202FP KCP10 | A88 |
| 3768937 | CCMT060204FP KCP10 | A88 |
| 3768938 | CCMT060208FP KCP10 | A88 |
| 3768939 | CCMT09T304FP KCP10 | A88 |
| 3768940 | CCMT09T308FP KCP10 | A88 |
| 3768941 | CCMT120404FP KCP10 | A88 |
| 3768942 | CCMT120408FP KCP10 | A88 |
| 3768963 | CCMT120408FP KCP05 | A88 |
| 3768964 | CCMT120412FP KCP05 | A88 |
| 3768965 | CPMT060204FP KCP05 | A93 |
| 3768966 | CPMT060208FP KCP05 | A92 |
| 3768969 | DCMT070204FP KCP05 | A95 |
| 3768970 | DCMT070208FP KCP05 | A95 |
| 3768971 | DCMT11T304FP KCP05 | A95 |
| 3768972 | DCMT11T308FP KCP05 | A95 |
| 3768973 | DCMT150408FP KCP05 | A95 |
| 3768974 | DPMT11T308FP KCP05 | A97 |
| 3768979 | SPMT09T304FP KCP05 | A104 |
| 3768980 | SPMT09T308FP KCP05 | A104 |
| 3768981 | TCMT110204FP KCP05 | A106 |
| 3768983 | TCMT110304FP KCP05 | A106 |
| 3768984 | TCMT110308FP KCP05 | A106 |
| 3768985 | TCMT110312FP KCP05 | A106 |
| 3768986 | TCMT16T304FP KCP05 | A106 |
| 3768988 | TCMT16T312FP KCP05 | A106 |
| 3768989 | TCMT220408FP KCP05 | A106 |
| 3768994 | TPMT16T308FP KCP05 | A110 |
| 3768996 | VBMT160404FP KCP05 | A113 |
| 3768997 | VBMT160408FP KCP05 | A113 |
| 3769002 | CCMT060204FP KCK20 | A88 |
| 3769003 | CCMT120412FP KCP10 | A88 |
| 3769004 | CPMT050204FP KCP10 | A92 |
| 3769005 | CPMT060202FP KCP10 | A92 |
| 3769006 | CPMT060204FP KCP10 | A93 |
| 3769007 | CPMT060208FP KCP10 | A92 |
| 3769008 | CPMT09T304FP KCP10 | A92 |
| 3769009 | CPMT09T308FP KCP10 | A92 |
| 3769010 | DCMT070204FP KCP10 | A95 |
| 3769011 | DCMT11T302FP KCP10 | A95 |
| 3769012 | DCMT11T304FP KCP10 | A95 |
| 3769013 | DCMT11T308FP KCP10 | A95 |
| 3769014 | DCMT11T312FP KCP10 | A95 |
| 3769015 | DCMT150404FP KCP10 | A95 |
| 3769016 | DCMT150408FP KCP10 | A95 |
| 3769017 | DPMT070204FP KCP10 | A97 |
| 3769018 | DPMT11T304FP KCP10 | A97 |
| 3769019 | DPMT11T308FP KCP10 | A97 |
| 3769020 | SCMT09T304FP KCP10 | A102 |
| 3769021 | SCMT09T308FP KCP10 | A102 |
| 3769022 | SCMT120408FP KCP10 | A102 |
| 3769023 | SCMT120412FP KCP10 | A102 |
| 3769024 | SPMT09T304FP KCP10 | A104 |
| 3769025 | SPMT09T308FP KCP10 | A104 |
| 3769026 | TCMT110204FP KCP10 | A106 |
| 3769027 | TCMT110208FP KCP10 | A106 |
| 3769028 | TCMT16T304FP KCP10 | A106 |
| 3769029 | TCMT16T308FP KCP10 | A106 |
| 3769030 | TCMT16T312FP KCP10 | A106 |
| 3769031 | TCMT220408FP KCP10 | A106 |
| 3769032 | TPMT090208FP KCP10 | A110 |
| 3769033 | TPMT110204FP KCP10 | A110 |
| 3769034 | TPMT110208FP KCP10 | A110 |
| 3769035 | TPMT16T304FP KCP10 | A110 |
| 3769036 | TPMT16T308FP KCP10 | A110 |
| 3769037 | VBMT110304FP KCP10 | A113 |
| 3769038 | VBMT160404FP KCP10 | A113 |
| 3769039 | VBMT160408FP KCP10 | A113 |
| 3769040 | WPMT06T304FP KCP10 | A114 |
| 3769041 | WPMT06T308FP KCP10 | A114 |
| 3769049 | CCMT060202FP KTP10 | A88 |
| 3769050 | CCMT060204FP KTP10 | A88 |
| 3769051 | CCMT060208FP KTP10 | A88 |
| 3769052 | CCMT09T302FP KTP10 | A88 |
| 3769053 | CCMT09T304FP KTP10 | A88 |
| 3769054 | CCMT09T308FP KTP10 | A88 |
| 3769055 | CPMT060202FP KTP10 | A92 |
| 3769056 | CPMT060204FP KTP10 | A93 |
| 3769057 | CPMT060208FP KTP10 | A92 |
| 3769058 | CPMT09T302FP KTP10 | A92 |
| 3769059 | CPMT09T304FP KTP10 | A92 |
| 3769060 | CPMT09T308FP KTP10 | A92 |
| 3769061 | DCMT070202FP KTP10 | A95 |
| 3769062 | DCMT070204FP KTP10 | A95 |
| 3769063 | DCMT11T302FP KTP10 | A95 |
| 3769064 | DCMT11T304FP KTP10 | A95 |
| 3769065 | DCMT11T308FP KTP10 | A95 |
| 3769066 | DPMT070204FP KTP10 | A97 |
| 3769067 | DPMT11T304FP KTP10 | A97 |
| 3769068 | DPMT11T308FP KTP10 | A97 |
| 3769069 | SCMT09T308FP KTP10 | A102 |
| 3769070 | SPMT09T308FP KTP10 | A104 |
| 3769071 | TCMT110202FP KTP10 | A106 |
| 3769072 | TCMT110204FP KTP10 | A106 |
| 3769073 | TCMT110208FP KTP10 | A106 |
| 3769074 | TCMT16T302FP KTP10 | A106 |
| 3769075 | TCMT16T304FP KTP10 | A106 |
| 3769076 | TCMT16T308FP KTP10 | A106 |
| 3769077 | TPMT090208FP KTP10 | A110 |
| 3769078 | TPMT110208FP KTP10 | A110 |
| 3769080 | TPMT16T308FP KTP10 | A110 |
| 3769082 | VBMT110304FP KTP10 | A113 |
| 3769083 | VBMT160402FP KTP10 | A113 |
| 3769084 | VBMT160404FP KTP10 | A113 |
| 3769085 | VBMT160408FP KTP10 | A113 |
| 3769093 | CCMT060202FP KCP25 | A88 |
| 3769094 | CCMT060204FP KCP25 | A88 |
| 3769095 | CCMT060204FP KCM15 | A88 |
| 3769096 | CCMT060208FP KCP25 | A88 |
| 3769097 | CCMT09T302FP KCP25 | A88 |
| 3769098 | CCMT060208FP KCM15 | A88 |
| 3769099 | CCMT09T304FP KCM15 | A88 |
| 3769100 | CCMT09T308FP KCM15 | A88 |
| 3769101 | CCMT120404FP KCM15 | A88 |
| 3769102 | CCMT120408FP KCM15 | A88 |
| 3769103 | CCMT09T304FP KCP25 | A88 |
| 3769104 | CPMT060204FP KCM15 | A93 |
| 3769105 | CPMT060208FP KCM15 | A92 |
| 3769106 | CCMT09T308FP KCP25 | A88 |
| 3769107 | CPMT09T304FP KCM15 | A92 |
| 3769108 | CPMT09T308FP KCM15 | A92 |
| 3769109 | DCMT070204FP KCM15 | A95 |
| 3769110 | CCMT120404FP KCP25 | A88 |
| 3769111 | DCMT11T304FP KCM15 | A95 |
| 3769112 | DCMT11T308FP KCM15 | A95 |
| 3769113 | CCMT120408FP KCP25 | A88 |
| 3769114 | DPMT070204FP KCM15 | A97 |
| 3769115 | DPMT11T304FP KCM15 | A97 |
| 3769116 | SCMT09T304FP KCM15 | A102 |
| 3769117 | CCMT120412FP KCP25 | A88 |
| 3769118 | SCMT09T308FP KCM15 | A102 |
| 3769119 | SCMT120408FP KCM15 | A102 |
| 3769120 | TCMT110204FP KCM15 | A106 |
| 3769121 | CPMT050204FP KCP25 | A92 |
| 3769122 | TCMT110208FP KCM15 | A106 |
| 3769123 | TCMT16T304FP KCM15 | A106 |
| 3769124 | CPMT060202FP KCP25 | A92 |
| 3769125 | TCMT16T308FP KCM15 | A106 |
| 3769126 | TPMT090208FP KCM15 | A110 |
| 3769127 | TPMT110204FP KCM15 | A110 |
| 3769128 | CPMT060204FP KCP25 | A93 |
| 3769129 | TPMT110208FP KCM15 | A110 |
| 3769130 | VBMT110304FP KCM15 | A113 |
| 3769131 | VBMT110308FP KCM15 | A113 |
| 3769132 | CPMT060208FP KCP25 | A92 |
| 3769133 | VBMT160404FP KCM15 | A113 |
| 3769134 | VBMT160408FP KCM15 | A113 |
| 3769135 | CPMT09T304FP KCP25 | A92 |
| 3769136 | WPMT06T304FP KCM15 | A114 |
| 3769137 | CPMT09T308FP KCP25 | A92 |
| 3769138 | DCMT070202FP KCP25 | A95 |
| 3769139 | DCMT070204FP KCP25 | A95 |
| 3769140 | DCMT070208FP KCP25 | A95 |
| 3769141 | DCMT11T302FP KCP25 | A95 |
| 3769142 | DCMT11T304FP KCP25 | A95 |
| 3769143 | DCMT11T308FP KCP25 | A95 |
| 3769145 | DCMT150404FP KCP25 | A95 |
| 3769146 | DCMT150408FP KCP25 | A95 |
| 3769147 | DPMT070204FP KCP25 | A97 |
| 3769148 | DPMT11T304FP KCP25 | A97 |
| 3769149 | DPMT11T308FP KCP25 | A97 |
| 3769150 | SCMT09T304FP KCP25 | A102 |
| 3769151 | SCMT09T308FP KCP25 | A102 |
| 3769152 | SCMT120404FP KCP25 | A102 |
| 3769153 | SCMT120408FP KCP25 | A102 |
| 3769154 | SCMT120412FP KCP25 | A102 |
| 3769155 | SPMT09T304FP KCP25 | A104 |
| 3769156 | SPMT09T308FP KCP25 | A104 |
| 3769157 | TCMT110204FP KCP25 | A106 |
| 3769158 | TCMT110208FP KCP25 | A106 |
| 3769159 | TCMT16T304FP KCP25 | A106 |
| 3769160 | TCMT16T308FP KCP25 | A106 |
| 3769161 | TCMT220408FP KCP25 | A106 |
| 3769162 | TPMT090208FP KCP25 | A110 |
| 3769163 | TPMT110204FP KCP25 | A110 |
| 3769164 | TPMT110208FP KCP25 | A110 |
| 3769165 | TPMT16T304FP KCP25 | A110 |
| 3769166 | TPMT16T308FP KCP25 | A110 |
| 3769167 | TPMT220408FP KCP25 | A110 |
| 3769168 | VBMT110302FP KCP25 | A113 |
| 3769169 | VBMT110304FP KCP25 | A113 |
| 3769170 | VBMT110308FP KCP25 | A113 |
| 3769171 | VBMT160402FP KCP25 | A113 |
| 3769172 | VBMT160404FP KCP25 | A113 |
| 3769173 | VBMT160408FP KCP25 | A113 |
| 3769174 | VBMT160412FP KCP25 | A113 |
| 3769175 | WCMT06T308FP KCP25 | A113 |
| 3769176 | WPMT040204FP KCM25 | A114 |
| 3769177 | WPMT06T308FP KCP25 | A114 |
| 3769178 | WPMTS3T104FP KCP25 | A114 |
| 3769197 | CCMT060202FP KU10 | A88 |
| 3769198 | CCMT060204FP KU10 | A88 |
| 3769199 | CCMT09T302FP KU10 | A88 |
| 3769200 | CCMT09T304FP KU10 | A88 |
| 3769201 | CCMT09T308FP KU10 | A88 |
| 3769203 | CCMT060202FP KCM25 | A88 |
| 3769204 | CCMT060204FP KCM25 | A88 |
| 3769205 | CCMT060208FP KCM25 | A88 |
| 3769206 | CCMT09T302FP KCM25 | A88 |
| 3769207 | CCMT09T304FP KCM25 | A88 |
| 3769208 | CCMT09T308FP KCM25 | A88 |
| 3769209 | CCMT120404FP KCM25 | A88 |
| 3769210 | CCMT120408FP KCM25 | A88 |
| 3769211 | CCMT120412FP KCM25 | A88 |
| 3769223 | CPMT060202FP KCM25 | A92 |
| 3769224 | CPMT060204FP KCM25 | A93 |
| 3769225 | CPMT060208FP KCM25 | A92 |
| 3769226 | CPMT09T302FP KCM25 | A92 |
| 3769227 | CPMT09T304FP KCM25 | A92 |
| 3769228 | CPMT09T308FP KCM25 | A92 |
| 3769229 | DCMT070202FP KCM25 | A95 |
| 3769230 | DCMT070204FP KCM25 | A95 |
| 3769231 | DCMT070208FP KCM25 | A95 |
| 3769232 | DCMT11T302FP KCM25 | A95 |
| 3769233 | DCMT11T304FP KCM25 | A95 |
| 3769234 | DCMT11T308FP KCM25 | A95 |
| 3769235 | DCMT150404FP KCM25 | A95 |
| 3769236 | DCMT150408FP KCM25 | A95 |
| 3769237 | DPMT070204FP KCM25 | A97 |
| 3769238 | DPMT11T304FP KCM25 | A97 |
| 3769239 | DPMT11T308FP KCM25 | A97 |
| 3769240 | SCMT09T304FP KCM25 | A102 |
| 3769241 | SCMT09T308FP KCM25 | A102 |
| 3769242 | SCMT120404FP KCM25 | A102 |
| 3769243 | SCMT120408FP KCM25 | A102 |
| 3769244 | SCMT120412FP KCM25 | A102 |
| 3769245 | SPMT09T304FP KCM25 | A104 |
| 3769247 | TCMT110202FP KCM25 | A106 |
| 3769248 | TCMT110204FP KCM25 | A106 |
| 3769249 | TCMT110208FP KCM25 | A106 |
| 3769250 | TCMT16T304FP KCM25 | A106 |
| 3769251 | TCMT16T308FP KCM25 | A106 |
| 3769252 | TCMT16T312FP KCM25 | A106 |
| 3769253 | TCMT220408FP KCM25 | A106 |
| 3769254 | TPMT090208FP KCM25 | A110 |
| 3769255 | TPMT110204FP KCM25 | A110 |
| 3769256 | TPMT110208FP KCM25 | A110 |
| 3769257 | TPMT16T304FP KCM25 | A110 |
| 3769258 | TPMT16T308FP KCM25 | A110 |
| 3769260 | VBMT110304FP KCM25 | A113 |
| 3769261 | VBMT110308FP KCM25 | A113 |
| 3769262 | VBMT160402FP KCM25 | A113 |
| 3769264 | CPMT060204FP KU10 | A92 |
| 3769265 | CPMT09T304FP KU10 | A92 |
| 3769266 | CPMT09T308FP KU10 | A92 |
| 3769267 | DCMT070202FP KU10 | A95 |
| 3769271 | SPMT09T308FP KU10 | A104 |
| 3769272 | TCMT110204FP KU10 | A106 |
| 3769275 | VBMT110304FP KU10 | A113 |
| 3769276 | VBMT110308FP KU10 | A113 |
| 3769283 | VBMT160404FP KCM25 | A113 |
| 3769284 | VBMT160408FP KCM25 | A113 |
| 3769285 | WPMT040204FP KCP25 | A114 |
| 3769286 | WPMT06T304FP KCM25 | A114 |
| 3769287 | WPMT06T308FP KCM25 | A114 |
| 3769288 | WPMTS3T104FP KCM25 | A114 |
| 3769290 | CCMT060202FP KCU10 | A88 |
| 3769291 | CCMT060204FP KCU10 | A88 |
| 3769292 | CCMT060208FP KCU10 | A88 |
| 3769304 | CCMT060208FP KCK20 | A88 |
| 3769305 | CCMT09T304FP KCK20 | A88 |
| 3769306 | CCMT09T308FP KCK20 | A88 |
| 3769307 | CCMT120404FP KCK20 | A88 |
| 3769308 | CCMT120408FP KCK20 | A88 |
| 3769309 | CCMT120412FP KCK20 | A88 |
| 3769310 | CPMT060204FP KCK20 | A93 |
| 3769311 | CPMT060208FP KCK20 | A92 |
| 3769312 | CPMT09T304FP KCK20 | A92 |
| 3769313 | CPMT09T308FP KCK20 | A92 |
| 3769314 | DCMT070204FP KCK20 | A95 |
| 3769315 | DCMT11T304FP KCK20 | A95 |
| 3769316 | DCMT11T308FP KCK20 | A95 |
| 3769317 | DCMT150408FP KCK20 | A95 |
| 3769318 | DPMT11T308FP KCK20 | A97 |
| 3769319 | SCMT09T304FP KCK20 | A102 |
| 3769320 | SCMT09T308FP KCK20 | A102 |
| 3769321 | SCMT120408FP KCK20 | A102 |
| 3769322 | SCMT120412FP KCK20 | A102 |
| 3769323 | SPMT09T304FP KCK20 | A104 |
| 3769324 | SPMT09T308FP KCK20 | A104 |
| 3769325 | TCMT110204FP KCK20 | A106 |
| 3769326 | TCMT110208FP KCK20 | A106 |
| 3769327 | TCMT16T304FP KCK20 | A106 |
| 3769328 | TCMT16T308FP KCK20 | A106 |
| 3769330 | TCMT220408FP KCK20 | A106 |
| 3769332 | TPMT110204FP KCK20 | A110 |
| 3769333 | TPMT110208FP KCK20 | A110 |
| 3769334 | TPMT16T304FP KCK20 | A110 |
| 3769335 | TPMT16T308FP KCK20 | A110 |
| 3769336 | VBMT160404FP KCK20 | A113 |
| 3769337 | VBMT160408FP KCK20 | A113 |
| 3769343 | CCMT09T302FP KCU10 | A88 |
| 3769344 | CCMT09T304FP KCU10 | A88 |
| 3769345 | CCMT120404FP KCU10 | A88 |
| 3769346 | CCMT120408FP KCU10 | A88 |
| 3769347 | CPMT050202FP KCU10 | A92 |
| 3769348 | CPMT050204FP KCU10 | A92 |
| 3769349 | CPMT060202FP KCU10 | A92 |
| 3769350 | CPMT060204FP KCU10 | A93 |
| 3769351 | CPMT060208FP KCU10 | A92 |
| 3769352 | CPMT09T302FP KCU10 | A92 |
| 3769353 | CPMT09T304FP KCU10 | A92 |
| 3769354 | CPMT09T308FP KCU10 | A92 |
| 3769355 | DCMT070202FP KCU10 | A95 |
| 3769356 | DCMT070204FP KCU10 | A95 |
| 3769357 | DCMT070208FP KCU10 | A95 |
| 3769358 | DCMT11T302FP KCU10 | A95 |
| 3769359 | DCMT11T304FP KCU10 | A95 |
| 3769360 | DCMT11T308FP KCU10 | A95 |
| 3769361 | DCMT11T312FP KCU10 | A95 |
| 3769362 | DCMT150404FP KCU10 | A95 |
| 3769363 | DCMT150408FP KCU10 | A95 |
| 3769364 | DPMT070202FP KCU10 | A97 |
| 3769365 | DPMT070204FP KCU10 | A97 |
| 3769366 | DPMT070208FP KCU10 | A97 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 3769367 | DPMT11T302FP KCU10 | A97 |
| 3769368 | DPMT11T304FP KCU10 | A97 |
| 3769369 | DPMT11T308FP KCU10 | A97 |
| 3769370 | SCMT09T304FP KCU10 | A102 |
| 3769371 | SCMT09T308FP KCU10 | A102 |
| 3769372 | SCMT120404FP KCU10 | A102 |
| 3769373 | SCMT120408FP KCU10 | A102 |
| 3769374 | SCMT120412FP KCU10 | A102 |
| 3769375 | SPMT09T304FP KCU10 | A104 |
| 3769376 | SPMT09T308FP KCU10 | A104 |
| 3769377 | TCMT090204FP KCU10 | A106 |
| 3769378 | TCMT090208FP KCU10 | A106 |
| 3769379 | TCMT110202FP KCU10 | A106 |
| 3769380 | TCMT110204FP KCU10 | A106 |
| 3769381 | TCMT110208FP KCU10 | A106 |
| 3769382 | TCMT110304FP KCU10 | A106 |
| 3769383 | TCMT110308FP KCU10 | A106 |
| 3769384 | TCMT110312FP KCU10 | A106 |
| 3769385 | TCMT16T302FP KCU10 | A106 |
| 3769386 | TCMT16T304FP KCU10 | A106 |
| 3769387 | TCMT16T308FP KCU10 | A106 |
| 3769388 | TCMT16T312FP KCU10 | A106 |
| 3769389 | TCMT220408FP KCU10 | A106 |
| 3769390 | TPMT090204FP KCU10 | A110 |
| 3769391 | TPMT090208FP KCU10 | A110 |
| 3769392 | TPMT110202FP KCU10 | A110 |
| 3769393 | TPMT110204FP KCU10 | A110 |
| 3769394 | TPMT110208FP KCU10 | A110 |
| 3769395 | TPMT110304FP KCU10 | A110 |
| 3769396 | TPMT110308FP KCU10 | A110 |
| 3769397 | TPMT16T304FP KCU10 | A110 |
| 3769398 | TPMT16T308FP KCU10 | A110 |
| 3769399 | TPMT16T312FP KCU10 | A110 |
| 3769400 | TPMT220408FP KCU10 | A110 |
| 3769401 | VBMT110302FP KCU10 | A113 |
| 3769402 | VBMT110304FP KCU10 | A113 |
| 3769403 | VBMT110308FP KCU10 | A113 |
| 3769404 | VBMT160402FP KCU10 | A113 |
| 3769405 | VBMT160404FP KCU10 | A113 |
| 3769406 | VBMT160408FP KCU10 | A113 |
| 3769407 | WCMT040204FP KCU10 | A113 |
| 3769408 | WCMT06T308FP KCU10 | A113 |
| 3769409 | WPMT040204FP KCU10 | A114 |
| 3769410 | WPMT06T304FP KCU10 | A114 |
| 3769411 | WPMT06T308FP KCU10 | A114 |
| 3769412 | WPMTS3T104FP KCU10 | A114 |
| 3769413 | CCMT060202FP KCU25 | A88 |
| 3769414 | CCMT060204FP KCU25 | A88 |
| 3769415 | CCMT060208FP KCU25 | A88 |
| 3769416 | CCMT09T302FP KCU25 | A88 |
| 3769417 | CCMT09T304FP KCU25 | A88 |
| 3769418 | CCMT09T308FP KCU25 | A88 |
| 3769419 | CCMT120404FP KCU25 | A88 |
| 3769420 | CCMT120408FP KCU25 | A88 |
| 3769421 | CPMT050202FP KCU25 | A92 |
| 3769422 | CPMT050204FP KCU25 | A92 |
| 3769423 | CPMT060202FP KCU25 | A92 |
| 3769424 | CPMT060204FP KCU25 | A93 |
| 3769425 | CPMT060208FP KCU25 | A92 |
| 3769426 | CPMT09T302FP KCU25 | A92 |
| 3769427 | CPMT09T304FP KCU25 | A92 |
| 3769428 | CPMT09T308FP KCU25 | A92 |
| 3769429 | DCMT070202FP KCU25 | A95 |
| 3769430 | DCMT070204FP KCU25 | A95 |
| 3769431 | DCMT11T302FP KCU25 | A95 |
| 3769432 | DCMT11T304FP KCU25 | A95 |
| 3769433 | DCMT11T308FP KCU25 | A95 |
| 3769434 | DPMT070202FP KCU25 | A97 |
| 3769435 | DPMT070204FP KCU25 | A97 |
| 3769436 | DPMT070208FP KCU25 | A97 |
| 3769437 | DPMT11T302FP KCU25 | A97 |
| 3769438 | DPMT11T304FP KCU25 | A97 |
| 3769439 | DPMT11T308FP KCU25 | A97 |
| 3769440 | SCMT09T304FP KCU25 | A102 |
| 3769441 | SCMT09T308FP KCU25 | A102 |
| 3769442 | SCMT120404FP KCU25 | A102 |
| 3769443 | SCMT120408FP KCU25 | A102 |
| 3769444 | SPMT09T304FP KCU25 | A104 |
| 3769445 | SPMT09T308FP KCU25 | A104 |
| 3769446 | TCMT090204FP KCU25 | A106 |
| 3769447 | TCMT090208FP KCU25 | A106 |
| 3769448 | TCMT110202FP KCU25 | A106 |
| 3769449 | TCMT110204FP KCU25 | A106 |
| 3769450 | TCMT110208FP KCU25 | A106 |
| 3769451 | TCMT110304FP KCU25 | A106 |
| 3769452 | TCMT110308FP KCU25 | A106 |
| 3769453 | TCMT16T302FP KCU25 | A106 |
| 3769454 | TCMT16T304FP KCU25 | A106 |
| 3769455 | TCMT16T308FP KCU25 | A106 |
| 3769456 | TCMT16T312FP KCU25 | A106 |
| 3769457 | TCMT220408FP KCU25 | A106 |
| 3769458 | TPMT090208FP KCU25 | A110 |
| 3769459 | TPMT110202FP KCU25 | A110 |
| 3769460 | TPMT110204FP KCU25 | A110 |
| 3769461 | TPMT110304FP KCU25 | A110 |
| 3769462 | TPMT16T304FP KCU25 | A110 |
| 3769463 | TPMT16T308FP KCU25 | A110 |
| 3769464 | VBMT110304FP KCU25 | A113 |
| 3769465 | VBMT110308FP KCU25 | A113 |
| 3769466 | VBMT160402FP KCU25 | A113 |
| 3769467 | VBMT160404FP KCU25 | A113 |
| 3769468 | VBMT160408FP KCU25 | A113 |
| 3769469 | WCMT040204FP KCU25 | A113 |
| 3774691 | A4G0405M04U04GUP KCU25 | A192 |
| 3774692 | A4G0405M04U08GUP KCU25 | A192 |
| 3774723 | A4G0505M05U08GUP KCU25 | A192 |
| 3774724 | A4G0805M08U12GUP KCU25 | A192 |
| 3780360 | MS-2071 | D68–D69 |
| 3781192 | A4G0200M02P02GUP KCU10 | A192 |
| 3781194 | A4G0200M02P02GUP KU10 | A192 |
| 3781195 | A4G0300M03P02GUP KU10 | A192 |
| 3781196 | A4G0300M03P04GUP KU10 | A192 |
| 3781197 | A4G0400M04P02GUP KU10 | A192 |
| 3781198 | A4G0400M04P04GUP KU10 | A192 |
| 3781199 | A4G0400M04P08GUP KCU25 | A192 |
| 3781200 | A4G0500M05P04GUP KU10 | A192 |
| 3781201 | A4G0500M05P08GUP KU10 | A192 |
| 3781202 | A4G0600M06P04GUP KU10 | A192 |
| 3781233 | A4G0600M06P08GUP KU10 | A192 |
| 3781234 | A4G0800M08P08GUP KU10 | A192 |
| 3781235 | A4G0800M08P12GUP KU10 | A192 |
| 3781236 | A4G1000M10P08GUP KU10 | A192 |
| 3781237 | A4G1000M10P12GUP KU10 | A192 |
| 3781252 | A4G0200M02P02GUP KCU25 | A192 |
| 3781253 | A4G0300M03P02GUP KCU25 | A192 |
| 3781254 | A4G0300M03P04GUP KCU25 | A192 |
| 3781255 | A4G0400M04P02GUP KCU25 | A192 |
| 3781256 | A4G0400M04P04GUP KCU25 | A192 |
| 3781257 | A4G0400M04P08GUP KCU10 | A192 |
| 3781258 | A4G0500M05P04GUP KCU25 | A192 |
| 3781259 | A4G0500M05P08GUP KCU25 | A192 |
| 3781260 | A4G0600M06P04GUP KCU25 | A192 |
| 3781261 | A4G0600M06P08GUP KCU25 | A192 |
| 3781262 | A4G0800M08P08GUP KCU25 | A192 |
| 3781263 | A4G0800M08P12GUP KCU25 | A192 |
| 3781264 | A4G1000M10P08GUP KCU25 | A192 |
| 3781265 | A4G1000M10P12GUP KCU25 | A192 |
| 3781276 | A4G0300M03P02GUP KCU10 | A192 |
| 3781279 | A4G0300M03P04GUP KCU10 | A192 |
| 3781280 | A4G0400M04P02GUP KCU10 | A192 |
| 3781281 | A4G0400M04P04GUP KCU10 | A192 |
| 3781282 | A4G0400M04P08GUP KU10 | A192 |
| 3781283 | A4G0500M05P04GUP KCU10 | A192 |
| 3781284 | A4G0500M05P08GUP KCU10 | A192 |
| 3781285 | A4G0600M06P04GUP KCU10 | A192 |
| 3781286 | A4G0600M06P08GUP KCU10 | A192 |
| 3781287 | A4G0800M08P08GUP KCU10 | A192 |
| 3781288 | A4G0800M08P12GUP KCU10 | A192 |
| 3781289 | A4G1000M10P08GUP KCU10 | A192 |
| 3781290 | A4G1000M10P12GUP KCU10 | A192 |
| 3784063 | 193.523 | B12–B13 |
| 3784064 | 193.524 | B12–B13 |
| 3784065 | 193.525 | B12–B13 |
| 3784066 | 193.526 | B12–B13 |
| 3784326 | 170.350 | B18, B20 |
| 3784327 | 170.353 | B18, B20–B21 |
| 3784328 | 170.355 | B19–B21 |
| 3784329 | 170.356 | B19, B21 |
| 3784330 | 170.345 | B18–B21 |
| 3784331 | 170.346 | B18–B21 |
| 3784332 | 170.347 | B19, B21 |
| 3784473 | 170.348 | B19, B21 |
| 3787462 | RPGX090700MP KCS10 | A84 |
| 3787483 | RPGX120700MP KCS10 | A84 |
| 3787484 | RCGX060400MP KCS10 | A83 |
| 3787485 | RCGX090700MP KCS10 | A83 |
| 3787486 | RCGX120700MP KCS10 | A83 |
| 3787488 | RPGT060400MP KCS10 | A101 |
| 3787489 | RPGT090700MP KCS10 | A101 |
| 3787490 | RPGT120700MP KCS10 | A101 |
| 3787492 | RCMT0803M0MP KCS10 | A100 |
| 3787503 | RCMT10T3M0MP KCS10 | A100 |
| 3787505 | RCMT1606M0MP KCS10 | A100 |
| 3787512 | RCGH120400MP KCS10 | A99 |
| 3791263 | A4G0205M02U02GUP KCU10 | A192 |
| 3791265 | A4G0305M03U02GUP KCU10 | A192 |
| 3791266 | A4G0305M03U04GUP KCU10 | A192 |
| 3791267 | A4G0405M04U04GUP KCU10 | A192 |
| 3791268 | A4G0405M04U08GUP KCU10 | A192 |
| 3791269 | A4G0505M05U04GUP KCU10 | A192 |
| 3791270 | A4G0505M05U08GUP KCU10 | A192 |
| 3791271 | A4G0605M06U04GUP KCU10 | A192 |
| 3791272 | A4G0605M06U08GUP KCU10 | A192 |
| 3791273 | A4G0605M06U12GUP KCU10 | A192 |
| 3791275 | A4G0805M08U08GUP KCU10 | A192 |
| 3791276 | A4G0805M08U12GUP KCU10 | A192 |
| 3791277 | A4G1005M10U08GUP KCU10 | A192 |
| 3791278 | A4G1005M10U12GUP KCU10 | A192 |
| 3791279 | A4G0205M02U02GUP KCU25 | A192 |
| 3791280 | A4G0305M03U02GUP KCU25 | A192 |
| 3791281 | A4G0305M03U04GUP KCU25 | A192 |
| 3791282 | A4G0505M05U04GUP KCU25 | A192 |
| 3791283 | A4G0605M06U04GUP KCU25 | A192 |
| 3791284 | A4G0605M06U08GUP KCU25 | A192 |
| 3791285 | A4G0605M06U12GUP KCU25 | A192 |
| 3791286 | A4G0805M08U08GUP KCU25 | A192 |
| 3791287 | A4G1005M10U08GUP KCU25 | A192 |
| 3791288 | A4G1005M10U12GUP KCU25 | A192 |
| 3791289 | A4G0205M02U02GUP KCP10 | A192 |
| 3791290 | A4G0305M03U02GUP KCP10 | A192 |
| 3791291 | A4G0305M03U04GUP KCP10 | A192 |
| 3791292 | A4G0405M04U04GUP KCP10 | A192 |
| 3791293 | A4G0405M04U08GUP KCP10 | A192 |
| 3791294 | A4G0505M05U04GUP KCP10 | A192 |
| 3791295 | A4G0505M05U08GUP KCP10 | A192 |
| 3791296 | A4G0605M06U04GUP KCP10 | A192 |
| 3791297 | A4G0605M06U08GUP KCP10 | A192 |
| 3791298 | A4G0605M06U12GUP KCP10 | A192 |
| 3791299 | A4G0805M08U08GUP KCP10 | A192 |
| 3791300 | A4G0805M08U12GUP KCP10 | A192 |
| 3791301 | A4G1005M10U08GUP KCP10 | A192 |
| 3791302 | A4G1005M10U12GUP KCP10 | A192 |
| 3791303 | A4G0205M02U02GUP KCP25 | A192 |
| 3791304 | A4G0305M03U02GUP KCP25 | A192 |
| 3791305 | A4G0305M03U04GUP KCP25 | A192 |
| 3791306 | A4G0405M04U04GUP KCP25 | A192 |
| 3791307 | A4G0405M04U08GUP KCP25 | A192 |
| 3791308 | A4G0505M05U04GUP KCP25 | A192 |
| 3791309 | A4G0505M05U08GUP KCP25 | A192 |
| 3791310 | A4G0605M06U04GUP KCP25 | A192 |
| 3791311 | A4G0605M06U08GUP KCP25 | A192 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 3791312 | A4G0605M06U12GUP KCP25 | A192 |
| 3791313 | A4G0805M08U08GUP KCP25 | A192 |
| 3791314 | A4G0805M08U12GUP KCP25 | A192 |
| 3791315 | A4G1005M10U08GUP KCP25 | A192 |
| 3791316 | A4G1005M10U12GUP KCP25 | A192 |
| 3793949 | KSEMP3320FDS32A1M | B4, B8 |
| 3793950 | KSEMP3920FDS36A1M | B4, B9 |
| 3794291 | KSEMP3200FDS32A1M | B4, B8 |
| 3794292 | KSEMP3400FDS32A1M | B4, B8 |
| 3794393 | KSEMP3500FDS32A1M | B4, B8 |
| 3794394 | KSEMP3600FDS36A1M | B4, B8 |
| 3794395 | KSEMP3700FDS36A1M | B4, B8 |
| 3794396 | KSEMP3800FDS36A1M | B4, B9 |
| 3794397 | KSEMP3900FDS36A1M | B4, B9 |
| 3794398 | KSEMP4000FDS40A1M | B4, B9 |
| 3794399 | KSEMP4100FDS40A1M | B4, B9 |
| 3794400 | KSEMP4200FDS40A1M | B4, B9 |
| 3794401 | KSEMP4300FDS40A1M | B4, B9 |
| 3794402 | KSEMP4400FDS40A1M | B4, B9 |
| 3794403 | KSEMP4500FDS45A1M | B4, B9 |
| 3794404 | KSEMP4600FDS45A1M | B4, B9 |
| 3794405 | KSEMP4700FDS45A1M | B4, B9 |
| 3794406 | KSEMP4800FDS45A1M | B4, B9 |
| 3794407 | KSEMP4900FDS45A1M | B4, B9 |
| 3794408 | KSEMP5100FDS50A1M | B5, B9 |
| 3794409 | KSEMP5200FDS50A1M | B5, B9 |
| 3794410 | KSEMP5300FDS50A1M | B5, B9 |
| 3794411 | KSEMP5400FDS50A1M | B5, B9 |
| 3794412 | KSEMP5500FDS50A1M | B5, B9 |
| 3794413 | KSEMP5600FDS56A1M | B5, B9 |
| 3794414 | KSEMP5700FDS56A1M | B5, B9 |
| 3794415 | KSEMP5800FDS56A1M | B5, B9 |
| 3794416 | KSEMP5900FDS56A1M | B5, B9 |
| 3794417 | KSEMP6000FDS56A1M | B5, B9 |
| 3794418 | KSEMP6100FDS56A1M | B5, B9 |
| 3794419 | KSEMP6200FDS56A1M | B5, B9 |
| 3794420 | KSEMP6300FDS63A1M | B5, B9 |
| 3794421 | KSEMP6400FDS63A1M | B5, B9 |
| 3794422 | KSEMP6500FDS63A1M | B5, B9 |
| 3794423 | KSEMP6600FDS63A1M | B5, B9 |
| 3794424 | KSEMP6700FDS63A1M | B5, B9 |
| 3794425 | KSEMP6800FDS63A1M | B5, B9 |
| 3794426 | KSEMP6900FDS63A1M | B5, B9 |
| 3794427 | KSEMP3750FDS36A1M | B4, B8 |
| 3794428 | WD32FDS32216M | B4, B6, B12 |
| 3794429 | WD32FDS32391M | B4, B6, B13 |
| 3794430 | WD32FDS36244M | B4, B6, B12 |
| 3794431 | WD32FDS36361M | B4, B6, B13 |
| 3794432 | WD32FDS36439M | B4, B6, B13 |
| 3794443 | WD50FDS40271M | B4, B6, B12 |
| 3794444 | WD50FDS40403M | B4, B6, B13 |
| 3794445 | WD50FDS40491M | B4, B6, B13 |
| 3794446 | WD50FDS45304M | B4, B6, B12 |
| 3794447 | WD50FDS45451M | B4, B6, B13 |
| 3794448 | WD50FDS45549M | B4, B6, B13 |
| 3794449 | WD50FDS50338M | B5, B7, B12 |
| 3794450 | WD50FDS50613M | B5, B7, B13 |
| 3794451 | WD50FDS56383M | B5, B7, B12 |
| 3794452 | WD50FDS56569M | B5, B7, B13 |
| 3794453 | WD50FDS56693M | B5, B7, B13 |
| 3794454 | WD50FDS63429M | B5, B7, B12 |
| 3794455 | WD50FDS63639M | B5, B7, B13 |
| 3794835 | SSF150FDS320850 | B4, B6 |
| 3794836 | SSF150FDS321263 | B4, B6 |
| 3794837 | SSF150FDS321539 | B4, B6 |
| 3794838 | SSF150FDS360960 | B4, B6 |
| 3794839 | SSF150FDS361421 | B4, B6 |
| 3794840 | SSF150FDS361728 | B4, B6 |
| 3794841 | SSF200FDS401066 | B4, B6 |
| 3794842 | SSF200FDS401586 | B4, B6 |
| 3794903 | SSF200FDS401933 | B4, B6 |
| 3794904 | SSF200FDS451196 | B4, B6 |
| 3794905 | SSF200FDS451775 | B4, B6 |
| 3794906 | SSF200FDS452161 | B4, B6 |
| 3794907 | SSF200FDS501330 | B5, B7 |
| 3794908 | SSF200FDS501980 | B5 |
| 3794909 | SSF200FDS502413 | B5, B7 |
| 3794910 | SSF200FDS561507 | B5, B7 |
| 3794911 | SSF200FDS562240 | B5, B7 |
| 3794912 | SSF200FDS562783 | B5 |
| 3794913 | SSF200FDS631688 | B5, B7 |
| 3794914 | SSF200FDS632515 | B5, B7 |
| 3794915 | SSF200FDS633066 | B5, B7 |
| 3794916 | KSEMP3175FDS32A1M | B4, B8 |
| 3794917 | KSEMP3334FDS32A1M | B4, B8 |
| 3794918 | KSEMP3493FDS32A1M | B4, B8 |
| 3794919 | KSEMP3651FDS36A1M | B4, B8 |
| 3794920 | KSEMP3810FDS36A1M | B4, B8 |
| 3794921 | KSEMP3970FDS36A1M | B4, B9 |
| 3794922 | KSEMP4128FDS40A1M | B4, B9 |
| 3794933 | KSEMP4445FDS40A1M | B4, B9 |
| 3794934 | KSEMP4763FDS45A1M | B4, B9 |
| 3794935 | KSEMP5080FDS50A1M | B5, B9 |
| 3794936 | KSEMP5398FDS50A1M | B5, B9 |
| 3794937 | KSEMP5715FDS56A1M | B5, B9 |
| 3794938 | KSEMP6033FDS56A1M | B5, B9 |
| 3794939 | KSEMP6350FDS63A1M | B5, B9 |
| 3794940 | KSEMP6668FDS63A1M | B5, B9 |
| 3794941 | KSEMP6985FDS63A1M | B5, B9 |
| 3811878 | TNMG220416RP KCP25 | A70 |
| 3812186 | DNMG150612MP KCP10 | A52 |
| 3838225 | WNMG080412MP KCP10 | A80 |
| 3851223 | SNMG250924RN KCP30 | A61 |
| 3852233 | RPET1204M0SGE KCPK30 | D65 |
| 3852235 | RPET1204M0ELE KCPK30 | D65 |
| 3852284 | RPPT1605M0SHP KC725M | D70 |
| 3852285 | RPPT1605M0SHP KCPK30 | D70 |
| 3852395 | RPPT1204M0SGP KC725M | D65 |
| 3852396 | RPPT1204M0SGP KCPK30 | D65 |
| 3855561 | CNMG120408MP KCP10 | A42 |
| 3855796 | CM234R ASSY | E10–E11 |
| 3858814 | KST175CS | B32–B34 |
| 3858815 | KST200CS | B32–B34 |
| 3858817 | KST250CS | B32–B34 |
| 3858818 | KST300CS | B32–B34 |
| 3858819 | KST350CS | B32–B34 |
| 3860911 | HSK63AKST175AR3M | B33 |
| 3860912 | HSK63AKST200AR3M | B33 |
| 3860963 | HSK63AKST250AR3M | B33 |
| 3860964 | HSK63AKST300AR3M | B33 |
| 3860965 | HSK63AKST350AR3M | B33 |
| 3860966 | HSK63AKST175RR3M | B33 |
| 3860967 | HSK63AKST200RR3M | B33 |
| 3860968 | HSK63AKST250RR3M | B33 |
| 3860969 | HSK63AKST300RR3M | B33 |
| 3860970 | HSK63AKST350RR3M | B33 |
| 3860971 | SIF70KST175AR5M | B34 |
| 3860972 | SIF70KST200AR5M | B34 |
| 3860973 | SIF70KST250AR5M | B34 |
| 3860974 | SIF70KST300AR5M | B34 |
| 3860975 | SIF70KST350AR5M | B34 |
| 3860976 | SIF70KST175RR5M | B34 |
| 3860977 | SIF70KST200RR5M | B34 |
| 3860978 | SIF70KST250RR5M | B34 |
| 3860979 | SIF70KST300RR5M | B34 |
| 3860980 | SIF70KST350RR5M | B34 |
| 3861185 | SS20KST175AR3M | B31 |
| 3861186 | SS20KST200AR3M | B31 |
| 3861187 | SS25KST250AR3M | B31 |
| 3861188 | SS32KST300AR3M | B31 |
| 3861189 | SS32KST350AR3M | B31 |
| 3861190 | SS20KST175AR5M | B31 |
| 3861191 | SS20KST200AR5M | B31 |
| 3861192 | SS25KST250AR5M | B31 |
| 3861193 | SS32KST300AR5M | B31 |
| 3861194 | SS32KST350AR5M | B31 |
| 3861195 | SS20KST175RR3M | B32 |
| 3861196 | SS20KST200RR3M | B32 |
| 3861197 | SS25KST250RR3M | B32 |
| 3861198 | SS32KST300RR3M | B32 |
| 3861199 | SS32KST350RR3M | B32 |
| 3861200 | SS20KST175RR5M | B32 |
| 3861201 | SS20KST200RR5M | B32 |
| 3861202 | SS25KST250RR5M | B32 |
| 3861203 | SS32KST300RR5M | B32 |
| 3861204 | SS32KST350RR5M | B32 |
| 3861630 | KST175200RK | B32–B34 |
| 3861631 | KST250250RK | B32–B34 |
| 3861632 | KST300350RK | B32–B34 |
| 3862224 | KST175200AS | B32–B34 |
| 3862225 | KST250250AS | B32–B34 |
| 3862226 | KST300350AS | B32–B34 |
| 3871002 | A4G0205M2SU02GMN KCU10 | A197 |
| 3871063 | A4G0305M3SU02GMN KCU10 | A197 |
| 3871064 | A4G0305M3SU04GMN KCU10 | A197 |
| 3871065 | A4G0405M4SU04GMN KCU10 | A197 |
| 3871066 | A4G0405M4SU08GMN KCU10 | A197 |
| 3871067 | A4G0505M5SU04GMN KCU10 | A197 |
| 3871068 | A4G0505M5SU08GMN KCU10 | A197 |
| 3871069 | A4G0200M2SP02GUP KCU10 | A197 |
| 3871070 | A4G0300M3SP02GUP KCU10 | A197 |
| 3871071 | A4G0300M3SP04GUP KCU10 | A197 |
| 3871072 | A4G0400M4SP04GUP KCU10 | A197 |
| 3871073 | A4G0400M4SP08GUP KCU10 | A197 |
| 3871074 | A4G0500M5SP04GUP KCU10 | A197 |
| 3871075 | A4G0500M5SP08GUP KCU10 | A197 |
| 3871076 | A4G0205M2SU02GUP KCU10 | A197 |
| 3871077 | A4G0305M3SU02GUP KCU10 | A197 |
| 3871078 | A4G0305M3SU04GUP KCU10 | A197 |
| 3871079 | A4G0405M4SU04GUP KCU10 | A197 |
| 3871080 | A4G0405M4SU08GUP KCU10 | A197 |
| 3871081 | A4G0505M5SU04GUP KCU10 | A197 |
| 3871082 | A4G0505M5SU08GUP KCU10 | A197 |
| 3871083 | A4G0205M2SU02GMN KCU25 | A197 |
| 3871084 | A4G0305M3SU02GMN KCU25 | A197 |
| 3871085 | A4G0305M3SU04GMN KCU25 | A197 |
| 3871086 | A4G0405M4SU04GMN KCU25 | A197 |
| 3871087 | A4G0405M4SU08GMN KCU25 | A197 |
| 3871088 | A4G0505M5SU04GMN KCU25 | A197 |
| 3871089 | A4G0505M5SU08GMN KCU25 | A197 |
| 3871090 | A4G0200M2SP02GUP KCU25 | A197 |
| 3871091 | A4G0300M3SP02GUP KCU25 | A197 |
| 3871092 | A4G0300M3SP04GUP KCU25 | A197 |
| 3871103 | A4G0400M4SP04GUP KCU25 | A197 |
| 3871104 | A4G0400M4SP08GUP KCU25 | A197 |
| 3871105 | A4G0500M5SP04GUP KCU25 | A197 |
| 3871106 | A4G0500M5SP08GUP KCU25 | A197 |
| 3871107 | A4G0205M2SU02GUP KCU25 | A197 |
| 3871108 | A4G0305M3SU02GUP KCU25 | A197 |
| 3871109 | A4G0305M3SU04GUP KCU25 | A197 |
| 3871110 | A4G0405M4SU04GUP KCU25 | A197 |
| 3871111 | A4G0405M4SU08GUP KCU25 | A197 |
| 3871112 | A4G0505M5SU04GUP KCU25 | A197 |
| 3871114 | A4G0505M5SU08GUP KCU25 | A197 |
| 3871115 | A4R0200M2SP00GMP KCU25 | A197 |
| 3871116 | A4R0300M3SP00GMP KCU25 | A197 |
| 3871117 | A4R0400M4SP00GMP KCU25 | A197 |
| 3871118 | A4R0500M5SP00GMP KCU25 | A197 |
| 3872075 | WD50FDS40183M | B4, B6, B12 |
| 3872079 | WD50FDS45206M | B12 |
| 3872079 | WD50FDS45206M | B4, B6 |
| 3873931 | UDDE1400A5ASA KC643M | C28 |
| 3873932 | UDDE1400A5ARA KC643M | C27 |
| 3874033 | UDDE1400A5ARB KC643M | C27 |
| 3874034 | UDDE1400A5ARC KC643M | C27 |
| 3874035 | UDDE1400A5ARD KC643M | C27 |
| 3874036 | UDDE1400B5ARA KC643M | C27 |
| 3874037 | UDDE1400B5ARB KC643M | C27 |
| 3874038 | UDDE1400B5ARC KC643M | C27 |
| 3874039 | UDDE1400B5ARD KC643M | C27 |
| 3875115 | OFPT06L5AFSNHB KCPM20 | D6 |
| 3875119 | OFKT06L5AFENGB KCPM20 | D6 |
| 3884396 | KSEM1300HPCCLM KC7410 | B14 |
| 3884398 | KSEM1400HPCCLM KC7410 | B14 |
| 3884400 | KSEM1500HPCCLM KC7410 | B14 |
| 3884402 | KSEM1600HPCCLM KC7410 | B14 |
| 3884434 | KSEM1700HPCCLM KC7410 | B14 |
| 3884436 | KSEM1800HPCCLM KC7410 | B14 |
| 3884438 | KSEM1900HPCCLM KC7410 | B14 |
| 3884440 | KSEM2000HPCCLM KC7410 | B14 |
| 3884442 | KSEM2100HPCCLM KC7410 | B14 |
| 3884444 | KSEM2200HPCCLM KC7410 | B14 |
| 3884446 | KSEM2300HPCCLM KC7410 | B14 |
| 3884448 | KSEM2400HPCCLM KC7410 | B14 |
| 3884450 | KSEM2500HPCCLM KC7410 | B14 |
| 3884452 | KSEM2600HPCCLM KC7410 | B14 |
| 3884454 | KSEM2700HPCCLM KC7410 | B14 |
| 3884456 | KSEM2800HPCCLM KC7410 | B14 |
| 3884458 | KSEM2900HPCCLM KC7410 | B14 |
| 3884460 | KSEM3000HPCCLM KC7410 | B14 |
| 3884462 | KSEM3100HPCCLM KC7410 | B14 |
| 3884463 | KSEM3200HPCCLM KC7410 | B14 |
| 3891648 | RPET1605M0SGE KCPK30 | D70 |
| 3891649 | RPET1605M0ELE KCPK30 | D70 |
| 3891914 | 52A05RS90RP12 | D64, D67 |
| 3899939 | WNMG060408FP KCP10 | A79 |
| 3950219 | WD32FDS32146M | B4, B6, B12 |
| 3950220 | WD32FDS36166M | B4, B6, B12 |
| 3950221 | WD50FDS50228M | B5, B7, B12 |
| 3950222 | WD50FDS56259M | B5, B7, B12 |
| 3950333 | WD50FDS63289M | B5, B7, B12 |
| 3952192 | SSF150FDS320573 | B4, B6 |
| 3952343 | SSF150FDS360652 | B4, B6 |
| 3952344 | SSF200FDS400721 | B4, B6 |
| 3952345 | SSF200FDS450809 | B4, B6 |
| 3952346 | SSF200FDS500896 | B5, B7 |
| 3952346 | SSF200FDS501980 | B7 |
| 3952347 | SSF200FDS561020 | B5, B7 |
| 3952347 | SSF200FDS562240 | B5, B7 |
| 3952348 | SSF200FDS631138 | B5, B7 |
| 3952348 | SSF200FDS632515 | B5, B7 |
| 3960479 | TTSS05014M | E22, E23 |
| 3960480 | TTSS06014M | E22, E23 |
| 3960481 | TTSS08014M | E22, E23 |
| 3960482 | TTSS10014M | E22, E23, E24, E25 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 3960493 | TTSS12014M | E22, E23, E24, E25 |
| 3960494 | TTSS16014M | E22, E23, E24, E25 |
| 3960760 | SS03M030 | E30 |
| 3992689 | RPPT1605M0SHP KCPM20 | D70 |
| 3994693 | 193.537 | B12, B13 |
| 3996499 | SS03M032 | E30 |
| 3998686 | 12146120500 | D25 |
| 4000408 | KSEMP2800FDS28A1M | B4, B8 |
| 4000409 | WD32FDS28128M | B4, B6, B12 |
| 4000411 | WD32FDS28345M | B4, B6, B13 |
| 4005063 | 66A06RS90RP12 | D64, D67 |
| 4008096 | TNMG160408FP KCP10 | A67 |
| 4024763 | 80A08RS90RP12 | D64, D67 |
| 4024781 | A4G0405M04U04GMP KCU10 | A193 |
| 4025498 | 63A07RS90RP12 | D64, D67 |
| 4027389 | 100B09RS90RP12 | D64, D67 |
| 4034717 | A4G0200M02P02GMP KCU10 | A193 |
| 4034718 | A4G0205M02U02GMN KCU10 | A194 |
| 4034719 | A4G0205M02U02GMP KCU10 | A193 |
| 4034720 | A4G0250M2BP02GMP KCU10 | A193 |
| 4034721 | A4G0300M03P02GMP KCU10 | A193 |
| 4034722 | A4G0300M03P04GMP KCU10 | A193 |
| 4034773 | A4G0305M03U02GMN KCU10 | A194 |
| 4034774 | A4G0305M03U02GMP KCU10 | A193 |
| 4034775 | A4G0305M03U04GMN KCU10 | A194 |
| 4034776 | A4G0305M03U04GMP KCU10 | A193 |
| 4034777 | A4G0400M04P02GMP KCU10 | A193 |
| 4034778 | A4G0400M04P04GMP KCU10 | A193 |
| 4034779 | A4G0400M04P08GMP KCU10 | A193 |
| 4034780 | A4G0405M04U04GMN KCU10 | A194 |
| 4034781 | A4G0405M04U04GMP KCU10 | A193 |
| 4034782 | A4G0405M04U08GMN KCU10 | A194 |
| 4034783 | A4G0405M04U08GMP KCU10 | A193 |
| 4034784 | A4G0500M05P04GMP KCU10 | A193 |
| 4034785 | A4G0500M05P08GMP KCU10 | A193 |
| 4034786 | A4G0505M05U04GMN KCU10 | A194 |
| 4034787 | A4G0505M05U04GMP KCU10 | A193 |
| 4034788 | A4G0505M05U08GMN KCU10 | A194 |
| 4034789 | A4G0505M05U08GMP KCU10 | A193 |
| 4034790 | A4G0600M06P04GMP KCU10 | A193 |
| 4034791 | A4G0600M06P08GMP KCU10 | A193 |
| 4034792 | A4G0605M06U04GMN KCU10 | A194 |
| 4034793 | A4G0605M06U04GMP KCU10 | A193 |
| 4034794 | A4G0605M06U08GMN KCU10 | A194 |
| 4034795 | A4G0605M06U08GMP KCU10 | A193 |
| 4034796 | A4G0605M06U12GMN KCU10 | A194 |
| 4034797 | A4G0605M06U12GMP KCU10 | A193 |
| 4034798 | A4G0800M08P08GMP KCU10 | A193 |
| 4034799 | A4G0800M08P12GMP KCU10 | A193 |
| 4034800 | A4G0805M08U08GMN KCU10 | A194 |
| 4034801 | A4G0805M08U12GMN KCU10 | A194 |
| 4034802 | A4G094I2BP05GMN KCU10 | A194 |
| 4034803 | A4G1000M10P08GMP KCU10 | A193 |
| 4034804 | A4G1000M10P12GMP KCU10 | A193 |
| 4034805 | A4G1005M10U08GMP KCU10 | A193 |
| 4034806 | A4G125I03P05GMN KCU10 | A194 |
| 4034807 | A4G125I03P1GMN KCU10 | A194 |
| 4034808 | A4G187I04P1GMN KCU10 | A194 |
| 4034809 | A4G187I04P2GMN KCU10 | A194 |
| 4034810 | A4G250I06P1GMN KCU10 | A194 |
| 4034811 | A4G250I06P2GMN KCU10 | A194 |
| 4034812 | A4G375I10P2GMN KCU10 | A194 |
| 4034813 | A4R0200M02P00GMP KCU10 | A195 |
| 4034814 | A4R0205M02U00GMN KCU10 | A195 |
| 4034815 | A4R0300M03P00GMP KCU10 | A195 |
| 4034816 | A4R0305M03U00GMN KCU10 | A195 |
| 4034817 | A4R0400M04P00GMP KCU10 | A195 |
| 4034818 | A4R0405M04U00GMN KCU10 | A195 |
| 4034819 | A4R0500M05P00GMP KCU10 | A195 |
| 4034820 | A4R0505M05U00GMN KCU10 | A195 |
| 4034821 | A4R0600M06P00GMP KCU10 | A195 |
| 4034822 | A4R0605M06U00GMN KCU10 | A195 |
| 4034823 | A4R0800M08P00GMP KCU10 | A195 |
| 4034824 | A4R0805M08U00GMN KCU10 | A195 |
| 4034825 | A4R1005M10U00GMN KCU10 | A195 |
| 4034826 | A4R125I03P00GMN KCU10 | A195 |
| 4034827 | A4R187I04P00GMN KCU10 | A195 |
| 4034828 | A4R250I06P00GMN KCU10 | A195 |
| 4034829 | A4R312I08P00GMN KCU10 | A195 |
| 4034878 | WOEJ090512SRHD KC522M | D20 |
| 4034880 | WOEJ090512SRHD KC725M | D20 |
| 4034881 | WOEJ090512SRHD KCPK30 | D20 |
| 4034882 | WOEJ090512SRGD KC522M | D20 |
| 4034925 | WOEJ090512SRGD KC725M | D20 |
| 4034927 | WOEJ090512SRGD KCPK30 | D20 |
| 4040758 | RPET1204M0ELEJ KC422M | D65 |
| 4040759 | RPET1605M0ELEJ KC422M | D70 |
| 4040760 | RPPT1204M0SGP KCPM20 | D65 |
| 4042581 | 40E03R045M16RP16 | D68, D72 |
| 4042582 | 40E02R040A32RP16L200 | D68, D72 |
| 4042693 | 52A04RS90RP16 | D69, D72 |
| 4042694 | 63A04RS90RP16 | D69, D72 |
| 4042695 | 63A06RS90RP16 | D69, D72 |
| 4042696 | 80A05RS90RP16 | D69, D72 |
| 4042697 | 80A07RS90RP16 | D69, D72 |
| 4042698 | 100B06RS90RP16 | D69, D72 |
| 4042699 | 100B08RS90RP16 | D69, D72 |
| 4042700 | 125B09RS90RP16 | D69, D72 |
| 4043046 | 32E03R045M16RP12 | D62, D67 |
| 4043047 | 40E04R045M16RP12 | D62, D67 |
| 4043048 | 32A03R040B32RP12 | D62, D67 |
| 4043049 | 32A03R040A32RP12L190 | D63, D67 |
| 4043050 | 40A04RS90RP12 | D64, D67 |
| 4043051 | 50A04RS90RP12 | D64, D67 |
| 4043052 | 50A05RS90RP12 | D64, D67 |
| 4043063 | 63A05RS90RP12 | D64, D67 |
| 4043064 | 80A06RS90RP12 | D64, D67 |
| 4043065 | 100B07RS90RP12 | D64, D67 |
| 4044819 | TCGT110202HP KCU10 | A105 |
| 4044820 | TCGT110201LF KCU10 | A105 |
| 4044821 | TCGT110204HP KCU10 | A105 |
| 4044822 | TCGT110204LF KCU10 | A105 |
| 4045101 | VNGG160402LF KCU10 | A73 |
| 4045102 | VNGG160404LF KCU10 | A73 |
| 4045134 | CCGT060202HP KCU10 | A87 |
| 4045135 | CCGT060202LF KCU10 | A87 |
| 4045136 | CCGT060201LF KCU10 | A87 |
| 4045137 | CCGT060204HP KCU10 | A87 |
| 4045138 | CCGT060204LF KCU10 | A87 |
| 4045139 | CCGT060208HP KCU10 | A87 |
| 4045140 | CCGT060208LF KCU10 | A87 |
| 4045141 | CCGT09T302HP KCU10 | A87 |
| 4045142 | CCGT09T302LF KCU10 | A87 |
| 4045143 | VNGG160408LF KCU10 | A73 |
| 4045144 | VNGG220408LF KCU10 | A73 |
| 4045145 | VNGP160401 KCU10 | A73 |
| 4045146 | VNGP160402 KCU10 | A73 |
| 4045147 | VNGP220404 KCU10 | A73 |
| 4045148 | VNGP220408 KCU10 | A73 |
| 4045149 | VNMG160404FF KCU10 | A74 |
| 4045150 | VNMG160404MP KCU10 | A75 |
| 4045151 | VNMG160404P KCU10 | A76 |
| 4045152 | VNMG160404UP KCU10 | A77 |
| 4045163 | VNMG160408FF KCU10 | A74 |
| 4045164 | VNMG160408MP KCU10 | A75 |
| 4045166 | VNMG160408P KCU10 | A76 |
| 4045167 | VNMG160408RP KCU10 | A76 |
| 4045168 | VNMG160408UP KCU10 | A77 |
| 4045169 | VNMG160412MP KCU10 | A75 |
| 4045170 | WNGG080402LF KCU10 | A78 |
| 4045171 | WNGG080401LF KCU10 | A78 |
| 4045172 | WNGG080404LF KCU10 | A78 |
| 4045173 | WNGG080408LF KCU10 | A78 |
| 4045174 | WNMG060404FW KCU10 | A79 |
| 4045175 | WNMG060404MP KCU10 | A80 |
| 4045176 | WNMG060408FW KCU10 | A79 |
| 4045177 | WNMG060408MP KCU10 | A80 |
| 4045178 | WNMG060408RP KCU10 | A82 |
| 4045179 | WNMG080404FW KCU10 | A79 |
| 4045180 | WNMG080404P KCU10 | A81 |
| 4045181 | WNMG080408FW KCU10 | A79 |
| 4045182 | WNMG080408MP KCU10 | A80 |
| 4045184 | WNMG080408P KC5010 | A81 |
| 4045185 | WNMG080408RP KCU10 | A82 |
| 4045186 | WNMG080408UP KCU10 | A82 |
| 4045187 | WNMG080412MP KCU10 | A80 |
| 4045188 | WNMG080412RP KCU10 | A82 |
| 4045189 | WNMG080412UP KCU10 | A82 |
| 4045193 | CCGT09T301LF KCU10 | A87 |
| 4045194 | CCGT09T304HP KCU10 | A87 |
| 4045195 | CCGT09T304LF KCU10 | A87 |
| 4045196 | CCGT09T308HP KCU10 | A87 |
| 4045197 | CCGT09T308LF KCU10 | A87 |
| 4045198 | CCGT120402HP KCU10 | A87 |
| 4045199 | CCGT120404HP KCU10 | A87 |
| 4045200 | CCGT120408HP KCU10 | A87 |
| 4045201 | CCMT060202FW KCU10 | A88 |
| 4045202 | CCMT060204FW KCU10 | A88 |
| 4045203 | CCMT060208FW KCU10 | A88 |
| 4045204 | CCMT09T304FW KCU10 | A88 |
| 4045205 | CCMT09T304MW KCU10 | A89 |
| 4045206 | CCMT09T308FW KCU10 | A88 |
| 4045207 | CCMT09T308MW KCU10 | A89 |
| 4045208 | CCMT120404MW KCU10 | A89 |
| 4045209 | CCMT120408MW KCU10 | A89 |
| 4045210 | CPGH09T301 KCU10 | A91 |
| 4045211 | CPGH09T302 KCU10 | A91 |
| 4045212 | CPGH09T304 KCU10 | A91 |
| 4045213 | CPGH09T308 KCU10 | A91 |
| 4045214 | CPGT060202HP KCU10 | A92 |
| 4045215 | CPGT060202LF KCU10 | A92 |
| 4045216 | CPGT060201LF KCU10 | A92 |
| 4045217 | CPGT060204HP KCU10 | A92 |
| 4045218 | CPGT060204LF KCU10 | A92 |
| 4045219 | CPGT060208HP KCU10 | A92 |
| 4045220 | CPGT060208LF KCU10 | A92 |
| 4045221 | CPGT09T302HP KCU10 | A92 |
| 4045222 | CPGT09T302LF KCU10 | A92 |
| 4045223 | CPGT09T304HP KCU10 | A92 |
| 4045224 | CPGT09T304LF KCU10 | A92 |
| 4045225 | CPGT09T308HP KCU10 | A92 |
| 4045226 | CPGT09T308LF KCU10 | A92 |
| 4045227 | CPMT060202FW KCU10 | A93 |
| 4045228 | CPMT060204FW KCU10 | A93 |
| 4045229 | CPMT060208FW KCU10 | A93 |
| 4045230 | CPMT09T304FW KCU10 | A93 |
| 4045231 | CPMT09T304MW KCU10 | A94 |
| 4045232 | CPMT09T308FW KCU10 | A93 |
| 4045233 | CPMT09T308MW KCU10 | A94 |
| 4045237 | DCGT070202HP KCU10 | A94 |
| 4045238 | DCGT070201LF KCU10 | A95 |
| 4045239 | DCGT070204HP KCU10 | A94 |
| 4045240 | DCGT070208HP KCU10 | A94 |
| 4045241 | DCGT11T302HP KCU10 | A94 |
| 4045242 | DCGT11T301LF KCU10 | A95 |
| 4045245 | DCGR150404 KCU10 | A214 |
| 4045246 | DCGR150408 KCU10 | A214 |
| 4045247 | DCGR150412 KCU10 | A214 |
| 4045248 | KCGR110304L08 KCU10 | A215 |
| 4045249 | KCGR110304R08 KCU10 | A215 |
| 4045250 | KCGR110308L08 KCU10 | A215 |
| 4045251 | KCGR110308R08 KCU10 | A215 |
| 4045252 | KNGX150401L15 KCU10 | A216 |
| 4045263 | DCGT11T304HP KCU10 | A94 |
| 4045264 | DCGT11T308HP KCU10 | A94 |
| 4045265 | DCGT150408LF KCU10 | A95 |
| 4045266 | DCMT11T304FW KCU10 | A95 |
| 4045267 | DCMT11T304MW KCU10 | A96 |
| 4045268 | DCMT11T308FW KCU10 | A95 |
| 4045269 | DCMT11T308LF KCU10 | A96 |
| 4045270 | DCMT11T308MW KCU10 | A96 |
| 4045271 | DPGT070202HP KCU10 | A97 |
| 4045272 | DPGT070202LF KCU10 | A97 |
| 4045273 | DPGT070201LF KCU10 | A97 |
| 4045274 | DPGT070204HP KCU10 | A97 |
| 4045275 | DPGT070204LF KCU10 | A97 |
| 4045276 | DPGT070208HP KCU10 | A97 |
| 4045277 | DPGT11T302LF KCU10 | A97 |
| 4045278 | DPGT11T301LF KCU10 | A97 |
| 4045279 | DPGT11T304HP KCU10 | A97 |
| 4045280 | DPGT11T304LF KCU10 | A97 |
| 4045281 | DPGT11T308HP KCU10 | A97 |
| 4045282 | DPGT11T308LF KCU10 | A97 |
| 4045283 | DPMT070208FW KCU10 | A98 |
| 4045294 | SPGT09T304LF KCU10 | A104 |
| 4045295 | SPGT09T308LF KCU10 | A104 |
| 4045313 | TCGT110208HP KCU10 | A105 |
| 4045314 | TCGT16T302HP KCU10 | A105 |
| 4045315 | TCGT16T302LF KCU10 | A105 |
| 4045316 | TCGT16T304HP KCU10 | A105 |
| 4045317 | TCGT16T304LF KCU10 | A105 |
| 4045318 | TCGT16T308HP KCU10 | A105 |
| 4045319 | TCGT16T308LF KCU10 | A105 |
| 4045320 | TPGH16T304 KCU10 | A109 |
| 4045321 | TPGT090202LF KCU10 | A110 |
| 4045322 | TPGT090204LF KCU10 | A110 |
| 4045323 | TPGT110202HP KCU10 | A109 |
| 4045324 | TPGT110202LF KCU10 | A110 |
| 4045325 | TPGT110201LF KCU10 | A110 |
| 4045326 | TPGT110204HP KCU10 | A109 |
| 4045327 | TPGT110204LF KCU10 | A110 |
| 4045328 | TPGT110208HP KCU10 | A109 |
| 4045329 | TPGT110208LF KCU10 | A110 |
| 4045330 | TPGT16T302HP KCU10 | A109 |
| 4045331 | TPGT16T304HP KCU10 | A109 |
| 4045332 | TPGT16T304LF KCU10 | A110 |
| 4045333 | TPGT16T308HP KCU10 | A109 |
| 4045334 | TPGT16T308LF KCU10 | A110 |
| 4045335 | VBGT110302HP KCU10 | A112 |
| 4045336 | VBGT110302LF KCU10 | A112 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 4045337 | VBGT110301LF KCU10 | A112 |
| 4045338 | VBGT110304HP KCU10 | A112 |
| 4045339 | VBGT110304LF KCU10 | A112 |
| 4045340 | VBGT160402LF KCU10 | A112 |
| 4045341 | VBGT160401LF KCU10 | A112 |
| 4045342 | VBGT160404HP KCU10 | A112 |
| 4045343 | VBGT160404LF KCU10 | A112 |
| 4045344 | VBGT160408HP KCU10 | A112 |
| 4045345 | WPGTS30102UF KCU10 | A114 |
| 4045346 | WPGTS30101UF KCU10 | A114 |
| 4045347 | WPGT040202UF KCU10 | A114 |
| 4045403 | KNGX150404L20 KCU10 | A216 |
| 4045404 | KNGX150408L20 KCU10 | A216 |
| 4045405 | KNGX220404L25 KCU10 | A216 |
| 4045406 | KNGX220408L20 KCU10 | A216 |
| 4045407 | KNGX220408L25 KCU10 | A216 |
| 4045408 | KCGX110301L15 KCU10 | A217 |
| 4045409 | KCGX110302L15 KCU10 | A217 |
| 4045410 | KCGX110304L15 KCU10 | A217 |
| 4045411 | KCGX110308L15 KCU10 | A217 |
| 4045412 | KNGX150401R15 KCU10 | A216 |
| 4045413 | KNGX150402R15 KCU10 | A216 |
| 4045414 | KNGX150404R20 KCU10 | A216 |
| 4045415 | KNGX150408R20 KCU10 | A216 |
| 4045416 | KNGX220408R32 KCU10 | A216 |
| 4045417 | KCGX110301R15 KCU10 | A217 |
| 4045418 | KCGX110302R15 KCU10 | A217 |
| 4045419 | KCGX110304R15 KCU10 | A217 |
| 4045420 | KCGX110308R15 KCU10 | A217 |
| 4045421 | VBMR110302 KCU10 | A218 |
| 4045422 | VBMR110304 KCU10 | A218 |
| 4045423 | VBMR110308 KCU10 | A218 |
| 4045424 | VCMR160404 KCU10 | A219 |
| 4045425 | VCMR160408 KCU10 | A219 |
| 4045426 | VCGR160402 KCU10 | A220 |
| 4045427 | VCGR160404 KCU10 | A220 |
| 4045428 | VCGR160408 KCU10 | A220 |
| 4045429 | VCGR160412 KCU10 | A220 |
| 4045430 | VCGR160416 KCU10 | A220 |
| 4046029 | F4BS0600AWM38R050 KCPM15 | C17 |
| 4046030 | F4BS0600AWM38R100 KCPM15 | C17 |
| 4046031 | F4BS0800AWM38R050 KCPM15 | C17 |
| 4046032 | F4BS0800AWM38R100 KCPM15 | C17 |
| 4046234 | F4AS0600AWM38R050 KCPM15 | C15 |
| 4046235 | F4AS0600AWM38R100 KCPM15 | C15 |
| 4046236 | F4AS0600BWM38R050 KCPM15 | C15 |
| 4046237 | F4AS0600BWM38R100 KCPM15 | C15 |
| 4046238 | F4AS0800AWM38R050 KCPM15 | C15 |
| 4046239 | F4AS0800AWM38R100 KCPM15 | C15 |
| 4046240 | F4AS0800BWM38R050 KCPM15 | C15 |
| 4046241 | F4AS0800BWM38R100 KCPM15 | C15 |
| 4046242 | F4AS1000AWL38R050 KCPM15 | C15 |
| 4046263 | F4AS0400ADL38 KCPM15 | C14 |
| 4046264 | F4AS0400BDL38 KCPM15 | C14 |
| 4046265 | F4AS0500ADL38 KCPM15 | C14 |
| 4046266 | F4AS0500BDL38 KCPM15 | C14 |
| 4046267 | F4AS0600ADL38 KCPM15 | C14 |
| 4046268 | F4AS0600BDL38 KCPM15 | C14 |
| 4046269 | F4AS0800ADL38 KCPM15 | C14 |
| 4046270 | F4AS0800BDL38 KCPM15 | C14 |
| 4046271 | F4AS1000ADL38 KCPM15 | C14 |
| 4046272 | F4AS1000BDL38 KCPM15 | C14 |
| 4046273 | F4AS1200ADL38 KCPM15 | C14 |
| 4046274 | F4AS1200BDL38 KCPM15 | C14 |
| 4046275 | F4AS1400BDL38 KCPM15 | C14 |
| 4046276 | F4AS1600ADL38 KCPM15 | C14 |
| 4046277 | F4AS1600BDL38 KCPM15 | C14 |
| 4046278 | F4AS1800ADL38 KCPM15 | C14 |
| 4046279 | F4AS1800BDL38 KCPM15 | C14 |
| 4046280 | F4AS2000ADL38 KCPM15 | C14 |
| 4046281 | F4AS2000BDL38 KCPM15 | C14 |
| 4046282 | F4AS2500ADL38 KCPM15 | C14 |
| 4046283 | F4AS2500BDL38 KCPM15 | C14 |
| 4046284 | UCDE0400A5ARA KCPM15 | C26 |
| 4046285 | UCDE0400A5ASA KCPM15 | C26 |
| 4046286 | UCDE0400B5ARA KCPM15 | C26 |
| 4046288 | UCDE0500A5ARA KCPM15 | C26 |
| 4046289 | UCDE0500A5ASA KCPM15 | C26 |
| 4046290 | UCDE0500B5ARA KCPM15 | C26 |
| 4046291 | UCDE0600A5ARA KCPM15 | C26 |
| 4046292 | UCDE0600A5ASA KCPM15 | C26 |
| 4046303 | F4BS1000AWL38R050 KCPM15 | C17 |
| 4046304 | F4BS1000AWL38R100 KCPM15 | C17 |
| 4046305 | F4BS1000AWL38R200 KCPM15 | C17 |
| 4046306 | F4BS1000AWL38R300 KCPM15 | C17 |
| 4046307 | F4BS1000AWL38R400 KCPM15 | C17 |
| 4046308 | F4BS1200AWL38R050 KCPM15 | C17 |
| 4046309 | F4BS1200AWL38R100 KCPM15 | C17 |
| 4046310 | F4BS1200AWL38R200 KCPM15 | C17 |
| 4046311 | F4BS1200AWL38R300 KCPM15 | C17 |
| 4046312 | F4BS1200AWL38R400 KCPM15 | C17 |
| 4046313 | F4BS1600AWX38R050 KCPM15 | C17 |
| 4046314 | F4BS1600AWX38R100 KCPM15 | C17 |
| 4046315 | F4BS1600AWX38R200 KCPM15 | C17 |
| 4046316 | F4BS1600AWX38R300 KCPM15 | C17 |
| 4046317 | F4BS1600AWX38R400 KCPM15 | C17 |
| 4046318 | F4BS2000AWX38R050 KCPM15 | C17 |
| 4046319 | F4BS2000AWX38R100 KCPM15 | C17 |
| 4046320 | F4BS2000AWX38R200 KCPM15 | C17 |
| 4046321 | F4BS2000AWX38R300 KCPM15 | C17 |
| 4046322 | F4BS2000AWX38R400 KCPM15 | C17 |
| 4046323 | F4BS2500AWX38R050 KCPM15 | C17 |
| 4046324 | F4BS2500AWX38R100 KCPM15 | C17 |
| 4046325 | F4BS2500AWX38R200 KCPM15 | C17 |
| 4046326 | F4BS2500AWX38R300 KCPM15 | C17 |
| 4046327 | F4BS2500AWX38R400 KCPM15 | C17 |
| 4046328 | F4BS0600BWM38R050 KCPM15 | C17 |
| 4046329 | F4BS0600BWM38R100 KCPM15 | C17 |
| 4046330 | F4BS0800BWM38R050 KCPM15 | C17 |
| 4046331 | F4BS0800BWM38R100 KCPM15 | C17 |
| 4046332 | F4BS1000BWL38R050 KCPM15 | C17 |
| 4046333 | F4BS1000BWL38R100 KCPM15 | C17 |
| 4046334 | F4BS1000BWL38R200 KCPM15 | C17 |
| 4046335 | F4BS1000BWL38R300 KCPM15 | C17 |
| 4046336 | F4BS1000BWL38R400 KCPM15 | C17 |
| 4046337 | F4BS1200BWL38R050 KCPM15 | C17 |
| 4046338 | F4BS1200BWL38R100 KCPM15 | C17 |
| 4046339 | F4BS1200BWL38R200 KCPM15 | C17 |
| 4046340 | F4BS1200BWL38R300 KCPM15 | C17 |
| 4046341 | F4BS1200BWL38R400 KCPM15 | C17 |
| 4046342 | F4BS1600BWX38R050 KCPM15 | C17 |
| 4046343 | F4BS1600BWX38R100 KCPM15 | C17 |
| 4046344 | F4BS1600BWX38R200 KCPM15 | C17 |
| 4046345 | F4BS1600BWX38R300 KCPM15 | C17 |
| 4046346 | F4BS1600BWX38R400 KCPM15 | C17 |
| 4046347 | F4BS2000BWX38R050 KCPM15 | C17 |
| 4046348 | F4BS2000BWX38R100 KCPM15 | C17 |
| 4046349 | F4BS2000BWX38R200 KCPM15 | C17 |
| 4046350 | F4BS2000BWX38R300 KCPM15 | C17 |
| 4046351 | F4BS2000BWX38R400 KCPM15 | C17 |
| 4046352 | F4BS2500BWX38R050 KCPM15 | C17 |
| 4046353 | F4BS2500BWX38R100 KCPM15 | C17 |
| 4046354 | F4BS2500BWX38R200 KCPM15 | C17 |
| 4046355 | F4BS2500BWX38R300 KCPM15 | C17 |
| 4046356 | F4BS2500BWX38R400 KCPM15 | C17 |
| 4046363 | F4AS1000AWL38R100 KCPM15 | C15 |
| 4046364 | F4AS1000AWL38R200 KCPM15 | C15 |
| 4046365 | F4AS1000AWL38R300 KCPM15 | C15 |
| 4046366 | F4AS1000AWL38R400 KCPM15 | C15 |
| 4046367 | F4AS1000BWL38R050 KCPM15 | C15 |
| 4046368 | F4AS1000BWL38R100 KCPM15 | C15 |
| 4046369 | F4AS1000BWL38R200 KCPM15 | C15 |
| 4046370 | F4AS1000BWL38R300 KCPM15 | C15 |
| 4046371 | F4AS1000BWL38R400 KCPM15 | C15 |
| 4046372 | F4AS1200AWL38R050 KCPM15 | C15 |
| 4046373 | UCDE0600B5ARA KCPM15 | C26 |
| 4046374 | UCDE0700A5ARA KCPM15 | C26 |
| 4046375 | UCDE0700A5ASA KCPM15 | C26 |
| 4046376 | UCDE0700B5ARA KCPM15 | C26 |
| 4046377 | UCDE0800A5ARA KCPM15 | C26 |
| 4046378 | UCDE0800A5ASA KCPM15 | C26 |
| 4046379 | UCDE0800B5ARA KCPM15 | C26 |
| 4046380 | UCDE0900A5ARA KCPM15 | C26 |
| 4046381 | UCDE0900A5ASA KCPM15 | C26 |
| 4046382 | UCDE0900B5ARA KCPM15 | C26 |
| 4046383 | UCDE1000A5ARA KCPM15 | C26 |
| 4046384 | UCDE1000A5ASA KCPM15 | C26 |
| 4046385 | UCDE1000B5ARA KCPM15 | C26 |
| 4046386 | UCDE1200A5ARA KCPM15 | C26 |
| 4046387 | UCDE1200A5ASA KCPM15 | C26 |
| 4046388 | UCDE1200B5ARA KCPM15 | C26 |
| 4046389 | UCDE1400A5ARA KCPM15 | C26 |
| 4046390 | UCDE1400A5ASA KCPM15 | C26 |
| 4046391 | UCDE1400B5ARA KCPM15 | C26 |
| 4046392 | UCDE1600A5ARA KCPM15 | C26 |
| 4046393 | UCDE1600A5ASA KCPM15 | C26 |
| 4046394 | UCDE1600B5ARA KCPM15 | C26 |
| 4046395 | UCDE1800A5ARA KCPM15 | C26 |
| 4046396 | UCDE1800A5ASA KCPM15 | C26 |
| 4046397 | UCDE1800B5ARA KCPM15 | C26 |
| 4046398 | UCDE2000A5ARA KCPM15 | C26 |
| 4046399 | UCDE2000A5ASA KCPM15 | C26 |
| 4046400 | UCDE2000B5ARA KCPM15 | C26 |
| 4046401 | UCDE2500A5ARA KCPM15 | C26 |
| 4046402 | UCDE2500A5ASA KCPM15 | C26 |
| 4046403 | UCDE2500B5ARA KCPM15 | C26 |
| 4046413 | F4AS1200AWL38R100 KCPM15 | C15 |
| 4046414 | F4AS1200AWL38R200 KCPM15 | C15 |
| 4046415 | F4AS1200AWL38R300 KCPM15 | C15 |
| 4046416 | F4AS1200AWL38R400 KCPM15 | C15 |
| 4046417 | F4AS1200BWL38R050 KCPM15 | C15 |
| 4046418 | F4AS1200BWL38R100 KCPM15 | C15 |
| 4046419 | F4AS1200BWL38R200 KCPM15 | C15 |
| 4046420 | F4AS1200BWL38R300 KCPM15 | C15 |
| 4046421 | F4AS1200BWL38R400 KCPM15 | C15 |
| 4046422 | F4AS1600AWX38R050 KCPM15 | C15 |
| 4046423 | F4AS1600AWX38R100 KCPM15 | C15 |
| 4046424 | F4AS1600AWX38R200 KCPM15 | C15 |
| 4046425 | F4AS1600AWX38R300 KCPM15 | C15 |
| 4046426 | F4AS1600AWX38R400 KCPM15 | C15 |
| 4046427 | F4AS1600BWX38R050 KCPM15 | C15 |
| 4046428 | F4AS1600BWX38R100 KCPM15 | C15 |
| 4046429 | F4AS1600BWX38R200 KCPM15 | C15 |
| 4046430 | F4AS1600BWX38R300 KCPM15 | C15 |
| 4046431 | F4AS1600BWX38R400 KCPM15 | C15 |
| 4046432 | F4AS2000AWX38R050 KCPM15 | C15 |
| 4046433 | F4AS2000AWX38R100 KCPM15 | C16 |
| 4046434 | F4AS2000AWX38R200 KCPM15 | C16 |
| 4046435 | F4AS2000AWX38R300 KCPM15 | C16 |
| 4046436 | F4AS2000AWX38R400 KCPM15 | C16 |
| 4046437 | F4AS2000BWX38R050 KCPM15 | C15 |
| 4046438 | F4AS2000BWX38R100 KCPM15 | C16 |
| 4046439 | F4AS2000BWX38R200 KCPM15 | C16 |
| 4046440 | F4AS2000BWX38R300 KCPM15 | C16 |
| 4046441 | F4AS2000BWX38R400 KCPM15 | C16 |
| 4046442 | F4AS2500AWX38R050 KCPM15 | C16 |
| 4046443 | F4AS2500AWX38R100 KCPM15 | C16 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 4046444 | F4AS2500AWX38R200 KCPM15 | C16 |
| 4046445 | F4AS2500AWX38R300 KCPM15 | C16 |
| 4046446 | F4AS2500AWX38R400 KCPM15 | C16 |
| 4046447 | F4AS2500BWX38R050 KCPM15 | C16 |
| 4046448 | F4AS2500BWX38R100 KCPM15 | C16 |
| 4046449 | F4AS2500BWX38R200 KCPM15 | C16 |
| 4046450 | F4AS2500BWX38R300 KCPM15 | C16 |
| 4046451 | F4AS2500BWX38R400 KCPM15 | C16 |
| 4046458 | F3BH0400BDL30 KCPM15 | C57 |
| 4046459 | F3BH0500BDL30 KCPM15 | C57 |
| 4046460 | F3BH0600BDL30 KCPM15 | C57 |
| 4046461 | F3BH0800BDL30 KCPM15 | C57 |
| 4046462 | F3BH1000BDL30 KCPM15 | C57 |
| 4046463 | F3BH1200BDL30 KCPM15 | C57 |
| 4046464 | F3BH1600BDL30 KCPM15 | C57 |
| 4046465 | F3BH2000BDL30 KCPM15 | C57 |
| 4046466 | F3BH2500BDL30 KCPM15 | C57 |
| 4046467 | F3BH0800BWM20C160 KCPM15 | C55 |
| 4046468 | F3BH0800BWS20C110 KCPM15 | C55 |
| 4046469 | F4BJ1000BWM20C130 KCPM15 | C55 |
| 4046470 | F4BJ1000BWM20C220 KCPM15 | C55 |
| 4046471 | F4BJ1200BWL20C260 KCPM15 | C55 |
| 4046472 | F4BJ1200BWM20C160 KCPM15 | C55 |
| 4046478 | F3BS0600BDK35 KCPM15 | C60 |
| 4046479 | F3BS0600BDL35 KCPM15 | C60 |
| 4046480 | F3BS0800BDK35 KCPM15 | C60 |
| 4046481 | F3BS0800BDL35 KCPM15 | C60 |
| 4046482 | F3BS1000BDK35 KCPM15 | C60 |
| 4046483 | F4BJ1600BWL20C190 KCPM15 | C55 |
| 4046484 | F4BJ1600BWL20C320 KCPM15 | C55 |
| 4046485 | F4BJ2000BWL20C220 KCPM15 | C55 |
| 4046486 | F4BJ2000BWX20C380 KCPM15 | C55 |
| 4046487 | F4AW0600AWL38E120 KCPM15 | C19 |
| 4046488 | F4AW0800AWL38E160 KCPM15 | C19 |
| 4046489 | F4AW1000AWX38E200 KCPM15 | C19 |
| 4046490 | F4AW1200AWX38E240 KCPM15 | C19 |
| 4046491 | F4AW1600AWX38E320 KCPM15 | C19 |
| 4046493 | F3BS1000BDL35 KCPM15 | C60 |
| 4046494 | F3BS1200BDK35 KCPM15 | C60 |
| 4046495 | F3BS1200BDL35 KCPM15 | C60 |
| 4046496 | F3BS1400BDK35 KCPM15 | C60 |
| 4046497 | F3BS1400BDL35 KCPM15 | C60 |
| 4046498 | F3BS1600BDK35 KCPM15 | C60 |
| 4046499 | F3BS1600BDL35 KCPM15 | C60 |
| 4046500 | F3BS2000BDK35 KCPM15 | C60 |
| 4046501 | F3BS2000BDL35 KCPM15 | C60 |
| 4046856 | F4BJ0600BDL30 KCPM15 | C59 |
| 4046857 | F4BJ0800BDL30 KCPM15 | C59 |
| 4046858 | F4BJ1000BDL30 KCPM15 | C59 |
| 4046859 | F4BJ1200BDL30 KCPM15 | C59 |
| 4046860 | F4BJ1400BDL30 KCPM15 | C59 |
| 4046861 | F4BJ1600BDL30 KCPM15 | C59 |
| 4046862 | F4BJ1800BDL30 KCPM15 | C59 |
| 4047063 | F4BJ2000BDL30 KCPM15 | C59 |
| 4047065 | F3BH0400BWS20L110 KCPM15 | C54 |
| 4047066 | F3BH0500BWS20L130 KCPM15 | C54 |
| 4047067 | F3BH0600BWS20L080 KCPM15 | C54 |
| 4047068 | F3BH0600BWS20L130 KCPM15 | C54 |
| 4047069 | F3BH0800BWM20L160 KCPM15 | C54 |
| 4047070 | F3BH0800BWS20L110 KCPM15 | C54 |
| 4047071 | F4BJ1000BWM20L130 KCPM15 | C54 |
| 4047072 | F4BJ1000BWM20L220 KCPM15 | C54 |
| 4047073 | F4BJ1200BWL20L260 KCPM15 | C54 |
| 4047074 | F4BJ1200BWM20L160 KCPM15 | C54 |
| 4047075 | F4BJ1400BWL20L260 KCPM15 | C54 |
| 4047076 | F4BJ1600BWL20L190 KCPM15 | C54 |
| 4047077 | F4BJ1600BWL20L320 KCPM15 | C54 |
| 4047078 | F4BJ2000BWL20L220 KCPM15 | C54 |
| 4047079 | F4BJ2000BWX20L380 KCPM15 | C54 |
| 4047080 | F5BJ2500BWX20L450 KCPM15 | C54 |
| 4047275 | F4BJ0600BDL45 KCPM15 | C58 |
| 4047276 | F4BJ0800BDL45 KCPM15 | C58 |
| 4047277 | F4BJ1000BDL45 KCPM15 | C58 |
| 4047278 | F4BJ1200BDL45 KCPM15 | C58 |
| 4047279 | F6BJ1600BDL45 KCPM15 | C58 |
| 4047280 | F6BJ2000BDL45 KCPM15 | C58 |
| 4047281 | F6BJ2500BDL45 KCPM15 | C58 |
| 4047811 | KSEMP2858FDS28A1M | B4, B8 |
| 4047812 | KSEMP2900FDS28A1M | B4, B8 |
| 4047823 | KSEMP2937FDS28A1M | B4, B8 |
| 4047824 | KSEMP3000FDS28A1M | B4, B8 |
| 4047825 | KSEMP3017FDS28A1M | B4, B8 |
| 4047826 | KSEMP3096FDS28A1M | B4, B8 |
| 4047827 | KSEMP3100FDS28A1M | B4, B8 |
| 4047845 | D2FIX110404RHP KCU25 | A247 |
| 4047849 | D2FIX150504RHP KCU25 | A247 |
| 4047850 | D2FIX150508RHP KCU25 | A247 |
| 4047851 | D2FIX110404LHP KCU25 | A247 |
| 4047852 | D2FIX150504LHP KCU25 | A247 |
| 4047853 | D2FIX150508LHP KCU25 | A247 |
| 4047854 | D2FIX110404RMN KCU25 | A246 |
| 4047855 | D2FIX150504RMN KCU25 | A246 |
| 4047856 | D2FIX150508RMN KCU25 | A246 |
| 4047857 | D2FIX110404LMN KCU25 | A246 |
| 4047858 | D2FIX150504LMN KCU25 | A246 |
| 4047859 | D2FIX150508LMN KCU25 | A246 |
| 4047860 | C2FIX110404RMN KCU25 | A245 |
| 4047861 | C2FIX110408RMN KCU25 | A245 |
| 4047862 | C2FIX150504RMN KCU25 | A245 |
| 4047863 | C2FIX150508RMN KCU25 | A245 |
| 4047864 | C2FIX150512RMN KCU25 | A245 |
| 4047865 | C2FIX110404LMN KCU25 | A245 |
| 4047866 | C2FIX110408LMN KCU25 | A245 |
| 4047867 | C2FIX150504LMN KCU25 | A245 |
| 4047868 | C2FIX150508LMN KCU25 | A245 |
| 4047869 | C2FIX150512LMN KCU25 | A245 |
| 4047870 | D4FIX140604RMN KCU25 | A249 |
| 4047871 | D4FIX140608RMN KCU25 | A249 |
| 4047872 | D4FIX140604LMN KCU25 | A249 |
| 4047873 | D4FIX140608LMN KCU25 | A249 |
| 4047877 | C8FIX150612RRN KCU25 | A250 |
| 4047878 | C8FIX120504LRP KCU25 | A250 |
| 4047881 | C8FIX150612LRN KCU25 | A250 |
| 4050057 | CNMG120408RP KCU25 | A44 |
| 4050058 | RCGT0803M0HP KCU25 | A99 |
| 4050060 | CNGP120408 KCU10 | A38 |
| 4050061 | CNMG120408FP KCU10 | A41 |
| 4050062 | CNMG120412FP KCU10 | A41 |
| 4050372 | CCGT060202HP KCU25 | A87 |
| 4050395 | CNGG120402FS KCU25 | A38 |
| 4050397 | CNGG120404FS KCU25 | A38 |
| 4050398 | CNGG120408FS KCU25 | A38 |
| 4050399 | CNMG120402MS KCU25 | A43 |
| 4050400 | CNMG120401MS KCU25 | A43 |
| 4050402 | CNMG120404MS KCU25 | A43 |
| 4050403 | CCGT060204HP KCU25 | A87 |
| 4050404 | CCGT060208HP KCU25 | A87 |
| 4050405 | CCGT09T302HP KCU25 | A87 |
| 4050406 | CCGT09T304HP KCU25 | A87 |
| 4050407 | CCGT09T308HP KCU25 | A87 |
| 4050408 | CCGT120402HP KCU25 | A87 |
| 4050409 | CCGT120404HP KCU25 | A87 |
| 4050410 | CCGT120408HP KCU25 | A87 |
| 4050411 | CPGH09T301 KCU25 | A91 |
| 4050412 | CPGH09T302 KCU25 | A91 |
| 4050413 | CPGH09T304 KCU25 | A91 |
| 4050414 | CPGH09T308 KCU25 | A91 |
| 4050415 | CPGT060202HP KCU25 | A92 |
| 4050416 | CPGT060204HP KCU25 | A92 |
| 4050417 | CPGT060208HP KCU25 | A92 |
| 4050418 | CPGT09T302HP KCU25 | A92 |
| 4050419 | CPGT09T304HP KCU25 | A92 |
| 4050420 | CPGT09T308HP KCU25 | A92 |
| 4050421 | DCGT070202HP KCU25 | A94 |
| 4050422 | DCGT070204HP KCU25 | A94 |
| 4050423 | DCGT070208HP KCU25 | A94 |
| 4050424 | DCGT11T302HP KCU25 | A94 |
| 4050425 | DCGT11T304HP KCU25 | A94 |
| 4050426 | DCGT11T308HP KCU25 | A94 |
| 4050427 | DPGT070202HP KCU25 | A97 |
| 4050428 | DPGT070204HP KCU25 | A97 |
| 4050429 | DPGT070208HP KCU25 | A97 |
| 4050430 | DPGT11T304HP KCU25 | A97 |
| 4050431 | DPGT11T308HP KCU25 | A97 |
| 4050432 | RCGT10T3M0HP KCU25 | A99 |
| 4050433 | RCGT1204M0HP KCU25 | A99 |
| 4050434 | TCGT110202HP KCU25 | A105 |
| 4050435 | TCGT110204HP KCU25 | A105 |
| 4050436 | TCGT110208HP KCU25 | A105 |
| 4050437 | TCGT16T302HP KCU25 | A105 |
| 4050438 | TCGT16T304HP KCU25 | A105 |
| 4050439 | TCGT16T308HP KCU25 | A105 |
| 4050440 | TPGT110202HP KCU25 | A109 |
| 4050441 | TPGT110204HP KCU25 | A109 |
| 4050442 | TPGT110208HP KCU25 | A109 |
| 4050443 | TPGT16T302HP KCU25 | A109 |
| 4050444 | TPGT16T304HP KCU25 | A109 |
| 4050445 | TPGT16T308HP KCU25 | A109 |
| 4050446 | VBGT110302HP KCU25 | A112 |
| 4050447 | VBGT110304HP KCU25 | A112 |
| 4050448 | VBGT160404HP KCU25 | A112 |
| 4050449 | VBGT160408HP KCU25 | A112 |
| 4050451 | CNMG120408MP KCU25 | A42 |
| 4050452 | CNMG120412MP KCU25 | A42 |
| 4050453 | CNMG120404RP KCU25 | A44 |
| 4050454 | CNMG120408MS KCU25 | A43 |
| 4050455 | CNMG120412MS KCU25 | A43 |
| 4050456 | CNMG120412RP KCU25 | A44 |
| 4050458 | CNMG120416MS KCU25 | A43 |
| 4050459 | CNMG120416RP KCU25 | A44 |
| 4050460 | CNMG160608MS KCU25 | A43 |
| 4050461 | CNMG160608RP KCU25 | A44 |
| 4050462 | CNMG160612MS KCU25 | A43 |
| 4050463 | CNMG160612RP KCU25 | A44 |
| 4050465 | CNMG160616RP KCU25 | A44 |
| 4050466 | CNMG190608MS KCU25 | A43 |
| 4050468 | CNMG190612RP KCU25 | A44 |
| 4050469 | CNMG190616MS KCU25 | A43 |
| 4050470 | CNMG190616RP KCU25 | A44 |
| 4050471 | DNGG110402FS KCU25 | A48 |
| 4050472 | DNGG150402FS KCU25 | A48 |
| 4050473 | DNGG150404FS KCU25 | A48 |
| 4050475 | DNGG150408FS KCU25 | A48 |
| 4050476 | DNGG150604FS KCU25 | A48 |
| 4050477 | DNMG110408MS KCU25 | A52 |
| 4050478 | DNMG110408RP KCU25 | A54 |
| 4050479 | DNMG150402MS KCU25 | A52 |
| 4050480 | DNMG150404MS KCU25 | A52 |
| 4050481 | DNMG150408MS KCU25 | A52 |
| 4050482 | DNMG150408RP KCU25 | A54 |
| 4050484 | DNMG150412MS KCU25 | A52 |
| 4050485 | DNMG150412RP KCU25 | A54 |
| 4050486 | DNMG150604MS KCU25 | A52 |
| 4050487 | DNMG150608MS KCU25 | A52 |
| 4050488 | DNMG150608RP KCU25 | A54 |
| 4050489 | DNMG150612MS KCU25 | A52 |
| 4050490 | DNMG150612RP KCU25 | A54 |
| 4050491 | DNMG150616RP KCU25 | A54 |
| 4050513 | CNMG160612MP KCU25 | A42 |
| 4050514 | CNMG190612MP KCU25 | A42 |
| 4050515 | DNMG150608MP KCU25 | A52 |
| 4050516 | DNMG150612MP KCU25 | A52 |
| 4050517 | SNMG120412MP KCU25 | A60 |
| 4050518 | SNMG120412RP KCU25 | A62 |
| 4050519 | SNMG150612RP KCU25 | A62 |
| 4050520 | SNMG190612RP KCU25 | A62 |
| 4050521 | DCGR150404 KCU25 | A214 |
| 4050522 | DCGR150408 KCU25 | A214 |
| 4050523 | DCGR150412FP KCU25 | A214 |
| 4050524 | KCGR110304L08 KCU25 | A215 |
| 4050525 | KCGR110304R08 KCU25 | A215 |
| 4050526 | KCGR110308L08 KCU25 | A215 |
| 4050527 | KCGR110308R08 KCU25 | A215 |
| 4050528 | KNGX150404L20 KCU25 | A216 |
| 4050529 | KNGX150408L20 KCU25 | A216 |
| 4050530 | KNGX220404L25 KCU25 | A216 |
| 4050531 | KCGX110301L15 KCU25 | A217 |
| 4050532 | KCGX110302L15 KCU25 | A217 |
| 4050533 | KCGX110304L15 KCU25 | A217 |
| 4050534 | KCGX110308L15 KCU25 | A217 |
| 4050535 | KNGX150404R20 KCU25 | A216 |
| 4050536 | KNGX150408R20 KCU25 | A216 |
| 4050537 | KNGX220404R25 KCU25 | A216 |
| 4050538 | KCGX110301R15 KCU25 | A217 |
| 4050539 | KCGX110302R15 KCU25 | A217 |
| 4050540 | KCGX110304R15 KCU25 | A217 |
| 4050541 | KCGX110308R15 KCU25 | A217 |
| 4050542 | VBMR110302 KCU25 | A218 |
| 4050543 | VBMR110304 KCU25 | A218 |
| 4050544 | VCMR160404 KCU25 | A219 |
| 4050545 | VCMR160408 KCU25 | A219 |
| 4050546 | VCGR160402 KCU25 | A220 |
| 4050547 | VCGR160404 KCU25 | A220 |
| 4050548 | VCGR160408 KCU25 | A220 |
| 4050549 | VCGR160412 KCU25 | A220 |
| 4050579 | VNGG160412FS KCS10 | A73 |
| 4050607 | CDHBS4T0S0 KCU25 | A90 |
| 4050608 | CDHBS4T002 KCU25 | A90 |
| 4050609 | CDHBS4T004 KCU25 | A90 |
| 4050611 | CDHHS4T002L KCU25 | A90 |
| 4050612 | CDHHS4T002R KCU25 | A90 |
| 4050613 | CDHHS4T004L KCU25 | A90 |
| 4050614 | CDHHS4T004R KCU25 | A90 |
| 4050615 | GPCD050102 KCU25 | A99 |
| 4050616 | GPCD050104 KCU25 | A232 |
| 4050617 | TPCB160304 KCU25 | A108 |
| 4050618 | TPCB160308 KCU25 | A108 |
| 4050619 | TDHB07T12S0 KCU25 | A108 |
| 4050620 | TDHB07T1202 KCU25 | A108 |
| 4050621 | TDHB07T1204 KCU25 | A108 |
| 4050622 | TDHB07T1208 KCU25 | A108 |
| 4050623 | TDHH07T1202L KCU25 | A108 |
| 4050624 | TDHH07T1204L KCU25 | A108 |
| 4050625 | TDHH07T1204R KCU25 | A108 |
| 4050626 | TPCG110204L KCU25 | A108 |
| 4050627 | TPCH110202 KCU25 | A109 |
| 4050628 | TPGH160304 KCU25 | A109 |
| 4050629 | TPGH160308 KCU25 | A109 |
| 4050664 | CNGG120402LF KCU10 | A38 |
| 4050665 | CNGG120401LF KCU10 | A38 |
| 4050666 | CNGG120404LF KCU10 | A38 |
| 4050667 | CNGG120408LF KCU10 | A38 |
| 4050668 | CNGG120412LF KCU10 | A38 |
| 4050669 | CNGG160608LF KCU10 | A38 |
| 4050670 | CNGG160612LF KCU10 | A38 |
| 4050671 | CNGP120401 KCU10 | A38 |
| 4050672 | CNGP120402 KCU10 | A38 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 4050673 | CNGP120404 KCU10 | A38 |
| 4050674 | CNGP120412 KCU10 | A38 |
| 4050675 | CNGP120416 KCU10 | A38 |
| 4050676 | CNMG090308MP KCU10 | A42 |
| 4050677 | CNMG120404FF KCU10 | A40 |
| 4050678 | CNMG120404FW KCU10 | A41 |
| 4050679 | CNMG120404MP KCU10 | A42 |
| 4050681 | CNMG120404P KCU10 | A43 |
| 4050682 | CNMG120404RP KCU10 | A44 |
| 4050683 | CNMG120408CT KCU10 | A40 |
| 4050684 | CNMG120408FF KCU10 | A40 |
| 4050685 | CNMG120408FW KCU10 | A41 |
| 4050686 | CNMG120408MP KCU10 | A42 |
| 4050688 | CNMG120408P KCU10 | A43 |
| 4050689 | CNMG120408RP KCU10 | A44 |
| 4050690 | CNMG120408UP KCU10 | A45 |
| 4050691 | CNMG120412FW KCU10 | A41 |
| 4050692 | CNMG120412FW KCU10 | A41 |
| 4050693 | CNMG120412MP KCU10 | A42 |
| 4050694 | CNMG120412P KCU10 | A43 |
| 4050695 | CNMG120412RP KCU10 | A44 |
| 4050696 | CNMG120412UP KCU10 | A45 |
| 4050697 | CNMG120416MP KCU10 | A42 |
| 4050698 | CNMG120416P KCU10 | A43 |
| 4050699 | CNMG120416RP KCU10 | A44 |
| 4050700 | CNMG160608MP KCU10 | A42 |
| 4050701 | CNMG160608RP KCU10 | A44 |
| 4050702 | CNMG160612MP KCU10 | A42 |
| 4050704 | CNMG160612RP KCU10 | A44 |
| 4050705 | CNMG160612UP KCU10 | A45 |
| 4050706 | CNMG160616MP KCU10 | A42 |
| 4050707 | CNMG160616RP KCU10 | A44 |
| 4050708 | CNMG190608MP KCU10 | A42 |
| 4050709 | CNMG190612 KCU10 | A39 |
| 4050710 | CNMG190612MP KCU10 | A42 |
| 4050711 | CNMG190612P KCU10 | A43 |
| 4050712 | CNMG190612RP KCU10 | A44 |
| 4050713 | CNMG190616MP KCU10 | A42 |
| 4050714 | CNMG190616RP KCU10 | A44 |
| 4050743 | DNMG110408FP KCU10 | A51 |
| 4050744 | DNMG150408FF KCU10 | A50 |
| 4050745 | SNMG120412FP KCU10 | A59 |
| 4050746 | WNMG060404FP KCU10 | A79 |
| 4050747 | RCGT0803M0HP KCU10 | A99 |
| 4050748 | RCGV060400 KCU10 | A83 |
| 4050749 | RCGV090700 KCU10 | A83 |
| 4050750 | RCGV120700 KCU10 | A83 |
| 4050751 | SPGN090304 KCU10 | A84 |
| 4050752 | SPGN090308 KCU10 | A84 |
| 4050763 | SPGN090312 KCU10 | A84 |
| 4050764 | SPGN120304 KCU10 | A84 |
| 4050765 | SPGN120308 KCU10 | A84 |
| 4050766 | SPGN120312 KCU10 | A84 |
| 4050767 | SPGN120316 KCU10 | A84 |
| 4050768 | SPGN120412 KCU10 | A84 |
| 4050769 | SPGN190412 KCU10 | A84 |
| 4050770 | SPGR090308K KCU10 | A85 |
| 4050771 | TPGN110304 KCU10 | A85 |
| 4050772 | TPGN110308 KCU10 | A85 |
| 4050773 | TPGN160302 KCU10 | A85 |
| 4050774 | TPGN160304 KCU10 | A85 |
| 4050775 | TPGN160308 KCU10 | A85 |
| 4050776 | TPGN160312 KCU10 | A85 |
| 4050777 | TPGN160316 KCU10 | A85 |
| 4050778 | TPGN220404 KCU10 | A85 |
| 4050779 | TPGN220408 KCU10 | A85 |
| 4050780 | TPGN220412 KCU10 | A85 |
| 4050781 | TPGN220416 KCU10 | A85 |
| 4050782 | TPGR110304K KCU10 | A86 |
| 4050783 | TPGR110308K KCU10 | A86 |
| 4050784 | TPGR160304K KCU10 | A86 |
| 4050785 | TPGR160308K KCU10 | A86 |
| 4050786 | TPGR220404K KCU10 | A86 |
| 4050787 | TPGR220408K KCU10 | A86 |
| 4050894 | D2FIX110404RHP KCU10 | A247 |
| 4050895 | D2FIX150504RHP KCU10 | A247 |
| 4050896 | D2FIX150508RHP KCU10 | A247 |
| 4050897 | D2FIX110404LHP KCU10 | A247 |
| 4050898 | D2FIX150504LHP KCU10 | A247 |
| 4050899 | D2FIX150508LHP KCU10 | A247 |
| 4050900 | D2FIX110404RMN KCU10 | A246 |
| 4050901 | D2FIX150504RMN KCU10 | A246 |
| 4050902 | D2FIX150508RMN KCU10 | A246 |
| 4051042 | C8FIX150608RRN KCU25 | A250 |
| 4051045 | C8FIX180808LRN KCU25 | A250 |
| 4051046 | C8FIX180812LRN KCU25 | A250 |
| 4051047 | C8FIX180808RRN KCU25 | A250 |
| 4051048 | C8FIX180812RRN KCU25 | A250 |
| 4051049 | C8FIX180805LMP KCU25 | A251 |
| 4051050 | C8FIX180805RMP KCU25 | A251 |
| 4051063 | D2FIX110404LMN KCU10 | A246 |
| 4051064 | D2FIX150504LMN KCU10 | A246 |
| 4051065 | D2FIX150508LMN KCU10 | A246 |
| 4051066 | C2FIX110404RMN KCU10 | A245 |
| 4051067 | C2FIX110408RMN KCU10 | A245 |
| 4051068 | C2FIX150504RMN KCU10 | A245 |
| 4051069 | C2FIX150508RMN KCU10 | A245 |
| 4051070 | C2FIX150512RMN KCU10 | A245 |
| 4051071 | C2FIX110404LMN KCU10 | A245 |
| 4051072 | C2FIX110408LMN KCU10 | A245 |
| 4051073 | C2FIX150504LMN KCU10 | A245 |
| 4051074 | C2FIX150508LMN KCU10 | A245 |
| 4051075 | C2FIX150512LMN KCU10 | A245 |
| 4051076 | D4FIX140604RMN KCU10 | A249 |
| 4051077 | D4FIX140608RMN KCU10 | A249 |
| 4051078 | D4FIX140604LMN KCU10 | A249 |
| 4051079 | D4FIX140608LMN KCU10 | A249 |
| 4051083 | C8FIX150612RRN KCU10 | A250 |
| 4051084 | C8FIX120504LRP KCU10 | A250 |
| 4051087 | C8FIX150612LRN KCU10 | A250 |
| 4051088 | D2FIX110403LHP KCU10 | A247 |
| 4051089 | D2FIX110403RHP KCU10 | A247 |
| 4051090 | C2FIX110405LMN KCU10 | A245 |
| 4051091 | E2FIX100505LHP KCU10 | A248 |
| 4051092 | E2FIX100505RHP KCU10 | A248 |
| 4051104 | D2FIX150503LHP KCU10 | A247 |
| 4051105 | D2FIX150505LFN KCU10 | A247 |
| 4051106 | D2FIX150503LMS KCU10 | A247 |
| 4051107 | D2FIX150505LMS KCU10 | A247 |
| 4051109 | D2FIX150503RHP KCU10 | A247 |
| 4051110 | D2FIX150505RFN KCU10 | A247 |
| 4051111 | D2FIX150503RMS KCU10 | A247 |
| 4051112 | D2FIX150505RMS KCU10 | A247 |
| 4051114 | C2FIX150505LMN KCU10 | A245 |
| 4051115 | C2FIX180610LMN KCU10 | A245 |
| 4051116 | C2FIX180610RMN KCU10 | A245 |
| 4051126 | C8FIX150608RRN KCU10 | A250 |
| 4051129 | C8FIX180808LRN KCU10 | A250 |
| 4051130 | C8FIX180812LRN KCU10 | A250 |
| 4051131 | C8FIX180808RRN KCU10 | A250 |
| 4051132 | C8FIX180812RRN KCU10 | A250 |
| 4051133 | C8FIX180805LMP KCU10 | A251 |
| 4051134 | C8FIX180805RMP KCU10 | A251 |
| 4051136 | WD32FDS28190M | B4, B6, B12 |
| 4051137 | WD32FDS28283M | B4, B6, B13 |
| 4051138 | SSF150FDS280502 | B4, B6 |
| 4051139 | SSF150FDS280746 | B4, B6 |
| 4051140 | SSF150FDS281112 | B4, B6 |
| 4051141 | SSF150FDS281356 | B4, B6 |
| 4051183 | D2FIX110405LMN KCP10 | A246 |
| 4051184 | D2FIX110403LMN KCP10 | A246 |
| 4051185 | D2FIX110405RMN KCP10 | A246 |
| 4051186 | D2FIX110403RMN KCP10 | A246 |
| 4051187 | D2FIX150505LMN KCP10 | A246 |
| 4051188 | D2FIX150505LRN KCP10 | A248 |
| 4051189 | D2FIX150505RMN KCP10 | A246 |
| 4051190 | D2FIX150505RRN KCP10 | A248 |
| 4051191 | D2FIX150510RMN KCP10 | A246 |
| 4051192 | D2FIX150503RMN KCP10 | A246 |
| 4051203 | D4FIX140605RMN KCP10 | A249 |
| 4051204 | D4FIX140603RMN KCP10 | A249 |
| 4051214 | C8FIX150608RRN KCP10 | A250 |
| 4051217 | C8FIX180808LRN KCP10 | A250 |
| 4051218 | C8FIX180812LRN KCP10 | A250 |
| 4051219 | C8FIX180808RRN KCP10 | A250 |
| 4051220 | C8FIX180812RRN KCP10 | A250 |
| 4051221 | C8FIX180805LMP KCP10 | A251 |
| 4051222 | C8FIX180805RMP KCP10 | A251 |
| 4051515 | 170.352 | B18, B20 |
| 4051679 | D2FIX110404RMN KCP10 | A246 |
| 4051680 | D2FIX150504RMN KCP10 | A246 |
| 4051681 | D2FIX150508RMN KCP10 | A246 |
| 4051682 | D2FIX110404LMN KCP10 | A246 |
| 4051813 | D2FIX150504LMN KCP10 | A246 |
| 4051814 | D2FIX150508LMN KCP10 | A246 |
| 4051815 | C2FIX110404RMN KCP10 | A245 |
| 4051816 | C2FIX110408RMN KCP10 | A245 |
| 4051817 | C2FIX150504RMN KCP10 | A245 |
| 4051818 | C2FIX150508RMN KCP10 | A245 |
| 4051819 | C2FIX150512RMN KCP10 | A245 |
| 4051820 | C2FIX110404LMN KCP10 | A245 |
| 4051821 | C2FIX110408LMN KCP10 | A245 |
| 4051822 | C2FIX150504LMN KCP10 | A245 |
| 4051823 | C2FIX150508LMN KCP10 | A245 |
| 4051824 | C2FIX150512LMN KCP10 | A245 |
| 4051825 | D4FIX140604RMN KCP10 | A249 |
| 4051826 | D4FIX140608RMN KCP10 | A249 |
| 4051827 | D4FIX140604LMN KCP10 | A249 |
| 4051828 | D4FIX140608LMN KCP10 | A249 |
| 4051832 | C8FIX150612RRN KCP10 | A250 |
| 4051833 | C8FIX120504LRP KCP10 | A250 |
| 4051836 | C8FIX150612LRN KCP10 | A250 |
| 4052974 | F2AU1570BDK38 KC643M | C48 |
| 4052975 | F3AU0775BDK38 KC643M | C49 |
| 4052976 | F3AU1170BDK38 KC643M | C49 |
| 4053310 | CDG127076R KCU10 | A90 |
| 4053311 | CDG127102R KCU10 | A90 |
| 4053312 | CDHBS4T0X0 KCU10 | A90 |
| 4053323 | CDHBS4T002 KCU10 | A90 |
| 4053324 | CDHBS4T004 KCU10 | A90 |
| 4053325 | CDHHS4T002L KCU10 | A90 |
| 4053326 | CDHHS4T002R KCU10 | A90 |
| 4053327 | CDHHS4T004L KCU10 | A90 |
| 4053328 | CDHHS4T004R KCU10 | A90 |
| 4053329 | CDT127005R KCU10 | A91 |
| 4053330 | CPG190150R KCU10 | A91 |
| 4053331 | CPG190150L KCU10 | A91 |
| 4053332 | CPT190013L KCU10 | A94 |
| 4053333 | CPT190013R KCU10 | A94 |
| 4053334 | TPHB160304 KCU10 | A110 |
| 4053335 | TDHB07T12S0 KCU10 | A108 |
| 4053336 | TDHB07T1202 KCU10 | A108 |
| 4053337 | TDHB07T1204 KCU10 | A108 |
| 4053338 | TDHB07T1208 KCU10 | A108 |
| 4053339 | TDHH07T1202L KCU10 | A108 |
| 4053340 | TDHH07T1202R KCU10 | A108 |
| 4053341 | TDHH07T1204L KCU10 | A108 |
| 4053342 | TDHH07T1204R KCU10 | A108 |
| 4053343 | TPHB110202 KCU10 | A110 |
| 4053344 | TPGH160304 KCU10 | A109 |
| 4053345 | TPGH160308 KCU10 | A109 |
| 4053352 | DNGG150402LF KCU10 | A48 |
| 4053363 | DNGG150404LF KCU10 | A48 |
| 4053364 | DNGG150408LF KCU10 | A48 |
| 4053365 | DNGP150401 KCU10 | A48 |
| 4053366 | DNGP150402 KCU10 | A48 |
| 4053367 | DNGP150404 KCU10 | A48 |
| 4053368 | DNGP150408 KCU10 | A48 |
| 4053369 | DNGP150604 KCU10 | A48 |
| 4053370 | DNGP150608 KCU10 | A48 |
| 4053371 | DNMG110404FW KCU10 | A51 |
| 4053372 | DNMG110408FF KCU10 | A50 |
| 4053373 | DNMG110408MP KCU10 | A52 |
| 4053374 | DNMG110408RP KCU10 | A54 |
| 4053375 | DNMG110408UP KCU10 | A54 |
| 4053376 | DNMG150404CT KCU10 | A50 |
| 4053377 | DNMG150404FF KCU10 | A50 |
| 4053378 | DNMG150404FW KCU10 | A51 |
| 4053379 | DNMG150404MP KCU10 | A52 |
| 4053380 | DNMG150404P KCU10 | A53 |
| 4053381 | DNMG150404UP KCU10 | A54 |
| 4053382 | DNMG150408CT KCU10 | A50 |
| 4053383 | DNMG150408FW KCU10 | A51 |
| 4053384 | DNMG150408MP KCU10 | A52 |
| 4053386 | DNMG150408P KCU10 | A53 |
| 4053387 | DNMG150408RP KCU10 | A54 |
| 4053388 | DNMG150408UP KCU10 | A54 |
| 4053389 | DNMG150412CT KCU10 | A50 |
| 4053390 | DNMG150412MP KCU10 | A52 |
| 4053391 | DNMG150412RP KCU10 | A54 |
| 4053392 | DNMG150412UP KCU10 | A54 |
| 4053393 | DNMG150416RP KCU10 | A54 |
| 4053394 | DNMG150604FF KCU10 | A50 |
| 4053395 | DNMG150604FW KCU10 | A51 |
| 4053396 | DNMG150604MP KCU10 | A52 |
| 4053397 | DNMG150608CT KCU10 | A50 |
| 4053398 | DNMG150608FF KCU10 | A50 |
| 4053399 | DNMG150608FW KCU10 | A51 |
| 4053400 | DNMG150608MP KCU10 | A52 |
| 4053402 | DNMG150608P KCU10 | A53 |
| 4053403 | DNMG150608RP KCU10 | A54 |
| 4053404 | DNMG150608UP KCU10 | A54 |
| 4053405 | DNMG150612CT KCU10 | A50 |
| 4053406 | DNMG150612MP KCU10 | A52 |
| 4053407 | DNMG150612RP KCU10 | A54 |
| 4053408 | RNMG120400RN KCU10 | A56 |
| 4053409 | RNMG190600RN KCU10 | A56 |
| 4054272 | D2FIX110405LMN KCP25 | A246 |
| 4054299 | D2FIX110405LMN KCP40 | A246 |
| 4054300 | D2FIX110405RMN KCP40 | A246 |
| 4054301 | C2FIX110405LMN KCP40 | A245 |
| 4054302 | C2FIX110405RMN KCP40 | A245 |
| 4054353 | D2FIX150505LMN KCP40 | A246 |
| 4054354 | D2FIX150505LRN KCP40 | A248 |
| 4054355 | D2FIX150505RMN KCP40 | A246 |
| 4054356 | D2FIX150505RRN KCP40 | A248 |
| 4054357 | D2FIX150510RMN KCP40 | A246 |
| 4054358 | C2FIX150505LMN KCP40 | A245 |
| 4054359 | C2FIX150510LMN KCP40 | A245 |
| 4054360 | C2FIX150505RMN KCP40 | A245 |
| 4054361 | C2FIX150510RMN KCP40 | A245 |
| 4054362 | C2FIX180610LMN KCP40 | A245 |
| 4054363 | C2FIX180615LMN KCP40 | A245 |
| 4054364 | C2FIX180610RMN KCP40 | A245 |
| 4054365 | C2FIX180615RMN KCP40 | A245 |
| 4054375 | C8FIX150608RRN KCP40 | A250 |
| 4054378 | C8FIX180808LRN KCP40 | A250 |
| 4054379 | C8FIX180812LRN KCP40 | A250 |
| 4054380 | C8FIX180808RRN KCP40 | A250 |
| 4054381 | C8FIX180812RRN KCP40 | A250 |
| 4054382 | C8FIX180805LMP KCP40 | A251 |
| 4054383 | C8FIX180805RMP KCP40 | A251 |
| 4054386 | C2FIX150510LMN KCP25 | A245 |
| 4054387 | C2FIX150505RMN KCP25 | A245 |
| 4054388 | C2FIX150510RMN KCP25 | A245 |
| 4054389 | D2FIX180610LMN KCP25 | A246 |
| 4054390 | D2FIX180610RMN KCP25 | A246 |
| 4054391 | C2FIX180610LMN KCP25 | A245 |
| 4054392 | C2FIX180615LMN KCP25 | A245 |
| 4054393 | C2FIX180610RMN KCP25 | A245 |
| 4054394 | C2FIX180615RMN KCP25 | A245 |
| 4054395 | D4FIX140605LMN KCP25 | A249 |
| 4054396 | D4FIX140603LMN KCP25 | A249 |
| 4054397 | D4FIX140605RMN KCP25 | A249 |
| 4054398 | D4FIX140603RMN KCP25 | A249 |
| 4054408 | C8FIX150608RRN KCP25 | A250 |
| 4054411 | C8FIX180808LRN KCP25 | A250 |
| 4054412 | C8FIX180812LRN KCP25 | A250 |
| 4054413 | C8FIX180808RRN KCP25 | A250 |
| 4054414 | C8FIX180812RRN KCP25 | A250 |
| 4054415 | C8FIX180805LMP KCP25 | A251 |
| 4054416 | C8FIX180805RMP KCP25 | A251 |
| 4054420 | D2FIX110404RMN KCP25 | A246 |
| 4054421 | D2FIX150504RMN KCP25 | A246 |
| 4054422 | D2FIX150508RMN KCP25 | A246 |
| 4054433 | D2FIX110404LMN KCP25 | A246 |
| 4054434 | D2FIX150504LMN KCP25 | A246 |
| 4054435 | D2FIX150508LMN KCP25 | A246 |
| 4054436 | C2FIX110404RMN KCP25 | A245 |
| 4054437 | C2FIX110408RMN KCP25 | A245 |
| 4054438 | C2FIX150504RMN KCP25 | A245 |
| 4054439 | C2FIX150508RMN KCP25 | A245 |
| 4054440 | C2FIX150512RMN KCP25 | A245 |
| 4054441 | C2FIX110404LMN KCP25 | A245 |
| 4054442 | C2FIX110408LMN KCP25 | A245 |
| 4054443 | C2FIX150504LMN KCP25 | A245 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 4054444 | C2FIX150508LMN KCP25 | A245 |
| 4054445 | C2FIX150512LMN KCP25 | A245 |
| 4054446 | D4FIX140604RMN KCP25 | A249 |
| 4054447 | D4FIX140608RMN KCP25 | A249 |
| 4054448 | D4FIX140604LMN KCP25 | A249 |
| 4054449 | D4FIX140608LMN KCP25 | A249 |
| 4054453 | C8FIX150612RRN KCP25 | A250 |
| 4054454 | C8FIX120504LRP KCP25 | A250 |
| 4054456 | C8FIX150612LRN KCP25 | A250 |
| 4054461 | D2FIX110403LHP KCP25 | A247 |
| 4054473 | D2FIX110403LMN KCP25 | A246 |
| 4054474 | D2FIX110403RHP KCP25 | A247 |
| 4054475 | D2FIX110405RMN KCP25 | A246 |
| 4054476 | D2FIX110403RMN KCP25 | A246 |
| 4054477 | C2FIX110405LMN KCP25 | A245 |
| 4054478 | C2FIX110405RMN KCP25 | A245 |
| 4054479 | K2FIX150505LMN KCP25 | A249 |
| 4054480 | K2FIX150505RMN KCP25 | A249 |
| 4054481 | D2FIX150503LHP KCP25 | A247 |
| 4054482 | D2FIX150505LFN KCP25 | A247 |
| 4054483 | D2FIX150505LMN KCP25 | A246 |
| 4054484 | D2FIX150505LRN KCP25 | A248 |
| 4054485 | D2FIX150510LMN KCP25 | A246 |
| 4054486 | D2FIX150503RHP KCP25 | A247 |
| 4054487 | D2FIX150505RFN KCP25 | A247 |
| 4054488 | D2FIX150505RMN KCP25 | A246 |
| 4054489 | D2FIX150510RMN KCP25 | A246 |
| 4054490 | D2FIX150503RMN KCP25 | A246 |
| 4054491 | C2FIX150505LMN KCP25 | A245 |
| 4054556 | D2FIX150504RMN KCP40 | A246 |
| 4054557 | D2FIX150508RMN KCP40 | A246 |
| 4054558 | D2FIX110404LMN KCP40 | A246 |
| 4054559 | D2FIX150504LMN KCP40 | A246 |
| 4054560 | D2FIX150508LMN KCP40 | A246 |
| 4054561 | C2FIX110404RMN KCP40 | A245 |
| 4054562 | C2FIX110408RMN KCP40 | A245 |
| 4054602 | D2FIX110404RMN KCP40 | A246 |
| 4054643 | C2FIX150504RMN KCP40 | A245 |
| 4054644 | C2FIX150508RMN KCP40 | A245 |
| 4054645 | C2FIX150512RMN KCP40 | A245 |
| 4054646 | C2FIX110404LMN KCP40 | A245 |
| 4054647 | C2FIX110408LMN KCP40 | A245 |
| 4054648 | C2FIX150504LMN KCP40 | A245 |
| 4054649 | C2FIX150508LMN KCP40 | A245 |
| 4054650 | C2FIX150512LMN KCP40 | A245 |
| 4054651 | D4FIX140604RMN KCP40 | A249 |
| 4054652 | D4FIX140608RMN KCP40 | A249 |
| 4054653 | D4FIX140604LMN KCP40 | A249 |
| 4054654 | D4FIX140608LMN KCP40 | A249 |
| 4054658 | C8FIX150612RRN KCP40 | A250 |
| 4054659 | C8FIX120504LRP KCP40 | A250 |
| 4054662 | C8FIX150612LRN KCP40 | A250 |
| 4054680 | DFR040304D28MD KC7140 | B15 |
| 4054681 | DFR040304D28LD KC7225 | B15 |
| 4056174 | SS16KST115AR3M | B31 |
| 4056175 | SS20KST135AR3M | B31 |
| 4056176 | SS20KST155AR3M | B31 |
| 4056177 | SS16KST115AR5M | B31 |
| 4056178 | SS20KST135AR5M | B31 |
| 4056179 | SS20KST155AR5M | B31 |
| 4056180 | HSK63AKST115AR3M | B33 |
| 4056181 | HSK63AKST135AR3M | B33 |
| 4056182 | HSK63AKST155AR3M | B33 |
| 4056183 | SIF70KST115AR5M | B34 |
| 4056184 | SIF70KST135AR5M | B34 |
| 4056185 | SIF70KST155AR5M | B34 |
| 4060528 | KST115115AS | B31, B33, B43 |
| 4060529 | KST135155AS | B31, B33, B34 |
| 4061085 | F3AU0280BDK38 KC643M | C49 |
| 4061086 | F3AU0380BDK38 KC643M | C49 |
| 4061087 | F3AU0480BDK38 KC643M | C49 |
| 4061088 | F3AU0575BDK38 KC643M | C49 |
| 4061091 | F3AU0970BDK38 KC643M | C49 |
| 4061093 | F3AU1370BDK38 KC643M | C49 |
| 4061094 | F3AU1570BDK38 KC643M | C49 |
| 4061095 | F3AU1770BDK38 KC643M | C49 |
| 4061096 | F3AU1970BDK38 KC643M | C49 |
| 4067931 | 1.10825L700 | A254 |
| 4075269 | CNMG120412MP KCP10 | A42 |
| 4075270 | DNMG150408MP KCP10 | A52 |
| 4075271 | DNMG150608MP KCP10 | A52 |
| 4075272 | TNMG160408MP KCP10 | A68 |
| 4075303 | WNMG060408MP KCP10 | A80 |
| 4075304 | WNMG080408MP KCP10 | A80 |
| 4075305 | CNMG120408MP KCP25 | A42 |
| 4075306 | CNMG120412MP KCP25 | A42 |
| 4075307 | DNMG150408MP KCP25 | A52 |
| 4075308 | DNMG150608MP KCP25 | A52 |
| 4075309 | TNMG160408MP KCP25 | A68 |
| 4075310 | WNMG060408MP KCP25 | A80 |
| 4075311 | WNMG080408MP KCP25 | A80 |
| 4078652 | CNMG120404FP KCP10 | A41 |
| 4078703 | CNMG120408FP KCP10 | A41 |
| 4078704 | DNMG110408FP KCP10 | A51 |
| 4078705 | DNMG150408FP KCP10 | A51 |
| 4078706 | DNMG150608FP KCP10 | A51 |
| 4078707 | TNMG160404FP KCP10 | A67 |
| 4078708 | VNMG160408FP KCP10 | A75 |
| 4078709 | WNMG080404FP KCP10 | A79 |
| 4078710 | WNMG080408FP KCP10 | A79 |
| 4078711 | CNMG120408FP KCP25 | A41 |
| 4078712 | DNMG150408FP KCP25 | A51 |
| 4078723 | DNMG150608FP KCP25 | A51 |
| 4078724 | WNMG080404FP KCP25 | A79 |
| 4078725 | WNMG080408FP KCP25 | A79 |
| 4078806 | KLSS27M | E31, E32 |
| 4078807 | KLSS32M | E31, E32 |
| 4078808 | KLSS40M | E32 |
| 4090567 | F3AU0280ADK38 KC643M | C49 |
| 4090568 | F3AU0380ADK38 KC643M | C49 |
| 4090569 | F3AU0480ADK38 KC643M | C49 |
| 4090570 | F3AU0575ADK38 KC643M | C49 |
| 4090571 | F3AU0775ADK38 KC643M | C49 |
| 4090572 | F3AU0970ADK38 KC643M | C49 |
| 4090773 | F3AU1170ADK38 KC643M | C49 |
| 4090774 | F3AU1370ADK38 KC643M | C49 |
| 4090775 | F3AU1570ADK38 KC643M | C49 |
| 4090776 | F3AU1770ADK38 KC643M | C49 |
| 4090777 | F3AU1970ADK38 KC643M | C49 |
| 4090779 | F2AU0180ADK38 KC643M | C48 |
| 4090780 | F2AU0280ADK38 KC643M | C48 |
| 4090781 | F2AU0380ADK38 KC643M | C48 |
| 4090782 | F2AU0480ADK38 KC643M | C48 |
| 4090783 | F2AU0575ADK38 KC643M | C48 |
| 4090784 | F2AU0775ADK38 KC643M | C48 |
| 4090785 | F2AU0970ADK38 KC643M | C48 |
| 4090786 | F2AU1170ADK38 KC643M | C48 |
| 4090787 | F2AU1370ADK38 KC643M | C48 |
| 4090788 | F2AU1570ADK38 KC643M | C48 |
| 4090789 | F2AU1770ADK38 KC643M | C48 |
| 4090790 | F2AU1970ADK38 KC643M | C48 |
| 4090791 | F2AU0280BDK38 KC643M | C48 |
| 4090792 | F2AU0380BDK38 KC643M | C48 |
| 4090793 | F2AU0480BDK38 KC643M | C48 |
| 4090794 | F2AU0575BDK38 KC643M | C48 |
| 4090795 | F2AU0775BDK38 KC643M | C48 |
| 4090796 | F2AU0970BDK38 KC643M | C48 |
| 4090797 | F2AU1170BDK38 KC643M | C48 |
| 4090798 | F2AU1370BDK38 KC643M | C48 |
| 4090799 | F2AU1770BDK38 KC643M | C48 |
| 4090800 | F2AU1970BDK38 KC643M | C48 |
| 4093572 | CNGM120404S01325MTCB1 KB5625 | A164 |
| 4093623 | DNGM150408S01325MTCB1 KB5625 | A167 |
| 4096478 | CNGM120408S01325MTCB1 KB5625 | A164 |
| 4096479 | CNGM120412S01325MTCB1 KB5625 | A164 |
| 4096480 | DNGM150412S01325MTCB1 KB5625 | A167 |
| 4113456 | WOEJ090512SRHD KCK15 | D20 |
| 4113708 | A4C0155N00CF01 KCU25 | A200 |
| 4113709 | A4C0155R10CF01 KCU25 | A200 |
| 4113710 | A4C0205L06CF02 KCU25 | A200 |
| 4113711 | A4C0205N00CF02 KCU25 | A200 |
| 4113712 | A4C0205R06CF02 KCU25 | A200 |
| 4113983 | KF2X25Z02M12WO09 | D18 |
| 4113984 | KF2X32Z03M16WO09 | D18, D22 |
| 4113985 | KF2X35Z03M16WO09 | D18, D22 |
| 4113986 | KF2X42Z04M16WO09 | D18, D22 |
| 4113987 | KF2X25Z02A25WO09L140 | D18, D22 |
| 4113988 | KF2X25Z02A25WO09L200 | D18, D22 |
| 4113989 | KF2X25Z02A25WO09L300 | D18, D22 |
| 4113990 | KF2X28Z02A25WO09L200 | D18, D22 |
| 4113991 | KF2X32Z03A32WO09L150 | D18, D22 |
| 4113992 | KF2X32Z03A32WO09L200 | D18, D22 |
| 4113993 | KF2X32Z03A32WO09L300 | D18, D22 |
| 4113994 | KF2X35Z03A32WO09L200 | D18, D22 |
| 4113995 | KF2X40Z04WO09 | D19, D22 |
| 4113996 | KF2X50Z05WO09 | D19, D22 |
| 4113997 | KF2X52Z05WO09 | D19, D22 |
| 4113998 | KF2X63Z05WO09 | D19, D22 |
| 4113999 | KF2X66Z06WO09 | D19, D22 |
| 4114000 | KF2X80Z07WO09 | D19, D22 |
| 4114283 | A4C0205R10CF02 KCU25 | A200 |
| 4114284 | A4C0255N00CF02 KCU25 | A200 |
| 4114285 | A4C0305L06CF02 KCU25 | A200 |
| 4114286 | A4C0305L10CF02 KCU25 | A200 |
| 4114287 | A4C0305N00CF02 KCU25 | A200 |
| 4114288 | A4C0305R06CF02 KCU25 | A200 |
| 4114289 | A4C0305R10CF02 KCU25 | A200 |
| 4114290 | A4C0405L06CF02 KCU25 | A200 |
| 4114291 | A4C0405L10CF02 KCU25 | A200 |
| 4114292 | A4C0405N00CF02 KCU25 | A200 |
| 4114293 | A4C0405R06CF02 KCU25 | A200 |
| 4114294 | A4C0405R10CF02 KCU25 | A200 |
| 4114295 | A4G0200M02P02GMP KCU25 | A193 |
| 4114296 | A4G0205M02U02GMN KCU25 | A194 |
| 4114297 | A4G0205M02U02GMP KCU25 | A193 |
| 4114298 | A4G0255M2BU02GMP KCU25 | A193 |
| 4114299 | A4G0300M03P02GMP KCU25 | A193 |
| 4114300 | A4G0300M03P04GMP KCU25 | A193 |
| 4114301 | A4G0305M03U02B KCU25 | A199 |
| 4114302 | A4G0305M03U02GMN KCU25 | A194 |
| 4114303 | A4G0305M03U02GMP KCU25 | A193 |
| 4114304 | A4G0305M03U04GMN KCU25 | A194 |
| 4114305 | A4G0305M03U04GMP KCU25 | A193 |
| 4114306 | A4G0400M04P02GMP KCU25 | A193 |
| 4114307 | A4G0400M04P04GMP KCU25 | A193 |
| 4114308 | A4G0400M04P08GMP KCU25 | A193 |
| 4114309 | A4G0405M04U04GMN KCU25 | A194 |
| 4114310 | A4G0405M04U04GMP KCU25 | A193 |
| 4114311 | A4G0405M04U08GMN KCU25 | A194 |
| 4114312 | A4G0405M04U08GMP KCU25 | A193 |
| 4114313 | A4G0500M05P04GMP KCU25 | A193 |
| 4114314 | A4G0500M05P08GMP KCU25 | A193 |
| 4114315 | A4G0505M05U04B KCU25 | A199 |
| 4114316 | A4G0505M05U04GMN KCU25 | A194 |
| 4114317 | A4G0505M05U04GMP KCU25 | A193 |
| 4114318 | A4G0505M05U08GMN KCU25 | A194 |
| 4114319 | A4G0505M05U08GMP KCU25 | A193 |
| 4114320 | A4G0600M06P04GMP KCU25 | A193 |
| 4114321 | A4G0600M06P08GMP KCU25 | A193 |
| 4114322 | A4G0605M06U04B KCU25 | A199 |
| 4114323 | A4G0605M06U04GMN KCU25 | A194 |
| 4114324 | A4G0605M06U04GMP KCU25 | A193 |
| 4114325 | A4G0605M06U08GMN KCU25 | A194 |
| 4114326 | A4G0605M06U08GMP KCU25 | A193 |
| 4114327 | A4G0605M06U12GMN KCU25 | A194 |
| 4114328 | A4G0800M08P08GMP KCU25 | A193 |
| 4114329 | A4G0805M08U08GMN KCU25 | A194 |
| 4114330 | A4G0805M08U08GMP KCU25 | A193 |
| 4114331 | A4G0805M08U12GMN KCU25 | A194 |
| 4114332 | A4G1000M10P08GMP KCU25 | A193 |
| 4114333 | A4G1005M10U08GMN KCU25 | A194 |
| 4114334 | A4G1005M10U08GMP KCU25 | A193 |
| 4114335 | A4G125I03P05GMN KCU25 | A194 |
| 4114336 | A4G125I03P1GMN KCU25 | A194 |
| 4114337 | A4G187I04P1GMN KCU25 | A194 |
| 4114338 | A4G187I04P2GMN KCU25 | A194 |
| 4114339 | A4G250I06P1GMN KCU25 | A194 |
| 4114340 | A4G250I06P2GMN KCU25 | A194 |
| 4114341 | A4G312I08P1GMN KCU25 | A194 |
| 4114342 | A4G375I10P2GMN KCU25 | A194 |
| 4114343 | A4R0200M02P00GMP KCU25 | A195 |
| 4114344 | A4R0205M02U00GMN KCU25 | A195 |
| 4114345 | A4R0300M03P00GMP KCU25 | A195 |
| 4114346 | A4R0305M03U00GMN KCU25 | A195 |
| 4114347 | A4R0400M04P00GMP KCU25 | A195 |
| 4114348 | A4R0405M04U00GMN KCU25 | A195 |
| 4114349 | A4R0500M05P00GMP KCU25 | A195 |
| 4114350 | A4R0505M05U00GMN KCU25 | A195 |
| 4114351 | A4R0600M06P00GMP KCU25 | A195 |
| 4114352 | A4R0605M06U00GMN KCU25 | A195 |
| 4114353 | A4R0800M08P00GMP KCU25 | A195 |
| 4114354 | A4R0805M08U00GMN KCU25 | A195 |
| 4114355 | A4R1005M10U00GMN KCU25 | A195 |
| 4114356 | A4R125I03P00GMN KCU25 | A195 |
| 4114357 | A4R187I04P00GMN KCU25 | A195 |
| 4114358 | A4R250I06P00GMN KCU25 | A195 |
| 4114359 | A4R375I10P00GMN KCU25 | A195 |
| 4121622 | SNGG090308FS KCU25 | A57 |
| 4121683 | SNMG120408MS KCU25 | A60 |
| 4121684 | SNMG120408RP KCU25 | A62 |
| 4121685 | SNMG120412MS KCU25 | A60 |
| 4121686 | SNMG150608MS KCU25 | A60 |
| 4121687 | SNMG150612MS KCU25 | A60 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 4121688 | SNMG150616RP KCU25 | A62 |
| 4121689 | SNMG190612MS KCU25 | A60 |
| 4121690 | SNMG190616RP KCU25 | A62 |
| 4121691 | TNGG160402FS KCU25 | A64 |
| 4121692 | TNGG160404FS KCU25 | A64 |
| 4121693 | TNGG160408FS KCU25 | A64 |
| 4121694 | TNGG220408FS KCU25 | A64 |
| 4121695 | TNMG160402MS KCU25 | A68 |
| 4121696 | TNMG160404MS KCU25 | A68 |
| 4121697 | TNMG160408MS KCU25 | A68 |
| 4121698 | TNMG160408RP KCU25 | A70 |
| 4121699 | TNMG160412RP KCU25 | A70 |
| 4121700 | TNMG220404MS KCU25 | A68 |
| 4121701 | TNMG220408MS KCU25 | A68 |
| 4121702 | TNMG220408RP KCU25 | A70 |
| 4121703 | TNMG220412MS KCU25 | A68 |
| 4121704 | TNMG220412RP KCU25 | A70 |
| 4121705 | TNMG220416RP KCU25 | A70 |
| 4121706 | TNMG270608MS KCU25 | A68 |
| 4121707 | TNMG270612RP KCU25 | A70 |
| 4121708 | VNGG160402FS KCU25 | A73 |
| 4121709 | VNGG160401FS KCU25 | A73 |
| 4121710 | VNGG160404FS KCU25 | A73 |
| 4121711 | VNGG160408FS KCU25 | A73 |
| 4121712 | VNMG160402MS KCU25 | A76 |
| 4121713 | VNMG160401MS KCU25 | A76 |
| 4121714 | VNMG160404MS KCU25 | A76 |
| 4121715 | VNMG160408MS KCU25 | A76 |
| 4121716 | VNMG160408RP KCU25 | A76 |
| 4121717 | VNMG160412RP KCU25 | A76 |
| 4121718 | VNMG220404MS KCU25 | A76 |
| 4121719 | VNMG220408MS KCU25 | A76 |
| 4121720 | WNMG060408MS KCU25 | A80 |
| 4121721 | WNMG060408RP KCU25 | A82 |
| 4121722 | WNMG080402MS KCU25 | A80 |
| 4121723 | WNMG080404MS KCU25 | A80 |
| 4121724 | WNMG080408MS KCU25 | A80 |
| 4121725 | WNMG080408RP KCU25 | A82 |
| 4121726 | WNMG080412RP KCU25 | A82 |
| 4121727 | WNMG080416RP KCU25 | A82 |
| 4124324 | UGDE0600A5ARA KC643M | C32 |
| 4124325 | UGDE0600A5ARB KC643M | C32 |
| 4124326 | UGDE0600A5ARC KC643M | C32 |
| 4124327 | UGDE0600A5BRA KC643M | C32 |
| 4124328 | UGDE0600A5BRB KC643M | C32 |
| 4124329 | UGDE0600A5BRC KC643M | C32 |
| 4124330 | UGDE0800A5ARA KC643M | C32 |
| 4124331 | UGDE0800A5ARB KC643M | C32 |
| 4124332 | UGDE0800A5ARC KC643M | C32 |
| 4124343 | UGDE0800A5BRA KC643M | C32 |
| 4124344 | UGDE0800A5BRB KC643M | C32 |
| 4124345 | UGDE0800A5BRC KC643M | C32 |
| 4124346 | UGDE1000A5ARA KC643M | C32 |
| 4124347 | UGDE1000A5ARB KC643M | C32 |
| 4124348 | UGDE1000A5ARC KC643M | C32 |
| 4124349 | UGDE1000A5ARD KC643M | C32 |
| 4124350 | UGDE1000A5BRA KC643M | C32 |
| 4124351 | UGDE1000A5BRB KC643M | C32 |
| 4124352 | UGDE1000A5BRC KC643M | C32 |
| 4124353 | UGDE1000A5BRD KC643M | C32 |
| 4124354 | UGDE1200A5ARA KC643M | C32 |
| 4124355 | UGDE1200A5ARB KC643M | C32 |
| 4124356 | UGDE1200A5ARC KC643M | C32 |
| 4124357 | UGDE1200A5ARD KC643M | C32 |
| 4124358 | UGDE1200A5BRA KC643M | C32 |
| 4124359 | UGDE1200A5BRB KC643M | C32 |
| 4124360 | UGDE1200A5BRC KC643M | C32 |
| 4124361 | UGDE1200A5BRD KC643M | C32 |
| 4124362 | UGDE1600A5ARA KC643M | C33 |
| 4124363 | UGDE1600A5ARB KC643M | C33 |
| 4124364 | UGDE1600A5ARC KC643M | C33 |
| 4124365 | UGDE1600A5ARD KC643M | C33 |
| 4124366 | UGDE1600A5ARE KC643M | C33 |
| 4124367 | UGDE1600A5BRA KC643M | C33 |
| 4124368 | UGDE1600A5BRB KC643M | C33 |
| 4124369 | UGDE1600A5BRC KC643M | C33 |
| 4124370 | UGDE1600A5BRD KC643M | C33 |
| 4124371 | UGDE1600A5BRE KC643M | C33 |
| 4124372 | UGDE2000A5ARA KC643M | C33 |
| 4124373 | UGDE2000A5ARB KC643M | C33 |
| 4124374 | UGDE2000A5ARC KC643M | C33 |
| 4124375 | UGDE2000A5ARD KC643M | C33 |
| 4124376 | UGDE2000A5ARE KC643M | C33 |
| 4124377 | UGDE2000A5BRA KC643M | C33 |
| 4124378 | UGDE2000A5BRB KC643M | C33 |
| 4124379 | UGDE2000A5BRC KC643M | C33 |
| 4124380 | UGDE2000A5BRD KC643M | C33 |
| 4124381 | UGDE2000A5BRE KC643M | C33 |
| 4124382 | UGDE2500A5ARA KC643M | C33 |
| 4124383 | UGDE2500A5ARB KC643M | C33 |
| 4124384 | UGDE2500A5ARC KC643M | C33 |
| 4124385 | UGDE2500A5ARD KC643M | C33 |
| 4124386 | UGDE2500A5ARE KC643M | C33 |
| 4124387 | UGDE2500A5BRA KC643M | C33 |
| 4124388 | UGDE2500A5BRB KC643M | C33 |
| 4124389 | UGDE2500A5BRC KC643M | C33 |
| 4124390 | UGDE2500A5BRD KC643M | C33 |
| 4124391 | UGDE2500A5BRE KC643M | C33 |
| 4132599 | 1.18025L130 | A256 |
| 4132600 | 1.18025R130 | A256 |
| 4132601 | 1.18025L110 | A256 |
| 4132602 | 1.18025R110 | A256 |
| 4132633 | 1.78025L100 | A259 |
| 4132634 | 1.78025R100 | A259 |
| 4136075 | CNGG120408FBB KU10 | A38 |
| 4136076 | CNMG120408MBB KU10 | A41 |
| 4136077 | CNMG120408RBB KU10 | A44 |
| 4136078 | CNGG120408FBB KCU10 | A38 |
| 4136079 | CNMG120408MBB KCU10 | A41 |
| 4136080 | CNMG120408RBB KCU10 | A44 |
| 4140628 | SECX1404AEENGN KC725M | D33 |
| 4140629 | SECX1404AESNGN KC725M | D33 |
| 4144644 | SECX1404AEENGD2 KC725M | D33 |
| 4146482 | RNGJ1204M0FLDJ KC422M | D49 |
| 4146583 | RNGJ1204M0ELD KCPK30 | D49 |
| 4146584 | RNGJ1204M0ELD KC522M | D49 |
| 4146585 | RNGJ1204M0ELD KC725M | D49 |
| 4146586 | RNGJ1204M0SGD KCPK30 | D49 |
| 4146587 | RNGJ1204M0SGD KC522M | D49 |
| 4146588 | RNGJ1204M0SGD KC725M | D49 |
| 4147001 | KDR32Z03M16RN12 | D45 |
| 4147002 | KDR35Z03M16RN12 | D45 |
| 4147033 | KDR42Z04M16RN12 | D45 |
| 4147035 | KDR32Z03B32RN12 | D46 |
| 4147037 | KDR32Z03A32RN12L200 | D47 |
| 4147038 | KDR32Z02A32RN12L250 | D47 |
| 4147039 | KDR40Z04S16RN12 | D48 |
| 4147040 | KDR50Z04S22RN12 | D48 |
| 4147041 | KDR50Z05S22RN12 | D48 |
| 4147042 | KDR52Z05S22RN12 | D48 |
| 4147043 | KDR63Z05S22RN12 | D48 |
| 4147044 | KDR63Z07S22RN12 | D48 |
| 4147045 | KDR66Z07S27RN12 | D48 |
| 4147046 | KDR80Z06S27RN12 | D48 |
| 4147047 | KDR80Z08S27RN12 | D48 |
| 4147048 | KDR100Z07S32RN12 | D48 |
| 4147049 | KDR100Z09S32RN12 | D48 |
| 4147473 | RNGJ1204M0SHD KCPM20 | D49 |
| 4147474 | RNGJ1204M0SHD KCPK30 | D49 |
| 4147475 | RNGJ1204M0SHD KCK15 | D49 |
| 4147477 | RNGJ1204M0SHD KC725M | D49 |
| 4147482 | CNMG120404MBB KCU10 | A41 |
| 4147533 | CNGG120404FBB KCU10 | A38 |
| 4155746 | KM4X100HPVTT025350 | E23 |
| 4155747 | KM4X100HPVTT025630 | E23 |
| 4155748 | KM4X100HPVTT031335 | E23 |
| 4155749 | KM4X100HPVTT031630 | E23 |
| 4155750 | KM4X100HPVTT038354 | E23 |
| 4155751 | KM4X100HPVTT038630 | E23 |
| 4155752 | KM4X100HPVTT050374 | E23 |
| 4156046 | KM4X100HPVTT06085M | E22 |
| 4156047 | KM4X100HPVTT06160M | E22 |
| 4156048 | KM4X100HPVTT08085M | E22 |
| 4156049 | KM4X100HPVTT08160M | E22 |
| 4156050 | KM4X100HPVTT10090M | E22 |
| 4156051 | KM4X100HPVTT10160M | E22 |
| 4156052 | KM4X100HPVTT12095M | E22 |
| 4156113 | KM4X100HPVTT12160M | E22 |
| 4156114 | KM4X100HPVTT14095M | E22 |
| 4156115 | KM4X100HPVTT14160M | E22 |
| 4156116 | KM4X100HPVTT16100M | E22 |
| 4156117 | KM4X100HPVTT16160M | E22 |
| 4156118 | KM4X100HPVTT18100M | E22 |
| 4156119 | KM4X100HPVTT18160M | E22 |
| 4156120 | KM4X100HPVTT20105M | E22 |
| 4156121 | KM4X100HPVTT20160M | E22 |
| 4156122 | KM4X100HPVTT25115M | E22 |
| 4156123 | KM4X100HPVTT25160M | E22 |
| 4156124 | KM4X100HPVTT32120M | E22 |
| 4156125 | KM4X100HPVTT32160M | E22 |
| 4156131 | UGDE1400A5ARD KC643M | C32 |
| 4156132 | UGDE1400A5BRD KC643M | C32 |
| 4156153 | KM4X100HPVTT050630 | E23 |
| 4156154 | KM4X100HPVTT062394 | E23 |
| 4156155 | KM4X100HPVTT062630 | E23 |
| 4156156 | KM4X100HPVTT075413 | E23 |
| 4156157 | KM4X100HPVTT075630 | E23 |
| 4156158 | KM4X100HPVTT088413 | E23 |
| 4156159 | KM4X100HPVTT088630 | E23 |
| 4156160 | KM4X100HPVTT100453 | E23 |
| 4156161 | KM4X100HPVTT100630 | E23 |
| 4156162 | KM4X100HPVTT125472 | E23 |
| 4156163 | KM4X100HPVTT125630 | E23 |
| 4156164 | KM4X100HPVTT150531 | E23 |
| 4156166 | KM4X100HPVTTHT050374 | E25 |
| 4156167 | KM4X100HPVTTHT050630 | E25 |
| 4156168 | KM4X100HPVTTHT062394 | E25 |
| 4156169 | KM4X100HPVTTHT062630 | E25 |
| 4156170 | KM4X100HPVTTHT075413 | E25 |
| 4156171 | KM4X100HPVTTHT075630 | E25 |
| 4156172 | KM4X100HPVTTHT088413 | E25 |
| 4156182 | KM4X100HPVTTHT12095M | E24 |
| 4156193 | KM4X100HPVTTHT14095M | E24 |
| 4156194 | KM4X100HPVTTHT16100M | E24 |
| 4156195 | KM4X100HPVTTHT18100M | E24 |
| 4156196 | KM4X100HPVTTHT20105M | E24 |
| 4156197 | KM4X100HPVTTHT25115M | E24 |
| 4156198 | KM4X100HPVTTHT32120M | E24 |
| 4156203 | KM4X100HPVTTHT088630 | E25 |
| 4156204 | KM4X100HPVTTHT100453 | E25 |
| 4156205 | KM4X100HPVTTHT100630 | E25 |
| 4156206 | KM4X100HPVTTHT125472 | E25 |
| 4156207 | KM4X100HPVTTHT125630 | E25 |
| 4156208 | KM4X100HPVTTHT150531 | E25 |
| 4156445 | KM4X100TG050105M | E26 |
| 4156446 | KM4X100TG050160M | E26 |
| 4156447 | KM4X100TG075120M | E26 |
| 4156448 | KM4X100TG100140M | E26 |
| 4156449 | KM4X100TG150165M | E26 |
| 4156559 | 1.77132L400 | A258 |
| 4156560 | 1.77720R101 | A257 |
| 4156561 | 1.77720L101 | A257 |
| 4159439 | KM4X100HTS40085M | E29 |
| 4159440 | KM4X100HTS50090M | E29 |
| 4159999 | KM4X100ER16100M | E27 |
| 4160000 | KM4X100ER16160M | E27 |
| 4160001 | KM4X100ER20100M | E27 |
| 4160002 | KM4X100ER25100M | E27 |
| 4160043 | KM4X100ER32100M | E27 |
| 4160044 | KM4X100ER32160M | E27 |
| 4160045 | KM4X100ER40120M | E27 |
| 4160047 | KM4X100WN06090M | E28 |
| 4160048 | KM4X100WN08090M | E28 |
| 4160049 | KM4X100WN10090M | E28 |
| 4160050 | KM4X100WN12100M | E28 |
| 4160051 | KM4X100WN14100M | E28 |
| 4160052 | KM4X100WN16100M | E28 |
| 4160073 | KM4X100WN18100M | E28 |
| 4160074 | KM4X100WN20110M | E28 |
| 4160075 | KM4X100WN25120M | E28 |
| 4160076 | KM4X100WN32120M | E28 |
| 4160286 | KM4X100SMC075400 | E33 |
| 4160287 | KM4X100SM2C075400 | E33 |
| 4160289 | KM4X100SMC075600 | E33 |
| 4160290 | KM4X100SM2C075600 | E33 |
| 4160291 | KM4X100SMC100400 | E33 |
| 4160292 | KM4X100SM2C100400 | E33 |
| 4160313 | KM4X100SMC100600 | E33 |
| 4160314 | KM4X100SM2C100600 | E33 |
| 4160315 | KM4X100SMC125400 | E33 |
| 4160316 | KM4X100SMC125600 | E33 |
| 4160317 | KM4X100SMC150400 | E33 |
| 4160318 | KM4X100SMC150600 | E33 |
| 4160319 | KM4X100SMC200400 | E33 |
| 4160320 | KM4X100SMC200600 | E33 |
| 4160321 | KM4X100SMC250400 | E33 |
| 4160322 | KM4X100SMC250600 | E33 |
| 4160335 | KM4X100SMC22050M | E32 |
| 4160337 | KM4X100SMC22100M | E32 |
| 4160338 | KM4X100SMC22160M | E32 |
| 4160340 | KM4X100SMC27050M | E32 |
| 4160341 | KM4X100SMC27100M | E32 |
| 4160342 | KM4X100SMC27160M | E32 |
| 4160343 | KM4X100SMC32050M | E32 |
| 4160344 | KM4X100SMC32100M | E32 |
| 4160345 | KM4X100SMC32160M | E32 |
| 4160346 | KM4X100SMC40060M | E32 |
| 4160347 | KM4X100SMC40100M | E32 |
| 4160348 | KM4X100SMC40160M | E32 |
| 4160350 | KM4X100SMC50070M | E32 |
| 4160351 | KM4X100SMC50100M | E32 |
| 4160352 | KM4X100SMC50160M | E32 |
| 4160353 | KM4X100SMC60070M | E32 |
| 4160354 | KM4X100SMC60100M | E32 |
| 4160355 | KM4X100SMC60160M | E32 |
| 4160510 | KM4X100EM06080M | E30 |
| 4160511 | KM4X100EM08080M | E30 |
| 4160512 | KM4X100EM10080M | E30 |
| 4160518 | KM4X100EM025300 | E30 |
| 4160519 | KM4X100EM038300 | E30 |
| 4160520 | KM4X100EM050325 | E30 |
| 4160521 | KM4X100EM062375 | E30 |
| 4160522 | KM4X100EM075375 | E30 |
| 4160529 | KM4X100GB40349M | E35 |
| 4160533 | KM4X100EM12080M | E30 |
| 4160534 | KM4X100EM14080M | E30 |
| 4160535 | KM4X100EM16100M | E30 |
| 4160536 | KM4X100EM18100M | E30 |
| 4160537 | KM4X100EM20100M | E30 |
| 4160538 | KM4X100EM25100M | E30 |
| 4160539 | KM4X100EM32100M | E30 |
| 4160540 | KM4X100EM40120M | E30 |
| 4160541 | KM4X100EM50130M | E30 |
| 4160571 | KM4X100BN080150M | E35 |
| 4160572 | KM4X100BN110150M | E35 |
| 4160573 | KM4X100EM100425 | E30 |
| 4160574 | KM4X100EM125425 | E30 |
| 4160575 | KM4X100EM150450 | E30 |
| 4160576 | KM4X100EM200550 | E30 |
| 4160577 | KM4X100EM250575 | E30 |
| 4160613 | KM4X100BN130200M | E35 |
| 4160767 | RCGT0803M0MS KCU25 | A99 |
| 4160768 | RCGT1204M0MS KCU25 | A99 |
| 4160769 | RCGT1606M0MS KCU25 | A99 |
| 4160770 | RCGX1003M0MS KCU25 | A99 |
| 4161856 | KM4X100KM32075M | E34 |
| 4161858 | KM4X100KM40080M | E34 |
| 4161859 | KM4X100KM40100M | E34 |
| 4161860 | KM4X100KM40150M | E34 |
| 4161861 | KM4X100KM50100M | E34 |
| 4161862 | KM4X100KM50150M | E34 |
| 4161863 | KM4X100KM50200M | E34 |
| 4161864 | KM4X100KM63100M | E34 |
| 4161865 | KM4X100KM63150M | E34 |
| 4161866 | KM4X100KM63200M | E34 |
| 4161867 | KM4X100KM80100M | E34 |
| 4161868 | KM4X100KM80150M | E34 |
| 4161869 | KM4X100KM80200M | E34 |
| 4164868 | 50A04RS90RP16 | D69, D72 |
| 4167596 | RCGX190600ELF KU10 | A56 |
| 4167597 | RCGX190600ELF KCU10 | A56 |
| 4168064 | CNGM120404S01325MTCB2 KB5610 | A165 |
| 4168065 | CNGM120408S01325MTCB2 KB5610 | A165 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 4168066 | CNGM120412S01325MTCB2 KB5610 | A165 |
| 4168067 | DNGM150408S01325MTCB2 KB5610 | A167 |
| 4168068 | DNGM150412S01325MTCB2 KB5610 | A167 |
| 4168669 | A4G0300M03P04S02025ST KB1630 | A201 |
| 4168670 | A4G0400M04P04S02025ST KB1630 | A201 |
| 4168671 | A4G0500M05P08S02025ST KB1630 | A201 |
| 4168672 | A4G0600M06P08S02025ST KB1630 | A201 |
| 4168753 | A4G0300M03P04EST KB1630 | A201 |
| 4168754 | A4G0400M04P04EST KB1630 | A201 |
| 4168755 | A4G0500M05P08EST KB1630 | A201 |
| 4168756 | A4G0600M06P08EST KB1630 | A201 |
| 4168757 | A4R0300M03P00EST KB1630 | A201 |
| 4168758 | A4R0400M04P00EST KB1630 | A201 |
| 4168759 | A4R0500M05P00EST KB1630 | A201 |
| 4168760 | A4R0600M06P00EST KB1630 | A201 |
| 4168928 | A4G0300M03P04S02025ST KB5625 | A201 |
| 4168929 | A4G0400M04P04S02025ST KB5625 | A201 |
| 4168930 | A4G0500M05P08S02025ST KB5625 | A201 |
| 4168931 | A4G0600M06P08S02025ST KB5625 | A201 |
| 4169583 | KM4X100TDSMC22260M | E31 |
| 4169584 | KM4X100TDSMC27320M | E31 |
| 4169585 | KM4X100TDSMC32330M | E31 |
| 4169586 | KM4X100TDSMC0751050 | E31 |
| 4169587 | KM4X100TDSMC1001250 | E31 |
| 4169588 | KM4X100TDSMC1251300 | E31 |
| 4171768 | RCGT0803M0MS KCU10 | A99 |
| 4171769 | RCGT1204M0MS KCU10 | A99 |
| 4171770 | RCGT1606M0MS KCU10 | A99 |
| 4171771 | CNMG090304FF KCU10 | A40 |
| 4171772 | CNMG090308FF KCU10 | A40 |
| 4171823 | CNMG120402FN KCU10 | A40 |
| 4171824 | CNMG120404FP KCU10 | A41 |
| 4171825 | DNMG110404FF KCU10 | A50 |
| 4171826 | DNMG110404FP KCU10 | A51 |
| 4171827 | DNMG150404FP KCU10 | A51 |
| 4171828 | DNMG150408FP KCU10 | A51 |
| 4171829 | DNMG150412FP KCU10 | A51 |
| 4171830 | DNMG150604FP KCU10 | A51 |
| 4171831 | DNMG150608FP KCU10 | A51 |
| 4171832 | DNMG150612FP KCU10 | A51 |
| 4171833 | SNMG090304FF KCU10 | A58 |
| 4171834 | SNMG120404FF KCU10 | A58 |
| 4171835 | SNMG120404FP KCU10 | A59 |
| 4171836 | SNMG120408FP KCU10 | A59 |
| 4171837 | TNMG110304FF KCU10 | A66 |
| 4171838 | TNMG160404FP KCU10 | A67 |
| 4171839 | TNMG160408FP KCU10 | A67 |
| 4171840 | TNMG160412FP KCU10 | A67 |
| 4171841 | TNMG220404FP KCU10 | A67 |
| 4171842 | TNMG220408FP KCU10 | A67 |
| 4171843 | VNMG160404FP KCU10 | A75 |
| 4171844 | VNMG160408FP KCU10 | A75 |
| 4171845 | WNMG060404FF KCU10 | A79 |
| 4171846 | WNMG060408FF KCU10 | A79 |
| 4171847 | WNMG060408FP KCU10 | A79 |
| 4171848 | WNMG080404FF KCU10 | A79 |
| 4171849 | WNMG080404FP KCU10 | A79 |
| 4171850 | WNMG080408FF KCU10 | A79 |
| 4171851 | WNMG080408FP KCU10 | A79 |
| 4171852 | WNMG080412FP KCU10 | A79 |
| 4171853 | KNUX150405L25 KCU10 | A217 |
| 4171854 | KNUX150410L25 KCU10 | A217 |
| 4171855 | KCUX110302L15 KCU10 | A218 |
| 4171856 | KCUX110305L15 KCU10 | A218 |
| 4171857 | KNUX150405R20 KCU10 | A217 |
| 4171858 | KNUX150410R25 KCU10 | A217 |
| 4171859 | KCUX110302R15 KCU10 | A218 |
| 4171860 | KCUX110305R15 KCU10 | A218 |
| 4177052 | 35E04R050A32RP12L200 | D63 |
| 4177163 | 42A04RS90RP12 | D64, D67 |
| 4177164 | 35E03R050A32RP12L200 | D63 |
| 5006410 | HSK63AHCTMQL1C06080M | E42 |
| 5006411 | HSK63AHCTMQL1C08080M | E42 |
| 5006413 | HSK63AHCTMQL1C10085M | E42 |
| 5006414 | HSK63AHCTMQL1C12090M | E42 |
| 5006415 | HSK63AHCTMQL1C14090M | E42 |
| 5006416 | HSK63AHCTMQL1C16095M | E42 |
| 5006417 | HSK63AHCTMQL1C18095M | E42 |
| 5006418 | HSK63AHCTMQL1C20100M | E42 |
| 5006419 | HSK63AHCTMQL1C25120M | E42 |
| 5006430 | HSK63AHCTMQL1C32125M | E42 |
| 5008181 | HSK63AHPVTTMQL1C06080M | E43 |
| 5008182 | HSK63AHPVTTMQL1C08080M | E43 |
| 5008183 | HSK63AHPVTTMQL1C10085M | E43 |
| 5008184 | HSK63AHPVTTMQL1C12090M | E43 |
| 5008185 | HSK63AHPVTTMQL1C14090M | E43 |
| 5008186 | HSK63AHPVTTMQL1C16095M | E43 |
| 5008187 | HSK63AHPVTTMQL1C18095M | E43 |
| 5008188 | HSK63AHPVTTMQL1C20100M | E43 |
| 5008189 | HSK63AHPVTTMQL1C25115M | E43 |
| 5008210 | HSK63AHPVTTMQL1C32120M | E43 |
| 5015690 | 193.545 | B12 |
| 5025597 | SF300M1LA1RA | B56 |
| 5025598 | SF750M1LA1RA | B56 |
| 5025599 | SF300M1RS | B56 |
| 5025670 | SF750M1RS | B56 |
| 5025671 | SFSLRS | B59 |
| 5025672 | SFSLLS | B59 |
| 5025673 | SFSLRA | B59 |
| 5025674 | SFSLLA | B59 |
| 5025675 | SFMGS | B58 |
| 5025676 | SFCR20 | B58 |
| 5025677 | SFCRHSK3263 | B58 |
| 5025678 | SFCRHSK63100 | B58 |
| 5025679 | SFCR20S | B58 |
| 5025680 | SFVB | B59 |
| 5025681 | SFEBS | B57 |
| 5025682 | SFEBCH | B57 |
| 5025683 | SFSLSS | B57 |
| 5025684 | SFSB450 | B57 |
| 5025685 | SFSB900 | B57 |
| 5025686 | SFCPS | B57 |
| 5062101 | SNGG090308LF KCU10 | A57 |
| 5062102 | SNGP120404 KCU10 | A57 |
| 5062103 | SNGP120408 KCU10 | A57 |
| 5062104 | SNMG090308FF KCU10 | A58 |
| 5062105 | SNMG120408FF KCU10 | A58 |
| 5062106 | SNMG120408MP KCU10 | A60 |
| 5062107 | SNMG120408P KCU10 | A61 |
| 5062108 | SNMG120408RP KCU10 | A62 |
| 5062109 | SNMG120412MP KCU10 | A60 |
| 5062110 | SNMG120412P KCU10 | A61 |
| 5062111 | SNMG120412RP KCU10 | A62 |
| 5062112 | SNMG150612MP KCU10 | A60 |
| 5062113 | SNMG150612RP KCU10 | A62 |
| 5062114 | SNMG150612UP KCU10 | A62 |
| 5062115 | SNMG190612 KCU10 | A58 |
| 5062116 | SNMG190612MP KCU10 | A60 |
| 5062117 | SNMG190612RP KCU10 | A62 |
| 5062118 | SNMG190616 KCU10 | A58 |
| 5062119 | SNMG190616MP KCU10 | A60 |
| 5062120 | SNMG190616RP KCU10 | A62 |
| 5062121 | SNMG250924 KCU10 | A58 |
| 5062122 | SNMG250924RM KCU10 | A61 |
| 5062123 | TNGG160402LF KCU10 | A65 |
| 5062124 | TNGG160404LF KCU10 | A65 |
| 5062125 | TNGG160408LF KCU10 | A65 |
| 5062126 | TNGP160402 KCU10 | A65 |
| 5062127 | TNGP160404 KCU10 | A65 |
| 5062128 | TNGP160408 KCU10 | A65 |
| 5062129 | TNMG160404FF KCU10 | A66 |
| 5062130 | TNMG160404FW KCU10 | A67 |
| 5062131 | TNMG160404MP KCU10 | A68 |
| 5062132 | TNMG160404P KCU10 | A69 |
| 5062133 | TNMG160408FF KCU10 | A66 |
| 5062134 | TNMG160408FW KCU10 | A67 |
| 5062135 | TNMG160408MP KCU10 | A68 |
| 5062136 | TNMG160408P KCU10 | A69 |
| 5062137 | TNMG160408RP KCU10 | A70 |
| 5062138 | TNMG160412MP KCU10 | A68 |
| 5062139 | TNMG220404P KCU10 | A69 |
| 5062140 | TNMG220408MP KCU10 | A68 |
| 5062141 | TNMG220408P KCU10 | A69 |
| 5062142 | TNMG220408RP KCU10 | A70 |
| 5062143 | TNMG220412MP KCU10 | A68 |
| 5062144 | TNMG220412P KCU10 | A69 |
| 5062145 | TNMG220412RP KCU10 | A70 |
| 5062146 | TNMG220416MP KCU10 | A68 |
| 5062147 | TNMG270612RP KCU10 | A70 |
| 5062148 | TNMG330924RP KCU10 | A70 |
| 5062149 | CNMG190612MS KCU25 | A43 |
| 5063675 | RPET1204M0ELEJ KC522M | D65 |
| 5063676 | RPET1204M0ELEJ KC725M | D65 |
| 5063677 | RPET1204M0SGEJ KC522M | D65 |
| 5063678 | RPET1204M0SGEJ KC725M | D65 |
| 5063679 | RPET1605M0ELEJ KC522M | D70 |
| 5063701 | RPET1605M0ELEJ KC725M | D70 |
| 5063702 | RPET1605M0SGEJ KC522M | D70 |
| 5063704 | RPET1605M0SGEJ KC725M | D70 |
| 5066192 | DFR040304D28GD KCU40 | B15 |
| 5066193 | DFT05T308D32HP KCU40 | B15 |
| 5066195 | DFT05T308D33HP KCU40 | B15 |
| 5066196 | DFT06T308D36HP KCU40 | B15 |
| 5066197 | DFT06T308D39HP KCU40 | B15 |
| 5066198 | DFT06T308D44HP KCU40 | B15 |
| 5066199 | DFT070408D45HP KCU40 | B15 |
| 5066220 | DFT070408D50HP KCU40 | B15 |
| 5066221 | DFT090508D56HP KCU40 | B15 |
| 5066222 | DFT090508D63HP KCU40 | B15 |
| 5067486 | DFR040304D28GD KCU25 | B15 |
| 5067487 | DFT05T308D32HP KCU25 | B15 |
| 5067488 | DFT05T308D33HP KCU25 | B15 |
| 5067489 | DFT06T308D36HP KCU25 | B15 |
| 5067520 | DFT06T308D39HP KCU25 | B15 |
| 5067522 | DFT06T308D44HP KCU25 | B15 |
| 5067523 | DFT070408D45HP KCU25 | B15 |
| 5067524 | DFT070408D50HP KCU25 | B15 |
| 5067526 | DFT090508D56HP KCU25 | B15 |
| 5067527 | DFT090508D63HP KCU25 | B15 |
| 5086710 | 06ASMQL1C05170M | E43, E44 |
| 5086711 | 08ASMQL1C06180M | E43, E44 |
| 5086712 | 10ASMQL1C08180M | E43, E44 |
| 5086713 | 12ASMQL1C10180M | E43, E44 |
| 5086714 | 14ASMQL1C10195M | E43, E44 |
| 5086715 | 16ASMQL1C10220M | E43, E44 |
| 5086716 | 18ASMQL1C10220M | E43,E44 |
| 5086717 | 20ASMQL1C10235M | E43, E44 |
| 5086718 | 25ASMQL1C10275M | E43, E44 |
| 5086719 | 32ASMQL1C10305M | E43, E44 |
| 5086819 | HSK40AFPMQL1C050095M | E44 |
| 5086840 | HSK50AFPMQL1C064115M | E44 |
| 5086841 | HSK63AFPMQL1C080135M | E44 |
| 5086842 | HSK80AFPMQL1C080155M | E44 |
| 5086843 | HSK100AFPMQL1C080175M | E44 |
| 5090494 | CNMG120402MS KCU10 | A43 |
| 5090495 | CNMG120401MS KCU10 | A43 |
| 5090496 | CNMG120404MS KCU10 | A43 |
| 5090497 | CNMG120408MS KCU10 | A43 |
| 5090498 | CNMG120412MS KCU10 | A43 |
| 5090499 | CNMG120416MS KCU10 | A43 |
| 5090680 | CNMG160608MS KCU10 | A43 |
| 5090681 | CNMG160612MS KCU10 | A43 |
| 5090682 | CNMG190608MS KCU10 | A43 |
| 5090684 | CNMG190616MS KCU10 | A43 |
| 5090685 | DNMG110408MS KCU10 | A52 |
| 5090686 | DNMG150402MS KCU10 | A52 |
| 5090687 | DNMG150401MS KCU10 | A52 |
| 5090688 | DNMG150404MS KCU10 | A52 |
| 5090689 | DNMG150408MS KCU10 | A52 |
| 5090740 | DNMG150412MS KCU10 | A52 |
| 5090741 | DNMG150604MS KCU10 | A52 |
| 5090742 | DNMG150608MS KCU10 | A52 |
| 5090743 | DNMG150612MS KCU10 | A52 |
| 5090744 | RCGH120400 KCU10 | A99 |
| 5090745 | SNGG090308FS KCU10 | A57 |
| 5090746 | SNGG120408FS KCU10 | A57 |
| 5090746 | SNGG120408FS KCU10 | A57 |
| 5090747 | SNGG150612LF KCU10 | A57 |
| 5090760 | SNMG120408MS KCU10 | A60 |
| 5090761 | SNMG120412MS KCU10 | A60 |
| 5090762 | SNMG190612MS KCU10 | A60 |
| 5090763 | SNMG120416RP KCU10 | A62 |
| 5090764 | TNGG160404FS KCU10 | A64 |
| 5090765 | TNGG220408FS KCU10 | A64 |
| 5090766 | TNMG160412FW KCU10 | A67 |
| 5090767 | TNMG160402MS KCU10 | A68 |
| 5090768 | TNMG160404MS KCU10 | A68 |
| 5090769 | TNMG160408MS KCU10 | A68 |
| 5090810 | TNMG220404MS KCU10 | A68 |
| 5090811 | TNMG220408MS KCU10 | A68 |
| 5090812 | TNMG220412MS KCU10 | A68 |
| 5090813 | TNMG220416RP KCU10 | A70 |
| 5090814 | TNMG220432RP KCU10 | A70 |
| 5090815 | VNGG160402FS KCU10 | A73 |
| 5090816 | VNGG160401FS KCU10 | A73 |
| 5090817 | VNGG160404FS KCU10 | A73 |
| 5090819 | VNGG160408FS KCU10 | A73 |
| 5090850 | VNGG160412FS KCU10 | A73 |
| 5090851 | VNMG160402MS KCU10 | A76 |
| 5090852 | VNMG160401MS KCU10 | A76 |
| 5090853 | VNMG160404MS KCU10 | A76 |
| 5090854 | VNMG160408MS KCU10 | A76 |
| 5090855 | VNMG220404MS KCU10 | A76 |
| 5090856 | VNMG220408MS KCU10 | A76 |
| 5090857 | VNMG160412RP KCU10 | A76 |
| 5090858 | WNGG080404FS KCU10 | A78 |
| 5090859 | WNGG080408FS KCU10 | A78 |
| 5090890 | WNMG060408MS KCU10 | A80 |
| 5090891 | WNMG080402MS KCU10 | A80 |
| 5090892 | WNMG080401MS KCU10 | A80 |
| 5090893 | WNMG080404MS KCU10 | A80 |
| 5090894 | WNMG080408MS KCU10 | A80 |
| 5090895 | WNMG080416RP KCU10 | A82 |
| 5104314 | RNGJ1204M0ENLDJX KC522M | D58 |
| 5104315 | RNGJ1204M0ENLDJX KC725M | D58 |
| 5104316 | RNGJ1204M0ENLDX KCMP30 | D58 |
| 5104317 | RNGJ1204M0SNGDJX KC522M | D58 |
| 5104318 | RNGJ1204M0SNGDJX KC725M | D58 |
| 5104319 | RNGJ1204M0SNGDX KCMP30 | D58 |
| 5104420 | KDR40Z04S16RN12X | D57 |
| 5104421 | KDR50Z05S22RN12X | D57 |
| 5104422 | KDR50Z05S22RN12XL | D57 |
| 5104423 | KDR52Z05S22RN12X | D57 |
| 5104424 | KDR63Z06S22RN12X | D57 |
| 5104425 | KDR66Z06S27RN12X | D57 |
| 5104426 | KDR80Z07S27RN12X | D57 |
| 5109290 | DNGG110402FS KCU10 | A48 |
| 5109291 | DNGG110404FS KCU10 | A48 |
| 5109292 | DNGG110408FS KCU10 | A48 |
| 5109293 | DNGG150401FS KCU10 | A48 |
| 5109294 | DNGG150402FS KCU10 | A48 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 5109295 | DNGG150604FS KCU10 | A48 |
| 5109296 | DNGG150404FS KCU10 | A48 |
| 5109297 | DNGG150608FS KCU10 | A48 |
| 5109298 | DNGG150408FS KCU10 | A48 |
| 5109299 | DNGG150412FS KCU10 | A48 |
| 5109300 | DNGG150416FS KCU10 | A48 |
| 5111785 | CNGA432EMT KB5610 | A165 |
| 5115736 | KSEMP2800FDS28B1M | B6, B10, B20 |
| 5115737 | KSEMP2858FDS28B1M | B6, B10, B20 |
| 5115738 | KSEMP2900FDS28B1M | B6, B10, B20 |
| 5115739 | KSEMP2937FDS28B1M | B6, B10, B20 |
| 5116010 | KSEMP3000FDS28B1M | B6, B10, B20 |
| 5116011 | KSEMP3017FDS28B1M | B6, B10, B20 |
| 5116012 | KSEMP3096FDS28B1M | B6, B10, B20 |
| 5116013 | KSEMP3100FDS28B1M | B6, B10, B20 |
| 5116014 | KSEMP3175FDS32B1M | B6, B10, B20 |
| 5116015 | KSEMP3200FDS32B1M | B6, B10, B20 |
| 5116016 | KSEMP3300FDS32B1M | B6, B10, B20 |
| 5116017 | KSEMP3320FDS32B1M | B6, B10, B20 |
| 5116018 | KSEMP3334FDS32B1M | B6, B10, B20 |
| 5116019 | KSEMP3400FDS32B1M | B6, B10, B20 |
| 5116030 | KSEMP3493FDS32B1M | B6, B10, B20 |
| 5116031 | KSEMP3500FDS32B1M | B6, B10, B20 |
| 5116032 | KSEMP3600FDS36B1M | B6, B10, B20 |
| 5116033 | KSEMP3651FDS36B1M | B6, B11, B20 |
| 5116034 | KSEMP3700FDS36B1M | B6, B11, B20 |
| 5116035 | KSEMP3750FDS36B1M | B6, B11, B20 |
| 5116036 | KSEMP3800FDS36B1M | B6, B11, B20 |
| 5116037 | KSEMP3810FDS36B1M | B6, B11, B20 |
| 5116038 | KSEMP3900FDS36B1M | B6, B11, B20 |
| 5116039 | KSEMP3920FDS36B1M | B6, B11, B20 |
| 5116040 | KSEMP3970FDS36B1M | B6, B11, B20 |
| 5116041 | KSEMP4000FDS40B1M | B6, B11, B20 |
| 5116042 | KSEMP4100FDS40B1M | B6, B11, B20 |
| 5116043 | KSEMP4128FDS40B1M | B6, B11, B20 |
| 5116044 | KSEMP4200FDS40B1M | B6, B11, B20 |
| 5116045 | KSEMP4300FDS40B1M | B6, B11, B20 |
| 5116046 | KSEMP4400FDS40B1M | B6, B11, B20 |
| 5116047 | KSEMP4445FDS40B1M | B6, B11, B20 |
| 5116098 | KSEMP4500FDS45B1M | B6, B11, B21 |
| 5116099 | KSEMP4600FDS45B1M | B6, B11, B21 |
| 5116110 | KSEMP4700FDS45B1M | B6, B11, B21 |
| 5116111 | KSEMP4763FDS45B1M | B6, B11, B21 |
| 5116112 | KSEMP4800FDS45B1M | B6, B11, B21 |
| 5116113 | KSEMP4900FDS45B1M | B6, B11, B21 |
| 5116114 | KSEMP5000FDS50B1M | B7, B11, B21 |
| 5116115 | KSEMP5080FDS50B1M | B7, B11, B21 |
| 5116116 | KSEMP5100FDS50B1M | B7, B11, B21 |
| 5116117 | KSEMP5200FDS50B1M | B7, B11, B21 |
| 5116118 | KSEMP5300FDS50B1M | B7, B11, B21 |
| 5116119 | KSEMP5398FDS50B1M | B7, B11, B21 |
| 5116120 | KSEMP5400FDS50B1M | B7, B11, B21 |
| 5116121 | KSEMP5500FDS50B1M | B7, B11, B21 |
| 5116122 | KSEMP5600FDS56B1M | B7, B11, B21 |
| 5116123 | KSEMP5700FDS56B1M | B7, B11, B21 |
| 5116124 | KSEMP5715FDS56B1M | B7, B11, B21 |
| 5116125 | KSEMP5800FDS56B1M | B7, B11, B21 |
| 5116126 | KSEMP5900FDS56B1M | B7, B11, B21 |
| 5116127 | KSEMP6000FDS56B1M | B7, B11, B21 |
| 5116128 | KSEMP6033FDS56B1M | B7, B11, B21 |
| 5116129 | KSEMP6100FDS56B1M | B7, B11, B21 |
| 5116130 | KSEMP6200FDS56B1M | B7, B11, B21 |
| 5116131 | KSEMP6300FDS63B1M | B7, B11, B21 |
| 5116132 | KSEMP6350FDS63B1M | B7, B11, B21 |
| 5116133 | KSEMP6400FDS63B1M | B7, B11, B21 |
| 5116134 | KSEMP6500FDS63B1M | B7, B11, B21 |
| 5116135 | KSEMP6600FDS63B1M | B7, B11, B21 |
| 5116136 | KSEMP6668FDS63B1M | B7, B11, B21 |
| 5116137 | KSEMP6700FDS63B1M | B7, B11, B21 |
| 5116138 | KSEMP6800FDS63B1M | B7, B11, B21 |
| 5116139 | KSEMP6900FDS63B1M | B7, B11, B21 |
| 5116140 | KSEMP6985FDS63B1M | B7, B11, B21 |
| 5116141 | KSEMP7000FDS63B1M | B7, B11, B21 |
| 5118324 | DPA07T3D25 KCU40 | B16 |
| 5118325 | DPA09T4D32 KCU40 | B16 |
| 5118326 | DPA13T5D50 KCU40 | B16 |
| 5118327 | DFC040310D28HP KCU25 | B16 |
| 5118328 | DFC05T312D32HP KCU25 | B16 |
| 5118329 | DFC06T312D36HP KCU25 | B16 |
| 5118450 | DFC070416D45HP KCU25 | B16 |
| 5118451 | DFC090520D56HP KCU25 | B16 |
| 5118452 | DFC040310D28HP KCU40 | B16 |
| 5118453 | DFC05T312D32HP KCU40 | B16 |
| 5118454 | DFC06T312D36HP KCU40 | B16 |
| 5118455 | DFC070416D45HP KCU40 | B16 |
| 5118456 | DFC090520D56HP KCU40 | B16 |
| 5118457 | DFC040310D28MD KC7140 | B16 |
| 5118458 | DFC05T312D32MD KC7140 | B16 |
| 5118459 | DFC06T312D36MD KC7140 | B16 |
| 5118460 | DFC070416D45MD KC7140 | B16 |
| 5118461 | DFC090520D56MD KC7140 | B16 |
| 5124576 | HSK63AAVS00B126MCLB | B49 |
| 5124577 | HSK63AAVS0B143MCLB | B49 |
| 5124578 | HSK63AAVS1B127MCLB | B49 |
| 5124579 | HSK63AAVS2B139MCLB | B49 |
| 5124800 | HSK63AAVS3B139MCLB | B49 |
| 5124801 | KM40TSAVS00B111MCLB | B48 |
| 5124802 | KM40TSAVS0B128MCLB | B48 |
| 5124803 | KM40TSAVS1B112MCLB | B48 |
| 5124804 | KM40TSAVS2B127MCLB | B48 |
| 5124805 | KM50TSAVS00B117MCLB | B48 |
| 5124807 | KM50TSAVS0B134MCLB | B48 |
| 5124808 | KM50TSAVS1B118MCLB | B48 |
| 5124809 | KM50TSAVS2B128MCLB | B48 |
| 5124810 | KM50TSAVS3B128MCLB | B48 |
| 5124811 | KM63TSAVS3B1230MCLB | B48 |
| 5124812 | KR32AVS00B099MCLB | B48 |
| 5124814 | KR32AVS0B116MCLB | B48 |
| 5124816 | KR32AVS1B100MCLB | B48 |
| 5124818 | KR32AVS2B115MCLB | B48 |
| 5124820 | KR32AVS3B115MCLB | B48 |
| 5124822 | KRCSCFPR061Y | B49 |
| 5124823 | KRCSCFPR062Y | B49 |
| 5124824 | KRCSCFPR063Y | B49 |
| 5124825 | KRCSCFPR061X | B49 |
| 5124826 | KRCSCFPR062X | B49 |
| 5124827 | KRCSCFPR063X | B49 |
| 5124828 | KRCSCFPR061W | B49 |
| 5124829 | KRCSCFPR062W | B49 |
| 5124850 | KRCSCFPR063W | B49 |
| 5128048 | C8FIX120504LMP KCU10 | A251 |
| 5128049 | C8FIX120504LMP KCU25 | A251 |
| 5128080 | C8FIX120504LMP KCP25 | A251 |
| 5128081 | C8FIX120504LMP KCM15 | A251 |
| 5128108 | C8FIX150608RMP KCU10 | A251 |
| 5128109 | C8FIX150608RMP KCU25 | A251 |
| 5128110 | C8FIX150608RMP KCP25 | A251 |
| 5128111 | C8FIX150608RMP KCM15 | A251 |
| 5128112 | C8FIX150612LMP KCU10 | A251 |
| 5128113 | C8FIX150612LMP KCU25 | A251 |
| 5128114 | C8FIX150612LMP KCP25 | A251 |
| 5128115 | C8FIX150612LMP KCM15 | A251 |
| 5128116 | C8FIX150612RMP KCU10 | A251 |
| 5128117 | C8FIX150612RMP KCU25 | A251 |
| 5128118 | C8FIX150612RMP KCP25 | A251 |
| 5128119 | C8FIX150612RMP KCM15 | A251 |
| 5128561 | C8FIX120504LRP KCM15 | A250 |
| 5128565 | C8FIX150608LRP KCU10 | A250 |
| 5128566 | C8FIX150608LRP KCU25 | A250 |
| 5128567 | C8FIX150608LRP KCP25 | A250 |
| 5128568 | C8FIX150608LRP KCP40 | A250 |
| 5128569 | C8FIX150608RRP KCU10 | A250 |
| 5128591 | C8FIX150608RRP KCU25 | A250 |
| 5128592 | C8FIX150608RRP KCP10 | A250 |
| 5128593 | C8FIX150608RRP KCP25 | A250 |
| 5128594 | C8FIX150608RRP KCP40 | A250 |
| 5128595 | C8FIX150608RRP KCM15 | A250 |
| 5128596 | C8FIX150612LRP KCU10 | A250 |
| 5128597 | C8FIX150612LRP KCU25 | A250 |
| 5128598 | C8FIX150612LRP KCP25 | A250 |
| 5128599 | C8FIX150612LRP KCP40 | A250 |
| 5128600 | C8FIX150612RRP KCU10 | A250 |
| 5128602 | C8FIX150612RRP KCU25 | A250 |
| 5128603 | C8FIX150612RRP KCP10 | A250 |
| 5128604 | C8FIX150612RRP KCP25 | A250 |
| 5128605 | C8FIX150612RRP KCP40 | A250 |
| 5128606 | C8FIX150612RRP KCM15 | A250 |
| 5128607 | C8FIX180808LRP KCU10 | A250 |
| 5128608 | C8FIX180808LRP KCU25 | A250 |
| 5128609 | C8FIX180808LRP KCP10 | A250 |
| 5128620 | C8FIX180808LRP KCP25 | A250 |
| 5128621 | C8FIX180808LRP KCP40 | A250 |
| 5128622 | C8FIX180808LRP KCM15 | A250 |
| 5128623 | C8FIX180808RRP KCU10 | A250 |
| 5128624 | C8FIX180808RRP KCU25 | A250 |
| 5128625 | C8FIX180808RRP KCP10 | A250 |
| 5128626 | C8FIX180808RRP KCP25 | A250 |
| 5128627 | C8FIX180808RRP KCP40 | A250 |
| 5128628 | C8FIX180808RRP KCM15 | A250 |
| 5128629 | C8FIX180812LRP KCU10 | A250 |
| 5128640 | C8FIX180812LRP KCU25 | A250 |
| 5128641 | C8FIX180812LRP KCP10 | A250 |
| 5128642 | C8FIX180812LRP KCP25 | A250 |
| 5128643 | C8FIX180812LRP KCP40 | A250 |
| 5128644 | C8FIX180812LRP KCM15 | A250 |
| 5128645 | C8FIX180812RRP KCU10 | A250 |
| 5128646 | C8FIX180812RRP KCU25 | A250 |
| 5128647 | C8FIX180812RRP KCP10 | A250 |
| 5128648 | C8FIX180812RRP KCP25 | A250 |
| 5128649 | C8FIX180812RRP KCP40 | A250 |
| 5128650 | C8FIX180812RRP KCM15 | A250 |
| 5133402 | RMBE14000H6SF KC6305 | B26 |
| 5133403 | RMBE15000H6SF KC6305 | B26 |
| 5133404 | RMBE16000H6SF KC6305 | B26 |
| 5133405 | RMBE17000H6SF KC6305 | B26 |
| 5133406 | RMBE18000H6SF KC6305 | B26 |
| 5133407 | RMBE19000H6SF KC6305 | B26 |
| 5133408 | RMBE20000H6SF KC6305 | B26 |
| 5133409 | RMBE14000H6SF KC6005 | B26 |
| 5133540 | RMBE15000H6SF KC6005 | B26 |
| 5133541 | RMBE16000H6SF KC6005 | B26 |
| 5133542 | RMBE17000H6SF KC6005 | B26 |
| 5133543 | RMBE18000H6SF KC6005 | B26 |
| 5133544 | RMBE19000H6SF KC6005 | B26 |
| 5133545 | RMBE20000H6SF KC6005 | B26 |
| 5133546 | RMBE14000H6HF KC6305 | B27 |
| 5133547 | RMBE15000H6HF KC6305 | B27 |
| 5133548 | RMBE16000H6HF KC6305 | B27 |
| 5133549 | RMBE17000H6HF KC6305 | B27 |
| 5133560 | RMBE18000H6HF KC6305 | B27 |
| 5133561 | RMBE19000H6HF KC6305 | B27 |
| 5133562 | RMBE20000H6HF KC6305 | B27 |
| 5133563 | RMBE14000H6HF KC6005 | B27 |
| 5133564 | RMBE15000H6HF KC6005 | B27 |
| 5133565 | RMBE16000H6HF KC6005 | B27 |
| 5133566 | RMBE17000H6HF KC6005 | B27 |
| 5133567 | RMBE18000H6HF KC6005 | B27 |
| 5133568 | RMBE19000H6HF KC6005 | B27 |
| 5133569 | RMBE20000H6HF KC6005 | B27 |
| 5133590 | RHME14000KST115H6SF KC6305 | B29 |
| 5133591 | RHME14288KST115H6SF KC6305 | B29 |
| 5133592 | RHME15000KST115H6SF KC6305 | B29 |
| 5133593 | RHME16000KST135H6SF KC6305 | B29 |
| 5133594 | RHME17000KST135H6SF KC6305 | B29 |
| 5133595 | RHME17463KST135H6SF KC6305 | B29 |
| 5133596 | RHME18000KST155H6SF KC6305 | B29 |
| 5133597 | RHME19000KST155H6SF KC6305 | B29 |
| 5133598 | RHME19050KST155H6SF KC6305 | B29 |
| 5133599 | RHME20000KST175H6SF KC6305 | B29 |
| 5133600 | RHME21000KST175H6SF KC6305 | B29 |
| 5133601 | RHME22000KST175H6SF KC6305 | B29 |
| 5133602 | RHME22225KST175H6SF KC6305 | B29 |
| 5133603 | RHME23000KST200H6SF KC6305 | B29 |
| 5133604 | RHME23813KST200H6SF KC6305 | B29 |
| 5133605 | RHME24000KST200H6SF KC6305 | B29 |
| 5133606 | RHME25000KST200H6SF KC6305 | B29 |
| 5133607 | RHME25400KST200H6SF KC6305 | B29 |
| 5133609 | RHME26000KST200H6SF KC6305 | B29 |
| 5133610 | RHME27000KST200H6SF KC6305 | B29 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 5133611 | RHME28000KST250H6SF KC6305 | B29 |
| 5133612 | RHME30000KST250H6SF KC6305 | B29 |
| 5133613 | RHME31750KST250H6SF KC6305 | B29 |
| 5133614 | RHME32000KST250H6SF KC6305 | B29 |
| 5133615 | RHME34000KST300H6SF KC6305 | B29 |
| 5133616 | RHME36000KST300H6SF KC6305 | B29 |
| 5133617 | RHME38000KST350H6SF KC6305 | B29 |
| 5133618 | RHME40000KST350H6SF KC6305 | B29 |
| 5133619 | RHME42000KST350H6SF KC6305 | B29 |
| 5133818 | RHME14000KST115H6SF KC6005 | B29 |
| 5133819 | RHME14288KST115H6SF KC6005 | B29 |
| 5133960 | RHME15000KST115H6SF KC6005 | B29 |
| 5133961 | RHME16000KST135H6SF KC6005 | B29 |
| 5133962 | RHME17000KST135H6SF KC6005 | B29 |
| 5133963 | RHME17463KST135H6SF KC6005 | B29 |
| 5133964 | RHME18000KST155H6SF KC6005 | B29 |
| 5133965 | RHME19000KST155H6SF KC6005 | B29 |
| 5133966 | RHME19050KST155H6SF KC6005 | B29 |
| 5133967 | RHME20000KST175H6SF KC6005 | B29 |
| 5133968 | RHME21000KST175H6SF KC6005 | B29 |
| 5133969 | RHME22000KST175H6SF KC6005 | B29 |
| 5133970 | RHME22225KST175H6SF KC6005 | B29 |
| 5133971 | RHME23000KST200H6SF KC6005 | B29 |
| 5133972 | RHME23813KST200H6SF KC6005 | B29 |
| 5133973 | RHME24000KST200H6SF KC6005 | B29 |
| 5133974 | RHME25000KST200H6SF KC6005 | B29 |
| 5133975 | RHME25400KST200H6SF KC6005 | B29 |
| 5133976 | RHME26000KST200H6SF KC6005 | B29 |
| 5133977 | RHME27000KST200H6SF KC6005 | B29 |
| 5133978 | RHME28000KST250H6SF KC6005 | B29 |
| 5133979 | RHME30000KST250H6SF KC6005 | B29 |
| 5133990 | RHME31750KST250H6SF KC6005 | B29 |
| 5133991 | RHME32000KST250H6SF KC6005 | B29 |
| 5133992 | RHME34000KST300H6SF KC6005 | B29 |
| 5133993 | RHME36000KST300H6SF KC6005 | B29 |
| 5133994 | RHME38000KST350H6SF KC6005 | B29 |
| 5133995 | RHME40000KST350H6SF KC6005 | B29 |
| 5133996 | RHME42000KST350H6SF KC6005 | B29 |
| 5133997 | RHME14000KST115H6HF KC6305 | B30 |
| 5133998 | RHME14288KST115H6HF KC6305 | B30 |
| 5133999 | RHME15000KST115H6HF KC6305 | B30 |
| 5134030 | RHME16000KST135H6HF KC6305 | B30 |
| 5134031 | RHME17000KST135H6HF KC6305 | B30 |
| 5134032 | RHME17463KST135H6HF KC6305 | B30 |
| 5134033 | RHME18000KST155H6HF KC6305 | B30 |
| 5134034 | RHME19000KST155H6HF KC6305 | B30 |
| 5134035 | RHME19050KST155H6HF KC6305 | B30 |
| 5134036 | RHME20000KST175H6HF KC6305 | B30 |
| 5134037 | RHME21000KST175H6HF KC6305 | B30 |
| 5134038 | RHME22000KST175H6HF KC6305 | B30 |
| 5134039 | RHME22225KST175H6HF KC6305 | B30 |
| 5134040 | RHME23000KST200H6HF KC6305 | B30 |
| 5134041 | RHME23813KST200H6HF KC6305 | B30 |
| 5134042 | RHME24000KST200H6HF KC6305 | B30 |
| 5134043 | RHME25000KST200H6HF KC6305 | B30 |
| 5134044 | RHME25400KST200H6HF KC6305 | B30 |
| 5134045 | RHME26000KST200H6HF KC6305 | B30 |
| 5134046 | RHME27000KST200H6HF KC6305 | B30 |
| 5134047 | RHME28000KST250H6HF KC6305 | B30 |
| 5134048 | RHME30000KST250H6HF KC6305 | B30 |
| 5134049 | RHME31750KST250H6HF KC6305 | B30 |
| 5134050 | RHME32000KST250H6HF KC6305 | B30 |
| 5134051 | RHME34000KST300H6HF KC6305 | B30 |
| 5134052 | RHME36000KST300H6HF KC6305 | B30 |
| 5134053 | RHME38000KST350H6HF KC6305 | B30 |
| 5134054 | RHME40000KST350H6HF KC6305 | B30 |
| 5134055 | RHME42000KST350H6HF KC6305 | B30 |
| 5134072 | RHME14000KST115H6HF KC6005 | B30 |
| 5134073 | RHME14288KST115H6HF KC6005 | B30 |
| 5134074 | RHME15000KST115H6HF KC6005 | B30 |
| 5134075 | RHME16000KST135H6HF KC6005 | B30 |
| 5134076 | RHME17000KST135H6HF KC6005 | B30 |
| 5134077 | RHME17463KST135H6HF KC6005 | B30 |
| 5134078 | RHME18000KST155H6HF KC6005 | B30 |
| 5134079 | RHME19000KST155H6HF KC6005 | B30 |
| 5134120 | RHME19050KST155H6HF KC6005 | B30 |
| 5134121 | RHME20000KST175H6HF KC6005 | B30 |
| 5134122 | RHME21000KST175H6HF KC6005 | B30 |
| 5134123 | RHME22000KST175H6HF KC6005 | B30 |
| 5134124 | RHME22225KST175H6HF KC6005 | B30 |
| 5134125 | RHME23000KST200H6HF KC6005 | B30 |
| 5134126 | RHME23813KST200H6HF KC6005 | B30 |
| 5134127 | RHME24000KST200H6HF KC6005 | B30 |
| 5134128 | RHME25000KST200H6HF KC6005 | B30 |
| 5134129 | RHME25400KST200H6HF KC6005 | B30 |
| 5134130 | RHME26000KST200H6HF KC6005 | B30 |
| 5134131 | RHME27000KST200H6HF KC6005 | B30 |
| 5134132 | RHME28000KST250H6HF KC6005 | B30 |
| 5134133 | RHME30000KST250H6HF KC6005 | B30 |
| 5134134 | RHME31750KST250H6HF KC6005 | B30 |
| 5134135 | RHME32000KST250H6HF KC6005 | B30 |
| 5134136 | RHME34000KST300H6HF KC6005 | B30 |
| 5134137 | RHME36000KST300H6HF KC6005 | B30 |
| 5134138 | RHME38000KST350H6HF KC6005 | B30 |
| 5134139 | RHME40000KST350H6HF KC6005 | B30 |
| 5134140 | RHME42000KST350H6HF KC6005 | B30 |
| 5134141 | KGIP0125N0189GD KCU45 | B43 |
| 5134142 | KGEM0750R1SS075 | B42 |
| 5134143 | KGEM1905R1WN20M | B42 |
| 5134144 | KGEM0750R3SS075 | B42 |
| 5134145 | KGEM1905R3WN20M | B42 |
| 5144597 | A4R125I03P00GUP KCU25 | A196 |
| 5144598 | A4R187I04P00GUP KCU25 | A196 |
| 5144599 | A4R250I06P00GUP KCU25 | A196 |
| 5144820 | A4R312I08P00GUP KCU25 | A196 |
| 5144821 | A4R375I10P00GUP KCU25 | A196 |
| 5146918 | A4R0305M03U00GUP KCU25 | A196 |
| 5146919 | A4R0505M05U00GUP KCU25 | A196 |
| 5147210 | A4R1005M10U00GUP KCU25 | A196 |
| 5147211 | A4R0300M03P00GUP KCU25 | A196 |
| 5147212 | A4R0400M04P00GUP KCU25 | A196 |
| 5147213 | A4R0500M05P00GUP KCU25 | A196 |
| 5147214 | A4R0600M06P00GUP KCU25 | A196 |
| 5147215 | A4R0800M08P00GUP KCU25 | A196 |
| 5147216 | A4R1000M10P00GUP KCU25 | A196 |
| 5152563 | RNGJ10T3M0FLDJ KC422M | D42 |
| 5152564 | RNGJ10T3M0ELD KCMP30 | D42 |
| 5152565 | RNGJ10T3M0ELDJ KC522M | D42 |
| 5152566 | RNGJ10T3M0ELDJ KC725M | D42 |
| 5152567 | RNGJ10T3M0SGD KCMP30 | D42 |
| 5152569 | RNGJ10T3M0SGDJ KC522M | D42 |
| 5152600 | RNGJ10T3M0SGDJ KC725M | D42 |
| 5152605 | RNGJ1605M0ELD KCMP30 | D53 |
| 5152606 | RNGJ1605M0ELDJ KC522M | D53 |
| 5152607 | RNGJ1605M0ELDJ KC725M | D53 |
| 5152621 | KDR25Z03M12RN10 | D38 |
| 5152622 | KDR32Z04M16RN10 | D38 |
| 5152623 | KDR35Z05M16RN10 | D38 |
| 5152624 | KDR40Z05M16RN10 | D38 |
| 5152625 | KDR42Z05M16RN10 | D38 |
| 5152626 | KDR25Z03B25RN10 | D39 |
| 5152627 | KDR32Z04B32RN10 | D39 |
| 5152629 | KDR25Z03A25RN10L150 | D40 |
| 5152680 | KDR25Z03A25RN10L200 | D40 |
| 5152681 | KDR25Z03A32RN10L250 | D40 |
| 5152682 | KDR28Z03A25RN10L200 | D40 |
| 5152683 | KDR32Z04A32RN10L200 | D40 |
| 5152684 | KDR32Z03A32RN10L250 | D40 |
| 5152685 | KDR40Z04S16RN10 | D41 |
| 5152686 | KDR40Z06S16RN10 | D41 |
| 5152687 | KDR50Z05S22RN10 | D41 |
| 5152688 | KDR50Z06S22RN10 | D41 |
| 5152689 | KDR52Z06S22RN10 | D41 |
| 5152690 | KDR63Z07S22RN10 | D41 |
| 5152691 | KDR66Z07S27RN10 | D41 |
| 5152692 | KDR80Z08S27RN10 | D41 |
| 5153837 | KDR50Z04S22RN16 | D52 |
| 5153838 | KDR52Z04S22RN16 | D52 |
| 5153839 | KDR63Z04S22RN16 | D52 |
| 5153890 | KDR63Z06S22RN16 | D52 |
| 5153891 | KDR66Z05S27RN16 | D52 |
| 5153892 | KDR80Z05S27RN16 | D52 |
| 5153893 | KDR80Z07S27RN16 | D52 |
| 5153894 | KDR100Z06S32RN16 | D52 |
| 5153895 | KDR100Z08S32RN16 | D52 |
| 5153897 | KDR125Z08S40RN16 | D52 |
| 5153898 | KDR125Z10S40RN16 | D52 |
| 5164458 | 1.77725L301 | A257 |
| 5164459 | 1.77125L300 | A258 |
| 5164580 | 1.77225L301 | A258 |
| 5164581 | 1.78016L100 | A259 |
| 5164582 | 1.78020L100 | A259 |
| 5166638 | 193.554 | B20 |
| 5166639 | 193.555 | B20, B21 |
| 5166670 | 193.556 | B21 |
| 5169173 | EDPT070308PDSRGE KC725M | D13 |
| 5169174 | EDPT070308PDSRGE KC522M | D13 |
| 5169175 | EDPT070308PDSRGE KCPK30 | D13 |
| 5172862 | RPPT1204M0SGDX KC725M | D65 |
| 5172863 | RPPT1204M0SGDX KCMP30 | D65 |
| 5176850 | 1.78032R300 | A259 |
| 5176851 | 1.78032L300 | A259 |
| 5190190 | 12A02R018A12ED07 | D12 |
| 5190191 | 16A03R020A16ED07 | D12 |
| 5190192 | 20A05R020A20ED07 | D12 |
| 5190197 | 12A02R020M08ED07 | D12 |
| 5211960 | T630NC#06-32R2BX-D1 KP6525 | B68 |
| 5211961 | T630NC#08-32R2BX-D1 KP6525 | B68 |
| 5211962 | T630NC#10-24R2BX-D1 KP6525 | B68 |
| 5211964 | T630NC02500-20R3BX-D1 KP6525 | B68 |
| 5211965 | T630NC03125-18R3BX-D1 KP6525 | B68 |
| 5211966 | T630NC03750-16R3BX-D1 KP6525 | B68 |
| 5211967 | T630NC04375-14R3BX-D6 KP6525 | B68 |
| 5211968 | T630NC05000-13R3BX-D6 KP6525 | B68 |
| 5211981 | T630NF#06-40R2BX-D1 KP6525 | B68 |
| 5211983 | T630NF#10-32R2BX-D1 KP6525 | B68 |
| 5211985 | T630NF02500-28R3BX-D1 KP6525 | B68 |
| 5211987 | T630NF03125-24R3BX-D1 KP6525 | B68 |
| 5211988 | T630NF03750-24R3BX-D1 KP6525 | B68 |
| 5211989 | T630NF04375-20R3BX-D6 KP6525 | B68 |
| 5211990 | T630NF05000-20R3BX-D6 KP6525 | B68 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 5211991 | T631NC02500-20R3BX-D1 KP6525 | B69 |
| 5211992 | T631NC03125-18R3BX-D1 KP6525 | B69 |
| 5211993 | T631NC03750-16R3BX-D1 KP6525 | B69 |
| 5211994 | T631NC04375-14R3BX-D6 KP6525 | B69 |
| 5211995 | T631NC05000-13R3BX-D6 KP6525 | B69 |
| 5211996 | T631NF02500-28R3BX-D1 KP6525 | B69 |
| 5211997 | T631NF03125-24R3BX-D1 KP6525 | B69 |
| 5211998 | T631NF03750-24R3BX-D1 KP6525 | B69 |
| 5211999 | T631NF04375-20R3BX-D6 KP6525 | B69 |
| 5212000 | T631NF05000-20R3BX-D6 KP6525 | B69 |
| 5212152 | T620NC#06-32R2BX-D1 KP6525 | B66 |
| 5212155 | T620NC#08-32R2BX-D1 KP6525 | B66 |
| 5212156 | T620NC#10-24R2BX-D1 KP6525 | B66 |
| 5212159 | T620NC03125-18R3BX-D1 KP6525 | B66 |
| 5212210 | T620NC03750-16R3BX-D1 KP6525 | B66 |
| 5212211 | T620NC04375-14R3BX-D6 KP6525 | B66 |
| 5212212 | T620NC05000-13R3BX-D6 KP6525 | B66 |
| 5212213 | T620NF#06-40R2BX-D1 KP6525 | B66 |
| 5212215 | T620NF#10-32R2BX-D1 KP6525 | B66 |
| 5212217 | T620NF02500-28R3BX-D1 KP6525 | B66 |
| 5212218 | T620NF03125-24R3BX-D1 KP6525 | B66 |
| 5212219 | T620NF03750-24R3BX-D1 KP6525 | B66 |
| 5212230 | T620NF04375-20R3BX-D6 KP6525 | B66 |
| 5212231 | T620NF05000-20R3BX-D6 KP6525 | B66 |
| 5212232 | T621NC02500-20R3BX-D1 KP6525 | B67 |
| 5212233 | T621NC03125-18R3BX-D1 KP6525 | B67 |
| 5212234 | T621NC03750-16R3BX-D1 KP6525 | B67 |
| 5212235 | T621NC04375-14R3BX-D6 KP6525 | B67 |
| 5212236 | T621NC05000-13R3BX-D6 KP6525 | B67 |
| 5212237 | T621NF02500-28R3BX-D1 KP6525 | B67 |
| 5212238 | T621NF03125-24R3BX-D1 KP6525 | B67 |
| 5212239 | T621NF03750-24R3BX-D1 KP6525 | B67 |
| 5212240 | T621NF04375-20R3BX-D6 KP6525 | B67 |
| 5212241 | T621NF05000-20R3BX-D6 KP6525 | B67 |
| 5212248 | T640NC#06-32R2BX-D1 KP6525 | B70 |
| 5212249 | T640NC#08-32R2BX-D1 KP6525 | B70 |
| 5212270 | T640NC#10-24R2BX-D1 KP6525 | B70 |
| 5212272 | T640NC02500-20R3BX-D1 KP6525 | B70 |
| 5212273 | T640NC03125-18R3BX-D1 KP6525 | B70 |
| 5212274 | T640NC03750-16R3BX-D1 KP6525 | B70 |
| 5212275 | T640NC04375-14R3BX-D6 KP6525 | B70 |
| 5212276 | T640NC05000-13R3BX-D6 KP6525 | B70 |
| 5212277 | T640NF#06-40R2BX-D1 KP6525 | B70 |
| 5212279 | T640NF#10-32R2BX-D1 KP6525 | B70 |
| 5212281 | T640NF02500-28R3BX-D1 KP6525 | B70 |
| 5212282 | T640NF03125-24R3BX-D1 KP6525 | B70 |
| 5212283 | T640NF03750-24R3BX-D1 KP6525 | B70 |
| 5212284 | T640NF04375-20R3BX-D6 KP6525 | B70 |
| 5212285 | T640NF05000-20R3BX-D6 KP6525 | B70 |
| 5212286 | T641NC02500-20R3BX-D1 KP6525 | B71 |
| 5212287 | T641NC03125-18R3BX-D1 KP6525 | B71 |
| 5212288 | T641NC03750-16R3BX-D1 KP6525 | B71 |
| 5212289 | T641NC04375-14R3BX-D6 KP6525 | B71 |
| 5212290 | T641NC05000-13R3BX-D6 KP6525 | B71 |
| 5212291 | T641NF02500-28R3BX-D1 KP6525 | B71 |
| 5212292 | T641NF03125-24R3BX-D1 KP6525 | B71 |
| 5212293 | T641NF03750-24R3BX-D1 KP6525 | B71 |
| 5212294 | T641NF04375-20R3BX-D6 KP6525 | B71 |
| 5212295 | T641NF05000-20R3BX-D6 KP6525 | B71 |
| 5274660 | RNPJ10T3M0SGD KCPK30 | D42 |
| 5274661 | RNPJ10T3M0SGD KC522M | D42 |
| 5274662 | RNPJ10T3M0SGD KC510M | D42 |
| 5274663 | RNPJ10T3M0SHD KCPM20 | D42 |
| 5274664 | RNPJ10T3M0SHD KCPK30 | D42 |
| 5274665 | RNPJ10T3M0SHD KCK15 | D42 |
| 5274666 | RNPJ10T3M0SHD KC520M | D42 |
| 5274690 | RNPJ1204M0SGD KCPK30 | D49 |
| 5274691 | RNPJ1204M0SGD KC522M | D49 |
| 5274693 | RNPJ1204M0SHD KCPK30 | D49 |
| 5274694 | RNPJ1204M0SHD KCPM20 | D49 |
| 5274695 | RNPJ1204M0SHD KCK15 | D49 |
| 5274696 | RNPJ1204M0SHD KC520M | D49 |
| 5274699 | RNPJ1605M0SGD KCPK30 | D53 |
| 5274720 | RNPJ1605M0SGD KC725M | D53 |
| 5274721 | RNPJ1605M0SGD KC522M | D53 |
| 5274722 | RNPJ1605M0SHD KCPK30 | D53 |
| 5274723 | RNPJ1605M0SHD KCPM20 | D53 |
| 5274724 | RNPJ1605M0SHD KCK15 | D53 |
| 5320574 | WOEJ130713SRHD KC520M | D26 |
| 5320575 | WOEJ130713SRHD KC522M | D26 |
| 5320577 | WOEJ130713SRHD KC725M | D26 |
| 5320578 | WOEJ130713SRHD KCK15 | D26 |
| 5320579 | WOEJ130713SRHD KCPK30 | D26 |
| 5320580 | WOEJ130713SRHD KCPM20 | D26 |
| 5320996 | KF2X40Z03M16W013 | D24 |
| 5320997 | KF2X42Z03M16W013 | D24 |
| 5320998 | KF2X50Z04S22W013 | D25 |
| 5320999 | KF2X52Z04S22W013 | D25 |
| 5321000 | KF2X63Z04S22W013 | D25 |
| 5321001 | KF2X63Z05S22W013 | D25 |
| 5321002 | KF2X66Z05S27W013 | D25 |
| 5321003 | KF2X80Z05S27W013 | D25 |
| 5321004 | KF2X80Z06S27W013 | D25 |
| 5321005 | KF2X85Z06S27W013 | D25 |
| 5321006 | KF2X100Z06S32W013 | D25 |
| 5321007 | KF2X100Z07S32W013 | D25 |
| 5321008 | KF2X125Z07S40W013 | D25 |
| 5321009 | KF2X125Z09S40W013 | D25 |
| 5324421 | DCGR150404HP K313 | A214 |
| 5324422 | DCGR150408HP K313 | A214 |
| 5324423 | DCGR150412HP K313 | A214 |
| 5324424 | DCGR150404UF KCP05 | A214 |
| 5324425 | DCGR150404UF KCU10 | A214 |
| 5324426 | DCGR150408UF KCP05 | A214 |
| 5324427 | DCGR150408UF KCU10 | A214 |
| 5324428 | DCGR150404FP KCP05 | A214 |
| 5324429 | DCGR150404FP KCP10 | A214 |
| 5324450 | DCGR150404FP KCP25 | A214 |
| 5324451 | DCGR150404FP KCM25 | A214 |
| 5324452 | DCGR150404FP KCK05 | A214 |
| 5324453 | DCGR150404FP KCU10 | A214 |
| 5324454 | DCGR150404FP KCU25 | A214 |
| 5324455 | DCGR150408FP KCP05 | A214 |
| 5324456 | DCGR150408FP KCP10 | A214 |
| 5324457 | DCGR150408FP KCP25 | A214 |
| 5324458 | DCGR150408FP KCM25 | A214 |
| 5324459 | DCGR150408FP KCK05 | A214 |
| 5324480 | DCGR150408FP KCU10 | A214 |
| 5324481 | DCGR150408FP KCU25 | A214 |
| 5324482 | DCGR150412FP KCP10 | A214 |
| 5324483 | DCGR150412FP KCP25 | A214 |
| 5324484 | DCGR150412FP KCK05 | A214 |
| 5324485 | DCGR150412FP KCU10 | A214 |
| 5324486 | DCGR150412FP KCU25 | A214 |
| 5324727 | KCGR110304L08HP K313 | A215 |
| 5324728 | KCGR110304R08HP KC313 | A215 |
| 5324729 | KCGR110304L08UF KCP05 | A216 |
| 5324770 | KCGR110304R08UF KCP05 | A216 |
| 5324771 | KCGR110304L08UF KCU10 | A216 |
| 5324772 | KCGR110304R08UF KCU10 | A216 |
| 5324773 | KCGR110304L08FP KCP10 | A215 |
| 5324774 | KCGR110304L08FP KCP25 | A215 |
| 5324775 | KCGR110304L08FP KCM25 | A215 |
| 5324776 | KCGR110304L08FP KCU10 | A215 |
| 5324777 | KCGR110304L08FP KCU25 | A215 |
| 5324778 | KCGR110304R08FP KCP10 | A215 |
| 5324780 | KCGR110304R08FP KCP25 | A215 |
| 5324782 | KCGR110304R08FP KCM25 | A215 |
| 5324783 | KCGR110304R08FP KCU10 | A215 |
| 5324785 | KCGR110304R08FP KCU25 | A215 |
| 5324786 | KCGR110308L08FP KCP10 | A215 |
| 5324787 | KCGR110308L08FP KCP25 | A215 |
| 5324788 | KCGR110308L08FP KCM25 | A215 |
| 5324789 | KCGR110308L08FP KCU10 | A215 |
| 5324790 | KCGR110308L08FP KCU25 | A215 |
| 5324791 | KCGR110308R08FP KCP10 | A215 |
| 5324792 | KCGR110308R08FP KCP25 | A215 |
| 5324793 | KCGR110308R08FP KCM25 | A215 |
| 5324794 | KCGR110308R08FP KCU10 | A215 |
| 5324795 | KCGR110308R08FP KCU25 | A215 |
| 5324799 | VBMR110302UF KCP05 | A218 |
| 5324900 | VBMR110302UF KCU10 | A218 |
| 5324901 | VBMR110304UF KCP05 | A218 |
| 5324902 | VBMR110304UF KCU10 | A218 |
| 5324903 | VCMR160404UF KCP05 | A219 |
| 5324904 | VCMR160404UF KCU10 | A219 |
| 5324905 | VBMR110302FP KCP10 | A218 |
| 5324906 | VBMR110302FP KCP25 | A218 |
| 5324908 | VBMR110302FP KCM25 | A218 |
| 5324909 | VBMR110302FP KCU10 | A218 |
| 5324910 | VBMR110302FP KCU25 | A218 |
| 5324911 | VBMR110304FP KCP10 | A218 |
| 5324912 | VBMR110304FP KCP25 | A218 |
| 5324913 | VBMR110304FP KCM25 | A218 |
| 5324914 | VBMR110304FP KCU10 | A218 |
| 5324915 | VBMR110304FP KCU25 | A218 |
| 5324916 | VBMR110308FP KCP10 | A218 |
| 5324919 | VBMR110308FP KCP25 | A218 |
| 5324920 | VBMR110308FP KCM25 | A218 |
| 5324921 | VBMR110308FP KCU10 | A218 |
| 5324922 | VBMR110308FP KCU25 | A218 |
| 5324923 | VCMR160404FP KCP10 | A219 |
| 5324924 | VCMR160404FP KCP25 | A219 |
| 5324925 | VCMR160404FP KCM25 | A219 |
| 5324926 | VCMR160404FP KCK05 | A219 |
| 5324927 | VCMR160404FP KCU10 | A219 |
| 5324928 | VCMR160404FP KCU25 | A219 |
| 5324929 | VCMR160408FP KCP10 | A219 |
| 5324930 | VCMR160408FP KCP25 | A219 |
| 5324931 | VCMR160408FP KCM25 | A219 |
| 5324932 | VCMR160408FP KCK05 | A219 |
| 5324933 | VCMR160408FP KCU10 | A219 |
| 5324934 | VCMR160408FP KCU25 | A219 |
| 5326071 | KM4X100NCADS85 | E8 |
| 5326163 | A4R0305M03U00GUP K313 | A196 |
| 5326164 | A4R0505M05U00GUP K313 | A196 |
| 5326165 | A4R1005M10U00GUP K313 | A196 |
| 5326166 | A4R0300M03P00GUP K313 | A196 |
| 5326167 | A4R0500M05P00GUP K313 | A196 |
| 5326168 | A4R1000M10P00GUP K313 | A196 |
| 5326773 | A4R125I03P00GUP K313 | A196 |
| 5326774 | A4R187I04P00GUP K313 | A196 |
| 5326775 | A4R250I06P00GUP K313 | A196 |
| 5326776 | A4R312I08P00GUP K313 | A196 |
| 5326777 | A4R375I10P00GUP K313 | A196 |
| 5327662 | A4R0305M03U00GUP KCU10 | A196 |
| 5327663 | A4R0505M05U00GUP KCU10 | A196 |
| 5327664 | A4R1005M10U00GUP KCU10 | A196 |
| 5327665 | A4R0300M03P00GUP KCU10 | A196 |
| 5327666 | A4R1000M10P00GUP KCU10 | A196 |
| 5327684 | A4R125I03P00GUP KCU10 | A196 |
| 5327685 | A4R187I04P00GUP KCU10 | A196 |
| 5327686 | A4R250I06P00GUP KCU10 | A196 |
| 5327687 | A4R312I08P00GUP KCU10 | A196 |
| 5327688 | A4R375I10P00GUP KCU10 | A196 |
| 5327911 | VCGR160402HP K313 | A220 |
| 5327912 | VCGR160404HP K313 | A220 |
| 5327913 | VCGR160408HP K313 | A220 |
| 5327914 | VCGR160412HP K313 | A220 |
| 5327915 | VCGR160402UF KCP05 | A220 |
| 5327916 | VCGR160404UF KCP05 | A220 |
| 5327917 | VCGR160402UF KCU10 | A220 |
| 5327918 | VCGR160404UF KCU10 | A220 |
| 5327919 | VCGR160402FP KCP10 | A220 |
| 5327930 | VCGR160402FP KCP25 | A220 |
| 5327931 | VCGR160402FP KCM25 | A220 |
| 5327932 | VCGR160402FP KCK05 | A220 |
| 5327933 | VCGR160402FP KCU10 | A220 |
| 5327934 | VCGR160402FP KCU25 | A220 |
| 5327935 | VCGR160404FP KCP05 | A220 |
| 5327936 | VCGR160404FP KCP10 | A220 |
| 5327937 | VCGR160404FP KCP25 | A220 |
| 5327938 | VCGR160404FP KCM25 | A220 |
| 5327939 | VCGR160404FP KCK05 | A220 |
| 5327940 | VCGR160404FP KCU10 | A220 |
| 5327941 | VCGR160408FP KCP05 | A220 |
| 5327942 | VCGR160408FP KCP10 | A220 |
| 5327943 | VCGR160408FP KCP25 | A220 |
| 5327944 | VCGR160408FP KCM25 | A220 |
| 5327945 | VCGR160408FP KCK05 | A220 |
| 5327946 | VCGR160408FP KCU10 | A220 |
| 5327947 | VCGR160408FP KCU25 | A220 |
| 5327948 | VCGR160412FP KCP10 | A220 |
| 5327949 | VCGR160412FP KCP25 | A220 |
| 5327960 | VCGR160412FP KCM25 | A220 |
| 5327961 | VCGR160412FP KCK05 | A220 |
| 5327962 | VCGR160412FP KCU10 | A220 |
| 5327963 | VCGR160412FP KCU25 | A220 |
| 5327964 | VCGR160416FP KCP10 | A220 |
| 5327965 | VCGR160416FP KCP25 | A220 |
| 5327966 | VCGR160416FP KCM25 | A220 |
| 5327967 | VCGR160416FP KCU10 | A220 |
| 5327968 | VCGR160416FP KCU25 | A220 |
| 5329836 | WNGA080404S01015MT KBH20 | A170 |
| 5329837 | WNGA080408S01015MT KBH20 | A170 |
| 5329838 | WNGA080408S01225MT KBH20 | A170 |
| 5329839 | WNGA080408S01735MT KBH20 | A170 |
| 5330131 | CCGW060202S01225MT KBH20 | A172 |
| 5330132 | CCGW060204S01225MT KBH20 | A172 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 5330133 | CCGW09T302S01225MT KBH20 | A172 |
| 5330134 | CCGW09T304S01225MT KBH20 | A172 |
| 5330135 | CCGW09T304S01015MT KBH20 | A172 |
| 5330136 | CCGW09T304S01015FWMT KBH20 | A172 |
| 5330137 | CCGW09T308S01225MT KBH20 | A172 |
| 5330138 | CCGW09T308S01015MT KBH20 | A172 |
| 5330139 | CCGW09T308S01015FWMT KBH20 | A172 |
| 5330140 | CCGW120408S01015MT KBH20 | A172 |
| 5330141 | DCGW070202S01225MT KBH20 | A175 |
| 5330142 | DCGW070204S01225MT KBH20 | A175 |
| 5330143 | DCGW070204S01015MT KBH20 | A175 |
| 5330144 | DCGW11T302S01225MT KBH20 | A175 |
| 5330145 | DCGW11T304S01225MT KBH20 | A175 |
| 5330146 | DCGW11T304S01015MT KBH20 | A174 |
| 5330147 | DCGW11T308S01225MT KBH20 | A175 |
| 5330148 | DCGW11T308S01015MT KBH20 | A175 |
| 5330150 | TPGW110202S01015MT KBH20 | A179 |
| 5330151 | TPGW110204S01015MT KBH20 | A179 |
| 5330152 | TPGW110208S01015MT KBH20 | A179 |
| 5330153 | TCGW110202S01015MT KBH20 | A177 |
| 5330154 | TCGW110204S01015MT KBH20 | A177 |
| 5330155 | TCGW110208S01015MT KBH20 | A177 |
| 5330156 | TCGW090202S01015MT KBH20 | A177 |
| 5330157 | TCGW090204S01015 MT KBH20 | A177 |
| 5330158 | TPGW16T304S01225MT KBH20 | A179 |
| 5330159 | TPGW16T304S01015MT KBH20 | A179 |
| 5330160 | TPGW16T308S01225MT KBH20 | A179 |
| 5330161 | TPGW16T308S01015MT KBH20 | A179 |
| 5330162 | VBGW110304S01225MT KBH20 | A180 |
| 5330163 | VBGW110304S01015MT KBH20 | A180 |
| 5330164 | VBGW160408S01015MT KBH20 | A180 |
| 5330165 | VBGW160412S01015MT KBH20 | A180 |
| 5330166 | VBGW110308S01225MT KBH20 | A180 |
| 5330695 | CNGA120404S01225MT KBH20 | A165 |
| 5330696 | CNGA120404S01015MT KBH20 | A165 |
| 5330697 | CNGA120404S01735MT KBH20 | A165 |
| 5330698 | CNGA120404S01015FWMT KBH20 | A164 |
| 5330699 | CNGA120408S01225MT KBH20 | A165 |
| 5330830 | CNGA120408S01015MT KBH20 | A165 |
| 5330831 | CNGA120408S01735MT KBH20 | A165 |
| 5330832 | CNGA120408S01015FWMT KBH20 | A164 |
| 5330833 | CNGA120412S01225MT KBH20 | A165 |
| 5330834 | CNGA120412S01015MT KBH20 | A165 |
| 5330835 | CNGA120412S01735MT KBH20 | A165 |
| 5330836 | CNGA120412S01015FWMT KBH20 | A164 |
| 5330837 | DNGA150404S01225MT KBH20 | A166 |
| 5330838 | DNGA150404S01015MT KBH20 | A166 |
| 5330839 | DNGA150404S01735MT KBH20 | A167 |
| 5330840 | DNGA150408S01015MT KBH20 | A166 |
| 5330841 | DNGA150408S01735MT KBH20 | A166 |
| 5330842 | DNGA150412S01225MT KBH20 | A166 |
| 5330843 | DNGA150412S01015MT KBH20 | A166 |
| 5330844 | DNGA150412S01735MT KBH20 | A166 |
| 5330845 | DNGA150408S01015FWMT KBH20 | A166 |
| 5330846 | DNGA150412S01015FWMT KBH20 | A166 |
| 5330847 | DNGA150604S01225MT KBH20 | A166 |
| 5330848 | DNGA150604S01015MT KBH20 | A166 |
| 5330849 | DNGA150604S01735MT KBH20 | A166 |
| 5330850 | DNGA150608S01225MT KBH20 | A166 |
| 5330851 | DNGA150608S01015MT KBH20 | A166 |
| 5330852 | DNGA150608S01735MT KBH20 | A166 |
| 5330853 | DNGA150612S01225MT KBH20 | A166 |
| 5330854 | DNGA150612S01015MT KBH20 | A166 |
| 5330855 | DNGA150612S01735MT KBH20 | A166 |
| 5330856 | SNGA120408S01225MT KBH20 | A168 |
| 5330857 | SNGA120412S01225MT KBH20 | A168 |
| 5330858 | TNGA160404S01225MT KBH20 | A169 |
| 5330859 | TNGA160404S01015MT KBH20 | A169 |
| 5330860 | TNGA160404S01735MT KBH20 | A169 |
| 5330861 | TNGA160408S01225MT KBH20 | A169 |
| 5330862 | TNGA160408S01015MT KBH20 | A169 |
| 5330863 | TNGA160408S01735MT KBH20 | A169 |
| 5330864 | TNGA160412S01225MT KBH20 | A169 |
| 5330865 | TNGA160412S01015MT KBH20 | A169 |
| 5330866 | TNGA160412S01735MT KBH20 | A169 |
| 5330867 | VNGA160404S01225MT KBH20 | A169 |
| 5330868 | VNGA160404S01015MT KBH20 | A169 |
| 5330869 | VNGA160404S01735MT KBH20 | A169 |
| 5330870 | VNGA160408S01225MT KBH20 | A169 |
| 5330871 | VNGA160408S01015MT KBH20 | A169 |
| 5330872 | VNGA160408S01735MT KBH20 | A169 |
| 5330873 | VNGA160412S01225MT KBH20 | A169 |
| 5337697 | KM4X100MSDNN19 | E14 |
| 5337698 | KM4X100MSDNN25 | E14 |
| 5337711 | KM4X100MSKNR19 | E15 |
| 5337713 | KM4X100MSRNL19 | E16 |
| 5337714 | KM4X100MSRNL25 | E16 |
| 5337715 | KM4X100MSRNR19 | E16 |
| 5337716 | KM4X100MSRNR25 | E16 |
| 5337717 | KM4X100MTJNR27 | E16 |
| 5337718 | KM4X100MTJNR33 | E16 |
| 5337719 | KM4X100MTJNL27 | E16 |
| 5337730 | KM4X100MTJNL33 | E16 |
| 5337731 | KM4X100MVUNL16 | E17 |
| 5337732 | KM4X100MVUNR16 | E17 |
| 5337734 | KM4X100MRGNR12 | E13 |
| 5337735 | KM4X100MRGNR19 | E13 |
| 5337736 | KM4X100MRGNR25 | E13 |
| 5337737 | KM4X100MRGNL12 | E13 |
| 5337738 | KM4X100MRGNL19 | E13 |
| 5337739 | KM4X100MRGNL25 | E13 |
| 5337750 | KM4X100PRDCN20 | E17 |
| 5337751 | KM4X100PRDCN25 | E17 |
| 5337752 | KM4X100PRDCN32 | E17 |
| 5337754 | KM4X100NEL3 | E18 |
| 5337755 | KM4X100NEL4 | E18 |
| 5337756 | KM4X100NEL5 | E18 |
| 5337757 | KM4X100NEL6 | E18 |
| 5337758 | KM4X100NER3 | E18 |
| 5337759 | KM4X100NER4 | E18 |
| 5337770 | KM4X100NER5 | E18 |
| 5337771 | KM4X100NER6 | E18 |
| 5337777 | KM4X100ETAL20 | E21 |
| 5337778 | KM4X100ETAR20 | E21 |
| 5337779 | KM4X100STAL24 | E20 |
| 5337780 | KM4X100STAL2525M | E20 |
| 5337781 | KM4X100STAL3232M | E20 |
| 5337782 | KM4X100STAR20 | E20 |
| 5337783 | KM4X100STAR24 | E20 |
| 5337784 | KM4X100STAR2525M | E20 |
| 5337785 | KM4X100STAR3232M | E20 |
| 5337787 | KM4X100KGMEL50 | E19 |
| 5337788 | KM4X100KGMEL65C | E19 |
| 5337789 | KM4X100KGMER50 | E19 |
| 5337800 | KM4X100KGMER65C | E19 |
| 5337801 | KM4X100KGMSL50 | E19 |
| 5337802 | KM4X100KGMSL65C | E19 |
| 5337803 | KM4X100KGMSR50 | E19 |
| 5337804 | KM4X100KGMSR65C | E19 |
| 5337806 | KM4X100MCKNL19 | E12 |
| 5337807 | KM4X100MCKNR19 | E12 |
| 5337808 | KM4X100MCLNL19 | E12 |
| 5337809 | KM4X100MCLNL25 | E12 |
| 5337810 | KM4X100MCLNR19 | E12 |
| 5337811 | KM4X100MCLNR25 | E12 |
| 5337812 | KM4X100MCRNL19 | E13 |
| 5337813 | KM4X100MCRNL25 | E13 |
| 5337814 | KM4X100MCRNR19 | E13 |
| 5337815 | KM4X100MCRNR25 | E13 |
| 5338057 | KDR160Z12S40RN16 | D52 |
| 5338778 | KSSM50Z04SD14BB-HF | D32 |
| 5338779 | KSSM50Z05SD14BB-HF | D32 |
| 5338800 | KSSM52Z05SD14BB-HF | D32 |
| 5338801 | KSSM63Z05SD14BB-HF | D32 |
| 5338802 | KSSM63Z06SD14BB-HF | D32 |
| 5338803 | KSSM66Z06SD14BB-HF | D32 |
| 5338804 | KSSM80Z06SD14BB-HF | D32 |
| 5338805 | KSSM80Z07SD14BB-HF | D32 |
| 5338806 | KSSM100Z07SD14BB-HF | D32 |
| 5338807 | KSSM100Z10SD14BB-HF | D32 |
| 5338808 | KSSM125Z09SD14BB-HF | D32 |
| 5338809 | KSSM125Z12SD14BB-HF | D32 |
| 5344687 | F4AS1400ADL38 KCPM15 | C14 |
| 5345265 | KM4X100DCLNL12KC04 | E10 |
| 5345266 | KM4X100DCLNL16KC06 | E10 |
| 5345267 | KM4X100DCLNR12KC04 | E10 |
| 5345268 | KM4X100DCLNR16KC06 | E10 |
| 5345269 | KM4X100DDJNL15KC06 | E10 |
| 5345310 | KM4X100DDJNR15KC06 | E10 |
| 5345314 | KM4X100DDUNL15KC06 | E11 |
| 5345315 | KM4X100DDUNR15KC06 | E11 |
| 5347999 | EADE0380A4AQE KYS40 | C4 |
| 5348060 | EADE0400A4AQE KYS40 | C4 |
| 5348061 | EADE0570A4AQF KYS40 | C4 |
| 5348062 | EADE0600A4AQF KYS40 | C4 |
| 5348063 | EADE0760A4AQG KYS40 | C4 |
| 5348064 | EADE0800A4AQG KYS40 | C4 |
| 5348065 | EADE0950A4AQH KYS40 | C4 |
| 5348066 | EADE1000A4AQH KYS40 | C4 |
| 5348067 | EADE1140A4AQJ KYS40 | C4 |
| 5348068 | EADE1200A4AQJ KYS40 | C4 |
| 5348069 | EADE0400A6ARE KYS40 | C5 |
| 5348070 | EADE0600A6ARF KYS40 | C5 |
| 5348071 | EADE0800A6ARG KYS40 | C5 |
| 5348072 | EADE1000A6ARH KYS40 | C5 |
| 5348073 | EADE1200A6ARJ KYS40 | C5 |
| 5348571 | CNGM120408S01325MTCB1 KBH20 | A164 |
| 5348573 | CNGM120404S01325MTCB1 KBH20 | A164 |
| 5348574 | DNGM150408S01325MTCB1 KBH20 | A167 |
| 5348575 | DNGM150412S01325MTCB1 KBH20 | A167 |
| 5348576 | DNGM150608S01325MTCB1 KBH20 | A167 |
| 5348577 | DNGM150612S01325MTCB1 KBH20 | A167 |
| 5350287 | UJDE1000A6ARE KCSM15 | C38 |
| 5350288 | UJDE1000A6AS KCSM15 | C38 |
| 5350289 | UJDE1000A6AQE KCSM15 | C39 |
| 5350320 | UJDE1000A6AQG KCSM15 | C39 |
| 5350321 | UJDE1000A6AQK KCSM15 | C39 |
| 5350322 | UJDE1000A6AQM KCSM15 | C39 |
| 5350323 | UJDE1000A6ANS KCSM15 | C39 |
| 5350324 | UJDE1200A6ARF KCSM15 | C38 |
| 5350325 | UJDE1200A6AS KCSM15 | C38 |
| 5350326 | UJDE1200E6ARF KCSM15 | C38 |
| 5350327 | UJDE1200A6AQE KCSM15 | C39 |
| 5350328 | UJDE1200A6AQG KCSM15 | C39 |
| 5350329 | UJDE1200A6AQK KCSM15 | C39 |
| 5350330 | UJDE1200A6AQM KCSM15 | C39 |
| 5350331 | UJDE1200A6ANS KCSM15 | C39 |
| 5350332 | UJDE1200E6AQE KCSM15 | C39 |
| 5350333 | UJDE1200E6AQG KCSM15 | C39 |
| 5350334 | UJDE1200E6AQK KCSM15 | C39 |
| 5350335 | UJDE1200E6AQM KCSM15 | C39 |
| 5350336 | UJDE1400A6ARF KCSM15 | C38 |
| 5350337 | UJDE1400E6ARF KCSM15 | C38 |
| 5350338 | UJDE1400A6AS KCSM15 | C38 |
| 5350339 | UJDE1600A6ARF KCSM15 | C38 |
| 5350340 | UJDE1600E6ARF KCSM15 | C38 |
| 5350341 | UJDE1600A6AS KCSM15 | C38 |
| 5350342 | UJDE1600A6AQE KCSM15 | C39 |
| 5350343 | UJDE1600A6AQG KCSM15 | C39 |
| 5350344 | UJDE1600A6AQK KCSM15 | C39 |
| 5350345 | UJDE1600A6AQM KCSM15 | C39 |
| 5350346 | UJDE1600A6AQN KCSM15 | C39 |
| 5350347 | UJDE1600A6ANS KCSM15 | C39 |
| 5350348 | UJDE1600E6AQE KCSM15 | C39 |
| 5350349 | UJDE1600E6AQG KCSM15 | C39 |
| 5350350 | UJDE1600E6AQK KCSM15 | C39 |
| 5350351 | UJDE1600E6AQM KCSM15 | C39 |
| 5350352 | UJDE1600E6AQN KCSM15 | C39 |
| 5350613 | UJDE2000A6ARF KCSM15 | C38 |
| 5350615 | UJDE2000E6ARF KCSM15 | C38 |
| 5350616 | UJDE2000A6AS KCSM15 | C38 |
| 5350617 | UJDE2000A6AQE KCSM15 | C39 |
| 5350618 | UJDE2000A6AQG KCSM15 | C39 |
| 5350619 | UJDE2000A6AQK KCSM15 | C40 |
| 5350640 | UJDE2000A6AQM KCSM15 | C40 |
| 5350641 | UJDE2000A6AQN KCSM15 | C40 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 5350642 | ....UJDE2000A6ANS KCSM15 | .....C40 |
| 5350644 | ....UJDE2000E6AQE KCSM15 | .....C39 |
| 5350645 | ....UJDE2000E6AQG KCSM15 | .....C39 |
| 5350646 | ....UJDE2000E6AQK KCSM15 | .....C40 |
| 5350647 | ....UJDE2000E6AQM KCSM15 | .....C40 |
| 5350648 | ....UJDE2000E6AQN KCSM15 | .....C40 |
| 5350649 | ....UJDE2500A6ARF KCSM15 | .....C38 |
| 5350650 | ....UJDE2500E6ARF KCSM15 | .....C38 |
| 5350651 | ....UJDE2500A6AS KCSM15 | .....C38 |
| 5350652 | ....UJDE2500A6AQE KCSM15 | .....C40 |
| 5350653 | ....UJDE2500A6AQG KCSM15 | .....C40 |
| 5350654 | ....UJDE2500A6AQK KCSM15 | .....C40 |
| 5350655 | ....UJDE2500A6AQM KCSM15 | .....C40 |
| 5350656 | ....UJDE2500A6AQN KCSM15 | .....C40 |
| 5350657 | ....UJDE2500A6ANS KCSM15 | .....C40 |
| 5350658 | ....UJDE2500E6AQE KCSM15 | .....C40 |
| 5350659 | ....UJDE2500E6AQG KCSM15 | .....C40 |
| 5350660 | ....UJDE2500E6AQK KCSM15 | .....C40 |
| 5350661 | ....UJDE2500E6AQM KCSM15 | .....C40 |
| 5350662 | ....UJDE2500E6AQN KCSM15 | .....C40 |
| 5356982 | ....UADE0600B4AL KCPM15 | .....C18 |
| 5356983 | ....UADE0800B4AL KCPM15 | .....C18 |
| 5356984 | ....UADE1000B4AL KCPM15 | .....C18 |
| 5356985 | ....UADE1200B4AL KCPM15 | .....C18 |
| 5356986 | ....UADE1600B4AL KCPM15 | .....C18 |
| 5356987 | ....UADE2000B4AL KCPM15 | .....C18 |
| 5356988 | ....UADE0600A4AL KCPM15 | .....C18 |
| 5356989 | ....UADE0800A4AL KCPM15 | .....C18 |
| 5357000 | ....UADE1000A4AL KCPM15 | .....C18 |
| 5357001 | ....UADE1200A4AL KCPM15 | .....C18 |
| 5357002 | ....UADE1600A4AL KCPM15 | .....C18 |
| 5357003 | ....UADE2000A4AL KCPM15 | .....C18 |
| 5357041 | ....RUDC0400B3BN KCPM15 | .....C56 |
| 5357042 | ....RUDC0500B3BN KCPM15 | .....C56 |
| 5357043 | ....RUDC0600B3BN KCPM15 | .....C56 |
| 5357044 | ....RUDC0800B3BN KCPM15 | .....C56 |
| 5357045 | ....RUDC1000B4BN KCPM15 | .....C56 |
| 5357046 | ....RUDC1200B4BN KCPM15 | .....C56 |
| 5357047 | ....RUDC1400B4BN KCPM15 | .....C56 |
| 5357048 | ....RUDC1600B4BN KCPM15 | .....C56 |
| 5357049 | ....RUDC1800B4BN KCPM15 | .....C56 |
| 5357090 | ....RUDC2000B4BN KCPM15 | .....C56 |
| 5357091 | ....RUDC2500B5BN KCPM15 | .....C56 |
| 5357097 | ....UBDE1200E4AQE KCSM15 | .....C15 |
| 5357098 | ....UBDE1200E4AQG KCSM15 | .....C15 |
| 5357099 | ....UBDE1200E4AQK KCSM15 | .....C15 |
| 5357150 | ....UBDE1200E4AQM KCSM15 | .....C15 |
| 5357151 | ....UBDE1200E4AQN KCSM15 | .....C15 |
| 5357152 | ....UBDE1600E4AQE KCSM15 | .....C15 |
| 5357153 | ....UBDE1600E4AQG KCSM15 | .....C15 |
| 5357154 | ....UBDE1600E4AQK KCSM15 | .....C15 |
| 5357155 | ....UBDE1600E4AQM KCSM15 | .....C15 |
| 5357156 | ....UBDE1600E4AQN KCSM15 | .....C15 |
| 5357157 | ....UBDE2000E4AQE KCSM15 | .....C15 |
| 5357158 | ....UBDE2000E4AQG KCSM15 | .....C16 |
| 5357159 | ....UBDE2000E4AQK KCSM15 | .....C16 |
| 5357160 | ....UBDE2000E4AQM KCSM15 | .....C16 |
| 5357161 | ....UBDE2000E4AQN KCSM15 | .....C16 |
| 5357162 | ....UBDE2500E4AQE KCSM15 | .....C16 |
| 5357163 | ....UBDE2500E4AQG KCSM15 | .....C16 |
| 5357164 | ....UBDE2500E4AQK KCSM15 | .....C16 |
| 5357165 | ....UBDE2500E4AQM KCSM15 | .....C16 |
| 5357166 | ....UBDE2500E4AQN KCSM15 | .....C16 |
| 5357831 | ....CNGX120416S02020SB4 KB1340 | ..... A161 |
| 5357832 | ....CNGX120416S01015FWSB4 KB1340 | ..... A160 |
| 5357833 | ....CNGX120412S01015SB4 KB1340 | ..... A160 |
| 5357834 | ....CNGX120412S01015FWSB4 KB1340 | ..... A160 |
| 5357835 | ....CNGF120408SB4 KB1340 | .....A160 |
| 5357836 | ....CNGX090416S02020SB4 KB1340 | ..... A161 |
| 5357837 | ....CNGX090412S01015SB4 KB1340 | ..... A160 |
| 5357838 | ....CNGX090412S01015FWSB4 KB1340 | ..... A160 |
| 5357839 | ....CNGF090408SB4 KB1340 | .....A160 |
| 5357850 | ....CNGX060416S01015FWSB4 KB1340 | ..... A160 |
| 5357851 | ....CNGX060412S01015SB4 KB1340 | ..... A160 |
| 5357852 | ....CNGX060412S01015FWSB4 KB1340 | ..... A160 |
| 5357853 | ....CNGF060408SB4 KB1340 | .....A160 |
| 5357854 | ....CNGX090416S01015FWSB4 KB1340 | ..... A160 |
| 5357855 | ....SNGX090416S02020SB4 KB1340 | ..... A161 |
| 5357856 | ....SNGX090416S02020SB8 KB1340 | ..... A161 |
| 5357857 | ....SNGX060416S02020SB4 KB1340 | ..... A161 |
| 5357858 | ....SNGX120416S02020SB8 KB1340 | ..... A161 |
| 5357867 | ....CNGX060416S02020SB4 KB1340 | ..... A160 |
| 5358354 | ....UDDE1200E5AQE KCSM15 | .....C27 |
| 5358355 | ....UDDE1200E5AQG KCSM15 | .....C27 |
| 5358356 | ....UDDE1200E5AQK KCSM15 | .....C27 |
| 5358357 | ....UDDE1200E5AQM KCSM15 | .....C27 |
| 5358358 | ....UDDE1600E5AQE KCSM15 | .....C28 |
| 5358359 | ....UDDE1600E5AQG KCSM15 | .....C28 |
| 5358390 | ....UDDE1600E5AQK KCSM15 | .....C28 |
| 5358392 | ....UDDE1600E5AQM KCSM15 | .....C28 |
| 5358393 | ....UDDE1600E5AQN KCSM15 | .....C28 |
| 5358394 | ....UDDE2000E5AQE KCSM15 | .....C28 |
| 5358395 | ....UDDE2000E5AQG KCSM15 | .....C28 |
| 5358396 | ....UDDE2000E5AQK KCSM15 | .....C28 |
| 5358397 | ....UDDE2000E5AQM KCSM15 | .....C28 |
| 5358398 | ....UDDE2000E5AQN KCSM15 | .....C28 |
| 5358399 | ....UDDE2500E5AQE KCSM15 | .....C28 |
| 5358400 | ....UDDE2500E5AQG KCSM15 | .....C28 |
| 5358401 | ....UDDE2500E5AQK KCSM15 | .....C28 |
| 5358402 | ....UDDE2500E5AQM KCSM15 | .....C28 |
| 5358403 | ....UDDE2500E5AQN KCSM15 | .....C28 |
| 5358455 | ....CM224WC210 ASSY | .....A162 |
| 5358456 | ....CM225WC210 ASSY | .....A162 |
| 5358457 | ....CM226WC210 ASSY | .....A162 |
| 5358458 | ....CM227WC210 ASSY | .....A162 |
| 5358459 | ....CM228WC210 ASSY | .....A162 |
| 5358570 | ....CM229WC210 ASSY | .....A162 |
| 5358571 | ....CM230WC210 ASSY | .....A162 |
| 5358886 | ....KSOM32Z03M160F06X | .....D4 |
| 5358887 | ....KSOM40Z04M160F06X | .....D4 |
| 5358888 | ....KSOM32Z03A320F06X | .....D4 |
| 5358889 | ....KSOM40Z040F06X | .....D5 |
| 5358930 | ....KSOM50Z060F06X | .....D5 |
| 5358931 | ....KSOM63Z070F06X | .....D5 |
| 5358932 | ....KSOM80Z090F06X | .....D5 |
| 5363821 | ....CNGX120416S02020SB4 KBK35 | ..... A161 |
| 5363822 | ....CNGX120412S01015SB4 KBK35 | ..... A161 |
| 5363823 | ....CNGX090416S02020SB4 KBK35 | ..... A161 |
| 5363824 | ....CNGX090412S01015SB4 KBK35 | ..... A161 |
| 5363825 | ....SNGX090416S02020SB4 KBK35 | ..... A161 |
| 5363826 | ....SNGX090416S02020SB8 KBK35 | ..... A161 |
| 5363828 | ....SNGX120416S02020SB8 KBK35 | ..... A161 |
| 5363843 | ....CNMN120412S02020 KBK35 | ..... A181 |
| 5363844 | ....CNMA120408S02020 KBK35 | ..... A181 |
| 5363846 | ....RNMN090300S02020 KBK35 | ..... A181 |
| 5363847 | ....CNMA120408S02020MW KBK35 | ..... A181 |
| 5363848 | ....RNMN090300E KBK35 | .....A181 |
| 5363854 | ....RNMN120400S02020 KBK35 | ..... A181 |
| 5379145 | ....CM-224 ASSY | .....A162 |
| 5379146 | ....CM-225 ASSY | .....A162 |
| 5379147 | ....CM-226 ASSY | .....A162 |
| 5379148 | ....CM-227 ASSY | .....A162 |
| 5379149 | ....CM-228 ASSY | .....A162 |
| 5379320 | ....CM-229 ASSY | .....A162 |
| 5379321 | ....CM-230 ASSY | .....A162 |
| 5387540 | ....DNMG150612CT KCP25B | .....A50 |
| 5387541 | ....DNMG150612MN KCP25B | .....A51 |
| 5387542 | ....DNMG150612RN KCP25B | .....A53 |
| 5387543 | ....DNMG150612RP KCP25B | .....A54 |
| 5387544 | ....DNMG150616RN KCP25B | .....A53 |
| 5387545 | ....DNMG150616RP KCP25B | .....A54 |
| 5387547 | ....DPMT11T308LF KCP25B | .....A98 |
| 5387550 | ....SCMT09T304LF KCP25B | .....A102 |
| 5387551 | ....SCMT09T308FP KCP25B | .....A102 |
| 5387553 | ....SCMT09T308MF KCP25B | .....A102 |
| 5387554 | ....SCMT09T308MP KCP25B | .....A103 |
| 5387555 | ....SCMT09T312MF KCP25B | .....A102 |
| 5387556 | ....SCMT120408FP KCP25B | .....A102 |
| 5387557 | ....SCMT120408MF KCP25B | .....A102 |
| 5387558 | ....SCMT120412LF KCP25B | .....A102 |
| 5387559 | ....SCMT120412MF KCP25B | .....A102 |
| 5387563 | ....SNMG120412RP KCP25B | .....A62 |
| 5387567 | ....SNMG150612RP KCP25B | .....A62 |
| 5387571 | ....SPMT09T308LF KCP25B | .....A104 |
| 5387575 | ....TNMG160412RP KCP25B | .....A70 |
| 5387577 | ....TNMG220416RP KCP25B | .....A70 |
| 5387578 | ....TPMT090208FP KCP25B | .....A110 |
| 5387579 | ....TPMT110208LF KCP25B | .....A111 |
| 5387580 | ....TPMT110208MF KCP25B | .....A111 |
| 5387581 | ....TPMT16T308LF KCP25B | .....A111 |
| 5387582 | ....TPMT16T312MP KCP25B | .....A111 |
| 5387584 | ....VBMT160404FP KCP25B | .....A113 |
| 5387587 | ....VBMT160408MP KCP25B | .....A113 |
| 5387588 | ....VBMT160412FP KCP25B | .....A113 |
| 5387610 | ....WNMG060408RN KCP25B | .....A81 |
| 5387611 | ....WNMG080408MN KCP25B | .....A80 |
| 5387612 | ....WNMG080408MW KCP25B | .....A81 |
| 5387614 | ....WNMG080412MN KCP25B | .....A80 |
| 5387615 | ....WNMG080412MW KCP25B | .....A81 |
| 5387616 | ....WNMG080412RN KCP25B | .....A81 |
| 5387618 | ....WNMG080416RN KCP25B | .....A81 |
| 5387627 | ....CCMT09T304LF KCP25B | .....A88 |
| 5387628 | ....CCMT09T308LF KCP25B | .....A88 |
| 5387629 | ....CCMT09T308MF KCP25B | .....A89 |
| 5387661 | ....CCMT120408MF KCP25B | .....A89 |
| 5387662 | ....CNMG120408MN KCP25B | .....A42 |
| 5387663 | ....CNMG120408MW KCP25B | .....A43 |
| 5387664 | ....CNMG120408RN KCP25B | .....A44 |
| 5387665 | ....CNMG120408RP KCP25B | .....A44 |
| 5387667 | ....CNMG120412MN KCP25B | .....A42 |
| 5387668 | ....CNMG120412RN KCP25B | .....A44 |
| 5387681 | ....CNMG120416RN KCP25B | .....A44 |
| 5387688 | ....CNMG190612MN KCP25B | .....A42 |
| 5387689 | ....CNMG190612RN KCP25B | .....A44 |
| 5387691 | ....CNMG190616RN KCP25B | .....A44 |
| 5387692 | ....CNMM120412RM KCP25B | .....A46 |
| 5387693 | ....CNMM120412RP KCP25B | .....A46 |
| 5387694 | ....CNMM120416RP KCP25B | .....A46 |
| 5387695 | ....CNMM160612RM KCP25B | .....A46 |
| 5387696 | ....CNMM160616RP KCP25B | .....A46 |
| 5387697 | ....CNMM190616RM KCP25B | .....A46 |
| 5387698 | ....CNMM190624RH KCP25B | .....A45 |
| 5387699 | ....CNMM190624RM KCP25B | .....A46 |
| 5387727 | ....DCMT11T308LF KCP25B | .....A96 |
| 5387729 | ....DCMT11T312MF KCP25B | .....A96 |
| 5387732 | ....DNMG150408MN KCP25B | .....A51 |
| 5387733 | ....DNMG150408RN KCP25B | .....A53 |
| 5387737 | ....DNMG150608MN KCP25B | .....A51 |
| 5387752 | ....DNMG150408FN KCK15B | .....A50 |
| 5387753 | ....CNMG120408FN KCK15B | .....A40 |
| 5387754 | ....VNMG160408FN KCK15B | .....A75 |
| 5387755 | ....CNMG120408MW KCK15B | .....A43 |
| 5387801 | ....CNMG120412UN KCK15B | .....A45 |
| 5387802 | ....CNMG120408UN KCK15B | .....A45 |
| 5387804 | ....TNMG160408UN KCK15B | .....A70 |
| 5387805 | ....SNMG120412UN KCK15B | .....A62 |
| 5387806 | ....RNMG120400UN KCK15B | .....A57 |
| 5387807 | ....TNMG160412UN KCK15B | .....A70 |
| 5387808 | ....WNMG080408UN KCK15B | .....A82 |
| 5387809 | ....WNMG080416UN KCK15 | .....A82 |
| 5387810 | ....DNMG110408UN KCK15B | .....A54 |
| 5387811 | ....CNMG160616UN KCK15B | .....A45 |
| 5387812 | ....DNMG150616UN KCK15B | .....A54 |
| 5387829 | ....DNMG150616RN KCP10B | .....A53 |
| 5387851 | ....DNMG150616RP KCP10B | .....A54 |
| 5387853 | ....DPMT11T308LF KCP10B | .....A98 |
| 5387856 | ....SCMT09T304LF KCP10B | .....A102 |
| 5387858 | ....SCMT09T308MF KCP10B | .....A102 |
| 5387860 | ....SCMT09T312MF KCP10B | .....A102 |
| 5387862 | ....SCMT120408MF KCP10B | .....A102 |
| 5387864 | ....SCMT120412LF KCP10B | .....A102 |
| 5387866 | ....SCMT120412MF KCP10B | .....A102 |
| 5387874 | ....SNMG120412RP KCP10B | .....A62 |
| 5387882 | ....SNMG150612RP KCP10B | .....A62 |
| 5387884 | ....SPMT09T308LF KCP10B | .....A104 |
| 5387896 | ....TNMG160412RP KCP10B | .....A70 |
| 5387899 | ....TNMG220416RP KCP10B | .....A70 |
| 5387901 | ....TNMG220432RP KCP10B | .....A70 |
| 5387902 | ....TPMT090208FP KCP10B | .....A110 |
| 5387903 | ....TPMT110208LF KCP10B | .....A111 |
| 5387904 | ....TPMT110208MF KCP10B | .....A111 |
| 5387905 | ....TPMT16T308LF KCP10B | .....A111 |
| 5387907 | ....VBMT160404FP KCP10B | .....A113 |
| 5387910 | ....VBMT160412FP KCP10B | .....A113 |
| 5387915 | ....WNMG080408RP KCP10B | .....A82 |
| 5387919 | ....WNMG080412RP KCP10B | .....A82 |
| 5388031 | ....CCMT09T304LF KCP10B | .....A88 |
| 5388032 | ....CCMT09T308LF KCP10B | .....A88 |
| 5388033 | ....CCMT09T308MF KCP10B | .....A89 |
| 5388035 | ....CCMT120408MF KCP10B | .....A89 |
| 5388036 | ....CNMG120408MN KCP10B | .....A42 |
| 5388037 | ....CNMG120408MW KCP10B | .....A43 |
| 5388038 | ....CNMG120408RN KCP10B | .....A44 |
| 5388039 | ....CNMG120408RP KCP10B | .....A44 |
| 5388061 | ....CNMG120412MN KCP10B | .....A42 |
| 5388062 | ....CNMG120412RN KCP10B | .....A44 |
| 5388064 | ....CNMG120416RN KCP10B | .....A44 |
| 5388081 | ....CNMG190612MN KCP10B | .....A42 |
| 5388082 | ....CNMG190612RN KCP10B | .....A44 |
| 5388084 | ....CNMG190616RN KCP10B | .....A44 |
| 5388085 | ....CNMM120412RM KCP10B | .....A46 |
| 5388086 | ....CNMM120412RP KCP10B | .....A46 |
| 5388087 | ....CNMM120416RP KCP10B | .....A46 |
| 5388088 | ....CNMM160612RM KCP10B | .....A46 |
| 5388089 | ....CNMM160616RP KCP10B | .....A46 |
| 5388090 | ....CNMM190616RM KCP10B | .....A46 |
| 5388091 | ....CNMM190624RM KCP10B | .....A46 |
| 5388095 | ....DCMT11T308LF KCP10B | .....A96 |
| 5388097 | ....DCMT11T312MF KCP10B | .....A96 |
| 5388111 | ....DNMG150408MN KCP10B | .....A51 |
| 5388112 | ....DNMG150408RN KCP10B | .....A53 |
| 5388116 | ....DNMG150608FN KCP10B | .....A50 |
| 5388117 | ....DNMG150608MN KCP10B | .....A51 |
| 5393570 | ....WNMG080416RP KCP10B | .....A82 |
| 5396014 | ....KF2X63Z05S22W009 | .....D19, D22 |
| 5396015 | ....KF2X66Z06S22W009 | .....D19, D22 |
| 5396016 | ....KF2X66Z05S22W013 | .....D25 |
| 5397386 | ....KSEM1293HPGM KCPM45 | .....B17 |
| 5397387 | ....KSEM1400HPGM KCPM45 | .....B17 |
| 5397388 | ....KSEM1429HPGM KCPM45 | .....B17 |
| 5397389 | ....KSEM1609HPGM KCPM45 | .....B17 |
| 5397470 | ....KSEM1620HPGM KCPM45 | .....B17 |
| 5397471 | ....KSEM1667HPGM KCPM45 | .....B17 |
| 5397473 | ....KSEM1746HPGM KCPM45 | .....B17 |
| 5397474 | ....KSEM1800HPGM KCPM45 | .....B17 |
| 5397475 | ....KSEM1826HPGM KCPM45 | .....B17 |
| 5397476 | ....KSEM1900HPGM KCPM45 | .....B17 |
| 5397478 | ....KSEM1905HPGM KCPM45 | .....B17 |
| 5397479 | ....KSEM1925HPGM KCPM45 | .....B17 |
| 5397480 | ....KSEM1927HPGM KCPM45 | .....B17 |
| 5397481 | ....KSEM1950HPGM KCPM45 | .....B17 |
| 5397482 | ....KSEM1984HPGM KCPM45 | .....B17 |
| 5397483 | ....KSEM2000HPGM KCPM45 | .....B17 |
| 5397484 | ....KSEM2064HPGM KCPM45 | .....B17 |
| 5397485 | ....KSEM2100HPGM KCPM45 | .....B17 |
| 5397486 | ....KSEM2200HPGM KCPM45 | .....B17 |
| 5397487 | ....KSEM2223HPGM KCPM45 | .....B17 |
| 5397488 | ....KSEM2300HPGM KCPM45 | .....B17 |

| Order No. | Catalogue No. | Page(s) |
|---|---|---|
| 5397489 | KSEM2381HPGM KCPM45 | B17 |
| 5397490 | KSEM2400HPGM KCPM45 | B17 |
| 5397491 | KSEM2500HPGM KCPM45 | B17 |
| 5397492 | KSEM2540HPGM KCPM45 | B17 |
| 5397493 | KSEM2560HPGM KCPM45 | B17 |
| 5397494 | KSEM2565HPGM KCPM45 | B17 |
| 5397495 | KSEM2567HPGM KCPM45 | B17 |
| 5397496 | KSEM2581HPGM KCPM45 | B17 |
| 5397497 | KSEM2600HPGM KCPM45 | B17 |
| 5397498 | KSEM2619HPGM KCPM45 | B17 |
| 5397499 | KSEM2700HPGM KCPM45 | B17 |
| 5397500 | KSEM2800HPGM KCPM45 | B17 |
| 5397501 | KSEM2858HPGM KCPM45 | B17 |
| 5397502 | KSEM3000HPGM KCPM45 | B17 |
| 5397503 | KSEM3016HPGM KCPM45 | B17 |
| 5397504 | KSEM3175HPGM KCPM45 | B17 |
| 5397505 | KSEM3200HPGM KCPM45 | B17 |
| 5397506 | KSEM3300HPGM KCPM45 | B17 |
| 5397507 | KSEM3334HPGM KCPM45 | B17 |
| 5397508 | KSEM3600HPGM KCPM45 | B17 |
| 5397509 | KSEM3810HPGM KCPM45 | B17 |
| 5397510 | KSEM4000HPGM KCPM45 | B17 |
| 5397513 | KSEMP7200FDS71A1M | B5, B9 |
| 5397514 | KSEMP7400FDS71A1M | B5, B9 |
| 5397515 | KSEMP7600FDS71A1M | B5, B9 |
| 5397516 | KSEMP7620FDS71A1M | B5, B9 |
| 5397517 | KSEMP7800FDS71A1M | B5, B9 |
| 5397518 | KSEMP8000FDS80A1M | B5, B9 |
| 5397519 | KSEMP8200FDS80A1M | B5, B9 |
| 5397550 | KSEMP8255FDS80A1M | B5, B9 |
| 5397551 | KSEMP8400FDS80A1M | B5, B9 |
| 5397552 | KSEMP8600FDS80A1M | B5, B9 |
| 5397553 | KSEMP8800FDS80A1M | B5, B9 |
| 5397554 | KSEMP8890FDS80A1M | B5, B9 |
| 5397555 | KSEMP9000FDS90A1M | B5, B9 |
| 5397556 | KSEMP9200FDS90A1M | B5, B9 |
| 5397557 | KSEMP9400FDS90A1M | B5, B9 |
| 5397558 | KSEMP9525FDS90A1M | B5, B9 |
| 5397559 | KSEMP9600FDS90A1M | B5, B9 |
| 5397560 | KSEMP9800FDS90A1M | B5, B9 |
| 5397561 | KSEMP10160FDS90A1M | B5, B9 |
| 5397562 | KSEMP7620FDS71B1M | B7, B11, B21 |
| 5397563 | KSEMP8255FDS80B1M | B7, B11, B21 |
| 5397564 | KSEMP8890FDS80B1M | B7, B11, B21 |
| 5397565 | KSEMP9525FDS90B1M | B7, B11, B21 |
| 5397566 | KSEMP10160FDS90B1M | B7, B10 |
| 5397835 | KSEM1270HPGM KCPM45 | B17 |
| 5397942 | WD50FDS71292M | B7, B12 |
| 5397943 | WD50FDS71452M | B5, B7, B12 |
| 5397944 | WD50FDS80327M | B5, B12 |
| 5397945 | WD50FDS80507M | B5, B12 |
| 5397946 | WD50FDS90362M | B5, B12 |
| 5397947 | WD50FDS90562M | B5, B12 |
| 5397948 | SSF200FDS711150 | B5, B7 |
| 5397949 | SSF200FDS711780 | B5 |
| 5398010 | SSF200FDS801287 | B5 |
| 5398011 | SSF200FDS801996 | B5 |
| 5398012 | SSF200FDS901425 | B5 |
| 5398013 | SSF200FDS902213 | B5 |
| 5402877 | SNMG120412MR KCM25 | A60 |
| 5402878 | SNMG120412MR KCM35 | A60 |
| 5402879 | SNMG120412MR KCP10B | A60 |
| 5402920 | SNMG120412MR KCP25B | A60 |
| 5402921 | SNMG120412MR KCP40 | A60 |
| 5402922 | SNMG120412MR KCK15B | A60 |
| 5402923 | TNMG160408MR KCM15 | A68 |
| 5402924 | TNMG160408MR KCM25 | A68 |
| 5402925 | TNMG160408MR KCM35 | A68 |
| 5402926 | TNMG160408MR KCP10B | A68 |
| 5402927 | TNMG160408MR KCP25B | A68 |
| 5402928 | TNMG160408MR KCK15B | A68 |
| 5402929 | TNMG160412MR KCM25 | A68 |
| 5402930 | TNMG160412MR KCP10B | A68 |
| 5402931 | TNMG160412MR KCP25B | A68 |
| 5402932 | TNMG160412MR KCK15B | A68 |
| 5402934 | WNMG080408MR KCM15 | A80 |
| 5402935 | WNMG080408MR KCM25 | A80 |
| 5402936 | WNMG080408MR KCM35 | A80 |
| 5402937 | WNMG080408MR KCP10B | A80 |
| 5402938 | WNMG080408MR KCP25B | A80 |
| 5402939 | WNMG080408MR KCP40 | A80 |
| 5402960 | WNMG080408MR KCK15B | A80 |
| 5402961 | WNMG080412MR KCM15 | A80 |
| 5402962 | WNMG080412MR KCM25 | A80 |
| 5402963 | WNMG080412MR KCM35 | A80 |
| 5402964 | WNMG080412MR KCP10B | A80 |
| 5402965 | WNMG080412MR KCP25B | A80 |
| 5402966 | DNMG150408MR KCM15 | A52 |
| 5402967 | DNMG150408MR KCM25 | A52 |
| 5402968 | DNMG150408MR KCM35 | A52 |
| 5402969 | DNMG150408MR KCP10B | A52 |
| 5402980 | DNMG150408MR KCP25B | A52 |
| 5402981 | DNMG150408MR KCP40 | A52 |
| 5402982 | DNMG150608MR KCM15 | A52 |
| 5402983 | DNMG150608MR KCM25 | A52 |
| 5402984 | DNMG150608MR KCM35 | A52 |
| 5402985 | DNMG150608MR KCP10B | A52 |
| 5402986 | DNMG150608MR KCP25B | A52 |
| 5402987 | DNMG150608MR KCK15B | A52 |
| 5402988 | DNMG150412MR KCM15 | A52 |
| 5402989 | DNMG150412MR KCM25 | A52 |
| 5402990 | DNMG150412MR KCP10B | A52 |
| 5402992 | DNMG150412MR KCP25B | A52 |
| 5402993 | DNMG150412MR KCK15B | A52 |
| 5402994 | DNMG150616MR KCP10B | A52 |
| 5402995 | DNMG150616MR KCP25B | A52 |
| 5403016 | CNMG120408MR KCM15 | A42 |
| 5403017 | CNMG120408MR KCM25 | A42 |
| 5403018 | CNMG120408MR KCM35 | A42 |
| 5403019 | CNMG120408MR KCP10B | A42 |
| 5403090 | CNMG120408MR KCP25B | A42 |
| 5403091 | CNMG120408MR KCP40 | A42 |
| 5403092 | CNMG120408MR KCK15B | A42 |
| 5403093 | CNMG120412MR KCM15 | A42 |
| 5403094 | CNMG120412MR KCM25 | A42 |
| 5403095 | CNMG120412MR KCM35 | A42 |
| 5403096 | CNMG120412MR KCP10B | A42 |
| 5403097 | CNMG120412MR KCP25B | A42 |
| 5403098 | CNMG120412MR KCP40 | A42 |
| 5403099 | CNMG120412MR KCK15B | A42 |
| 5403100 | CNMG160612MR KCM15 | A42 |
| 5403101 | CNMG160612MR KCM25 | A42 |
| 5403102 | CNMG160612MR KCM35 | A42 |
| 5403103 | CNMG160612MR KCP10B | A42 |
| 5403104 | CNMG160612MR KCP25B | A42 |
| 5403105 | CNMG160612MR KCP40 | A42 |
| 5403106 | CNMG160612MR KCK15B | A42 |
| 5403107 | CNMG120416MR KCM25 | A42 |
| 5403108 | CNMG120416MR KCP10B | A42 |
| 5403109 | CNMG120416MR KCP25B | A42 |
| 5403110 | CNMG120416MR KCK15B | A42 |
| 5403111 | CNMG160616MR KCM25 | A42 |
| 5403112 | CNMG160616MR KCP10B | A42 |
| 5403113 | CNMG160616MR KCP25B | A42 |
| 5403114 | CNMG160616MR KCK15B | A42 |
| 5403115 | CNMG190612MR KCM15 | A42 |
| 5403116 | CNMG190612MR KCM25 | A42 |
| 5403117 | CNMG190612MR KCM35 | A42 |
| 5403118 | CNMG190612MR KCP10B | A42 |
| 5403119 | CNMG190612MR KCP25B | A42 |
| 5403120 | CNMG190612MR KCP40 | A42 |
| 5403121 | CNMG190612MR KCK15B | A42 |
| 5406563 | 170.365 | B19, B21 |
| 5408797 | 2699630 | E9 |
| 5408798 | 2404270 | E9 |
| 5408799 | 2404272 | E9 |
| 5408990 | (M16 x 2,0) | E9 |
| 5413058 | CNMG120416UN KCK15B | A45 |
| 5413059 | CNMM250924RH KCP25B | A45 |
| 5413119 | CCMT09T312MF KCP10B | A89 |
| 5413170 | CCMT09T312MF KCP25B | A89 |
| 5413171 | CNMG120412CT KCP10B | A40 |
| 5413172 | CNMG120412CT KCP25B | A40 |
| 5413173 | CNMG120412MW KCK15B | A43 |
| 5413174 | CNMG120412RP KCP10B | A44 |
| 5413175 | CNMG120412RP KCP25B | A44 |
| 5413176 | CNMG120416RP KCP10B | A44 |
| 5413177 | CNMG120416RP KCP25B | A44 |
| 5413178 | CNMG160612MN KCP10B | A42 |
| 5413179 | CNMG160612MN KCP25B | A42 |
| 5413180 | CNMG160612RP KCP10B | A44 |
| 5413181 | CNMG160612RP KCP25B | A44 |
| 5413182 | CNMG160616RP KCP10B | A44 |
| 5413183 | CNMG160616RP KCP25B | A44 |
| 5413184 | CPMT060208MP KCP25B | A93 |
| 5413185 | CPMT09T308LF KCP10B | A93 |
| 5413186 | CPMT09T308LF KCP25B | A93 |
| 5413187 | CPMT09T308MF KCP10B | A93 |
| 5413188 | CPMT09T308MF KCP25B | A93 |
| 5413189 | CPMT09T308MP KCP25B | A93 |
| 5413190 | DCMT11T308MF KCP10B | A96 |
| 5413191 | DCMT11T308MF KCP25B | A96 |
| 5413192 | DNMG110412MN KCP10B | A51 |
| 5413193 | DNMG110412MN KCP25B | A51 |
| 5413194 | DNMG150404CT KCP25B | A50 |
| 5413195 | DNMG150412RP KCP10B | A54 |
| 5413196 | DNMG150412RP KCP25B | A54 |
| 5413197 | DNMG150608RP KCP10B | A54 |
| 5413198 | DNMG150608RP KCP25B | A54 |
| 5413199 | DNMG150612CT KCP10B | A50 |
| 5413200 | DNMG150612MN KCP10B | A51 |
| 5413201 | DNMG150612RN KCP10B | A53 |
| 5413202 | DNMG150612RP KCP10B | A54 |
| 5413203 | SNMG120412RP KCK15B | A62 |
| 5413204 | TNMG160408RP KCK15B | A70 |
| 5413205 | VNMG160412RP KCK15B | A76 |
| 5413206 | WNMG080408RP KCP25B | A82 |
| 5413207 | WNMG080412RP KCP25B | A82 |
| 5413208 | WNMG080416RP KCP25B | A82 |
| 5413209 | DNMM150616RP KCP10B | A55 |
| 5413210 | CNMM250924RM KCP25B | A46 |
| 5413211 | SNMM250724RH KCP25B | A63 |
| 5413212 | SNMM250924RH KCP25B | A63 |
| 5413242 | SCMT09T308LF KCP10B | A102 |
| 5413249 | TNMG160408FN KCP10B | A66 |
| 5413250 | TNMG160408MN KCP10B | A67 |
| 5413251 | TNMG160412FN KCP10B | A66 |
| 5413255 | VBMT110304LF KCP10B | A113 |
| 5413256 | VBMT160404LF KCP10B | A113 |
| 5413257 | VBMT160408LF KCP10B | A113 |
| 5413260 | WNMG080408MN KCP10B | A80 |
| 5413261 | WNMG080408MW KCP10B | A81 |
| 5413263 | WNMG080412MW KCP10B | A81 |
| 5413266 | DNMM150616RP KCP25B | A55 |
| 5413269 | SCMT09T308LF KCP25B | A102 |
| 5413276 | SNMM190616RM KCP25B | A63 |
| 5413277 | TNMG160408MN KCP25B | A67 |
| 5413291 | VBMT110304LF KCP25B | A113 |
| 5413292 | VBMT160404LF KCP25B | A113 |
| 5413293 | VBMT160408LF KCP25B | A113 |
| 5413539 | LMB200025 | E9 |
| 5413740 | OR01109139V75 | E9 |
| 5413741 | OR01046139V75 | E9 |
| 5413742 | BUR135V90 | E9 |
| 5413743 | OR01925103V75 | E9 |
| 5413744 | S-1786 | E9 |
| 5413745 | 2699631 | E9 |
| 5413746 | RNPJ10T3M0SHD KC725M | D42 |
| 5413747 | RNPJ1204M0SGD KC725M | D49 |
| 5413748 | RNPJ1204M0SHD KC725M | D49 |
| 5413749 | RNPJ1605M0SHD KC725M | D53 |
| 5418685 | WOEJ130713SRGD KC522M | D26 |
| 5418686 | WOEJ130713SRGD KC725M | D26 |
| 5418687 | WOEJ130713SRGD KCPM20 | D26 |
| 5418688 | WOEJ130713SRGD KCPK30 | D26 |
| 5425545 | CNMG160612RN KCP25B | A44 |
| 5425546 | CNMG160616RN KCP25B | A44 |
| 5425547 | CNMG190616MN KCP25B | A42 |
| 5425548 | DNMG150412MN KCP25B | A51 |
| 5425549 | DNMG150412RN KCP25B | A53 |
| 5425580 | RNMG090300RN KCP10B | A56 |
| 5425581 | RNMG120400RN KCP10B | A56 |
| 5425582 | SNMG090308MN KCP10B | A59 |
| 5425583 | SNMG120412MN KCP10B | A59 |
| 5425584 | SNMG120412RN KCP10B | A61 |
| 5425585 | SNMG120416RN KCP10B | A61 |
| 5425586 | SNMG150612MN KCP10B | A59 |
| 5425587 | SNMG150612RN KCP10B | A61 |
| 5425588 | TNMG160412MN KCP10B | A67 |
| 5425589 | TNMG160412RN KCP10B | A70 |
| 5425590 | TNMG220416RN KCP10B | A70 |
| 5425592 | WNMG060408RN KCP10B | A81 |
| 5425593 | WNMG080412MN KCP10B | A80 |
| 5425594 | WNMG080412RN KCP10B | A81 |
| 5425595 | WNMG080416RN KCP10B | A81 |
| 5425596 | RNMG090300RN KCP25B | A56 |
| 5425597 | RNMG120400RN KCP25B | A56 |
| 5425598 | SNMG090308MN KCP25B | A59 |
| 5425599 | SNMG120412MN KCP25B | A59 |
| 5425600 | SNMG120412RN KCP25B | A61 |
| 5425601 | SNMG120416RN KCP25B | A61 |
| 5425602 | SNMG150612MN KCP25B | A59 |
| 5425603 | SNMG150612RN KCP25B | A61 |
| 5425604 | TNMG160412MN KCP25B | A67 |
| 5425605 | TNMG160412RN KCP25B | A70 |
| 5425606 | TNMG220416RN KCP25B | A70 |
| 5425607 | VNMG160408MN KCP25B | A74 |
| 5430965 | WNMG080412RP KCK15B | A76 |
| 5430966 | CNMG160612RN KCP10B | A44 |
| 5430967 | CNMG160616RN KCP10B | A44 |
| 5430968 | CNMG190616MN KCP10B | A42 |
| 5430969 | DNMG150404MN KCP10B | A51 |
| 5431070 | DNMG150412MN KCP10B | A51 |
| 5431071 | DNMG150412RN KCP10B | A53 |

| Catalogue No. | Page(s) |
|---|---|
| 112.244 | A255–A256 |
| 112.403 | A254, A256 |
| 112.404 | A254–A256 |
| 112.423 | A255 |
| 112.505 | A256 |
| 112.604 | A256 |
| 114.111 | A257 |
| 118.204 | A258–A259 |
| 118.214 | A257 |
| 118.314 | A257–A258 |
| 118.404 | A258–A259, E17 |
| 118.604 | E17 |
| 119.073 | E17 |
| 121.030 | E17 |
| 121.612 | A254–A258 |
| 121.616 | A254–A256, A259 |
| 121.812 | A257 |
| 121.816 | A256–A259 |
| 121.820 | A258, E17 |
| 121.825 | A259 |
| 122.511 | A259 |
| 125.025 | D5, D19, D25, D57 |
| 125.225 | D19 |
| 125.230 | D5, D19, D25, D57 |
| 129.025 | D5 |
| 132.151 | A256 |
| 132.156 | A256 |
| 169.333 | E17 |
| 169.337 | E17 |
| 169.339 | E17 |
| 170.002 | E42 |
| 170.003 | A254–A259, E42 |
| 170.004 | A256–A259, E42 |
| 170.005 | E42 |
| 170.008 | E29 |
| 170.025 | D38–D41, D45–D48, D57 |
| 170.026 | D24–D25, D52 |
| 170.028 | B31, B33–B34 |
| 170.085 | B31, B33–B34 |
| 170.135 | E42 |
| 170.136 | E42 |
| 170.345 | B18–B21 |
| 170.346 | B18–B21 |
| 170.347 | B19, B21 |
| 170.348 | B19, B21 |
| 170.350 | B18, B20 |
| 170.352 | B18, B20 |
| 170.353 | B18, B20–B21 |
| 170.355 | B19–B21 |
| 170.356 | B19, B21 |
| 170.365 | B19, B21 |
| 191.698 | B19 |
| 191.726 | B19, B21 |
| 191.728 | E29 |
| 191.848 | D38–D41 |
| 191.916 | B18–B21 |
| 191.924 | B18, B20–B21 |
| 192.425 | E29 |
| 192.432 | B18, B20 |
| 192.446 | D24–D25 |
| 193.433 | D4–D5 |
| 193.492 | D45–D48, D57 |
| 193.523 | B12–B13 |
| 193.524 | B12–B13 |
| 193.525 | B12–B13 |
| 193.526 | B12–B13 |
| 193.537 | B12–B13 |
| 193.545 | B12 |
| 193.554 | B20 |
| 193.555 | B20–B21 |
| 193.556 | B21 |
| 364.010 | B18–B21 |
| 364.011 | B18–B21 |
| 364.012 | B19, B21 |
| 364.013 | B19, B21 |
| 364.015 | B19, B21 |
| 364.016 | B18, B20 |
| 410.081 | A254 |
| 410.084 | A258–A259 |
| 571.060 | E28 |
| 571.067 | E28 |
| 571.068 | E28 |
| 571.069 | E28 |
| 571.074 | E28 |
| 571.076 | E28 |
| 571.077 | E28 |
| 2404270 | E9 |
| 2404272 | E9 |
| 2699630 | E9 |
| 2699631 | E9 |
| 12146120500 | D25 |
| (M16 x 2,0) | E9 |
| 06ASMQL1C05170M | E43–E44 |
| 08ASMQL1C06180M | E43–E44 |
| 1.10820L310 | A254 |
| 1.10820R310 | A254 |
| 1.10825L310 | A254 |
| 1.10825L700 | A254 |
| 1.10825R310 | A254 |
| 1.10825R700 | A254 |
| 1.17120L130 | A255 |
| 1.17120R130 | A255 |
| 1.17125L330 | A255 |
| 1.17125R330 | A255 |
| 1.18016L110 | A256 |
| 1.18016R110 | A256 |
| 1.18020L110 | A256 |
| 1.18020L130 | A256 |
| 1.18020L310 | A256 |
| 1.18020R110 | A256 |
| 1.18020R130 | A256 |
| 1.18020R310 | A256 |
| 1.18025L110 | A256 |
| 1.18025L130 | A256 |
| 1.18025L302 | A255 |
| 1.18025L310 | A256 |
| 1.18025L315 | A256 |
| 1.18025L330 | A256 |
| 1.18025R110 | A256 |
| 1.18025R130 | A256 |
| 1.18025R302 | A255 |
| 1.18025R310 | A256 |
| 1.18025R315 | A256 |
| 1.18025R330 | A256 |
| 1.18032L315 | A256 |
| 1.18032L410 | A256 |
| 1.18032L430 | A256 |
| 1.18032R315 | A256 |
| 1.18032R410 | A256 |
| 1.18032R430 | A256 |
| 1.38020L021 | A257 |
| 1.38020R021 | A257 |
| 1.38025L021 | A257 |
| 1.38025R021 | A257 |
| 1.77120L100 | A258 |
| 1.77120R100 | A258 |
| 1.77125L300 | A258 |
| 1.77125R300 | A258 |
| 1.77132L400 | A258 |
| 1.77132R400 | A258 |
| 1.77225L301 | A258 |
| 1.77225R301 | A258 |
| 1.77720L101 | A257 |
| 1.77720R101 | A257 |
| 1.77725L301 | A257 |
| 1.77725R301 | A257 |
| 1.78012R103 | A259 |
| 1.78016L100 | A259 |
| 1.78016R100 | A259 |
| 1.78020L100 | A259 |
| 1.78020R100 | A259 |
| 1.78025L100 | A259 |
| 1.78025L300 | A259 |
| 1.78025R100 | A259 |
| 1.78025R300 | A259 |
| 1.78032L300 | A259 |
| 1.78032L400 | A259 |
| 1.78032R300 | A259 |
| 1.78032R400 | A259 |
| 100B06RS90RP16 | D69, D72 |
| 100B07RS90RP12 | D64, D67 |
| 100B08RS90RP16 | D69, D72 |
| 100B09RS90RP12 | D64, D67 |
| 10ASMQL1C08180M | E43–E44 |
| 125B09RS90RP16 | D69, D72 |
| 12A02R018A12ED07 | D12 |
| 12A02R020M08ED07 | D12 |
| 12ASMQL1C10180M | E43–E44 |
| 14ASMQL1C10195M | E43–E44 |
| 16A03R020A16ED07 | D12 |
| 16ASMQL1C10220M | E43–E44 |
| 18ASMQL1C10220M | E43–E44 |
| 20A05R020A20ED07 | D12 |
| 20ASMQL1C10235M | E43–E44 |
| 25ASMQL1C10275M | E43–E44 |
| 32A03R040A32RP12L190 | D63, D67 |
| 32A03R040B32RP12 | D62, D67 |
| 32ASMQL1C10305M | E43–E44 |
| 32E03R045M16RP12 | D62, D67 |
| 35E03R050A32RP12L200 | D63 |
| 35E04R050A32RP12L200 | D63 |
| 40A04RS90RP12 | D64, D67 |
| 40E02R040A32RP16L200 | D68, D72 |
| 40E03R045M16RP16 | D68, D72 |
| 40E04R045M16RP12 | D62, D67 |
| 42A04RS90RP12 | D64, D67 |
| 50A04RS90RP12 | D64, D67 |
| 50A04RS90RP16 | D69, D72 |
| 50A05RS90RP12 | D64, D67 |
| 52A04RS90RP16 | D69, D72 |
| 52A05RS90RP12 | D64, D67 |
| 63A04RS90RP16 | D69, D72 |
| 63A05RS90RP12 | D64, D67 |
| 63A06RS90RP16 | D69, D72 |
| 63A07RS90RP12 | D64, D67 |
| 66A06RS90RP12 | D64, D67 |
| 80A05RS90RP16 | D69, D72 |
| 80A06RS90RP12 | D64, D67 |
| 80A07RS90RP16 | D69, D72 |
| 80A08RS90RP12 | D64, D67 |
| A12MNKLCL11 | A227 |
| A12MNKLCR11 | A227 |
| A16MNKLCL11 | A227 |
| A16MNKLCR11 | A227 |
| A16RNVQBR11 | A230 |
| A20QNKLCL11 | A227 |
| A20QNKLCR11 | A227 |
| A20QNKXCL11 | A229 |
| A20SNVLBL11 | A229 |
| A20SNVLBR11 | A229 |
| A20SNVQBL11 | A230 |
| A20SNVQBR11 | A230 |
| A25RNKLCL11 | A227 |
| A25RNKLCR11 | A227 |
| A25RNKLNL15 | A228 |
| A25RNKLNR15 | A228 |
| A25TNVLBL11 | A229 |
| A25TNVLBR11 | A229 |
| A25TNVQBL11 | A230 |
| A25TNVQBR11 | A230 |
| A25TNVVBL11 | A231 |
| A25TNVVBR11 | A231 |
| A32SNKLCL11 | A227 |
| A32SNKLCR11 | A227 |
| A32SNKLNL15 | A228 |
| A32SNKLNR15 | A228 |
| A32SNVOCL16 | A230 |
| A32SNVOCR16 | A230 |
| A32SNVQCL16 | A231 |
| A32SNVQCR16 | A231 |
| A40TNKLNL15 | A228 |
| A40TNKLNR15 | A228 |
| A40TNVOCL16 | A230 |
| A40TNVOCR16 | A230 |
| A40TNVQCR16 | A231 |
| A4C0155L06CF01 | A200 |
| A4C0155N00CF01 KC5025 | A200 |
| A4C0155N00CF01 KCU25 | A200 |
| A4C0155R06CF01 KC5025 | A200 |
| A4C0155R10CF01 KC5025 | A200 |
| A4C0155R10CF01 KCU25 | A200 |
| A4C0155R16CF01 KC5025 | A200 |
| A4C0205L06CF02 KC5025 | A200 |
| A4C0205L06CF02 KCU25 | A200 |
| A4C0205L10CF02 KC5025 | A200 |
| A4C0205N00CF02 KC5025 | A200 |
| A4C0205N00CF02 KCU25 | A200 |
| A4C0205R06CF02 KC5025 | A200 |
| A4C0205R06CF02 KCU25 | A200 |
| A4C0205R10CF02 KC5025 | A200 |
| A4C0205R10CF02 KCU25 | A200 |
| A4C0255N00CF02 KC5025 | A200 |
| A4C0255N00CF02 KCU25 | A200 |
| A4C0255R06CF02 KC5025 | A200 |
| A4C0305L06CF02 KC5025 | A200 |
| A4C0305L06CF02 KCU25 | A200 |
| A4C0305L10CF02 KC5025 | A200 |
| A4C0305L10CF02 KCU25 | A200 |
| A4C0305N00CF02 KC5025 | A200 |
| A4C0305N00CF02 KCU25 | A200 |
| A4C0305R06CF02 KC5025 | A200 |
| A4C0305R06CF02 KCU25 | A200 |
| A4C0305R10CF02 KC5025 | A200 |
| A4C0305R10CF02 KCU25 | A200 |
| A4C0405L06CF02 KC5025 | A200 |
| A4C0405L06CF02 KCU25 | A200 |
| A4C0405L10CF02 KC5025 | A200 |
| A4C0405L10CF02 KCU25 | A200 |
| A4C0405N00CF02 KC5025 | A200 |
| A4C0405N00CF02 KCU25 | A200 |
| A4C0405R06CF02 KC5025 | A200 |
| A4C0405R06CF02 KCU25 | A200 |
| A4C0405R10CF02 KC5025 | A200 |
| A4C0405R10CF02 KCU25 | A200 |
| A4G0200M02P02GMP KC5010 | A193 |
| A4G0200M02P02GMP KC5025 | A193 |
| A4G0200M02P02GMP KCU10 | A193 |
| A4G0200M02P02GMP KCU25 | A193 |
| A4G0200M02P02GUP KCU10 | A192 |
| A4G0200M02P02GUP KCU25 | A192 |

| Catalogue No. | Page(s) |
|---|---|
| A4G0200M02P02GUP KU10 | A192 |
| A4G0200M2SP02GUP KCU10 | A197 |
| A4G0200M2SP02GUP KCU25 | A197 |
| A4G0205M02U02GMN KC5010 | A194 |
| A4G0205M02U02GMN KC5025 | A194 |
| A4G0205M02U02GMN KC9110 | A194 |
| A4G0205M02U02GMN KCU10 | A194 |
| A4G0205M02U02GMN KCU25 | A194 |
| A4G0205M02U02GMP KC5010 | A193 |
| A4G0205M02U02GMP KC5025 | A193 |
| A4G0205M02U02GMP KC9110 | A193 |
| A4G0205M02U02GMP KCU10 | A193 |
| A4G0205M02U02GMP KCU25 | A193 |
| A4G0205M02U02GUP KCP10 | A192 |
| A4G0205M02U02GUP KCP25 | A192 |
| A4G0205M02U02GUP KCU10 | A192 |
| A4G0205M02U02GUP KCU25 | A192 |
| A4G0205M2SU02GMN KCU10 | A197 |
| A4G0205M2SU02GMN KCU25 | A197 |
| A4G0205M2SU02GUP KCU10 | A197 |
| A4G0205M2SU02GUP KCU25 | A197 |
| A4G0250M2BP02GMP KC5010 | A193 |
| A4G0250M2BP02GMP KCU10 | A193 |
| A4G0255M2BU02GMN KC5010 | A194 |
| A4G0255M2BU02GMN KC5025 | A194 |
| A4G0255M2BU02GMP KC5025 | A193 |
| A4G0255M2BU02GMP KCU25 | A193 |
| A4G0300M03P02GMP K313 | A193 |
| A4G0300M03P02GMP KC5010 | A193 |
| A4G0300M03P02GMP KC5025 | A193 |
| A4G0300M03P02GMP KCU10 | A193 |
| A4G0300M03P02GMP KCU25 | A193 |
| A4G0300M03P02GUP KCU10 | A192 |
| A4G0300M03P02GUP KCU25 | A192 |
| A4G0300M03P02GUP KU10 | A192 |
| A4G0300M03P04E KD1405 | A198 |
| A4G0300M03P04EST KB1630 | A201 |
| A4G0300M03P04GMP K313 | A193 |
| A4G0300M03P04GMP KC5010 | A193 |
| A4G0300M03P04GMP KC5025 | A193 |
| A4G0300M03P04GMP KCU10 | A193 |
| A4G0300M03P04GMP KCU25 | A193 |
| A4G0300M03P04GUP KCU10 | A192 |
| A4G0300M03P04GUP KCU25 | A192 |
| A4G0300M03P04GUP KU10 | A192 |
| A4G0300M03P04S02025ST KB1630 | A201 |
| A4G0300M03P04S02025ST KB5625 | A201 |
| A4G0300M03P04T01025 KY3500 | A199 |
| A4G0300M3SP02GUP KCU10 | A197 |
| A4G0300M3SP02GUP KCU25 | A197 |
| A4G0300M3SP04GUP KCU10 | A197 |
| A4G0300M3SP04GUP KCU25 | A197 |
| A4G0305M03U02B KC5025 | A199 |
| A4G0305M03U02B KC9320 | A199 |
| A4G0305M03U02B KCU25 | A199 |
| A4G0305M03U02GMN KC5010 | A194 |
| A4G0305M03U02GMN KC5025 | A194 |
| A4G0305M03U02GMN KC9110 | A194 |
| A4G0305M03U02GMN KC9125 | A194 |
| A4G0305M03U02GMN KCU10 | A194 |
| A4G0305M03U02GMN KCU25 | A194 |
| A4G0305M03U02GMP KC5010 | A193 |
| A4G0305M03U02GMP KC5025 | A193 |
| A4G0305M03U02GMP KC9110 | A193 |
| A4G0305M03U02GMP KC9125 | A193 |
| A4G0305M03U02GMP KCU10 | A193 |
| A4G0305M03U02GMP KCU25 | A193 |
| A4G0305M03U02GMP KT315 | A193 |
| A4G0305M03U02GUP KCP10 | A192 |
| A4G0305M03U02GUP KCP25 | A192 |
| A4G0305M03U02GUP KCU10 | A192 |
| A4G0305M03U02GUP KCU25 | A192 |
| A4G0305M03U04GMN KC5010 | A194 |
| A4G0305M03U04GMN KC5025 | A194 |
| A4G0305M03U04GMN KC9110 | A194 |
| A4G0305M03U04GMN KC9125 | A194 |
| A4G0305M03U04GMN KCU10 | A194 |
| A4G0305M03U04GMN KCU25 | A194 |
| A4G0305M03U04GMP KC5010 | A193 |
| A4G0305M03U04GMP KC5025 | A193 |
| A4G0305M03U04GMP KC9110 | A193 |
| A4G0305M03U04GMP KC9125 | A193 |
| A4G0305M03U04GMP KCU10 | A193 |
| A4G0305M03U04GMP KCU25 | A193 |
| A4G0305M03U04GMP KT315 | A193 |
| A4G0305M03U04GUP KCP10 | A192 |
| A4G0305M03U04GUP KCP25 | A192 |
| A4G0305M03U04GUP KCU10 | A192 |
| A4G0305M03U04GUP KCU25 | A192 |
| A4G0305M3SU02GMN KCU10 | A197 |
| A4G0305M3SU02GMN KCU25 | A197 |
| A4G0305M3SU02GUP KCU10 | A197 |
| A4G0305M3SU02GUP KCU25 | A197 |
| A4G0305M3SU04GMN KCU10 | A197 |
| A4G0305M3SU04GMN KCU25 | A197 |
| A4G0305M3SU04GUP KCU10 | A197 |
| A4G0305M3SU04GUP KCU25 | A197 |
| A4G0400M04P02GMP K313 | A193 |
| A4G0400M04P02GMP KC5010 | A193 |
| A4G0400M04P02GMP KC5025 | A193 |
| A4G0400M04P02GMP KCU10 | A193 |
| A4G0400M04P02GMP KCU25 | A193 |
| A4G0400M04P02GUP KCU10 | A192 |
| A4G0400M04P02GUP KCU25 | A192 |
| A4G0400M04P02GUP KU10 | A192 |
| A4G0400M04P04E KD1405 | A198 |
| A4G0400M04P04EST KB1630 | A201 |
| A4G0400M04P04GMP K313 | A193 |
| A4G0400M04P04GMP KC5010 | A193 |
| A4G0400M04P04GMP KC5025 | A193 |
| A4G0400M04P04GMP KCU10 | A193 |
| A4G0400M04P04GMP KCU25 | A193 |
| A4G0400M04P04GUP KCU10 | A192 |
| A4G0400M04P04GUP KCU25 | A192 |
| A4G0400M04P04GUP KU10 | A192 |
| A4G0400M04P04S02025ST KB1630 | A201 |
| A4G0400M04P04S02025ST KB5625 | A201 |
| A4G0400M04P04T01025 KY3500 | A199 |
| A4G0400M04P08GMP KC5010 | A193 |
| A4G0400M04P08GMP KC5025 | A193 |
| A4G0400M04P08GMP KCU10 | A193 |
| A4G0400M04P08GMP KCU25 | A193 |
| A4G0400M04P08GUP KCU10 | A192 |
| A4G0400M04P08GUP KCU25 | A192 |
| A4G0400M04P08GUP KU10 | A192 |
| A4G0400M4SP04GUP KCU10 | A197 |
| A4G0400M4SP04GUP KCU25 | A197 |
| A4G0400M4SP08GUP KCU10 | A197 |
| A4G0400M4SP08GUP KCU25 | A197 |
| A4G0405M04U04B KC5025 | A199 |
| A4G0405M04U04B KC9320 | A199 |
| A4G0405M04U04GMN KC5010 | A194 |
| A4G0405M04U04GMN KC5025 | A194 |
| A4G0405M04U04GMN KC9110 | A194 |
| A4G0405M04U04GMN KC9125 | A194 |
| A4G0405M04U04GMN KCU10 | A194 |
| A4G0405M04U04GMN KCU25 | A194 |
| A4G0405M04U04GMP KC5010 | A193 |
| A4G0405M04U04GMP KC5025 | A193 |
| A4G0405M04U04GMP KC9110 | A193 |
| A4G0405M04U04GMP KC9125 | A193 |
| A4G0405M04U04GMP KCU10 | A193 |
| A4G0405M04U04GMP KCU25 | A193 |
| A4G0405M04U04GMP KT315 | A193 |
| A4G0405M04U04GUP KCP10 | A192 |
| A4G0405M04U04GUP KCP25 | A192 |
| A4G0405M04U04GUP KCU10 | A192 |
| A4G0405M04U04GUP KCU25 | A192 |
| A4G0405M04U08GMN KC5010 | A194 |
| A4G0405M04U08GMN KC5025 | A194 |
| A4G0405M04U08GMN KC9110 | A194 |
| A4G0405M04U08GMN KC9125 | A194 |
| A4G0405M04U08GMN KCU10 | A194 |
| A4G0405M04U08GMN KCU25 | A194 |
| A4G0405M04U08GMP KC5010 | A193 |
| A4G0405M04U08GMP KC5025 | A193 |
| A4G0405M04U08GMP KC9110 | A193 |
| A4G0405M04U08GMP KC9125 | A193 |
| A4G0405M04U08GMP KCU10 | A193 |
| A4G0405M04U08GMP KCU25 | A193 |
| A4G0405M04U08GMP KT315 | A193 |
| A4G0405M04U08GUP KCP10 | A192 |
| A4G0405M04U08GUP KCP25 | A192 |
| A4G0405M04U08GUP KCU10 | A192 |
| A4G0405M04U08GUP KCU25 | A192 |
| A4G0405M4SU04GMN KCU10 | A197 |
| A4G0405M4SU04GMN KCU25 | A197 |
| A4G0405M4SU04GUP KCU10 | A197 |
| A4G0405M4SU04GUP KCU25 | A197 |
| A4G0405M4SU08GMN KCU10 | A197 |
| A4G0405M4SU08GMN KCU25 | A197 |
| A4G0405M4SU08GUP KCU10 | A197 |
| A4G0405M4SU08GUP KCU25 | A197 |
| A4G0500M05P04GMP K313 | A193 |
| A4G0500M05P04GMP KC5010 | A193 |
| A4G0500M05P04GMP KC5025 | A193 |
| A4G0500M05P04GMP KCU10 | A193 |
| A4G0500M05P04GMP KCU25 | A193 |
| A4G0500M05P04GUP KCU10 | A192 |
| A4G0500M05P04GUP KCU25 | A192 |
| A4G0500M05P04GUP KU10 | A192 |
| A4G0500M05P08E KD1405 | A198 |
| A4G0500M05P08EST KB1630 | A201 |
| A4G0500M05P08GMP K313 | A193 |
| A4G0500M05P08GMP KC5010 | A193 |
| A4G0500M05P08GMP KC5025 | A193 |
| A4G0500M05P08GMP KCU10 | A193 |
| A4G0500M05P08GMP KCU25 | A193 |
| A4G0500M05P08GUP KCU10 | A192 |
| A4G0500M05P08GUP KCU25 | A192 |
| A4G0500M05P08GUP KU10 | A192 |
| A4G0500M05P08S02025ST KB1630 | A201 |
| A4G0500M05P08S02025ST KB5625 | A201 |
| A4G0500M05P08T01025 KY3500 | A199 |
| A4G0500M5SP04GUP KCU10 | A197 |
| A4G0500M5SP04GUP KCU25 | A197 |
| A4G0500M5SP08GUP KCU10 | A197 |
| A4G0500M5SP08GUP KCU25 | A197 |
| A4G0505M05U04B KC5025 | A199 |
| A4G0505M05U04B KC9320 | A199 |
| A4G0505M05U04B KCU25 | A199 |
| A4G0505M05U04GMN KC5010 | A194 |
| A4G0505M05U04GMN KC5025 | A194 |
| A4G0505M05U04GMN KC9110 | A194 |
| A4G0505M05U04GMN KC9125 | A194 |
| A4G0505M05U04GMN KCU10 | A194 |
| A4G0505M05U04GMN KCU25 | A194 |
| A4G0505M05U04GMP KC5010 | A193 |
| A4G0505M05U04GMP KC5025 | A193 |
| A4G0505M05U04GMP KC9110 | A193 |
| A4G0505M05U04GMP KC9125 | A193 |
| A4G0505M05U04GMP KCU10 | A193 |
| A4G0505M05U04GMP KCU25 | A193 |
| A4G0505M05U04GMP KT315 | A193 |
| A4G0505M05U04GUP KCP10 | A192 |
| A4G0505M05U04GUP KCP25 | A192 |
| A4G0505M05U04GUP KCU10 | A192 |
| A4G0505M05U04GUP KCU25 | A192 |
| A4G0505M05U08GMN KC5010 | A194 |
| A4G0505M05U08GMN KC5025 | A194 |
| A4G0505M05U08GMN KC9110 | A194 |
| A4G0505M05U08GMN KC9125 | A194 |
| A4G0505M05U08GMN KCU10 | A194 |
| A4G0505M05U08GMN KCU25 | A194 |
| A4G0505M05U08GMP KC5010 | A193 |
| A4G0505M05U08GMP KC5025 | A193 |
| A4G0505M05U08GMP KC9110 | A193 |
| A4G0505M05U08GMP KC9125 | A193 |
| A4G0505M05U08GMP KCU10 | A193 |
| A4G0505M05U08GMP KCU25 | A193 |
| A4G0505M05U08GMP KT315 | A193 |
| A4G0505M05U08GUP KCP10 | A192 |
| A4G0505M05U08GUP KCP25 | A192 |
| A4G0505M05U08GUP KCU10 | A192 |
| A4G0505M05U08GUP KCU25 | A192 |
| A4G0505M5SU04GMN KCU10 | A197 |
| A4G0505M5SU04GMN KCU25 | A197 |
| A4G0505M5SU04GUP KCU10 | A197 |
| A4G0505M5SU04GUP KCU25 | A197 |
| A4G0505M5SU08GMN KCU10 | A197 |
| A4G0505M5SU08GMN KCU25 | A197 |
| A4G0505M5SU08GUP KCU10 | A197 |
| A4G0505M5SU08GUP KCU25 | A197 |
| A4G0600M06P04GMP KC5010 | A193 |
| A4G0600M06P04GMP KC5025 | A193 |
| A4G0600M06P04GMP KCU10 | A193 |
| A4G0600M06P04GMP KCU25 | A193 |
| A4G0600M06P04GUP KCU10 | A192 |
| A4G0600M06P04GUP KCU25 | A192 |
| A4G0600M06P04GUP KU10 | A192 |
| A4G0600M06P08EST KB1630 | A201 |
| A4G0600M06P08GMP KC5010 | A193 |
| A4G0600M06P08GMP KC5025 | A193 |
| A4G0600M06P08GMP KCU10 | A193 |
| A4G0600M06P08GMP KCU25 | A193 |
| A4G0600M06P08GUP KCU10 | A192 |
| A4G0600M06P08GUP KCU25 | A192 |
| A4G0600M06P08GUP KU10 | A192 |
| A4G0600M06P08S02025ST KB1630 | A201 |
| A4G0600M06P08S02025ST KB5625 | A201 |
| A4G0600M06P08T01025 KY3500 | A199 |
| A4G0605M06U04B KC5025 | A199 |
| A4G0605M06U04B KC9320 | A199 |
| A4G0605M06U04B KCU25 | A199 |
| A4G0605M06U04GMN KC5010 | A194 |
| A4G0605M06U04GMN KC5025 | A194 |
| A4G0605M06U04GMN KC9110 | A194 |
| A4G0605M06U04GMN KC9125 | A194 |
| A4G0605M06U04GMN KCU10 | A194 |
| A4G0605M06U04GMN KCU25 | A194 |
| A4G0605M06U04GMP KC5010 | A193 |
| A4G0605M06U04GMP KC5025 | A193 |
| A4G0605M06U04GMP KC9110 | A193 |
| A4G0605M06U04GMP KC9125 | A193 |
| A4G0605M06U04GMP KCU10 | A193 |
| A4G0605M06U04GMP KCU25 | A193 |
| A4G0605M06U04GUP KCP10 | A192 |
| A4G0605M06U04GUP KCP25 | A192 |
| A4G0605M06U04GUP KCU10 | A192 |
| A4G0605M06U04GUP KCU25 | A192 |
| A4G0605M06U08GMN KC5010 | A194 |

| Catalogue No. | Page(s) |
|---|---|
| A4G0605M06U08GMN KC5025 | A194 |
| A4G0605M06U08GMN KC9110 | A194 |
| A4G0605M06U08GMN KC9125 | A194 |
| A4G0605M06U08GMN KCU10 | A194 |
| A4G0605M06U08GMN KCU25 | A194 |
| A4G0605M06U08GMP KC5010 | A193 |
| A4G0605M06U08GMP KC5025 | A193 |
| A4G0605M06U08GMP KC9110 | A193 |
| A4G0605M06U08GMP KC9125 | A193 |
| A4G0605M06U08GMP KCU10 | A193 |
| A4G0605M06U08GMP KCU25 | A193 |
| A4G0605M06U08GMP KT315 | A193 |
| A4G0605M06U08GUP KCP10 | A192 |
| A4G0605M06U08GUP KCP25 | A192 |
| A4G0605M06U08GUP KCU10 | A192 |
| A4G0605M06U08GUP KCU25 | A192 |
| A4G0605M06U12GMN KC5010 | A194 |
| A4G0605M06U12GMN KC5025 | A194 |
| A4G0605M06U12GMN KC9125 | A194 |
| A4G0605M06U12GMN KCU10 | A194 |
| A4G0605M06U12GMN KCU25 | A194 |
| A4G0605M06U12GMP KC5010 | A193 |
| A4G0605M06U12GMP KC5025 | A193 |
| A4G0605M06U12GMP KCU10 | A193 |
| A4G0605M06U12GUP KCP10 | A192 |
| A4G0605M06U12GUP KCP25 | A192 |
| A4G0605M06U12GUP KCU10 | A192 |
| A4G0605M06U12GUP KCU25 | A192 |
| A4G0800M08P08GMP K313 | A193 |
| A4G0800M08P08GMP KC5010 | A193 |
| A4G0800M08P08GMP KC5025 | A193 |
| A4G0800M08P08GMP KCU10 | A193 |
| A4G0800M08P08GMP KCU25 | A193 |
| A4G0800M08P08GUP KCU10 | A192 |
| A4G0800M08P08GUP KCU25 | A192 |
| A4G0800M08P08GUP KU10 | A192 |
| A4G0800M08P08T01025 KY3500 | A199 |
| A4G0800M08P12GMP KC5010 | A193 |
| A4G0800M08P12GMP KCU10 | A193 |
| A4G0800M08P12GUP KCU10 | A192 |
| A4G0800M08P12GUP KCU25 | A192 |
| A4G0800M08P12GUP KU10 | A192 |
| A4G0805M08U08B KC9320 | A199 |
| A4G0805M08U08GMN KC5010 | A194 |
| A4G0805M08U08GMN KC5025 | A194 |
| A4G0805M08U08GMN KC9110 | A194 |
| A4G0805M08U08GMN KC9125 | A194 |
| A4G0805M08U08GMN KCU10 | A194 |
| A4G0805M08U08GMN KCU25 | A194 |
| A4G0805M08U08GMP KC5025 | A193 |
| A4G0805M08U08GMP KC9110 | A193 |
| A4G0805M08U08GMP KC9125 | A193 |
| A4G0805M08U08GMP KCU25 | A193 |
| A4G0805M08U08GUP KCP10 | A192 |
| A4G0805M08U08GUP KCP25 | A192 |
| A4G0805M08U08GUP KCU10 | A192 |
| A4G0805M08U08GUP KCU25 | A192 |
| A4G0805M08U12GMN KC5010 | A194 |
| A4G0805M08U12GMN KC5025 | A194 |
| A4G0805M08U12GMN KC9110 | A194 |
| A4G0805M08U12GMN KC9125 | A194 |
| A4G0805M08U12GMN KCU10 | A194 |
| A4G0805M08U12GMN KCU25 | A194 |
| A4G0805M08U12GMP KC5025 | A193 |
| A4G0805M08U12GUP KCP10 | A192 |
| A4G0805M08U12GUP KCP25 | A192 |
| A4G0805M08U12GUP KCU10 | A192 |
| A4G0805M08U12GUP KCU25 | A192 |
| A4G094I2BP05GMN KC5010 | A194 |
| A4G094I2BP05GMN KCU10 | A194 |
| A4G1000M10P08GMP K313 | A193 |
| A4G1000M10P08GMP KC5010 | A193 |
| A4G1000M10P08GMP KC5025 | A193 |
| A4G1000M10P08GMP KCU10 | A193 |
| A4G1000M10P08GMP KCU25 | A193 |
| A4G1000M10P08GUP KCU10 | A192 |
| A4G1000M10P08GUP KCU25 | A192 |
| A4G1000M10P08GUP KU10 | A192 |
| A4G1000M10P12GMP KC5010 | A193 |
| A4G1000M10P12GMP KCU10 | A193 |
| A4G1000M10P12GUP KCU10 | A192 |
| A4G1000M10P12GUP KCU25 | A192 |
| A4G1000M10P12GUP KU10 | A192 |
| A4G1005M10U08B KC9320 | A199 |
| A4G1005M10U08GMN KC5025 | A194 |
| A4G1005M10U08GMN KC9110 | A194 |
| A4G1005M10U08GMN KC9125 | A194 |
| A4G1005M10U08GMN KCU25 | A194 |
| A4G1005M10U08GMP KC5010 | A193 |
| A4G1005M10U08GMP KC5025 | A193 |
| A4G1005M10U08GMP KCU10 | A193 |
| A4G1005M10U08GMP KCU25 | A193 |
| A4G1005M10U08GUP KCP10 | A192 |
| A4G1005M10U08GUP KCP25 | A192 |
| A4G1005M10U08GUP KCU10 | A192 |
| A4G1005M10U08GUP KCU25 | A192 |
| A4G1005M10U12GMN KC5025 | A194 |
| A4G1005M10U12GMN KC9110 | A194 |
| A4G1005M10U12GMN KC9125 | A194 |
| A4G1005M10U12GMP KC5025 | A193 |
| A4G1005M10U12GMP KC9125 | A193 |
| A4G1005M10U12GUP KCP10 | A192 |
| A4G1005M10U12GUP KCP25 | A192 |
| A4G1005M10U12GUP KCU10 | A192 |
| A4G1005M10U12GUP KCU25 | A192 |
| A4G125I03P05GMN KC5010 | A194 |
| A4G125I03P05GMN KC5025 | A194 |
| A4G125I03P05GMN KCU10 | A194 |
| A4G125I03P05GMN KCU25 | A194 |
| A4G125I03P1GMN KC5010 | A194 |
| A4G125I03P1GMN KC5025 | A194 |
| A4G125I03P1GMN KCU10 | A194 |
| A4G125I03P1GMN KCU25 | A194 |
| A4G125I03P1T0425 KY3500 | A199 |
| A4G187I04P1GMN KC5010 | A194 |
| A4G187I04P1GMN KC5025 | A194 |
| A4G187I04P1GMN KCU10 | A194 |
| A4G187I04P1GMN KCU25 | A194 |
| A4G187I04P2GMN KC5010 | A194 |
| A4G187I04P2GMN KC5025 | A194 |
| A4G187I04P2GMN KCU10 | A194 |
| A4G187I04P2GMN KCU25 | A194 |
| A4G187I04P2T0425 KY3500 | A199 |
| A4G250I06P1GMN KC5010 | A194 |
| A4G250I06P1GMN KC5025 | A194 |
| A4G250I06P1GMN KCU10 | A194 |
| A4G250I06P1GMN KCU25 | A194 |
| A4G250I06P2GMN KC5010 | A194 |
| A4G250I06P2GMN KC5025 | A194 |
| A4G250I06P2GMN KCU10 | A194 |
| A4G250I06P2GMN KCU25 | A194 |
| A4G250I06P2T0425 KY3500 | A199 |
| A4G312I08P1GMN KC5010 | A194 |
| A4G312I08P1GMN KC5025 | A194 |
| A4G312I08P1GMN KCU25 | A194 |
| A4G312I08P2GMN KC5025 | A194 |
| A4G375I10P1GMN KC5010 | A194 |
| A4G375I10P2GMN KC5010 | A194 |
| A4G375I10P2GMN KC5025 | A194 |
| A4G375I10P2GMN KCU10 | A194 |
| A4G375I10P2GMN KCU25 | A194 |
| A4R0200M02P00GMP KC5010 | A195 |
| A4R0200M02P00GMP KC5025 | A195 |
| A4R0200M02P00GMP KCU10 | A195 |
| A4R0200M02P00GMP KCU25 | A195 |
| A4R0200M2SP00GMP KCU25 | A197 |
| A4R0205M02U00GMN KC5010 | A195 |
| A4R0205M02U00GMN KC5025 | A195 |
| A4R0205M02U00GMN KC9110 | A195 |
| A4R0205M02U00GMN KCU10 | A195 |
| A4R0205M02U00GMN KCU25 | A195 |
| A4R0300M03P00EST KB1630 | A201 |
| A4R0300M03P00GMP K313 | A195 |
| A4R0300M03P00GMP KC5010 | A195 |
| A4R0300M03P00GMP KC5025 | A195 |
| A4R0300M03P00GMP KCU10 | A195 |
| A4R0300M03P00GMP KCU25 | A195 |
| A4R0300M03P00GUP K313 | A196 |
| A4R0300M03P00GUP KCU10 | A196 |
| A4R0300M03P00GUP KCU25 | A196 |
| A4R0300M03P00T01025 KY3500 | A199 |
| A4R0300M3SP00GMP KCU25 | A197 |
| A4R0305M03U00GMN KC5010 | A195 |
| A4R0305M03U00GMN KC5025 | A195 |
| A4R0305M03U00GMN KC9110 | A195 |
| A4R0305M03U00GMN KC9125 | A195 |
| A4R0305M03U00GMN KCU10 | A195 |
| A4R0305M03U00GMN KCU25 | A195 |
| A4R0305M03U00GUP K313 | A196 |
| A4R0305M03U00GUP KCU10 | A196 |
| A4R0305M03U00GUP KCU25 | A196 |
| A4R0400M04P00EST KB1630 | A201 |
| A4R0400M04P00GMP K313 | A195 |
| A4R0400M04P00GMP KC5010 | A195 |
| A4R0400M04P00GMP KC5025 | A195 |
| A4R0400M04P00GMP KCU10 | A195 |
| A4R0400M04P00GMP KCU25 | A195 |
| A4R0400M04P00GUP KCU25 | A196 |
| A4R0400M04P00T01025 KY3500 | A199 |
| A4R0400M4SP00GMP KCU25 | A197 |
| A4R0405M04U00GMN KC5010 | A195 |
| A4R0405M04U00GMN KC5025 | A195 |
| A4R0405M04U00GMN KC9110 | A195 |
| A4R0405M04U00GMN KC9125 | A195 |
| A4R0405M04U00GMN KCU10 | A195 |
| A4R0405M04U00GMN KCU25 | A195 |
| A4R0500M05P00E KD1405 | A198 |
| A4R0500M05P00EST KB1630 | A201 |
| A4R0500M05P00GMP K313 | A195 |
| A4R0500M05P00GMP KC5010 | A195 |
| A4R0500M05P00GMP KC5025 | A195 |
| A4R0500M05P00GMP KCU10 | A195 |
| A4R0500M05P00GMP KCU25 | A195 |
| A4R0500M05P00GUP K313 | A196 |
| A4R0500M05P00GUP KCU25 | A196 |
| A4R0500M05P00T01025 KY3500 | A199 |
| A4R0500M5SP00GMP KCU25 | A197 |
| A4R0505M05U00GMN KC5010 | A195 |
| A4R0505M05U00GMN KC5025 | A195 |
| A4R0505M05U00GMN KC9110 | A195 |
| A4R0505M05U00GMN KC9125 | A195 |
| A4R0505M05U00GMN KCU10 | A195 |
| A4R0505M05U00GMN KCU25 | A195 |
| A4R0505M05U00GUP K313 | A196 |
| A4R0505M05U00GUP KCU10 | A196 |
| A4R0505M05U00GUP KCU25 | A196 |
| A4R0600M06P00EST KB1630 | A201 |
| A4R0600M06P00GMP KC5010 | A195 |
| A4R0600M06P00GMP KC5025 | A195 |
| A4R0600M06P00GMP KCU10 | A195 |
| A4R0600M06P00GMP KCU25 | A195 |
| A4R0600M06P00GUP KCU25 | A196 |
| A4R0600M06P00T01025 KY3500 | A199 |
| A4R0605M06U00GMN KC5010 | A195 |
| A4R0605M06U00GMN KC5025 | A195 |
| A4R0605M06U00GMN KC9110 | A195 |
| A4R0605M06U00GMN KC9125 | A195 |
| A4R0605M06U00GMN KCU10 | A195 |
| A4R0605M06U00GMN KCU25 | A195 |
| A4R0800M08P00GMP K313 | A195 |
| A4R0800M08P00GMP KC5010 | A195 |
| A4R0800M08P00GMP KC5025 | A195 |
| A4R0800M08P00GMP KCU10 | A195 |
| A4R0800M08P00GMP KCU25 | A195 |
| A4R0800M08P00GUP KCU25 | A196 |
| A4R0800M08P00T01025 KY3500 | A199 |
| A4R0805M08U00GMN KC5010 | A195 |
| A4R0805M08U00GMN KC5025 | A195 |
| A4R0805M08U00GMN KC9110 | A195 |
| A4R0805M08U00GMN KC9125 | A195 |
| A4R0805M08U00GMN KCU10 | A195 |
| A4R0805M08U00GMN KCU25 | A195 |
| A4R1000M10P00GMP K313 | A195 |
| A4R1000M10P00GUP K313 | A196 |
| A4R1000M10P00GUP KCU10 | A196 |
| A4R1000M10P00GUP KCU25 | A196 |
| A4R1005M10U00GMN KC5010 | A195 |
| A4R1005M10U00GMN KC5025 | A195 |
| A4R1005M10U00GMN KC9125 | A195 |
| A4R1005M10U00GMN KCU10 | A195 |
| A4R1005M10U00GMN KCU25 | A195 |
| A4R1005M10U00GUP K313 | A196 |
| A4R1005M10U00GUP KCU10 | A196 |
| A4R1005M10U00GUP KCU25 | A196 |
| A4R125I03P00GMN KC5010 | A195 |
| A4R125I03P00GMN KC5025 | A195 |
| A4R125I03P00GMN KCU10 | A195 |
| A4R125I03P00GMN KCU25 | A195 |
| A4R125I03P00GUP K313 | A196 |
| A4R125I03P00GUP KCU10 | A196 |
| A4R125I03P00GUP KCU25 | A196 |
| A4R125I03P00T0425 KY3500 | A199 |
| A4R187I04P00GMN KC5010 | A195 |
| A4R187I04P00GMN KC5025 | A195 |
| A4R187I04P00GMN KCU10 | A195 |
| A4R187I04P00GMN KCU25 | A195 |
| A4R187I04P00GUP K313 | A196 |
| A4R187I04P00GUP KCU10 | A196 |
| A4R187I04P00GUP KCU25 | A196 |
| A4R187I04P00T0425 KY3500 | A199 |
| A4R250I06P00GMN KC5010 | A195 |
| A4R250I06P00GMN KC5025 | A195 |
| A4R250I06P00GMN KCU10 | A195 |
| A4R250I06P00GMN KCU25 | A195 |
| A4R250I06P00GUP K313 | A196 |
| A4R250I06P00GUP KCU10 | A196 |
| A4R250I06P00GUP KCU25 | A196 |
| A4R250I06P00T0425 KY3500 | A199 |
| A4R312I08P00GMN KC5010 | A195 |
| A4R312I08P00GMN KCU10 | A195 |
| A4R312I08P00GUP K313 | A196 |
| A4R312I08P00GUP KCU10 | A196 |
| A4R312I08P00GUP KCU25 | A196 |
| A4R375I10P00GMN KC5025 | A195 |
| A4R375I10P00GMN KCU25 | A195 |
| A4R375I10P00GUP K313 | A196 |
| A4R375I10P00GUP KCU10 | A196 |
| A4R375I10P00GUP KCU25 | A196 |
| A4SML1616K0214 | A205 |
| A4SML1616K0314 | A205 |

| Catalogue No. | Page(s) |
|---|---|
| A4SML2016K0317 | A205 |
| A4SML2016K0417 | A205 |
| A4SML2020K0214 | A205 |
| A4SML2020K0217 | A205 |
| A4SML2020K0314 | A205 |
| A4SML2020K0317 | A205 |
| A4SML2020K0414 | A205 |
| A4SML2020K0417 | A205 |
| A4SML2020K0519 | A205 |
| A4SML2020K0620 | A205 |
| A4SML2525M0214 | A205 |
| A4SML2525M0217 | A205 |
| A4SML2525M0317 | A205 |
| A4SML2525M0417 | A205 |
| A4SML2525M0520 | A205 |
| A4SML2525M0620 | A205 |
| A4SML2525M0820 | A205 |
| A4SML3225P0417 | A205 |
| A4SML3225P0522 | A205 |
| A4SML3225P0626 | A205 |
| A4SML3225P0826 | A205 |
| A4SML3225P1026 | A205 |
| A4SMR1616K0214 | A204 |
| A4SMR1616K0314 | A204 |
| A4SMR2016K0317 | A204 |
| A4SMR2016K0417 | A204 |
| A4SMR2020K0214 | A204 |
| A4SMR2020K0217 | A204 |
| A4SMR2020K0314 | A204 |
| A4SMR2020K0317 | A204 |
| A4SMR2020K0414 | A204 |
| A4SMR2020K0417 | A204 |
| A4SMR2020K0519 | A204 |
| A4SMR2020K0620 | A204 |
| A4SMR2525M0214 | A204 |
| A4SMR2525M0217 | A204 |
| A4SMR2525M0317 | A204 |
| A4SMR2525M0417 | A204 |
| A4SMR2525M0520 | A204 |
| A4SMR2525M0620 | A204 |
| A4SMR2525M0820 | A204 |
| A4SMR3225P0417 | A204 |
| A4SMR3225P0522 | A204 |
| A4SMR3225P0626 | A204 |
| A4SMR3225P0826 | A204 |
| A4SMR3225P1026 | A204 |
| A50UNVOCR16 | A230 |
| BUR135V90 | E9 |
| C2FIX110404LMN KCP10 | A245 |
| C2FIX110404LMN KCP25 | A245 |
| C2FIX110404LMN KCP40 | A245 |
| C2FIX110404LMN KCU10 | A245 |
| C2FIX110404LMN KCU25 | A245 |
| C2FIX110404RMN KCP10 | A245 |
| C2FIX110404RMN KCP25 | A245 |
| C2FIX110404RMN KCP40 | A245 |
| C2FIX110404RMN KCU10 | A245 |
| C2FIX110404RMN KCU25 | A245 |
| C2FIX110405LMN KCP25 | A245 |
| C2FIX110405LMN KCP40 | A245 |
| C2FIX110405LMN KCU10 | A245 |
| C2FIX110405RMN KCP25 | A245 |
| C2FIX110405RMN KCP40 | A245 |
| C2FIX110408LMN KCP10 | A245 |
| C2FIX110408LMN KCP25 | A245 |
| C2FIX110408LMN KCP40 | A245 |
| C2FIX110408LMN KCU10 | A245 |
| C2FIX110408LMN KCU25 | A245 |
| C2FIX110408RMN KCP10 | A245 |
| C2FIX110408RMN KCP25 | A245 |
| C2FIX110408RMN KCP40 | A245 |
| C2FIX110408RMN KCU10 | A245 |
| C2FIX110408RMN KCU25 | A245 |
| C2FIX150504LMN KCP10 | A245 |
| C2FIX150504LMN KCP25 | A245 |
| C2FIX150504LMN KCP40 | A245 |
| C2FIX150504LMN KCU10 | A245 |
| C2FIX150504LMN KCU25 | A245 |
| C2FIX150504RMN KCP10 | A245 |
| C2FIX150504RMN KCP25 | A245 |
| C2FIX150504RMN KCP40 | A245 |
| C2FIX150504RMN KCU10 | A245 |
| C2FIX150504RMN KCU25 | A245 |
| C2FIX150505LMN KCP25 | A245 |
| C2FIX150505LMN KCP40 | A245 |
| C2FIX150505LMN KCU10 | A245 |
| C2FIX150505RMN KCP25 | A245 |
| C2FIX150505RMN KCP40 | A245 |
| C2FIX150508LMN KCP10 | A245 |
| C2FIX150508LMN KCP25 | A245 |
| C2FIX150508LMN KCP40 | A245 |
| C2FIX150508LMN KCU10 | A245 |
| C2FIX150508LMN KCU25 | A245 |
| C2FIX150508RMN KCP10 | A245 |
| C2FIX150508RMN KCP25 | A245 |
| C2FIX150508RMN KCP40 | A245 |
| C2FIX150508RMN KCU10 | A245 |
| C2FIX150508RMN KCU25 | A245 |
| C2FIX150510LMN KCP25 | A245 |
| C2FIX150510LMN KCP40 | A245 |
| C2FIX150510RMN KCP25 | A245 |
| C2FIX150510RMN KCP40 | A245 |
| C2FIX150512LMN KCP10 | A245 |
| C2FIX150512LMN KCP25 | A245 |
| C2FIX150512LMN KCP40 | A245 |
| C2FIX150512LMN KCU10 | A245 |
| C2FIX150512LMN KCU25 | A245 |
| C2FIX150512RMN KCP10 | A245 |
| C2FIX150512RMN KCP25 | A245 |
| C2FIX150512RMN KCP40 | A245 |
| C2FIX150512RMN KCU10 | A245 |
| C2FIX150512RMN KCU25 | A245 |
| C2FIX180610LMN KCP25 | A245 |
| C2FIX180610LMN KCP40 | A245 |
| C2FIX180610LMN KCU10 | A245 |
| C2FIX180610RMN KCP25 | A245 |
| C2FIX180610RMN KCP40 | A245 |
| C2FIX180610RMN KCU10 | A245 |
| C2FIX180615LMN KCP25 | A245 |
| C2FIX180615LMN KCP40 | A245 |
| C2FIX180615RMN KCP25 | A245 |
| C2FIX180615RMN KCP40 | A245 |
| C8FIX120504LMP KCM15 | A251 |
| C8FIX120504LMP KCP25 | A251 |
| C8FIX120504LMP KCU10 | A251 |
| C8FIX120504LMP KCU25 | A251 |
| C8FIX120504LRP KCM15 | A250 |
| C8FIX120504LRP KCP10 | A250 |
| C8FIX120504LRP KCP25 | A250 |
| C8FIX120504LRP KCP40 | A250 |
| C8FIX120504LRP KCU10 | A250 |
| C8FIX120504LRP KCU25 | A250 |
| C8FIX150608LRP KCP25 | A250 |
| C8FIX150608LRP KCP40 | A250 |
| C8FIX150608LRP KCU10 | A250 |
| C8FIX150608LRP KCU25 | A250 |
| C8FIX150608RMP KCM15 | A251 |
| C8FIX150608RMP KCP25 | A251 |
| C8FIX150608RMP KCU10 | A251 |
| C8FIX150608RMP KCU25 | A251 |
| C8FIX150608RRN KCP10 | A250 |
| C8FIX150608RRN KCP25 | A250 |
| C8FIX150608RRN KCP40 | A250 |
| C8FIX150608RRN KCU10 | A250 |
| C8FIX150608RRN KCU25 | A250 |
| C8FIX150608RRP KCM15 | A250 |
| C8FIX150608RRP KCP10 | A250 |
| C8FIX150608RRP KCP25 | A250 |
| C8FIX150608RRP KCP40 | A250 |
| C8FIX150608RRP KCU10 | A250 |
| C8FIX150608RRP KCU25 | A250 |
| C8FIX150612LMP KCM15 | A251 |
| C8FIX150612LMP KCP25 | A251 |
| C8FIX150612LMP KCU10 | A251 |
| C8FIX150612LMP KCU25 | A251 |
| C8FIX150612LRN KCP10 | A250 |
| C8FIX150612LRN KCP25 | A250 |
| C8FIX150612LRN KCP40 | A250 |
| C8FIX150612LRN KCU10 | A250 |
| C8FIX150612LRN KCU25 | A250 |
| C8FIX150612LRP KCP25 | A250 |
| C8FIX150612LRP KCP40 | A250 |
| C8FIX150612LRP KCU10 | A250 |
| C8FIX150612LRP KCU25 | A250 |
| C8FIX150612RMP KCM15 | A251 |
| C8FIX150612RMP KCP25 | A251 |
| C8FIX150612RMP KCU10 | A251 |
| C8FIX150612RMP KCU25 | A251 |
| C8FIX150612RRN KCP10 | A250 |
| C8FIX150612RRN KCP25 | A250 |
| C8FIX150612RRN KCP40 | A250 |
| C8FIX150612RRN KCU10 | A250 |
| C8FIX150612RRN KCU25 | A250 |
| C8FIX150612RRP KCM15 | A250 |
| C8FIX150612RRP KCP10 | A250 |
| C8FIX150612RRP KCP25 | A250 |
| C8FIX150612RRP KCP40 | A250 |
| C8FIX150612RRP KCU10 | A250 |
| C8FIX150612RRP KCU25 | A250 |
| C8FIX180805LMP KCP10 | A251 |
| C8FIX180805LMP KCP25 | A251 |
| C8FIX180805LMP KCP40 | A251 |
| C8FIX180805LMP KCU10 | A251 |
| C8FIX180805LMP KCU25 | A251 |
| C8FIX180805RMP KCP10 | A251 |
| C8FIX180805RMP KCP25 | A251 |
| C8FIX180805RMP KCP40 | A251 |
| C8FIX180805RMP KCU10 | A251 |
| C8FIX180805RMP KCU25 | A251 |
| C8FIX180808LRN KCP10 | A250 |
| C8FIX180808LRN KCP25 | A250 |
| C8FIX180808LRN KCP40 | A250 |
| C8FIX180808LRN KCU10 | A250 |
| C8FIX180808LRN KCU25 | A250 |
| C8FIX180808LRP KCM15 | A250 |
| C8FIX180808LRP KCP10 | A250 |
| C8FIX180808LRP KCP25 | A250 |
| C8FIX180808LRP KCP40 | A250 |
| C8FIX180808LRP KCU10 | A250 |
| C8FIX180808LRP KCU25 | A250 |
| C8FIX180808RRN KCP10 | A250 |
| C8FIX180808RRN KCP25 | A250 |
| C8FIX180808RRN KCP40 | A250 |
| C8FIX180808RRN KCU10 | A250 |
| C8FIX180808RRN KCU25 | A250 |
| C8FIX180808RRP KCM15 | A250 |
| C8FIX180808RRP KCP10 | A250 |
| C8FIX180808RRP KCP25 | A250 |
| C8FIX180808RRP KCP40 | A250 |
| C8FIX180808RRP KCU10 | A250 |
| C8FIX180808RRP KCU25 | A250 |
| C8FIX180812LRN KCP10 | A250 |
| C8FIX180812LRN KCP25 | A250 |
| C8FIX180812LRN KCP40 | A250 |
| C8FIX180812LRN KCU10 | A250 |
| C8FIX180812LRN KCU25 | A250 |
| C8FIX180812LRP KCM15 | A250 |
| C8FIX180812LRP KCP10 | A250 |
| C8FIX180812LRP KCP25 | A250 |
| C8FIX180812LRP KCP40 | A250 |
| C8FIX180812LRP KCU10 | A250 |
| C8FIX180812LRP KCU25 | A250 |
| C8FIX180812RRN KCP10 | A250 |
| C8FIX180812RRN KCP25 | A250 |
| C8FIX180812RRN KCP40 | A250 |
| C8FIX180812RRN KCU10 | A250 |
| C8FIX180812RRN KCU25 | A250 |
| C8FIX180812RRP KCM15 | A250 |
| C8FIX180812RRP KCP10 | A250 |
| C8FIX180812RRP KCP25 | A250 |
| C8FIX180812RRP KCP40 | A250 |
| C8FIX180812RRP KCU10 | A250 |
| C8FIX180812RRP KCU25 | A250 |
| CCGT060201LF KC5010 | A87 |
| CCGT060201LF KC5025 | A87 |
| CCGT060201LF KC5410 | A87 |
| CCGT060201LF KCU10 | A87 |
| CCGT060202HP K313 | A87 |
| CCGT060202HP KC5025 | A87 |
| CCGT060202HP KC5410 | A87 |
| CCGT060202HP KCU10 | A87 |
| CCGT060202HP KCU25 | A87 |
| CCGT060202LF KC5010 | A87 |
| CCGT060202LF KC5025 | A87 |
| CCGT060202LF KCU10 | A87 |
| CCGT060204HP K313 | A87 |
| CCGT060204HP KC5010 | A87 |
| CCGT060204HP KC5025 | A87 |
| CCGT060204HP KC5410 | A87 |
| CCGT060204HP KCU10 | A87 |
| CCGT060204HP KCU25 | A87 |
| CCGT060204LF KC5010 | A87 |
| CCGT060204LF KC5025 | A87 |
| CCGT060204LF KC5410 | A87 |
| CCGT060204LF KCU10 | A87 |
| CCGT060208HP KC5010 | A87 |
| CCGT060208HP KC5410 | A87 |
| CCGT060208HP KCU10 | A87 |
| CCGT060208HP KCU25 | A87 |
| CCGT060208LF K313 | A87 |
| CCGT060208LF KC5010 | A87 |
| CCGT060208LF KC5025 | A87 |
| CCGT060208LF KCU10 | A87 |
| CCGT0602X0LF KC5025 | A87 |
| CCGT09T301LF KC5010 | A87 |
| CCGT09T301LF KC5025 | A87 |
| CCGT09T301LF KC5410 | A87 |
| CCGT09T301LF KCU10 | A87 |
| CCGT09T302HP K313 | A87 |
| CCGT09T302HP KC5010 | A87 |
| CCGT09T302HP KC5025 | A87 |
| CCGT09T302HP KC5410 | A87 |
| CCGT09T302HP KCU10 | A87 |
| CCGT09T302HP KCU25 | A87 |
| CCGT09T302LF K313 | A87 |
| CCGT09T302LF KC5010 | A87 |
| CCGT09T302LF KC5025 | A87 |
| CCGT09T302LF KCU10 | A87 |
| CCGT09T304HP K313 | A87 |
| CCGT09T304HP KC5010 | A87 |

| Catalogue No. | Page(s) |
|---|---|
| CCGT09T304HP KC5025 | A87 |
| CCGT09T304HP KC5410 | A87 |
| CCGT09T304HP KCU10 | A87 |
| CCGT09T304HP KCU25 | A87 |
| CCGT09T304LF KC5010 | A87 |
| CCGT09T304LF KC5025 | A87 |
| CCGT09T304LF KC5410 | A87 |
| CCGT09T304LF KCU10 | A87 |
| CCGT09T308HP KC5010 | A87 |
| CCGT09T308HP KC5025 | A87 |
| CCGT09T308HP KC5410 | A87 |
| CCGT09T308HP KCU10 | A87 |
| CCGT09T308HP KCU25 | A87 |
| CCGT09T308LF K313 | A87 |
| CCGT09T308LF KC5010 | A87 |
| CCGT09T308LF KC5025 | A87 |
| CCGT09T308LF KCU10 | A87 |
| CCGT09T316HP KC5025 | A87 |
| CCGT09T3X0LF KC5025 | A87 |
| CCGT120401HP KC5025 | A87 |
| CCGT120402HP KC5010 | A87 |
| CCGT120402HP KCU10 | A87 |
| CCGT120402HP KCU25 | A87 |
| CCGT120404HP K313 | A87 |
| CCGT120404HP K68 | A87 |
| CCGT120404HP KC5010 | A87 |
| CCGT120404HP KC5025 | A87 |
| CCGT120404HP KC5410 | A87 |
| CCGT120404HP KCU10 | A87 |
| CCGT120404HP KCU25 | A87 |
| CCGT120408HP K313 | A87 |
| CCGT120408HP KC5010 | A87 |
| CCGT120408HP KC5025 | A87 |
| CCGT120408HP KC5410 | A87 |
| CCGT120408HP KCU10 | A87 |
| CCGT120408HP KCU25 | A87 |
| CCGW060202EC KB5625 | A171 |
| CCGW060202EFWC KB5625 | A171 |
| CCGW060202EM KB5625 | A172 |
| CCGW060202S01015C KB5610 | A171 |
| CCGW060202S01015C KB5630 | A171 |
| CCGW060202S01225MT KBH20 | A172 |
| CCGW060204EFWC KB5625 | A171 |
| CCGW060204EFWM KB5625 | A172 |
| CCGW060204FST KD1400 | A171 |
| CCGW060204FST KD1425 | A171 |
| CCGW060204S01015C KB5610 | A171 |
| CCGW060204S01015C KB5625 | A171 |
| CCGW060204S01015C KB5630 | A171 |
| CCGW060204S01015M KB5625 | A172 |
| CCGW060204S01225MT KBH20 | A172 |
| CCGW09T302S01225MT KBH20 | A172 |
| CCGW09T304EFWC KB5625 | A171 |
| CCGW09T304EFWM KB5625 | A172 |
| CCGW09T304FST KD1400 | A171 |
| CCGW09T304FST KD1425 | A171 |
| CCGW09T304S01015C KB5625 | A171 |
| CCGW09T304S01015FWMT KBH20 | A172 |
| CCGW09T304S01015M KB5625 | A172 |
| CCGW09T304S01015MT KB5610 | A172 |
| CCGW09T304S01015MT KB5630 | A172 |
| CCGW09T304S01015MT KBH20 | A172 |
| CCGW09T304S01225MT KBH20 | A172 |
| CCGW09T308EFWC KB5625 | A171 |
| CCGW09T308EFWM KB5625 | A172 |
| CCGW09T308FST KD1400 | A171 |
| CCGW09T308FST KD1425 | A171 |
| CCGW09T308S01015C KB5625 | A171 |
| CCGW09T308S01015FWMT KBH20 | A172 |
| CCGW09T308S01015M KB5625 | A172 |
| CCGW09T308S01015MT KB5610 | A172 |
| CCGW09T308S01015MT KB5630 | A172 |
| CCGW09T308S01015MT KBH20 | A172 |
| CCGW09T308S01225MT KBH20 | A172 |
| CCGW120408S01015MT KBH20 | A172 |
| CCMT060202FP KCM25 | A88 |
| CCMT060202FP KCP10 | A88 |
| CCMT060202FP KCP25 | A88 |
| CCMT060202FP KCU10 | A88 |
| CCMT060202FP KCU25 | A88 |
| CCMT060202FP KTP10 | A88 |
| CCMT060202FP KU10 | A88 |
| CCMT060202FW KC5010 | A88 |
| CCMT060202FW KCU10 | A88 |
| CCMT060202FW KT315 | A88 |
| CCMT060202LF KC5010 | A88 |
| CCMT060202LF KC5025 | A88 |
| CCMT060202LF KT315 | A88 |
| CCMT06020411 KT315 | A87 |
| CCMT060204FP KCK20 | A88 |
| CCMT060204FP KCM15 | A88 |
| CCMT060204FP KCM25 | A88 |
| CCMT060204FP KCP05 | A88 |
| CCMT060204FP KCP10 | A88 |
| CCMT060204FP KCP25 | A88 |
| CCMT060204FP KCU10 | A88 |
| CCMT060204FP KCU25 | A88 |
| CCMT060204FP KTP10 | A88 |
| CCMT060204FP KU10 | A88 |
| CCMT060204FW KC5010 | A88 |
| CCMT060204FW KCK20 | A88 |
| CCMT060204FW KCP25 | A88 |
| CCMT060204FW KCU10 | A88 |
| CCMT060204FW KT315 | A88 |
| CCMT060204LF K313 | A88 |
| CCMT060204LF KC5010 | A88 |
| CCMT060204LF KC5025 | A88 |
| CCMT060204LF KCK05 | A88 |
| CCMT060204LF KCK15 | A88 |
| CCMT060204LF KCK20 | A88 |
| CCMT060204LF KCM15 | A88 |
| CCMT060204LF KCM25 | A88 |
| CCMT060204LF KCM35 | A88 |
| CCMT060204LF KCP05 | A88 |
| CCMT060204LF KCP10 | A88 |
| CCMT060204LF KCP25 | A88 |
| CCMT060204LF KCP30 | A88 |
| CCMT060204LF KT315 | A88 |
| CCMT060204MF KCK15 | A89 |
| CCMT060204MF KCK20 | A89 |
| CCMT060204MF KCM15 | A89 |
| CCMT060204MF KCM25 | A89 |
| CCMT060204MF KCM35 | A89 |
| CCMT060204MF KCP10 | A89 |
| CCMT060204MF KCP25 | A89 |
| CCMT060204MF KCP30 | A89 |
| CCMT060204MP KCK20 | A89 |
| CCMT060204MP KCM15 | A89 |
| CCMT060204MP KCM25 | A89 |
| CCMT060204MP KCP10 | A89 |
| CCMT060204MP KCP25 | A89 |
| CCMT060204MP KCU10 | A89 |
| CCMT060204UF KC5010 | A89 |
| CCMT060204UF KCP05 | A89 |
| CCMT060204UF KCP10 | A89 |
| CCMT060204UF KCP25 | A89 |
| CCMT060208FP KCK20 | A88 |
| CCMT060208FP KCM15 | A88 |
| CCMT060208FP KCM25 | A88 |
| CCMT060208FP KCP05 | A88 |
| CCMT060208FP KCP10 | A88 |
| CCMT060208FP KCP25 | A88 |
| CCMT060208FP KCU10 | A88 |
| CCMT060208FP KCU25 | A88 |
| CCMT060208FP KTP10 | A88 |
| CCMT060208FW KC5010 | A88 |
| CCMT060208FW KCK20 | A88 |
| CCMT060208FW KCP25 | A88 |
| CCMT060208FW KCU10 | A88 |
| CCMT060208FW KT315 | A88 |
| CCMT060208LF KC5010 | A88 |
| CCMT060208LF KC5025 | A88 |
| CCMT060208LF KCK05 | A88 |
| CCMT060208LF KCK15 | A88 |
| CCMT060208LF KCK20 | A88 |
| CCMT060208LF KCM15 | A88 |
| CCMT060208LF KCM25 | A88 |
| CCMT060208LF KCP05 | A88 |
| CCMT060208LF KCP10 | A88 |
| CCMT060208LF KCP25 | A88 |
| CCMT060208LF KCP30 | A88 |
| CCMT060208LF KT315 | A88 |
| CCMT09T302FP KCM25 | A88 |
| CCMT09T302FP KCP25 | A88 |
| CCMT09T302FP KCU10 | A88 |
| CCMT09T302FP KCU25 | A88 |
| CCMT09T302FP KTP10 | A88 |
| CCMT09T302FP KU10 | A88 |
| CCMT09T302LF K313 | A88 |
| CCMT09T302LF KC5010 | A88 |
| CCMT09T302LF KC5025 | A88 |
| CCMT09T302LF KT315 | A88 |
| CCMT09T302UF KC5010 | A89 |
| CCMT09T302UF KCP05 | A89 |
| CCMT09T302UF KCP10 | A89 |
| CCMT09T30411 KT315 | A87 |
| CCMT09T304FP KCK20 | A88 |
| CCMT09T304FP KCM15 | A88 |
| CCMT09T304FP KCM25 | A88 |
| CCMT09T304FP KCP05 | A88 |
| CCMT09T304FP KCP10 | A88 |
| CCMT09T304FP KCP25 | A88 |
| CCMT09T304FP KCU10 | A88 |
| CCMT09T304FP KCU25 | A88 |
| CCMT09T304FP KTP10 | A88 |
| CCMT09T304FP KU10 | A88 |
| CCMT09T304FW KC5010 | A88 |
| CCMT09T304FW KCK20 | A88 |
| CCMT09T304FW KCP25 | A88 |
| CCMT09T304FW KCU10 | A88 |
| CCMT09T304FW KT315 | A88 |
| CCMT09T304LF K313 | A88 |
| CCMT09T304LF K68 | A88 |
| CCMT09T304LF KC5010 | A88 |
| CCMT09T304LF KC5025 | A88 |
| CCMT09T304LF KCK05 | A88 |
| CCMT09T304LF KCK15 | A88 |
| CCMT09T304LF KCK20 | A88 |
| CCMT09T304LF KCM15 | A88 |
| CCMT09T304LF KCM25 | A88 |
| CCMT09T304LF KCM35 | A88 |
| CCMT09T304LF KCP05 | A88 |
| CCMT09T304LF KCP10 | A88 |
| CCMT09T304LF KCP10B | A88 |
| CCMT09T304LF KCP25 | A88 |
| CCMT09T304LF KCP25B | A88 |
| CCMT09T304LF KCP30 | A88 |
| CCMT09T304LF KT315 | A88 |
| CCMT09T304MF KCK15 | A89 |
| CCMT09T304MF KCK20 | A89 |
| CCMT09T304MF KCM15 | A89 |
| CCMT09T304MF KCM25 | A89 |
| CCMT09T304MF KCM35 | A89 |
| CCMT09T304MF KCP10 | A89 |
| CCMT09T304MF KCP25 | A89 |
| CCMT09T304MF KCP30 | A89 |
| CCMT09T304MP KCK20 | A89 |
| CCMT09T304MP KCM15 | A89 |
| CCMT09T304MP KCM25 | A89 |
| CCMT09T304MP KCP10 | A89 |
| CCMT09T304MP KCP25 | A89 |
| CCMT09T304MP KCU10 | A89 |
| CCMT09T304MW KC5010 | A89 |
| CCMT09T304MW KCK20 | A89 |
| CCMT09T304MW KCP25 | A89 |
| CCMT09T304MW KCU10 | A89 |
| CCMT09T304MW KT315 | A89 |
| CCMT09T304UF KC5010 | A89 |
| CCMT09T304UF KCP05 | A89 |
| CCMT09T304UF KCP10 | A89 |
| CCMT09T304UF KCP25 | A89 |
| CCMT09T30811 KT315 | A87 |
| CCMT09T308FP KCK20 | A88 |
| CCMT09T308FP KCM15 | A88 |
| CCMT09T308FP KCM25 | A88 |
| CCMT09T308FP KCP05 | A88 |
| CCMT09T308FP KCP10 | A88 |
| CCMT09T308FP KCP25 | A88 |
| CCMT09T308FP KCU10 | A88 |
| CCMT09T308FP KCU25 | A88 |
| CCMT09T308FP KTP10 | A88 |
| CCMT09T308FP KU10 | A88 |
| CCMT09T308FW KC5010 | A88 |
| CCMT09T308FW KCK20 | A88 |
| CCMT09T308FW KCP25 | A88 |
| CCMT09T308FW KCU10 | A88 |
| CCMT09T308FW KT315 | A88 |
| CCMT09T308LF K313 | A88 |
| CCMT09T308LF KC5010 | A88 |
| CCMT09T308LF KCK05 | A88 |
| CCMT09T308LF KCK15 | A88 |
| CCMT09T308LF KCK20 | A88 |
| CCMT09T308LF KCM15 | A88 |
| CCMT09T308LF KCM25 | A88 |
| CCMT09T308LF KCM35 | A88 |
| CCMT09T308LF KCP05 | A88 |
| CCMT09T308LF KCP10 | A88 |
| CCMT09T308LF KCP10B | A88 |
| CCMT09T308LF KCP25 | A88 |
| CCMT09T308LF KCP25B | A88 |
| CCMT09T308LF KCP30 | A88 |
| CCMT09T308LF KT315 | A88 |
| CCMT09T308MF KC5025 | A89 |
| CCMT09T308MF KCK15 | A89 |
| CCMT09T308MF KCK20 | A89 |
| CCMT09T308MF KCM15 | A89 |
| CCMT09T308MF KCM25 | A89 |
| CCMT09T308MF KCM35 | A89 |
| CCMT09T308MF KCP10 | A89 |
| CCMT09T308MF KCP10B | A89 |
| CCMT09T308MF KCP25 | A89 |
| CCMT09T308MF KCP25B | A89 |
| CCMT09T308MF KCP30 | A89 |
| CCMT09T308MP KCK20 | A89 |
| CCMT09T308MP KCM15 | A89 |
| CCMT09T308MP KCM25 | A89 |
| CCMT09T308MP KCP10 | A89 |
| CCMT09T308MP KCP25 | A89 |
| CCMT09T308MP KCU10 | A89 |
| CCMT09T308MW KC5010 | A89 |

| Catalogue No. | Page(s) |
|---|---|
| CCMT09T308MW KCK20 | A89 |
| CCMT09T308MW KCP25 | A89 |
| CCMT09T308MW KCU10 | A89 |
| CCMT09T308MW KT315 | A89 |
| CCMT09T308UF KC5010 | A89 |
| CCMT09T308UF KCP05 | A89 |
| CCMT09T308UF KCP10 | A89 |
| CCMT09T308UF KCP25 | A89 |
| CCMT09T312MF KCK15 | A89 |
| CCMT09T312MF KCK20 | A89 |
| CCMT09T312MF KCM25 | A89 |
| CCMT09T312MF KCP10 | A89 |
| CCMT09T312MF KCP10B | A89 |
| CCMT09T312MF KCP25 | A89 |
| CCMT09T312MF KCP25B | A89 |
| CCMT09T312MP KCM25 | A89 |
| CCMT09T312MP KCP25 | A89 |
| CCMT120404FP KCK20 | A88 |
| CCMT120404FP KCM15 | A88 |
| CCMT120404FP KCM25 | A88 |
| CCMT120404FP KCP05 | A88 |
| CCMT120404FP KCP10 | A88 |
| CCMT120404FP KCP25 | A88 |
| CCMT120404FP KCU10 | A88 |
| CCMT120404FP KCU25 | A88 |
| CCMT120404LF KC5010 | A88 |
| CCMT120404LF KC5025 | A88 |
| CCMT120404LF KCK05 | A88 |
| CCMT120404LF KCK20 | A88 |
| CCMT120404LF KCM15 | A88 |
| CCMT120404LF KCM25 | A88 |
| CCMT120404LF KCP10 | A88 |
| CCMT120404LF KCP25 | A88 |
| CCMT120404LF KCP30 | A88 |
| CCMT120404MW KC5010 | A89 |
| CCMT120404MW KCK20 | A89 |
| CCMT120404MW KCP25 | A89 |
| CCMT120404MW KCU10 | A89 |
| CCMT120408FP KCK20 | A88 |
| CCMT120408FP KCM15 | A88 |
| CCMT120408FP KCM25 | A88 |
| CCMT120408FP KCP05 | A88 |
| CCMT120408FP KCP10 | A88 |
| CCMT120408FP KCP25 | A88 |
| CCMT120408FP KCU10 | A88 |
| CCMT120408FP KCU25 | A88 |
| CCMT120408LF KC5010 | A88 |
| CCMT120408LF KC5025 | A88 |
| CCMT120408LF KCK05 | A88 |
| CCMT120408LF KCK15 | A88 |
| CCMT120408LF KCK20 | A88 |
| CCMT120408LF KCM15 | A88 |
| CCMT120408LF KCM25 | A88 |
| CCMT120408LF KCM35 | A88 |
| CCMT120408LF KCP10 | A88 |
| CCMT120408LF KCP25 | A88 |
| CCMT120408LF KCP30 | A88 |
| CCMT120408MF KCK15 | A89 |
| CCMT120408MF KCK20 | A89 |
| CCMT120408MF KCM15 | A89 |
| CCMT120408MF KCM25 | A89 |
| CCMT120408MF KCM35 | A89 |
| CCMT120408MF KCP10 | A89 |
| CCMT120408MF KCP10B | A89 |
| CCMT120408MF KCP25 | A89 |
| CCMT120408MF KCP25B | A89 |
| CCMT120408MF KCP30 | A89 |
| CCMT120408MP KCK20 | A89 |
| CCMT120408MP KCM15 | A89 |
| CCMT120408MP KCM25 | A89 |
| CCMT120408MP KCP10 | A89 |
| CCMT120408MP KCP25 | A89 |
| CCMT120408MP KCU10 | A89 |
| CCMT120408MW KC5010 | A89 |
| CCMT120408MW KCK20 | A89 |
| CCMT120408MW KCP25 | A89 |
| CCMT120408MW KCU10 | A89 |
| CCMT120408MW KT315 | A89 |
| CCMT120412FP KCK20 | A88 |
| CCMT120412FP KCM25 | A88 |
| CCMT120412FP KCP05 | A88 |
| CCMT120412FP KCP10 | A88 |
| CCMT120412FP KCP25 | A88 |
| CCMT120412LF KCK05 | A88 |
| CCMT120412LF KCK20 | A88 |
| CCMT120412LF KCM25 | A88 |
| CCMT120412LF KCP10 | A88 |
| CCMT120412LF KCP25 | A88 |
| CCMT120412MF KC5025 | A89 |
| CCMT120412MF KCK15 | A89 |
| CCMT120412MF KCK20 | A89 |
| CCMT120412MF KCM15 | A89 |
| CCMT120412MF KCP10 | A89 |
| CCMT120412MF KCP25 | A89 |
| CCMT120412MP KCK20 | A89 |
| CCMT120412MP KCM15 | A89 |
| CCMT120412MP KCM25 | A89 |
| CCMT120412MP KCP25 | A89 |
| CCMW060204 KCK20 | A90 |
| CCMW09T304 KCK20 | A90 |
| CCMW09T308 KCK20 | A90 |
| CCMW120408 KCK20 | A90 |
| CCMW120412 KCK20 | A90 |
| CDG127038R KC5010 | A90 |
| CDG127050R KC5010 | A90 |
| CDG127064R KC5010 | A90 |
| CDG127076R KCU10 | A90 |
| CDG127102R KC5010 | A90 |
| CDG127102R KCU10 | A90 |
| CDHBS4T002 K313 | A90 |
| CDHBS4T002 KC5010 | A90 |
| CDHBS4T002 KC5025 | A90 |
| CDHBS4T002 KCU10 | A90 |
| CDHBS4T002 KCU25 | A90 |
| CDHBS4T002 KT315 | A90 |
| CDHBS4T002FST KD1400 | A173 |
| CDHBS4T002FST KD1425 | A173 |
| CDHBS4T004 KC5010 | A90 |
| CDHBS4T004 KC5025 | A90 |
| CDHBS4T004 KCU10 | A90 |
| CDHBS4T004 KCU25 | A90 |
| CDHBS4T004 KT315 | A90 |
| CDHBS4T004FST KD1400 | A173 |
| CDHBS4T004FST KD1425 | A173 |
| CDHBS4T0S0 KC5010 | A90 |
| CDHBS4T0S0 KC5025 | A90 |
| CDHBS4T0S0 KCU25 | A90 |
| CDHBS4T0X0 KCU10 | A90 |
| CDHHS4T002L KC5010 | A90 |
| CDHHS4T002L KC5025 | A90 |
| CDHHS4T002L KCU10 | A90 |
| CDHHS4T002L KCU25 | A90 |
| CDHHS4T002L KT315 | A90 |
| CDHHS4T002R KC5010 | A90 |
| CDHHS4T002R KC5025 | A90 |
| CDHHS4T002R KCU10 | A90 |
| CDHHS4T002R KCU25 | A90 |
| CDHHS4T002R KT315 | A90 |
| CDHHS4T004L KC5010 | A90 |
| CDHHS4T004L KC5025 | A90 |
| CDHHS4T004L KCU10 | A90 |
| CDHHS4T004L KCU25 | A90 |
| CDHHS4T004R KC5010 | A90 |
| CDHHS4T004R KC5025 | A90 |
| CDHHS4T004R KCU10 | A90 |
| CDHHS4T004R KCU25 | A90 |
| CDT127005R KCU10 | A91 |
| CKM12 | E12–E16 |
| CKM20 | E13 |
| CKM22 | E17 |
| CKM24 | E12–E14, E16 |
| CKM9 | E13 |
| CM-224 ASSY | A162 |
| CM-225 ASSY | A162 |
| CM-226 ASSY | A162 |
| CM-227 ASSY | A162 |
| CM-228 ASSY | A162 |
| CM-229 ASSY | A162 |
| CM-230 ASSY | A162 |
| CM113 | A225–A227, A230–A231 |
| CM114 | A225–A226, A230–A231 |
| CM120 | E18 |
| CM121 | E18 |
| CM158 | A224–A226, A229–A231 |
| CM159 | A224–A225, A229–A231 |
| CM224WC210 ASSY | A162 |
| CM225WC210 ASSY | A162 |
| CM226WC210 ASSY | A162 |
| CM227WC210 ASSY | A162 |
| CM228WC210 ASSY | A162 |
| CM229WC210 ASSY | A162 |
| CM230WC210 ASSY | A162 |
| CM234R ASSY | E10–E11 |
| CM66 | A222–A224, A228, A232 |
| CM68 | A221, A223, A227–A228, A232 |
| CM69 | A228 |
| CM72 | E18 |
| CM73 | E18 |
| CM77 | A228 |
| CM79 | A229 |
| CM80 | E18 |
| CM81 | E18 |
| CNGA120404FST KD1400 | A164 |
| CNGA120404FST KD1425 | A164 |
| CNGA120404S01015FWMT KBH20 | A164 |
| CNGA120404S01015MT KBH20 | A165 |
| CNGA120404S01025FWMT KB5610 | A164 |
| CNGA120404S01025FWMT KB5630 | A164 |
| CNGA120404S01025MT KB5625 | A165 |
| CNGA120404S01025MT KB5630 | A165 |
| CNGA120404S01225MT KBH20 | A165 |
| CNGA120404S01735MT KBH20 | A165 |
| CNGA120408EFWMT KB5625 | A164 |
| CNGA120408FST KD1400 | A164 |
| CNGA120408FST KD1425 | A164 |
| CNGA120408S01015FWMT KBH20 | A164 |
| CNGA120408S01015MT KBH20 | A165 |
| CNGA120408S01025FWMT KB5610 | A164 |
| CNGA120408S01025FWMT KB5630 | A164 |
| CNGA120408S01025MT KB5610 | A165 |
| CNGA120408S01025MT KB5625 | A165 |
| CNGA120408S01025MT KB5630 | A165 |
| CNGA120408S01225MT KBH20 | A165 |
| CNGA120408S01735MT KBH20 | A165 |
| CNGA120412EFWMT KB5625 | A164 |
| CNGA120412S01015FWMT KBH20 | A164 |
| CNGA120412S01015MT KBH20 | A165 |
| CNGA120412S01020MT KB5630 | A165 |
| CNGA120412S01025MT KB5610 | A165 |
| CNGA120412S01025MT KB5625 | A165 |
| CNGA120412S01025MT KB5630 | A165 |
| CNGA120412S01225MT KBH20 | A165 |
| CNGA120412S01735MT KBH20 | A165 |
| CNGA432EMT KB5610 | A165 |
| CNGF060408SB4 KB1340 | A160 |
| CNGF090408SB4 KB1340 | A160 |
| CNGF120408SB4 KB1340 | A160 |
| CNGG120401FS KC5510 | A38 |
| CNGG120401FS KC5525 | A38 |
| CNGG120401LF KC5010 | A38 |
| CNGG120401LF KCU10 | A38 |
| CNGG120402FS KC5510 | A38 |
| CNGG120402FS KCU25 | A38 |
| CNGG120402LF KC5010 | A38 |
| CNGG120402LF KCU10 | A38 |
| CNGG120404FBB KCU10 | A38 |
| CNGG120404FS KC5510 | A38 |
| CNGG120404FS KC5525 | A38 |
| CNGG120404FS KCU25 | A38 |
| CNGG120404LF KC5010 | A38 |
| CNGG120404LF KCU10 | A38 |
| CNGG120408FBB KCU10 | A38 |
| CNGG120408FBB KU10 | A38 |
| CNGG120408FS KC5510 | A38 |
| CNGG120408FS KC5525 | A38 |
| CNGG120408FS KCU25 | A38 |
| CNGG120408LF K313 | A38 |
| CNGG120408LF KC5010 | A38 |
| CNGG120408LF KCU10 | A38 |
| CNGG120412FS KC5510 | A38 |
| CNGG120412LF KC5010 | A38 |
| CNGG120412LF KCU10 | A38 |
| CNGG160608LF KC5010 | A38 |
| CNGG160608LF KCU10 | A38 |
| CNGG160612LF KCU10 | A38 |
| CNGM120404S01325MTCB1 KB5625 | A164 |
| CNGM120404S01325MTCB1 KBH20 | A164 |
| CNGM120404S01325MTCB2 KB5610 | A165 |
| CNGM120408S01325MTCB1 KB5625 | A164 |
| CNGM120408S01325MTCB1 KBH20 | A164 |
| CNGM120408S01325MTCB2 KB5610 | A165 |
| CNGM120412S01325MTCB1 KB5625 | A164 |
| CNGM120412S01325MTCB2 KB5610 | A165 |
| CNGP120401 KC5010 | A38 |
| CNGP120401 KC5410 | A38 |
| CNGP120401 KCU10 | A38 |
| CNGP120402 KC5010 | A38 |
| CNGP120402 KC5410 | A38 |
| CNGP120402 KCU10 | A38 |
| CNGP120404 K313 | A38 |
| CNGP120404 K68 | A38 |
| CNGP120404 KC5010 | A38 |
| CNGP120404 KC5410 | A38 |
| CNGP120404 KCU10 | A38 |
| CNGP120408 K313 | A38 |
| CNGP120408 K68 | A38 |
| CNGP120408 KC5010 | A38 |
| CNGP120408 KC5410 | A38 |
| CNGP120408 KCU10 | A38 |
| CNGP120412 K313 | A38 |
| CNGP120412 KC5010 | A38 |
| CNGP120412 KC5410 | A38 |
| CNGP120412 KCU10 | A38 |
| CNGP120416 KC5010 | A38 |
| CNGP120416 KCU10 | A38 |
| CNGX060412S01015FWSB4 KB1340 | A160 |
| CNGX060412S01015SB4 KB1340 | A160 |
| CNGX060416S01015FWSB4 KB1340 | A160 |
| CNGX060416S02020SB4 KB1340 | A160 |
| CNGX090412S01015FWSB4 KB1340 | A160 |

| Catalogue No. | Page(s) |
|---|---|
| CNGX090412S01015SB4 KB1340 | A160 |
| CNGX090412S01015SB4 KBK35 | A161 |
| CNGX090416S01015FWSB4 KB1340 | A160 |
| CNGX090416S02020SB4 KB1340 | A161 |
| CNGX090416S02020SB4 KBK35 | A161 |
| CNGX120412S01015FWSB4 KB1340 | A160 |
| CNGX120412S01015SB4 KB1340 | A160 |
| CNGX120412S01015SB4 KBK35 | A161 |
| CNGX120416S01015FWSB4 KB1340 | A160 |
| CNGX120416S02020SB4 KB1340 | A161 |
| CNGX120416S02020SB4 KBK35 | A161 |
| CNMA120404 KCK05 | A39 |
| CNMA120404 KCK15 | A39 |
| CNMA120404 KCK20 | A39 |
| CNMA120408 K68 | A39 |
| CNMA120408 KCK05 | A39 |
| CNMA120408 KCK15 | A39 |
| CNMA120408 KCK20 | A39 |
| CNMA120408S02020 KB1340 | A181 |
| CNMA120408S02020 KBK35 | A181 |
| CNMA120408S02020MW KBK35 | A181 |
| CNMA120412 KCK05 | A39 |
| CNMA120412 KCK15 | A39 |
| CNMA120412 KCK20 | A39 |
| CNMA120412S02020 KB1340 | A181 |
| CNMA120416 KCK05 | A39 |
| CNMA120416 KCK15 | A39 |
| CNMA120416 KCK20 | A39 |
| CNMA160608 KCK15 | A39 |
| CNMA160608 KCK20 | A39 |
| CNMA160612 KCK05 | A39 |
| CNMA160612 KCK15 | A39 |
| CNMA160612 KCK20 | A39 |
| CNMA160616 KCK05 | A39 |
| CNMA160616 KCK15 | A39 |
| CNMA160616 KCK20 | A39 |
| CNMA190608 KCK05 | A39 |
| CNMA190608 KCK20 | A39 |
| CNMA190612 KCK05 | A39 |
| CNMA190612 KCK15 | A39 |
| CNMA190612 KCK20 | A39 |
| CNMA190616 KCK05 | A39 |
| CNMA190616 KCK20 | A39 |
| CNMG090304FF KC5010 | A40 |
| CNMG090304FF KCP10 | A40 |
| CNMG090304FF KCU10 | A40 |
| CNMG090304FN KCK05 | A40 |
| CNMG090304FN KCP10 | A40 |
| CNMG090304FN KT315 | A40 |
| CNMG090304MN KCP10 | A42 |
| CNMG090304MN KCP25 | A42 |
| CNMG090304MN KCP30 | A42 |
| CNMG090308FF KC5010 | A40 |
| CNMG090308FF KCP10 | A40 |
| CNMG090308FF KCU10 | A40 |
| CNMG090308FN KCK05 | A40 |
| CNMG090308FN KCP10 | A40 |
| CNMG090308MN KCP10 | A42 |
| CNMG090308MN KCP25 | A42 |
| CNMG090308MN KCP30 | A42 |
| CNMG090308MP KC5010 | A42 |
| CNMG090308MP KCM15 | A42 |
| CNMG090308MP KCM25 | A42 |
| CNMG090308MP KCU10 | A42 |
| CNMG090312MN KCP25 | A42 |
| CNMG120401MS KC5510 | A43 |
| CNMG120401MS KC5525 | A43 |
| CNMG120401MS KCU10 | A43 |
| CNMG120401MS KCU25 | A43 |
| CNMG120402FN KC5010 | A40 |
| CNMG120402FN KCU10 | A40 |
| CNMG120402FN KT315 | A40 |
| CNMG120402MS KC5510 | A43 |
| CNMG120402MS KC5525 | A43 |
| CNMG120402MS KCU10 | A43 |
| CNMG120402MS KCU25 | A43 |
| CNMG120404B K68 | A39 |
| CNMG120404FF KC5010 | A40 |
| CNMG120404FF KCP05 | A40 |
| CNMG120404FF KCP10 | A40 |
| CNMG120404FF KCU10 | A40 |
| CNMG120404FF KT315 | A40 |
| CNMG120404FN KCK05 | A40 |
| CNMG120404FN KCP05 | A40 |
| CNMG120404FN KCP10 | A40 |
| CNMG120404FN KCP25 | A40 |
| CNMG120404FN KT315 | A40 |
| CNMG120404FP KC5010 | A41 |
| CNMG120404FP KCM15 | A41 |
| CNMG120404FP KCP10 | A41 |
| CNMG120404FP KCU10 | A41 |
| CNMG120404FP KT315 | A41 |
| CNMG120404FW KC5010 | A41 |
| CNMG120404FW KCP05 | A41 |
| CNMG120404FW KCP10 | A41 |
| CNMG120404FW KCU10 | A41 |
| CNMG120404FW KT315 | A41 |
| CNMG120404MBB KCU10 | A41 |
| CNMG120404MN KCP05 | A42 |
| CNMG120404MN KCP10 | A42 |
| CNMG120404MN KCP25 | A42 |
| CNMG120404MN KCP30 | A42 |
| CNMG120404MP KC5010 | A42 |
| CNMG120404MP KCM15 | A42 |
| CNMG120404MP KCM25 | A42 |
| CNMG120404MP KCM35 | A42 |
| CNMG120404MP KCU10 | A42 |
| CNMG120404MS K313 | A43 |
| CNMG120404MS KC5510 | A43 |
| CNMG120404MS KC5525 | A43 |
| CNMG120404MS KCU10 | A43 |
| CNMG120404MS KCU25 | A43 |
| CNMG120404P KC5010 | A43 |
| CNMG120404P KCU10 | A43 |
| CNMG120404RP KC5010 | A44 |
| CNMG120404RP KC5510 | A44 |
| CNMG120404RP KC5525 | A44 |
| CNMG120404RP KCK20 | A44 |
| CNMG120404RP KCM15 | A44 |
| CNMG120404RP KCM25 | A44 |
| CNMG120404RP KCP10 | A44 |
| CNMG120404RP KCP25 | A44 |
| CNMG120404RP KCU10 | A44 |
| CNMG120404RP KCU25 | A44 |
| CNMG120404UN KCK05 | A45 |
| CNMG120404UN KCK15 | A45 |
| CNMG120404UN KCK20 | A45 |
| CNMG120404UP KC5010 | A45 |
| CNMG120404UP KCM15 | A45 |
| CNMG120404UP KCM25 | A45 |
| CNMG120408 K313 | A39 |
| CNMG120408 K68 | A39 |
| CNMG120408CT KC5010 | A40 |
| CNMG120408CT KCP05 | A40 |
| CNMG120408CT KCP10 | A40 |
| CNMG120408CT KCP25 | A40 |
| CNMG120408CT KCU10 | A40 |
| CNMG120408FF KC5010 | A40 |
| CNMG120408FF KCP05 | A40 |
| CNMG120408FF KCP10 | A40 |
| CNMG120408FF KCU10 | A40 |
| CNMG120408FN KCK05 | A40 |
| CNMG120408FN KCK15B | A40 |
| CNMG120408FN KCP05 | A40 |
| CNMG120408FN KCP10 | A40 |
| CNMG120408FN KCP25 | A40 |
| CNMG120408FN KT315 | A40 |
| CNMG120408FP KC5010 | A41 |
| CNMG120408FP KCM15 | A41 |
| CNMG120408FP KCP10 | A41 |
| CNMG120408FP KCP25 | A41 |
| CNMG120408FP KCU10 | A41 |
| CNMG120408FP KT315 | A41 |
| CNMG120408FW KC5010 | A41 |
| CNMG120408FW KCP05 | A41 |
| CNMG120408FW KCP10 | A41 |
| CNMG120408FW KCU10 | A41 |
| CNMG120408FW KT315 | A41 |
| CNMG120408MBB KCU10 | A41 |
| CNMG120408MBB KU10 | A41 |
| CNMG120408MN KCP05 | A42 |
| CNMG120408MN KCP10 | A42 |
| CNMG120408MN KCP10B | A42 |
| CNMG120408MN KCP25 | A42 |
| CNMG120408MN KCP25B | A42 |
| CNMG120408MN KCP30 | A42 |
| CNMG120408MN KCP40 | A42 |
| CNMG120408MP KC5010 | A42 |
| CNMG120408MP KC5025 | A42 |
| CNMG120408MP KCM15 | A42 |
| CNMG120408MP KCM25 | A42 |
| CNMG120408MP KCM35 | A42 |
| CNMG120408MP KCP10 | A42 |
| CNMG120408MP KCP25 | A42 |
| CNMG120408MP KCU10 | A42 |
| CNMG120408MP KCU25 | A42 |
| CNMG120408MR KCK15B | A42 |
| CNMG120408MR KCM15 | A42 |
| CNMG120408MR KCM25 | A42 |
| CNMG120408MR KCM35 | A42 |
| CNMG120408MR KCP10B | A42 |
| CNMG120408MR KCP25B | A42 |
| CNMG120408MR KCP40 | A42 |
| CNMG120408MS K313 | A43 |
| CNMG120408MS KC5510 | A43 |
| CNMG120408MS KC5525 | A43 |
| CNMG120408MS KCU10 | A43 |
| CNMG120408MS KCU25 | A43 |
| CNMG120408MW KCK15B | A43 |
| CNMG120408MW KCP05 | A43 |
| CNMG120408MW KCP10 | A43 |
| CNMG120408MW KCP10B | A43 |
| CNMG120408MW KCP25 | A43 |
| CNMG120408MW KCP25B | A43 |
| CNMG120408P K313 | A43 |
| CNMG120408P KC5010 | A43 |
| CNMG120408P KCU10 | A43 |
| CNMG120408RBB KCU10 | A44 |
| CNMG120408RBB KU10 | A44 |
| CNMG120408RN KCP05 | A44 |
| CNMG120408RN KCP10 | A44 |
| CNMG120408RN KCP10B | A44 |
| CNMG120408RN KCP25 | A44 |
| CNMG120408RN KCP25B | A44 |
| CNMG120408RN KCP30 | A44 |
| CNMG120408RN KCP40 | A44 |
| CNMG120408RP KC5010 | A44 |
| CNMG120408RP KC5025 | A44 |
| CNMG120408RP KC5510 | A44 |
| CNMG120408RP KC5525 | A44 |
| CNMG120408RP KCK05 | A44 |
| CNMG120408RP KCK15 | A44 |
| CNMG120408RP KCK20 | A44 |
| CNMG120408RP KCM15 | A44 |
| CNMG120408RP KCM25 | A44 |
| CNMG120408RP KCM35 | A44 |
| CNMG120408RP KCP05 | A44 |
| CNMG120408RP KCP10 | A44 |
| CNMG120408RP KCP10B | A44 |
| CNMG120408RP KCP25 | A44 |
| CNMG120408RP KCP25B | A44 |
| CNMG120408RP KCP30 | A44 |
| CNMG120408RP KCP40 | A44 |
| CNMG120408RP KCU10 | A44 |
| CNMG120408RP KCU25 | A44 |
| CNMG120408UN KCK05 | A45 |
| CNMG120408UN KCK15 | A45 |
| CNMG120408UN KCK15B | A45 |
| CNMG120408UN KCK20 | A45 |
| CNMG120408UP KC5010 | A45 |
| CNMG120408UP KCM15 | A45 |
| CNMG120408UP KCM25 | A45 |
| CNMG120408UP KCM35 | A45 |
| CNMG120408UP KCU10 | A45 |
| CNMG120412 K68 | A39 |
| CNMG120412CT KCP05 | A40 |
| CNMG120412CT KCP10 | A40 |
| CNMG120412CT KCP10B | A40 |
| CNMG120412CT KCP25 | A40 |
| CNMG120412CT KCP25B | A40 |
| CNMG120412FN KCK05 | A40 |
| CNMG120412FN KCP05 | A40 |
| CNMG120412FN KCP10 | A40 |
| CNMG120412FN KCP25 | A40 |
| CNMG120412FN KT315 | A40 |
| CNMG120412FP KCM15 | A41 |
| CNMG120412FP KCU10 | A41 |
| CNMG120412FW KCP05 | A41 |
| CNMG120412FW KC5010 | A41 |
| CNMG120412FW KCP10 | A41 |
| CNMG120412FW KCU10 | A41 |
| CNMG120412FW KCU10 | A41 |
| CNMG120412FW KCP05 | A41 |
| CNMG120412MN KCP05 | A42 |
| CNMG120412MN KCP10 | A42 |
| CNMG120412MN KCP10B | A42 |
| CNMG120412MN KCP25 | A42 |
| CNMG120412MN KCP25B | A42 |
| CNMG120412MN KCP30 | A42 |
| CNMG120412MN KCP40 | A42 |
| CNMG120412MP KC5010 | A42 |
| CNMG120412MP KC5025 | A42 |
| CNMG120412MP KCM15 | A42 |
| CNMG120412MP KCM25 | A42 |
| CNMG120412MP KCM35 | A42 |
| CNMG120412MP KCP10 | A42 |
| CNMG120412MP KCP25 | A42 |
| CNMG120412MP KCU10 | A42 |
| CNMG120412MP KCU25 | A42 |
| CNMG120412MR KCK15B | A42 |
| CNMG120412MR KCM15 | A42 |
| CNMG120412MR KCM25 | A42 |
| CNMG120412MR KCM35 | A42 |
| CNMG120412MR KCP10B | A42 |
| CNMG120412MR KCP25B | A42 |
| CNMG120412MR KCP40 | A42 |
| CNMG120412MS K313 | A43 |
| CNMG120412MS KC5510 | A43 |
| CNMG120412MS KC5525 | A43 |
| CNMG120412MS KCU10 | A43 |

| Catalogue No. | Page(s) |
|---|---|
| CNMG120412MS KCU25 | A43 |
| CNMG120412MW KCK15B | A43 |
| CNMG120412MW KCP05 | A43 |
| CNMG120412MW KCP10 | A43 |
| CNMG120412MW KCP25 | A43 |
| CNMG120412P KC5010 | A43 |
| CNMG120412P KCU10 | A43 |
| CNMG120412RN KCP05 | A44 |
| CNMG120412RN KCP10 | A44 |
| CNMG120412RN KCP10B | A44 |
| CNMG120412RN KCP25 | A44 |
| CNMG120412RN KCP25B | A44 |
| CNMG120412RN KCP30 | A44 |
| CNMG120412RN KCP40 | A44 |
| CNMG120412RP KC5010 | A44 |
| CNMG120412RP KC5025 | A44 |
| CNMG120412RP KC5510 | A44 |
| CNMG120412RP KC5525 | A44 |
| CNMG120412RP KCK05 | A44 |
| CNMG120412RP KCK15 | A44 |
| CNMG120412RP KCK20 | A44 |
| CNMG120412RP KCM15 | A44 |
| CNMG120412RP KCM25 | A44 |
| CNMG120412RP KCM35 | A44 |
| CNMG120412RP KCP05 | A44 |
| CNMG120412RP KCP10 | A44 |
| CNMG120412RP KCP10B | A44 |
| CNMG120412RP KCP25 | A44 |
| CNMG120412RP KCP25B | A44 |
| CNMG120412RP KCP30 | A44 |
| CNMG120412RP KCP40 | A44 |
| CNMG120412RP KCU10 | A44 |
| CNMG120412RP KCU25 | A44 |
| CNMG120412UN KCK05 | A45 |
| CNMG120412UN KCK15 | A45 |
| CNMG120412UN KCK15B | A45 |
| CNMG120412UN KCK20 | A45 |
| CNMG120412UP KC5010 | A45 |
| CNMG120412UP KCM15 | A45 |
| CNMG120412UP KCM25 | A45 |
| CNMG120412UP KCM35 | A45 |
| CNMG120412UP KCU10 | A45 |
| CNMG120416CT KCP10 | A40 |
| CNMG120416FN KCP10 | A40 |
| CNMG120416FN KCP25 | A40 |
| CNMG120416MN KCP10 | A42 |
| CNMG120416MN KCP25 | A42 |
| CNMG120416MP KC5010 | A42 |
| CNMG120416MP KCM15 | A42 |
| CNMG120416MP KCM25 | A42 |
| CNMG120416MP KCU10 | A42 |
| CNMG120416MR KCK15B | A42 |
| CNMG120416MR KCM25 | A42 |
| CNMG120416MR KCP10B | A42 |
| CNMG120416MR KCP25B | A42 |
| CNMG120416MS KC5510 | A43 |
| CNMG120416MS KC5525 | A43 |
| CNMG120416MS KCU10 | A43 |
| CNMG120416MS KCU25 | A43 |
| CNMG120416P KCU10 | A43 |
| CNMG120416RN KCP05 | A44 |
| CNMG120416RN KCP10 | A44 |
| CNMG120416RN KCP10B | A44 |
| CNMG120416RN KCP25 | A44 |
| CNMG120416RN KCP25B | A44 |
| CNMG120416RN KCP30 | A44 |
| CNMG120416RN KCP40 | A44 |
| CNMG120416RP KC5010 | A44 |
| CNMG120416RP KC5510 | A44 |
| CNMG120416RP KC5525 | A44 |

| Catalogue No. | Page(s) |
|---|---|
| CNMG120416RP KCK15 | A44 |
| CNMG120416RP KCK20 | A44 |
| CNMG120416RP KCM15 | A44 |
| CNMG120416RP KCM25 | A44 |
| CNMG120416RP KCM35 | A44 |
| CNMG120416RP KCP10 | A44 |
| CNMG120416RP KCP10B | A44 |
| CNMG120416RP KCP25 | A44 |
| CNMG120416RP KCP25B | A44 |
| CNMG120416RP KCU10 | A44 |
| CNMG120416RP KCU25 | A44 |
| CNMG120416UN KCK05 | A45 |
| CNMG120416UN KCK15 | A45 |
| CNMG120416UN KCK15B | A45 |
| CNMG120416UN KCK20 | A45 |
| CNMG160608MN KCP10 | A42 |
| CNMG160608MN KCP25 | A42 |
| CNMG160608MN KCP30 | A42 |
| CNMG160608MP KC5010 | A42 |
| CNMG160608MP KCM15 | A42 |
| CNMG160608MP KCM25 | A42 |
| CNMG160608MP KCM35 | A42 |
| CNMG160608MP KCU10 | A42 |
| CNMG160608MS K313 | A43 |
| CNMG160608MS KC5510 | A43 |
| CNMG160608MS KC5525 | A43 |
| CNMG160608MS KCU10 | A43 |
| CNMG160608MS KCU25 | A43 |
| CNMG160608RN KCP10 | A44 |
| CNMG160608RN KCP25 | A44 |
| CNMG160608RN KCP30 | A44 |
| CNMG160608RP KC5010 | A44 |
| CNMG160608RP KC5525 | A44 |
| CNMG160608RP KCK20 | A44 |
| CNMG160608RP KCM15 | A44 |
| CNMG160608RP KCP10 | A44 |
| CNMG160608RP KCP25 | A44 |
| CNMG160608RP KCU10 | A44 |
| CNMG160608RP KCU25 | A44 |
| CNMG160608UN KCK05 | A45 |
| CNMG160608UN KCK15 | A45 |
| CNMG160608UN KCK20 | A45 |
| CNMG160608UP KCM15 | A45 |
| CNMG160608UP KCM25 | A45 |
| CNMG160608UP KCM35 | A45 |
| CNMG160612MN KCP05 | A42 |
| CNMG160612MN KCP10 | A42 |
| CNMG160612MN KCP10B | A42 |
| CNMG160612MN KCP25 | A42 |
| CNMG160612MN KCP25B | A42 |
| CNMG160612MN KCP30 | A42 |
| CNMG160612MP KC5010 | A42 |
| CNMG160612MP KC5025 | A42 |
| CNMG160612MP KCM15 | A42 |
| CNMG160612MP KCM25 | A42 |
| CNMG160612MP KCM35 | A42 |
| CNMG160612MP KCU10 | A42 |
| CNMG160612MP KCU25 | A42 |
| CNMG160612MR KCK15B | A42 |
| CNMG160612MR KCM15 | A42 |
| CNMG160612MR KCM25 | A42 |
| CNMG160612MR KCM35 | A42 |
| CNMG160612MR KCP10B | A42 |
| CNMG160612MR KCP25B | A42 |
| CNMG160612MR KCP40 | A42 |
| CNMG160612MS K313 | A43 |
| CNMG160612MS KC5510 | A43 |
| CNMG160612MS KC5525 | A43 |
| CNMG160612MS KCU10 | A43 |
| CNMG160612MS KCU25 | A43 |

| Catalogue No. | Page(s) |
|---|---|
| CNMG160612RN KCP10 | A44 |
| CNMG160612RN KCP10B | A44 |
| CNMG160612RN KCP25 | A44 |
| CNMG160612RN KCP25B | A44 |
| CNMG160612RN KCP30 | A44 |
| CNMG160612RN KCP40 | A44 |
| CNMG160612RP KC5010 | A44 |
| CNMG160612RP KC5025 | A44 |
| CNMG160612RP KC5510 | A44 |
| CNMG160612RP KC5525 | A44 |
| CNMG160612RP KCK05 | A44 |
| CNMG160612RP KCK15 | A44 |
| CNMG160612RP KCK20 | A44 |
| CNMG160612RP KCM15 | A44 |
| CNMG160612RP KCM25 | A44 |
| CNMG160612RP KCM35 | A44 |
| CNMG160612RP KCP10 | A44 |
| CNMG160612RP KCP10B | A44 |
| CNMG160612RP KCP25 | A44 |
| CNMG160612RP KCP25B | A44 |
| CNMG160612RP KCP30 | A44 |
| CNMG160612RP KCP40 | A44 |
| CNMG160612RP KCU10 | A44 |
| CNMG160612RP KCU25 | A44 |
| CNMG160612UN KCK05 | A45 |
| CNMG160612UN KCK15 | A45 |
| CNMG160612UN KCK20 | A45 |
| CNMG160612UP KCM15 | A45 |
| CNMG160612UP KCM25 | A45 |
| CNMG160612UP KCM35 | A45 |
| CNMG160612UP KCU10 | A45 |
| CNMG160616MN KCP10 | A42 |
| CNMG160616MN KCP25 | A42 |
| CNMG160616MP KC5010 | A42 |
| CNMG160616MP KCM35 | A42 |
| CNMG160616MP KCU10 | A42 |
| CNMG160616MR KCK15B | A42 |
| CNMG160616MR KCM25 | A42 |
| CNMG160616MR KCP10B | A42 |
| CNMG160616MR KCP25B | A42 |
| CNMG160616RN KCP10 | A44 |
| CNMG160616RN KCP10B | A44 |
| CNMG160616RN KCP25 | A44 |
| CNMG160616RN KCP25B | A44 |
| CNMG160616RN KCP40 | A44 |
| CNMG160616RP KC5510 | A44 |
| CNMG160616RP KC5525 | A44 |
| CNMG160616RP KCK20 | A44 |
| CNMG160616RP KCM25 | A44 |
| CNMG160616RP KCP10 | A44 |
| CNMG160616RP KCP10B | A44 |
| CNMG160616RP KCP25 | A44 |
| CNMG160616RP KCP25B | A44 |
| CNMG160616RP KCP30 | A44 |
| CNMG160616RP KCU10 | A44 |
| CNMG160616RP KCU25 | A44 |
| CNMG160616UN KCK15 | A45 |
| CNMG160616UN KCK15B | A45 |
| CNMG160616UN KCK20 | A45 |
| CNMG190608 KCP25 | A39 |
| CNMG190608 KCP40 | A39 |
| CNMG190608MN KCP10 | A42 |
| CNMG190608MN KCP25 | A42 |
| CNMG190608MN KCP30 | A42 |
| CNMG190608MP KC5010 | A42 |
| CNMG190608MP KCM15 | A42 |
| CNMG190608MP KCM25 | A42 |
| CNMG190608MP KCU10 | A42 |
| CNMG190608MS K313 | A43 |
| CNMG190608MS KC5510 | A43 |

| Catalogue No. | Page(s) |
|---|---|
| CNMG190608MS KC5525 | A43 |
| CNMG190608MS KCU10 | A43 |
| CNMG190608MS KCU25 | A43 |
| CNMG190608RN KCP10 | A44 |
| CNMG190608RN KCP25 | A44 |
| CNMG190608RN KCP40 | A44 |
| CNMG190608UN KCK05 | A45 |
| CNMG190608UN KCK15 | A45 |
| CNMG190608UN KCK20 | A45 |
| CNMG190608UP KCM15 | A45 |
| CNMG190608UP KCM25 | A45 |
| CNMG190612 K68 | A39 |
| CNMG190612 KC5010 | A39 |
| CNMG190612 KCP25 | A39 |
| CNMG190612 KCP40 | A39 |
| CNMG190612 KCU10 | A39 |
| CNMG190612MN KCP10 | A42 |
| CNMG190612MN KCP10B | A42 |
| CNMG190612MN KCP25 | A42 |
| CNMG190612MN KCP25B | A42 |
| CNMG190612MN KCP30 | A42 |
| CNMG190612MN KCP40 | A42 |
| CNMG190612MP KC5010 | A42 |
| CNMG190612MP KC5025 | A42 |
| CNMG190612MP KCM15 | A42 |
| CNMG190612MP KCM25 | A42 |
| CNMG190612MP KCM35 | A42 |
| CNMG190612MP KCU10 | A42 |
| CNMG190612MP KCU25 | A42 |
| CNMG190612MR KCK15B | A42 |
| CNMG190612MR KCM15 | A42 |
| CNMG190612MR KCM25 | A42 |
| CNMG190612MR KCM35 | A42 |
| CNMG190612MR KCP10B | A42 |
| CNMG190612MR KCP25B | A42 |
| CNMG190612MR KCP40 | A42 |
| CNMG190612MS KC5510 | A43 |
| CNMG190612MS KC5525 | A43 |
| CNMG190612MS KCU25 | A43 |
| CNMG190612P KC5010 | A43 |
| CNMG190612P KCU10 | A43 |
| CNMG190612RM KCP25 | A44 |
| CNMG190612RM KCP40 | A44 |
| CNMG190612RN KCP10 | A44 |
| CNMG190612RN KCP10B | A44 |
| CNMG190612RN KCP25 | A44 |
| CNMG190612RN KCP25B | A44 |
| CNMG190612RN KCP30 | A44 |
| CNMG190612RN KCP40 | A44 |
| CNMG190612RP KC5010 | A44 |
| CNMG190612RP KC5510 | A44 |
| CNMG190612RP KC5525 | A44 |
| CNMG190612RP KCK05 | A44 |
| CNMG190612RP KCK15 | A44 |
| CNMG190612RP KCK20 | A44 |
| CNMG190612RP KCM15 | A44 |
| CNMG190612RP KCM25 | A44 |
| CNMG190612RP KCM35 | A44 |
| CNMG190612RP KCP10 | A44 |
| CNMG190612RP KCP25 | A44 |
| CNMG190612RP KCP30 | A44 |
| CNMG190612RP KCP40 | A44 |
| CNMG190612RP KCU10 | A44 |
| CNMG190612RP KCU25 | A44 |
| CNMG190612UN KCK05 | A45 |
| CNMG190612UN KCK15 | A45 |
| CNMG190612UN KCK20 | A45 |
| CNMG190612UP KCM15 | A45 |
| CNMG190612UP KCM25 | A45 |
| CNMG190612UP KCM35 | A45 |

| Catalogue No. | Page(s) |
|---|---|
| CNMG190616 KCP25 | A39 |
| CNMG190616 KCP40 | A39 |
| CNMG190616MN KCP10 | A42 |
| CNMG190616MN KCP10B | A42 |
| CNMG190616MN KCP25 | A42 |
| CNMG190616MN KCP25B | A42 |
| CNMG190616MN KCP30 | A42 |
| CNMG190616MP KC5010 | A42 |
| CNMG190616MP KCM15 | A42 |
| CNMG190616MP KCM25 | A42 |
| CNMG190616MP KCU10 | A42 |
| CNMG190616MS K313 | A43 |
| CNMG190616MS KC5525 | A43 |
| CNMG190616MS KCU10 | A43 |
| CNMG190616MS KCU25 | A43 |
| CNMG190616RM KCP25 | A44 |
| CNMG190616RM KCP30 | A44 |
| CNMG190616RM KCP40 | A44 |
| CNMG190616RM KCU10 | A44 |
| CNMG190616RN KCP10 | A44 |
| CNMG190616RN KCP10B | A44 |
| CNMG190616RN KCP25 | A44 |
| CNMG190616RN KCP25B | A44 |
| CNMG190616RN KCP30 | A44 |
| CNMG190616RN KCP40 | A44 |
| CNMG190616RP KC5525 | A44 |
| CNMG190616RP KCK20 | A44 |
| CNMG190616RP KCM15 | A44 |
| CNMG190616RP KCM25 | A44 |
| CNMG190616RP KCM35 | A44 |
| CNMG190616RP KCP10 | A44 |
| CNMG190616RP KCP25 | A44 |
| CNMG190616RP KCP30 | A44 |
| CNMG190616RP KCP40 | A44 |
| CNMG190616RP KCU10 | A44 |
| CNMG190616RP KCU25 | A44 |
| CNMG190616UN KCK05 | A45 |
| CNMG190616UN KCK15 | A45 |
| CNMG190616UN KCK20 | A45 |
| CNMG190616UP KCM15 | A45 |
| CNMG190616UP KCM25 | A45 |
| CNMG190616UP KCM35 | A45 |
| CNMG190624RN KCP10 | A44 |
| CNMG190624RN KCP25 | A44 |
| CNMG190624RN KCP30 | A44 |
| CNMG250924 KCP25 | A39 |
| CNMG250924 KCP40 | A39 |
| CNMG250924RM KCP25 | A44 |
| CNMG250924RM KCP30 | A44 |
| CNMG250924RM KCP40 | A44 |
| CNMG250924RM KCU10 | A44 |
| CNMM120408RM KCP10 | A46 |
| CNMM120408RM KCP25 | A46 |
| CNMM120408RM KCP30 | A46 |
| CNMM120408RP KCM15 | A46 |
| CNMM120408RP KCM25 | A46 |
| CNMM120408RP KCP05 | A46 |
| CNMM120408RP KCP10 | A46 |
| CNMM120408RP KCP25 | A46 |
| CNMM120408RP KCP40 | A46 |
| CNMM120412RM KCP10 | A46 |
| CNMM120412RM KCP10B | A46 |
| CNMM120412RM KCP25 | A46 |
| CNMM120412RM KCP25B | A46 |
| CNMM120412RM KCP30 | A46 |
| CNMM120412RM KCP40 | A46 |
| CNMM120412RP KCM15 | A46 |
| CNMM120412RP KCM25 | A46 |
| CNMM120412RP KCM35 | A46 |
| CNMM120412RP KCP05 | A46 |
| CNMM120412RP KCP10 | A46 |
| CNMM120412RP KCP10B | A46 |
| CNMM120412RP KCP25 | A46 |
| CNMM120412RP KCP25B | A46 |
| CNMM120412RP KCP30 | A46 |
| CNMM120416RM KCP25 | A46 |
| CNMM120416RM KCP40 | A46 |
| CNMM120416RP KCP10 | A46 |
| CNMM120416RP KCP10B | A46 |
| CNMM120416RP KCP25 | A46 |
| CNMM120416RP KCP25B | A46 |
| CNMM160608RP KCP25 | A46 |
| CNMM160612RM KCP10 | A46 |
| CNMM160612RM KCP10B | A46 |
| CNMM160612RM KCP25 | A46 |
| CNMM160612RM KCP25B | A46 |
| CNMM160612RM KCP30 | A46 |
| CNMM160612RP KCM25 | A46 |
| CNMM160612RP KCM35 | A46 |
| CNMM160612RP KCP05 | A46 |
| CNMM160612RP KCP10 | A46 |
| CNMM160612RP KCP25 | A46 |
| CNMM160612RP KCP30 | A46 |
| CNMM160612RP KCP40 | A46 |
| CNMM160616RM KCP10 | A46 |
| CNMM160616RM KCP25 | A46 |
| CNMM160616RM KCP30 | A46 |
| CNMM160616RP KCM25 | A46 |
| CNMM160616RP KCP10 | A46 |
| CNMM160616RP KCP10B | A46 |
| CNMM160616RP KCP25 | A46 |
| CNMM160616RP KCP25B | A46 |
| CNMM160616RP KCP30 | A46 |
| CNMM160624RM KCP10 | A46 |
| CNMM160624RM KCP25 | A46 |
| CNMM190612RH KCP10 | A45 |
| CNMM190612RH KCP25 | A45 |
| CNMM190612RH KCP30 | A45 |
| CNMM190612RH KCP40 | A45 |
| CNMM190612RM KCP10 | A46 |
| CNMM190612RM KCP25 | A46 |
| CNMM190612RM KCP30 | A46 |
| CNMM190612RM KCP40 | A46 |
| CNMM190612RP KCM25 | A46 |
| CNMM190612RP KCP10 | A46 |
| CNMM190612RP KCP25 | A46 |
| CNMM190612RP KCP30 | A46 |
| CNMM190612RP KCP40 | A46 |
| CNMM190616RH KCP10 | A45 |
| CNMM190616RH KCP25 | A45 |
| CNMM190616RH KCP30 | A45 |
| CNMM190616RH KCP40 | A45 |
| CNMM190616RM KCP10 | A46 |
| CNMM190616RM KCP10B | A46 |
| CNMM190616RM KCP25 | A46 |
| CNMM190616RM KCP25B | A46 |
| CNMM190616RM KCP30 | A46 |
| CNMM190616RM KCP40 | A46 |
| CNMM190616RP KCM15 | A46 |
| CNMM190616RP KCM25 | A46 |
| CNMM190616RP KCM35 | A46 |
| CNMM190616RP KCP10 | A46 |
| CNMM190616RP KCP25 | A46 |
| CNMM190616RP KCP40 | A46 |
| CNMM190624RH KCP10 | A45 |
| CNMM190624RH KCP25 | A45 |
| CNMM190624RH KCP25B | A45 |
| CNMM190624RH KCP30 | A45 |
| CNMM190624RM KCP10B | A46 |
| CNMM190624RM KCP25 | A46 |
| CNMM190624RM KCP25B | A46 |
| CNMM190624RM KCP30 | A46 |
| CNMM190624RP KCM15 | A46 |
| CNMM190624RP KCP10 | A46 |
| CNMM190624RP KCP25 | A46 |
| CNMM250924RH KCP10 | A45 |
| CNMM250924RH KCP25 | A45 |
| CNMM250924RH KCP25B | A45 |
| CNMM250924RH KCP30 | A45 |
| CNMM250924RH KCP40 | A45 |
| CNMM250924RM KCP10 | A46 |
| CNMM250924RM KCP25 | A46 |
| CNMM250924RM KCP25B | A46 |
| CNMM250924RM KCP30 | A46 |
| CNMM250924RM KCP40 | A46 |
| CNMM250924RP KCP25 | A46 |
| CNMN090308S02020 KB1340 | A181 |
| CNMN120408S02020 KB1340 | A181 |
| CNMN120412S02020 KB1340 | A181 |
| CNMN120412S02020 KBK35 | A181 |
| CNMP120404 K313 | A46 |
| CNMP120404 K68 | A46 |
| CNMP120404 KC5410 | A46 |
| CNMP120404K KCP25 | A47 |
| CNMP120408 K313 | A46 |
| CNMP120408 K68 | A46 |
| CNMP120408 KC5410 | A46 |
| CNMP120408K KCP10 | A46 |
| CNMP120408K KCP25 | A47 |
| CNMP120412 K68 | A46 |
| CNMP120412K KCP25 | A47 |
| CNMP190612 K313 | A46 |
| CNMS120404FST KD1400 | A165 |
| CNMS120404FST KD1425 | A165 |
| CNMS120408 K68 | A47 |
| CNMS120408 KC5410 | A47 |
| CNMS120408FST KD1400 | A165 |
| CNMS120408FST KD1425 | A165 |
| CNMS160608 KC5410 | A47 |
| CNMS190608 K68 | A47 |
| CNMS190608 KC5410 | A47 |
| CNMS190612 K68 | A47 |
| CPG190150L KCU10 | A91 |
| CPG190150R KCU10 | A91 |
| CPGH09T301 KC5010 | A91 |
| CPGH09T301 KC5025 | A91 |
| CPGH09T301 KCU10 | A91 |
| CPGH09T301 KCU25 | A91 |
| CPGH09T301 KT315 | A91 |
| CPGH09T302 K68 | A91 |
| CPGH09T302 KC5010 | A91 |
| CPGH09T302 KC5025 | A91 |
| CPGH09T302 KCU10 | A91 |
| CPGH09T302 KCU25 | A91 |
| CPGH09T304 K313 | A91 |
| CPGH09T304 K68 | A91 |
| CPGH09T304 KC5010 | A91 |
| CPGH09T304 KC5025 | A91 |
| CPGH09T304 KCU10 | A91 |
| CPGH09T304 KCU25 | A91 |
| CPGH09T304 KT315 | A91 |
| CPGH09T308 K313 | A91 |
| CPGH09T308 K68 | A91 |
| CPGH09T308 KC5010 | A91 |
| CPGH09T308 KC5025 | A91 |
| CPGH09T308 KC5410 | A91 |
| CPGH09T308 KCU10 | A91 |
| CPGH09T308 KCU25 | A91 |
| CPGH09T308 KT315 | A91 |
| CPGN120304 K313 | A83 |
| CPGN120304 K68 | A83 |
| CPGN120304F KD1425 | A182 |
| CPGN120308 K313 | A83 |
| CPGN120308 K68 | A182 |
| CPGN120308F KD1425 | A182 |
| CPGT060201LF KC5010 | A92 |
| CPGT060201LF KC5025 | A92 |
| CPGT060201LF KC5410 | A92 |
| CPGT060201LF KCU10 | A92 |
| CPGT060202HP KC5010 | A92 |
| CPGT060202HP KC5025 | A92 |
| CPGT060202HP KC5410 | A92 |
| CPGT060202HP KCU10 | A92 |
| CPGT060202HP KCU25 | A92 |
| CPGT060202K K68 | A91 |
| CPGT060202LF K313 | A92 |
| CPGT060202LF KC5010 | A92 |
| CPGT060202LF KC5025 | A92 |
| CPGT060202LF KCU10 | A92 |
| CPGT060204HP KC5010 | A92 |
| CPGT060204HP KC5025 | A92 |
| CPGT060204HP KC5410 | A92 |
| CPGT060204HP KCU10 | A92 |
| CPGT060204HP KCU25 | A92 |
| CPGT060204K K313 | A91 |
| CPGT060204K K68 | A91 |
| CPGT060204LF KC5010 | A92 |
| CPGT060204LF KC5025 | A92 |
| CPGT060204LF KC5410 | A92 |
| CPGT060204LF KCU10 | A92 |
| CPGT060208HP KC5010 | A92 |
| CPGT060208HP KC5025 | A92 |
| CPGT060208HP KC5410 | A92 |
| CPGT060208HP KCU10 | A92 |
| CPGT060208HP KCU25 | A92 |
| CPGT060208K K313 | A91 |
| CPGT060208K K68 | A91 |
| CPGT060208LF KC5010 | A92 |
| CPGT060208LF KC5025 | A92 |
| CPGT060208LF KC5410 | A92 |
| CPGT060208LF KCU10 | A92 |
| CPGT09T302HP K313 | A92 |
| CPGT09T302HP KC5010 | A92 |
| CPGT09T302HP KC5025 | A92 |
| CPGT09T302HP KC5410 | A92 |
| CPGT09T302HP KCU10 | A92 |
| CPGT09T302HP KCU25 | A92 |
| CPGT09T302LF KC5010 | A92 |
| CPGT09T302LF KC5025 | A92 |
| CPGT09T302LF KCU10 | A92 |
| CPGT09T304HP K313 | A92 |
| CPGT09T304HP KC5010 | A92 |
| CPGT09T304HP KC5025 | A92 |
| CPGT09T304HP KC5410 | A92 |
| CPGT09T304HP KCU10 | A92 |
| CPGT09T304HP KCU25 | A92 |
| CPGT09T304LF KC5010 | A92 |
| CPGT09T304LF KC5025 | A92 |
| CPGT09T304LF KC5410 | A92 |
| CPGT09T304LF KCU10 | A92 |
| CPGT09T308HP KC5010 | A92 |
| CPGT09T308HP KC5025 | A92 |
| CPGT09T308HP KC5410 | A92 |
| CPGT09T308HP KCU10 | A92 |
| CPGT09T308HP KCU25 | A92 |
| CPGT09T308LF K313 | A92 |
| CPGT09T308LF KC5010 | A92 |
| CPGT09T308LF KC5025 | A92 |
| CPGT09T308LF KCU10 | A92 |
| CPGW060202FST KD1400 | A173 |

| Catalogue No. | Page(s) |
|---|---|
| CPGW060202FST KD1425 | A173 |
| CPGW060204FST KD1400 | A173 |
| CPGW060204FST KD1425 | A173 |
| CPGW060204FWST KD1400 | A173 |
| CPGW060204FWST KD1425 | A173 |
| CPGW060208FST KD1400 | A173 |
| CPGW060208FST KD1425 | A173 |
| CPGW09T304FST KD1400 | A173 |
| CPGW09T304FST KD1425 | A173 |
| CPGW09T308FST KD1400 | A173 |
| CPGW09T308FST KD1425 | A173 |
| CPGW09T308FWST KD1400 | A173 |
| CPGW09T308FWST KD1425 | A173 |
| CPGW120408FST KD1400 | A173 |
| CPGW120408FST KD1425 | A173 |
| CPGW120408FWST KD1400 | A173 |
| CPGW120408FWST KD1425 | A173 |
| CPMT050202FP KCU10 | A92 |
| CPMT050202FP KCU25 | A92 |
| CPMT050202LF KC5010 | A93 |
| CPMT050204FP KCP10 | A92 |
| CPMT050204FP KCP25 | A92 |
| CPMT050204FP KCU10 | A92 |
| CPMT050204FP KCU25 | A92 |
| CPMT050204LF KC5010 | A93 |
| CPMT050204LF KC5025 | A93 |
| CPMT050204LF KT315 | A93 |
| CPMT060202FP KCM25 | A92 |
| CPMT060202FP KCP10 | A92 |
| CPMT060202FP KCP25 | A92 |
| CPMT060202FP KCU10 | A92 |
| CPMT060202FP KCU25 | A92 |
| CPMT060202FP KTP10 | A92 |
| CPMT060202FW KC5010 | A93 |
| CPMT060202FW KCU10 | A93 |
| CPMT060202FW KT315 | A93 |
| CPMT060202LF KC5010 | A93 |
| CPMT060202LF KC5025 | A93 |
| CPMT060204FP KCK20 | A93 |
| CPMT060204FP KCM15 | A93 |
| CPMT060204FP KCM25 | A93 |
| CPMT060204FP KCP05 | A93 |
| CPMT060204FP KCP10 | A93 |
| CPMT060204FP KCP25 | A93 |
| CPMT060204FP KCU10 | A93 |
| CPMT060204FP KCU25 | A93 |
| CPMT060204FP KTP10 | A93 |
| CPMT060204FP KU10 | A92 |
| CPMT060204FW KC5010 | A93 |
| CPMT060204FW KCK20 | A93 |
| CPMT060204FW KCP25 | A93 |
| CPMT060204FW KCU10 | A93 |
| CPMT060204FW KT315 | A93 |
| CPMT060204LF K313 | A93 |
| CPMT060204LF K68 | A93 |
| CPMT060204LF KC5010 | A93 |
| CPMT060204LF KC5025 | A93 |
| CPMT060204LF KCK05 | A93 |
| CPMT060204LF KCK15 | A93 |
| CPMT060204LF KCK20 | A93 |
| CPMT060204LF KCM15 | A93 |
| CPMT060204LF KCM25 | A93 |
| CPMT060204LF KCP05 | A93 |
| CPMT060204LF KCP10 | A93 |
| CPMT060204LF KCP25 | A93 |
| CPMT060204LF KCP30 | A93 |
| CPMT060204LF KT315 | A93 |
| CPMT060204UF KC5010 | A94 |
| CPMT060204UF KCP05 | A94 |
| CPMT060204UF KCP10 | A94 |
| CPMT060204UF KCP25 | A94 |
| CPMT060208FP KCK20 | A92 |
| CPMT060208FP KCM15 | A92 |
| CPMT060208FP KCM25 | A92 |
| CPMT060208FP KCP05 | A92 |
| CPMT060208FP KCP10 | A92 |
| CPMT060208FP KCP25 | A92 |
| CPMT060208FP KCU10 | A92 |
| CPMT060208FP KCU25 | A92 |
| CPMT060208FP KTP10 | A92 |
| CPMT060208FW KC5010 | A93 |
| CPMT060208FW KCK20 | A93 |
| CPMT060208FW KCP25 | A93 |
| CPMT060208FW KCU10 | A93 |
| CPMT060208FW KT315 | A93 |
| CPMT060208LF K313 | A93 |
| CPMT060208LF KC5010 | A93 |
| CPMT060208LF KC5025 | A93 |
| CPMT060208LF KCK05 | A93 |
| CPMT060208LF KCK15 | A93 |
| CPMT060208LF KCK20 | A93 |
| CPMT060208LF KCM15 | A93 |
| CPMT060208LF KCM25 | A93 |
| CPMT060208LF KCP05 | A93 |
| CPMT060208LF KCP10 | A93 |
| CPMT060208LF KCP25 | A93 |
| CPMT060208LF KCP30 | A93 |
| CPMT060208LF KT315 | A93 |
| CPMT060208MF KCK15 | A93 |
| CPMT060208MF KCK20 | A93 |
| CPMT060208MF KCM15 | A93 |
| CPMT060208MF KCM25 | A93 |
| CPMT060208MF KCP10 | A93 |
| CPMT060208MF KCP25 | A93 |
| CPMT060208MP KCP10 | A93 |
| CPMT060208MP KCP25 | A93 |
| CPMT060208MP KCP25B | A93 |
| CPMT060208MP KCU10 | A93 |
| CPMT09T302FP KCM25 | A92 |
| CPMT09T302FP KCU10 | A92 |
| CPMT09T302FP KCU25 | A92 |
| CPMT09T302FP KTP10 | A92 |
| CPMT09T302LF KC5010 | A93 |
| CPMT09T302LF KT315 | A93 |
| CPMT09T304FP KCK20 | A92 |
| CPMT09T304FP KCM15 | A92 |
| CPMT09T304FP KCM25 | A92 |
| CPMT09T304FP KCP10 | A92 |
| CPMT09T304FP KCP25 | A92 |
| CPMT09T304FP KCU10 | A92 |
| CPMT09T304FP KCU25 | A92 |
| CPMT09T304FP KTP10 | A92 |
| CPMT09T304FP KU10 | A92 |
| CPMT09T304FW KC5010 | A93 |
| CPMT09T304FW KCK20 | A93 |
| CPMT09T304FW KCP25 | A93 |
| CPMT09T304FW KCU10 | A93 |
| CPMT09T304FW KT315 | A93 |
| CPMT09T304LF K68 | A93 |
| CPMT09T304LF KC5010 | A93 |
| CPMT09T304LF KC5025 | A93 |
| CPMT09T304LF KCK05 | A93 |
| CPMT09T304LF KCK15 | A93 |
| CPMT09T304LF KCK20 | A93 |
| CPMT09T304LF KCM15 | A93 |
| CPMT09T304LF KCM25 | A93 |
| CPMT09T304LF KCP05 | A93 |
| CPMT09T304LF KCP10 | A93 |
| CPMT09T304LF KCP25 | A93 |
| CPMT09T304LF KCP30 | A93 |
| CPMT09T304LF KT315 | A93 |
| CPMT09T304MW KC5010 | A94 |
| CPMT09T304MW KCK20 | A94 |
| CPMT09T304MW KCP25 | A94 |
| CPMT09T304MW KCU10 | A94 |
| CPMT09T304UF KC5010 | A94 |
| CPMT09T304UF KCP05 | A94 |
| CPMT09T304UF KCP10 | A94 |
| CPMT09T304UF KCP25 | A94 |
| CPMT09T308FP KCK20 | A92 |
| CPMT09T308FP KCM15 | A92 |
| CPMT09T308FP KCM25 | A92 |
| CPMT09T308FP KCP10 | A92 |
| CPMT09T308FP KCP25 | A92 |
| CPMT09T308FP KCU10 | A92 |
| CPMT09T308FP KCU25 | A92 |
| CPMT09T308FP KTP10 | A92 |
| CPMT09T308FP KU10 | A92 |
| CPMT09T308FW KC5010 | A93 |
| CPMT09T308FW KCK20 | A93 |
| CPMT09T308FW KCP25 | A93 |
| CPMT09T308FW KCU10 | A93 |
| CPMT09T308FW KT315 | A93 |
| CPMT09T308LF K68 | A93 |
| CPMT09T308LF KC5010 | A93 |
| CPMT09T308LF KC5025 | A93 |
| CPMT09T308LF KCK05 | A93 |
| CPMT09T308LF KCK15 | A93 |
| CPMT09T308LF KCK20 | A93 |
| CPMT09T308LF KCM15 | A93 |
| CPMT09T308LF KCM25 | A93 |
| CPMT09T308LF KCP05 | A93 |
| CPMT09T308LF KCP10 | A93 |
| CPMT09T308LF KCP10B | A93 |
| CPMT09T308LF KCP25 | A93 |
| CPMT09T308LF KCP25B | A93 |
| CPMT09T308LF KCP30 | A93 |
| CPMT09T308LF KT315 | A93 |
| CPMT09T308MF KCK15 | A93 |
| CPMT09T308MF KCK20 | A93 |
| CPMT09T308MF KCM15 | A93 |
| CPMT09T308MF KCM25 | A93 |
| CPMT09T308MF KCM35 | A93 |
| CPMT09T308MF KCP10 | A93 |
| CPMT09T308MF KCP10B | A93 |
| CPMT09T308MF KCP25 | A93 |
| CPMT09T308MF KCP25B | A93 |
| CPMT09T308MF KCP30 | A93 |
| CPMT09T308MP KCK20 | A93 |
| CPMT09T308MP KCM15 | A93 |
| CPMT09T308MP KCM25 | A93 |
| CPMT09T308MP KCP10 | A93 |
| CPMT09T308MP KCP25 | A93 |
| CPMT09T308MP KCP25B | A93 |
| CPMT09T308MP KCU10 | A93 |
| CPMT09T308MW KC5010 | A94 |
| CPMT09T308MW KCK20 | A94 |
| CPMT09T308MW KCP25 | A94 |
| CPMT09T308MW KCU10 | A94 |
| CPMT09T308MW KT315 | A94 |
| CPMT09T312MF KCK20 | A93 |
| CPMT09T312MF KCM15 | A93 |
| CPMT09T312MF KCM25 | A93 |
| CPMT09T312MF KCP10 | A93 |
| CPMT09T312MF KCP25 | A93 |
| CPMT09T312MP KCK20 | A93 |
| CPMT09T312MP KCM15 | A93 |
| CPT190013L KCU10 | A94 |
| CPT190013R KCU10 | A94 |
| D2FIX110403LHP KCP25 | A247 |
| D2FIX110403LHP KCU10 | A247 |
| D2FIX110403LMN KCP10 | A246 |
| D2FIX110403LMN KCP25 | A246 |
| D2FIX110403RHP KCP25 | A247 |
| D2FIX110403RHP KCU10 | A247 |
| D2FIX110403RMN KCP10 | A246 |
| D2FIX110403RMN KCP25 | A246 |
| D2FIX110404LHP KCU10 | A247 |
| D2FIX110404LHP KCU25 | A247 |
| D2FIX110404LMN KCP10 | A246 |
| D2FIX110404LMN KCP25 | A246 |
| D2FIX110404LMN KCP40 | A246 |
| D2FIX110404LMN KCU10 | A246 |
| D2FIX110404LMN KCU25 | A246 |
| D2FIX110404RHP KCU10 | A247 |
| D2FIX110404RHP KCU25 | A247 |
| D2FIX110404RMN KCP10 | A246 |
| D2FIX110404RMN KCP25 | A246 |
| D2FIX110404RMN KCP40 | A246 |
| D2FIX110404RMN KCU10 | A246 |
| D2FIX110404RMN KCU25 | A246 |
| D2FIX110405LMN KCP10 | A246 |
| D2FIX110405LMN KCP25 | A246 |
| D2FIX110405LMN KCP40 | A246 |
| D2FIX110405RMN KCP10 | A246 |
| D2FIX110405RMN KCP25 | A246 |
| D2FIX110405RMN KCP40 | A246 |
| D2FIX150503LHP KCP25 | A247 |
| D2FIX150503LHP KCU10 | A247 |
| D2FIX150503LMS KCU10 | A247 |
| D2FIX150503RHP KCP25 | A247 |
| D2FIX150503RHP KCU10 | A247 |
| D2FIX150503RMN KCP10 | A246 |
| D2FIX150503RMN KCP25 | A246 |
| D2FIX150503RMS KCU10 | A247 |
| D2FIX150504LHP KCU10 | A247 |
| D2FIX150504LHP KCU25 | A247 |
| D2FIX150504LMN KCP10 | A246 |
| D2FIX150504LMN KCP25 | A246 |
| D2FIX150504LMN KCP40 | A246 |
| D2FIX150504LMN KCU10 | A246 |
| D2FIX150504LMN KCU25 | A246 |
| D2FIX150504RHP KCU10 | A247 |
| D2FIX150504RHP KCU25 | A247 |
| D2FIX150504RMN KCP10 | A246 |
| D2FIX150504RMN KCP25 | A246 |
| D2FIX150504RMN KCP40 | A246 |
| D2FIX150504RMN KCU10 | A246 |
| D2FIX150504RMN KCU25 | A246 |
| D2FIX150505LFN KCP25 | A247 |
| D2FIX150505LFN KCU10 | A247 |
| D2FIX150505LMN KCP10 | A246 |
| D2FIX150505LMN KCP25 | A246 |
| D2FIX150505LMN KCP40 | A246 |
| D2FIX150505LMS KCU10 | A247 |
| D2FIX150505LRN KCP10 | A248 |
| D2FIX150505LRN KCP25 | A248 |
| D2FIX150505LRN KCP40 | A248 |
| D2FIX150505RFN KCP25 | A247 |
| D2FIX150505RFN KCU10 | A247 |
| D2FIX150505RMN KCP10 | A246 |
| D2FIX150505RMN KCP25 | A246 |
| D2FIX150505RMN KCP40 | A246 |
| D2FIX150505RMS KCU10 | A247 |
| D2FIX150505RRN KCP10 | A248 |
| D2FIX150505RRN KCP40 | A248 |
| D2FIX150508LHP KCU10 | A247 |
| D2FIX150508LHP KCU25 | A247 |
| D2FIX150508LMN KCP10 | A246 |
| D2FIX150508LMN KCP25 | A246 |

| Catalogue No. | Page(s) |
|---|---|
| D2FIX150508LMN KCP40 | A246 |
| D2FIX150508LMN KCU10 | A246 |
| D2FIX150508LMN KCU25 | A246 |
| D2FIX150508RHP KCU10 | A247 |
| D2FIX150508RHP KCU25 | A247 |
| D2FIX150508RMN KCP10 | A246 |
| D2FIX150508RMN KCP25 | A246 |
| D2FIX150508RMN KCP40 | A246 |
| D2FIX150508RMN KCU10 | A246 |
| D2FIX150508RMN KCU25 | A246 |
| D2FIX150510LMN KCP25 | A246 |
| D2FIX150510RMN KCP10 | A246 |
| D2FIX150510RMN KCP25 | A246 |
| D2FIX150510RMN KCP40 | A246 |
| D2FIX180610LMN KCP25 | A246 |
| D2FIX180610RMN KCP25 | A246 |
| D4FIX140603LMN KCP25 | A249 |
| D4FIX140603RMN KCP10 | A249 |
| D4FIX140603RMN KCP25 | A249 |
| D4FIX140604LMN KCP10 | A249 |
| D4FIX140604LMN KCP25 | A249 |
| D4FIX140604LMN KCP40 | A249 |
| D4FIX140604LMN KCU10 | A249 |
| D4FIX140604LMN KCU25 | A249 |
| D4FIX140604RMN KCP10 | A249 |
| D4FIX140604RMN KCP25 | A249 |
| D4FIX140604RMN KCP40 | A249 |
| D4FIX140604RMN KCU10 | A249 |
| D4FIX140604RMN KCU25 | A249 |
| D4FIX140605LMN KCP25 | A249 |
| D4FIX140605RMN KCP10 | A249 |
| D4FIX140605RMN KCP25 | A249 |
| D4FIX140608LMN KCP10 | A249 |
| D4FIX140608LMN KCP25 | A249 |
| D4FIX140608LMN KCP40 | A249 |
| D4FIX140608LMN KCU10 | A249 |
| D4FIX140608LMN KCU25 | A249 |
| D4FIX140608RMN KCP10 | A249 |
| D4FIX140608RMN KCP25 | A249 |
| D4FIX140608RMN KCP40 | A249 |
| D4FIX140608RMN KCU10 | A249 |
| D4FIX140608RMN KCU25 | A249 |
| DCGR150404 KC5010 | A214 |
| DCGR150404 KCU10 | A214 |
| DCGR150404 KCU25 | A214 |
| DCGR150404 KD1425 | A214 |
| DCGR150404FP KCK05 | A214 |
| DCGR150404FP KCM25 | A214 |
| DCGR150404FP KCP05 | A214 |
| DCGR150404FP KCP10 | A214 |
| DCGR150404FP KCP25 | A214 |
| DCGR150404FP KCU10 | A214 |
| DCGR150404FP KCU25 | A214 |
| DCGR150404HP K313 | A214 |
| DCGR150404UF KCP05 | A214 |
| DCGR150404UF KCU10 | A214 |
| DCGR150408 K68 | A214 |
| DCGR150408 KC5010 | A214 |
| DCGR150408 KC5025 | A214 |
| DCGR150408 KCU10 | A214 |
| DCGR150408 KCU25 | A214 |
| DCGR150408 KD1425 | A214 |
| DCGR150408FP KCK05 | A214 |
| DCGR150408FP KCM25 | A214 |
| DCGR150408FP KCP05 | A214 |
| DCGR150408FP KCP10 | A214 |
| DCGR150408FP KCP25 | A214 |
| DCGR150408FP KCU10 | A214 |
| DCGR150408FP KCU25 | A214 |
| DCGR150408HP K313 | A214 |
| DCGR150408UF KCP05 | A214 |
| DCGR150408UF KCU10 | A214 |
| DCGR150412 KC5010 | A214 |
| DCGR150412 KCU10 | A214 |
| DCGR150412FP KCK05 | A214 |
| DCGR150412FP KCP10 | A214 |
| DCGR150412FP KCP25 | A214 |
| DCGR150412FP KCU10 | A214 |
| DCGR150412FP KCU25 | A214 |
| DCGR150412FP KCU25 | A214 |
| DCGR150412HP K313 | A214 |
| DCGT070201LF KC5010 | A95 |
| DCGT070201LF KC5025 | A95 |
| DCGT070201LF KCU10 | A95 |
| DCGT070202HP K313 | A94 |
| DCGT070202HP KC5010 | A94 |
| DCGT070202HP KC5025 | A94 |
| DCGT070202HP KC5410 | A94 |
| DCGT070202HP KCU10 | A94 |
| DCGT070202HP KCU25 | A94 |
| DCGT070204HP K313 | A94 |
| DCGT070204HP KC5010 | A94 |
| DCGT070204HP KC5025 | A94 |
| DCGT070204HP KC5410 | A94 |
| DCGT070204HP KCU10 | A94 |
| DCGT070204HP KCU25 | A94 |
| DCGT070208HP KC5010 | A94 |
| DCGT070208HP KC5025 | A94 |
| DCGT070208HP KC5410 | A94 |
| DCGT070208HP KCU10 | A94 |
| DCGT070208HP KCU25 | A94 |
| DCGT0702X0LF KC5025 | A95 |
| DCGT11T301LF KC5010 | A95 |
| DCGT11T301LF KC5025 | A95 |
| DCGT11T301LF KCU10 | A95 |
| DCGT11T302HP K313 | A94 |
| DCGT11T302HP KC5010 | A94 |
| DCGT11T302HP KC5025 | A94 |
| DCGT11T302HP KC5410 | A94 |
| DCGT11T302HP KCU10 | A94 |
| DCGT11T302HP KCU25 | A94 |
| DCGT11T304HP K313 | A94 |
| DCGT11T304HP KC5010 | A94 |
| DCGT11T304HP KC5025 | A94 |
| DCGT11T304HP KC5410 | A94 |
| DCGT11T304HP KCU10 | A94 |
| DCGT11T304HP KCU25 | A94 |
| DCGT11T308HP K313 | A94 |
| DCGT11T308HP KC5010 | A94 |
| DCGT11T308HP KC5025 | A94 |
| DCGT11T308HP KC5410 | A94 |
| DCGT11T308HP KCU10 | A94 |
| DCGT11T308HP KCU25 | A94 |
| DCGT11T3X0LF KC5025 | A95 |
| DCGT150408LF KC5010 | A95 |
| DCGT150408LF KCU10 | A95 |
| DCGW070202EC KB5625 | A174 |
| DCGW070202EM KB5625 | A174 |
| DCGW070202S01015C KB5610 | A174 |
| DCGW070202S01015C KB5630 | A174 |
| DCGW070202S01225MT KBH20 | A175 |
| DCGW070204FST KD1400 | A175 |
| DCGW070204FST KD1425 | A175 |
| DCGW070204S01015C KB5610 | A174 |
| DCGW070204S01015C KB5625 | A174 |
| DCGW070204S01015C KB5630 | A174 |
| DCGW070204S01015M KB5625 | A174 |
| DCGW070204S01015MT KB5610 | A175 |
| DCGW070204S01015MT KBH20 | A175 |
| DCGW070204S01225MT KBH20 | A175 |
| DCGW11T302S01225MT KBH20 | A175 |
| DCGW11T304FST KD1400 | A175 |
| DCGW11T304FST KD1425 | A175 |
| DCGW11T304S01015M KB5625 | A174 |
| DCGW11T304S01015MT KB5610 | A174 |
| DCGW11T304S01015MT KB5630 | A174 |
| DCGW11T304S01015MT KBH20 | A174 |
| DCGW11T304S01225MT KBH20 | A175 |
| DCGW11T308S01015M KB5625 | A174 |
| DCGW11T308S01015MT KB5610 | A175 |
| DCGW11T308S01015MT KB5630 | A175 |
| DCGW11T308S01015MT KBH20 | A175 |
| DCGW11T308S01225MT KBH20 | A175 |
| DCMT07020211 KT315 | A95 |
| DCMT070202FP KCM25 | A95 |
| DCMT070202FP KCP25 | A95 |
| DCMT070202FP KCU10 | A95 |
| DCMT070202FP KCU25 | A95 |
| DCMT070202FP KTP10 | A95 |
| DCMT070202FP KU10 | A95 |
| DCMT070202LF K313 | A96 |
| DCMT070202LF KC5010 | A96 |
| DCMT070202LF KC5025 | A96 |
| DCMT07020411 KT315 | A95 |
| DCMT070204FP KCK20 | A95 |
| DCMT070204FP KCM15 | A95 |
| DCMT070204FP KCM25 | A95 |
| DCMT070204FP KCP05 | A95 |
| DCMT070204FP KCP10 | A95 |
| DCMT070204FP KCP25 | A95 |
| DCMT070204FP KCU10 | A95 |
| DCMT070204FP KCU25 | A95 |
| DCMT070204FP KTP10 | A95 |
| DCMT070204LF K313 | A96 |
| DCMT070204LF KC5010 | A96 |
| DCMT070204LF KC5025 | A96 |
| DCMT070204LF KCK05 | A96 |
| DCMT070204LF KCK20 | A96 |
| DCMT070204LF KCM15 | A96 |
| DCMT070204LF KCM25 | A96 |
| DCMT070204LF KCM35 | A96 |
| DCMT070204LF KCP05 | A96 |
| DCMT070204LF KCP10 | A96 |
| DCMT070204LF KCP25 | A96 |
| DCMT070204LF KCP30 | A96 |
| DCMT070204LF KT315 | A96 |
| DCMT070204UF KC5010 | A97 |
| DCMT070204UF KCP05 | A97 |
| DCMT070204UF KCP10 | A97 |
| DCMT070204UF KCP25 | A97 |
| DCMT070208FP KCM25 | A95 |
| DCMT070208FP KCP05 | A95 |
| DCMT070208FP KCP25 | A95 |
| DCMT070208FP KCU10 | A95 |
| DCMT11T302FP KCM25 | A95 |
| DCMT11T302FP KCP10 | A95 |
| DCMT11T302FP KCP25 | A95 |
| DCMT11T302FP KCU10 | A95 |
| DCMT11T302FP KCU25 | A95 |
| DCMT11T302FP KTP10 | A95 |
| DCMT11T302LF KC5010 | A96 |
| DCMT11T302LF KC5025 | A96 |
| DCMT11T302LF KT315 | A96 |
| DCMT11T302UF KC5010 | A97 |
| DCMT11T302UF KCP05 | A97 |
| DCMT11T302UF KCP10 | A97 |
| DCMT11T302UF KCP25 | A97 |
| DCMT11T30411 KT315 | A95 |
| DCMT11T304FP KCK20 | A95 |
| DCMT11T304FP KCM15 | A95 |
| DCMT11T304FP KCM25 | A95 |
| DCMT11T304FP KCP05 | A95 |
| DCMT11T304FP KCP10 | A95 |
| DCMT11T304FP KCP25 | A95 |
| DCMT11T304FP KCU10 | A95 |
| DCMT11T304FP KCU25 | A95 |
| DCMT11T304FP KTP10 | A95 |
| DCMT11T304FW KC5010 | A95 |
| DCMT11T304FW KCK20 | A95 |
| DCMT11T304FW KCP25 | A95 |
| DCMT11T304FW KCU10 | A95 |
| DCMT11T304LF K313 | A96 |
| DCMT11T304LF KC5010 | A96 |
| DCMT11T304LF KC5025 | A96 |
| DCMT11T304LF KCK05 | A96 |
| DCMT11T304LF KCK15 | A96 |
| DCMT11T304LF KCK20 | A96 |
| DCMT11T304LF KCM15 | A96 |
| DCMT11T304LF KCM25 | A96 |
| DCMT11T304LF KCM35 | A96 |
| DCMT11T304LF KCP05 | A96 |
| DCMT11T304LF KCP10 | A96 |
| DCMT11T304LF KCP25 | A96 |
| DCMT11T304LF KCP30 | A96 |
| DCMT11T304LF KT315 | A96 |
| DCMT11T304MF KCK15 | A96 |
| DCMT11T304MF KCK20 | A96 |
| DCMT11T304MF KCM15 | A96 |
| DCMT11T304MF KCM25 | A96 |
| DCMT11T304MF KCP10 | A96 |
| DCMT11T304MF KCP25 | A96 |
| DCMT11T304MF KCP30 | A96 |
| DCMT11T304MW KCK20 | A96 |
| DCMT11T304MW KCP25 | A96 |
| DCMT11T304MW KCU10 | A96 |
| DCMT11T304UF KC5010 | A97 |
| DCMT11T304UF KCP05 | A97 |
| DCMT11T304UF KCP10 | A97 |
| DCMT11T304UF KCP25 | A97 |
| DCMT11T30811 KT315 | A95 |
| DCMT11T308FP KCK20 | A95 |
| DCMT11T308FP KCM15 | A95 |
| DCMT11T308FP KCM25 | A95 |
| DCMT11T308FP KCP05 | A95 |
| DCMT11T308FP KCP10 | A95 |
| DCMT11T308FP KCP25 | A95 |
| DCMT11T308FP KCU10 | A95 |
| DCMT11T308FP KCU25 | A95 |
| DCMT11T308FP KTP10 | A95 |
| DCMT11T308FW KCK20 | A95 |
| DCMT11T308FW KCP25 | A95 |
| DCMT11T308FW KCU10 | A95 |
| DCMT11T308FW KT315 | A95 |
| DCMT11T308LF K313 | A96 |
| DCMT11T308LF KC5010 | A96 |
| DCMT11T308LF KC5025 | A96 |
| DCMT11T308LF KCK05 | A96 |
| DCMT11T308LF KCK15 | A96 |
| DCMT11T308LF KCK20 | A96 |
| DCMT11T308LF KCM15 | A96 |
| DCMT11T308LF KCM25 | A96 |
| DCMT11T308LF KCM35 | A96 |
| DCMT11T308LF KCP05 | A96 |
| DCMT11T308LF KCP10 | A96 |
| DCMT11T308LF KCP10B | A96 |
| DCMT11T308LF KCP25 | A96 |
| DCMT11T308LF KCP25B | A96 |
| DCMT11T308LF KCP30 | A96 |
| DCMT11T308LF KCU10 | A96 |
| DCMT11T308LF KT315 | A96 |

| Catalogue No. | Page(s) |
|---|---|
| DCMT11T308MF KCK15 | A96 |
| DCMT11T308MF KCK20 | A96 |
| DCMT11T308MF KCM15 | A96 |
| DCMT11T308MF KCM25 | A96 |
| DCMT11T308MF KCM35 | A96 |
| DCMT11T308MF KCP10 | A96 |
| DCMT11T308MF KCP10B | A96 |
| DCMT11T308MF KCP25 | A96 |
| DCMT11T308MF KCP25B | A96 |
| DCMT11T308MF KCP30 | A96 |
| DCMT11T308MP KCK20 | A96 |
| DCMT11T308MP KCM15 | A96 |
| DCMT11T308MP KCM25 | A96 |
| DCMT11T308MP KCP10 | A96 |
| DCMT11T308MP KCP25 | A96 |
| DCMT11T308MP KCU10 | A96 |
| DCMT11T308MW KCK20 | A96 |
| DCMT11T308MW KCP25 | A96 |
| DCMT11T308MW KCU10 | A96 |
| DCMT11T308UF KC5010 | A97 |
| DCMT11T308UF KCP05 | A97 |
| DCMT11T308UF KCP10 | A97 |
| DCMT11T308UF KCP25 | A97 |
| DCMT11T312FP KCP10 | A95 |
| DCMT11T312FP KCU10 | A95 |
| DCMT11T312LF KC5010 | A96 |
| DCMT11T312LF KCK05 | A96 |
| DCMT11T312LF KCK20 | A96 |
| DCMT11T312LF KCP10 | A96 |
| DCMT11T312LF KCP25 | A96 |
| DCMT11T312MF KCK15 | A96 |
| DCMT11T312MF KCK20 | A96 |
| DCMT11T312MF KCP10 | A96 |
| DCMT11T312MF KCP10B | A96 |
| DCMT11T312MF KCP25 | A96 |
| DCMT11T312MF KCP25B | A96 |
| DCMT11T312MP KCP10 | A96 |
| DCMT11T312MP KCP25 | A96 |
| DCMT11T312MP KCU10 | A96 |
| DCMT150404FP KCM25 | A95 |
| DCMT150404FP KCP10 | A95 |
| DCMT150404FP KCP25 | A95 |
| DCMT150404FP KCU10 | A95 |
| DCMT150404LF KC5010 | A96 |
| DCMT150404LF KC5025 | A96 |
| DCMT150404LF KCK20 | A96 |
| DCMT150404LF KCP10 | A96 |
| DCMT150404LF KCP25 | A96 |
| DCMT150408FP KCK20 | A95 |
| DCMT150408FP KCM25 | A95 |
| DCMT150408FP KCP05 | A95 |
| DCMT150408FP KCP10 | A95 |
| DCMT150408FP KCP25 | A95 |
| DCMT150408FP KCU10 | A95 |
| DCMT150408LF KC5010 | A96 |
| DCMT150408LF KC5025 | A96 |
| DCMT150408LF KCK05 | A96 |
| DCMT150408LF KCK20 | A96 |
| DCMT150408LF KCP10 | A96 |
| DCMT150408LF KCP25 | A96 |
| DFC040310D28HP KCU25 | B16 |
| DFC040310D28HP KCU40 | B16 |
| DFC040310D28MD KC7140 | B16 |
| DFC05T312D32HP KCU25 | B16 |
| DFC05T312D32HP KCU40 | B16 |
| DFC05T312D32MD KC7140 | B16 |
| DFC06T312D36HP KCU25 | B16 |
| DFC06T312D36HP KCU40 | B16 |
| DFC06T312D36MD KC7140 | B16 |
| DFC070416D45HP KCU25 | B16 |
| DFC070416D45HP KCU40 | B16 |
| DFC070416D45MD KC7140 | B16 |
| DFC090520D56HP KCU25 | B16 |
| DFC090520D56HP KCU40 | B16 |
| DFC090520D56MD KC7140 | B16 |
| DFR040304D28GD KCU25 | B15 |
| DFR040304D28GD KCU40 | B15 |
| DFR040304D28LD KC7225 | B15 |
| DFR040304D28MD KC7140 | B15 |
| DFT05T308D32HP KCU25 | B15 |
| DFT05T308D32HP KCU40 | B15 |
| DFT05T308D32MD KC7140 | B15 |
| DFT05T308D33HP KCU25 | B15 |
| DFT05T308D33HP KCU40 | B15 |
| DFT05T308D33MD KC7140 | B15 |
| DFT06T308D36HP KCU25 | B15 |
| DFT06T308D36HP KCU40 | B15 |
| DFT06T308D36MD KC7140 | B15 |
| DFT06T308D39HP KCU25 | B15 |
| DFT06T308D39HP KCU40 | B15 |
| DFT06T308D39MD KC7140 | B15 |
| DFT06T308D44HP KCU25 | B15 |
| DFT06T308D44HP KCU40 | B15 |
| DFT06T308D44MD KC7140 | B15 |
| DFT070408D45HP KCU25 | B15 |
| DFT070408D45HP KCU40 | B15 |
| DFT070408D45MD KC7140 | B15 |
| DFT070408D50HP KCU25 | B15 |
| DFT070408D50HP KCU40 | B15 |
| DFT070408D50MD KC7140 | B15 |
| DFT090508D56HP KCU25 | B15 |
| DFT090508D56HP KCU40 | B15 |
| DFT090508D56MD KC7140 | B15 |
| DFT090508D63HP KCU25 | B15 |
| DFT090508D63HP KCU40 | B15 |
| DFT090508D63MD KC7140 | B15 |
| DNGA150404EFWMT KB5625 | A166 |
| DNGA150404FST KD1400 | A166 |
| DNGA150404FST KD1425 | A166 |
| DNGA150404S01015MT KBH20 | A166 |
| DNGA150404S01025MT KB5610 | A166 |
| DNGA150404S01025MT KB5625 | A166 |
| DNGA150404S01025MT KB5630 | A166 |
| DNGA150404S01225MT KBH20 | A166 |
| DNGA150404S01735MT KBH20 | A166 |
| DNGA150404S01735MT KBH20 | A167 |
| DNGA150408EFWMT KB5625 | A166 |
| DNGA150408EMT KB5625 | A165 |
| DNGA150408FST KD1400 | A166 |
| DNGA150408FST KD1425 | A166 |
| DNGA150408S01015FWMT KBH20 | A166 |
| DNGA150408S01015MT KBH20 | A166 |
| DNGA150408S01025MT KB5610 | A166 |
| DNGA150408S01025MT KB5625 | A166 |
| DNGA150408S01025MT KB5630 | A166 |
| DNGA150408S01735MT KBH20T | A166 |
| DNGA150412EFWMT KB5625 | A166 |
| DNGA150412EMT KB5625 | A165 |
| DNGA150412S01015FWMT KBH20 | A166 |
| DNGA150412S01015MT KBH20 | A166 |
| DNGA150412S01025MT KB5625 | A166 |
| DNGA150412S01225MT KBH20 | A166 |
| DNGA150412S01735MT KBH20 | A166 |
| DNGA150604S01015MT KBH20 | A166 |
| DNGA150604S01225MT KBH20 | A166 |
| DNGA150604S01735MT KBH20 | A166 |
| DNGA150608S01015MT KBH20 | A166 |
| DNGA150608S01225MT KBH20 | A166 |
| DNGA150608S01735MT KBH20 | A166 |
| DNGA150612S01015MT KBH20 | A166 |
| DNGA150612S01225MT KBH20 | A166 |
| DNGA150612S01735MT KBH20 | A166 |
| DNGG110401FS KC5510 | A48 |
| DNGG110401FS KC5525 | A48 |
| DNGG110402FS K313 | A48 |
| DNGG110402FS KC5510 | A48 |
| DNGG110402FS KCU10 | A48 |
| DNGG110402FS KCU25 | A48 |
| DNGG110404FS K313 | A48 |
| DNGG110404FS KC5510 | A48 |
| DNGG110404FS KC5525 | A48 |
| DNGG110404FS KCU10 | A48 |
| DNGG110408FS KC5510 | A48 |
| DNGG110408FS KC5525 | A48 |
| DNGG110408FS KCU10 | A48 |
| DNGG150401FS KC5525 | A48 |
| DNGG150401FS KCU10 | A48 |
| DNGG150402FS KC5510 | A48 |
| DNGG150402FS KCU10 | A48 |
| DNGG150402FS KCU25 | A48 |
| DNGG150402LF KC5010 | A48 |
| DNGG150402LF KCU10 | A48 |
| DNGG150404FS K313 | A48 |
| DNGG150404FS KC5510 | A48 |
| DNGG150404FS KC5525 | A48 |
| DNGG150404FS KCU10 | A48 |
| DNGG150404FS KCU25 | A48 |
| DNGG150404LF KC5010 | A48 |
| DNGG150404LF KCU10 | A48 |
| DNGG150408FS K313 | A48 |
| DNGG150408FS KC5510 | A48 |
| DNGG150408FS KC5525 | A48 |
| DNGG150408FS KCU10 | A48 |
| DNGG150408FS KCU25 | A48 |
| DNGG150408LF KC5010 | A48 |
| DNGG150408LF KCU10 | A48 |
| DNGG150412FS KC5510 | A48 |
| DNGG150412FS KCU10 | A48 |
| DNGG150416FS K313 | A48 |
| DNGG150416FS KC5525 | A48 |
| DNGG150416FS KCU10 | A48 |
| DNGG150604FS KCU10 | A48 |
| DNGG150604FS KCU25 | A48 |
| DNGG150608FS K313 | A48 |
| DNGG150608FS KCU10 | A48 |
| DNGM150408S01325MTCB1 KB5625 | A167 |
| DNGM150408S01325MTCB1 KBH20 | A167 |
| DNGM150408S01325MTCB2 KB5610 | A167 |
| DNGM150412S01325MTCB1 KB5625 | A167 |
| DNGM150412S01325MTCB1 KBH20 | A167 |
| DNGM150412S01325MTCB2 KB5610 | A167 |
| DNGM150608S01325MTCB1 KBH20 | A167 |
| DNGM150612S01325MTCB1 KBH20 | A167 |
| DNGP150401 KC5010 | A48 |
| DNGP150401 KCU10 | A48 |
| DNGP150402 KC5010 | A48 |
| DNGP150402 KC5410 | A48 |
| DNGP150402 KCU10 | A48 |
| DNGP150404 K313 | A48 |
| DNGP150404 KC5010 | A48 |
| DNGP150404 KC5410 | A48 |
| DNGP150404 KCU10 | A48 |
| DNGP150408 K313 | A48 |
| DNGP150408 KC5010 | A48 |
| DNGP150408 KC5410 | A48 |
| DNGP150408 KCU10 | A48 |
| DNGP150604 K313 | A48 |
| DNGP150604 KC5410 | A48 |
| DNGP150604 KC5525 | A48 |
| DNGP150604 KCU10 | A48 |
| DNGP150608 KC5010 | A48 |
| DNGP150608 KC5410 | A48 |
| DNGP150608 KCU10 | A48 |
| DNMA110408 KCK05 | A49 |
| DNMA110408 KCK20 | A49 |
| DNMA110408S02020 KB1340 | A181 |
| DNMA110412 KCK20 | A49 |
| DNMA110412S02020 KB1340 | A181 |
| DNMA150408 KCK05 | A49 |
| DNMA150408 KCK15 | A49 |
| DNMA150408 KCK20 | A49 |
| DNMA150412 KCK05 | A49 |
| DNMA150412 KCK15 | A49 |
| DNMA150412 KCK20 | A49 |
| DNMA150416 KCK20 | A49 |
| DNMA150608 KCK05 | A49 |
| DNMA150608 KCK15 | A49 |
| DNMA150608 KCK20 | A49 |
| DNMA150612 KCK05 | A49 |
| DNMA150612 KCK15 | A49 |
| DNMA150612 KCK20 | A49 |
| DNMA150616 KCK20 | A49 |
| DNMG110404FF KC5010 | A50 |
| DNMG110404FF KCP05 | A50 |
| DNMG110404FF KCP10 | A50 |
| DNMG110404FF KCU10 | A50 |
| DNMG110404FF KT315 | A50 |
| DNMG110404FN KCK05 | A50 |
| DNMG110404FN KCP05 | A50 |
| DNMG110404FN KCP10 | A50 |
| DNMG110404FN KCP25 | A50 |
| DNMG110404FN KT315 | A50 |
| DNMG110404FP KC5010 | A51 |
| DNMG110404FP KCM15 | A51 |
| DNMG110404FP KCU10 | A51 |
| DNMG110404FW KCP05 | A51 |
| DNMG110404FW KCP10 | A51 |
| DNMG110404FW KCU10 | A51 |
| DNMG110404FW KT315 | A51 |
| DNMG110404MN KCP05 | A51 |
| DNMG110404MN KCP10 | A51 |
| DNMG110404MN KCP25 | A51 |
| DNMG110404MN KCP30 | A51 |
| DNMG110408CT KCP05 | A50 |
| DNMG110408CT KCP10 | A50 |
| DNMG110408FF KC5010 | A50 |
| DNMG110408FF KCP05 | A50 |
| DNMG110408FF KCP10 | A50 |
| DNMG110408FF KCU10 | A50 |
| DNMG110408FF KT315 | A50 |
| DNMG110408FN KCK05 | A50 |
| DNMG110408FN KCP05 | A50 |
| DNMG110408FN KCP10 | A50 |
| DNMG110408FN KCP25 | A50 |
| DNMG110408FN KT315 | A50 |
| DNMG110408FP KC5010 | A51 |
| DNMG110408FP KCM15 | A51 |
| DNMG110408FP KCP10 | A51 |
| DNMG110408FP KCU10 | A51 |
| DNMG110408FP KT315 | A51 |
| DNMG110408FW KCP05 | A51 |
| DNMG110408FW KCP10 | A51 |
| DNMG110408FW KT315 | A51 |
| DNMG110408MN KCP05 | A51 |
| DNMG110408MN KCP10 | A51 |
| DNMG110408MN KCP25 | A51 |
| DNMG110408MN KCP30 | A51 |
| DNMG110408MP KC5010 | A52 |
| DNMG110408MP KCM15 | A52 |
| DNMG110408MP KCM25 | A52 |

| Catalogue No. | Page(s) |
|---|---|
| DNMG110408MP KCU10 | A52 |
| DNMG110408MS KC5510 | A52 |
| DNMG110408MS KC5525 | A52 |
| DNMG110408MS KCU10 | A52 |
| DNMG110408MS KCU25 | A52 |
| DNMG110408RP KC5510 | A54 |
| DNMG110408RP KCK20 | A54 |
| DNMG110408RP KCM15 | A54 |
| DNMG110408RP KCP10 | A54 |
| DNMG110408RP KCP25 | A54 |
| DNMG110408RP KCU10 | A54 |
| DNMG110408RP KCU25 | A54 |
| DNMG110408UN KCK15 | A54 |
| DNMG110408UN KCK15B | A54 |
| DNMG110408UN KCK20 | A54 |
| DNMG110408UP KCM15 | A54 |
| DNMG110408UP KCM25 | A54 |
| DNMG110408UP KCU10 | A54 |
| DNMG110412FN KCP05 | A50 |
| DNMG110412FN KCP10 | A50 |
| DNMG110412FN KT315 | A50 |
| DNMG110412MN KCP10 | A51 |
| DNMG110412MN KCP10B | A51 |
| DNMG110412MN KCP25 | A51 |
| DNMG110412MN KCP25B | A51 |
| DNMG110412MP KCM15 | A52 |
| DNMG110412MP KCM25 | A52 |
| DNMG110412MS KC5510 | A52 |
| DNMG110412RP KCP10 | A54 |
| DNMG110412RP KCP25 | A54 |
| DNMG110412UN KCK05 | A54 |
| DNMG110412UN KCK15 | A54 |
| DNMG110412UN KCK20 | A54 |
| DNMG110412UP KCM15 | A54 |
| DNMG110412UP KCM25 | A54 |
| DNMG150401MS K313 | A52 |
| DNMG150401MS KC5510 | A52 |
| DNMG150401MS KC5525 | A52 |
| DNMG150401MS KCU10 | A52 |
| DNMG150402MS KC5510 | A52 |
| DNMG150402MS KC5525 | A52 |
| DNMG150402MS KCU10 | A52 |
| DNMG150402MS KCU25 | A52 |
| DNMG150404CT KC5010 | A50 |
| DNMG150404CT KCP10 | A50 |
| DNMG150404CT KCP25 | A50 |
| DNMG150404CT KCP25B | A50 |
| DNMG150404CT KCU10 | A50 |
| DNMG150404FF KC5010 | A50 |
| DNMG150404FF KCP05 | A50 |
| DNMG150404FF KCP10 | A50 |
| DNMG150404FF KCU10 | A50 |
| DNMG150404FF KT315 | A50 |
| DNMG150404FN KCK05 | A50 |
| DNMG150404FN KCP05 | A50 |
| DNMG150404FN KCP10 | A50 |
| DNMG150404FN KCP25 | A50 |
| DNMG150404FN KT315 | A50 |
| DNMG150404FP KC5010 | A51 |
| DNMG150404FP KCM15 | A51 |
| DNMG150404FP KCU10 | A51 |
| DNMG150404FP KT315 | A51 |
| DNMG150404FW KC5010 | A51 |
| DNMG150404FW KCP10 | A51 |
| DNMG150404FW KCU10 | A51 |
| DNMG150404FW KT315 | A51 |
| DNMG150404MN KCP05 | A51 |
| DNMG150404MN KCP10 | A51 |
| DNMG150404MN KCP10B | A51 |
| DNMG150404MN KCP25 | A51 |
| DNMG150404MN KCP30 | A51 |
| DNMG150404MP KC5010 | A52 |
| DNMG150404MP KCM15 | A52 |
| DNMG150404MP KCM25 | A52 |
| DNMG150404MP KCM35 | A52 |
| DNMG150404MP KCU10 | A52 |
| DNMG150404MS K313 | A52 |
| DNMG150404MS KC5510 | A52 |
| DNMG150404MS KC5525 | A52 |
| DNMG150404MS KCU10 | A52 |
| DNMG150404MS KCU25 | A52 |
| DNMG150404P KC5010 | A53 |
| DNMG150404P KCU10 | A53 |
| DNMG150404UP KCM15 | A54 |
| DNMG150404UP KCM25 | A54 |
| DNMG150404UP KCU10 | A54 |
| DNMG150408B K68 | A49 |
| DNMG150408CT KC5010 | A50 |
| DNMG150408CT KCP05 | A50 |
| DNMG150408CT KCP10 | A50 |
| DNMG150408CT KCP25 | A50 |
| DNMG150408CT KCU10 | A50 |
| DNMG150408FF KC5010 | A50 |
| DNMG150408FF KCP05 | A50 |
| DNMG150408FF KCP10 | A50 |
| DNMG150408FF KCU10 | A50 |
| DNMG150408FF KT315 | A50 |
| DNMG150408FN KCK05 | A50 |
| DNMG150408FN KCK15B | A50 |
| DNMG150408FN KCP05 | A50 |
| DNMG150408FN KCP10 | A50 |
| DNMG150408FN KCP25 | A50 |
| DNMG150408FN KT315 | A50 |
| DNMG150408FP KC5010 | A51 |
| DNMG150408FP KCM15 | A51 |
| DNMG150408FP KCP10 | A51 |
| DNMG150408FP KCP25 | A51 |
| DNMG150408FP KCU10 | A51 |
| DNMG150408FP KT315 | A51 |
| DNMG150408FW KC5010 | A51 |
| DNMG150408FW KCP05 | A51 |
| DNMG150408FW KCP10 | A51 |
| DNMG150408FW KCU10 | A51 |
| DNMG150408FW KT315 | A51 |
| DNMG150408MN KCP05 | A51 |
| DNMG150408MN KCP10 | A51 |
| DNMG150408MN KCP10B | A51 |
| DNMG150408MN KCP25 | A51 |
| DNMG150408MN KCP25B | A51 |
| DNMG150408MN KCP30 | A51 |
| DNMG150408MN KCP40 | A51 |
| DNMG150408MP KC5010 | A52 |
| DNMG150408MP KCM15 | A52 |
| DNMG150408MP KCM25 | A52 |
| DNMG150408MP KCM35 | A52 |
| DNMG150408MP KCP10 | A52 |
| DNMG150408MP KCP25 | A52 |
| DNMG150408MP KCU10 | A52 |
| DNMG150408MR KCM15 | A52 |
| DNMG150408MR KCM25 | A52 |
| DNMG150408MR KCM35 | A52 |
| DNMG150408MR KCP10B | A52 |
| DNMG150408MR KCP25B | A52 |
| DNMG150408MR KCP40 | A52 |
| DNMG150408MS K313 | A52 |
| DNMG150408MS KC5510 | A52 |
| DNMG150408MS KC5525 | A52 |
| DNMG150408MS KCU10 | A52 |
| DNMG150408MS KCU25 | A52 |
| DNMG150408MW KCP05 | A52 |
| DNMG150408MW KCP10 | A52 |
| DNMG150408MW KCP25 | A52 |
| DNMG150408P K313 | A53 |
| DNMG150408P KC5010 | A53 |
| DNMG150408P KCU10 | A53 |
| DNMG150408RN KCP10 | A53 |
| DNMG150408RN KCP10B | A53 |
| DNMG150408RN KCP25 | A53 |
| DNMG150408RN KCP25B | A53 |
| DNMG150408RN KCP30 | A53 |
| DNMG150408RN KCP40 | A53 |
| DNMG150408RP KC5010 | A54 |
| DNMG150408RP KC5510 | A54 |
| DNMG150408RP KC5525 | A54 |
| DNMG150408RP KCK05 | A54 |
| DNMG150408RP KCK15 | A54 |
| DNMG150408RP KCK20 | A54 |
| DNMG150408RP KCM15 | A54 |
| DNMG150408RP KCM25 | A54 |
| DNMG150408RP KCM35 | A54 |
| DNMG150408RP KCP10 | A54 |
| DNMG150408RP KCP25 | A54 |
| DNMG150408RP KCP30 | A54 |
| DNMG150408RP KCP40 | A54 |
| DNMG150408RP KCU10 | A54 |
| DNMG150408RP KCU25 | A54 |
| DNMG150408UN KCK15 | A54 |
| DNMG150408UN KCK20 | A54 |
| DNMG150408UP KC5010 | A54 |
| DNMG150408UP KCM15 | A54 |
| DNMG150408UP KCM25 | A54 |
| DNMG150408UP KCM35 | A54 |
| DNMG150408UP KCU10 | A54 |
| DNMG150412CT KCP10 | A50 |
| DNMG150412CT KCU10 | A50 |
| DNMG150412FN KCK05 | A50 |
| DNMG150412FN KCP05 | A50 |
| DNMG150412FN KCP10 | A50 |
| DNMG150412FN KT315 | A50 |
| DNMG150412FP KCM15 | A51 |
| DNMG150412FP KCU10 | A51 |
| DNMG150412FP KTP10 | A51 |
| DNMG150412MN KCP05 | A51 |
| DNMG150412MN KCP10 | A51 |
| DNMG150412MN KCP10B | A51 |
| DNMG150412MN KCP25 | A51 |
| DNMG150412MN KCP25B | A51 |
| DNMG150412MN KCP40 | A51 |
| DNMG150412MP KC5010 | A52 |
| DNMG150412MP KCM15 | A52 |
| DNMG150412MP KCM25 | A52 |
| DNMG150412MP KCU10 | A52 |
| DNMG150412MR KCK15B | A52 |
| DNMG150412MR KCM15 | A52 |
| DNMG150412MR KCM25 | A52 |
| DNMG150412MR KCP10B | A52 |
| DNMG150412MR KCP25B | A52 |
| DNMG150412MS K313 | A52 |
| DNMG150412MS KC5510 | A52 |
| DNMG150412MS KC5525 | A52 |
| DNMG150412MS KCU10 | A52 |
| DNMG150412MS KCU25 | A52 |
| DNMG150412MW KCP05 | A52 |
| DNMG150412MW KCP10 | A52 |
| DNMG150412MW KCP25 | A52 |
| DNMG150412RN KCP10 | A53 |
| DNMG150412RN KCP10B | A53 |
| DNMG150412RN KCP25 | A53 |
| DNMG150412RN KCP25B | A53 |
| DNMG150412RN KCP30 | A53 |
| DNMG150412RP KC5010 | A54 |
| DNMG150412RP KC5525 | A54 |
| DNMG150412RP KCK15 | A54 |
| DNMG150412RP KCK20 | A54 |
| DNMG150412RP KCM25 | A54 |
| DNMG150412RP KCM35 | A54 |
| DNMG150412RP KCP10 | A54 |
| DNMG150412RP KCP10B | A54 |
| DNMG150412RP KCP25 | A54 |
| DNMG150412RP KCP25B | A54 |
| DNMG150412RP KCP30 | A54 |
| DNMG150412RP KCP40 | A54 |
| DNMG150412RP KCU10 | A54 |
| DNMG150412RP KCU25 | A54 |
| DNMG150412UN KCK05 | A54 |
| DNMG150412UN KCK15 | A54 |
| DNMG150412UN KCK20 | A54 |
| DNMG150412UP KCM15 | A54 |
| DNMG150412UP KCM25 | A54 |
| DNMG150412UP KCM35 | A54 |
| DNMG150412UP KCU10 | A54 |
| DNMG150416MN KCP10 | A51 |
| DNMG150416MN KCP25 | A51 |
| DNMG150416RN KCP10 | A53 |
| DNMG150416RN KCP25 | A53 |
| DNMG150416RP KC5010 | A54 |
| DNMG150416RP KC5510 | A54 |
| DNMG150416RP KCU10 | A54 |
| DNMG150416UN KCK15 | A54 |
| DNMG150416UN KCK20 | A54 |
| DNMG150604CT KCP10 | A50 |
| DNMG150604FF KC5010 | A50 |
| DNMG150604FF KCP05 | A50 |
| DNMG150604FF KCP10 | A50 |
| DNMG150604FF KCU10 | A50 |
| DNMG150604FF KT315 | A50 |
| DNMG150604FN KCK05 | A51 |
| DNMG150604FN KCP05 | A51 |
| DNMG150604FN KCP10 | A51 |
| DNMG150604FN KCP25 | A51 |
| DNMG150604FN KT315 | A51 |
| DNMG150604FP KC5010 | A51 |
| DNMG150604FP KCM15 | A51 |
| DNMG150604FP KCU10 | A51 |
| DNMG150604FW KCP05 | A51 |
| DNMG150604FW KCP10 | A51 |
| DNMG150604FW KCU10 | A51 |
| DNMG150604MN KCP05 | A51 |
| DNMG150604MN KCP10 | A51 |
| DNMG150604MN KCP25 | A51 |
| DNMG150604MN KCP30 | A51 |
| DNMG150604MP KC5010 | A52 |
| DNMG150604MP KCM15 | A52 |
| DNMG150604MP KCM25 | A52 |
| DNMG150604MP KCM35 | A52 |
| DNMG150604MP KCU10 | A52 |
| DNMG150604MS K313 | A52 |
| DNMG150604MS KC5510 | A52 |
| DNMG150604MS KC5525 | A52 |
| DNMG150604MS KCU10 | A52 |
| DNMG150604MS KCU25 | A52 |
| DNMG150604UP KC5010 | A54 |
| DNMG150604UP KCM15 | A54 |
| DNMG150604UP KCM25 | A54 |
| DNMG150608CT KC5010 | A50 |
| DNMG150608CT KCP05 | A50 |
| DNMG150608CT KCP10 | A50 |
| DNMG150608CT KCP25 | A50 |
| DNMG150608CT KCU10 | A50 |
| DNMG150608FF KC5010 | A50 |

| Catalogue No. | Page(s) |
|---|---|
| DNMG150608FF KCP05 | A50 |
| DNMG150608FF KCP10 | A50 |
| DNMG150608FF KCU10 | A50 |
| DNMG150608FF KT315 | A50 |
| DNMG150608FN KCK05 | A50 |
| DNMG150608FN KCP05 | A50 |
| DNMG150608FN KCP10 | A50 |
| DNMG150608FN KCP10B | A50 |
| DNMG150608FN KCP25 | A50 |
| DNMG150608FN KT315 | A50 |
| DNMG150608FP KC5010 | A51 |
| DNMG150608FP KCM15 | A51 |
| DNMG150608FP KCP10 | A51 |
| DNMG150608FP KCP25 | A51 |
| DNMG150608FP KCU10 | A51 |
| DNMG150608FW KCP05 | A51 |
| DNMG150608FW KCP10 | A51 |
| DNMG150608FW KCU10 | A51 |
| DNMG150608MN KCP05 | A51 |
| DNMG150608MN KCP10 | A51 |
| DNMG150608MN KCP10B | A51 |
| DNMG150608MN KCP25 | A51 |
| DNMG150608MN KCP25B | A51 |
| DNMG150608MN KCP30 | A51 |
| DNMG150608MN KCP40 | A51 |
| DNMG150608MP KC5010 | A52 |
| DNMG150608MP KC5025 | A52 |
| DNMG150608MP KCM15 | A52 |
| DNMG150608MP KCM25 | A52 |
| DNMG150608MP KCM35 | A52 |
| DNMG150608MP KCP10 | A52 |
| DNMG150608MP KCP25 | A52 |
| DNMG150608MP KCU10 | A52 |
| DNMG150608MP KCU25 | A52 |
| DNMG150608MR KCK15B | A52 |
| DNMG150608MR KCM15 | A52 |
| DNMG150608MR KCM25 | A52 |
| DNMG150608MR KCM35 | A52 |
| DNMG150608MR KCP10B | A52 |
| DNMG150608MR KCP25B | A52 |
| DNMG150608MS K313 | A52 |
| DNMG150608MS KC5510 | A52 |
| DNMG150608MS KC5525 | A52 |
| DNMG150608MS KCU10 | A52 |
| DNMG150608MS KCU25 | A52 |
| DNMG150608MW KCP05 | A52 |
| DNMG150608MW KCP10 | A52 |
| DNMG150608MW KCP25 | A52 |
| DNMG150608P KC5010 | A53 |
| DNMG150608P KCU10 | A53 |
| DNMG150608RN KCP05 | A53 |
| DNMG150608RN KCP10 | A53 |
| DNMG150608RN KCP25 | A53 |
| DNMG150608RN KCP30 | A53 |
| DNMG150608RN KCP40 | A53 |
| DNMG150608RP KC5010 | A54 |
| DNMG150608RP KC5510 | A54 |
| DNMG150608RP KC5525 | A54 |
| DNMG150608RP KCK05 | A54 |
| DNMG150608RP KCK15 | A54 |
| DNMG150608RP KCK20 | A54 |
| DNMG150608RP KCM15 | A54 |
| DNMG150608RP KCM25 | A54 |
| DNMG150608RP KCM35 | A54 |
| DNMG150608RP KCP05 | A54 |
| DNMG150608RP KCP10 | A54 |
| DNMG150608RP KCP10B | A54 |
| DNMG150608RP KCP25 | A54 |
| DNMG150608RP KCP25B | A54 |
| DNMG150608RP KCP30 | A54 |
| DNMG150608RP KCP40 | A54 |
| DNMG150608RP KCU10 | A54 |
| DNMG150608RP KCU25 | A54 |
| DNMG150608UN KCK05 | A54 |
| DNMG150608UN KCK15 | A54 |
| DNMG150608UN KCK20 | A54 |
| DNMG150608UP KC5010 | A54 |
| DNMG150608UP KCM15 | A54 |
| DNMG150608UP KCM25 | A54 |
| DNMG150608UP KCM35 | A54 |
| DNMG150608UP KCU10 | A54 |
| DNMG150612CT KC5010 | A50 |
| DNMG150612CT KCP05 | A50 |
| DNMG150612CT KCP10 | A50 |
| DNMG150612CT KCP10B | A50 |
| DNMG150612CT KCP25 | A50 |
| DNMG150612CT KCP25B | A50 |
| DNMG150612CT KCU10 | A50 |
| DNMG150612FN KCK05 | A50 |
| DNMG150612FN KCP05 | A50 |
| DNMG150612FN KCP10 | A50 |
| DNMG150612FN KCP25 | A50 |
| DNMG150612FN KT315 | A50 |
| DNMG150612FP KCM15 | A51 |
| DNMG150612FP KCU10 | A51 |
| DNMG150612FP KT315 | A51 |
| DNMG150612MN KCP05 | A51 |
| DNMG150612MN KCP10 | A51 |
| DNMG150612MN KCP10B | A51 |
| DNMG150612MN KCP25 | A51 |
| DNMG150612MN KCP25B | A51 |
| DNMG150612MN KCP40 | A51 |
| DNMG150612MP KC5010 | A52 |
| DNMG150612MP KC5025 | A52 |
| DNMG150612MP KCM15 | A52 |
| DNMG150612MP KCM25 | A52 |
| DNMG150612MP KCP10 | A52 |
| DNMG150612MP KCU10 | A52 |
| DNMG150612MP KCU25 | A52 |
| DNMG150612MS KC5510 | A52 |
| DNMG150612MS KC5525 | A52 |
| DNMG150612MS KCU10 | A52 |
| DNMG150612MS KCU25 | A52 |
| DNMG150612MW KCP05 | A52 |
| DNMG150612MW KCP10 | A52 |
| DNMG150612MW KCP25 | A52 |
| DNMG150612RN KCP05 | A53 |
| DNMG150612RN KCP10 | A53 |
| DNMG150612RN KCP10B | A53 |
| DNMG150612RN KCP25 | A53 |
| DNMG150612RN KCP25B | A53 |
| DNMG150612RN KCP30 | A53 |
| DNMG150612RN KCP40 | A53 |
| DNMG150612RP KCK05 | A54 |
| DNMG150612RP KCK15 | A54 |
| DNMG150612RP KCK20 | A54 |
| DNMG150612RP KCM25 | A54 |
| DNMG150612RP KCM35 | A54 |
| DNMG150612RP KCP05 | A54 |
| DNMG150612RP KCP10 | A54 |
| DNMG150612RP KCP10B | A54 |
| DNMG150612RP KCP25 | A54 |
| DNMG150612RP KCP25B | A54 |
| DNMG150612RP KCU10 | A54 |
| DNMG150612RP KCU25 | A54 |
| DNMG150612UN KCK05 | A54 |
| DNMG150612UN KCK15 | A54 |
| DNMG150612UN KCK20 | A54 |
| DNMG150612UP KCM15 | A54 |
| DNMG150612UP KCM25 | A54 |
| DNMG150612UP KCM35 | A54 |
| DNMG150616MN KCP10 | A51 |
| DNMG150616MR KCP10B | A52 |
| DNMG150616MR KCP25B | A52 |
| DNMG150616RN KCP10 | A53 |
| DNMG150616RN KCP10B | A53 |
| DNMG150616RN KCP25 | A53 |
| DNMG150616RN KCP25B | A53 |
| DNMG150616RN KCP30 | A53 |
| DNMG150616RN KCP40 | A53 |
| DNMG150616RP KCK20 | A54 |
| DNMG150616RP KCP10 | A54 |
| DNMG150616RP KCP10B | A54 |
| DNMG150616RP KCP25 | A54 |
| DNMG150616RP KCP25B | A54 |
| DNMG150616RP KCU25 | A54 |
| DNMG150616UN KCK15 | A54 |
| DNMG150616UN KCK15B | A54 |
| DNMG150616UN KCK20 | A54 |
| DNMG190608RM KCP25 | A53 |
| DNMG190608RN KCP10 | A53 |
| DNMG190608RN KCP25 | A53 |
| DNMG190608RN KCP30 | A53 |
| DNMG190612MN KCP10 | A51 |
| DNMG190612MN KCP30 | A51 |
| DNMG190612RM KC5010 | A53 |
| DNMG190612RM KCP25 | A53 |
| DNMG190612RN KCP10 | A53 |
| DNMG190612RN KCP25 | A53 |
| DNMG190612RN KCP30 | A53 |
| DNMM150408RM KCP25 | A55 |
| DNMM150412RM KCP25 | A55 |
| DNMM150608RM KCP10 | A55 |
| DNMM150608RM KCP25 | A55 |
| DNMM150608RM KCP30 | A55 |
| DNMM150608RP KCM25 | A55 |
| DNMM150608RP KCP10 | A55 |
| DNMM150608RP KCP25 | A55 |
| DNMM150612RM KCP10 | A55 |
| DNMM150612RM KCP25 | A55 |
| DNMM150612RM KCP30 | A55 |
| DNMM150612RM KCP40 | A55 |
| DNMM150612RP KCM25 | A55 |
| DNMM150612RP KCP10 | A55 |
| DNMM150612RP KCP25 | A55 |
| DNMM150616RM KCP10 | A55 |
| DNMM150616RM KCP25 | A55 |
| DNMM150616RP KCP10 | A55 |
| DNMM150616RP KCP10B | A55 |
| DNMM150616RP KCP25 | A55 |
| DNMM150616RP KCP25B | A55 |
| DNMP110408K KCP10 | A55 |
| DNMP150404 K68 | A55 |
| DNMP150404K KCP25 | A55 |
| DNMP150408 K68 | A55 |
| DNMP150408K KCP10 | A55 |
| DNMP150408K KCP25 | A55 |
| DNMP150412 K68 | A55 |
| DNMP150412K KCP25 | A55 |
| DNMS150404FST KD1400 | A167 |
| DNMS150404FST KD1425 | A167 |
| DNMS150408 K68 | A56 |
| DNMS150408 KC5410 | A56 |
| DNMS150408FST KD1400 | A56 |
| DNMS150408FST KD1425 | A167 |
| DPA07T3D25 KCU40 | B16 |
| DPA09T4D32 KCU40 | B16 |
| DPA13T5D50 KCU40 | B16 |
| DPGT070201LF KC5010 | A97 |
| DPGT070201LF KC5410 | A97 |
| DPGT070201LF KCU10 | A97 |
| DPGT070201LF KT315 | A97 |
| DPGT070202HP KC5010 | A97 |
| DPGT070202HP KCU10 | A97 |
| DPGT070202HP KCU25 | A97 |
| DPGT070202LF KC5010 | A97 |
| DPGT070202LF KC5410 | A97 |
| DPGT070202LF KCU10 | A97 |
| DPGT070204HP K313 | A97 |
| DPGT070204HP KC5010 | A97 |
| DPGT070204HP KC5025 | A97 |
| DPGT070204HP KC5410 | A97 |
| DPGT070204HP KCU10 | A97 |
| DPGT070204HP KCU25 | A97 |
| DPGT070204LF KC5010 | A97 |
| DPGT070204LF KC5025 | A97 |
| DPGT070204LF KC5410 | A97 |
| DPGT070204LF KCU10 | A97 |
| DPGT070204LF KT315 | A97 |
| DPGT070208HP KC5010 | A97 |
| DPGT070208HP KCU10 | A97 |
| DPGT070208HP KCU25 | A97 |
| DPGT11T301LF KC5010 | A97 |
| DPGT11T301LF KCU10 | A97 |
| DPGT11T302LF KC5010 | A97 |
| DPGT11T302LF KC5025 | A97 |
| DPGT11T302LF KCU10 | A97 |
| DPGT11T304HP K313 | A97 |
| DPGT11T304HP KC5010 | A97 |
| DPGT11T304HP KC5410 | A97 |
| DPGT11T304HP KCU10 | A97 |
| DPGT11T304HP KCU25 | A97 |
| DPGT11T304LF KC5010 | A97 |
| DPGT11T304LF KC5025 | A97 |
| DPGT11T304LF KC5410 | A97 |
| DPGT11T304LF KCU10 | A97 |
| DPGT11T304LF KT315 | A97 |
| DPGT11T308HP KC5010 | A97 |
| DPGT11T308HP KCU10 | A97 |
| DPGT11T308HP KCU25 | A97 |
| DPGT11T308LF KC5010 | A97 |
| DPGT11T308LF KC5025 | A97 |
| DPGT11T308LF KCU10 | A97 |
| DPGW070202EC KB5625 | A175 |
| DPGW070202EM KB5625 | A176 |
| DPGW070202FST KD1400 | A176 |
| DPGW070202FST KD1425 | A176 |
| DPGW070204FST KD1400 | A176 |
| DPGW070204FST KD1425 | A176 |
| DPGW070204FWST KD1400 | A176 |
| DPGW070204FWST KD1425 | A176 |
| DPGW070204S01015C KB5625 | A175 |
| DPGW070204S01015M KB5625 | A176 |
| DPGW070208S01015C KB5625 | A175 |
| DPGW11T304FST KD1400 | A176 |
| DPGW11T304FST KD1425 | A176 |
| DPGW11T304FWST KD1400 | A176 |
| DPGW11T304FWST KD1425 | A176 |
| DPGW11T304S01015M KB5625 | A176 |
| DPGW11T308S01015M KB5625 | A176 |
| DPMT070202FP KCU10 | A97 |
| DPMT070202FP KCU25 | A97 |
| DPMT070202LF KC5010 | A98 |
| DPMT070202LF KC5025 | A98 |
| DPMT070204FP KCM15 | A97 |
| DPMT070204FP KCM25 | A97 |
| DPMT070204FP KCP10 | A97 |
| DPMT070204FP KCP25 | A97 |
| DPMT070204FP KCU10 | A97 |
| DPMT070204FP KCU25 | A97 |

| Catalogue No. | Page(s) |
|---|---|
| DPMT070204FP KTP10 | A97 |
| DPMT070204FW KCP25 | A98 |
| DPMT070204LF KC5010 | A98 |
| DPMT070204LF KC5025 | A98 |
| DPMT070204LF KCK05 | A98 |
| DPMT070204LF KCK20 | A98 |
| DPMT070204LF KCM15 | A98 |
| DPMT070204LF KCM25 | A98 |
| DPMT070204LF KCP10 | A98 |
| DPMT070204LF KCP25 | A98 |
| DPMT070204LF KT315 | A98 |
| DPMT070204UF KC5010 | A98 |
| DPMT070204UF KCP10 | A98 |
| DPMT070204UF KCP25 | A98 |
| DPMT070208FP KCU10 | A97 |
| DPMT070208FP KCU25 | A97 |
| DPMT070208FW KC5010 | A98 |
| DPMT070208FW KCK20 | A98 |
| DPMT070208FW KCP25 | A98 |
| DPMT070208FW KCU10 | A98 |
| DPMT11T302FP KCU10 | A97 |
| DPMT11T302FP KCU25 | A97 |
| DPMT11T302LF KC5010 | A98 |
| DPMT11T304FP KCM15 | A97 |
| DPMT11T304FP KCM25 | A97 |
| DPMT11T304FP KCP10 | A97 |
| DPMT11T304FP KCP25 | A97 |
| DPMT11T304FP KCU10 | A97 |
| DPMT11T304FP KCU25 | A97 |
| DPMT11T304FP KTP10 | A97 |
| DPMT11T304FW KCP25 | A98 |
| DPMT11T304LF KC5010 | A98 |
| DPMT11T304LF KC5025 | A98 |
| DPMT11T304LF KCK05 | A98 |
| DPMT11T304LF KCK20 | A98 |
| DPMT11T304LF KCM15 | A98 |
| DPMT11T304LF KCM25 | A98 |
| DPMT11T304LF KCP10 | A98 |
| DPMT11T304LF KCP25 | A98 |
| DPMT11T304LF KCP30 | A98 |
| DPMT11T304LF KT315 | A98 |
| DPMT11T304UF KCP10 | A98 |
| DPMT11T308FP KCK20 | A97 |
| DPMT11T308FP KCM25 | A97 |
| DPMT11T308FP KCP05 | A97 |
| DPMT11T308FP KCP10 | A97 |
| DPMT11T308FP KCP25 | A97 |
| DPMT11T308FP KCU10 | A97 |
| DPMT11T308FP KCU25 | A97 |
| DPMT11T308FP KTP10 | A97 |
| DPMT11T308FW KCK20 | A98 |
| DPMT11T308LF KC5010 | A98 |
| DPMT11T308LF KC5025 | A98 |
| DPMT11T308LF KCK05 | A98 |
| DPMT11T308LF KCK20 | A98 |
| DPMT11T308LF KCM25 | A98 |
| DPMT11T308LF KCP05 | A98 |
| DPMT11T308LF KCP10 | A98 |
| DPMT11T308LF KCP10B | A98 |
| DPMT11T308LF KCP25 | A98 |
| DPMT11T308LF KCP25B | A98 |
| DPMT11T308LF KCP30 | A98 |
| DPMT11T308MF KCK15 | A98 |
| DPMT11T308MF KCK20 | A98 |
| DPMT11T308MF KCM15 | A98 |
| DPMT11T308MF KCM25 | A98 |
| DPMT11T308MF KCM35 | A98 |
| DPMT11T308MF KCP10 | A98 |
| DPMT11T308MF KCP25 | A98 |
| DPMT11T308MP KCK20 | A98 |
| DPMT11T308MP KCP25 | A98 |
| DPMT11T308MP KCU10 | A98 |
| DPMT11T308UF KCP10 | A98 |
| DT15IP | D32, D62–D64, D68–D69 |
| DT8IP | D19 |
| DT9IP | D18–D19 |
| E12QNKLCL11 | A228 |
| E12QNKLCR11 KWH | A228 |
| E16RNKLCL11 KWH | A228 |
| E16RNKLCR11 KWH | A228 |
| E20SNKLCL11 KWH | A228 |
| E20SNKLCR11 KWH | A228 |
| E2FIX100505LHP KCU10 | A248 |
| E2FIX100505RHP KCU10 | A248 |
| EADE0380A4AQE KYS40 | C4 |
| EADE0400A4AQE KYS40 | C4 |
| EADE0400A6ARE KYS40 | C5 |
| EADE0570A4AQF KYS40 | C4 |
| EADE0600A4AQF KYS40 | C4 |
| EADE0600A6ARF KYS40 | C5 |
| EADE0760A4AQG KYS40 | C4 |
| EADE0800A4AQG KYS40 | C4 |
| EADE0800A6ARG KYS40 | C5 |
| EADE0950A4AQH KYS40 | C4 |
| EADE1000A4AQH KYS40 | C4 |
| EADE1000A6ARH KYS40 | C5 |
| EADE1140A4AQJ KYS40 | C4 |
| EADE1200A4AQJ KYS40 | C4 |
| EADE1200A6ARJ KYS40 | C5 |
| EDPT070308PDSRGE KC522M | D13 |
| EDPT070308PDSRGE KC725M | D13 |
| EDPT070308PDSRGE KCPK30 | D13 |
| ELS025025 | E30 |
| ELS038031 | E30 |
| ELS044038 | E30 |
| ELS056050 | E30 |
| ELS075056 | E30 |
| ELS075062 | E30 |
| ELS075069 | E30 |
| ELS100088 | E30 |
| ER25WM | E27 |
| ER32WM | E27 |
| ER40WM | E27 |
| F2AU0180ADK38 KC643M | C48 |
| F2AU0280ADK38 KC643M | C48 |
| F2AU0280BDK38 KC643M | C48 |
| F2AU0380ADK38 KC643M | C48 |
| F2AU0380BDK38 KC643M | C48 |
| F2AU0480ADK38 KC643M | C48 |
| F2AU0480BDK38 KC643M | C48 |
| F2AU0575ADK38 KC643M | C48 |
| F2AU0575BDK38 KC643M | C48 |
| F2AU0775ADK38 KC643M | C48 |
| F2AU0775BDK38 KC643M | C48 |
| F2AU0970ADK38 KC643M | C48 |
| F2AU0970BDK38 KC643M | C48 |
| F2AU1170ADK38 KC643M | C48 |
| F2AU1170BDK38 KC643M | C48 |
| F2AU1370ADK38 KC643M | C48 |
| F2AU1370BDK38 KC643M | C48 |
| F2AU1570ADK38 KC643M | C48 |
| F2AU1570BDK38 KC643M | C48 |
| F2AU1770ADK38 KC643M | C48 |
| F2AU1770BDK38 KC643M | C48 |
| F2AU1970ADK38 KC643M | C48 |
| F2AU1970BDK38 KC643M | C48 |
| F3AU0280ADK38 KC643M | C49 |
| F3AU0280BDK38 KC643M | C49 |
| F3AU0380ADK38 KC643M | C49 |
| F3AU0380BDK38 KC643M | C49 |
| F3AU0480ADK38 KC643M | C49 |
| F3AU0480BDK38 KC643M | C49 |
| F3AU0575ADK38 KC643M | C49 |
| F3AU0575BDK38 KC643M | C49 |
| F3AU0775ADK38 KC643M | C49 |
| F3AU0775BDK38 KC643M | C49 |
| F3AU0970ADK38 KC643M | C49 |
| F3AU0970BDK38 KC643M | C49 |
| F3AU1170ADK38 KC643M | C49 |
| F3AU1170BDK38 KC643M | C49 |
| F3AU1370ADK38 KC643M | C49 |
| F3AU1370BDK38 KC643M | C49 |
| F3AU1570ADK38 KC643M | C49 |
| F3AU1570BDK38 KC643M | C49 |
| F3AU1770ADK38 KC643M | C49 |
| F3AU1770BDK38 KC643M | C49 |
| F3AU1970ADK38 KC643M | C49 |
| F3AU1970BDK38 KC643M | C49 |
| F3BH0400BDL30 KCPM15 | C57 |
| F3BH0400BWS20L110 KCPM15 | C54 |
| F3BH0500BDL30 KCPM15 | C57 |
| F3BH0500BWS20L130 KCPM15 | C54 |
| F3BH0600BDL30 KCPM15 | C57 |
| F3BH0600BWS20L080 KCPM15 | C54 |
| F3BH0600BWS20L130 KCPM15 | C54 |
| F3BH0800BDL30 KCPM15 | C57 |
| F3BH0800BWM20C160 KCPM15 | C55 |
| F3BH0800BWM20L160 KCPM15 | C54 |
| F3BH0800BWS20C110 KCPM15 | C55 |
| F3BH0800BWS20L110 KCPM15 | C54 |
| F3BH1000BDL30 KCPM15 | C57 |
| F3BH1200BDL30 KCPM15 | C57 |
| F3BH1600BDL30 KCPM15 | C57 |
| F3BH2000BDL30 KCPM15 | C57 |
| F3BH2500BDL30 KCPM15 | C57 |
| F3BS0600BDK35 KCPM15 | C60 |
| F3BS0600BDL35 KCPM15 | C60 |
| F3BS0800BDK35 KCPM15 | C60 |
| F3BS0800BDL35 KCPM15 | C60 |
| F3BS1000BDK35 KCPM15 | C60 |
| F3BS1000BDL35 KCPM15 | C60 |
| F3BS1200BDK35 KCPM15 | C60 |
| F3BS1200BDL35 KCPM15 | C60 |
| F3BS1400BDK35 KCPM15 | C60 |
| F3BS1400BDL35 KCPM15 | C60 |
| F3BS1600BDK35 KCPM15 | C60 |
| F3BS1600BDL35 KCPM15 | C60 |
| F3BS2000BDK35 KCPM15 | C60 |
| F3BS2000BDL35 KCPM15 | C60 |
| F4AS0400ADL38 KCPM15 | C14 |
| F4AS0400BDL38 KCPM15 | C14 |
| F4AS0500ADL38 KCPM15 | C14 |
| F4AS0500BDL38 KCPM15 | C14 |
| F4AS0600ADL38 KCPM15 | C14 |
| F4AS0600AWM38R050 KCPM15 | C15 |
| F4AS0600AWM38R100 KCPM15 | C15 |
| F4AS0600BDL38 KCPM15 | C14 |
| F4AS0600BWM38R050 KCPM15 | C15 |
| F4AS0600BWM38R100 KCPM15 | C15 |
| F4AS0800ADL38 KCPM15 | C14 |
| F4AS0800AWM38R050 KCPM15 | C15 |
| F4AS0800AWM38R100 KCPM15 | C15 |
| F4AS0800BDL38 KCPM15 | C14 |
| F4AS0800BWM38R050 KCPM15 | C15 |
| F4AS0800BWM38R100 KCPM15 | C15 |
| F4AS1000ADL38 KCPM15 | C14 |
| F4AS1000AWL38R050 KCPM15 | C15 |
| F4AS1000AWL38R100 KCPM15 | C15 |
| F4AS1000AWL38R200 KCPM15 | C15 |
| F4AS1000AWL38R300 KCPM15 | C15 |
| F4AS1000AWL38R400 KCPM15 | C15 |
| F4AS1000BDL38 KCPM15 | C14 |
| F4AS1000BWL38R050 KCPM15 | C15 |
| F4AS1000BWL38R100 KCPM15 | C15 |
| F4AS1000BWL38R200 KCPM15 | C15 |
| F4AS1000BWL38R300 KCPM15 | C15 |
| F4AS1000BWL38R400 KCPM15 | C15 |
| F4AS1200ADL38 KCPM15 | C14 |
| F4AS1200AWL38R050 KCPM15 | C15 |
| F4AS1200AWL38R100 KCPM15 | C15 |
| F4AS1200AWL38R200 KCPM15 | C15 |
| F4AS1200AWL38R300 KCPM15 | C15 |
| F4AS1200AWL38R400 KCPM15 | C15 |
| F4AS1200BDL38 KCPM15 | C14 |
| F4AS1200BWL38R050 KCPM15 | C15 |
| F4AS1200BWL38R100 KCPM15 | C15 |
| F4AS1200BWL38R200 KCPM15 | C15 |
| F4AS1200BWL38R300 KCPM15 | C15 |
| F4AS1200BWL38R400 KCPM15 | C15 |
| F4AS1400ADL38 KCPM15 | C14 |
| F4AS1400BDL38 KCPM15 | C14 |
| F4AS1600ADL38 KCPM15 | C14 |
| F4AS1600AWX38R050 KCPM15 | C15 |
| F4AS1600AWX38R100 KCPM15 | C15 |
| F4AS1600AWX38R200 KCPM15 | C15 |
| F4AS1600AWX38R300 KCPM15 | C15 |
| F4AS1600AWX38R400 KCPM15 | C15 |
| F4AS1600BDL38 KCPM15 | C14 |
| F4AS1600BWX38R050 KCPM15 | C15 |
| F4AS1600BWX38R100 KCPM15 | C15 |
| F4AS1600BWX38R200 KCPM15 | C15 |
| F4AS1600BWX38R300 KCPM15 | C15 |
| F4AS1600BWX38R400 KCPM15 | C15 |
| F4AS1800ADL38 KCPM15 | C14 |
| F4AS1800BDL38 KCPM15 | C14 |
| F4AS2000ADL38 KCPM15 | C14 |
| F4AS2000AWX38R050 KCPM15 | C15 |
| F4AS2000AWX38R100 KCPM15 | C16 |
| F4AS2000AWX38R200 KCPM15 | C16 |
| F4AS2000AWX38R300 KCPM15 | C16 |
| F4AS2000AWX38R400 KCPM15 | C16 |
| F4AS2000BDL38 KCPM15 | C14 |
| F4AS2000BWX38R050 KCPM15 | C15 |
| F4AS2000BWX38R100 KCPM15 | C16 |
| F4AS2000BWX38R200 KCPM15 | C16 |
| F4AS2000BWX38R300 KCPM15 | C16 |
| F4AS2000BWX38R400 KCPM15 | C16 |
| F4AS2500ADL38 KCPM15 | C14 |
| F4AS2500AWX38R050 KCPM15 | C16 |
| F4AS2500AWX38R100 KCPM15 | C16 |
| F4AS2500AWX38R200 KCPM15 | C16 |
| F4AS2500AWX38R300 KCPM15 | C16 |
| F4AS2500AWX38R400 KCPM15 | C16 |
| F4AS2500BDL38 KCPM15 | C14 |
| F4AS2500BWX38R050 KCPM15 | C16 |
| F4AS2500BWX38R100 KCPM15 | C16 |
| F4AS2500BWX38R200 KCPM15 | C16 |
| F4AS2500BWX38R300 KCPM15 | C16 |
| F4AS2500BWX38R400 KCPM15 | C16 |
| F4AW0600AWL38E120 KCPM15 | C19 |
| F4AW0800AWL38E160 KCPM15 | C19 |
| F4AW1000AWX38E200 KCPM15 | C19 |
| F4AW1200AWX38E240 KCPM15 | C19 |
| F4AW1600AWX38E320 KCPM15 | C19 |
| F4BJ0600BDL30 KCPM15 | C59 |
| F4BJ0600BDL45 KCPM15 | C58 |
| F4BJ0800BDL30 KCPM15 | C59 |
| F4BJ0800BDL45 KCPM15 | C58 |
| F4BJ1000BDL30 KCPM15 | C59 |
| F4BJ1000BDL45 KCPM15 | C58 |

| Catalogue No. | Page(s) |
|---|---|
| F4BJ1000BWM20C130 KCPM15 | C55 |
| F4BJ1000BWM20C220 KCPM15 | C55 |
| F4BJ1000BWM20L130 KCPM15 | C54 |
| F4BJ1000BWM20L220 KCPM15 | C54 |
| F4BJ1200BDL30 KCPM15 | C59 |
| F4BJ1200BDL45 KCPM15 | C58 |
| F4BJ1200BWL20C260 KCPM15 | C55 |
| F4BJ1200BWL20L260 KCPM15 | C54 |
| F4BJ1200BWM20C160 KCPM15 | C55 |
| F4BJ1200BWM20L160 KCPM15 | C54 |
| F4BJ1400BDL30 KCPM15 | C59 |
| F4BJ1400BWL20L260 KCPM15 | C54 |
| F4BJ1600BDL30 KCPM15 | C59 |
| F4BJ1600BWL20C190 KCPM15 | C55 |
| F4BJ1600BWL20C320 KCPM15 | C55 |
| F4BJ1600BWL20L190 KCPM15 | C54 |
| F4BJ1600BWL20L320 KCPM15 | C54 |
| F4BJ1800BDL30 KCPM15 | C59 |
| F4BJ2000BDL30 KCPM15 | C59 |
| F4BJ2000BWL20C220 KCPM15 | C55 |
| F4BJ2000BWL20L220 KCPM15 | C54 |
| F4BJ2000BWX20C380 KCPM15 | C55 |
| F4BJ2000BWX20L380 KCPM15 | C54 |
| F4BS0600AWM38R050 KCPM15 | C17 |
| F4BS0600AWM38R100 KCPM15 | C17 |
| F4BS0600BWM38R050 KCPM15 | C17 |
| F4BS0600BWM38R100 KCPM15 | C17 |
| F4BS0800AWM38R050 KCPM15 | C17 |
| F4BS0800AWM38R100 KCPM15 | C17 |
| F4BS0800BWM38R050 KCPM15 | C17 |
| F4BS0800BWM38R100 KCPM15 | C17 |
| F4BS1000AWL38R050 KCPM15 | C17 |
| F4BS1000AWL38R100 KCPM15 | C17 |
| F4BS1000AWL38R200 KCPM15 | C17 |
| F4BS1000AWL38R300 KCPM15 | C17 |
| F4BS1000AWL38R400 KCPM15 | C17 |
| F4BS1000BWL38R050 KCPM15 | C17 |
| F4BS1000BWL38R100 KCPM15 | C17 |
| F4BS1000BWL38R200 KCPM15 | C17 |
| F4BS1000BWL38R300 KCPM15 | C17 |
| F4BS1000BWL38R400 KCPM15 | C17 |
| F4BS1200AWL38R050 KCPM15 | C17 |
| F4BS1200AWL38R100 KCPM15 | C17 |
| F4BS1200AWL38R200 KCPM15 | C17 |
| F4BS1200AWL38R300 KCPM15 | C17 |
| F4BS1200AWL38R400 KCPM15 | C17 |
| F4BS1200BWL38R050 KCPM15 | C17 |
| F4BS1200BWL38R100 KCPM15 | C17 |
| F4BS1200BWL38R200 KCPM15 | C17 |
| F4BS1200BWL38R300 KCPM15 | C17 |
| F4BS1200BWL38R400 KCPM15 | C17 |
| F4BS1600AWX38R050 KCPM15 | C17 |
| F4BS1600AWX38R100 KCPM15 | C17 |
| F4BS1600AWX38R200 KCPM15 | C17 |
| F4BS1600AWX38R300 KCPM15 | C17 |
| F4BS1600AWX38R400 KCPM15 | C17 |
| F4BS1600BWX38R050 KCPM15 | C17 |
| F4BS1600BWX38R100 KCPM15 | C17 |
| F4BS1600BWX38R200 KCPM15 | C17 |
| F4BS1600BWX38R300 KCPM15 | C17 |
| F4BS1600BWX38R400 KCPM15 | C17 |
| F4BS2000AWX38R050 KCPM15 | C17 |
| F4BS2000AWX38R100 KCPM15 | C17 |
| F4BS2000AWX38R200 KCPM15 | C17 |
| F4BS2000AWX38R300 KCPM15 | C17 |
| F4BS2000AWX38R400 KCPM15 | C17 |
| F4BS2000BWX38R050 KCPM15 | C17 |
| F4BS2000BWX38R100 KCPM15 | C17 |
| F4BS2000BWX38R200 KCPM15 | C17 |
| F4BS2000BWX38R300 KCPM15 | C17 |
| F4BS2000BWX38R400 KCPM15 | C17 |
| F4BS2000BWX38R500 KCPM15 | C17 |
| F4BS2500AWX38R050 KCPM15 | C17 |
| F4BS2500AWX38R100 KCPM15 | C17 |
| F4BS2500AWX38R200 KCPM15 | C17 |
| F4BS2500AWX38R300 KCPM15 | C17 |
| F4BS2500AWX38R400 KCPM15 | C17 |
| F4BS2500BWX38R050 KCPM15 | C17 |
| F4BS2500BWX38R100 KCPM15 | C17 |
| F4BS2500BWX38R200 KCPM15 | C17 |
| F4BS2500BWX38R300 KCPM15 | C17 |
| F4BS2500BWX38R400 KCPM15 | C17 |
| F5BJ2500BWX20L450 KCPM15 | C54 |
| F6BJ1600BDL45 KCPM15 | C58 |
| F6BJ2000BDL45 KCPM15 | C58 |
| F6BJ2500BDL45 KCPM15 | C58 |
| GPCD050102 KC5025 | A99 |
| GPCD050102 KCU25 | A99 |
| GPCD050104 KC5025 | A99 |
| GPCD050104 KCU25 | A232 |
| H25NKLCR11 | A232 |
| H32NKLNL15 | A232 |
| H32NKLNR15 | A232 |
| HSK100AFPMQL1C080175M | E44 |
| HSK40AFPMQL1C050095M | E44 |
| HSK50AFPMQL1C064115M | E44 |
| HSK63AAVS00B126MCLB | B49 |
| HSK63AAVS0B143MCLB | B49 |
| HSK63AAVS1B127MCLB | B49 |
| HSK63AAVS2B139MCLB | B49 |
| HSK63AAVS3B139MCLB | B49 |
| HSK63AFPMQL1C080135M | E44 |
| HSK63AHCTMQL1C06080M | E42 |
| HSK63AHCTMQL1C08080M | E42 |
| HSK63AHCTMQL1C10085M | E42 |
| HSK63AHCTMQL1C12090M | E42 |
| HSK63AHCTMQL1C14090M | E42 |
| HSK63AHCTMQL1C16095M | E42 |
| HSK63AHCTMQL1C18095M | E42 |
| HSK63AHCTMQL1C20100M | E42 |
| HSK63AHCTMQL1C25120M | E42 |
| HSK63AHCTMQL1C32125M | E42 |
| HSK63AHPVTTMQL1C06080M | E43 |
| HSK63AHPVTTMQL1C08080M | E43 |
| HSK63AHPVTTMQL1C10085M | E43 |
| HSK63AHPVTTMQL1C12090M | E43 |
| HSK63AHPVTTMQL1C14090M | E43 |
| HSK63AHPVTTMQL1C16095M | E43 |
| HSK63AHPVTTMQL1C18095M | E43 |
| HSK63AHPVTTMQL1C20100M | E43 |
| HSK63AHPVTTMQL1C25115M | E43 |
| HSK63AHPVTTMQL1C32120M | E43 |
| HSK63AKST115AR3M | B33 |
| HSK63AKST135AR3M | B33 |
| HSK63AKST155AR3M | B33 |
| HSK63AKST175AR3M | B33 |
| HSK63AKST175RR3M | B33 |
| HSK63AKST200AR3M | B33 |
| HSK63AKST200RR3M | B33 |
| HSK63AKST250AR3M | B33 |
| HSK63AKST250RR3M | B33 |
| HSK63AKST300AR3M | B33 |
| HSK63AKST300RR3M | B33 |
| HSK63AKST350AR3M | B33 |
| HSK63AKST350RR3M | B33 |
| HSK80AFPMQL1C080155M | E44 |
| HSW34M | E26 |
| HSW45M | E26 |
| HSW58M | E26 |
| HSW80M | E26 |
| ICSN443 | E10 |
| ICSN543 | E10 |
| ICSN633 | E12–E13 |
| ICSN846 | E12–E13 |
| IDSN433 | E10–E11 |
| IRSN43 | E13 |
| IRSN63 | E13 |
| IRSN84 | E13 |
| ISSN633 | E14–E16 |
| ISSN846 | E14, E16 |
| ITSN534 | E16 |
| ITSN636 | E16 |
| IVSN322 | E17 |
| K2FIX150505LMN KCP25 | A249 |
| K2FIX150505RMN KCP25 | A249 |
| KCGR110304L08 K68 | A215 |
| KCGR110304L08 KC5010 | A215 |
| KCGR110304L08 KC5025 | A215 |
| KCGR110304L08 KCU10 | A215 |
| KCGR110304L08 KCU25 | A215 |
| KCGR110304L08 KD1425 | A215 |
| KCGR110304L08 KT315 | A215 |
| KCGR110304L08FP KCM25 | A215 |
| KCGR110304L08FP KCP10 | A215 |
| KCGR110304L08FP KCP25 | A215 |
| KCGR110304L08FP KCU10 | A215 |
| KCGR110304L08FP KCU25 | A215 |
| KCGR110304L08HP K313 | A215 |
| KCGR110304L08UF KCP05 | A216 |
| KCGR110304L08UF KCU10 | A216 |
| KCGR110304R08 K68 | A215 |
| KCGR110304R08 KC5010 | A215 |
| KCGR110304R08 KC5025 | A215 |
| KCGR110304R08 KCU10 | A215 |
| KCGR110304R08 KCU25 | A215 |
| KCGR110304R08 KD1425 | A215 |
| KCGR110304R08 KT315 | A215 |
| KCGR110304R08FP KCM25 | A215 |
| KCGR110304R08FP KCP10 | A215 |
| KCGR110304R08FP KCP25 | A215 |
| KCGR110304R08FP KCU10 | A215 |
| KCGR110304R08FP KCU25 | A215 |
| KCGR110304R08HP KC313 | A215 |
| KCGR110304R08UF KCP05 | A216 |
| KCGR110304R08UF KCU10 | A216 |
| KCGR110308L08 KC5025 | A215 |
| KCGR110308L08 KCU10 | A215 |
| KCGR110308L08 KCU25 | A215 |
| KCGR110308L08 KD1425 | A215 |
| KCGR110308L08FP KCM25 | A215 |
| KCGR110308L08FP KCP10 | A215 |
| KCGR110308L08FP KCP25 | A215 |
| KCGR110308L08FP KCU10 | A215 |
| KCGR110308L08FP KCU25 | A215 |
| KCGR110308R08 KC5010 | A215 |
| KCGR110308R08 KCU10 | A215 |
| KCGR110308R08 KCU25 | A215 |
| KCGR110308R08 KD1425 | A215 |
| KCGR110308R08FP KCM25 | A215 |
| KCGR110308R08FP KCP10 | A215 |
| KCGR110308R08FP KCP25 | A215 |
| KCGR110308R08FP KCU10 | A215 |
| KCGR110308R08FP KCU25 | A215 |
| KCGX110301L15 K313 | A217 |
| KCGX110301L15 K68 | A217 |
| KCGX110301L15 KC5010 | A217 |
| KCGX110301L15 KCU10 | A217 |
| KCGX110301L15 KCU25 | A217 |
| KCGX110301L15 KD1425 | A217 |
| KCGX110301R15 K313 | A217 |
| KCGX110301R15 K68 | A217 |
| KCGX110301R15 KC5010 | A217 |
| KCGX110301R15 KC5025 | A217 |
| KCGX110301R15 KCU10 | A217 |
| KCGX110301R15 KCU25 | A217 |
| KCGX110301R15 KD1425 | A217 |
| KCGX110301R15 KT315 | A217 |
| KCGX110302L15 K313 | A217 |
| KCGX110302L15 KCU10 | A217 |
| KCGX110302L15 KCU25 | A217 |
| KCGX110302L15 KD1425 | A217 |
| KCGX110302R15 K313 | A217 |
| KCGX110302R15 KC5010 | A217 |
| KCGX110302R15 KCU10 | A217 |
| KCGX110302R15 KCU25 | A217 |
| KCGX110302R15 KD1425 | A217 |
| KCGX110302R15 KT315 | A217 |
| KCGX110304L15 K313 | A217 |
| KCGX110304L15 K68 | A217 |
| KCGX110304L15 KC5010 | A217 |
| KCGX110304L15 KC5025 | A217 |
| KCGX110304L15 KCU10 | A217 |
| KCGX110304L15 KCU25 | A217 |
| KCGX110304R15 K313 | A217 |
| KCGX110304R15 K68 | A217 |
| KCGX110304R15 KC5010 | A217 |
| KCGX110304R15 KC5025 | A217 |
| KCGX110304R15 KCU10 | A217 |
| KCGX110304R15 KCU25 | A217 |
| KCGX110304R15 KD1425 | A217 |
| KCGX110304R15 KT315 | A217 |
| KCGX110308L15 K313 | A217 |
| KCGX110308L15 K68 | A217 |
| KCGX110308L15 KC5010 | A217 |
| KCGX110308L15 KC5025 | A217 |
| KCGX110308L15 KCU10 | A217 |
| KCGX110308L15 KCU25 | A217 |
| KCGX110308R15 K68 | A217 |
| KCGX110308R15 KC5010 | A217 |
| KCGX110308R15 KC5025 | A217 |
| KCGX110308R15 KCU10 | A217 |
| KCGX110308R15 KCU25 | A217 |
| KCGX110308R15 KT315 | A217 |
| KCUX110302L15 K68 | A218 |
| KCUX110302L15 KC5010 | A218 |
| KCUX110302L15 KCU10 | A218 |
| KCUX110302R15 K68 | A218 |
| KCUX110302R15 KC5010 | A218 |
| KCUX110302R15 KCU10 | A218 |
| KCUX110305L15 K68 | A218 |
| KCUX110305L15 KC5010 | A218 |
| KCUX110305L15 KCU10 | A218 |
| KCUX110305R15 K68 | A218 |
| KCUX110305R15 KC5010 | A218 |
| KCUX110305R15 KCU10 | A218 |
| KDR100Z06S32RN16 | D52 |
| KDR100Z07S32RN12 | D48 |
| KDR100Z08S32RN16 | D52 |
| KDR100Z09S32RN12 | D48 |
| KDR125Z08S40RN16 | D52 |
| KDR125Z10S40RN16 | D52 |
| KDR160Z12S40RN16 | D52 |
| KDR25Z03A25RN10L150 | D40 |
| KDR25Z03A25RN10L200 | D40 |
| KDR25Z03A32RN10L250 | D40 |
| KDR25Z03B25RN10 | D39 |
| KDR25Z03M12RN10 | D38 |
| KDR28Z03A25RN10L200 | D40 |
| KDR32Z02A32RN12L250 | D47 |
| KDR32Z03A32RN10L250 | D40 |
| KDR32Z03A32RN12L200 | D47 |

| Catalogue No. | Page(s) |
|---|---|
| KDR32Z03B32RN12 | D46 |
| KDR32Z03M16RN12 | D45 |
| KDR32Z04A32RN10L200 | D40 |
| KDR32Z04B32RN10 | D39 |
| KDR32Z04M16RN10 | D38 |
| KDR35Z03M16RN12 | D45 |
| KDR35Z05M16RN10 | D38 |
| KDR40Z04S16RN10 | D41 |
| KDR40Z04S16RN12 | D48 |
| KDR40Z04S16RN12X | D57 |
| KDR40Z05M16RN10 | D38 |
| KDR40Z06S16RN10 | D41 |
| KDR42Z04M16RN12 | D45 |
| KDR42Z05M16RN10 | D38 |
| KDR50Z04S22RN12 | D48 |
| KDR50Z04S22RN16 | D52 |
| KDR50Z05S22RN10 | D41 |
| KDR50Z05S22RN12 | D48 |
| KDR50Z05S22RN12X | D57 |
| KDR50Z05S22RN12XL | D57 |
| KDR50Z06S22RN10 | D41 |
| KDR52Z04S22RN16 | D52 |
| KDR52Z05S22RN12 | D48 |
| KDR52Z05S22RN12X | D57 |
| KDR52Z06S22RN10 | D41 |
| KDR63Z04S22RN16 | D52 |
| KDR63Z05S22RN12 | D48 |
| KDR63Z06S22RN12X | D57 |
| KDR63Z06S22RN16 | D52 |
| KDR63Z07S22RN10 | D41 |
| KDR63Z07S22RN12 | D48 |
| KDR66Z05S27RN16 | D52 |
| KDR66Z06S27RN12X | D57 |
| KDR66Z07S27RN10 | D41 |
| KDR66Z07S27RN12 | D48 |
| KDR80Z05S27RN16 | D52 |
| KDR80Z06S27RN12 | D48 |
| KDR80Z07S27RN12X | D57 |
| KDR80Z07S27RN16 | D52 |
| KDR80Z08S27RN10 | D41 |
| KDR80Z08S27RN12 | D48 |
| KF2X100Z06S32W013 | D25 |
| KF2X100Z07S32W013 | D25 |
| KF2X125Z07S40W013 | D25 |
| KF2X125Z09S40W013 | D25 |
| KF2X25Z02A25W009L140 | D18, D22 |
| KF2X25Z02A25W009L200 | D18, D22 |
| KF2X25Z02A25W009L300 | D18, D22 |
| KF2X25Z02M12W009 | D18 |
| KF2X28Z02A25W009L200 | D18, D22 |
| KF2X2X25Z02M12W009 | D22 |
| KF2X32Z03A32W009L150 | D18, D22 |
| KF2X32Z03A32W009L200 | D18, D22 |
| KF2X32Z03A32W009L300 | D18, D22 |
| KF2X32Z03M16W009 | D18, D22 |
| KF2X35Z03A32W009L200 | D18, D22 |
| KF2X35Z03M16W009 | D18, D22 |
| KF2X40Z03M16W013 | D24 |
| KF2X40Z04W009 | D19, D22 |
| KF2X42Z03M16W013 | D24 |
| KF2X42Z04M16W009 | D18, D22 |
| KF2X50Z04S22W013 | D25 |
| KF2X50Z05W009 | D19, D22 |
| KF2X52Z04S22W013 | D25 |
| KF2X52Z05W009 | D19, D22 |
| KF2X63Z04S22W013 | D25 |
| KF2X63Z05S22W009 | D19, D22 |
| KF2X63Z05S22W013 | D25 |
| KF2X63Z05W009 | D19, D22 |
| KF2X66Z05S22W013 | D25 |

| Catalogue No. | Page(s) |
|---|---|
| KF2X66Z05S27W013 | D25 |
| KF2X66Z06S22W009 | D19, D22 |
| KF2X66Z06W009 | D19, D22 |
| KF2X80Z05S27W013 | D25 |
| KF2X80Z06S27W013 | D25 |
| KF2X80Z07W009 | D19, D22 |
| KF2X85Z06S27W013 | D25 |
| KGEM0750R1SS075 | B42 |
| KGEM0750R3SS075 | B42 |
| KGEM1905R1WN20M | B42 |
| KGEM1905R3WN20M | B42 |
| KGIP0125N0189GD KCU45 | B43 |
| KLM34L | E17 |
| KLM46 | E13 |
| KLM58 | E16 |
| KLM68 | E12–E14, E16 |
| KLM68L | E16 |
| KLM810 | E12–E14, E16 |
| KLS07 | E31, E33 |
| KLS10 | E31, E33 |
| KLS12 | E31, E33 |
| KLS15 | E33 |
| KLS20 | E33 |
| KLS50M | E32 |
| KLSS27M | E31– E32 |
| KLSS32M | E31–E32 |
| KLSS40M | E32 |
| KLSSM22-39-CG | D19, D25, D32 |
| KM32PKGS | E34 |
| KM40PKGS | E34 |
| KM40TSAVS00B111MCLB | B48 |
| KM40TSAVS0B128MCLB | B48 |
| KM40TSAVS1B112MCLB | B48 |
| KM40TSAVS2B127MCLB | B48 |
| KM4X100BN080150M | E35 |
| KM4X100BN110150M | E35 |
| KM4X100BN130200M | E35 |
| KM4X100DCLNL12KC04 | E10 |
| KM4X100DCLNL16KC06 | E10 |
| KM4X100DCLNR12KC04 | E10 |
| KM4X100DCLNR16KC06 | E10 |
| KM4X100DDJNL15KC06 | E10 |
| KM4X100DDJNR15KC06 | E10 |
| KM4X100DDUNL15KC06 | E11 |
| KM4X100DDUNR15KC06 | E11 |
| KM4X100EM025300 | E30 |
| KM4X100EM038300 | E30 |
| KM4X100EM050325 | E30 |
| KM4X100EM06080M | E30 |
| KM4X100EM062375 | E30 |
| KM4X100EM075375 | E30 |
| KM4X100EM08080M | E30 |
| KM4X100EM100425 | E30 |
| KM4X100EM10080M | E30 |
| KM4X100EM12080M | E30 |
| KM4X100EM125425 | E30 |
| KM4X100EM14080M | E30 |
| KM4X100EM150450 | E30 |
| KM4X100EM16100M | E30 |
| KM4X100EM18100M | E30 |
| KM4X100EM200550 | E30 |
| KM4X100EM20100M | E30 |
| KM4X100EM250575 | E30 |
| KM4X100EM25100M | E30 |
| KM4X100EM32100M | E30 |
| KM4X100EM40120M | E30 |
| KM4X100EM50130M | E30 |
| KM4X100ER16100M | E27 |
| KM4X100ER16160M | E27 |
| KM4X100ER20100M | E27 |

| Catalogue No. | Page(s) |
|---|---|
| KM4X100ER25100M | E27 |
| KM4X100ER32100M | E27 |
| KM4X100ER32160M | E27 |
| KM4X100ER40120M | E27 |
| KM4X100ETAL20 | E21 |
| KM4X100ETAR20 | E21 |
| KM4X100GB40349M | E35 |
| KM4X100HPVTT025335 | E23 |
| KM4X100HPVTT025630 | E23 |
| KM4X100HPVTT031335 | E23 |
| KM4X100HPVTT031630 | E23 |
| KM4X100HPVTT038354 | E23 |
| KM4X100HPVTT038630 | E23 |
| KM4X100HPVTT050374 | E23 |
| KM4X100HPVTT050630 | E23 |
| KM4X100HPVTT06085M | E22 |
| KM4X100HPVTT06160M | E22 |
| KM4X100HPVTT062394 | E23 |
| KM4X100HPVTT062630 | E23 |
| KM4X100HPVTT075413 | E23 |
| KM4X100HPVTT075630 | E23 |
| KM4X100HPVTT08085M | E22 |
| KM4X100HPVTT08160M | E22 |
| KM4X100HPVTT088413 | E23 |
| KM4X100HPVTT088630 | E23 |
| KM4X100HPVTT100453 | E23 |
| KM4X100HPVTT100630 | E23 |
| KM4X100HPVTT10090M | E22 |
| KM4X100HPVTT10160M | E22 |
| KM4X100HPVTT12095M | E22 |
| KM4X100HPVTT12160M | E22 |
| KM4X100HPVTT125472 | E23 |
| KM4X100HPVTT125630 | E23 |
| KM4X100HPVTT14095M | E22 |
| KM4X100HPVTT14160M | E22 |
| KM4X100HPVTT150531 | E23 |
| KM4X100HPVTT16100M | E22 |
| KM4X100HPVTT16160M | E22 |
| KM4X100HPVTT18100M | E22 |
| KM4X100HPVTT18160M | E22 |
| KM4X100HPVTT20105M | E22 |
| KM4X100HPVTT20160M | E22 |
| KM4X100HPVTT25115M | E22 |
| KM4X100HPVTT25160M | E22 |
| KM4X100HPVTT32120M | E22 |
| KM4X100HPVTT32160M | E22 |
| KM4X100HPVTTHT050374 | E25 |
| KM4X100HPVTTHT050630 | E25 |
| KM4X100HPVTTHT062394 | E25 |
| KM4X100HPVTTHT062630 | E25 |
| KM4X100HPVTTHT075413 | E25 |
| KM4X100HPVTTHT075630 | E25 |
| KM4X100HPVTTHT088413 | E25 |
| KM4X100HPVTTHT088630 | E25 |
| KM4X100HPVTTHT100453 | E25 |
| KM4X100HPVTTHT100630 | E25 |
| KM4X100HPVTTHT12095M | E24 |
| KM4X100HPVTTHT125472 | E25 |
| KM4X100HPVTTHT125630 | E25 |
| KM4X100HPVTTHT14095M | E24 |
| KM4X100HPVTTHT150531 | E25 |
| KM4X100HPVTTHT16100M | E24 |
| KM4X100HPVTTHT18100M | E24 |
| KM4X100HPVTTHT20105M | E24 |
| KM4X100HPVTTHT25115M | E24 |
| KM4X100HPVTTHT32120M | E24 |
| KM4X100HTS40085M | E29 |
| KM4X100HTS50090M | E29 |
| KM4X100KGMEL50 | E19 |
| KM4X100KGMEL65C | E19 |

| Catalogue No. | Page(s) |
|---|---|
| KM4X100KGMER50 | E19 |
| KM4X100KGMER65C | E19 |
| KM4X100KGMSL50 | E19 |
| KM4X100KGMSL65C | E19 |
| KM4X100KGMSR50 | E19 |
| KM4X100KGMSR65C | E19 |
| KM4X100KM32075M | E34 |
| KM4X100KM40080M | E34 |
| KM4X100KM40100M | E34 |
| KM4X100KM40150M | E34 |
| KM4X100KM50100M | E34 |
| KM4X100KM50150M | E34 |
| KM4X100KM50200M | E34 |
| KM4X100KM63100M | E34 |
| KM4X100KM63150M | E34 |
| KM4X100KM63200M | E34 |
| KM4X100KM80100M | E34 |
| KM4X100KM80150M | E34 |
| KM4X100KM80200M | E34 |
| KM4X100MCKNL19 | E12 |
| KM4X100MCKNR19 | E12 |
| KM4X100MCLNL19 | E12 |
| KM4X100MCLNL25 | E12 |
| KM4X100MCLNR19 | E12 |
| KM4X100MCLNR25 | E12 |
| KM4X100MCRNL19 | E13 |
| KM4X100MCRNL25 | E13 |
| KM4X100MCRNR19 | E13 |
| KM4X100MCRNR25 | E13 |
| KM4X100MRGNL12 | E13 |
| KM4X100MRGNL19 | E13 |
| KM4X100MRGNL25 | E13 |
| KM4X100MRGNR12 | E13 |
| KM4X100MRGNR19 | E13 |
| KM4X100MRGNR25 | E13 |
| KM4X100MSDNN19 | E14 |
| KM4X100MSDNN25 | E14 |
| KM4X100MSKNR19 | E15 |
| KM4X100MSRNL19 | E16 |
| KM4X100MSRNL25 | E16 |
| KM4X100MSRNR19 | E16 |
| KM4X100MSRNR25 | E16 |
| KM4X100MTJNL27 | E16 |
| KM4X100MTJNL33 | E16 |
| KM4X100MTJNR27 | E16 |
| KM4X100MTJNR33 | E16 |
| KM4X100MVUNL16 | E17 |
| KM4X100MVUNR16 | E17 |
| KM4X100NCADS85 | E8 |
| KM4X100NEL3 | E18 |
| KM4X100NEL4 | E18 |
| KM4X100NEL5 | E18 |
| KM4X100NEL6 | E18 |
| KM4X100NER3 | E18 |
| KM4X100NER4 | E18 |
| KM4X100NER5 | E18 |
| KM4X100NER6 | E18 |
| KM4X100PRDCN20 | E17 |
| KM4X100PRDCN25 | E17 |
| KM4X100PRDCN32 | E17 |
| KM4X100SM2C075400 | E33 |
| KM4X100SM2C075600 | E33 |
| KM4X100SM2C100400 | E33 |
| KM4X100SM2C100600 | E33 |
| KM4X100SMC075400 | E33 |
| KM4X100SMC075600 | E33 |
| KM4X100SMC100400 | E33 |
| KM4X100SMC100600 | E33 |
| KM4X100SMC125400 | E33 |
| KM4X100SMC125600 | E33 |

| Catalogue No. | Page(s) |
|---|---|
| KM4X100SMC150400 | E33 |
| KM4X100SMC150600 | E33 |
| KM4X100SMC200400 | E33 |
| KM4X100SMC200600 | E33 |
| KM4X100SMC22050M | E32 |
| KM4X100SMC22100M | E32 |
| KM4X100SMC22160M | E32 |
| KM4X100SMC250400 | E33 |
| KM4X100SMC250600 | E33 |
| KM4X100SMC27050M | E32 |
| KM4X100SMC27100M | E32 |
| KM4X100SMC27160M | E32 |
| KM4X100SMC32050M | E32 |
| KM4X100SMC32100M | E32 |
| KM4X100SMC32160M | E32 |
| KM4X100SMC40060M | E32 |
| KM4X100SMC40100M | E32 |
| KM4X100SMC40160M | E32 |
| KM4X100SMC50070M | E32 |
| KM4X100SMC50100M | E32 |
| KM4X100SMC50160M | E32 |
| KM4X100SMC60070M | E32 |
| KM4X100SMC60100M | E32 |
| KM4X100SMC60160M | E32 |
| KM4X100STAL24 | E20 |
| KM4X100STAL2525M | E20 |
| KM4X100STAL3232M | E20 |
| KM4X100STAR20 | E20 |
| KM4X100STAR24 | E20 |
| KM4X100STAR2525M | E20 |
| KM4X100STAR3232M | E20 |
| KM4X100TDSMC0751050 | E31 |
| KM4X100TDSMC1001250 | E31 |
| KM4X100TDSMC1251300 | E31 |
| KM4X100TDSMC22260M | E31 |
| KM4X100TDSMC27320M | E31 |
| KM4X100TDSMC32330M | E31 |
| KM4X100TG050105M | E26 |
| KM4X100TG050160M | E26 |
| KM4X100TG075120M | E26 |
| KM4X100TG100140M | E26 |
| KM4X100TG150165M | E26 |
| KM4X100WN06090M | E28 |
| KM4X100WN08090M | E28 |
| KM4X100WN10090M | E28 |
| KM4X100WN12100M | E28 |
| KM4X100WN14100M | E28 |
| KM4X100WN16100M | E28 |
| KM4X100WN18100M | E28 |
| KM4X100WN20110M | E28 |
| KM4X100WN25120M | E28 |
| KM4X100WN32120M | E28 |
| KM50PKGS | E34 |
| KM50TSAVS00B117MCLB | B48 |
| KM50TSAVS0B134MCLB | B48 |
| KM50TSAVS1B118MCLB | B48 |
| KM50TSAVS2B128MCLB | B48 |
| KM50TSAVS3B128MCLB | B48 |
| KM63PKGS | E34 |
| KM63TSAVS3B1230MCLB | B48 |
| KM63TSDDQNL15KC04 | E11 |
| KM63TSDDQNL15KC06 | E11 |
| KM63TSDDQNR15KC04 | E11 |
| KM63TSDDQNR15KC06 | E11 |
| KM80PKGS | E34 |
| KMSP415IP | E10, E11 |
| KMSP515IP | E10 |
| KNGX150401L15 KCU10 | A216 |
| KNGX150401R15 K68 | A216 |
| KNGX150401R15 KCU10 | A216 |
| KNGX150402R15 KCU10 | A216 |
| KNGX150404L20 KC5010 | A216 |
| KNGX150404L20 KCU10 | A216 |
| KNGX150404L20 KCU25 | A216 |
| KNGX150404R20 KC5010 | A216 |
| KNGX150404R20 KCU10 | A216 |
| KNGX150404R20 KCU25 | A216 |
| KNGX150408L20 K68 | A216 |
| KNGX150408L20 KC5010 | A216 |
| KNGX150408L20 KC5025 | A216 |
| KNGX150408L20 KCU10 | A216 |
| KNGX150408L20 KCU25 | A216 |
| KNGX150408R20 KC5010 | A216 |
| KNGX150408R20 KCU10 | A216 |
| KNGX150408R20 KCU25 | A216 |
| KNGX220404L25 KCU10 | A216 |
| KNGX220404L25 KCU25 | A216 |
| KNGX220404R25 KCU25 | A216 |
| KNGX220408L20 KCU10 | A216 |
| KNGX220408L25 KCU10 | A216 |
| KNGX220408R32 KCU10 | A216 |
| KNUX150405L20 KC5010 | A217 |
| KNUX150405L25 K68 | A217 |
| KNUX150405L25 KCU10 | A217 |
| KNUX150405R20 KC5010 | A217 |
| KNUX150405R20 KCU10 | A217 |
| KNUX150405R25 K68 | A217 |
| KNUX150410L20 K68 | A217 |
| KNUX150410L25 K68 | A217 |
| KNUX150410L25 KCU10 | A217 |
| KNUX150410R20 K68 | A217 |
| KNUX150410R20 KC5010 | A217 |
| KNUX150410R25 K68 | A217 |
| KNUX150410R25 KCU10 | A217 |
| KR32AVS00B099MCLB | B48 |
| KR32AVS0B116MCLB | B48 |
| KR32AVS1B100MCLB | B48 |
| KR32AVS2B115MCLB | B48 |
| KR32AVS3B115MCLB | B48 |
| KRCSCFPR061W | B49 |
| KRCSCFPR061X | B49 |
| KRCSCFPR061Y | B49 |
| KRCSCFPR062W | B49 |
| KRCSCFPR062X | B49 |
| KRCSCFPR062Y | B49 |
| KRCSCFPR063W | B49 |
| KRCSCFPR063X | B49 |
| KRCSCFPR063Y | B49 |
| KSEM1270HPGM KCPM45 | B17 |
| KSEM1293HPGM KCPM45 | B17 |
| KSEM1300HPCCLM KC7410 | B14 |
| KSEM1400HPCCLM KC7410 | B14 |
| KSEM1400HPGM KCPM45 | B17 |
| KSEM1429HPGM KCPM45 | B17 |
| KSEM1500HPCCLM KC7410 | B14 |
| KSEM1600HPCCLM KC7410 | B14 |
| KSEM1609HPGM KCPM45 | B17 |
| KSEM1620HPGM KCPM45 | B17 |
| KSEM1667HPGM KCPM45 | B17 |
| KSEM1700HPCCLM KC7410 | B14 |
| KSEM1746HPGM KCPM45 | B17 |
| KSEM1800HPCCLM KC7410 | B14 |
| KSEM1800HPGM KCPM45 | B17 |
| KSEM1826HPGM KCPM45 | B17 |
| KSEM1900HPCCLM KC7410 | B14 |
| KSEM1900HPGM KCPM45 | B17 |
| KSEM1905HPGM KCPM45 | B17 |
| KSEM1925HPGM KCPM45 | B17 |
| KSEM1927HPGM KCPM45 | B17 |
| KSEM1950HPGM KCPM45 | B17 |
| KSEM1984HPGM KCPM45 | B17 |
| KSEM2000HPCCLM KC7410 | B14 |
| KSEM2000HPGM KCPM45 | B17 |
| KSEM2064HPGM KCPM45 | B17 |
| KSEM2100HPCCLM KC7410 | B14 |
| KSEM2100HPGM KCPM45 | B17 |
| KSEM2200HPCCLM KC7410 | B14 |
| KSEM2200HPGM KCPM45 | B17 |
| KSEM2223HPGM KCPM45 | B17 |
| KSEM2300HPCCLM KC7410 | B14 |
| KSEM2300HPGM KCPM45 | B17 |
| KSEM2381HPGM KCPM45 | B17 |
| KSEM2400HPCCLM KC7410 | B14 |
| KSEM2400HPGM KCPM45 | B17 |
| KSEM2500HPCCLM KC7410 | B14 |
| KSEM2500HPGM KCPM45 | B17 |
| KSEM2540HPGM KCPM45 | B17 |
| KSEM2560HPGM KCPM45 | B17 |
| KSEM2565HPGM KCPM45 | B17 |
| KSEM2567HPGM KCPM45 | B17 |
| KSEM2581HPGM KCPM45 | B17 |
| KSEM2600HPCCLM KC7410 | B14 |
| KSEM2600HPGM KCPM45 | B17 |
| KSEM2619HPGM KCPM45 | B17 |
| KSEM2700HPCCLM KC7410 | B14 |
| KSEM2700HPGM KCPM45 | B17 |
| KSEM2800HPCCLM KC7410 | B14 |
| KSEM2800HPGM KCPM45 | B17 |
| KSEM2858HPGM KCPM45 | B17 |
| KSEM2900HPCCLM KC7410 | B14 |
| KSEM3000HPCCLM KC7410 | B14 |
| KSEM3000HPGM KCPM45 | B17 |
| KSEM3016HPGM KCPM45 | B17 |
| KSEM3100HPCCLM KC7410 | B14 |
| KSEM3175HPGM KCPM45 | B17 |
| KSEM3200HPCCLM KC7410 | B14 |
| KSEM3200HPGM KCPM45 | B17 |
| KSEM3300HPGM KCPM45 | B17 |
| KSEM3334HPGM KCPM45 | B17 |
| KSEM3600HPGM KCPM45 | B17 |
| KSEM3810HPGM KCPM45 | B17 |
| KSEM4000HPGM KCPM45 | B17 |
| KSEMP10160FDS90A1M | B5, B8 |
| KSEMP10160FDS90B1M | B7, B10 |
| KSEMP1300HPGM KC7315 | B14 |
| KSEMP1400HPGM KC7315 | B14 |
| KSEMP1500HPGM KC7315 | B14 |
| KSEMP1600HPGM KC7315 | B14 |
| KSEMP1700HPGM KC7315 | B14 |
| KSEMP1800HPGM KC7315 | B14 |
| KSEMP1900HPGM KC7315 | B14 |
| KSEMP2000HPGM KC7315 | B14 |
| KSEMP2100HPGM KC7315 | B14 |
| KSEMP2200HPGM KC7315 | B14 |
| KSEMP2300HPGM KC7315 | B14 |
| KSEMP2400HPGM KC7315 | B14 |
| KSEMP2500HPGM KC7315 | B14 |
| KSEMP2600HPGM KC7315 | B14 |
| KSEMP2700HPGM KC7315 | B14 |
| KSEMP2800FDS28A1M | B4, B8 |
| KSEMP2800FDS28B1M | B6, B10, B20 |
| KSEMP2800HPGM KC7315 | B14 |
| KSEMP2858FDS28A1M | B4, B8 |
| KSEMP2858FDS28B1M | B6, B10, B20 |
| KSEMP2900FDS28A1M | B4, B8 |
| KSEMP2900FDS28B1M | B6, B10, B20 |
| KSEMP2900HPGM KC7315 | B14 |
| KSEMP2937FDS28A1M | B4, B8 |
| KSEMP2937FDS28B1M | B6, B10, B20 |
| KSEMP3000FDS28A1M | B4, B8 |
| KSEMP3000FDS28B1M | B6, B10, B20 |
| KSEMP3000HPGM KC7315 | B14 |
| KSEMP3017FDS28A1M | B4, B8 |
| KSEMP3017FDS28B1M | B6, B10, B20 |
| KSEMP3096FDS28A1M | B4, B8 |
| KSEMP3096FDS28B1M | B6, B10, B20 |
| KSEMP3100FDS28A1M | B4, B8 |
| KSEMP3100FDS28B1M | B6, B10, B20 |
| KSEMP3100HPGM KC7315 | B14 |
| KSEMP3175FDS32A1M | B4, B8 |
| KSEMP3175FDS32B1M | B6, B10, B20 |
| KSEMP3200FDS32A1M | B4, B8 |
| KSEMP3200FDS32B1M | B6, B10, B20 |
| KSEMP3200HPGM KC7315 | B14 |
| KSEMP3300FDS32A1M | B4, B8 |
| KSEMP3300FDS32B1M | B6, B10, B20 |
| KSEMP3300HPGM KC7315 | B14 |
| KSEMP3320FDS32A1M | B4, B8 |
| KSEMP3320FDS32B1M | B6, B10, B20 |
| KSEMP3334FDS32A1M | B4, B8 |
| KSEMP3334FDS32B1M | B6, B10, B20 |
| KSEMP3400FDS32A1M | B4, B8 |
| KSEMP3400FDS32B1M | B6, B10, B20 |
| KSEMP3400HPGM KC7315 | B14 |
| KSEMP3493FDS32A1M | B4, B8 |
| KSEMP3493FDS32B1M | B6, B10, B20 |
| KSEMP3500FDS32A1M | B4, B8 |
| KSEMP3500FDS32B1M | B6, B10, B20 |
| KSEMP3600FDS36A1M | B4, B8 |
| KSEMP3600FDS36B1M | B6, B10, B20 |
| KSEMP3651FDS36A1M | B4, B8 |
| KSEMP3651FDS36B1M | B6, B11, B20 |
| KSEMP3700FDS36A1M | B4, B8 |
| KSEMP3700FDS36B1M | B6, B11, B20 |
| KSEMP3750FDS36A1M | B4, B8 |
| KSEMP3750FDS36B1M | B6, B11, B20 |
| KSEMP3800FDS36A1M | B4, B9 |
| KSEMP3800FDS36B1M | B6, B11, B20 |
| KSEMP3810FDS36A1M | B4, B8 |
| KSEMP3810FDS36B1M | B6, B11, B20 |
| KSEMP3900FDS36A1M | B4, B9 |
| KSEMP3900FDS36B1M | B6, B11, B20 |
| KSEMP3920FDS36A1M | B4, B9 |
| KSEMP3920FDS36B1M | B6, B11, B20 |
| KSEMP3970FDS36A1M | B4, B8 |
| KSEMP3970FDS36B1M | B6, B11, B20 |
| KSEMP4000FDS40A1M | B4, B9 |
| KSEMP4000FDS40B1M | B6, B11, B20 |
| KSEMP4100FDS40A1M | B4, B9 |
| KSEMP4100FDS40B1M | B6, B11, B20 |
| KSEMP4128FDS40A1M | B4, B8 |
| KSEMP4128FDS40B1M | B6, B11, B20 |
| KSEMP4200FDS40A1M | B4, B9 |
| KSEMP4200FDS40B1M | B6, B11, B20 |
| KSEMP4300FDS40A1M | B4, B9 |
| KSEMP4300FDS40B1M | B6, B11, B20 |
| KSEMP4400FDS40A1M | B4, B9 |
| KSEMP4400FDS40B1M | B6, B11, B20 |
| KSEMP4445FDS40A1M | B4, B8 |
| KSEMP4445FDS40B1M | B6, B11, B20 |
| KSEMP4500FDS45A1M | B4, B9 |
| KSEMP4500FDS45B1M | B6, B11, B21 |
| KSEMP4600FDS45A1M | B4, B9 |
| KSEMP4600FDS45B1M | B6, B11, B21 |
| KSEMP4700FDS45A1M | B4, B9 |
| KSEMP4700FDS45B1M | B6, B11, B21 |
| KSEMP4763FDS45A1M | B4, B8 |
| KSEMP4763FDS45B1M | B6, B11, B21 |
| KSEMP4800FDS45A1M | B4, B9 |
| KSEMP4800FDS45B1M | B6, B11, B21 |

| Catalogue No. | Page(s) |
|---|---|
| KSEMP4900FDS45A1M | B4, B9 |
| KSEMP4900FDS45B1M | B6, B11, B21 |
| KSEMP5000FDS50A1M | B5, B8 |
| KSEMP5000FDS50B1M | B7, B11, B21 |
| KSEMP5080FDS50A1M | B5, B8 |
| KSEMP5080FDS50B1M | B7, B11, B21 |
| KSEMP5100FDS50A1M | B5, B9 |
| KSEMP5100FDS50B1M | B7, B11, B21 |
| KSEMP5200FDS50A1M | B5, B9 |
| KSEMP5200FDS50B1M | B7, B11, B21 |
| KSEMP5300FDS50A1M | B5, B9 |
| KSEMP5300FDS50B1M | B7, B11, B21 |
| KSEMP5398FDS50A1M | B5, B8 |
| KSEMP5398FDS50B1M | B7, B11, B21 |
| KSEMP5400FDS50A1M | B5, B9 |
| KSEMP5400FDS50B1M | B7, B11, B21 |
| KSEMP5500FDS50A1M | B5, B9 |
| KSEMP5500FDS50B1M | B7, B11, B21 |
| KSEMP5600FDS56A1M | B5, B9 |
| KSEMP5600FDS56B1M | B7, B11, B21 |
| KSEMP5700FDS56A1M | B5, B9 |
| KSEMP5700FDS56B1M | B7, B11, B21 |
| KSEMP5715FDS56A1M | B5, B8 |
| KSEMP5715FDS56B1M | B7, B11, B21 |
| KSEMP5800FDS56A1M | B5, B9 |
| KSEMP5800FDS56B1M | B7, B11, B21 |
| KSEMP5900FDS56A1M | B5, B9 |
| KSEMP5900FDS56B1M | B7, B11, B21 |
| KSEMP6000FDS56A1M | B5, B9 |
| KSEMP6000FDS56B1M | B7, B11, B21 |
| KSEMP6033FDS56A1M | B5, B8 |
| KSEMP6033FDS56B1M | B7, B11, B21 |
| KSEMP6100FDS56A1M | B5, B9 |
| KSEMP6100FDS56B1M | B7, B11, B21 |
| KSEMP6200FDS56A1M | B5, B9 |
| KSEMP6200FDS56B1M | B7, B11, B21 |
| KSEMP6300FDS63A1M | B5, B9 |
| KSEMP6300FDS63B1M | B7, B11, B21 |
| KSEMP6350FDS63A1M | B5, B8 |
| KSEMP6350FDS63B1M | B7, B11, B21 |
| KSEMP6400FDS63A1M | B5, B9 |
| KSEMP6400FDS63B1M | B7, B11, B21 |
| KSEMP6500FDS63A1M | B5, B9 |
| KSEMP6500FDS63B1M | B7, B11, B21 |
| KSEMP6600FDS63A1M | B5, B9 |
| KSEMP6600FDS63B1M | B7, B11, B21 |
| KSEMP6668FDS63A1M | B5, B8 |
| KSEMP6668FDS63B1M | B7, B11, B21 |
| KSEMP6700FDS63A1M | B5, B9 |
| KSEMP6700FDS63B1M | B7, B11, B21 |
| KSEMP6800FDS63A1M | B5, B9 |
| KSEMP6800FDS63B1M | B7, B11, B21 |
| KSEMP6900FDS63A1M | B5, B9 |
| KSEMP6900FDS63B1M | B7, B11, B21 |
| KSEMP6985FDS63A1M | B5, B8 |
| KSEMP6985FDS63B1M | B7, B11, B21 |
| KSEMP7000FDS63A1M | B5, B8 |
| KSEMP7000FDS63B1M | B7, B11, B21 |
| KSEMP7200FDS71A1M | B5 |
| KSEMP7400FDS71A1M | B8 |
| KSEMP7600FDS71A1M | B8 |
| KSEMP7620FDS71A1M | B5, B8 |
| KSEMP7620FDS71B1M | B7, B11, B21 |
| KSEMP7800FDS71A1M | B5, B8 |
| KSEMP8000FDS80A1M | B5, B8 |
| KSEMP8200FDS80A1M | B5, B8 |
| KSEMP8255FDS80A1M | B5, B8 |
| KSEMP8255FDS80B1M | B7, B11, B21 |
| KSEMP8400FDS80A1M | B5, B8 |
| KSEMP8600FDS80A1M | B5, B8 |
| KSEMP8800FDS80A1M | B5, B8 |
| KSEMP8890FDS80A1M | B5, B8 |
| KSEMP8890FDS80B1M | B7, B11, B21 |
| KSEMP9000FDS90A1M | B5, B8 |
| KSEMP9200FDS90A1M | B5, B8 |
| KSEMP9400FDS90A1M | B5, B8 |
| KSEMP9525FDS90A1M | B5, B8 |
| KSEMP9525FDS90B1M | B7, B11, B21 |
| KSEMP9600FDS90A1M | B5, B8 |
| KSEMP9800FDS90A1M | B5, B8 |
| KSOM32Z03A320F06X | D4 |
| KSOM32Z03M160F06X | D4 |
| KSOM40Z04M160F06X | D4 |
| KSOM40Z040F06X | D5 |
| KSOM50Z060F06X | D5 |
| KSOM63Z070F06X | D5 |
| KSOM80Z090F06X | D5 |
| KSSM100Z07SD14BB-HF | D32 |
| KSSM100Z10SD14BB-HF | D32 |
| KSSM125Z09SD14BB-HF | D32 |
| KSSM125Z12SD14BB-HF | D32 |
| KSSM50Z04SD14BB-HF | D32 |
| KSSM50Z05SD14BB-HF | D32 |
| KSSM52Z05SD14BB-HF | D32 |
| KSSM63Z05SD14BB-HF | D32 |
| KSSM63Z06SD14BB-HF | D32 |
| KSSM66Z06SD14BB-HF | D32 |
| KSSM80Z06SD14BB-HF | D32 |
| KSSM80Z07SD14BB-HF | D32 |
| KST115115AS | B31, B33, B43 |
| KST135155AS | B31, B33, B34 |
| KST175200AS | B32–B34 |
| KST175200RK | B32–B34 |
| KST175CS | B32–B34 |
| KST200CS | B32–B34 |
| KST250250AS | B32–B34 |
| KST250250RK | B32–B34 |
| KST250CS | B32–B34 |
| KST300350AS | B32–B34 |
| KST300350RK | B32–B34 |
| KST300CS | B32–B34 |
| KST350CS | B32–B34 |
| LMB200025 | E9 |
| LNA050M | E26 |
| LNA075M | E26 |
| LNA100M | E26 |
| LNA150M | E26 |
| LNHSER16M | E27 |
| LNHSER20M | E27 |
| LNSER25M | E27 |
| LNSER32M | E27 |
| LNSER40M | E27 |
| MS-2071 | D68–D69 |
| MS111 | A222–A224, A228, A232 |
| MS1160 | A204, A205 |
| MS1162 | E19 |
| MS1220 | A229 |
| MS1221 | A228 |
| MS1234 | D32, E31–E32 |
| MS1242 | D41, D48, D52, D64, D69 |
| MS1242CG | D64, D69 |
| MS1294 | D5, D41, D48, D57, D64 |
| MS1294CG | D64 |
| MS1336 | D48, D64 |
| MS1489 | E18 |
| MS1490 | A204–A205, E18 |
| MS1595 | A204–A205 |
| MS1861 | B42 |
| MS1944 | A204–A205 |
| MS1970 | A204–A205 |
| MS2002 | E19 |
| MS2038 | D32, D41, D48, D52, D57, D64, D69 |
| MS2038CG | D64, D69 |
| MS2072CG | D64 |
| MS2077 | D62–D64 |
| MS2078 | D32 |
| MS2091 | A204–A205 |
| MS2187C | D32, D52, D69 |
| MS2189C | D25, D32, D48, D52, D64, D69 |
| MS2219 | D18–D19 |
| MS2260 | D52 |
| MS412 | A225–A227, A230, A231 |
| MS518 | A224–A231 |
| MS524 | A221–A223, A227–A228, A232 |
| MS624 | A228, A232 |
| MS625 | A222–A224 |
| MS959 | A221–A232 |
| NKLCL1616H11 | A221 |
| NKLCL2020K11 | A221 |
| NKLCL2525M11 | A221 |
| NKLCLF1616K11Q | A221 |
| NKLCR1212F11 | A221 |
| NKLCR1616H11 | A221 |
| NKLCR2020K11 | A221 |
| NKLCR2525M11 | A221 |
| NKLCRF1212M11Q | A221 |
| NKLCRF1616K11Q | A221 |
| NKLNL2020K15 | A222 |
| NKLNL2525M15 | A222 |
| NKLNR2020K15 | A222 |
| NKLNR2525M15 | A222 |
| NKLNR3225P15 | A222 |
| NKNCL1616H11 | A222 |
| NKNCR1616H11 | A222 |
| NKNNL2020K15 | A223 |
| NKNNL2525M15 | A223 |
| NKNNR2020K15 | A223 |
| NKNNR2525M15 | A223 |
| NKXCL1616H11 | A223 |
| NKXCR1212F11 | A223 |
| NKXCR1616H11 | A223 |
| NKXNL2525M15 | A224 |
| NKXNR2525M15 | A224 |
| NVHBL1616H11 | A224 |
| NVHBL2020K11 | A224 |
| NVHBL2525M11 | A224 |
| NVHBR1616H11 | A224 |
| NVHBR2020K11 | A224 |
| NVHBR2525M11 | A224 |
| NVLBL2020K11 | A225 |
| NVLBL2525M11 | A225 |
| NVLBR1616H11 | A225 |
| NVLBR2020K11 | A225 |
| NVLBR2525M11 | A225 |
| NVLCL1616H16 | A225 |
| NVLCL2020K16 | A225 |
| NVLCL2525M16 | A225 |
| NVLCL3225P16 | A225 |
| NVLCR1616H16 | A225 |
| NVLCR2020K16 | A225 |
| NVLCR2525M16 | A225 |
| NVLCR3225P16 | A225 |
| NVOCL2020K16 | A226 |
| NVOCL2525M16 | A226 |
| NVOCR2020K16 | A226 |
| NVOCR2525M16 | A226 |
| NVVBN2020K11 | A226 |
| NVVBN2525M11 | A226 |
| NVVCN1616H16 | A227 |
| NVVCN2020K16 | A227 |
| NVVCN2525M16 | A227 |
| OEW25M | E27 |
| OEW30M | E27 |
| OFKT06L5AFENGB KC520M | D6 |
| OFKT06L5AFENGB KC522M | D6 |
| OFKT06L5AFENGB KC725M | D6 |
| OFKT06L5AFENGB KCK15 | D6 |
| OFKT06L5AFENGB KCPK30 | D6 |
| OFKT06L5AFENGB KCPM20 | D6 |
| OFKT06L5AFENLB KC522M | D6 |
| OFKT06L5AFENLB KC725M | D6 |
| OFKT06L5AFENLB KCK15 | D6 |
| OFKT06L5AFENLB KCPK30 | D6 |
| OFKT06L5AFSNLB KC520M | D6 |
| OFKT06L5AFSNLB KC522M | D6 |
| OFKT06L5AFSNLB KC725M | D6 |
| OFKT06L5AFSNLB KCPK30 | D6 |
| OFPT06L5AFSNHB KC520M | D6 |
| OFPT06L5AFSNHB KC725M | D6 |
| OFPT06L5AFSNHB KCK15 | D6 |
| OFPT06L5AFSNHB KCPK30 | D6 |
| OFPT06L5AFSNHB KCPM20 | D6 |
| OR01046139V75 | E9 |
| OR01109139V75 | E9 |
| OR01925103V75 | E9 |
| PMT04525 | E19 |
| PMT04526 | E20, E21 |
| RCGH120400 KC5510 | A99 |
| RCGH120400 KCU10 | A99 |
| RCGH120400MP KCS10 | A99 |
| RCGT0803M0HP K313 | A99 |
| RCGT0803M0HP K68 | A99 |
| RCGT0803M0HP KC5010 | A99 |
| RCGT0803M0HP KC5025 | A99 |
| RCGT0803M0HP KC5410 | A99 |
| RCGT0803M0HP KCU10 | A99 |
| RCGT0803M0HP KCU25 | A99 |
| RCGT0803M0MS KC5010 | A99 |
| RCGT0803M0MS KCU10 | A99 |
| RCGT0803M0MS KCU25 | A99 |
| RCGT0803M0RP KCP25 | A100–A101 |
| RCGT0803M0RP KCP30 | A101 |
| RCGT10T3M0HP K313 | A99 |
| RCGT10T3M0HP KC5010 | A99 |
| RCGT10T3M0HP KC5025 | A99 |
| RCGT10T3M0HP KC5410 | A99 |
| RCGT10T3M0HP KCU25 | A99 |
| RCGT1204M0HP K313 | A99 |
| RCGT1204M0HP KC5010 | A99 |
| RCGT1204M0HP KC5025 | A99 |
| RCGT1204M0HP KCU25 | A99 |
| RCGT1204M0MS KC5010 | A99 |
| RCGT1204M0MS KCU10 | A99 |
| RCGT1204M0MS KCU25 | A99 |
| RCGT1204M0RP KCP25 | A100 |
| RCGT1606M0MS KC5025 | A99 |
| RCGT1606M0MS KCU10 | A99 |
| RCGT1606M0MS KCU25 | A99 |
| RCGV060400 KC5010 | A83 |
| RCGV060400 KCU10 | A83 |
| RCGV090700 KC5010 | A83 |
| RCGV090700 KCU10 | A83 |
| RCGV120700 K313 | A83 |
| RCGV120700 KC5010 | A83 |
| RCGV120700 KCU10 | A83 |
| RCGX060400MP KCS10 | A83 |
| RCGX090700MP KCS10 | A83 |
| RCGX1003M0MS KCU25 | A99 |
| RCGX1003M0RP KCP25 | A100 |
| RCGX120700MP KCS10 | A83 |

| Catalogue No. | Page(s) |
|---|---|
| RCGX190600ELF KCU10 | A56 |
| RCGX190600ELF KU10 | A56 |
| RCMT060200 KC5010 | A100 |
| RCMT060200 KCM25 | A100 |
| RCMT060200 KCP25 | A100 |
| RCMT0602M0 K313 | A100 |
| RCMT0602M0 K68 | A100 |
| RCMT0602M0 KC5010 | A100 |
| RCMT0602M0 KCK20 | A100 |
| RCMT0602M0 KCM25 | A100 |
| RCMT0602M0 KCP25 | A100 |
| RCMT0602M0 KCP30 | A100 |
| RCMT0803M0 K313 | A100 |
| RCMT0803M0 KC5010 | A100 |
| RCMT0803M0 KCK20 | A100 |
| RCMT0803M0 KCM25 | A100 |
| RCMT0803M0 KCP25 | A100 |
| RCMT0803M0 KCP30 | A100 |
| RCMT0803M0MP KCS10 | A100 |
| RCMT09T300 K313 | A100 |
| RCMT09T300 KC5010 | A100 |
| RCMT09T300 KC5410 | A100 |
| RCMT09T300 KCK20 | A100 |
| RCMT09T300 KCM25 | A100 |
| RCMT09T300 KCP25 | A100 |
| RCMT10T3M0 KC5010 | A100 |
| RCMT10T3M0 KCK20 | A100 |
| RCMT10T3M0 KCM25 | A100 |
| RCMT10T3M0 KCP25 | A100 |
| RCMT10T3M0 KCP30 | A100 |
| RCMT10T3M0MP KCS10 | A100 |
| RCMT120400 KCK20 | A100 |
| RCMT120400 KCM25 | A100 |
| RCMT1204M0 K313 | A100 |
| RCMT1204M0 KC5010 | A100 |
| RCMT1204M0 KCK20 | A100 |
| RCMT1204M0 KCM25 | A100 |
| RCMT1204M0 KCP30 | A100 |
| RCMT1204M0RP KCK15 | A100–A101 |
| RCMT1204M0RP KCK20 | A100–A101 |
| RCMT1204M0RP KCP10 | A100–A101 |
| RCMT1204M0RP KCP25 | A100–A101 |
| RCMT1605M0 K313 | A100 |
| RCMT1605M0 KC5010 | A100 |
| RCMT1605M0 KCK20 | A100 |
| RCMT1605M0 KCM25 | A100 |
| RCMT1605M0 KCP25 | A100 |
| RCMT1606M0MP KCS10 | A100 |
| RCMT1606M0RP KCK15 | A100–A101 |
| RCMT1606M0RP KCP10 | A100–A101 |
| RCMT1606M0RP KCP25 | A100–A101 |
| RCMT2006M0 K313 | A100 |
| RCMT2006M0 KC5010 | A100 |
| RCMT2006M0 KCK20 | A100 |
| RCMT2006M0 KCM25 | A100 |
| RCMT2006M0 KCP25 | A100 |
| RCMT2006M0 KCP30 | A100 |
| RCMT2006M0RH KCP10 | A101 |
| RCMT2006M0RH KCP25 | A101 |
| RCMT2006M0RM KCP25 | A101 |
| RCMT2006M0RP KCK20 | A100–A101 |
| RCMT2006M0RP KCM25 | A100–A101 |
| RCMT2006M0RP KCP25 | A100–A101 |
| RCMX1003M0RP KCP10 | A100–A101 |
| RCMX1003M0RP KCP25 | A100–A101 |
| RCMX1003M0RP KCP30 | A100–A101 |
| RCMX2507M0RH KCP10 | A101 |
| RCMX2507M0RH KCP25 | A101 |
| RCMX2507M0RP KCP25 | A100–A101 |
| RCMX2507M0RP KCP30 | A100–A101 |
| RCMX3209M0RH KCP10 | A101 |
| RCMX3209M0RH KCP25 | A101 |
| RCMX3209M0RP KCP25 | A100–A101 |
| RHME14000KST115H6HF KC6005 | B30 |
| RHME14000KST115H6HF KC6305 | B30 |
| RHME14000KST115H6SF KC6005 | B29 |
| RHME14000KST115H6SF KC6305 | B29 |
| RHME14288KST115H6HF KC6005 | B30 |
| RHME14288KST115H6HF KC6305 | B30 |
| RHME14288KST115H6SF KC6005 | B29 |
| RHME14288KST115H6SF KC6305 | B29 |
| RHME15000KST115H6HF KC6005 | B30 |
| RHME15000KST115H6HF KC6305 | B30 |
| RHME15000KST115H6SF KC6005 | B29 |
| RHME15000KST115H6SF KC6305 | B29 |
| RHME16000KST135H6HF KC6005 | B30 |
| RHME16000KST135H6HF KC6305 | B30 |
| RHME16000KST135H6SF KC6005 | B29 |
| RHME16000KST135H6SF KC6305 | B29 |
| RHME17000KST135H6HF KC6005 | B30 |
| RHME17000KST135H6HF KC6305 | B30 |
| RHME17000KST135H6SF KC6005 | B29 |
| RHME17000KST135H6SF KC6305 | B29 |
| RHME17463KST135H6HF KC6005 | B30 |
| RHME17463KST135H6HF KC6305 | B30 |
| RHME17463KST135H6SF KC6005 | B29 |
| RHME17463KST135H6SF KC6305 | B29 |
| RHME18000KST155H6HF KC6005 | B30 |
| RHME18000KST155H6HF KC6305 | B30 |
| RHME18000KST155H6SF KC6005 | B29 |
| RHME18000KST155H6SF KC6305 | B29 |
| RHME19000KST155H6HF KC6005 | B30 |
| RHME19000KST155H6HF KC6305 | B30 |
| RHME19000KST155H6SF KC6005 | B29 |
| RHME19000KST155H6SF KC6305 | B29 |
| RHME19050KST155H6HF KC6005 | B30 |
| RHME19050KST155H6HF KC6305 | B30 |
| RHME19050KST155H6SF KC6005 | B29 |
| RHME19050KST155H6SF KC6305 | B29 |
| RHME20000KST175H6HF KC6005 | B30 |
| RHME20000KST175H6HF KC6305 | B30 |
| RHME20000KST175H6SF KC6005 | B29 |
| RHME20000KST175H6SF KC6305 | B29 |
| RHME21000KST175H6HF KC6005 | B30 |
| RHME21000KST175H6HF KC6305 | B30 |
| RHME21000KST175H6SF KC6005 | B29 |
| RHME21000KST175H6SF KC6305 | B29 |
| RHME22000KST175H6HF KC6005 | B30 |
| RHME22000KST175H6HF KC6305 | B30 |
| RHME22000KST175H6SF KC6005 | B29 |
| RHME22000KST175H6SF KC6305 | B29 |
| RHME22225KST175H6HF KC6005 | B30 |
| RHME22225KST175H6HF KC6305 | B30 |
| RHME22225KST175H6SF KC6005 | B29 |
| RHME22225KST175H6SF KC6305 | B29 |
| RHME23000KST200H6HF KC6005 | B30 |
| RHME23000KST200H6HF KC6305 | B30 |
| RHME23000KST200H6SF KC6005 | B29 |
| RHME23000KST200H6SF KC6305 | B29 |
| RHME23813KST200H6HF KC6005 | B30 |
| RHME23813KST200H6HF KC6305 | B30 |
| RHME23813KST200H6SF KC6005 | B29 |
| RHME23813KST200H6SF KC6305 | B29 |
| RHME24000KST200H6HF KC6005 | B30 |
| RHME24000KST200H6HF KC6305 | B30 |
| RHME24000KST200H6SF KC6005 | B29 |
| RHME24000KST200H6SF KC6305 | B29 |
| RHME25000KST200H6HF KC6005 | B30 |
| RHME25000KST200H6HF KC6305 | B30 |
| RHME25000KST200H6SF KC6005 | B29 |
| RHME25000KST200H6SF KC6305 | B29 |
| RHME25400KST200H6HF KC6005 | B30 |
| RHME25400KST200H6HF KC6305 | B30 |
| RHME25400KST200H6SF KC6005 | B29 |
| RHME25400KST200H6SF KC6305 | B29 |
| RHME26000KST200H6HF KC6005 | B30 |
| RHME26000KST200H6HF KC6305 | B30 |
| RHME26000KST200H6SF KC6005 | B29 |
| RHME26000KST200H6SF KC6305 | B29 |
| RHME27000KST200H6HF KC6005 | B30 |
| RHME27000KST200H6HF KC6305 | B30 |
| RHME27000KST200H6SF KC6005 | B29 |
| RHME27000KST200H6SF KC6305 | B29 |
| RHME28000KST250H6HF KC6005 | B30 |
| RHME28000KST250H6HF KC6305 | B30 |
| RHME28000KST250H6SF KC6005 | B29 |
| RHME28000KST250H6SF KC6305 | B29 |
| RHME30000KST250H6HF KC6005 | B30 |
| RHME30000KST250H6HF KC6305 | B30 |
| RHME30000KST250H6SF KC6005 | B29 |
| RHME30000KST250H6SF KC6305 | B29 |
| RHME31750KST250H6HF KC6005 | B30 |
| RHME31750KST250H6HF KC6305 | B30 |
| RHME31750KST250H6SF KC6005 | B29 |
| RHME31750KST250H6SF KC6305 | B29 |
| RHME32000KST250H6HF KC6005 | B30 |
| RHME32000KST250H6HF KC6305 | B30 |
| RHME32000KST250H6SF KC6005 | B29 |
| RHME32000KST250H6SF KC6305 | B29 |
| RHME34000KST300H6HF KC6005 | B30 |
| RHME34000KST300H6HF KC6305 | B30 |
| RHME34000KST300H6SF KC6005 | B29 |
| RHME34000KST300H6SF KC6305 | B29 |
| RHME36000KST300H6HF KC6005 | B30 |
| RHME36000KST300H6HF KC6305 | B30 |
| RHME36000KST300H6SF KC6005 | B29 |
| RHME36000KST300H6SF KC6305 | B29 |
| RHME38000KST350H6HF KC6005 | B30 |
| RHME38000KST350H6HF KC6305 | B30 |
| RHME38000KST350H6SF KC6005 | B29 |
| RHME38000KST350H6SF KC6305 | B29 |
| RHME40000KST350H6HF KC6005 | B30 |
| RHME40000KST350H6HF KC6305 | B30 |
| RHME40000KST350H6SF KC6005 | B29 |
| RHME40000KST350H6SF KC6305 | B29 |
| RHME42000KST350H6HF KC6005 | B30 |
| RHME42000KST350H6HF KC6305 | B30 |
| RHME42000KST350H6SF KC6005 | B29 |
| RHME42000KST350H6SF KC6305 | B29 |
| RMBE14000H6HF KC6005 | B27 |
| RMBE14000H6HF KC6305 | B27 |
| RMBE14000H6SF KC6005 | B26 |
| RMBE14000H6SF KC6305 | B26 |
| RMBE15000H6HF KC6005 | B27 |
| RMBE15000H6HF KC6305 | B27 |
| RMBE15000H6SF KC6005 | B26 |
| RMBE15000H6SF KC6305 | B26 |
| RMBE16000H6HF KC6005 | B27 |
| RMBE16000H6HF KC6305 | B27 |
| RMBE16000H6SF KC6005 | B26 |
| RMBE16000H6SF KC6305 | B26 |
| RMBE17000H6HF KC6005 | B27 |
| RMBE17000H6HF KC6305 | B27 |
| RMBE17000H6SF KC6005 | B26 |
| RMBE17000H6SF KC6305 | B26 |
| RMBE18000H6HF KC6005 | B27 |
| RMBE18000H6HF KC6305 | B27 |
| RMBE18000H6SF KC6005 | B26 |
| RMBE18000H6SF KC6305 | B26 |
| RMBE19000H6HF KC6005 | B27 |
| RMBE19000H6HF KC6305 | B27 |
| RMBE19000H6SF KC6005 | B26 |
| RMBE19000H6SF KC6305 | B26 |
| RMBE20000H6HF KC6005 | B27 |
| RMBE20000H6HF KC6305 | B27 |
| RMBE20000H6SF KC6005 | B26 |
| RMBE20000H6SF KC6305 | B26 |
| RNGJ10T3M0ELD KCMP30 | D42 |
| RNGJ10T3M0ELDJ KC522M | D42 |
| RNGJ10T3M0ELDJ KC725M | D42 |
| RNGJ10T3M0FLDJ KC422M | D42 |
| RNGJ10T3M0SGD KCMP30 | D42 |
| RNGJ10T3M0SGDJ KC522M | D42 |
| RNGJ10T3M0SGDJ KC725M | D42 |
| RNGJ1204M0ELD KC522M | D49 |
| RNGJ1204M0ELD KC725M | D49 |
| RNGJ1204M0ELD KCPK30 | D49 |
| RNGJ1204M0ENLDJX KC522M | D58 |
| RNGJ1204M0ENLDJX KC725M | D58 |
| RNGJ1204M0ENLDX KCMP30 | D58 |
| RNGJ1204M0FLDJ KC422M | D49 |
| RNGJ1204M0SGD KC522M | D49 |
| RNGJ1204M0SGD KC725M | D49 |
| RNGJ1204M0SGD KCPK30 | D49 |
| RNGJ1204M0SHD KC725M | D49 |
| RNGJ1204M0SHD KCK15 | D49 |
| RNGJ1204M0SHD KCPK30 | D49 |
| RNGJ1204M0SHD KCPM20 | D49 |
| RNGJ1204M0SNGDJX KC522M | D58 |
| RNGJ1204M0SNGDJX KC725M | D58 |
| RNGJ1204M0SNGDX KCMP30 | D58 |
| RNGJ1605M0ELD KCMP30 | D53 |
| RNGJ1605M0ELDJ KC522M | D53 |
| RNGJ1605M0ELDJ KC725M | D53 |
| RNMA120400 K68 | A56 |
| RNMA120400 KCK05 | A56 |
| RNMA120400 KCK15 | A56 |
| RNMA120400 KCK20 | A56 |
| RNMA150600 K68 | A56 |
| RNMG090300RN KCP10 | A56 |
| RNMG090300RN KCP10B | A56 |
| RNMG090300RN KCP25 | A56 |
| RNMG090300RN KCP25B | A56 |
| RNMG120400RN KC5010 | A56 |
| RNMG120400RN KC5510 | A56 |
| RNMG120400RN KCP10 | A56 |
| RNMG120400RN KCP10B | A56 |
| RNMG120400RN KCP25 | A56 |
| RNMG120400RN KCP25B | A56 |
| RNMG120400RN KCP30 | A56 |
| RNMG120400RN KCU10 | A56 |
| RNMG120400UN KCK15 | A57 |
| RNMG120400UN KCK15B | A57 |
| RNMG120400UN KCK20 | A57 |
| RNMG150600RN KCP10 | A56 |
| RNMG150600RN KCP25 | A56 |
| RNMG150600RN KCP30 | A56 |
| RNMG190600 K313 | A56 |
| RNMG190600 KCP25 | A56 |
| RNMG190600 KCP40 | A56 |
| RNMG190600RN KC5010 | A56 |
| RNMG190600RN KCP10 | A56 |
| RNMG190600RN KCP25 | A56 |
| RNMG190600RN KCP30 | A56 |
| RNMG190600RN KCU10 | A56 |
| RNMG250900 KCP40 | A56 |
| RNMG250900RN KCP10 | A56 |
| RNMG250900RN KCP25 | A56 |
| RNMG250900RN KCP30 | A56 |
| RNMN090300E KBK35 | A181 |

| Catalogue No. | Page(s) |
|---|---|
| RNMN090300S02020 KB1340 | A181 |
| RNMN090300S02020 KBK35 | A181 |
| RNMN120300S02020 KB1340 | A181 |
| RNMN120400S02020 KB1340 | A181 |
| RNMN120400S02020 KBK35 | A181 |
| RNPJ10T3M0SGD KC510M | D42 |
| RNPJ10T3M0SGD KC522M | D42 |
| RNPJ10T3M0SGD KCPK30 | D42 |
| RNPJ10T3M0SHD KC520M | D42 |
| RNPJ10T3M0SHD KC725M | D42 |
| RNPJ10T3M0SHD KCK15 | D42 |
| RNPJ10T3M0SHD KCPK30 | D42 |
| RNPJ10T3M0SHD KCPM20 | D42 |
| RNPJ1204M0SHD KC520M | D49 |
| RNPJ1204M0SGD KC522M | D49 |
| RNPJ1204M0SGD KC725M | D49 |
| RNPJ1204M0SGD KCPK30 | D49 |
| RNPJ1204M0SHD KC725M | D49 |
| RNPJ1204M0SHD KCK15 | D49 |
| RNPJ1204M0SHD KCPK30 | D49 |
| RNPJ1204M0SHD KCPM20 | D49 |
| RNPJ1605M0SGD KC522M | D53 |
| RNPJ1605M0SGD KC725M | D53 |
| RNPJ1605M0SGD KCPK30 | D53 |
| RNPJ1605M0SHD KC725M | D53 |
| RNPJ1605M0SHD KCK15 | D53 |
| RNPJ1605M0SHD KCPK30 | D53 |
| RNPJ1605M0SHD KCPM20 | D53 |
| RPET1204M0ELE KCPK30 | D65 |
| RPET1204M0ELEJ KC422M | D65 |
| RPET1204M0ELEJ KC522M | D65 |
| RPET1204M0ELEJ KC725M | D65 |
| RPET1204M0SGE KCPK30 | D65 |
| RPET1204M0SGEJ KC522M | D65 |
| RPET1204M0SGEJ KC725M | D65 |
| RPET1605M0ELE KCPK30 | D70 |
| RPET1605M0ELEJ KC422M | D70 |
| RPET1605M0ELEJ KC522M | D70 |
| RPET1605M0ELEJ KC725M | D70 |
| RPET1605M0SGE KCPK30 | D70 |
| RPET1605M0SGEJ KC522M | D70 |
| RPET1605M0SGEJ KC725M | D70 |
| RPGN120300 K313 | A84 |
| RPGT060400MP KCS10 | A101 |
| RPGT090700MP KCS10 | A101 |
| RPGT120700MP KCS10 | A101 |
| RPGV060400 KC5510 | A84 |
| RPGV090700 KC5010 | A84 |
| RPGV090700 KC5510 | A84 |
| RPGV120700 KC5510 | A84 |
| RPGX090700MP KCS10 | A84 |
| RPGX120700MP KC5510 | A84 |
| RPGX120700MP KCS10 | A84 |
| RPPT1204M0SGDX KC725M | D65 |
| RPPT1204M0SGDX KCMP30 | D65 |
| RPPT1204M0SGP KC725M | D65 |
| RPPT1204M0SGP KCPK30 | D65 |
| RPPT1204M0SGP KCPM20 | D65 |
| RPPT1605M0SHP KC725M | D70 |
| RPPT1605M0SHP KCPK30 | D70 |
| RPPT1605M0SHP KCPM20 | D70 |
| RUDC0400B3BN KCPM15 | C56 |
| RUDC0500B3BN KCPM15 | C56 |
| RUDC0600B3BN KCPM15 | C56 |
| RUDC0800B3BN KCPM15 | C56 |
| RUDC1000B4BN KCPM15 | C56 |
| RUDC1200B4BN KCPM15 | C56 |
| RUDC1400B4BN KCPM15 | C56 |
| RUDC1600B4BN KCPM15 | C56 |
| RUDC1800B4BN KCPM15 | C56 |
| RUDC2000B4BN KCPM15 | C56 |
| RUDC2500B5BN KCPM15 | C56 |
| S-1786 | E9 |
| SCMT09T30411 KT315 | A102 |
| SCMT09T304FP KCK20 | A102 |
| SCMT09T304FP KCM15 | A102 |
| SCMT09T304FP KCM25 | A102 |
| SCMT09T304FP KCP10 | A102 |
| SCMT09T304FP KCP25 | A102 |
| SCMT09T304FP KCU10 | A102 |
| SCMT09T304FP KCU25 | A102 |
| SCMT09T304LF KC5010 | A102 |
| SCMT09T304LF KC5025 | A102 |
| SCMT09T304LF KCK05 | A102 |
| SCMT09T304LF KCK20 | A102 |
| SCMT09T304LF KCM15 | A102 |
| SCMT09T304LF KCM25 | A102 |
| SCMT09T304LF KCP10 | A102 |
| SCMT09T304LF KCP10B | A102 |
| SCMT09T304LF KCP25 | A102 |
| SCMT09T304LF KCP25B | A102 |
| SCMT09T304LF KCP30 | A102 |
| SCMT09T304LF KT315 | A102 |
| SCMT09T304MP KCK20 | A103 |
| SCMT09T304MP KCM15 | A103 |
| SCMT09T304MP KCM25 | A103 |
| SCMT09T304MP KCP25 | A103 |
| SCMT09T304MP KCU10 | A103 |
| SCMT09T30811 KT315 | A102 |
| SCMT09T308FP KCK20 | A102 |
| SCMT09T308FP KCM15 | A102 |
| SCMT09T308FP KCM25 | A102 |
| SCMT09T308FP KCP10 | A102 |
| SCMT09T308FP KCP25 | A102 |
| SCMT09T308FP KCP25B | A102 |
| SCMT09T308FP KCU10 | A102 |
| SCMT09T308FP KCU25 | A102 |
| SCMT09T308FP KTP10 | A102 |
| SCMT09T308LF KC5010 | A102 |
| SCMT09T308LF KC5025 | A102 |
| SCMT09T308LF KCK05 | A102 |
| SCMT09T308LF KCK15 | A102 |
| SCMT09T308LF KCK20 | A102 |
| SCMT09T308LF KCM15 | A102 |
| SCMT09T308LF KCM25 | A102 |
| SCMT09T308LF KCP10 | A102 |
| SCMT09T308LF KCP10B | A102 |
| SCMT09T308LF KCP25 | A102 |
| SCMT09T308LF KCP25B | A102 |
| SCMT09T308LF KCP30 | A102 |
| SCMT09T308MF KCK15 | A102 |
| SCMT09T308MF KCK20 | A102 |
| SCMT09T308MF KCM15 | A102 |
| SCMT09T308MF KCM25 | A102 |
| SCMT09T308MF KCM35 | A102 |
| SCMT09T308MF KCP10 | A102 |
| SCMT09T308MF KCP10B | A102 |
| SCMT09T308MF KCP25 | A102 |
| SCMT09T308MF KCP25B | A102 |
| SCMT09T308MP KCK20 | A103 |
| SCMT09T308MP KCM15 | A103 |
| SCMT09T308MP KCM25 | A103 |
| SCMT09T308MP KCP10 | A103 |
| SCMT09T308MP KCP25 | A103 |
| SCMT09T308MP KCP25B | A103 |
| SCMT09T308MP KCU10 | A103 |
| SCMT09T308UF KC5010 | A103 |
| SCMT09T308UF KCP05 | A103 |
| SCMT09T308UF KCP10 | A103 |
| SCMT09T312MF KCP10B | A102 |
| SCMT09T312MF KCP25B | A102 |
| SCMT12040411 KT315 | A102 |
| SCMT12040404FP KCM25 | A102 |
| SCMT12040404FP KCP25 | A102 |
| SCMT12040404FP KCU10 | A102 |
| SCMT12040404FP KCU25 | A102 |
| SCMT12040404LF KC5010 | A102 |
| SCMT12040404LF KCK05 | A102 |
| SCMT12040404LF KCK20 | A102 |
| SCMT12040404LF KCM25 | A102 |
| SCMT12040404LF KCP10 | A102 |
| SCMT12040404LF KCP25 | A102 |
| SCMT12040404LF KCP30 | A102 |
| SCMT12040404MP KCK20 | A103 |
| SCMT12040404MP KCM15 | A103 |
| SCMT12040404MP KCM25 | A103 |
| SCMT12040404MP KCP25 | A103 |
| SCMT12040404MP KCU10 | A103 |
| SCMT12040811 KT315 | A102 |
| SCMT12040408FP KCK20 | A102 |
| SCMT12040408FP KCM15 | A102 |
| SCMT12040408FP KCM25 | A102 |
| SCMT12040408FP KCP10 | A102 |
| SCMT12040408FP KCP25 | A102 |
| SCMT12040408FP KCP25B | A102 |
| SCMT12040408FP KCU10 | A102 |
| SCMT12040408FP KCU25 | A102 |
| SCMT12040408LF KC5010 | A102 |
| SCMT12040408LF KC5025 | A102 |
| SCMT12040408LF KCK05 | A102 |
| SCMT12040408LF KCK15 | A102 |
| SCMT12040408LF KCK20 | A102 |
| SCMT12040408LF KCM15 | A102 |
| SCMT12040408LF KCM25 | A102 |
| SCMT12040408LF KCP10 | A102 |
| SCMT12040408LF KCP25 | A102 |
| SCMT12040408LF KCP30 | A102 |
| SCMT12040408MF KCK15 | A102 |
| SCMT12040408MF KCK20 | A102 |
| SCMT12040408MF KCM15 | A102 |
| SCMT12040408MF KCM25 | A102 |
| SCMT12040408MF KCM35 | A102 |
| SCMT12040408MF KCP10 | A102 |
| SCMT12040408MF KCP10B | A102 |
| SCMT12040408MF KCP25 | A102 |
| SCMT12040408MF KCP25B | A102 |
| SCMT12040408MF KCP30 | A102 |
| SCMT12040408MP KCK20 | A103 |
| SCMT12040408MP KCM15 | A103 |
| SCMT12040408MP KCM25 | A103 |
| SCMT12040408MP KCP10 | A103 |
| SCMT12040408MP KCP25 | A103 |
| SCMT12040408MP KCU10 | A103 |
| SCMT12041208FP KCK20 | A102 |
| SCMT12041208FP KCM25 | A102 |
| SCMT12041208FP KCP10 | A102 |
| SCMT12041208FP KCP25 | A102 |
| SCMT12041208FP KCP25B | A102 |
| SCMT12041208FP KCU10 | A102 |
| SCMT12041208FP KCU25 | A102 |
| SCMT12041208LF KC5010 | A102 |
| SCMT12041208LF KC5025 | A102 |
| SCMT12041208LF KCK05 | A102 |
| SCMT12041208LF KCK15 | A102 |
| SCMT12041208LF KCK20 | A102 |
| SCMT12041208LF KCM15 | A102 |
| SCMT12041208LF KCM25 | A102 |
| SCMT12041208LF KCP10 | A102 |
| SCMT12041208LF KCP25 | A102 |
| SCMT12041208LF KCP30 | A102 |
| SCMT12041208MF KCK15 | A102 |
| SCMT12041208MF KCK20 | A102 |
| SCMT12041208MF KCM15 | A102 |
| SCMT12041208MF KCM25 | A102 |
| SCMT12041208MF KCM35 | A102 |
| SCMT12041208MF KCP10 | A102 |
| SCMT12041208MF KCP10B | A102 |
| SCMT12041208MF KCP25 | A102 |
| SCMT12041208MF KCP25B | A102 |
| SCMT12041208MF KCP30 | A102 |
| SCMT12041208MP KCK20 | A103 |
| SCMT12041208MP KCM15 | A103 |
| SCMT12041208MP KCM25 | A103 |
| SCMT12041208MP KCP10 | A103 |
| SCMT12041208MP KCP25 | A103 |
| SCMT12041208MP KCU10 | A103 |
| SCMT120412FP KCK20 | A102 |
| SCMT120412FP KCM25 | A102 |
| SCMT120412FP KCP10 | A102 |
| SCMT120412FP KCP25 | A102 |
| SCMT120412FP KCU10 | A102 |
| SCMT120412LF KC5010 | A102 |
| SCMT120412LF KC5025 | A102 |
| SCMT120412LF KCK05 | A102 |
| SCMT120412LF KCK20 | A102 |
| SCMT120412LF KCP10 | A102 |
| SCMT120412LF KCP10B | A102 |
| SCMT120412LF KCP25 | A102 |
| SCMT120412LF KCP25B | A102 |
| SCMT120412MF KCK15 | A102 |
| SCMT120412MF KCK20 | A102 |
| SCMT120412MF KCM25 | A102 |
| SCMT120412MF KCP10 | A102 |
| SCMT120412MF KCP10B | A102 |
| SCMT120412MF KCP25 | A102 |
| SCMT120412MF KCP25B | A102 |
| SCMT120412MP KCK20 | A103 |
| SCMT120412MP KCM15 | A103 |
| SCMT120412MP KCM25 | A103 |
| SCMT120412MP KCP25 | A103 |
| SCMW09T304 KCK20 | A103 |
| SCMW09T308 KCK20 | A103 |
| SCMW120408 KCK20 | A103 |
| SCMW120412 KCK20 | A103 |
| SECX1404AEENGD2 KC725M | D33 |
| SECX1404AEENGN KC725M | D33 |
| SECX1404AESNGN KC725M | D33 |
| SF300M1LA1RA | B56 |
| SF300M1RS | B56 |
| SF750M1LA1RA | B56 |
| SF750M1RS | B56 |
| SFCPS | B57 |
| SFCR20 | B58 |
| SFCR20S | B58 |
| SFCRHSK3263 | B58 |
| SFCRHSK63100 | B58 |
| SFEBCH | B57 |
| SFEBS | B57 |
| SFMGS | B58 |
| SFSB450 | B57 |
| SFSB900 | B57 |
| SFSLLA | B59 |
| SFSLLS | B59 |
| SFSLRA | B59 |
| SFSLRS | B59 |
| SFSLSS | B57 |
| SFVB | B59 |
| SIF70KST115AR5M | B34 |
| SIF70KST135AR5M | B34 |
| SIF70KST155AR5M | B34 |
| SIF70KST175AR5M | B34 |
| SIF70KST175RR5M | B34 |
| SIF70KST200AR5M | B34 |
| SIF70KST200RR5M | B34 |
| SIF70KST250AR5M | B34 |
| SIF70KST250RR5M | B34 |
| SIF70KST300AR5M | B34 |
| SIF70KST300RR5M | B34 |
| SIF70KST350AR5M | B34 |
| SIF70KST350RR5M | B34 |
| SM812 | A225–A227, A230–A231 |
| SM813 | A224–A226, A229–A231 |
| SM871 | A222–A224, A228, A232 |
| SM872 | A222–A224, A228, A232 |
| SM885 | A221–A223, A227–A228, A232 |
| SM886 | A221–A223, A227–A229, A232 |
| SNGA120404S01025MT KB5625 | A168 |
| SNGA120408S01025MT KB5625 | A168 |
| SNGA120408S01225MT KBH20 | A168 |
| SNGA120412S01025MT KB5625 | A168 |
| SNGA120412S01225MT KBH20 | A168 |
| SNGG090308FS KCU10 | A57 |
| SNGG090308FS KCU25 | A57 |
| SNGG090308LF K313 | A57 |
| SNGG090308LF KC5010 | A57 |
| SNGG090308LF KCU10 | A57 |
| SNGG120408FS KC5510 | A57 |
| SNGG120408FS KCU10 | A57 |
| SNGG120408FS KCU10 | A57 |
| SNGG120408LF KC5010 | A57 |
| SNGG150612LF KC5010 | A57 |
| SNGG150612LF KCU10 | A57 |
| SNGP120404 KC5010 | A57 |

| Catalogue No. | Page(s) |
|---|---|
| SNGP120404 KCU10 | A57 |
| SNGP120408 KC5010 | A57 |
| SNGP120408 KCU10 | A57 |
| SNGX060416S02020SB4 KB1340 | A161 |
| SNGX090416S02020SB4 KB1340 | A161 |
| SNGX090416S02020SB4 KBK35 | A161 |
| SNGX090416S02020SB8 KB1340 | A161 |
| SNGX090416S02020SB8 KBK35 | A161 |
| SNGX120416S02020SB KB1340 | A161 |
| SNGX120416S02020SB8 KB1340 | A161 |
| SNGX120416S02020SB8 KBK35 | A161 |
| SNMA120408 K68 | A58 |
| SNMA120408 KCK05 | A58 |
| SNMA120408 KCK15 | A58 |
| SNMA120408 KCK20 | A58 |
| SNMA120412 KCK05 | A58 |
| SNMA120412 KCK15 | A58 |
| SNMA120412 KCK20 | A58 |
| SNMA120412S02020 KB1340 | A182 |
| SNMA120416 KCK05 | A58 |
| SNMA120416 KCK15 | A58 |
| SNMA120416 KCK20 | A58 |
| SNMA150612 KCK05 | A58 |
| SNMA150612 KCK15 | A58 |
| SNMA150612 KCK20 | A58 |
| SNMA150616 KCK05 | A58 |
| SNMA150616 KCK20 | A58 |
| SNMA190612 K68 | A58 |
| SNMA190612 KCK05 | A58 |
| SNMA190612 KCK15 | A58 |
| SNMA190612 KCK20 | A58 |
| SNMA190616 KCK05 | A58 |
| SNMA190616 KCK15 | A58 |
| SNMA190616 KCK20 | A58 |
| SNMG090304FF KC5010 | A58 |
| SNMG090304FF KCP10 | A58 |
| SNMG090304FF KCU10 | A58 |
| SNMG090304FN KCK05 | A58 |
| SNMG090304FN KCP10 | A58 |
| SNMG090304FN KCP25 | A58 |
| SNMG090304MN KCP25 | A59 |
| SNMG090308FF KC5010 | A58 |
| SNMG090308FF KCP10 | A58 |
| SNMG090308FF KCU10 | A58 |
| SNMG090308FF KT315 | A58 |
| SNMG090308FN KCK05 | A58 |
| SNMG090308FN KCP10 | A58 |
| SNMG090308FN KCP25 | A58 |
| SNMG090308MN KCP10 | A59 |
| SNMG090308MN KCP10B | A59 |
| SNMG090308MN KCP25 | A59 |
| SNMG090308MN KCP25B | A59 |
| SNMG090308MN KCP30 | A59 |
| SNMG090312MN KCP10 | A59 |
| SNMG090312MN KCP25 | A59 |
| SNMG090412RN KCP10 | A61 |
| SNMG120404FF KC5010 | A58 |
| SNMG120404FF KCP10 | A58 |
| SNMG120404FF KCU10 | A58 |
| SNMG120404FN KCK05 | A58 |
| SNMG120404FN KCP05 | A58 |
| SNMG120404FN KCP10 | A58 |
| SNMG120404FP KC5010 | A59 |
| SNMG120404FP KCM15 | A59 |
| SNMG120404FP KCU10 | A59 |
| SNMG120404MN KCP10 | A59 |
| SNMG120404MN KCP25 | A59 |
| SNMG120404MN KCP30 | A59 |
| SNMG120408 K313 | A58 |
| SNMG120408FF KC5010 | A58 |
| SNMG120408FF KCP10 | A58 |
| SNMG120408FF KCU10 | A58 |
| SNMG120408FN KCK05 | A58 |
| SNMG120408FN KCP05 | A58 |
| SNMG120408FN KCP10 | A58 |
| SNMG120408FN KCP25 | A58 |
| SNMG120408FN KT315 | A58 |
| SNMG120408FP KC5010 | A59 |
| SNMG120408FP KCM15 | A59 |
| SNMG120408FP KCU10 | A59 |
| SNMG120408FW KCP05 | A59 |
| SNMG120408FW KCP10 | A59 |
| SNMG120408MN KCP10 | A59 |
| SNMG120408MN KCP25 | A59 |
| SNMG120408MN KCP30 | A59 |
| SNMG120408MN KCP40 | A59 |
| SNMG120408MP KC5010 | A60 |
| SNMG120408MP KCM15 | A60 |
| SNMG120408MP KCM25 | A60 |
| SNMG120408MP KCM35 | A60 |
| SNMG120408MP KCU10 | A60 |
| SNMG120408MS KC5510 | A60 |
| SNMG120408MS KC5525 | A60 |
| SNMG120408MS KCU10 | A60 |
| SNMG120408MS KCU25 | A60 |
| SNMG120408MW KCP10 | A60 |
| SNMG120408MW KCP25 | A60 |
| SNMG120408P KC5010 | A61 |
| SNMG120408P KCU10 | A61 |
| SNMG120408RN KCP10 | A61 |
| SNMG120408RN KCP25 | A61 |
| SNMG120408RN KCP30 | A61 |
| SNMG120408RN KCP40 | A61 |
| SNMG120408RP KC5010 | A62 |
| SNMG120408RP KC5510 | A62 |
| SNMG120408RP KC5525 | A62 |
| SNMG120408RP KCK05 | A62 |
| SNMG120408RP KCK15 | A62 |
| SNMG120408RP KCK20 | A62 |
| SNMG120408RP KCM15 | A62 |
| SNMG120408RP KCM25 | A62 |
| SNMG120408RP KCM35 | A62 |
| SNMG120408RP KCP05 | A62 |
| SNMG120408RP KCP10 | A62 |
| SNMG120408RP KCP25 | A62 |
| SNMG120408RP KCP30 | A62 |
| SNMG120408RP KCP40 | A62 |
| SNMG120408RP KCU10 | A62 |
| SNMG120408RP KCU25 | A62 |
| SNMG120408UN KCK05 | A62 |
| SNMG120408UN KCK15 | A62 |
| SNMG120408UN KCK20 | A62 |
| SNMG120408UP KC5010 | A62 |
| SNMG120408UP KCM15 | A62 |
| SNMG120408UP KCM25 | A62 |
| SNMG120408UP KCM35 | A62 |
| SNMG120412 K68 | A58 |
| SNMG120412FN KCK05 | A58 |
| SNMG120412FN KCP10 | A58 |
| SNMG120412FN KCP25 | A58 |
| SNMG120412FP KCM15 | A59 |
| SNMG120412FP KCU10 | A59 |
| SNMG120412FW KCP05 | A59 |
| SNMG120412FW KCP10 | A59 |
| SNMG120412FW KT315 | A59 |
| SNMG120412MN KCP10 | A59 |
| SNMG120412MN KCP10B | A59 |
| SNMG120412MN KCP25 | A59 |
| SNMG120412MN KCP25B | A59 |
| SNMG120412MN KCP30 | A59 |
| SNMG120412MN KCP40 | A59 |
| SNMG120412MP KC5010 | A60 |
| SNMG120412MP KC5025 | A60 |
| SNMG120412MP KCM15 | A60 |
| SNMG120412MP KCM25 | A60 |
| SNMG120412MP KCM35 | A60 |
| SNMG120412MP KCU10 | A60 |
| SNMG120412MP KCU25 | A60 |
| SNMG120412MR KCK15B | A60 |
| SNMG120412MR KCM25 | A60 |
| SNMG120412MR KCM35 | A60 |
| SNMG120412MR KCP10B | A60 |
| SNMG120412MR KCP25B | A60 |
| SNMG120412MR KCP40 | A60 |
| SNMG120412MS KC5510 | A60 |
| SNMG120412MS KC5525 | A60 |
| SNMG120412MS KCU10 | A60 |
| SNMG120412MS KCU25 | A60 |
| SNMG120412MW KCP10 | A60 |
| SNMG120412MW KCP25 | A60 |
| SNMG120412P KC5010 | A61 |
| SNMG120412P KCU10 | A61 |
| SNMG120412RN KCP10 | A61 |
| SNMG120412RN KCP10B | A61 |
| SNMG120412RN KCP25 | A61 |
| SNMG120412RN KCP25B | A61 |
| SNMG120412RN KCP30 | A61 |
| SNMG120412RN KCP40 | A61 |
| SNMG120412RP KC5010 | A62 |
| SNMG120412RP KC5510 | A62 |
| SNMG120412RP KC5525 | A62 |
| SNMG120412RP KCK05 | A62 |
| SNMG120412RP KCK15 | A62 |
| SNMG120412RP KCK15B | A62 |
| SNMG120412RP KCK20 | A62 |
| SNMG120412RP KCM25 | A62 |
| SNMG120412RP KCM35 | A62 |
| SNMG120412RP KCP05 | A62 |
| SNMG120412RP KCP10 | A62 |
| SNMG120412RP KCP10B | A62 |
| SNMG120412RP KCP25 | A62 |
| SNMG120412RP KCP25B | A62 |
| SNMG120412RP KCP30 | A62 |
| SNMG120412RP KCP40 | A62 |
| SNMG120412RP KCU10 | A62 |
| SNMG120412RP KCU25 | A62 |
| SNMG120412UN KCK05 | A62 |
| SNMG120412UN KCK15 | A62 |
| SNMG120412UN KCK15B | A62 |
| SNMG120412UN KCK20 | A62 |
| SNMG120412UP KC5010 | A62 |
| SNMG120412UP KCM15 | A62 |
| SNMG120412UP KCM25 | A62 |
| SNMG120412UP KCM35 | A62 |
| SNMG120416B K68 | A58 |
| SNMG120416FN KCK05 | A58 |
| SNMG120416FN KCP10 | A58 |
| SNMG120416MN KCP10 | A59 |
| SNMG120416MN KCP25 | A59 |
| SNMG120416MN KCP40 | A59 |
| SNMG120416MP KCM25 | A60 |
| SNMG120416MP KCM35 | A60 |
| SNMG120416RN KCP10 | A61 |
| SNMG120416RN KCP10B | A61 |
| SNMG120416RN KCP25 | A61 |
| SNMG120416RN KCP25B | A61 |
| SNMG120416RN KCP30 | A61 |
| SNMG120416RN KCP40 | A61 |
| SNMG120416RP KC5525 | A62 |
| SNMG120416RP KCK20 | A62 |
| SNMG120416RP KCP10 | A62 |
| SNMG120416RP KCU10 | A62 |
| SNMG120416UN KCK15 | A62 |
| SNMG120416UN KCK20 | A62 |
| SNMG120416UP KCM15 | A62 |
| SNMG120416UP KCM25 | A62 |
| SNMG120416UP KCM35 | A62 |
| SNMG150608MP KCM15 | A60 |
| SNMG150608MP KCM25 | A60 |
| SNMG150608MS KCU25 | A60 |
| SNMG150608RN KCP10 | A61 |
| SNMG150608RN KCP25 | A61 |
| SNMG150612MN KCP10 | A59 |
| SNMG150612MN KCP10B | A59 |
| SNMG150612MN KCP25 | A59 |
| SNMG150612MN KCP25B | A59 |
| SNMG150612MN KCP40 | A59 |
| SNMG150612MP KC5010 | A60 |
| SNMG150612MP KCM15 | A60 |
| SNMG150612MP KCM25 | A60 |
| SNMG150612MP KCU10 | A60 |
| SNMG150612MS KCU25 | A60 |
| SNMG150612RN KCP10 | A61 |
| SNMG150612RN KCP10B | A61 |
| SNMG150612RN KCP25 | A61 |
| SNMG150612RN KCP25B | A61 |
| SNMG150612RN KCP30 | A61 |
| SNMG150612RN KCP40 | A61 |
| SNMG150612RP KC5010 | A62 |
| SNMG150612RP KC5525 | A62 |
| SNMG150612RP KCK15 | A62 |
| SNMG150612RP KCM15 | A62 |
| SNMG150612RP KCM25 | A62 |
| SNMG150612RP KCM35 | A62 |
| SNMG150612RP KCP10 | A62 |
| SNMG150612RP KCP10B | A62 |
| SNMG150612RP KCP25 | A62 |
| SNMG150612RP KCP25B | A62 |
| SNMG150612RP KCP30 | A62 |
| SNMG150612RP KCP40 | A62 |
| SNMG150612RP KCU10 | A62 |
| SNMG150612RP KCU25 | A62 |
| SNMG150612UN KCK05 | A62 |
| SNMG150612UN KCK15 | A62 |
| SNMG150612UN KCK20 | A62 |
| SNMG150612UP KCM15 | A62 |
| SNMG150612UP KCM25 | A62 |
| SNMG150612UP KCM35 | A62 |
| SNMG150612UP KCU10 | A62 |
| SNMG150616MN KCP25 | A59 |
| SNMG150616MP KCM25 | A60 |
| SNMG150616RN KCP10 | A61 |
| SNMG150616RN KCP25 | A61 |
| SNMG150616RN KCP30 | A61 |
| SNMG150616RN KCP40 | A61 |
| SNMG150616RP KC5525 | A62 |
| SNMG150616RP KCM15 | A62 |
| SNMG150616RP KCM25 | A62 |
| SNMG150616RP KCP10 | A62 |
| SNMG150616RP KCP25 | A62 |
| SNMG150616RP KCP30 | A62 |
| SNMG150616RP KCU25 | A62 |
| SNMG150616UN KCK05 | A62 |
| SNMG150616UN KCK15 | A62 |
| SNMG150616UN KCK20 | A62 |
| SNMG190608RN KCP25 | A61 |
| SNMG190608RN KCP30 | A61 |
| SNMG190612 K68 | A58 |
| SNMG190612 KCP25 | A58 |
| SNMG190612 KCP40 | A58 |

| Catalogue No. | Page(s) |
|---|---|
| SNMG190612 KCU10 | A58 |
| SNMG190612MN KCP10 | A59 |
| SNMG190612MN KCP25 | A59 |
| SNMG190612MN KCP40 | A59 |
| SNMG190612MP KC5010 | A60 |
| SNMG190612MP KCM15 | A60 |
| SNMG190612MP KCM25 | A60 |
| SNMG190612MP KCM35 | A60 |
| SNMG190612MP KCU10 | A60 |
| SNMG190612MS KC5510 | A60 |
| SNMG190612MS KC5525 | A60 |
| SNMG190612MS KCU10 | A60 |
| SNMG190612MS KCU25 | A60 |
| SNMG190612RM KCP25 | A61 |
| SNMG190612RM KCP40 | A61 |
| SNMG190612RM KCU10 | A61 |
| SNMG190612RN KCP10 | A61 |
| SNMG190612RN KCP25 | A61 |
| SNMG190612RN KCP30 | A61 |
| SNMG190612RN KCP40 | A61 |
| SNMG190612RP KC5010 | A62 |
| SNMG190612RP KC5510 | A62 |
| SNMG190612RP KC5525 | A62 |
| SNMG190612RP KCK20 | A62 |
| SNMG190612RP KCM15 | A62 |
| SNMG190612RP KCM25 | A62 |
| SNMG190612RP KCM35 | A62 |
| SNMG190612RP KCP10 | A62 |
| SNMG190612RP KCP25 | A62 |
| SNMG190612RP KCP30 | A62 |
| SNMG190612RP KCP40 | A62 |
| SNMG190612RP KCU10 | A62 |
| SNMG190612RP KCU25 | A62 |
| SNMG190612UN KCK05 | A62 |
| SNMG190612UN KCK15 | A62 |
| SNMG190612UN KCK20 | A62 |
| SNMG190612UP KCM15 | A62 |
| SNMG190612UP KCM25 | A62 |
| SNMG190612UP KCM35 | A62 |
| SNMG190616 KCP25 | A58 |
| SNMG190616 KCP40 | A58 |
| SNMG190616 KCU10 | A58 |
| SNMG190616MN KCP25 | A59 |
| SNMG190616MP KC5010 | A60 |
| SNMG190616MP KCM25 | A60 |
| SNMG190616MP KCM35 | A60 |
| SNMG190616MP KCU10 | A60 |
| SNMG190616RM KCP25 | A61 |
| SNMG190616RM KCP30 | A61 |
| SNMG190616RM KCP40 | A61 |
| SNMG190616RM KCU10 | A61 |
| SNMG190616RN KCP10 | A61 |
| SNMG190616RN KCP25 | A61 |
| SNMG190616RN KCP30 | A61 |
| SNMG190616RN KCP40 | A61 |
| SNMG190616RP KC5525 | A62 |
| SNMG190616RP KCK20 | A62 |
| SNMG190616RP KCM25 | A62 |
| SNMG190616RP KCM35 | A62 |
| SNMG190616RP KCP10 | A62 |
| SNMG190616RP KCP25 | A62 |
| SNMG190616RP KCP40 | A62 |
| SNMG190616RP KCU10 | A62 |
| SNMG190616RP KCU25 | A62 |
| SNMG190616UN KCK15 | A62 |
| SNMG190616UN KCK20 | A62 |
| SNMG190624RN KCP25 | A61 |
| SNMG190624RN KCP30 | A61 |
| SNMG250924 KCP25 | A58 |
| SNMG250924 KCP40 | A58 |
| SNMG250924 KCU10 | A58 |
| SNMG250924RM KC5010 | A61 |
| SNMG250924RM KCP25 | A61 |
| SNMG250924RM KCP40 | A61 |
| SNMG250924RM KCU10 | A61 |
| SNMG250924RN KCP30 | A61 |
| SNMM120408RM KCP25 | A63 |
| SNMM120408RP KCM15 | A63 |
| SNMM120408RP KCM25 | A63 |
| SNMM120408RP KCM35 | A63 |
| SNMM120408RP KCP25 | A63 |
| SNMM120408RP KCP40 | A63 |
| SNMM120412RM KCP25 | A63 |
| SNMM120412RP KCM15 | A63 |
| SNMM120412RP KCM25 | A63 |
| SNMM120412RP KCP25 | A63 |
| SNMM120412RP KCP40 | A63 |
| SNMM120416RM KCP25 | A63 |
| SNMM120416RM KCP30 | A63 |
| SNMM150612RM KCP10 | A63 |
| SNMM150612RM KCP25 | A63 |
| SNMM150612RP KCM25 | A63 |
| SNMM150612RP KCP25 | A63 |
| SNMM150612RP KCP40 | A63 |
| SNMM150616RM KCP10 | A63 |
| SNMM150616RM KCP25 | A63 |
| SNMM150616RP KCM25 | A63 |
| SNMM150616RP KCP10 | A63 |
| SNMM190612RH KCP10 | A63 |
| SNMM190612RH KCP25 | A63 |
| SNMM190612RH KCP30 | A63 |
| SNMM190612RM KCP10 | A63 |
| SNMM190612RM KCP25 | A63 |
| SNMM190612RM KCP30 | A63 |
| SNMM190612RM KCP40 | A63 |
| SNMM190612RP KCM25 | A63 |
| SNMM190612RP KCP25 | A63 |
| SNMM190612RP KCP40 | A63 |
| SNMM190616RH KCP10 | A63 |
| SNMM190616RH KCP25 | A63 |
| SNMM190616RH KCP30 | A63 |
| SNMM190616RH KCP40 | A63 |
| SNMM190616RM KCP10 | A63 |
| SNMM190616RM KCP25 | A63 |
| SNMM190616RM KCP25B | A63 |
| SNMM190616RM KCP30 | A63 |
| SNMM190616RP KCM25 | A63 |
| SNMM190616RP KCP25 | A63 |
| SNMM190616RP KCP40 | A63 |
| SNMM190624RH KCP10 | A63 |
| SNMM190624RH KCP25 | A63 |
| SNMM190624RH KCP30 | A63 |
| SNMM190624RH KCP40 | A63 |
| SNMM190624RM KCP25 | A63 |
| SNMM190624RM KCP30 | A63 |
| SNMM190624RP KCM25 | A63 |
| SNMM190624RP KCP25 | A63 |
| SNMM250724RH KCP10 | A63 |
| SNMM250724RH KCP25 | A63 |
| SNMM250724RH KCP25B | A63 |
| SNMM250724RH KCP30 | A63 |
| SNMM250724RH KCP40 | A63 |
| SNMM250724RM KCP10 | A63 |
| SNMM250724RM KCP25 | A63 |
| SNMM250724RP KCM25 | A63 |
| SNMM250724RP KCP25 | A63 |
| SNMM250724RP KCP40 | A63 |
| SNMM250732RH KCP30 | A63 |
| SNMM250924RH KCP10 | A63 |
| SNMM250924RH KCP25 | A63 |
| SNMM250924RH KCP25B | A63 |
| SNMM250924RH KCP30 | A63 |
| SNMM250924RH KCP40 | A63 |
| SNMM250924RM KCP10 | A63 |
| SNMM250924RM KCP25 | A63 |
| SNMM250924RM KCP30 | A63 |
| SNMM250924RM KCP40 | A63 |
| SNMM250924RP KCM25 | A63 |
| SNMM250924RP KCP25 | A63 |
| SNMN120308S02020 KB1340 | A182 |
| SNMN120312S02020 KB1340 | A182 |
| SNMP120408 K68 | A64 |
| SNMP120408K KCP10 | A64 |
| SNMP120408K KCP25 | A64 |
| SNMP190612 K313 | A64 |
| SNMP190612 K68 | A64 |
| SNMS120408 K68 | A64 |
| SNMS120408FST KD1425 | A168 |
| SNMS120412FST KD1425 | A168 |
| SNMS190612 K68 | A64 |
| SNMS190612 KC5410 | A64 |
| SPGH070208 KC5410 | A103 |
| SPGH090308 KC5410 | A103 |
| SPGN090304 K68 | A84 |
| SPGN090304 KC5010 | A84 |
| SPGN090304 KCU10 | A84 |
| SPGN090308 K313 | A84 |
| SPGN090308 K68 | A84 |
| SPGN090308 KC5010 | A84 |
| SPGN090308 KCU10 | A84 |
| SPGN090312 K68 | A84 |
| SPGN090312 KCU10 | A84 |
| SPGN120304 K68 | A84 |
| SPGN120304 KC5010 | A84 |
| SPGN120304 KCU10 | A84 |
| SPGN120308 K313 | A84 |
| SPGN120308 K68 | A84 |
| SPGN120308 KC5010 | A84 |
| SPGN120308 KCU10 | A84 |
| SPGN120312 K68 | A84 |
| SPGN120312 KCU10 | A84 |
| SPGN120316 KC5010 | A84 |
| SPGN120316 KCU10 | A84 |
| SPGN120412 KCU10 | A84 |
| SPGN190408 K68 | A84 |
| SPGN190412 K313 | A84 |
| SPGN190412 KCU10 | A84 |
| SPGR090308K KC5010 | A85 |
| SPGR090308K KCU10 | A85 |
| SPGT09T304LF KC5010 | A104 |
| SPGT09T304LF KC5025 | A104 |
| SPGT09T304LF KCU10 | A104 |
| SPGT09T308LF KC5010 | A104 |
| SPGT09T308LF KC5025 | A104 |
| SPGT09T308LF KC5410 | A104 |
| SPGT09T308LF KCU10 | A104 |
| SPMT09T304FP KCK20 | A104 |
| SPMT09T304FP KCM25 | A104 |
| SPMT09T304FP KCP05 | A104 |
| SPMT09T304FP KCP10 | A104 |
| SPMT09T304FP KCP25 | A104 |
| SPMT09T304FP KCU10 | A104 |
| SPMT09T304FP KCU25 | A104 |
| SPMT09T304LF KC5010 | A104 |
| SPMT09T304LF KC5025 | A104 |
| SPMT09T304LF KCK20 | A104 |
| SPMT09T304LF KCP10 | A104 |
| SPMT09T304LF KCP25 | A104 |
| SPMT09T304LF KT315 | A104 |
| SPMT09T304UF KC5010 | A105 |
| SPMT09T304UF KCP10 | A105 |
| SPMT09T308FP KCK20 | A104 |
| SPMT09T308FP KCP05 | A104 |
| SPMT09T308FP KCP10 | A104 |
| SPMT09T308FP KCP25 | A104 |
| SPMT09T308FP KCU10 | A104 |
| SPMT09T308FP KCU25 | A104 |
| SPMT09T308FP KTP10 | A104 |
| SPMT09T308FP KU10 | A104 |
| SPMT09T308LF K68 | A104 |
| SPMT09T308LF KC5010 | A104 |
| SPMT09T308LF KC5025 | A104 |
| SPMT09T308LF KCK05 | A104 |
| SPMT09T308LF KCK15 | A104 |
| SPMT09T308LF KCK20 | A104 |
| SPMT09T308LF KCP10 | A104 |
| SPMT09T308LF KCP10B | A104 |
| SPMT09T308LF KCP25 | A104 |
| SPMT09T308LF KCP25B | A104 |
| SPMT09T308MF KCK15 | A104 |
| SPMT09T308MF KCK20 | A104 |
| SPMT09T308MF KCM15 | A104 |
| SPMT09T308MF KCM25 | A104 |
| SPMT09T308MF KCP10 | A104 |
| SPMT09T308MF KCP25 | A104 |
| SPMT09T308MP KCK20 | A105 |
| SPMT09T308MP KCM15 | A105 |
| SPMT09T308MP KCP25 | A105 |
| SPMT09T308MP KCU10 | A105 |
| SPMT120408MF KCK15 | A104 |
| SPMT120408MF KCK20 | A104 |
| SPMT120408MF KCM15 | A104 |
| SPMT120408MF KCM25 | A104 |
| SPMT120408MF KCP10 | A104 |
| SPMT120408MF KCP25 | A104 |
| SPMT120408MF KCP30 | A104 |
| SPMT120408MP KCK20 | A105 |
| SPMT120408MP KCP25 | A105 |
| SPMT120408MP KCU10 | A105 |
| SPUN120304 K68 | A85 |
| SPUN120308 K68 | A85 |
| SS03M012 | E28, E30 |
| SS03M014 | E28, E30 |
| SS03M018 | E28, E30 |
| SS03M023 | E28, E30 |
| SS03M025 | E28, E30 |
| SS03M026 | E28, E30 |
| SS03M027 | E28, E30 |
| SS03M029 | E28, E30 |
| SS03M030 | E30 |
| SS03M032 | E30 |
| SS044038G | E27 |
| SS056041G | E26–E27 |
| SS075041G | E27 |
| SS081041G | E26 |
| SS094041G | E27 |
| SS112041G | E26–E27 |
| SS162062G | E26 |
| SS16KST115AR3M | B31 |
| SS16KST115AR5M | B31 |
| SS20KST135AR3M | B31 |
| SS20KST135AR5M | B31 |
| SS20KST155AR3M | B31 |
| SS20KST155AR5M | B31 |
| SS20KST175AR3M | B31 |
| SS20KST175AR5M | B31 |
| SS20KST175RR3M | B32 |
| SS20KST175RR5M | B32 |
| SS20KST200AR3M | B31 |
| SS20KST200AR5M | B31 |

| Catalogue No. | Page(s) |
|---|---|
| SS20KST200RR3M | B32 |
| SS20KST200RR5M | B32 |
| SS25KST250AR3M | B31 |
| SS25KST250AR5M | B31 |
| SS25KST250RR3M | B32 |
| SS25KST250RR5M | B32 |
| SS32KST300AR3M | B31 |
| SS32KST300AR5M | B31 |
| SS32KST300RR3M | B32 |
| SS32KST300RR5M | B32 |
| SS32KST350AR3M | B31 |
| SS32KST350AR5M | B31 |
| SS32KST350RR3M | B32 |
| SS32KST350RR5M | B32 |
| SSF150FDS280502 | B4, B6 |
| SSF150FDS280746 | B4, B6 |
| SSF150FDS281112 | B4, B6 |
| SSF150FDS281356 | B4, B6 |
| SSF150FDS320573 | B4, B6 |
| SSF150FDS320850 | B4, B6 |
| SSF150FDS321263 | B4, B6 |
| SSF150FDS321539 | B4, B6 |
| SSF150FDS360652 | B4, B6 |
| SSF150FDS360960 | B4, B6 |
| SSF150FDS361421 | B4, B6 |
| SSF150FDS361728 | B4, B6 |
| SSF200FDS400721 | B4, B6 |
| SSF200FDS401066 | B4, B6 |
| SSF200FDS401586 | B4, B6 |
| SSF200FDS401933 | B4, B6 |
| SSF200FDS450809 | B4, B6 |
| SSF200FDS451196 | B4, B6 |
| SSF200FDS451775 | B4, B6 |
| SSF200FDS452161 | B4, B6 |
| SSF200FDS500896 | B5, B7 |
| SSF200FDS501330 | B5, B7 |
| SSF200FDS501980 | B5, B7 |
| SSF200FDS502413 | B5, B7 |
| SSF200FDS561020 | B5, B7 |
| SSF200FDS561507 | B5, B7 |
| SSF200FDS562240 | B5, B7 |
| SSF200FDS562783 | B5, B7 |
| SSF200FDS631138 | B5, B7 |
| SSF200FDS631688 | B5, B7 |
| SSF200FDS632515 | B5, B7 |
| SSF200FDS633066 | B5, B7 |
| SSF200FDS711150 | B5, B7 |
| SSF200FDS711780 | B5, B7 |
| SSF200FDS801287 | B5 |
| SSF200FDS801996 | B5 |
| SSF200FDS901425 | B5, B7 |
| SSF200FDS902213 | B5, B7 |
| SSP025016M | E10, E11 |
| SSP025018M | E10 |
| STCM19 | E12–E14, E16 |
| STCM20 | E17 |
| STCM4 | E12–E14, E16 |
| T620NC#06-32R2BX-D1 KP6525 | B66 |
| T620NC#08-32R2BX-D1 KP6525 | B66 |
| T620NC#10-24R2BX-D1 KP6525 | B66 |
| T620NC03125-18R3BX-D1 KP6525 | B66 |
| T620NC03750-16R3BX-D1 KP6525 | B66 |
| T620NC04375-14R3BX-D6 KP6525 | B66 |
| T620NC05000-13R3BX-D6 KP6525 | B66 |
| T620NF#06-40R2BX-D1 KP6525 | B66 |
| T620NF#10-32R2BX-D1 KP6525 | B66 |
| T620NF02500-28R3BX-D1 KP6525 | B66 |
| T620NF03125-24R3BX-D1 KP6525 | B66 |
| T620NF03750-24R3BX-D1 KP6525 | B66 |
| T620NF04375-20R3BX-D6 KP6525 | B66 |
| T620NF05000-20R3BX-D6 KP6525 | B66 |
| T621NC02500-20R3BX-D1 KP6525 | B67 |
| T621NC03125-18R3BX-D1 KP6525 | B67 |
| T621NC03750-16R3BX-D1 KP6525 | B67 |
| T621NC04375-14R3BX-D6 KP6525 | B67 |
| T621NC05000-13R3BX-D6 KP6525 | B67 |
| T621NF02500-28R3BX-D1 KP6525 | B67 |
| T621NF03125-24R3BX-D1 KP6525 | B67 |
| T621NF03750-24R3BX-D1 KP6525 | B67 |
| T621NF04375-20R3BX-D6 KP6525 | B67 |
| T621NF05000-20R3BX-D6 KP6525 | B67 |
| T630NC#06-32R2BX-D1 KP6525 | B68 |
| T630NC#08-32R2BX-D1 KP6525 | B68 |
| T630NC#10-24R2BX-D1 KP6525 | B68 |
| T630NC02500-20R3BX-D1 KP6525 | B68 |
| T630NC03125-18R3BX-D1 KP6525 | B68 |
| T630NC03750-16R3BX-D1 KP6525 | B68 |
| T630NC04375-14R3BX-D6 KP6525 | B68 |
| T630NC05000-13R3BX-D6 KP6525 | B68 |
| T630NF#06-40R2BX-D1 KP6525 | B68 |
| T630NF#10-32R2BX-D1 KP6525 | B68 |
| T630NF02500-28R3BX-D1 KP6525 | B68 |
| T630NF03125-24R3BX-D1 KP6525 | B68 |
| T630NF03750-24R3BX-D1 KP6525 | B68 |
| T630NF04375-20R3BX-D6 KP6525 | B68 |
| T630NF05000-20R3BX-D6 KP6525 | B68 |
| T631NC02500-20R3BX-D1 KP6525 | B69 |
| T631NC03125-18R3BX-D1 KP6525 | B69 |
| T631NC03750-16R3BX-D1 KP6525 | B69 |
| T631NC04375-14R3BX-D6 KP6525 | B69 |
| T631NC05000-13R3BX-D6 KP6525 | B69 |
| T631NF02500-28R3BX-D1 KP6525 | B69 |
| T631NF03125-24R3BX-D1 KP6525 | B69 |
| T631NF03750-24R3BX-D1 KP6525 | B69 |
| T631NF04375-20R3BX-D6 KP6525 | B69 |
| T631NF05000-20R3BX-D6 KP6525 | B69 |
| T640NC#06-32R2BX-D1 KP6525 | B70 |
| T640NC#08-32R2BX-D1 KP6525 | B70 |
| T640NC#10-24R2BX-D1 KP6525 | B70 |
| T640NC02500-20R3BX-D1 KP6525 | B70 |
| T640NC03125-18R3BX-D1 KP6525 | B70 |
| T640NC03750-16R3BX-D1 KP6525 | B70 |
| T640NC04375-14R3BX-D6 KP6525 | B70 |
| T640NC05000-13R3BX-D6 KP6525 | B70 |
| T640NF#06-40R2BX-D1 KP6525 | B70 |
| T640NF#10-32R2BX-D1 KP6525 | B70 |
| T640NF02500-28R3BX-D1 KP6525 | B70 |
| T640NF03125-24R3BX-D1 KP6525 | B70 |
| T640NF03750-24R3BX-D1 KP6525 | B70 |
| T640NF04375-20R3BX-D6 KP6525 | B70 |
| T640NF05000-20R3BX-D6 KP6525 | B70 |
| T641NC02500-20R3BX-D1 KP6525 | B71 |
| T641NC03125-18R3BX-D1 KP6525 | B71 |
| T641NC03750-16R3BX-D1 KP6525 | B71 |
| T641NC04375-14R3BX-D6 KP6525 | B71 |
| T641NC05000-13R3BX-D6 KP6525 | B71 |
| T641NF02500-28R3BX-D1 KP6525 | B71 |
| T641NF03125-24R3BX-D1 KP6525 | B71 |
| T641NF03750-24R3BX-D1 KP6525 | B71 |
| T641NF04375-20R3BX-D6 KP6525 | B71 |
| T641NF05000-20R3BX-D6 KP6525 | B71 |
| TCGT110201LF KC5025 | A105 |
| TCGT110201LF KCU10 | A105 |
| TCGT110202HP KC5010 | A105 |
| TCGT110202HP KC5410 | A105 |
| TCGT110202HP KCU10 | A105 |
| TCGT110202HP KCU25 | A105 |
| TCGT110204HP K313 | A105 |
| TCGT110204HP KC5010 | A105 |
| TCGT110204HP KC5025 | A105 |
| TCGT110204HP KC5410 | A105 |
| TCGT110204HP KCU10 | A105 |
| TCGT110204HP KCU25 | A105 |
| TCGT110204LF KC5010 | A105 |
| TCGT110204LF KC5025 | A105 |
| TCGT110204LF KCU10 | A105 |
| TCGT110208HP KC5010 | A105 |
| TCGT110208HP KC5025 | A105 |
| TCGT110208HP KC5410 | A105 |
| TCGT110208HP KCU10 | A105 |
| TCGT110208HP KCU25 | A105 |
| TCGT16T302HP KC5010 | A105 |
| TCGT16T302HP KCU10 | A105 |
| TCGT16T302HP KCU25 | A105 |
| TCGT16T302LF KC5010 | A105 |
| TCGT16T302LF KCU10 | A105 |
| TCGT16T304HP K313 | A105 |
| TCGT16T304HP KC5010 | A105 |
| TCGT16T304HP KC5025 | A105 |
| TCGT16T304HP KC5410 | A105 |
| TCGT16T304HP KCU10 | A105 |
| TCGT16T304HP KCU25 | A105 |
| TCGT16T304LF KC5010 | A105 |
| TCGT16T304LF KCU10 | A105 |
| TCGT16T308HP K313 | A105 |
| TCGT16T308HP KC5010 | A105 |
| TCGT16T308HP KC5025 | A105 |
| TCGT16T308HP KC5410 | A105 |
| TCGT16T308HP KCU10 | A105 |
| TCGT16T308HP KCU25 | A105 |
| TCGT16T308LF KC5010 | A105 |
| TCGT16T308LF KCU10 | A105 |
| TCGW090202S01015MT KBH20 | A177 |
| TCGW090204S01015 MT KBH20 | A177 |
| TCGW110202EC KB5625 | A177 |
| TCGW110202EM KB5625 | A177 |
| TCGW110202S01015MT KBH20 | A177 |
| TCGW110204FST KD1400 | A177 |
| TCGW110204FST KD1425 | A177 |
| TCGW110204S01015C KB5625 | A177 |
| TCGW110204S01015M KB5625 | A177 |
| TCGW110204S01015MT KBH20 | A177 |
| TCGW110208S01015MT KBH20 | A177 |
| TCGW16T304FST KD1400 | A177 |
| TCGW16T304FST KD1425 | A177 |
| TCGW16T304S01015M KB5625 | A177 |
| TCGW16T308S01015M KB5625 | A177 |
| TCMT090204FP KCU10 | A106 |
| TCMT090204FP KCU25 | A106 |
| TCMT090208FP KCU10 | A106 |
| TCMT090208FP KCU25 | A106 |
| TCMT110202FP KCM25 | A106 |
| TCMT110202FP KCU10 | A106 |
| TCMT110202FP KCU25 | A106 |
| TCMT110202FP KTP10 | A106 |
| TCMT110202LF KC5010 | A106 |
| TCMT110202LF KC5025 | A106 |
| TCMT11020411 KT315 | A106 |
| TCMT110204FP KCK20 | A106 |
| TCMT110204FP KCM15 | A106 |
| TCMT110204FP KCM25 | A106 |
| TCMT110204FP KCP05 | A106 |
| TCMT110204FP KCP10 | A106 |
| TCMT110204FP KCP25 | A106 |
| TCMT110204FP KCP30 | A106 |
| TCMT110204FP KCU10 | A106 |
| TCMT110204FP KCU25 | A106 |
| TCMT110204FP KTP10 | A106 |
| TCMT110204FP KU10 | A106 |
| TCMT110204LF K68 | A106 |
| TCMT110204LF KC5010 | A106 |
| TCMT110204LF KC5025 | A106 |
| TCMT110204LF KCK05 | A106 |
| TCMT110204LF KCK15 | A106 |
| TCMT110204LF KCK20 | A106 |
| TCMT110204LF KCM15 | A106 |
| TCMT110204LF KCM25 | A106 |
| TCMT110204LF KCM35 | A106 |
| TCMT110204LF KCP05 | A106 |
| TCMT110204LF KCP10 | A106 |
| TCMT110204LF KCP25 | A106 |
| TCMT110204LF KCP30 | A106 |
| TCMT110204LF KT315 | A106 |
| TCMT110204UF KC5010 | A107 |
| TCMT110204UF KCP10 | A107 |
| TCMT110204UF KCP25 | A107 |
| TCMT110208FP KCK20 | A106 |
| TCMT110208FP KCM15 | A106 |
| TCMT110208FP KCM25 | A106 |
| TCMT110208FP KCP10 | A106 |
| TCMT110208FP KCP25 | A106 |
| TCMT110208FP KCU10 | A106 |
| TCMT110208FP KCU25 | A106 |
| TCMT110208FP KTP10 | A106 |
| TCMT110208LF KC5010 | A106 |
| TCMT110208LF KC5025 | A106 |
| TCMT110208LF KCK05 | A106 |
| TCMT110208LF KCK15 | A106 |
| TCMT110208LF KCK20 | A106 |
| TCMT110208LF KCM15 | A106 |
| TCMT110208LF KCM25 | A106 |
| TCMT110208LF KCP05 | A106 |
| TCMT110208LF KCP10 | A106 |
| TCMT110208LF KCP25 | A106 |
| TCMT110208LF KCP30 | A106 |
| TCMT110208LF KT315 | A106 |
| TCMT110208MF KCK15 | A107 |
| TCMT110208MF KCK20 | A107 |
| TCMT110208MF KCM15 | A107 |
| TCMT110208MF KCM25 | A107 |
| TCMT110208MF KCP10 | A107 |
| TCMT110208MF KCP25 | A107 |
| TCMT110208MP KCK20 | A107 |
| TCMT110208MP KCP25 | A107 |
| TCMT110208MP KCU10 | A107 |
| TCMT110208UF KC5010 | A107 |
| TCMT110208UF KCP10 | A107 |
| TCMT110208UF KCP25 | A107 |
| TCMT110304FP KCP05 | A106 |
| TCMT110304FP KCU10 | A106 |
| TCMT110304FP KCU25 | A106 |
| TCMT110308FP KCP05 | A106 |
| TCMT110308FP KCU10 | A106 |
| TCMT110308FP KCU25 | A106 |
| TCMT110312FP KCP05 | A106 |
| TCMT110312FP KCU10 | A106 |
| TCMT16T302FP KCU10 | A106 |
| TCMT16T302FP KCU25 | A106 |
| TCMT16T302FP KTP10 | A106 |
| TCMT16T302LF KC5010 | A106 |
| TCMT16T302LF KC5025 | A106 |
| TCMT16T30411 KT315 | A106 |
| TCMT16T304FP KCK20 | A106 |
| TCMT16T304FP KCM15 | A106 |
| TCMT16T304FP KCM25 | A106 |
| TCMT16T304FP KCP05 | A106 |
| TCMT16T304FP KCP10 | A106 |
| TCMT16T304FP KCP25 | A106 |
| TCMT16T304FP KCU10 | A106 |
| TCMT16T304FP KCU25 | A106 |
| TCMT16T304FP KTP10 | A106 |

| Catalogue No. | Page(s) |
|---|---|
| TCMT16T304LF KC5010 | A106 |
| TCMT16T304LF KC5025 | A106 |
| TCMT16T304LF KCK05 | A106 |
| TCMT16T304LF KCK15 | A106 |
| TCMT16T304LF KCK20 | A106 |
| TCMT16T304LF KCM15 | A106 |
| TCMT16T304LF KCM25 | A106 |
| TCMT16T304LF KCM35 | A106 |
| TCMT16T304LF KCP05 | A106 |
| TCMT16T304LF KCP10 | A106 |
| TCMT16T304LF KCP25 | A106 |
| TCMT16T304LF KCP30 | A106 |
| TCMT16T304LF KT315 | A106 |
| TCMT16T304MP KCK20 | A107 |
| TCMT16T304MP KCM15 | A107 |
| TCMT16T304MP KCM25 | A107 |
| TCMT16T304MP KCP25 | A107 |
| TCMT16T304MP KCU10 | A107 |
| TCMT16T30811 KT315 | A106 |
| TCMT16T308FP KCK20 | A106 |
| TCMT16T308FP KCM15 | A106 |
| TCMT16T308FP KCM25 | A106 |
| TCMT16T308FP KCP10 | A106 |
| TCMT16T308FP KCP25 | A106 |
| TCMT16T308FP KCU10 | A106 |
| TCMT16T308FP KCU25 | A106 |
| TCMT16T308FP KTP10 | A106 |
| TCMT16T308LF KC5010 | A106 |
| TCMT16T308LF KC5025 | A106 |
| TCMT16T308LF KCK05 | A106 |
| TCMT16T308LF KCK15 | A106 |
| TCMT16T308LF KCK20 | A106 |
| TCMT16T308LF KCM15 | A106 |
| TCMT16T308LF KCM25 | A106 |
| TCMT16T308LF KCM35 | A106 |
| TCMT16T308LF KCP05 | A106 |
| TCMT16T308LF KCP10 | A106 |
| TCMT16T308LF KCP25 | A106 |
| TCMT16T308LF KCP30 | A106 |
| TCMT16T308LF KT315 | A106 |
| TCMT16T308MF KCK15 | A107 |
| TCMT16T308MF KCK20 | A107 |
| TCMT16T308MF KCM15 | A107 |
| TCMT16T308MF KCM25 | A107 |
| TCMT16T308MF KCM35 | A107 |
| TCMT16T308MF KCP10 | A107 |
| TCMT16T308MF KCP25 | A107 |
| TCMT16T308MF KCP30 | A107 |
| TCMT16T308MP KCK20 | A107 |
| TCMT16T308MP KCM15 | A107 |
| TCMT16T308MP KCM25 | A107 |
| TCMT16T308MP KCP10 | A107 |
| TCMT16T308MP KCP25 | A107 |
| TCMT16T308MP KCU10 | A107 |
| TCMT16T308UF KC5010 | A107 |
| TCMT16T308UF KCP10 | A107 |
| TCMT16T308UF KCP25 | A107 |
| TCMT16T308UF KU10T | A107 |
| TCMT16T312FP KCM25 | A106 |
| TCMT16T312FP KCP05 | A106 |
| TCMT16T312FP KCP10 | A106 |
| TCMT16T312FP KCU10 | A106 |
| TCMT16T312FP KCU25 | A106 |
| TCMT16T312LF KC5010 | A106 |
| TCMT16T312LF KCK05 | A106 |
| TCMT16T312LF KCK15 | A106 |
| TCMT16T312LF KCK20 | A106 |
| TCMT16T312LF KCM25 | A106 |
| TCMT16T312LF KCP25 | A106 |
| TCMT16T312MF KCK15 | A107 |
| TCMT16T312MF KCK20 | A107 |
| TCMT16T312MF KCM25 | A107 |
| TCMT16T312MF KCM35 | A107 |
| TCMT16T312MF KCP10 | A107 |
| TCMT16T312MF KCP25 | A107 |
| TCMT16T312MP KCK20 | A107 |
| TCMT16T312MP KCM25 | A107 |
| TCMT16T312MP KCP25 | A107 |
| TCMT220408FP KCK20 | A106 |
| TCMT220408FP KCM25 | A106 |
| TCMT220408FP KCP05 | A106 |
| TCMT220408FP KCP10 | A106 |
| TCMT220408FP KCP25 | A106 |
| TCMT220408FP KCU10 | A106 |
| TCMT220408FP KCU25 | A106 |
| TCMT220408LF KC5010 | A106 |
| TCMT220408LF KC5025 | A106 |
| TCMT220408LF KCK05 | A106 |
| TCMT220408LF KCK20 | A106 |
| TCMT220408LF KCP10 | A106 |
| TCMT220408LF KCP25 | A106 |
| TCMW16T304 KCK20 | A107 |
| TCMW16T308 KCK20 | A107 |
| TD6P K68 | A108 |
| TDHB07T1202 KC5010 | A108 |
| TDHB07T1202 KC5025 | A108 |
| TDHB07T1202 KCU10 | A108 |
| TDHB07T1202 KCU25 | A108 |
| TDHB07T1204 KC5010 | A108 |
| TDHB07T1204 KC5025 | A108 |
| TDHB07T1204 KCU10 | A108 |
| TDHB07T1204 KCU25 | A108 |
| TDHB07T1204 KT315 | A108 |
| TDHB07T1208 KC5025 | A108 |
| TDHB07T1208 KCU10 | A108 |
| TDHB07T1208 KCU25 | A108 |
| TDHB07T12S0 KC5010 | A108 |
| TDHB07T12S0 KCU10 | A108 |
| TDHB07T12S0 KCU25 | A108 |
| TDHB07T12S0 KT315 | A108 |
| TDHH07T1202L KC5010 | A108 |
| TDHH07T1202L KC5025 | A108 |
| TDHH07T1202L KCU10 | A108 |
| TDHH07T1202L KCU25 | A108 |
| TDHH07T1202R KCU10 | A108 |
| TDHH07T1204L KC5010 | A108 |
| TDHH07T1204L KC5025 | A108 |
| TDHH07T1204L KCU10 | A108 |
| TDHH07T1204L KCU25 | A108 |
| TDHH07T1204R KCU10 | A108 |
| TDHH07T1204R KCU25 | A108 |
| TNGA160404S01015MT KBH20 | A169 |
| TNGA160404S01025MT KB5625 | A169 |
| TNGA160404S01225MT KBH20 | A169 |
| TNGA160404S01735MT KBH20 | A169 |
| TNGA160408EFWMT KB5625 | A168 |
| TNGA160408S01015MT KBH20 | A169 |
| TNGA160408S01025MT KB5625 | A169 |
| TNGA160408S01225MT KBH20 | A169 |
| TNGA160408S01735MT KBH20 | A169 |
| TNGA160412S01015MT KBH20 | A169 |
| TNGA160412S01025MT KB5625 | A169 |
| TNGA160412S01225MT KBH20 | A169 |
| TNGA160412S01735MT KBH20 | A169 |
| TNGG160402FS KC5525 | A64 |
| TNGG160402FS KCU25 | A64 |
| TNGG160402LF KC5010 | A65 |
| TNGG160402LF KCU10 | A65 |
| TNGG160404FS KC5510 | A64 |
| TNGG160404FS KC5525 | A64 |
| TNGG160404FS KCU10 | A64 |
| TNGG160404FS KCU25 | A64 |
| TNGG160404LF KC5010 | A65 |
| TNGG160404LF KCU10 | A65 |
| TNGG160408FS KC5525 | A64 |
| TNGG160408FS KCU25 | A64 |
| TNGG160408LF KC5010 | A65 |
| TNGG160408LF KCU10 | A65 |
| TNGG220408FS KCU10 | A64 |
| TNGG220408FS KCU25 | A64 |
| TNGP160402 KC5010 | A65 |
| TNGP160402 KCU10 | A65 |
| TNGP160404 KC5010 | A65 |
| TNGP160404 KC5410 | A65 |
| TNGP160404 KCU10 | A65 |
| TNGP160408 KC5010 | A65 |
| TNGP160408 KC5410 | A65 |
| TNGP160408 KCU10 | A65 |
| TNMA160408 K68 | A65 |
| TNMA160408 KCK05 | A65 |
| TNMA160408 KCK15 | A65 |
| TNMA160408 KCK20 | A65 |
| TNMA160412 KCK05 | A65 |
| TNMA160412 KCK15 | A65 |
| TNMA160412 KCK20 | A65 |
| TNMA160416 KCK15 | A65 |
| TNMA160416 KCK20 | A65 |
| TNMA220408 K68 | A65 |
| TNMA220408 KCK05 | A65 |
| TNMA220408 KCK15 | A65 |
| TNMA220408 KCK20 | A65 |
| TNMA220412 KCK05 | A65 |
| TNMA220412 KCK15 | A65 |
| TNMA220412 KCK20 | A65 |
| TNMA220416 KCK15 | A65 |
| TNMA220416 KCK20 | A65 |
| TNMA270616 KCK15 | A65 |
| TNMA270616 KCK20 | A65 |
| TNMG110304FF KC5010 | A66 |
| TNMG110304FF KCU10 | A66 |
| TNMG110304FN KCK05 | A66 |
| TNMG110304FN KCP10 | A66 |
| TNMG110304FN KCP25 | A66 |
| TNMG110308FF KC5010 | A66 |
| TNMG110308FN KCP10 | A66 |
| TNMG110308FN KCP25 | A66 |
| TNMG160402MS KC5510 | A68 |
| TNMG160402MS KC5525 | A68 |
| TNMG160402MS KCU10 | A68 |
| TNMG160402MS KCU25 | A68 |
| TNMG160404FF KC5010 | A66 |
| TNMG160404FF KCP05 | A66 |
| TNMG160404FF KCP10 | A66 |
| TNMG160404FF KCU10 | A66 |
| TNMG160404FF KT315 | A66 |
| TNMG160404FN KCK05 | A66 |
| TNMG160404FN KCP05 | A66 |
| TNMG160404FN KCP10 | A66 |
| TNMG160404FN KCP25 | A66 |
| TNMG160404FN KT315 | A66 |
| TNMG160404FP KC5010 | A67 |
| TNMG160404FP KCM15 | A67 |
| TNMG160404FP KCP10 | A67 |
| TNMG160404FP KCU10 | A67 |
| TNMG160404FP KT315 | A67 |
| TNMG160404FW KC5010 | A67 |
| TNMG160404FW KCP05 | A67 |
| TNMG160404FW KCP10 | A67 |
| TNMG160404FW KCU10 | A67 |
| TNMG160404FW KT315 | A67 |
| TNMG160404MN KCP05 | A67 |
| TNMG160404MN KCP10 | A67 |
| TNMG160404MN KCP25 | A67 |
| TNMG160404MN KCP30 | A67 |
| TNMG160404MP KC5010 | A68 |
| TNMG160404MP KCM15 | A68 |
| TNMG160404MP KCM25 | A68 |
| TNMG160404MP KCM35 | A68 |
| TNMG160404MP KCU10 | A68 |
| TNMG160404MS KC5510 | A68 |
| TNMG160404MS KC5525 | A68 |
| TNMG160404MS KCU10 | A68 |
| TNMG160404MS KCU25 | A68 |
| TNMG160404P KC5010 | A69 |
| TNMG160404P KCU10 | A69 |
| TNMG160404UP KCM15 | A71 |
| TNMG160404UP KCM25 | A71 |
| TNMG160408FF KC5010 | A66 |
| TNMG160408FF KCP05 | A66 |
| TNMG160408FF KCP10 | A66 |
| TNMG160408FF KCU10 | A66 |
| TNMG160408FF KT315 | A66 |
| TNMG160408FN KCK05 | A66 |
| TNMG160408FN KCP05 | A66 |
| TNMG160408FN KCP10 | A66 |
| TNMG160408FN KCP10B | A66 |
| TNMG160408FN KCP25 | A66 |
| TNMG160408FN KT315 | A66 |
| TNMG160408FP KC5010 | A67 |
| TNMG160408FP KCM15 | A67 |
| TNMG160408FP KCP10 | A67 |
| TNMG160408FP KCU10 | A67 |
| TNMG160408FP KT315 | A67 |
| TNMG160408FW KC5010 | A67 |
| TNMG160408FW KCP05 | A67 |
| TNMG160408FW KCP10 | A67 |
| TNMG160408FW KCU10 | A67 |
| TNMG160408FW KT315 | A67 |
| TNMG160408MN KCP05 | A67 |
| TNMG160408MN KCP10 | A67 |
| TNMG160408MN KCP10B | A67 |
| TNMG160408MN KCP25 | A67 |
| TNMG160408MN KCP25B | A67 |
| TNMG160408MN KCP30 | A67 |
| TNMG160408MP KC5010 | A68 |
| TNMG160408MP KCM15 | A68 |
| TNMG160408MP KCM25 | A68 |
| TNMG160408MP KCM35 | A68 |
| TNMG160408MP KCP10 | A68 |
| TNMG160408MP KCP25 | A68 |
| TNMG160408MP KCU10 | A68 |
| TNMG160408MR KCK15B | A68 |
| TNMG160408MR KCM15 | A68 |
| TNMG160408MR KCM25 | A68 |
| TNMG160408MR KCM35 | A68 |
| TNMG160408MR KCP10B | A68 |
| TNMG160408MR KCP25B | A68 |
| TNMG160408MS KC5510 | A68 |
| TNMG160408MS KC5525 | A68 |
| TNMG160408MS KCU10 | A68 |
| TNMG160408MS KCU25 | A68 |
| TNMG160408MW KCP05 | A69 |
| TNMG160408MW KCP10 | A69 |
| TNMG160408MW KCP25 | A69 |
| TNMG160408P KC5010 | A69 |
| TNMG160408P KCU10 | A69 |
| TNMG160408RN KCP10 | A70 |
| TNMG160408RN KCP25 | A70 |
| TNMG160408RN KCP30 | A70 |
| TNMG160408RP KC5010 | A70 |

| Catalogue No. | Page(s) |
|---|---|
| TNMG160408RP KC5510 | A70 |
| TNMG160408RP KC5525 | A70 |
| TNMG160408RP KCK05 | A70 |
| TNMG160408RP KCK15 | A70 |
| TNMG160408RP KCK15B | A70 |
| TNMG160408RP KCK20 | A70 |
| TNMG160408RP KCM15 | A70 |
| TNMG160408RP KCM25 | A70 |
| TNMG160408RP KCP05 | A70 |
| TNMG160408RP KCP10 | A70 |
| TNMG160408RP KCP25 | A70 |
| TNMG160408RP KCP30 | A70 |
| TNMG160408RP KCU10 | A70 |
| TNMG160408RP KCU25 | A70 |
| TNMG160408UN KCK05 | A70 |
| TNMG160408UN KCK15 | A70 |
| TNMG160408UN KCK15B | A70 |
| TNMG160408UN KCK20 | A70 |
| TNMG160408UP KC5010 | A71 |
| TNMG160408UP KCM25 | A71 |
| TNMG160412FN KCK05 | A66 |
| TNMG160412FN KCP05 | A66 |
| TNMG160412FN KCP10 | A66 |
| TNMG160412FN KCP10B | A66 |
| TNMG160412FN KCP25 | A66 |
| TNMG160412FN KT315 | A66 |
| TNMG160412FP KC5010 | A67 |
| TNMG160412FP KCM15 | A67 |
| TNMG160412FP KCU10 | A67 |
| TNMG160412FW KCP05 | A67 |
| TNMG160412FW KCP10 | A67 |
| TNMG160412FW KCU10 | A67 |
| TNMG160412FW KT315 | A67 |
| TNMG160412MN KCP05 | A67 |
| TNMG160412MN KCP10 | A67 |
| TNMG160412MN KCP10B | A67 |
| TNMG160412MN KCP25 | A67 |
| TNMG160412MN KCP25B | A67 |
| TNMG160412MN KCP30 | A67 |
| TNMG160412MN KCP40 | A67 |
| TNMG160412MP KC5010 | A68 |
| TNMG160412MP KCM15 | A68 |
| TNMG160412MP KCM25 | A68 |
| TNMG160412MP KCU10 | A68 |
| TNMG160412MR KCK15B | A68 |
| TNMG160412MR KCM25 | A68 |
| TNMG160412MR KCP10B | A68 |
| TNMG160412MR KCP25B | A68 |
| TNMG160412MW KCP05 | A69 |
| TNMG160412MW KCP10 | A69 |
| TNMG160412MW KCP25 | A69 |
| TNMG160412RN KCP10 | A70 |
| TNMG160412RN KCP10B | A70 |
| TNMG160412RN KCP25 | A70 |
| TNMG160412RN KCP25B | A70 |
| TNMG160412RN KCP30 | A70 |
| TNMG160412RP KC5525 | A70 |
| TNMG160412RP KCK20 | A70 |
| TNMG160412RP KCM25 | A70 |
| TNMG160412RP KCM35 | A70 |
| TNMG160412RP KCP05 | A70 |
| TNMG160412RP KCP10 | A70 |
| TNMG160412RP KCP10B | A70 |
| TNMG160412RP KCP25 | A70 |
| TNMG160412RP KCP25B | A70 |
| TNMG160412RP KCU25 | A70 |
| TNMG160412UN KCK05 | A70 |
| TNMG160412UN KCK15 | A70 |
| TNMG160412UN KCK15B | A70 |
| TNMG160412UN KCK20 | A70 |
| TNMG160412UP KCM25 | A71 |
| TNMG160416RP KCP10 | A70 |
| TNMG160416UN KCK15 | A70 |
| TNMG160416UN KCK20 | A70 |
| TNMG220404FN KCK05 | A66 |
| TNMG220404FN KCP10 | A66 |
| TNMG220404FN KCP25 | A66 |
| TNMG220404FN KT315 | A66 |
| TNMG220404FP KC5010 | A67 |
| TNMG220404FP KCM15 | A67 |
| TNMG220404FP KCU10 | A67 |
| TNMG220404MN KCP10 | A67 |
| TNMG220404MN KCP25 | A67 |
| TNMG220404MN KCP30 | A67 |
| TNMG220404MS KC5510 | A68 |
| TNMG220404MS KC5525 | A68 |
| TNMG220404MS KCU10 | A68 |
| TNMG220404MS KCU25 | A68 |
| TNMG220404P KC5010 | A69 |
| TNMG220404P KCU10 | A69 |
| TNMG220408CT KCP10 | A66 |
| TNMG220408FN KCP05 | A66 |
| TNMG220408FN KCP10 | A66 |
| TNMG220408FN KCP25 | A66 |
| TNMG220408FP KC5010 | A67 |
| TNMG220408FP KCM15 | A67 |
| TNMG220408FP KCU10 | A67 |
| TNMG220408MN KCP10 | A67 |
| TNMG220408MN KCP25 | A67 |
| TNMG220408MN KCP30 | A67 |
| TNMG220408MN KCP40 | A67 |
| TNMG220408MP KC5010 | A68 |
| TNMG220408MP KCM15 | A68 |
| TNMG220408MP KCM25 | A68 |
| TNMG220408MP KCU10 | A68 |
| TNMG220408MP1 KC5010 | A68 |
| TNMG220408MS K313 | A68 |
| TNMG220408MS KC5510 | A68 |
| TNMG220408MS KC5525 | A68 |
| TNMG220408MS KCU10 | A68 |
| TNMG220408MS KCU25 | A68 |
| TNMG220408P KC5010 | A69 |
| TNMG220408P KCU10 | A69 |
| TNMG220408RN KCP10 | A70 |
| TNMG220408RN KCP25 | A70 |
| TNMG220408RN KCP30 | A70 |
| TNMG220408RN KCP40 | A70 |
| TNMG220408RP KC5010 | A70 |
| TNMG220408RP KC5525 | A70 |
| TNMG220408RP KCK15 | A70 |
| TNMG220408RP KCK20 | A70 |
| TNMG220408RP KCM15 | A70 |
| TNMG220408RP KCM25 | A70 |
| TNMG220408RP KCP10 | A70 |
| TNMG220408RP KCP25 | A70 |
| TNMG220408RP KCP30 | A70 |
| TNMG220408RP KCP40 | A70 |
| TNMG220408RP KCU10 | A70 |
| TNMG220408RP KCU25 | A70 |
| TNMG220408UN KCK05 | A70 |
| TNMG220408UN KCK15 | A70 |
| TNMG220408UN KCK20 | A70 |
| TNMG220408UP KCM25 | A71 |
| TNMG220408UP KCM35 | A71 |
| TNMG220412 K68 | A66 |
| TNMG220412CT KCP05 | A66 |
| TNMG220412CT KCP10 | A66 |
| TNMG220412FN KCP10 | A66 |
| TNMG220412FN KCP25 | A66 |
| TNMG220412MN KCP10 | A67 |
| TNMG220412MN KCP25 | A67 |
| TNMG220412MN KCP30 | A67 |
| TNMG220412MN KCP40 | A67 |
| TNMG220412MP KC5010 | A68 |
| TNMG220412MP KCM15 | A68 |
| TNMG220412MP KCM25 | A68 |
| TNMG220412MP KCU10 | A68 |
| TNMG220412MS KC5510 | A68 |
| TNMG220412MS KCU10 | A68 |
| TNMG220412MS KCU25 | A68 |
| TNMG220412P KCU10 | A69 |
| TNMG220412RN KCP10 | A70 |
| TNMG220412RN KCP25 | A70 |
| TNMG220412RN KCP30 | A70 |
| TNMG220412RN KCP40 | A70 |
| TNMG220412RP KC5510 | A70 |
| TNMG220412RP KC5525 | A70 |
| TNMG220412RP KCK15 | A70 |
| TNMG220412RP KCK20 | A70 |
| TNMG220412RP KCM15 | A70 |
| TNMG220412RP KCM25 | A70 |
| TNMG220412RP KCP10 | A70 |
| TNMG220412RP KCP25 | A70 |
| TNMG220412RP KCP30 | A70 |
| TNMG220412RP KCP40 | A70 |
| TNMG220412RP KCU10 | A70 |
| TNMG220412RP KCU25 | A70 |
| TNMG220412UN KCK05 | A70 |
| TNMG220412UN KCK15 | A70 |
| TNMG220412UN KCK20 | A70 |
| TNMG220412UP KCM25 | A71 |
| TNMG220412UP KCM35 | A71 |
| TNMG220416 K68 | A66 |
| TNMG220416MN KCP25 | A67 |
| TNMG220416MP KC5010 | A68 |
| TNMG220416MP KCM25 | A68 |
| TNMG220416MP KCU10 | A68 |
| TNMG220416RN KCP10 | A70 |
| TNMG220416RN KCP10B | A70 |
| TNMG220416RN KCP25 | A70 |
| TNMG220416RN KCP25B | A70 |
| TNMG220416RP KCK15 | A70 |
| TNMG220416RP KCM25 | A70 |
| TNMG220416RP KCP10 | A70 |
| TNMG220416RP KCP10B | A70 |
| TNMG220416RP KCP25 | A70 |
| TNMG220416RP KCP25B | A70 |
| TNMG220416RP KCU10 | A70 |
| TNMG220416RP KCU25 | A70 |
| TNMG220416UN KCK15 | A70 |
| TNMG220416UN KCK20 | A70 |
| TNMG220432RP KC5510 | A70 |
| TNMG220432RP KCK20 | A70 |
| TNMG220432RP KCP10B | A70 |
| TNMG220432RP KCP25 | A70 |
| TNMG220432RP KCP30 | A70 |
| TNMG220432RP KCU10 | A70 |
| TNMG270608MS KC5525 | A68 |
| TNMG270608MS KCU25 | A68 |
| TNMG270608RN KCP10 | A70 |
| TNMG270608RN KCP25 | A70 |
| TNMG270608RN KCP30 | A70 |
| TNMG270612RN KCP10 | A70 |
| TNMG270612RN KCP25 | A70 |
| TNMG270612RN KCP30 | A70 |
| TNMG270612RN KCP40 | A70 |
| TNMG270612RP KC5510 | A70 |
| TNMG270612RP KC5525 | A70 |
| TNMG270612RP KCK20 | A70 |
| TNMG270612RP KCM15 | A70 |
| TNMG270612RP KCM25 | A70 |
| TNMG270612RP KCM35 | A70 |
| TNMG270612RP KCP10 | A70 |
| TNMG270612RP KCP25 | A70 |
| TNMG270612RP KCU10 | A70 |
| TNMG270612RP KCU25 | A70 |
| TNMG270616MS K313 | A68 |
| TNMG270616RN KCP10 | A70 |
| TNMG270616RN KCP25 | A70 |
| TNMG270616RN KCP30 | A70 |
| TNMG270616RP KCK20 | A70 |
| TNMG270616RP KCM15 | A70 |
| TNMG270616RP KCM25 | A70 |
| TNMG270616RP KCM35 | A70 |
| TNMG270616RP KCP25 | A70 |
| TNMG330924 KCP25 | A66 |
| TNMG330924 KCP40 | A66 |
| TNMG330924RM KCP25 | A69 |
| TNMG330924RM KCP30 | A69 |
| TNMG330924RM KCU10 | A69 |
| TNMG330924RN KCP10 | A70 |
| TNMG330924RN KCP25 | A70 |
| TNMG330924RN KCP30 | A70 |
| TNMG330924RP KC5010 | A70 |
| TNMG330924RP KCM25 | A70 |
| TNMG330924RP KCP25 | A70 |
| TNMG330924RP KCP40 | A70 |
| TNMG330924RP KCU10 | A70 |
| TNMM160408RM KCP10 | A71 |
| TNMM160408RM KCP25 | A71 |
| TNMM160408RP KCP10 | A71 |
| TNMM160408RP KCP25 | A71 |
| TNMM160412RM KCP25 | A71 |
| TNMM160412RP KCP10 | A71 |
| TNMM220408RM KCP25 | A71 |
| TNMM220408RP KCM15 | A71 |
| TNMM220408RP KCP10 | A71 |
| TNMM220412RM KCP25 | A71 |
| TNMM220412RP KCM15 | A71 |
| TNMM220412RP KCM25 | A71 |
| TNMM220412RP KCM35 | A71 |
| TNMM220412RP KCP10 | A71 |
| TNMM220412RP KCP25 | A71 |
| TNMM220416RM KCP10 | A71 |
| TNMM220416RM KCP25 | A71 |
| TNMM220416RP KCP10 | A71 |
| TNMM220416RP KCP25 | A71 |
| TNMM270612RM KCP25 | A71 |
| TNMM270612RM KCP30 | A71 |
| TNMM270616RM KCP25 | A71 |
| TNMM270616RM KCP30 | A71 |
| TNMM270616RP KCP25 | A71 |
| TNMP160404 K313 | A72 |
| TNMP160404K KCP25 | A72 |
| TNMP160408 K313 | A72 |
| TNMP160408K KCP10 | A72 |
| TNMP160408K KCP25 | A72 |
| TNMP220408K KCP25 | A72 |
| TNMP220416 K68 | A72 |
| TNMS160404 K68 | A72 |
| TNMS160404FST KD1400 | A169 |
| TNMS160404FST KD1425 | A169 |
| TNMS160408 K68 | A72 |
| TNMS160408FST KD1400 | A169 |
| TNMS160408FST KD1425 | A169 |
| TNMS220408 K68 | A72 |
| TNMS220408 KC5410 | A72 |
| TPCB160302 KC5010 | A108 |
| TPCB160304 KC5010 | A108 |
| TPCB160304 KCU25 | A108 |

| Catalogue No. | Page(s) |
|---|---|
| TPCB160308 KC5010 | A108 |
| TPCB160308 KCU25 | A108 |
| TPCG110202L KC5010 | A108 |
| TPCG110204L KC5010 | A108 |
| TPCG110204L KC5025 | A108 |
| TPCG110204L KCU25 | A108 |
| TPCG110208L KC5010 | A108 |
| TPCH110202 KC5010 | A109 |
| TPCH110202 KCU25 | A109 |
| TPCH110204 KC5010 | A109 |
| TPGH160304 KCU10 | A109 |
| TPGH160304 KCU25 | A109 |
| TPGH160308 KC5010 | A109 |
| TPGH160308 KC5025 | A109 |
| TPGH160308 KCU10 | A109 |
| TPGH160308 KCU25 | A109 |
| TPGH16T304 KCU10 | A109 |
| TPGN110304 K313 | A85 |
| TPGN110304 K68 | A85 |
| TPGN110304 KC5010 | A85 |
| TPGN110304 KCU10 | A85 |
| TPGN110304F KD1425 | A182 |
| TPGN110308 K313 | A85 |
| TPGN110308 K68 | A85 |
| TPGN110308 KC5010 | A85 |
| TPGN110308 KCU10 | A85 |
| TPGN110308F KD1425 | A182 |
| TPGN160302 K313 | A85 |
| TPGN160302 K68 | A85 |
| TPGN160302 KC5010 | A85 |
| TPGN160302 KCU10 | A85 |
| TPGN160304 K313 | A85 |
| TPGN160304 K68 | A85 |
| TPGN160304 KC5010 | A85 |
| TPGN160304 KCU10 | A85 |
| TPGN160304F KD1425 | A182 |
| TPGN160308 K313 | A85 |
| TPGN160308 K68 | A85 |
| TPGN160308 KCU10 | A85 |
| TPGN160308F KD1425 | A85, A182 |
| TPGN160312 K313 | A85 |
| TPGN160312 KC5010 | A85 |
| TPGN160312 KCU10 | A85 |
| TPGN160312F KD1425 | A182 |
| TPGN160316 K313 | A85 |
| TPGN160316 K68 | A85 |
| TPGN160316 KC5010 | A85 |
| TPGN160316 KCU10 | A85 |
| TPGN220404 K313 | A85 |
| TPGN220404 K68 | A85 |
| TPGN220404 KC5010 | A85 |
| TPGN220404 KCU10 | A85 |
| TPGN220404F KD1425 | A182 |
| TPGN220408 K313 | A85 |
| TPGN220408 K68 | A85 |
| TPGN220408 KC5010 | A85 |
| TPGN220408 KCU10 | A85 |
| TPGN220408F KD1425 | A182 |
| TPGN220412 K68 | A85 |
| TPGN220412 KC5010 | A85 |
| TPGN220412 KCU10 | A85 |
| TPGN220416 K68 | A85 |
| TPGN220416 KC5010 | A85 |
| TPGN220416 KCU10 | A85 |
| TPGN270616 K68 | A85 |
| TPGR110304K KC5010 | A86 |
| TPGR110304K KCU10 | A86 |
| TPGR110308K KCU10 | A86 |
| TPGR160304K KC5010 | A86 |
| TPGR160304K KCU10 | A86 |
| TPGR160308K KC5010 | A86 |
| TPGR160308K KCU10 | A86 |
| TPGR220404K KCU10 | A86 |
| TPGR220408K KCU10 | A86 |
| TPGT090202LF KC5010 | A110 |
| TPGT090202LF KC5410 | A110 |
| TPGT090202LF KCU10 | A110 |
| TPGT090204LF KC5010 | A110 |
| TPGT090204LF KC5025 | A110 |
| TPGT090204LF KC5410 | A110 |
| TPGT090204LF KCU10 | A110 |
| TPGT110201LF KCU10 | A110 |
| TPGT110202HP KC5010 | A109 |
| TPGT110202HP KC5025 | A109 |
| TPGT110202HP KC5410 | A109 |
| TPGT110202HP KCU10 | A109 |
| TPGT110202HP KCU25 | A109 |
| TPGT110202LF KC5010 | A110 |
| TPGT110202LF KC5025 | A110 |
| TPGT110202LF KCU10 | A110 |
| TPGT110204HP KC5010 | A109 |
| TPGT110204HP KC5025 | A109 |
| TPGT110204HP KC5410 | A109 |
| TPGT110204HP KCU10 | A109 |
| TPGT110204HP KCU25 | A109 |
| TPGT110204K K68 | A109 |
| TPGT110204LF KC5010 | A110 |
| TPGT110204LF KC5025 | A110 |
| TPGT110204LF KC5410 | A110 |
| TPGT110204LF KCU10 | A110 |
| TPGT110208HP KC5010 | A109 |
| TPGT110208HP KC5410 | A109 |
| TPGT110208HP KCU10 | A109 |
| TPGT110208HP KCU25 | A109 |
| TPGT110208K K313 | A109 |
| TPGT110208LF KC5010 | A110 |
| TPGT110208LF KCU10 | A110 |
| TPGT16T302HP KC5010 | A109 |
| TPGT16T302HP KCU10 | A109 |
| TPGT16T302HP KCU25 | A109 |
| TPGT16T304HP KC5010 | A109 |
| TPGT16T304HP KC5025 | A109 |
| TPGT16T304HP KC5410 | A109 |
| TPGT16T304HP KCU10 | A109 |
| TPGT16T304HP KCU25 | A109 |
| TPGT16T304LF KC5010 | A110 |
| TPGT16T304LF KC5025 | A110 |
| TPGT16T304LF KC5410 | A110 |
| TPGT16T304LF KCU10 | A110 |
| TPGT16T308HP KC5010 | A109 |
| TPGT16T308HP KC5025 | A109 |
| TPGT16T308HP KC5410 | A109 |
| TPGT16T308HP KCU10 | A109 |
| TPGT16T308HP KCU25 | A109 |
| TPGT16T308LF KC5010 | A110 |
| TPGT16T308LF KC5410 | A110 |
| TPGT16T308LF KCU10 | A110 |
| TPGW110202EC KB5625 | A178 |
| TPGW110202EM KB5625 | A179 |
| TPGW110202S01015MT KBH20 | A179 |
| TPGW110204FST KD1400 | A178 |
| TPGW110204FST KD1425 | A178 |
| TPGW110204S01015C KB5610 | A178 |
| TPGW110204S01015C KB5625 | A178 |
| TPGW110204S01015C KB5630 | A178 |
| TPGW110204S01015M KB5625 | A179 |
| TPGW110204S01015MT KBH20 | A179 |
| TPGW110208FST KD1400 | A178 |
| TPGW110208FST KD1425 | A178 |
| TPGW110208S01015C KB5610 | A178 |
| TPGW110208S01015C KB5625 | A178 |
| TPGW110208S01015C KB5630 | A178 |
| TPGW110208S01015M KB5625 | A179 |
| TPGW110208S01015MT KBH20 | A179 |
| TPGW16T304FST KD1400 | A178 |
| TPGW16T304FST KD1425 | A178 |
| TPGW16T304S01015M KB5625 | A179 |
| TPGW16T304S01015MT KBH20 | A179 |
| TPGW16T304S01225MT KBH20 | A179 |
| TPGW16T308FST KD1400 | A178 |
| TPGW16T308FST KD1425 | A178 |
| TPGW16T308S01015MT KBH20 | A179 |
| TPGW16T308S01225MT KBH20 | A179 |
| TPHB110202 KCU10 | A110 |
| TPHB160304 KCU10 | A110 |
| TPMT090202LF KC5010 | A111 |
| TPMT090204FP KCU10 | A110 |
| TPMT090204LF KC5010 | A111 |
| TPMT090204LF KC5025 | A111 |
| TPMT090204LF KCK05 | A111 |
| TPMT090204LF KCK15 | A111 |
| TPMT090204LF KCM15 | A111 |
| TPMT090204LF KCM25 | A111 |
| TPMT090204LF KCP10 | A111 |
| TPMT090204LF KCP25 | A111 |
| TPMT090204LF KT315 | A111 |
| TPMT090208FP KCM15 | A110 |
| TPMT090208FP KCM25 | A110 |
| TPMT090208FP KCP10 | A110 |
| TPMT090208FP KCP10B | A110 |
| TPMT090208FP KCP25 | A110 |
| TPMT090208FP KCP25B | A110 |
| TPMT090208FP KCU10 | A110 |
| TPMT090208FP KCU25 | A110 |
| TPMT090208FP KTP10 | A110 |
| TPMT110202FP KCU10 | A110 |
| TPMT110202FP KCU25 | A110 |
| TPMT110202LF KC5010 | A111 |
| TPMT110202UF KC5010 | A112 |
| TPMT110202UF KCP05 | A112 |
| TPMT110204FP KCK20 | A110 |
| TPMT110204FP KCM15 | A110 |
| TPMT110204FP KCM25 | A110 |
| TPMT110204FP KCP10 | A110 |
| TPMT110204FP KCP25 | A110 |
| TPMT110204FP KCU10 | A110 |
| TPMT110204FP KCU25 | A110 |
| TPMT110204LF K313 | A111 |
| TPMT110204LF KC5010 | A111 |
| TPMT110204LF KC5025 | A111 |
| TPMT110204LF KCK05 | A111 |
| TPMT110204LF KCK15 | A111 |
| TPMT110204LF KCK20 | A111 |
| TPMT110204LF KCM15 | A111 |
| TPMT110204LF KCM25 | A111 |
| TPMT110204LF KCP05 | A111 |
| TPMT110204LF KCP10 | A111 |
| TPMT110204LF KCP25 | A111 |
| TPMT110204LF KT315 | A111 |
| TPMT110204UF KC5010 | A112 |
| TPMT110204UF KCP05 | A112 |
| TPMT110204UF KCP10 | A112 |
| TPMT110208FP KCK20 | A110 |
| TPMT110208FP KCM15 | A110 |
| TPMT110208FP KCM25 | A110 |
| TPMT110208FP KCP10 | A110 |
| TPMT110208FP KCP25 | A110 |
| TPMT110208FP KCU10 | A110 |
| TPMT110208FP KTP10 | A110 |
| TPMT110208LF KC5010 | A111 |
| TPMT110208LF KC5025 | A111 |
| TPMT110208LF KCK05 | A111 |
| TPMT110208LF KCK15 | A111 |
| TPMT110208LF KCK20 | A111 |
| TPMT110208LF KCM25 | A111 |
| TPMT110208LF KCP05 | A111 |
| TPMT110208LF KCP10 | A111 |
| TPMT110208LF KCP10B | A111 |
| TPMT110208LF KCP25 | A111 |
| TPMT110208LF KCP25B | A111 |
| TPMT110208LF KT315 | A111 |
| TPMT110208MF KCK20 | A111 |
| TPMT110208MF KCM25 | A111 |
| TPMT110208MF KCP10 | A111 |
| TPMT110208MF KCP10B | A111 |
| TPMT110208MF KCP25 | A111 |
| TPMT110208MF KCP25B | A111 |
| TPMT110208MP KCK20 | A111 |
| TPMT110208MP KCP25 | A111 |
| TPMT110208MP KCU10 | A111 |
| TPMT110304FP KCU10 | A110 |
| TPMT110304FP KCU25 | A110 |
| TPMT110308FP KCU10 | A110 |
| TPMT16T304FP KCK20 | A110 |
| TPMT16T304FP KCM25 | A110 |
| TPMT16T304FP KCP10 | A110 |
| TPMT16T304FP KCP25 | A110 |
| TPMT16T304FP KCU10 | A110 |
| TPMT16T304FP KCU25 | A110 |
| TPMT16T304LF KC5010 | A111 |
| TPMT16T304LF KC5025 | A111 |
| TPMT16T304LF KCK05 | A111 |
| TPMT16T304LF KCK15 | A111 |
| TPMT16T304LF KCK20 | A111 |
| TPMT16T304LF KCM15 | A111 |
| TPMT16T304LF KCM25 | A111 |
| TPMT16T304LF KCP10 | A111 |
| TPMT16T304LF KCP25 | A111 |
| TPMT16T304LF KT315 | A111 |
| TPMT16T304UF KCP10 | A112 |
| TPMT16T308FP KCK20 | A110 |
| TPMT16T308FP KCM25 | A110 |
| TPMT16T308FP KCP05 | A110 |
| TPMT16T308FP KCP10 | A110 |
| TPMT16T308FP KCP25 | A110 |
| TPMT16T308FP KCU10 | A110 |
| TPMT16T308FP KCU25 | A110 |
| TPMT16T308FP KTP10 | A110 |
| TPMT16T308LF KC5010 | A111 |
| TPMT16T308LF KC5025 | A111 |
| TPMT16T308LF KCK05 | A111 |
| TPMT16T308LF KCK15 | A111 |
| TPMT16T308LF KCK20 | A111 |
| TPMT16T308LF KCM15 | A111 |
| TPMT16T308LF KCM25 | A111 |
| TPMT16T308LF KCP10 | A111 |
| TPMT16T308LF KCP10B | A111 |
| TPMT16T308LF KCP25 | A111 |
| TPMT16T308LF KCP25B | A111 |
| TPMT16T308LF KT315 | A111 |
| TPMT16T308MF KCK15 | A111 |
| TPMT16T308MF KCK20 | A111 |
| TPMT16T308MF KCM15 | A111 |
| TPMT16T308MF KCM25 | A111 |
| TPMT16T308MF KCP10 | A111 |
| TPMT16T308MF KCP25 | A111 |
| TPMT16T308MF KCP30 | A111 |
| TPMT16T308MP KCK20 | A111 |
| TPMT16T308MP KCP25 | A111 |

| Catalogue No. | Page(s) |
|---|---|
| TPMT16T308UF KCP10 | A112 |
| TPMT16T312FP KCU10 | A110 |
| TPMT16T312LF KCK05 | A111 |
| TPMT16T312MF KCK15 | A111 |
| TPMT16T312MF KCK20 | A111 |
| TPMT16T312MF KCM25 | A111 |
| TPMT16T312MF KCP25 | A111 |
| TPMT16T312MP KCK20 | A111 |
| TPMT16T312MP KCP25 | A111 |
| TPMT16T312MP KCP25B | A111 |
| TPMT220408FP KCP25 | A110 |
| TPMT220408FP KCU10 | A110 |
| TPMT220408LF KC5010 | A111 |
| TPMT220408LF KC5025 | A111 |
| TPMT220408LF KCK05 | A111 |
| TPMT220408LF KCK20 | A111 |
| TPUN110304 K68 | A86 |
| TPUN110308 K68 | A86 |
| TPUN160304 K68 | A86 |
| TPUN160308 K68 | A86 |
| TPUN220408 K68 | A86 |
| TPUN220412 K68 | A86 |
| TT15 | B31–B34 |
| TT25 | B31–B34 |
| TT30 | B31–B34 |
| TTP15 | D4–D5 |
| TTSS05014M | E22, E23 |
| TTSS06014M | E22, E23 |
| TTSS08014M | E22, E23 |
| TTSS10014M | E22–E25 |
| TTSS12014M | E22–E25 |
| TTSS16014M | E22– E25 |
| TTSS20014M | E23, E25 |
| UADE0600A4AL KCPM15 | C18 |
| UADE0600B4AL KCPM15 | C18 |
| UADE0800A4AL KCPM15 | C18 |
| UADE0800B4AL KCPM15 | C18 |
| UADE1000A4AL KCPM15 | C18 |
| UADE1000B4AL KCPM15 | C18 |
| UADE1200A4AL KCPM15 | C18 |
| UADE1200B4AL KCPM15 | C18 |
| UADE1600A4AL KCPM15 | C18 |
| UADE1600B4AL KCPM15 | C18 |
| UADE2000A4AL KCPM15 | C18 |
| UADE2000B4AL KCPM15 | C18 |
| UBDE1200E4AQE KCSM15 | C15 |
| UBDE1200E4AQG KCSM15 | C15 |
| UBDE1200E4AQK KCSM15 | C15 |
| UBDE1200E4AQM KCSM15 | C15 |
| UBDE1200E4AQN KCSM15 | C15 |
| UBDE1600E4AQE KCSM15 | C15 |
| UBDE1600E4AQG KCSM15 | C15 |
| UBDE1600E4AQK KCSM15 | C15 |
| UBDE1600E4AQM KCSM15 | C15 |
| UBDE1600E4AQN KCSM15 | C15 |
| UBDE2000E4AQE KCSM15 | C15 |
| UBDE2000E4AQG KCSM15 | C16 |
| UBDE2000E4AQK KCSM15 | C16 |
| UBDE2000E4AQM KCSM15 | C16 |
| UBDE2000E4AQN KCSM15 | C16 |
| UBDE2500E4AQE KCSM15 | C16 |
| UBDE2500E4AQG KCSM15 | C16 |
| UBDE2500E4AQK KCSM15 | C16 |
| UBDE2500E4AQM KCSM15 | C16 |
| UBDE2500E4AQN KCSM15 | C16 |
| UCDE0400A5ARA KC643M | C26 |
| UCDE0400A5ARA KCPM15 | C26 |
| UCDE0400A5ASA KC643M | C26 |
| UCDE0400A5ASA KCPM15 | C26 |
| UCDE0400B5ARA KC643M | C26 |
| UCDE0400B5ARA KCPM15 | C26 |
| UCDE0500A5ARA KC643M | C26 |
| UCDE0500A5ARA KCPM15 | C26 |
| UCDE0500A5ASA KC643M | C26 |
| UCDE0500A5ASA KCPM15 | C26 |
| UCDE0500B5ARA KC643M | C26 |
| UCDE0500B5ARA KCPM15 | C26 |
| UCDE0600A5ARA KC643M | C26 |
| UCDE0600A5ARA KCPM15 | C26 |
| UCDE0600A5ASA KC643M | C26 |
| UCDE0600A5ASA KCPM15 | C26 |
| UCDE0600B5ARA KC643M | C26 |
| UCDE0600B5ARA KCPM15 | C26 |
| UCDE0700A5ARA KC643M | C26 |
| UCDE0700A5ARA KCPM15 | C26 |
| UCDE0700A5ASA KC643M | C26 |
| UCDE0700A5ASA KCPM15 | C26 |
| UCDE0700B5ARA KC643M | C26 |
| UCDE0700B5ARA KCPM15 | C26 |
| UCDE0800A5ARA KC643M | C26 |
| UCDE0800A5ARA KCPM15 | C26 |
| UCDE0800A5ASA KC643M | C26 |
| UCDE0800A5ASA KCPM15 | C26 |
| UCDE0800B5ARA KC643M | C26 |
| UCDE0800B5ARA KCPM15 | C26 |
| UCDE0900A5ARA KC643M | C26 |
| UCDE0900A5ARA KCPM15 | C26 |
| UCDE0900A5ASA KC643M | C26 |
| UCDE0900A5ASA KCPM15 | C26 |
| UCDE0900B5ARA KC643M | C26 |
| UCDE0900B5ARA KCPM15 | C26 |
| UCDE1000A5ARA KC643M | C26 |
| UCDE1000A5ARA KCPM15 | C26 |
| UCDE1000A5ASA KC643M | C26 |
| UCDE1000A5ASA KCPM15 | C26 |
| UCDE1000B5ARA KC643M | C26 |
| UCDE1000B5ARA KCPM15 | C26 |
| UCDE1200A5ARA KC643M | C26 |
| UCDE1200A5ARA KCPM15 | C26 |
| UCDE1200A5ASA KC643M | C26 |
| UCDE1200A5ASA KCPM15 | C26 |
| UCDE1200B5ARA KC643M | C26 |
| UCDE1200B5ARA KCPM15 | C26 |
| UCDE1400A5ARA KC643M | C26 |
| UCDE1400A5ARA KCPM15 | C26 |
| UCDE1400A5ASA KC643M | C26 |
| UCDE1400A5ASA KCPM15 | C26 |
| UCDE1400B5ARA KC643M | C26 |
| UCDE1400B5ARA KCPM15 | C26 |
| UCDE1600A5ARA KC643M | C26 |
| UCDE1600A5ARA KCPM15 | C26 |
| UCDE1600A5ASA KC643M | C26 |
| UCDE1600A5ASA KCPM15 | C26 |
| UCDE1600B5ARA KC643M | C26 |
| UCDE1600B5ARA KCPM15 | C26 |
| UCDE1800A5ARA KC643M | C26 |
| UCDE1800A5ARA KCPM15 | C26 |
| UCDE1800A5ASA KC643M | C26 |
| UCDE1800A5ASA KCPM15 | C26 |
| UCDE1800B5ARA KC643M | C26 |
| UCDE1800B5ARA KCPM15 | C26 |
| UCDE2000A5ARA KC643M | C26 |
| UCDE2000A5ARA KCPM15 | C26 |
| UCDE2000A5ASA KC643M | C26 |
| UCDE2000A5ASA KCPM15 | C26 |
| UCDE2000B5ARA KC643M | C26 |
| UCDE2000B5ARA KCPM15 | C26 |
| UCDE2500A5ARA KC643M | C26 |
| UCDE2500A5ARA KCPM15 | C26 |
| UCDE2500A5ASA KC643M | C26 |
| UCDE2500A5ASA KCPM15 | C26 |
| UCDE2500B5ARA KC643M | C26 |
| UCDE2500B5ARA KCPM15 | C26 |
| UDDE0600A5ARA KC643M | C27 |
| UDDE0600A5ARB KC643M | C27 |
| UDDE0600A5ARC KC643M | C27 |
| UDDE0600A5ASA KC643M | C27 |
| UDDE0600B5ARA KC643M | C27 |
| UDDE0600B5ARB KC643M | C27 |
| UDDE0600B5ARC KC643M | C27 |
| UDDE0600B5ARD KC643M | C27 |
| UDDE0800A5ARA KC643M | C27 |
| UDDE0800A5ARB KC643M | C27 |
| UDDE0800A5ARC KC643M | C27 |
| UDDE0800A5ASA KC643M | C27 |
| UDDE0800B5ARA KC643M | C27 |
| UDDE0800B5ARB KC643M | C27 |
| UDDE0800B5ARC KC643M | C27 |
| UDDE0800B5ARD KC643M | C27 |
| UDDE1000A5ARA KC643M | C27 |
| UDDE1000A5ARB KC643M | C27 |
| UDDE1000A5ARC KC643M | C27 |
| UDDE1000A5ARD KC643M | C27 |
| UDDE1000A5ASA KC643M | C27 |
| UDDE1000B5ARA KC643M | C27 |
| UDDE1000B5ARB KC643M | C27 |
| UDDE1000B5ARC KC643M | C27 |
| UDDE1000B5ARD KC643M | C27 |
| UDDE1200A5ARA KC643M | C27 |
| UDDE1200A5ARB KC643M | C27 |
| UDDE1200A5ARC KC643M | C27 |
| UDDE1200A5ARD KC643M | C27 |
| UDDE1200A5ASA KC643M | C27 |
| UDDE1200B5ARA KC643M | C27 |
| UDDE1200B5ARB KC643M | C27 |
| UDDE1200B5ARC KC643M | C27 |
| UDDE1200B5ARD KC643M | C27 |
| UDDE1200E5AQE KCSM15 | C27 |
| UDDE1200E5AQG KCSM15 | C27 |
| UDDE1200E5AQK KCSM15 | C27 |
| UDDE1200E5AQM KCSM15 | C27 |
| UDDE1400A5ARA KC643M | C27 |
| UDDE1400A5ARB KC643M | C27 |
| UDDE1400A5ARC KC643M | C27 |
| UDDE1400A5ARD KC643M | C27 |
| UDDE1400A5ASA KC643M | C28 |
| UDDE1400B5ARA KC643M | C27 |
| UDDE1400B5ARB KC643M | C27 |
| UDDE1400B5ARC KC643M | C27 |
| UDDE1400B5ARD KC643M | C27 |
| UDDE1600A5ARA KC643M | C28 |
| UDDE1600A5ARB KC643M | C28 |
| UDDE1600A5ARC KC643M | C28 |
| UDDE1600A5ARD KC643M | C28 |
| UDDE1600A5ARE KC643M | C28 |
| UDDE1600A5ASA KC643M | C28 |
| UDDE1600B5ARA KC643M | C28 |
| UDDE1600B5ARB KC643M | C28 |
| UDDE1600B5ARC KC643M | C28 |
| UDDE1600B5ARD KC643M | C28 |
| UDDE1600B5ARE KC643M | C28 |
| UDDE1600E5AQE KCSM15 | C28 |
| UDDE1600E5AQG KCSM15 | C28 |
| UDDE1600E5AQK KCSM15 | C28 |
| UDDE1600E5AQM KCSM15 | C28 |
| UDDE1600E5AQN KCSM15 | C28 |
| UDDE2000A5ARA KC643M | C28 |
| UDDE2000A5ARB KC643M | C28 |
| UDDE2000A5ARC KC643M | C28 |
| UDDE2000A5ARD KC643M | C28 |
| UDDE2000A5ARE KC643M | C28 |
| UDDE2000A5ASA KC643M | C28 |
| UDDE2000B5ARA KC643M | C28 |
| UDDE2000B5ARB KC643M | C28 |
| UDDE2000B5ARC KC643M | C28 |
| UDDE2000B5ARD KC643M | C28 |
| UDDE2000B5ARE KC643M | C28 |
| UDDE2000E5AQE KCSM15 | C28 |
| UDDE2000E5AQG KCSM15 | C28 |
| UDDE2000E5AQK KCSM15 | C28 |
| UDDE2000E5AQM KCSM15 | C28 |
| UDDE2000E5AQN KCSM15 | C28 |
| UDDE2500A5ARA KC643M | C28 |
| UDDE2500A5ARB KC643M | C28 |
| UDDE2500A5ARC KC643M | C28 |
| UDDE2500A5ARD KC643M | C28 |
| UDDE2500A5ARE KC643M | C28 |
| UDDE2500A5ASA KC643M | C28 |
| UDDE2500B5ARA KC643M | C28 |
| UDDE2500B5ARB KC643M | C28 |
| UDDE2500B5ARC KC643M | C28 |
| UDDE2500B5ARD KC643M | C28 |
| UDDE2500B5ARE KC643M | C28 |
| UDDE2500E5AQE KCSM15 | C28 |
| UDDE2500E5AQG KCSM15 | C28 |
| UDDE2500E5AQK KCSM15 | C28 |
| UDDE2500E5AQM KCSM15 | C28 |
| UDDE2500E5AQN KCSM15 | C28 |
| UGDE0600A5ARA KC643M | C32 |
| UGDE0600A5ARB KC643M | C32 |
| UGDE0600A5ARC KC643M | C32 |
| UGDE0600A5BRA KC643M | C32 |
| UGDE0600A5BRB KC643M | C32 |
| UGDE0600A5BRC KC643M | C32 |
| UGDE0800A5ARA KC643M | C32 |
| UGDE0800A5ARB KC643M | C32 |
| UGDE0800A5ARC KC643M | C32 |
| UGDE0800A5BRA KC643M | C32 |
| UGDE0800A5BRB KC643M | C32 |
| UGDE0800A5BRC KC643M | C32 |
| UGDE1000A5ARA KC643M | C32 |
| UGDE1000A5ARB KC643M | C32 |
| UGDE1000A5ARC KC643M | C32 |
| UGDE1000A5ARD KC643M | C32 |
| UGDE1000A5BRA KC643M | C32 |
| UGDE1000A5BRB KC643M | C32 |
| UGDE1000A5BRC KC643M | C32 |
| UGDE1000A5BRD KC643M | C32 |
| UGDE1200A5ARA KC643M | C32 |
| UGDE1200A5ARB KC643M | C32 |
| UGDE1200A5ARC KC643M | C32 |
| UGDE1200A5ARD KC643M | C32 |
| UGDE1200A5BRA KC643M | C32 |
| UGDE1200A5BRB KC643M | C32 |
| UGDE1200A5BRC KC643M | C32 |
| UGDE1200A5BRD KC643M | C32 |
| UGDE1400A5ARD KC643M | C32 |
| UGDE1400A5BRD KC643M | C32 |
| UGDE1600A5ARA KC643M | C33 |
| UGDE1600A5ARB KC643M | C33 |
| UGDE1600A5ARC KC643M | C33 |
| UGDE1600A5ARD KC643M | C33 |
| UGDE1600A5ARE KC643M | C33 |
| UGDE1600A5BRA KC643M | C33 |
| UGDE1600A5BRB KC643M | C33 |
| UGDE1600A5BRC KC643M | C33 |
| UGDE1600A5BRD KC643M | C33 |
| UGDE1600A5BRE KC643M | C33 |
| UGDE2000A5ARA KC643M | C33 |
| UGDE2000A5ARB KC643M | C33 |

| Catalogue No. | Page(s) |
|---|---|
| UGDE2000A5ARC KC643M | C33 |
| UGDE2000A5ARD KC643M | C33 |
| UGDE2000A5ARE KC643M | C33 |
| UGDE2000A5BRA KC643M | C33 |
| UGDE2000A5BRB KC643M | C33 |
| UGDE2000A5BRC KC643M | C33 |
| UGDE2000A5BRD KC643M | C33 |
| UGDE2000A5BRE KC643M | C33 |
| UGDE2500A5ARA KC643M | C33 |
| UGDE2500A5ARB KC643M | C33 |
| UGDE2500A5ARC KC643M | C33 |
| UGDE2500A5ARD KC643M | C33 |
| UGDE2500A5ARE KC643M | C33 |
| UGDE2500A5BRA KC643M | C33 |
| UGDE2500A5BRB KC643M | C33 |
| UGDE2500A5BRC KC643M | C33 |
| UGDE2500A5BRD KC643M | C33 |
| UGDE2500A5BRE KC643M | C33 |
| UJDE1000A6ANS KCSM15 | C39 |
| UJDE1000A6AQE KCSM15 | C39 |
| UJDE1000A6AQG KCSM15 | C39 |
| UJDE1000A6AQK KCSM15 | C39 |
| UJDE1000A6AQM KCSM15 | C39 |
| UJDE1000A6ARE KCSM15 | C38 |
| UJDE1000A6AS KCSM15 | C38 |
| UJDE1200A6ANS KCSM15 | C39 |
| UJDE1200A6AQE KCSM15 | C39 |
| UJDE1200A6AQG KCSM15 | C39 |
| UJDE1200A6AQK KCSM15 | C39 |
| UJDE1200A6AQM KCSM15 | C39 |
| UJDE1200A6ARF KCSM15 | C38 |
| UJDE1200A6AS KCSM15 | C38 |
| UJDE1200E6AQE KCSM15 | C39 |
| UJDE1200E6AQG KCSM15 | C39 |
| UJDE1200E6AQK KCSM15 | C39 |
| UJDE1200E6AQM KCSM15 | C39 |
| UJDE1200E6ARF KCSM15 | C38 |
| UJDE1400A6ARF KCSM15 | C38 |
| UJDE1400A6AS KCSM15 | C38 |
| UJDE1400E6ARF KCSM15 | C38 |
| UJDE1600A6ANS KCSM15 | C39 |
| UJDE1600A6AQE KCSM15 | C39 |
| UJDE1600A6AQG KCSM15 | C39 |
| UJDE1600A6AQK KCSM15 | C39 |
| UJDE1600A6AQM KCSM15 | C39 |
| UJDE1600A6AQN KCSM15 | C39 |
| UJDE1600A6ARF KCSM15 | C38 |
| UJDE1600A6AS KCSM15 | C38 |
| UJDE1600E6AQE KCSM15 | C39 |
| UJDE1600E6AQG KCSM15 | C39 |
| UJDE1600E6AQK KCSM15 | C39 |
| UJDE1600E6AQM KCSM15 | C39 |
| UJDE1600E6AQN KCSM15 | C39 |
| UJDE1600E6ARF KCSM15 | C38 |
| UJDE2000A6ANS KCSM15 | C40 |
| UJDE2000A6AQE KCSM15 | C39 |
| UJDE2000A6AQG KCSM15 | C39 |
| UJDE2000A6AQK KCSM15 | C40 |
| UJDE2000A6AQM KCSM15 | C40 |
| UJDE2000A6AQN KCSM15 | C40 |
| UJDE2000A6ARF KCSM15 | C38 |
| UJDE2000A6AS KCSM15 | C38 |
| UJDE2000E6AQE KCSM15 | C39 |
| UJDE2000E6AQG KCSM15 | C39 |
| UJDE2000E6AQK KCSM15 | C40 |
| UJDE2000E6AQM KCSM15 | C40 |
| UJDE2000E6AQN KCSM15 | C40 |
| UJDE2000E6ARF KCSM15 | C38 |
| UJDE2500A6ANS KCSM15 | C40 |
| UJDE2500A6AQE KCSM15 | C40 |
| UJDE2500A6AQG KCSM15 | C40 |
| UJDE2500A6AQK KCSM15 | C40 |
| UJDE2500A6AQM KCSM15 | C40 |
| UJDE2500A6AQN KCSM15 | C40 |
| UJDE2500A6ARF KCSM15 | C38 |
| UJDE2500A6AS KCSM15 | C38 |
| UJDE2500E6AQE KCSM15 | C40 |
| UJDE2500E6AQG KCSM15 | C40 |
| UJDE2500E6AQK KCSM15 | C40 |
| UJDE2500E6AQM KCSM15 | C40 |
| UJDE2500E6AQN KCSM15 | C40 |
| UJDE2500E6ARF KCSM15 | C38 |
| VBGT110301LF KC5010 | A112 |
| VBGT110301LF KC5025 | A112 |
| VBGT110301LF KC5410 | A112 |
| VBGT110301LF KCU10 | A112 |
| VBGT110302HP KC5010 | A112 |
| VBGT110302HP KC5025 | A112 |
| VBGT110302HP KC5410 | A112 |
| VBGT110302HP KCU10 | A112 |
| VBGT110302HP KCU25 | A112 |
| VBGT110302LF K68 | A112 |
| VBGT110302LF KC5010 | A112 |
| VBGT110302LF KC5025 | A112 |
| VBGT110302LF KC5410 | A112 |
| VBGT110302LF KCU10 | A112 |
| VBGT110304HP KC5010 | A112 |
| VBGT110304HP KC5025 | A112 |
| VBGT110304HP KC5410 | A112 |
| VBGT110304HP KCU10 | A112 |
| VBGT110304HP KCU25 | A112 |
| VBGT110304LF K313 | A112 |
| VBGT110304LF KC5010 | A112 |
| VBGT110304LF KC5025 | A112 |
| VBGT110304LF KC5410 | A112 |
| VBGT110304LF KCU10 | A112 |
| VBGT1103X0LF KC5025 | A112 |
| VBGT160401LF KC5010 | A112 |
| VBGT160401LF KC5025 | A112 |
| VBGT160401LF KC5410 | A112 |
| VBGT160401LF KCU10 | A112 |
| VBGT160402LF K313 | A112 |
| VBGT160402LF KC5010 | A112 |
| VBGT160402LF KC5025 | A112 |
| VBGT160402LF KC5410 | A112 |
| VBGT160402LF KCU10 | A112 |
| VBGT160404HP K313 | A112 |
| VBGT160404HP K68 | A112 |
| VBGT160404HP KC5010 | A112 |
| VBGT160404HP KC5025 | A112 |
| VBGT160404HP KC5410 | A112 |
| VBGT160404HP KCU10 | A112 |
| VBGT160404HP KCU25 | A112 |
| VBGT160404LF KC5010 | A112 |
| VBGT160404LF KC5025 | A112 |
| VBGT160404LF KC5410 | A112 |
| VBGT160404LF KCU10 | A112 |
| VBGT160408HP K313 | A112 |
| VBGT160408HP KC5010 | A112 |
| VBGT160408HP KC5025 | A112 |
| VBGT160408HP KC5410 | A112 |
| VBGT160408HP KCU10 | A112 |
| VBGT160408HP KCU25 | A112 |
| VBGT1604X0LF KC5025 | A112 |
| VBGW110304FST KD1400 | A180 |
| VBGW110304FST KD1425 | A180 |
| VBGW110304S01015MT KBH20 | A180 |
| VBGW110304S01225MT KBH20 | A180 |
| VBGW110308S01225MT KBH20 | A180 |
| VBGW160404FST KD1400 | A180 |
| VBGW160404FST KD1425 | A180 |
| VBGW160404S01015M KB5625 | A180 |
| VBGW160404S01015MT KB5610 | A180 |
| VBGW160404S01015MT KB5630 | A180 |
| VBGW160408S01015M KB5625 | A180 |
| VBGW160408S01015MT KB5610 | A180 |
| VBGW160408S01015MT KB5630 | A180 |
| VBGW160408S01015MT KBH20 | A180 |
| VBGW160412S01015MT KBH20 | A180 |
| VBMR110302 KC5025 | A218 |
| VBMR110302 KCU10 | A218 |
| VBMR110302 KCU25 | A218 |
| VBMR110302FP KCM25 | A218 |
| VBMR110302FP KCP10 | A218 |
| VBMR110302FP KCP25 | A218 |
| VBMR110302FP KCU10 | A218 |
| VBMR110302FP KCU25 | A218 |
| VBMR110302UF KCP05 | A218 |
| VBMR110302UF KCU10 | A218 |
| VBMR110304 KC5010 | A218 |
| VBMR110304 KC5025 | A218 |
| VBMR110304 KCU10 | A218 |
| VBMR110304 KCU25 | A218 |
| VBMR110304 KT315 | A218 |
| VBMR110304FP KCM25 | A218 |
| VBMR110304FP KCP10 | A218 |
| VBMR110304FP KCP25 | A218 |
| VBMR110304FP KCU10 | A218 |
| VBMR110304FP KCU25 | A218 |
| VBMR110304UF KCP05 | A218 |
| VBMR110304UF KCU10 | A218 |
| VBMR110308 KC5025 | A218 |
| VBMR110308 KCU10 | A218 |
| VBMR110308FP KCM25 | A218 |
| VBMR110308FP KCP10 | A218 |
| VBMR110308FP KCP25 | A218 |
| VBMR110308FP KCU10 | A218 |
| VBMR110308FP KCU25 | A218 |
| VBMT11030211 KT315 | A112 |
| VBMT110302FP KCP25 | A113 |
| VBMT110302FP KCU10 | A113 |
| VBMT110302LF KC5010 | A113 |
| VBMT110302LF KT315 | A113 |
| VBMT11030411 KT315 | A112 |
| VBMT110304FP KCM15 | A113 |
| VBMT110304FP KCM25 | A113 |
| VBMT110304FP KCP10 | A113 |
| VBMT110304FP KCP25 | A113 |
| VBMT110304FP KCU10 | A113 |
| VBMT110304FP KCU25 | A113 |
| VBMT110304FP KTP10 | A113 |
| VBMT110304FP KU10 | A113 |
| VBMT110304LF K313 | A113 |
| VBMT110304LF KC5010 | A113 |
| VBMT110304LF KC5025 | A113 |
| VBMT110304LF KCK05 | A113 |
| VBMT110304LF KCM15 | A113 |
| VBMT110304LF KCM25 | A113 |
| VBMT110304LF KCP05 | A113 |
| VBMT110304LF KCP10 | A113 |
| VBMT110304LF KCP10B | A113 |
| VBMT110304LF KCP25 | A113 |
| VBMT110304LF KCP25B | A113 |
| VBMT110304LF KT315 | A113 |
| VBMT110308FP KCM15 | A113 |
| VBMT110308FP KCM25 | A113 |
| VBMT110308FP KCP25 | A113 |
| VBMT110308FP KCU10 | A113 |
| VBMT110308FP KCU25 | A113 |
| VBMT110308FP KU10 | A113 |
| VBMT110308LF KC5010 | A113 |
| VBMT110308LF KC5025 | A113 |
| VBMT110308LF KCK05 | A113 |
| VBMT110308LF KCK20 | A113 |
| VBMT110308LF KCM25 | A113 |
| VBMT110308LF KCP05 | A113 |
| VBMT110308LF KCP10 | A113 |
| VBMT110308LF KCP25 | A113 |
| VBMT110308LF KCP30 | A113 |
| VBMT110308LF KCP30 | A113 |
| VBMT160402FP KCM25 | A113 |
| VBMT160402FP KCP25 | A113 |
| VBMT160402FP KCU10 | A113 |
| VBMT160402FP KCU25 | A113 |
| VBMT160402FP KTP10 | A113 |
| VBMT160402LF K313 | A113 |
| VBMT160402LF KC5010 | A113 |
| VBMT160402LF KC5025 | A113 |
| VBMT160402LF KT315 | A113 |
| VBMT16040411 KT315 | A112 |
| VBMT160404FP KCK20 | A113 |
| VBMT160404FP KCM15 | A113 |
| VBMT160404FP KCM25 | A113 |
| VBMT160404FP KCP05 | A113 |
| VBMT160404FP KCP10 | A113 |
| VBMT160404FP KCP10B | A113 |
| VBMT160404FP KCP25 | A113 |
| VBMT160404FP KCP25B | A113 |
| VBMT160404FP KCU10 | A113 |
| VBMT160404FP KCU25 | A113 |
| VBMT160404FP KTP10 | A113 |
| VBMT160404LF K313 | A113 |
| VBMT160404LF KC5010 | A113 |
| VBMT160404LF KC5025 | A113 |
| VBMT160404LF KCK05 | A113 |
| VBMT160404LF KCK15 | A113 |
| VBMT160404LF KCK20 | A113 |
| VBMT160404LF KCM15 | A113 |
| VBMT160404LF KCM25 | A113 |
| VBMT160404LF KCM35 | A113 |
| VBMT160404LF KCP05 | A113 |
| VBMT160404LF KCP10 | A113 |
| VBMT160404LF KCP10B | A113 |
| VBMT160404LF KCP25 | A113 |
| VBMT160404LF KCP25B | A113 |
| VBMT160404LF KCP30 | A113 |
| VBMT160404LF KT315 | A113 |
| VBMT160404MP KCK20 | A113 |
| VBMT160404MP KCM25 | A113 |
| VBMT160404MP KCP25 | A113 |
| VBMT16040811 KT315 | A112 |
| VBMT160408FP KCK20 | A113 |
| VBMT160408FP KCM15 | A113 |
| VBMT160408FP KCM25 | A113 |
| VBMT160408FP KCP05 | A113 |
| VBMT160408FP KCP10 | A113 |
| VBMT160408FP KCP25 | A113 |
| VBMT160408FP KCU10 | A113 |
| VBMT160408FP KCU25 | A113 |
| VBMT160408FP KTP10 | A113 |
| VBMT160408LF K313 | A113 |
| VBMT160408LF K68 | A113 |
| VBMT160408LF KC5010 | A113 |
| VBMT160408LF KC5025 | A113 |
| VBMT160408LF KCK05 | A113 |
| VBMT160408LF KCK15 | A113 |
| VBMT160408LF KCK20 | A113 |
| VBMT160408LF KCM15 | A113 |
| VBMT160408LF KCM25 | A113 |
| VBMT160408LF KCM35 | A113 |
| VBMT160408LF KCP05 | A113 |

| Catalogue No. | Page(s) |
|---|---|
| VBMT160408LF KCP10 | A113 |
| VBMT160408LF KCP10B | A113 |
| VBMT160408LF KCP25 | A113 |
| VBMT160408LF KCP25B | A113 |
| VBMT160408LF KCP30 | A113 |
| VBMT160408LF KT315 | A113 |
| VBMT160408MP KCK20 | A113 |
| VBMT160408MP KCM25 | A113 |
| VBMT160408MP KCP25 | A113 |
| VBMT160408MP KCP25B | A113 |
| VBMT160412FP KCP10B | A113 |
| VBMT160412FP KCP25 | A113 |
| VBMT160412FP KCP25B | A113 |
| VBMT160412LF KCK05 | A113 |
| VBMT160412LF KCK20 | A113 |
| VCGN160404 KD1425 | A219 |
| VCGN160408 KD1425 | A219 |
| VCGN160412 KD1425 | A219 |
| VCGR160402 K68 | A220 |
| VCGR160402 KC5010 | A220 |
| VCGR160402 KC5025 | A220 |
| VCGR160402 KC5410 | A220 |
| VCGR160402 KCU10 | A220 |
| VCGR160402 KCU25 | A220 |
| VCGR160402FP KCK05 | A220 |
| VCGR160402FP KCM25 | A220 |
| VCGR160402FP KCP10 | A220 |
| VCGR160402FP KCP25 | A220 |
| VCGR160402FP KCU10 | A220 |
| VCGR160402FP KCU25 | A220 |
| VCGR160402HP K313 | A220 |
| VCGR160402UF KCP05 | A220 |
| VCGR160402UF KCU10 | A220 |
| VCGR160404 K313 | A220 |
| VCGR160404 K68 | A220 |
| VCGR160404 KC5010 | A220 |
| VCGR160404 KC5025 | A220 |
| VCGR160404 KC5410 | A220 |
| VCGR160404 KCU10 | A220 |
| VCGR160404 KCU25 | A220 |
| VCGR160404 KD1425 | A220 |
| VCGR160404 KT315 | A220 |
| VCGR160404FP KCK05 | A220 |
| VCGR160404FP KCM25 | A220 |
| VCGR160404FP KCP05 | A220 |
| VCGR160404FP KCP10 | A220 |
| VCGR160404FP KCP25 | A220 |
| VCGR160404FP KCU10 | A220 |
| VCGR160404HP K313 | A220 |
| VCGR160404UF KCP05 | A220 |
| VCGR160404UF KCU10 | A220 |
| VCGR160408 K313 | A220 |
| VCGR160408 K68 | A220 |
| VCGR160408 KC5010 | A220 |
| VCGR160408 KC5025 | A220 |
| VCGR160408 KC5410 | A220 |
| VCGR160408 KCU10 | A220 |
| VCGR160408 KCU25 | A220 |
| VCGR160408 KD1425 | A220 |
| VCGR160408 KT315 | A220 |
| VCGR160408FP KCK05 | A220 |
| VCGR160408FP KCM25 | A220 |
| VCGR160408FP KCP05 | A220 |
| VCGR160408FP KCP10 | A220 |
| VCGR160408FP KCP25 | A220 |
| VCGR160408FP KCU10 | A220 |
| VCGR160408FP KCU25 | A220 |
| VCGR160408HP K313 | A220 |
| VCGR160412 K68 | A220 |
| VCGR160412 KC5010 | A220 |
| VCGR160412 KCU10 | A220 |
| VCGR160412 KCU25 | A220 |
| VCGR160412 KD1425 | A220 |
| VCGR160412FP KCK05 | A220 |
| VCGR160412FP KCM25 | A220 |
| VCGR160412FP KCP10 | A220 |
| VCGR160412FP KCP25 | A220 |
| VCGR160412FP KCU10 | A220 |
| VCGR160412FP KCU25 | A220 |
| VCGR160412HP K313 | A220 |
| VCGR160416 KC5010 | A220 |
| VCGR160416 KCU10 | A220 |
| VCGR160416FP KCM25 | A220 |
| VCGR160416FP KCP10 | A220 |
| VCGR160416FP KCP25 | A220 |
| VCGR160416FP KCU10 | A220 |
| VCGR160416FP KCU25 | A220 |
| VCMR160404 KC5010 | A219 |
| VCMR160404 KC5025 | A219 |
| VCMR160404 KCU10 | A219 |
| VCMR160404 KCU25 | A219 |
| VCMR160404 KT315 | A219 |
| VCMR160404FP KCK05 | A219 |
| VCMR160404FP KCM25 | A219 |
| VCMR160404FP KCP10 | A219 |
| VCMR160404FP KCP25 | A219 |
| VCMR160404FP KCU10 | A219 |
| VCMR160404FP KCU25 | A219 |
| VCMR160404UF KCP05 | A219 |
| VCMR160404UF KCU10 | A219 |
| VCMR160408 KC5010 | A219 |
| VCMR160408 KC5025 | A219 |
| VCMR160408 KCU10 | A219 |
| VCMR160408 KCU25 | A219 |
| VCMR160408 KT315 | A219 |
| VCMR160408FP KCK05 | A219 |
| VCMR160408FP KCM25 | A219 |
| VCMR160408FP KCP10 | A219 |
| VCMR160408FP KCP25 | A219 |
| VCMR160408FP KCU10 | A219 |
| VCMR160408FP KCU25 | A219 |
| VNGA160404FST KD1400 | A169 |
| VNGA160404FST KD1425 | A169 |
| VNGA160404S01015MT KBH20 | A169 |
| VNGA160404S01025MT KB5610 | A169 |
| VNGA160404S01025MT KB5625 | A169 |
| VNGA160404S01025MT KB5630 | A169 |
| VNGA160404S01225MT KBH20 | A169 |
| VNGA160404S01735MT KBH20 | A169 |
| VNGA160408FST KD1400 | A169 |
| VNGA160408FST KD1425 | A169 |
| VNGA160408S01015MT KBH20 | A169 |
| VNGA160408S01025MT KB5610 | A169 |
| VNGA160408S01025MT KB5625 | A169 |
| VNGA160408S01025MT KB5630 | A169 |
| VNGA160408S01225MT KBH20 | A169 |
| VNGA160408S01735MT KBH20 | A169 |
| VNGA160412S01225MT KBH20 | A169 |
| VNGG160401FS K313 | A73 |
| VNGG160401FS KC5510 | A73 |
| VNGG160401FS KCU10 | A73 |
| VNGG160401FS KCU25 | A73 |
| VNGG160402FS KC5510 | A73 |
| VNGG160402FS KC5525 | A73 |
| VNGG160402FS KCU10 | A73 |
| VNGG160402FS KCU25 | A73 |
| VNGG160402LF KC5010 | A73 |
| VNGG160402LF KCU10 | A73 |
| VNGG160404FS KC5510 | A73 |
| VNGG160404FS KC5525 | A73 |
| VNGG160404FS KCU10 | A73 |
| VNGG160404FS KCU25 | A73 |
| VNGG160404LF KC5010 | A73 |
| VNGG160404LF KCU10 | A73 |
| VNGG160408FS KC5510 | A73 |
| VNGG160408FS KC5525 | A73 |
| VNGG160408FS KCU10 | A73 |
| VNGG160408FS KCU25 | A73 |
| VNGG160408LF K313 | A73 |
| VNGG160408LF KC5010 | A73 |
| VNGG160408LF KCU10 | A73 |
| VNGG160412FS KCS10 | A73 |
| VNGG160412FS KCU10 | A73 |
| VNGG220408LF KC5010 | A73 |
| VNGG220408LF KCU10 | A73 |
| VNGP160401 KC5010 | A73 |
| VNGP160401 KC5410 | A73 |
| VNGP160401 KCU10 | A73 |
| VNGP160402 KC5010 | A73 |
| VNGP160402 KC5410 | A73 |
| VNGP160402 KCU10 | A73 |
| VNGP160404K K313 | A74 |
| VNGP160408K K313 | A74 |
| VNGP220404 KC5010 | A73 |
| VNGP220404 KCU10 | A73 |
| VNGP220408 K313 | A73 |
| VNGP220408 KC5010 | A73 |
| VNGP220408 KCU10 | A73 |
| VNMA160408 KCK05 | A74 |
| VNMA160408 KCK15 | A74 |
| VNMA160408 KCK20 | A74 |
| VNMG160401MS KC5510 | A76 |
| VNMG160401MS KC5525 | A76 |
| VNMG160401MS KCU10 | A76 |
| VNMG160401MS KCU25 | A76 |
| VNMG160402MS K313 | A76 |
| VNMG160402MS KC5510 | A76 |
| VNMG160402MS KC5525 | A76 |
| VNMG160402MS KCU10 | A76 |
| VNMG160402MS KCU25 | A76 |
| VNMG160404FF KC5010 | A74 |
| VNMG160404FF KCP05 | A74 |
| VNMG160404FF KCP10 | A74 |
| VNMG160404FF KCU10 | A74 |
| VNMG160404FF KT315 | A74 |
| VNMG160404FN KCK05 | A75 |
| VNMG160404FN KCP05 | A75 |
| VNMG160404FN KCP10 | A75 |
| VNMG160404FN KCP25 | A75 |
| VNMG160404FN KT315 | A75 |
| VNMG160404FP KC5010 | A75 |
| VNMG160404FP KCM15 | A75 |
| VNMG160404FP KCU10 | A75 |
| VNMG160404FP KT315 | A75 |
| VNMG160404MN KCP05 | A75 |
| VNMG160404MN KCP10 | A75 |
| VNMG160404MN KCP25 | A75 |
| VNMG160404MN KCP30 | A75 |
| VNMG160404MP KC5010 | A75 |
| VNMG160404MP KCM15 | A75 |
| VNMG160404MP KCM25 | A75 |
| VNMG160404MP KCM35 | A75 |
| VNMG160404MP KCU10 | A75 |
| VNMG160404MS K313 | A76 |
| VNMG160404MS KC5510 | A76 |
| VNMG160404MS KC5525 | A76 |
| VNMG160404MS KCU10 | A76 |
| VNMG160404MS KCU25 | A76 |
| VNMG160404P KC5010 | A76 |
| VNMG160404P KCU10 | A76 |
| VNMG160404UN KCK05 | A77 |
| VNMG160404UN KCK15 | A77 |
| VNMG160404UN KCK20 | A77 |
| VNMG160404UP KC5010 | A77 |
| VNMG160404UP KCM25 | A77 |
| VNMG160404UP KCU10 | A77 |
| VNMG160408 K68 | A74 |
| VNMG160408FF KC5010 | A74 |
| VNMG160408FF KCP05 | A74 |
| VNMG160408FF KCP10 | A74 |
| VNMG160408FF KCU10 | A74 |
| VNMG160408FF KT315 | A74 |
| VNMG160408FN KCK05 | A75 |
| VNMG160408FN KCK15B | A75 |
| VNMG160408FN KCP05 | A75 |
| VNMG160408FN KCP10 | A75 |
| VNMG160408FN KCP25 | A75 |
| VNMG160408FN KT315 | A75 |
| VNMG160408FP KC5010 | A75 |
| VNMG160408FP KCM15 | A75 |
| VNMG160408FP KCP10 | A75 |
| VNMG160408FP KCU10 | A75 |
| VNMG160408FP KT315 | A75 |
| VNMG160408MN KCP05 | A75 |
| VNMG160408MN KCP10 | A75 |
| VNMG160408MN KCP25 | A75 |
| VNMG160408MN KCP25B | A74 |
| VNMG160408MN KCP30 | A75 |
| VNMG160408MP KC5010 | A75 |
| VNMG160408MP KCM15 | A75 |
| VNMG160408MP KCM25 | A75 |
| VNMG160408MP KCM35 | A75 |
| VNMG160408MP KCU10 | A75 |
| VNMG160408MS K313 | A76 |
| VNMG160408MS KC5510 | A76 |
| VNMG160408MS KC5525 | A76 |
| VNMG160408MS KCU10 | A76 |
| VNMG160408MS KCU25 | A76 |
| VNMG160408P K313 | A76 |
| VNMG160408P KC5010 | A76 |
| VNMG160408P KCU10 | A76 |
| VNMG160408RN KCP10 | A76 |
| VNMG160408RN KCP25 | A76 |
| VNMG160408RP KC5010 | A76 |
| VNMG160408RP KC5510 | A76 |
| VNMG160408RP KC5525 | A76 |
| VNMG160408RP KCK15 | A76 |
| VNMG160408RP KCK20 | A76 |
| VNMG160408RP KCM15 | A76 |
| VNMG160408RP KCP10 | A76 |
| VNMG160408RP KCP25 | A76 |
| VNMG160408RP KCU10 | A76 |
| VNMG160408RP KCU25 | A76 |
| VNMG160408UN KCK05 | A77 |
| VNMG160408UN KCK15 | A77 |
| VNMG160408UN KCK20 | A77 |
| VNMG160408UP KC5010 | A77 |
| VNMG160408UP KCM25 | A77 |
| VNMG160408UP KCU10 | A77 |
| VNMG160412 K68 | A74 |
| VNMG160412MN KCP10 | A75 |
| VNMG160412MN KCP25 | A75 |
| VNMG160412MN KCP30 | A75 |
| VNMG160412MP KC5010 | A75 |
| VNMG160412MP KCM15 | A75 |
| VNMG160412MP KCM25 | A75 |
| VNMG160412MP KCU10 | A75 |
| VNMG160412RN KCP10 | A76 |
| VNMG160412RN KCP25 | A76 |
| VNMG160412RP KC5510 | A76 |

| Catalogue No. | Page(s) |
|---|---|
| VNMG160412RP KCK15 | A76 |
| VNMG160412RP KCK15B | A76 |
| VNMG160412RP KCK20 | A76 |
| VNMG160412RP KCM15 | A76 |
| VNMG160412RP KCM25 | A76 |
| VNMG160412RP KCP10 | A76 |
| VNMG160412RP KCP25 | A76 |
| VNMG160412RP KCU10 | A76 |
| VNMG160412RP KCU25 | A76 |
| VNMG160412UP KCM25 | A77 |
| VNMG220404MS K313 | A76 |
| VNMG220404MS KC5510 | A76 |
| VNMG220404MS KCU10 | A76 |
| VNMG220404MS KCU25 | A76 |
| VNMG220408 K68 | A74 |
| VNMG220408MS K313 | A76 |
| VNMG220408MS KC5510 | A76 |
| VNMG220408MS KC5525 | A76 |
| VNMG220408MS KCU10 | A76 |
| VNMG220408MS KCU25 | A76 |
| VNMG220408RN KCP10 | A76 |
| VNMG220408RN KCP25 | A76 |
| VNMG220408RN KCP30 | A76 |
| VNMG220408RN KCP40 | A76 |
| VNMG220412 K68 | A74 |
| VNMG220412RN KCP10 | A76 |
| VNMG220412RN KCP25 | A76 |
| VNMG220412RN KCP30 | A76 |
| VNMP160404 K313 | A77 |
| VNMP160404 K68 | A77 |
| VNMP160404K K68 | A77 |
| VNMP160404K KCP25 | A77 |
| VNMP160408 K313 | A77 |
| VNMP160408 K68 | A77 |
| VNMP160408K K68 | A77 |
| VNMP160408K KCP10 | A77 |
| VNMP160408K KCP25 | A77 |
| VNMS160404 K68 | A77 |
| VNMS160404 KC5410 | A77 |
| VNMS160404FST KD1400 | A170 |
| VNMS160404FST KD1425 | A170 |
| VNMS160408 K68 | A77 |
| VNMS160408FST KD1400 | A77, A170 |
| VNMS160408FST KD1425 | A77, A170 |
| WCMT040204FP KCU10 | A113 |
| WCMT040204FP KCU25 | A113 |
| WCMT040204LF KC5010 | A114 |
| WCMT06T308FP KCP25 | A113 |
| WCMT06T308FP KCU10 | A113 |
| WCMT06T308LF KC5010 | A114 |
| WCMT06T308LF KC5025 | A114 |
| WD32FDS28128M | B4, B6, B12 |
| WD32FDS28190M | B4, B6, B12 |
| WD32FDS28283M | B4, B6, B13 |
| WD32FDS28345M | B4, B6, B13 |
| WD32FDS32146M | B4, B6, B12 |
| WD32FDS32216M | B4, B6, B12 |
| WD32FDS32321M | B4, B6, B13 |
| WD32FDS32391M | B4, B6, B13 |
| WD32FDS36166M | B4, B6, B12 |
| WD32FDS36244M | B4, B6, B12 |
| WD32FDS36361M | B4, B6, B13 |
| WD32FDS36439M | B4, B6, B13 |
| WD50FDS40183M | B4, B6, B12 |
| WD50FDS40271M | B4, B6, B12 |
| WD50FDS40403M | B4, B6, B13 |
| WD50FDS40491M | B4, B6, B13 |
| WD50FDS45206M | B4, B6, B12 |
| WD50FDS45304M | B4, B6, B12 |
| WD50FDS45451M | B4, B6, B13 |
| WD50FDS45549M | B4, B6, B13 |
| WD50FDS50228M | B5, B7, B12 |
| WD50FDS50338M | B5, B7, B12 |
| WD50FDS50503M | B5, B13 |
| WD50FDS50613M | B5, B7, B13 |
| WD50FDS56259M | B5, B7, B12 |
| WD50FDS56383M | B5, B7, B12 |
| WD50FDS56569M | B5, B7, B13 |
| WD50FDS56693M | B5, B7, B13 |
| WD50FDS63289M | B5, B7, B12 |
| WD50FDS63429M | B5, B7, B13 |
| WD50FDS63639M | B5, B7, B13 |
| WD50FDS63779M | B5, B7, B13 |
| WD50FDS71292M | B7, B12 |
| WD50FDS71452M | B5, B7, B12 |
| WD50FDS80327M | B5, B12 |
| WD50FDS80507M | B5, B12 |
| WD50FDS90362M | B5, B12 |
| WD50FDS90562M | B5, B12 |
| WNGA080404FST KD1425 | A170 |
| WNGA080404S01015MT KBH20 | A170 |
| WNGA080408FST KD1400 | A170 |
| WNGA080408FST KD1425 | A170 |
| WNGA080408S01015MT KBH20 | A170 |
| WNGA080408S01225MT KBH20 | A170 |
| WNGA080408S01735MT KBH20 | A170 |
| WNGG080401LF KC5010 | A78 |
| WNGG080401LF KCU10 | A78 |
| WNGG080402LF KC5010 | A78 |
| WNGG080402LF KCU10 | A78 |
| WNGG080404FS KCU10 | A78 |
| WNGG080404LF KC5010 | A78 |
| WNGG080404LF KCU10 | A78 |
| WNGG080408FS KC5510 | A78 |
| WNGG080408FS KCU10 | A78 |
| WNGG080408LF KC5010 | A78 |
| WNGG080408LF KCU10 | A78 |
| WNGP080408K KC5410 | A78 |
| WNMA060408 KCK05 | A78 |
| WNMA060408 KCK15 | A78 |
| WNMA060408 KCK20 | A78 |
| WNMA060412 KCK15 | A78 |
| WNMA060412 KCK20 | A78 |
| WNMA080408 KCK05 | A78 |
| WNMA080408 KCK15 | A78 |
| WNMA080408 KCK20 | A78 |
| WNMA080412 KCK05 | A78 |
| WNMA080412 KCK15 | A78 |
| WNMA080412 KCK20 | A78 |
| WNMA080416 KCK05 | A78 |
| WNMA080416 KCK15 | A78 |
| WNMA080416 KCK20 | A78 |
| WNMG060404FF KC5010 | A79 |
| WNMG060404FF KCP10 | A79 |
| WNMG060404FF KCU10 | A79 |
| WNMG060404FF KT315 | A79 |
| WNMG060404FN KCK05 | A79 |
| WNMG060404FN KCP10 | A79 |
| WNMG060404FN KT315 | A79 |
| WNMG060404FP KC5010 | A79 |
| WNMG060404FP KCM15 | A79 |
| WNMG060404FP KCU10 | A79 |
| WNMG060404FW KCP05 | A79 |
| WNMG060404FW KCP10 | A79 |
| WNMG060404FW KCU10 | A79 |
| WNMG060404FW KT315 | A79 |
| WNMG060404MN KCP10 | A80 |
| WNMG060404MN KCP25 | A80 |
| WNMG060404MP KC5010 | A80 |
| WNMG060404MP KCM15 | A80 |
| WNMG060404MP KCM25 | A80 |
| WNMG060404MP KCU10 | A80 |
| WNMG060404UN KCK05 | A82 |
| WNMG060404UN KCK15 | A82 |
| WNMG060408FF KC5010 | A79 |
| WNMG060408FF KCP10 | A79 |
| WNMG060408FF KCU10 | A79 |
| WNMG060408FF KT315 | A79 |
| WNMG060408FN KCK05 | A79 |
| WNMG060408FN KCP10 | A79 |
| WNMG060408FN KCP25 | A79 |
| WNMG060408FN KT315 | A79 |
| WNMG060408FP KC5010 | A79 |
| WNMG060408FP KCM15 | A79 |
| WNMG060408FP KCP10 | A79 |
| WNMG060408FP KCU10 | A79 |
| WNMG060408FW KC5010 | A79 |
| WNMG060408FW KCP05 | A79 |
| WNMG060408FW KCP10 | A79 |
| WNMG060408FW KCU10 | A79 |
| WNMG060408FW KT315 | A79 |
| WNMG060408MN KCP10 | A80 |
| WNMG060408MN KCP25 | A80 |
| WNMG060408MN KCP30 | A80 |
| WNMG060408MP KC5010 | A80 |
| WNMG060408MP KCM15 | A80 |
| WNMG060408MP KCM25 | A80 |
| WNMG060408MP KCM35 | A80 |
| WNMG060408MP KCP10 | A80 |
| WNMG060408MP KCP25 | A80 |
| WNMG060408MP KCU10 | A80 |
| WNMG060408MS K313 | A80 |
| WNMG060408MS KC5510 | A80 |
| WNMG060408MS KC5525 | A80 |
| WNMG060408MS KCU10 | A80 |
| WNMG060408MS KCU25 | A80 |
| WNMG060408MW KCP05 | A81 |
| WNMG060408MW KCP10 | A81 |
| WNMG060408MW KCP25 | A81 |
| WNMG060408RN KCP10 | A81 |
| WNMG060408RN KCP10B | A81 |
| WNMG060408RN KCP25 | A81 |
| WNMG060408RN KCP25B | A81 |
| WNMG060408RP KC5010 | A82 |
| WNMG060408RP KC5510 | A82 |
| WNMG060408RP KC5525 | A82 |
| WNMG060408RP KCK20 | A82 |
| WNMG060408RP KCM25 | A82 |
| WNMG060408RP KCP10 | A82 |
| WNMG060408RP KCP25 | A82 |
| WNMG060408RP KCU10 | A82 |
| WNMG060408RP KCU25 | A82 |
| WNMG060408UN KCK05 | A82 |
| WNMG060408UN KCK15 | A82 |
| WNMG060408UN KCK20 | A82 |
| WNMG060408UP KCM25 | A82 |
| WNMG060412FW KCP05 | A79 |
| WNMG060412FW KCP10 | A79 |
| WNMG060412MN KCP10 | A80 |
| WNMG060412MN KCP25 | A80 |
| WNMG060412MP KCM25 | A80 |
| WNMG060412MS K313 | A80 |
| WNMG060412MS KC5525 | A80 |
| WNMG060412MW KCP10 | A81 |
| WNMG060412MW KCP25 | A81 |
| WNMG060412RN KCP10 | A81 |
| WNMG060412RN KCP25 | A81 |
| WNMG060412RP KCK20 | A82 |
| WNMG060412RP KCP10 | A82 |
| WNMG060412RP KCP25 | A82 |
| WNMG060412UN KCK05 | A82 |
| WNMG060412UN KCK15 | A82 |
| WNMG060412UN KCK20 | A82 |
| WNMG080401MS K313 | A80 |
| WNMG080401MS KC5510 | A80 |
| WNMG080401MS KCU10 | A80 |
| WNMG080402MS K313 | A80 |
| WNMG080402MS KC5510 | A80 |
| WNMG080402MS KC5525 | A80 |
| WNMG080402MS KCU10 | A80 |
| WNMG080402MS KCU25 | A80 |
| WNMG080404FF KC5010 | A79 |
| WNMG080404FF KCP10 | A79 |
| WNMG080404FF KCU10 | A79 |
| WNMG080404FN KCK05 | A79 |
| WNMG080404FN KCP05 | A79 |
| WNMG080404FN KCP10 | A79 |
| WNMG080404FN KCP25 | A79 |
| WNMG080404FN KT315 | A79 |
| WNMG080404FP KC5010 | A79 |
| WNMG080404FP KCM15 | A79 |
| WNMG080404FP KCP10 | A79 |
| WNMG080404FP KCP25 | A79 |
| WNMG080404FP KCU10 | A79 |
| WNMG080404FW KCP05 | A79 |
| WNMG080404FW KCP10 | A79 |
| WNMG080404FW KCU10 | A79 |
| WNMG080404FW KT315 | A79 |
| WNMG080404MS K313 | A80 |
| WNMG080404MS KC5510 | A80 |
| WNMG080404MS KC5525 | A80 |
| WNMG080404MS KCU10 | A80 |
| WNMG080404MS KCU25 | A80 |
| WNMG080404P KC5010 | A81 |
| WNMG080404P KCU10 | A81 |
| WNMG080404UN KCK05 | A82 |
| WNMG080404UN KCK15 | A82 |
| WNMG080404UN KCK20 | A82 |
| WNMG080408FF KC5010 | A79 |
| WNMG080408FF KCP10 | A79 |
| WNMG080408FF KCU10 | A79 |
| WNMG080408FN KCK05 | A79 |
| WNMG080408FN KCP05 | A79 |
| WNMG080408FN KCP10 | A79 |
| WNMG080408FN KCP25 | A79 |
| WNMG080408FN KT315 | A79 |
| WNMG080408FP KC5010 | A79 |
| WNMG080408FP KCM15 | A79 |
| WNMG080408FP KCP10 | A79 |
| WNMG080408FP KCP25 | A79 |
| WNMG080408FP KCU10 | A79 |
| WNMG080408FW KC5010 | A79 |
| WNMG080408FW KCP05 | A79 |
| WNMG080408FW KCP10 | A79 |
| WNMG080408FW KCU10 | A79 |
| WNMG080408FW KT315 | A79 |
| WNMG080408MN KCP05 | A80 |
| WNMG080408MN KCP10 | A80 |
| WNMG080408MN KCP10B | A80 |
| WNMG080408MN KCP25 | A80 |
| WNMG080408MN KCP25B | A80 |
| WNMG080408MN KCP30 | A80 |
| WNMG080408MN KCP40 | A80 |
| WNMG080408MP KC5010 | A80 |
| WNMG080408MP KCM15 | A80 |
| WNMG080408MP KCM25 | A80 |
| WNMG080408MP KCM35 | A80 |
| WNMG080408MP KCP10 | A80 |
| WNMG080408MP KCP25 | A80 |
| WNMG080408MP KCU10 | A80 |

| Catalogue No. | Page(s) |
|---|---|
| WNMG080408MR KCK15B | A80 |
| WNMG080408MR KCM15 | A80 |
| WNMG080408MR KCM25 | A80 |
| WNMG080408MR KCM35 | A80 |
| WNMG080408MR KCP10B | A80 |
| WNMG080408MR KCP25B | A80 |
| WNMG080408MR KCP40 | A80 |
| WNMG080408MS K313 | A80 |
| WNMG080408MS KC5510 | A80 |
| WNMG080408MS KC5525 | A80 |
| WNMG080408MS KCU10 | A80 |
| WNMG080408MS KCU25 | A80 |
| WNMG080408MW KCP05 | A81 |
| WNMG080408MW KCP10 | A81 |
| WNMG080408MW KCP10B | A81 |
| WNMG080408MW KCP25 | A81 |
| WNMG080408MW KCP25B | A81 |
| WNMG080408P KC5010 | A81 |
| WNMG080408P KCU10 | A81 |
| WNMG080408RN KCP05 | A81 |
| WNMG080408RN KCP10 | A81 |
| WNMG080408RN KCP25 | A81 |
| WNMG080408RN KCP30 | A81 |
| WNMG080408RN KCP40 | A81 |
| WNMG080408RP KC5010 | A82 |
| WNMG080408RP KC5510 | A82 |
| WNMG080408RP KC5525 | A82 |
| WNMG080408RP KCK05 | A82 |
| WNMG080408RP KCK15 | A82 |
| WNMG080408RP KCK20 | A82 |
| WNMG080408RP KCM25 | A82 |
| WNMG080408RP KCM35 | A82 |
| WNMG080408RP KCP05 | A82 |
| WNMG080408RP KCP10 | A82 |
| WNMG080408RP KCP10B | A82 |
| WNMG080408RP KCP25 | A82 |
| WNMG080408RP KCP25B | A82 |
| WNMG080408RP KCP30 | A82 |
| WNMG080408RP KCP40 | A82 |
| WNMG080408RP KCU10 | A82 |
| WNMG080408RP KCU25 | A82 |
| WNMG080408UN KCK05 | A82 |
| WNMG080408UN KCK15 | A82 |
| WNMG080408UN KCK15B | A82 |
| WNMG080408UN KCK20 | A82 |
| WNMG080408UP KC5010 | A82 |
| WNMG080408UP KCM15 | A82 |
| WNMG080408UP KCM25 | A82 |
| WNMG080408UP KCM35 | A82 |
| WNMG080408UP KCU10 | A82 |
| WNMG080412FP KC5010 | A79 |
| WNMG080412FP KCU10 | A79 |
| WNMG080412FW KCP05 | A79 |
| WNMG080412FW KCP10 | A79 |
| WNMG080412MN KCP05 | A80 |
| WNMG080412MN KCP10 | A80 |
| WNMG080412MN KCP10B | A80 |
| WNMG080412MN KCP25 | A80 |
| WNMG080412MN KCP25B | A80 |
| WNMG080412MN KCP40 | A80 |
| WNMG080412MP KC5010 | A80 |
| WNMG080412MP KCM15 | A80 |
| WNMG080412MP KCM25 | A80 |
| WNMG080412MP KCM35 | A80 |
| WNMG080412MP KCP10 | A80 |
| WNMG080412MP KCU10 | A80 |
| WNMG080412MR KCM15 | A80 |
| WNMG080412MR KCM25 | A80 |
| WNMG080412MR KCM35 | A80 |
| WNMG080412MR KCP10B | A80 |
| WNMG080412MR KCP25B | A80 |
| WNMG080412MW KCP05 | A81 |
| WNMG080412MW KCP10 | A81 |
| WNMG080412MW KCP10B | A81 |
| WNMG080412MW KCP25 | A81 |
| WNMG080412MW KCP25B | A81 |
| WNMG080412RN KCP05 | A81 |
| WNMG080412RN KCP10 | A81 |
| WNMG080412RN KCP10B | A81 |
| WNMG080412RN KCP25 | A81 |
| WNMG080412RN KCP25B | A81 |
| WNMG080412RN KCP30 | A81 |
| WNMG080412RN KCP40 | A81 |
| WNMG080412RP KC5010 | A82 |
| WNMG080412RP KC5510 | A82 |
| WNMG080412RP KC5525 | A82 |
| WNMG080412RP KCK05 | A82 |
| WNMG080412RP KCK15 | A82 |
| WNMG080412RP KCK15B | A76 |
| WNMG080412RP KCK20 | A82 |
| WNMG080412RP KCM25 | A82 |
| WNMG080412RP KCM35 | A82 |
| WNMG080412RP KCP05 | A82 |
| WNMG080412RP KCP10 | A82 |
| WNMG080412RP KCP10B | A82 |
| WNMG080412RP KCP25 | A82 |
| WNMG080412RP KCP25B | A82 |
| WNMG080412RP KCP30 | A82 |
| WNMG080412RP KCP40 | A82 |
| WNMG080412RP KCU10 | A82 |
| WNMG080412RP KCU25 | A82 |
| WNMG080412UN KCK05 | A82 |
| WNMG080412UN KCK15 | A82 |
| WNMG080412UN KCK20 | A82 |
| WNMG080412UP KC5010 | A82 |
| WNMG080412UP KCM15 | A82 |
| WNMG080412UP KCM25 | A82 |
| WNMG080412UP KCM35 | A82 |
| WNMG080412UP KCU10 | A82 |
| WNMG080416MN KCP25 | A80 |
| WNMG080416RN KCP10 | A81 |
| WNMG080416RN KCP10B | A81 |
| WNMG080416RN KCP25 | A81 |
| WNMG080416RN KCP25B | A81 |
| WNMG080416RN KCP30 | A81 |
| WNMG080416RP KCK20 | A82 |
| WNMG080416RP KCP05 | A82 |
| WNMG080416RP KCP10 | A82 |
| WNMG080416RP KCP10B | A82 |
| WNMG080416RP KCP25 | A82 |
| WNMG080416RP KCP25B | A82 |
| WNMG080416RP KCU10 | A82 |
| WNMG080416RP KCU25 | A82 |
| WNMG080416UN KCK15 | A82 |
| WNMG080416UN KCK15B | A82 |
| WNMG080416UN KCK20 | A82 |
| WOEJ090512SRGD KC522M | D20 |
| WOEJ090512SRGD KC725M | D20 |
| WOEJ090512SRGD KCPK30 | D20 |
| WOEJ090512SRHD KC522M | D20 |
| WOEJ090512SRHD KC725M | D20 |
| WOEJ090512SRHD KCK15 | D20 |
| WOEJ090512SRHD KCPK30 | D20 |
| WOEJ130713SRGD KC522M | D26 |
| WOEJ130713SRGD KC725M | D26 |
| WOEJ130713SRGD KCPK30 | D26 |
| WOEJ130713SRGD KCPM20 | D26 |
| WOEJ130713SRHD KC520M | D26 |
| WOEJ130713SRHD KC522M | D26 |
| WOEJ130713SRHD KC725M | D26 |
| WOEJ130713SRHD KCK15 | D26 |
| WOEJ130713SRHD KCPK30 | D26 |
| WOEJ130713SRHD KCPM20 | D26 |
| WPGT040202UF KCU10 | A114 |
| WPGTS30101UF KC5010 | A114 |
| WPGTS30101UF KCU10 | A114 |
| WPGTS30102UF KC5010 | A114 |
| WPGTS30102UF KCU10 | A114 |
| WPMT040204FP KCM25 | A114 |
| WPMT040204FP KCP25 | A114 |
| WPMT040204FP KCU10 | A114 |
| WPMT040204LF KC5010 | A114 |
| WPMT040204LF KC5025 | A114 |
| WPMT040204LF KCK05 | A114 |
| WPMT040204LF KCK20 | A114 |
| WPMT040204LF KCP10 | A114 |
| WPMT06T304FP KCM15 | A114 |
| WPMT06T304FP KCM25 | A114 |
| WPMT06T304FP KCP10 | A114 |
| WPMT06T304FP KCU10 | A114 |
| WPMT06T304LF KC5010 | A114 |
| WPMT06T304LF KCK20 | A114 |
| WPMT06T304LF KCM15 | A114 |
| WPMT06T304LF KCM25 | A114 |
| WPMT06T304LF KCP10 | A114 |
| WPMT06T304LF KCP25 | A114 |
| WPMT06T308FP KCM25 | A114 |
| WPMT06T308FP KCP10 | A114 |
| WPMT06T308FP KCP25 | A114 |
| WPMT06T308FP KCU10 | A114 |
| WPMT06T308LF KC5010 | A114 |
| WPMT06T308LF KCK05 | A114 |
| WPMT06T308LF KCK20 | A114 |
| WPMT06T308LF KCM15 | A114 |
| WPMT06T308LF KCM25 | A114 |
| WPMT06T308LF KCP10 | A114 |
| WPMT06T308LF KCP25 | A114 |
| WPMTS3T104FP KCM25 | A114 |
| WPMTS3T104FP KCP25 | A114 |
| WPMTS3T104FP KCU10 | A114 |
| WPMTS3T104LF KC5010 | A114 |
| WPMTS3T104LF KC5025 | A114 |

Visit **www.kennametal.com** for additional contact information for locations.

## North America

- **United States**
  General Sales: 1-800-446-7738
  *FtMill.Service@kennametal.com*
  Technical Support: 1-800-835-3668
  *na-kmt.techsupport@kennametal.com*

- **Canada**
  General Sales: 800-446-7738
  *toronto.service@kennametal.com*
  Technical Support: 1-800-835-3668
  *na-kmt.techsupport@kennametal.com*

- **Mexico**
  General Sales: 001-888-402-4963
  *k-mx.service@kennametal.com*

## Central/South America

- **Argentina**
  General Sales: 54 11 4719-0700
  *buenos-aires.ventas@kennametal.com*

- **Brazil**
  General Sales: 55 19 3936 9200
  *bra.marketing@kennametal.com*

- **Chile**
  General Sales: 56-2-2641177
  *kennametalchile@kennametalchile.cl*

- **El Salvador**
  General Sales: (503) 2218 8096
  *prometca@salnet.net*

- **Venezuela**
  General Sales: 305-595-5175
  *paxi@bellsouth.net*

## Africa

- **Egypt**
  General Sales: +20 2-263-9828
  *gafa@link.net*

- **South Africa**
  General Sales: +27 11 748 9300
  *kempton.service@kennametal.com*

## Europe

- **Austria**
  General Sales: +43-2236-379898
  *brunn.sales@kennametal.com*
  Technical Support: 0800 202873
  *eu-kmt.techsupport@kennametal.com*

- **Belgium**
  General Sales: +32 4 248 48 48
  *liege.sales@kennametal.com*
  Technical Support: 0800 80850
  *eu-kmt.techsupport@kennametal.com*

- **Czech Republic**
  Ricany-Jazlovice
  General Sales: 800 900 840
  *k-prha.sales@kennametal.com*

- **France**
  General Sales: +33 1 60 12 81 00
  *info.fr@kennametal.com*
  Technical Support: 0805 540 367
  *eu-kmt.techsupport@kennametal.com*

- **Germany**
  General Sales: +49 6172 737-0
  *friedrichsdorf.service@kennametal.com*
  Technical Support: 0800 0006651
  *eu-kmt.techsupport@kennametal.com*

- **Great Britain**
  General Sales: +44 1384 408060
  *kingswinford.service@kennametal.com*
  Technical Support: 0800 032 8339
  *na-kmt.techsupport@kennametal.com*

## Europe (cont.)

- **Hungary**
  General Sales: +36 96 618 158
  *gyoer.sales@kennametal.com*

- **Ireland**
  General Sales: +44 28-9084-9433

- **Italy**
  General Sales: +39 02-895-961
  *milano.vendite@kennametal.com*
  Technical Support: 800 916561
  *eu-kmt.techsupport@kennametal.com*

- **Luxembourg**
  General Sales: +32 4 248 48 48
  *liege.sales@kennametal.com*

- **Netherlands**
  General Sales: +31 26 384 48 50
  *arnhem.information@kennametal.com*
  Technical Support: 0800 0201130
  *eu-kmt.techsupport@kennametal.com*

- **Poland**
  General Sales: +48 61 6656501
  *poznan.sales@kennametal.com*
  Technical Support: 00800 4411887
  *eu-kmt.techsupport@kennametal.com*

- **Portugal**
  General Sales: +351 22 4119 400
  *porto.service@kennametal.com*

- **Russia**
  General Sales: +7 495 4115386
  *system@kennametal.ru*

- **Slovakia**
  General Sales: +421 42 444 0792
  *k-eu-trencin.sales@kennametal.com*

- **Spain**
  General Sales: +34 93 586 03 50
  *barcelona.service@kennametal.com*

- **Turkey**
  General Sales: +90 216-574-4780
  *tr.information@kennametal.com*

## East/Asia Pacific

- **Australia**
  General Sales: 1-800-666-667
  *k-au.service@kennametal.com*
  Technical Support: 1800674037
  *ap-kmt.techsupport@kennametal.com*

- **Bahrain**
  General Sales: 00 971 (0) 5572371
  *info@passtech.co.uk*

- **China**
  General Sales: +86 400 889 2135
  Technical Support: 400-889-2238

- **Dubai**
  General Sales: 00 971 (0) 5572371
  *info@passtech.co.uk*

- **India**
  General Sales: +91 80 2219 8444 or
  +91 80 4328 1444
  *bangalore.information@kennametal.com*

- **Indonesia**
  General Sales: 65.6265.9222
  *k-sg.sales@kennametal.com*
  Technical Support: 1800 6221031

- **Israel**
  General Sales: +97 23-558-1313
  *arnold1@inter.net.il*
  Technical Support: 1809 449889
  *na-kmt.techsupport@kennametal.com*

- **Japan**
  General Sales: 813 3820 2855
  Technical Support: 0120-509-085
  *k-jp.techsupport@kennametal.com*

- **Korea**
  General Sales: +82 2 2100 6100
  Technical Support: +82 2 2100 6100

- **Kuwait**
  General Sales: 00 971 (0) 5572371
  *info@passtech.co.uk*

- **Malaysia**
  General Sales: (6) 03-5569 9080
  Technical Support: 1800812990

- **New Zealand**
  General Sales: 0800 536 626
  *k-nz.service@kennametal.com*
  Technical Support: 0800 450941
  *ap-kmt.techsupport@kennametal.com*

- **Pakistan**
  General Sales: +92 21 2465305
  *itsystem@brain.net.pk*

- **Singapore***
  General Sales: 65.6265.9222
  *k-sg.sales@kennametal.com*
  Technical Support: 1800 6221031
  *Vietnam and Philippines individuals should contact the Singapore office.

- **Taiwan**
  General Sales: +886 4-2350 1920
  *taiwan.service@kennametal.com*
  Technical Support: 0800 666 197

- **Thailand**
  General Sales: 662 642 3455
  Technical Support: 18004417820

## Holemaking Icons

| | | | | |
|---|---|---|---|---|
| Drilling into Solid | Reaming: Through Hole | Reaming: Blind Hole | Reaming: Through and Cross Holes | Reaming: Blind and Cross Holes |
| Tapping: Through Hole | Tapping: Blind Hole | Tapping: Pipe Thread | HSS-E-PM | Drilling Depth: 3x |
| Drilling Depth: 5x | Drilling Depth: 8x | Drilling Depth: 10x | Shank: Cylindrical Plain | Shank: Cylindrical Plain ≤h6 |
| Shank: Cylindrical Weldon® | Shank: WD | Shank: KM | HSK Shank: A (DIN 69893) | Chamfer Form C (2–3) |
| Chamfer Form D (3.5–5) | Tapping Helix Angle: 0° | Tapping Helix Angle: L15° | Balance (G 6.3/15,000) | DIN Numbers 371 |
| DIN Number 376 | DIN Number 69893 | Through Coolant: Radial: Drilling | Through Coolant: Radial: Reaming | Through Coolant: Radial: Reaming |
| Flood Coolant: Tapping | Through Coolant: Axial: Drilling | Through Coolant: Axial: Reaming | Through Coolant: Axial: Tapping | Class of Fit: 2BX |
| Class of Fit: 3BX | Unified Fine Thread | Unified Coarse Thread | Tool Dimensions: Flute Configuration: 4 | |

## Solid End Milling Icons

| | | | | |
|---|---|---|---|---|
| Face Milling | Plunge Milling Slotting | Ramping: Blank | Slotting: Ball Nose | Slotting: Ball Nose with AP Dimension |
| Slotting: Square End | Slotting: Square End with AP Dimension | Side/Shoulder Milling: Ball Nose | Side/Shoulder Milling: Ball Nose with AE/AP Dimensions | Side/Shoulder Milling: Ball Nose |
| Side/Shoulder Milling: Square End with AE/AP Dimensions | 3D Profiling | 3D Profiling with Square End Mill | 3D Profiling with Square End Mill AE/AP Dimensions | Corner Style: Ball Nose |
| Corner Style: Corner Chamfer | Corner Style: Corner Radius | Corner Style: Square End | Helix Angle: 20° | Helix Angle: 30° |
| Helix Angle: 38° | Helix Angle: 40° | Helix Angle: 45° | Helix Angle: 43° | DIN Number 6527 |
| Through Coolant: Radial: Drilling | Tool Dimensions: Flute Configuration: X (variable) | Tool Dimensions: Flute Configuration: 2 | Tool Dimensions: Flute Configuration: 3 | Tool Dimensions: Flute Configuration: 4 |

*(continued)*

## Solid End Milling Icons *(continued)*

| | | | | |
|---|---|---|---|---|
| Tool Dimensions: Flute Configuration: 5 | Tool Dimensions: Flute Configuration: 6 | | | |

## Indexable Milling Icons

| | | | | |
|---|---|---|---|---|
| Face Milling | Helical Milling | Plunge Milling | Ramping: Blank | Slotting: Ball Nose |
| Slotting: Square End | Side/Shoulder Milling: Ball Nose | Side/Shoulder Milling: Square End | Side/Shoulder Milling: Eased Chamfer | 3D Profiling |
| Pocketing | Shank: Cylindrical Plain | Shank: Cylindrical Weldon® | Shank: Screw-On | Shank: Shell Mill Shank |
| Milling: Through Coolant | | | | |

## Tooling Systems Icons

| | | | | |
|---|---|---|---|---|
| Shank: Cylindrical Plain | Shank: Cylindrical Plain ≤h6 | Shank: Cylindrical Weldon® | Shank: Cylindrical Weldon ≤h5 | Shank: Cylindrical Whistle Notch™ |
| Shank: Cylindrical Whistle Notch ≤h6 | Shank HSK A/DIN 69893 | Shank: Shell Mill | Shank: KM-TS (ISO 26622) | Shank: Square Shank |
| Shank: KM4X™ | Axial Adjustments: End | Axial Adjustments: Side | Balance-by-Design | Balance— G 2.5@ 15,000 min |
| Balance— G 2.5@ 15,000 | Balance— G 2.5@ 25,000 | DIN Number 1835/E | DIN Number 1835/B | ER Collet DIN 6499 |
| Runout ≤3 | Through Coolant: Radial: Drilling | Through Coolant: Radial: Indexable Milling | Through Coolant: MQL (Minimum Quantity Lubricant): Axial Drilling | Through Coolant: Axial: Drilling |
| Through Coolant: 100 bar | Through Coolant: 1500 psi | ISO 26622 | Milling: Tunable Bar/Milling | |

*DIN — German Institute for Standardisation*

*ANSI — American National Standards Institute*

Kennametal Innovations Master

# Tooling Systems

2013 Catalogue

Kennametal is proud to present the latest Kennametal Tooling Systems catalogue, featuring the new KM4X™, proven to offer the best performance from the machine tool and handle the toughest materials. Other products range from ISO standard KM™ Quick Change tooling to ERICKSON™ toolholder systems: HSK, DV, BT, CAT, Shrink Fit, hydraulic chucks, collet systems as well as commodity-type holders to fully support your individual application needs.

Contact your local Authorised Distributor or visit **www.kennametal.com** for more information.

Kennametal Innovations Master

# Cutting Tools

## 2013 Catalogue

Kennametal is proud to present the Kennametal Innovations Master Cutting Tools 2013 Catalogue, featuring all our standard milling, holemaking, and turning products. By compiling our full metalworking portfolio together, and including new application guidelines, tool selectors, and technical information, Kennametal addresses key industry segments and the services that support that vision.

2,000+ pages of Kennametal's best tooling — all in one book! See complete Rotating and Stationary tooling in our new **Master 2013 catalogue**! Download the INCH or METRIC version from **www.kennametal.com,** or request a printed copy!

KENNAMETAL®

| | |
|---|---|
| P | Steel |
| M | Stainless Steel |
| K | Cast Iron |
| N | Non-Ferrous Materials |
| S | High-Temp Alloys |
| H | Hardened Materials |

# Material Overview • DIN

| material group | description | content | tensile strength RM (MPa)* | hardness (HB) | hardness (HRC) | material number |
|---|---|---|---|---|---|---|
| P0 | Low-Carbon Steels, Long Chipping | C <0,25% | <530 | <125 | – | – |
| P1 | Low-Carbon Steels, Short Chipping, Free Machining | C <0,25% | <530 | <125 | – | C15, Ck22, ST37-2, S235JR, 9SMnPb28, GS38 |
| P2 | Medium- and High-Carbon Steels | C >0,25% | >530 | <220 | <25 | ST52, S355JR, C35, GS60, Cf53 |
| P3 | Alloy Steels and Tool Steels | C >0,25% | 600–850 | <330 | <35 | 16MnCr5, Ck45, 21CrMoV5-7, 38SMn28 |
| P4 | Alloy Steels and Tool Steels | C >0,25% | 850–1400 | 340–450 | 35–48 | 100Cr6, 30CrNiMo8, 42CrMo4, C70W2, S6525, X120Mn12 |
| P5 | Ferritic, Martensitic, and PH Stainless Steels | – | 600–900 | <330 | <35 | 100Cr6, 30CrNiMo8, 42CrMo4, C70W2, S6525, X120Mn12 |
| P6 | High-Strength Ferritic, Martensitic, and PH Stainless Steels | – | 900–1350 | 350–450 | 35–48 | X102CrMo17, G-X120Cr29 |
| M1 | Austenitic Stainless Steel | – | <600 | 130–200 | – | X5CrNi 18 10, X2CrNiMo 17 13 2, G-X25CrNiSi18 9, X15CrNiSi 20 12 |
| M2 | High-Strength Austenitic Stainless and Cast Stainless Steels | – | 600–800 | 150–230 | <25 | X2CrNiMo 13 4, X5NiCr 32 21, X5CrNiNb 18 10, G-X15CrNi 25-20 |
| M3 | Duplex Stainless Steel | – | <800 | 135–275 | <30 | X8CrNiMo27 5, X2CrNiMoN22 5 3, X20CrNiSi25 4, G-X40CrNiSi27 4 |
| K1 | Grey Cast Iron | – | 125–500 | 120–290 | <32 | GG15, GG25, GG30, GG40, GTW40 |
| K2 | Low- and Medium-Strength Ductile Irons (Nodular Irons) and Compacted Graphite Irons (CGI) | – | <600 | 130–260 | <28 | GGG40, GTS35 |
| K3 | High-Strength Ductile Irons and Austempered Ductile Iron (ADI) | – | >600 | 180–350 | <43 | GGG60, GTW55, GTS65 |
| N1 | Wrought Aluminium | – | – | – | – | AlMg1, Al99.5, AlCuMg1, AlCuBiPb, AlMgSi1, ALMgSiPb |
| N2 | Low-Silicon Aluminium Alloys and Magnesium Alloys | Si <12,2% | – | – | – | GAlSiCu4, GDAlSi10Mg |
| N3 | High-Silicon Aluminium Alloys and Magnesium Alloys | Si > 12,2% | – | – | – | G-ALSi12, G-AlSi17Cu4, G-AlSi21CuNiMg |
| N4 | Copper-, Brass-, Zinc-Based on Machinability Index Range of 70–100 | – | – | – | – | CuZn40, Ms60, G-CuSn5ZnPb, CuZn37, CuSi3Mn |
| N5 | Nylon, Plastics, Rubbers, Phenolics, Resins, Fibreglass | – | – | – | – | Lexan®, Hostalen™, Polystyrol, Makralon® |
| N6 | Carbon, Graphite Composites, CFRP | – | – | – | – | CFK, GFK |
| N7 | Metal Matrix Composites (MMC) | – | – | – | – | – |
| S1 | Iron-Based, Heat-Resistant Alloys | – | 500–1200 | 160–260 | 25–48 | X1NiCrMoCu32 28 7, X12NiCrSi36 16, X5NiCrAlTi31 20, X40CoCrNi20 20 |
| S2 | Cobalt-Based, Heat-Resistant Alloys | – | 1000–1450 | 250–450 | 25–48 | Haynes® 188, Stelllite® 6,21,31 |
| S3 | Nickel-Based, Heat-Resistant Alloys | – | 600–1700 | 160–450 | <48 | INCONEL® 690, INCONEL 625, Hastelloy®, Nimonic® 75 |
| S4 | Titanium and Titanium Alloys | – | 900–1600 | 300–400 | 33–48 | Ti1, TiAl5Sn2, TiAl6V4, TiAl4Mo4Sn2 |
| H1 | Hardened Materials | – | – | – | 44–48 | GX260NiCr42, GX330NiCr42, GX300CrNiSi952, GX300CrMo153, Hardox® 400 |
| H2 | Hardened Materials | – | – | – | 48–55 | – |
| H3 | Hardened Materials | – | – | – | 56–60 | – |
| H4 | Hardened Materials | – | – | – | >60 | – |

# Metalcutting Safety

## IMPORTANT SAFETY INSTRUCTIONS

**Read before using the tools in this catalogue!**

**Projectile and Fragmentation Hazards:**

Modern metalcutting operations involve high spindle and cutter speeds and high temperatures and cutting forces. Hot metal chips may fly off the workpiece during metalcutting. Although cutting tools are designed and manufactured to withstand high cutting forces and temperatures, they can sometimes fragment, particularly if they are subjected to over-stress, severe impact, or other abuse.

**To avoid injury:**

- Always wear appropriate personal protective equipment, including safety goggles, when operating metalcutting machines or working nearby.
- Always make sure all machine guards are in place.

**Breathing and Skin Contact Hazards:**

Grinding carbide or other advanced cutting tool materials produces dust or mist containing metallic particles. Breathing this dust or mist — especially over an extended period — can cause temporary or permanent lung disease or make existing medical conditions worse. Contact with this dust or mist can irritate eyes, skin, and mucous membranes and may make existing skin conditions worse.

**To avoid injury:**

- Always wear breathing protection and safety goggles when grinding.
- Provide ventilation control and collect and properly dispose of dust, mist, or sludge from grinding.
- Avoid skin contact with dust or mist.

For more information, read the applicable Material Safety Data Sheet provided by Kennametal and consult General Industry Safety and Health Regulations, Part 1910, Title 29 of the Code of Federal Regulations.

These safety instructions are general guidelines. Many variables affect machining operations. It is impossible to cover every specific situation. The technical information included in this catalogue and recommendations on machining practices may not apply to your particular operation. For more information, consult Kennametal's Metalcutting Safety booklet, available free from Kennametal at 724.539.5747 or fax 724.539.5439. For specific product safety and environmental questions, contact our Corporate Environmental Health and Safety Office at 724.539.5066 or fax 724.539.5372.

*Kennametal, the stylized K, A3, A4, Beyond, Beyond BLAST, Beyond Drive, Beyond Shield, DFC, DFR, DFT, Dodeka, Drill Fix, Erickson, Fix-Perfect, GOmill, Green Box, HARVI, HARVI I, HARVI II, HARVI III,K605, KB1340, KB1630, KB5610, KB5625, KB5630, KBH20, KBK35, KBK35, KC522M, KC643M, KC7140, KC7225, KC725M, KC7315, KC7320, KC7410, KC7410, KC7512, KC7515, KC7542, KCK10, KCM15, KCP15, KCPK15, KCPK30, KCPM15, KCSM15, KCU10, ,KCU25 KCU40, KCU45, KD1400, KD1405, KD1425, Kenclamp, Kendex, KenFeed, KenFeed 2X, Kenloc, Kenna Perfect, Kennametal Conforma Clad, Kennametal Extrude Hone, KenTIP, KM, KM Micro, KM-LOC, KM-LOC II, KM-TS, KM4X, KP6505, KP6525, KSEM, KSEM PLUS, KSOM, KSRM, KSSM, KT325, KYK10, KYK25, KYS25, KYS30, KYS40, MaxiMet, Mill 1, Mill 1-7, ModBORE, RHM, RHM-E, RIQ, RIR, RMB, RMB-E, RMS, Rodeka, Romicron, SEFAS, SIF, Stellite, ToolBOSS, Top Notch, Whistle Notch are trademarks of Kennametal, Inc. and are used as such herein. The absence of a product, service name, or logo from this list does not constitute a waiver of Kennametal's trademark or other intellectual property rights concerning that name or logo.*

*Astroloy™ is a trademark of Svedala Industries, Inc. Corporation.*
*Discaloy™ is a trademark of Westinghouse Electric Corporation.*
*Hastelloy® and Haynes® are registered trademarks of Haynes International, Inc. Corporation.*
*INCOLOY® is a registered trademark of Inco Alloys International, Inc..*
*INCONEL®, Monel®, NIMONIC®, and UDIMET® are registered trademarks of Special Metals Corporation.*
*INVAR® is a registered trademark of Imphy Alloys Joint Stock Company.*
*iPad® is a registered trademark of Apple Inc., registered in the U.S. and other countries.*
*iTunes® is a registered trademark of Apple Inc., registered in the U.S. and other countries.*
*PACO™ is a trademark of Baltimore Aircoil Company, Inc.*
*QR Code is a registered trademark of Denso Wave Incorporated.*
*SAFE-LOCK™ is a trademark of Haimer GmbH.*
*Weldon® is a registered trademark of Weldon Tool Company.*

*©Copyright 2013 by Kennametal Inc., Latrobe, PA 15650. All rights reserved.*

# INNOVATIONS **CATALOGUE**


WORLD AND CORPORATE HEADQUARTERS
**Kennametal Inc.**
1600 Technology Way
Latrobe, PA 15650 USA
Phone: 800.446.7738 (United States and Canada)
E-mail: ftmill.service@kennametal.com

EUROPEAN HEADQUARTERS
**Kennametal Europe GmbH**
Rheingoldstrasse 50
CH 8212 Neuhausen am Rheinfall
Switzerland
Phone: 41.52.6750.100
E-mail: neuhausen.info@kennametal.com

ASIA-PACIFIC HEADQUARTERS
**Kennametal (Singapore) Pte. Ltd.**
3A International Business Park
Unit #01-02/03/05, ICON@IBP
Singapore 609935
Phone: 65.6265.9222
E-mail: k-sg.sales@kennametal.com

INDIA HEADQUARTERS
**Kennametal India Limited**
8/9th Mile, Tumkur Road
Bangalore - 560 073
Phone: 91.80.2839 4321
E-mail: bangalore.information@kennametal.com


KENNAMETAL®

**www.kennametal.com**


©2013 by Kennametal Inc., Latrobe, PA 15650 USA
All rights reserved. I A-13-03143EN_me